U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
OVETA CULP HOBBY, SECRETARY
PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1951

VOLUME II

MORTALITY DATA

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1954

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $3.75

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Assistant Chief*

IWAO M. MORIYAMA, *Mortality Analysis*

SAM SHAPIRO, *Natality Analysis*

HUGH CARTER, *Marriage and Divorce Analysis*

CARL C. DAUER, M. D., *Medical Adviser*

HAZEL V. AUNE, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

SIDNEY BINDER, *Statistical Processing*

PREFACE

This is one of two volumes presenting final vital statistics for the United States, its Territories, and certain possessions for the year 1951. Their subject matter consists of vital events that occurred in these areas during the year—marriages, divorces, births, fetal deaths, infant deaths, and deaths among the general population.

This annual report is organized as follows:

Volume I. Analysis and Summary Tables
Tables for Alaska, Hawaii, Puerto Rico, and Virgin Islands, and Marriage, Divorce, Natality, Fetal Mortality, and Infant Mortality Data

Volume II. Mortality Data

In using statistics from either volume, it is recommended that reference be made to the explanatory text in Volume I, which describes the sources and limitations of the data.

CONTENTS

Total Deaths (Exclusive of fetal deaths)

Table		Page
46.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1951	3
47.	Deaths by month: United States and each State, 1951	6
48.	Deaths by month, race, and sex: United States and each State, 1951	7
49.	Deaths by specified race and sex: United States and each State, 1951	12
50.	Deaths by race and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1951	13
51.	Deaths by age, for metropolitan and nonmetropolitan counties: United States and each State, 1951	15
52.	Deaths and death rates for each cause, by race and sex: United States, 1951	17
52.	Supplement: Deaths from nontransport accidents by race, sex, and place of accident: United States, 1951	32
53.	Deaths from 256 selected causes by specified race and sex: United States, 1951	36
54.	Deaths from 256 selected causes, by age, race, and sex: United States, 1951	44
55.	Deaths from 256 selected causes, by race and sex: United States and each State, 1951	90
56.	Deaths from 64 selected causes, by month: United States, 1951	158
57.	Deaths from 64 selected causes, by age, race, and sex: United States and each State, 1951	160
58.	Deaths from 33 selected causes: United States and each State, 1951	364
59.	Deaths from 33 selected causes: United States, each State and county; and metropolitan and nonmetropolitan counties in each State, 1951	366
60.	Deaths by marital status, age, race, and sex: United States, 1951	444

Symbols

Class or item not applicable (3 dots)	...
Data not available (3 dashes)	- - -
Quantity is zero, in frequency tables (1 dash)	-
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	-

TOTAL DEATHS
(Exclusive of fetal deaths)

Table 46. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1951

(Exclusive of fetal deaths and of deaths among armed forces overseas. Unit of residence is defined as the county of which the decedent was a resident)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in county of residence	DEATHS OF NONRESIDENTS													
			Total	Intra-state non-residents	Interstate nonresidents											
					Total	State of residence										
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,482,099	1,269,771	212,328	166,440	45,888	811	286	814	1,618	424	677	168	858	1,141	894	405	3,146
Alabama	27,224	23,847	3,377	2,758	619	...	-	8	8	1	-	-	-	132	158	-	8
Arizona	7,684	6,349	1,335	463	872	4	...	14	172	32	5	1	3	5	-	13	62
Arkansas	15,699	12,754	2,945	2,208	737	6	1	...	17	2	2	-	1	12	6	1	26
California	103,808	93,490	10,318	8,981	1,337	10	104	11	...	46	7	3	6	13	5	19	104
Colorado	13,123	9,925	3,198	2,325	873	10	7	7	103	...	2	1	4	12	4	6	37
Connecticut	19,622	17,525	2,097	1,662	435	-	-	1	4	-	...	-	2	8	3	-	3
Delaware	3,520	3,036	484	235	249	-	-	-	1	-	1	...	1	1	1	-	-
District of Columbia	8,964	7,552	1,412	...	1,412	5	-	2	8	-	7	2	...	18	14	-	6
Florida	29,305	24,253	5,052	2,515	2,537	79	-	5	28	4	68	9	20	...	213	1	190
Georgia	31,041	25,514	5,527	4,518	1,009	224	-	2	10	1	2	1	7	253	...	-	13
Idaho	4,872	3,980	912	647	265	-	4	-	32	13	1	-	-	-	-	...	3
Illinois	92,020	80,944	11,076	9,214	1,862	11	15	18	59	11	3	2	-	33	16	4	...
Indiana	40,945	35,003	5,942	4,741	1,201	4	1	6	19	1	1	-	2	17	4	2	421
Iowa	26,407	21,242	5,165	4,194	971	1	1	3	21	17	1	-	1	4	-	1	284
Kansas	19,390	15,311	4,079	2,866	1,213	2	2	12	37	62	-	-	3	6	1	2	25
Kentucky	27,265	23,043	4,222	3,230	992	14	-	7	9	2	2	1	2	15	7	1	58
Louisiana	24,846	19,811	5,035	4,419	616	35	2	53	21	3	1	-	1	24	5	-	11
Maine	9,984	8,638	1,346	1,101	245	-	-	-	2	1	17	-	-	7	-	-	-
Maryland	21,654	17,255	4,399	2,881	1,518	7	1	3	7	3	6	54	527	45	10	1	10
Massachusetts	53,627	48,536	5,091	4,286	805	3	1	-	5	1	152	3	3	17	4	1	12
Michigan	58,983	51,151	7,832	6,997	835	5	2	8	24	1	3	1	1	26	4	1	147
Minnesota	28,206	22,186	6,020	4,681	1,339	2	6	10	41	6	2	-	2	11	2	1	97
Mississippi	20,941	17,617	3,324	2,734	590	124	1	30	6	3	2	-	1	20	5	-	27
Missouri	44,316	35,759	8,557	6,596	1,961	10	5	103	43	9	2	1	5	10	3	2	847
Montana	5,854	4,670	1,184	972	212	-	2	1	23	2	-	1	1	1	1	17	10
Nebraska	12,775	10,247	2,528	2,058	470	1	1	1	24	21	-	-	1	1	-	6	15
Nevada	1,827	1,395	432	145	287	1	7	1	172	7	1	-	-	-	-	4	8
New Hampshire	6,326	5,284	1,042	595	447	-	1	-	3	-	14	-	1	6	-	-	2
New Jersey	49,421	42,896	6,525	4,951	1,574	-	-	1	16	1	25	11	16	40	9	-	12
New Mexico	5,767	4,607	1,160	621	539	3	62	10	71	36	1	-	-	4	1	1	21
New York	158,483	142,731	15,752	12,951	2,801	13	4	6	45	1	231	6	19	96	23	-	47
North Carolina	31,407	26,375	5,032	4,096	936	11	-	3	8	2	7	1	21	64	63	-	15
North Dakota	5,016	3,524	1,492	1,207	285	-	-	-	5	-	-	-	-	-	-	1	4
Ohio	81,689	72,077	9,612	7,853	1,759	8	3	1	25	2	5	3	9	38	5	1	64
Oklahoma	19,650	15,982	3,668	3,169	499	-	6	33	31	7	1	-	2	3	5	3	13
Oregon	14,620	12,123	2,497	1,910	587	2	5	1	137	7	-	1	-	1	-	63	4
Pennsylvania	110,983	98,956	12,027	9,999	2,028	3	1	3	26	2	7	54	20	48	3	-	29
Rhode Island	8,200	7,361	839	530	309	1	-	-	4	-	71	-	1	2	-	1	-
South Carolina	17,752	15,419	2,333	1,863	470	5	-	1	2	-	1	-	2	33	98	1	3
South Dakota	5,807	4,292	1,515	1,172	343	-	3	1	9	12	-	-	-	-	-	1	9
Tennessee	30,543	25,721	4,822	2,949	1,873	179	2	346	17	-	1	1	2	31	186	1	35
Texas	67,283	57,238	10,045	8,706	1,339	14	22	95	111	34	2	1	3	20	14	2	45
Utah	5,203	4,249	954	661	293	1	11	1	64	19	1	-	-	-	-	84	3
Vermont	4,298	3,528	770	529	241	-	-	-	1	-	11	1	2	1	-	-	-
Virginia	29,404	21,358	8,046	6,686	1,360	10	-	2	15	4	7	8	131	51	18	2	14
Washington	23,378	20,371	3,007	2,311	696	1	1	1	72	6	1	-	-	1	-	148	12
West Virginia	17,024	13,833	3,191	2,250	941	-	-	1	3	-	2	-	31	3	1	-	6
Wisconsin	33,562	28,940	4,622	3,762	860	-	2	2	20	2	-	1	4	7	2	-	375
Wyoming	2,381	1,893	488	242	246	2	-	-	37	40	1	-	-	1	-	13	9

Table 46. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1951—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas. Unit of residence is defined as the county of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,410	974	913	1,269	519	298	1,217	1,061	1,248	823	725	1,768	272	604	133	325	2,596	386	2,806
Alabama	9	2	2	7	35	-	3	4	8	4	73	6	-	-	-	-	2	-	14
Arizona	27	20	11	9	5	-	2	13	35	27	2	24	11	11	3	1	11	84	56
Arkansas	3	6	19	4	34	-	4	1	10	3	30	143	2	5	-	-	2	-	7
California	17	37	31	5	11	3	6	17	38	26	3	47	16	32	76	2	18	19	67
Colorado	7	30	90	8	5	-	1	5	24	17	2	44	5	87	2	-	3	57	26
Connecticut	1	-	-	-	-	10	-	86	1	-	-	-	-	-	-	4	28	1	225
Delaware	-	-	-	-	-	-	73	1	2	1	-	-	-	-	-	1	60	-	2
District of Columbia	3	2	-	6	1	2	643	11	6	2	2	5	2	1	1	-	16	1	40
Florida	87	17	5	34	10	26	36	123	163	34	12	27	1	8	1	16	151	-	506
Georgia	7	3	2	20	6	3	3	8	15	6	8	6	-	-	1	1	18	-	23
Idaho	-	7	2	1	-	2	2	-	1	4	-	1	18	2	3	-	1	5	3
Illinois	444	125	21	60	12	3	7	5	135	41	18	309	7	18	-	1	9	2	46
Indiana	...	7	6	157	2	2	1	4	156	5	5	19	1	2	-	-	7	-	19
Iowa	9	...	29	3	4	-	-	1	12	76	1	136	1	167	-	-	3	-	11
Kansas	5	31	...	4	-	-	1	2	14	1	2	668	3	47	-	-	2	8	4
Kentucky	228	4	6	...	-	-	3	4	25	-	9	15	-	1	-	-	3	-	15
Louisiana	5	1	5	1	...	1	8	2	5	4	159	6	-	1	-	1	6	-	15
Maine	-	2	-	-	-	...	2	93	2	-	1	2	-	-	-	47	10	-	31
Maryland	8	1	2	6	6	2	...	12	5	3	1	4	-	-	-	2	53	-	60
Massachusetts	4	-	1	3	2	86	2	...	2	1	-	-	-	2	-	135	18	1	115
Michigan	86	6	6	20	3	2	4	4	...	12	6	20	1	4	1	1	8	1	32
Minnesota	26	220	10	4	-	-	2	5	41	...	5	23	31	37	1	-	4	2	10
Mississippi	11	1	2	5	181	-	3	1	8	3	...	11	-	2	-	-	-	-	5
Missouri	39	91	435	26	8	1	1	3	22	16	13	...	2	39	-	1	4	2	14
Montana	3	6	1	1	1	-	1	1	1	16	-	6	...	1	1	-	-	-	1
Nebraska	5	176	68	3	1	-	-	1	1	8	-	25	5	...	1	-	6	-	3
Nevada	2	-	4	-	3	-	-	1	3	2	1	3	2	3	...	-	1	2	9
New Hampshire	1	-	-	-	-	92	2	146	1	-	-	-	-	-	-	...	14	-	29
New Jersey	3	1	-	4	1	6	37	38	13	-	-	1	-	-	1	2	...	-	657
New Mexico	5	9	14	4	6	1	1	2	5	7	3	9	3	5	1	2	1	...	13
New York	19	8	-	7	10	23	34	141	29	8	2	13	-	2	1	11	1,206	-	...
North Carolina	7	3	1	10	2	2	22	10	17	2	8	7	1	-	-	2	25	1	60
North Dakota	-	-	4	1	-	1	-	-	4	176	-	4	26	3	-	-	-	1	2
Ohio	214	7	3	359	1	2	6	9	220	10	3	4	2	2	2	2	15	-	53
Oklahoma	6	5	69	4	13	-	-	1	5	2	5	45	-	4	-	-	-	14	6
Oregon	1	4	5	-	1	-	1	2	7	5	-	4	23	4	3	-	-	2	2
Pennsylvania	14	2	1	8	4	4	115	20	41	3	3	5	3	3	4	2	803	-	356
Rhode Island	1	-	1	2	-	6	1	176	1	-	-	1	-	-	-	-	3	-	21
South Carolina	3	1	1	3	1	3	5	8	5	2	2	2	-	2	-	1	9	1	34
South Dakota	1	45	-	2	-	-	-	1	6	64	-	5	12	59	-	-	1	-	3
Tennessee	30	2	5	250	9	-	4	6	22	4	330	60	-	3	-	-	4	2	20
Texas	21	22	32	11	128	1	4	9	23	17	11	29	3	9	1	1	8	168	30
Utah	1	5	3	1	2	-	-	1	1	3	1	1	6	3	23	-	1	6	1
Vermont	-	1	-	-	-	9	-	54	1	-	-	-	-	-	-	85	5	-	58
Virginia	14	1	2	37	5	4	86	20	11	4	3	7	1	-	1	3	29	2	80
Washington	3	8	4	1	2	1	2	3	7	19	-	6	61	6	3	-	1	1	6
West Virginia	6	3	2	170	1	-	88	1	3	-	-	-	-	-	-	-	5	-	8
Wisconsin	21	49	3	7	3	-	-	2	87	181	1	12	2	4	-	1	1	1	6
Wyoming	3	3	5	1	-	-	1	3	4	4	-	3	21	25	2	-	1	2	3

Table 46. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1951—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas. Unit of residence is defined as the county of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																	Total deaths of residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	900	380	2,001	967	516	2,471	265	572	374	914	1,294	201	227	1,468	641	946	951	211	1,482,099
Alabama	14	1	15	3	2	1	-	17	-	60	13	-	-	4	1	3	1	-	27,416
Arizona	3	1	21	31	14	16	2	1	1	2	48	12	1	3	20	4	23	6	7,098
Arkansas	-	1	7	132	3	6	-	2	3	41	180	1	-	5	3	1	5	-	15,776
California	4	10	49	34	125	30	5	4	6	13	69	40	1	7	93	7	30	11	104,089
Colorado	4	3	22	22	7	10	-	1	16	5	58	29	-	8	11	3	8	60	12,674
Connecticut	1	-	4	2	-	16	24	1	-	-	-	-	3	5	1	-	1	-	19,864
Delaware	5	-	-	1	-	69	-	1	-	-	1	-	-	8	-	-	-	-	3,439
District of Columbia	27	1	21	2	1	47	2	6	2	2	5	1	1	473	-	14	1	-	8,410
Florida	40	3	191	6	-	171	18	29	7	45	19	1	10	50	5	18	50	-	27,909
Georgia	55	1	12	4	2	17	-	185	2	52	8	-	-	19	-	4	5	-	30,926
Idaho	-	2	-	2	33	-	-	-	1	-	6	33	-	-	72	-	3	8	5,012
Illinois	7	8	56	17	5	32	2	2	11	32	31	1	1	4	16	5	195	2	93,304
Indiana	4	1	224	3	1	32	-	3	-	15	17	-	-	1	3	7	18	1	41,154
Iowa	2	8	5	6	6	2	-	1	69	5	7	-	-	2	12	1	57	2	26,410
Kansas	1	1	11	199	4	5	-	-	4	2	21	1	-	3	3	1	11	2	19,090
Kentucky	14	1	218	7	-	12	1	7	11	196	17	1	1	33	1	44	7	-	27,542
Louisiana	1	1	5	14	-	4	-	5	-	12	193	-	-	2	-	-	3	-	24,749
Maine	-	-	4	-	-	8	9	-	-	-	-	-	5	-	-	1	-	1	10,037
Maryland	32	1	35	2	-	253	1	7	1	12	9	-	1	206	2	112	4	1	21,353
Massachusetts	2	2	11	3	-	26	136	-	-	1	7	-	33	3	3	1	3	-	53,885
Michigan	4	2	177	6	1	28	-	1	1	14	15	2	-	3	1	8	152	-	59,396
Minnesota	1	211	21	8	3	15	1	-	137	5	21	2	-	1	19	4	282	7	27,690
Mississippi	4	-	5	4	-	6	1	3	-	85	26	-	-	1	-	1	2	-	21,076
Missouri	3	2	26	64	4	9	5	1	7	23	28	-	-	4	7	6	11	4	44,123
Montana	-	28	3	2	5	1	-	-	4	-	5	4	-	-	27	1	5	28	5,914
Nebraska	-	2	2	3	3	5	-	1	41	1	5	2	-	2	3	-	8	18	12,909
Nevada	-	-	2	1	7	4	-	-	1	1	4	22	-	-	6	-	1	2	1,675
New Hampshire	-	-	1	-	-	5	5	-	-	1	-	-	119	3	1	-	-	-	6,204
New Jersey	11	-	10	1	1	602	3	6	-	2	6	-	3	19	3	6	6	-	50,443
New Mexico	-	-	13	39	2	5	-	-	1	6	153	7	-	1	4	2	3	2	5,614
New York	30	3	76	3	3	497	24	18	2	11	18	1	41	43	4	17	5	-	158,488
North Carolina	...	-	20	6	2	40	4	205	-	70	11	1	-	182	1	18	1	-	31,371
North Dakota	-	...	-	3	2	-	-	1	30	-	5	-	-	-	6	-	4	2	5,111
Ohio	5	-	...	7	-	256	2	4	-	19	18	-	-	14	3	344	9	-	81,951
Oklahoma	1	-	13	...	2	4	-	1	3	9	172	-	-	3	3	1	4	-	20,118
Oregon	-	5	-	4	...	4	-	2	3	1	2	6	-	-	271	-	-	4	14,549
Pennsylvania	14	1	252	2	-	...	5	9	-	10	9	1	2	29	1	94	11	1	111,426
Rhode Island	-	-	-	-	-	10	...	-	-	1	2	-	1	1	-	-	1	-	8,156
South Carolina	185	-	8	1	2	12	2	...	-	9	5	-	-	11	1	3	2	-	17,854
South Dakota	-	64	1	-	4	1	-	-	...	1	6	3	-	-	7	-	5	17	5,838
Tennessee	78	-	35	14	2	9	-	24	1	...	23	-	-	124	1	8	2	-	29,584
Texas	15	3	28	289	5	36	-	2	3	22	...	4	-	11	7	4	16	3	67,258
Utah	-	1	4	4	3	1	-	-	1	1	2	...	-	1	10	-	1	21	5,111
Vermont	-	-	2	1	-	2	4	-	-	-	-	-	...	3	-	-	-	-	4,284
Virginia	323	2	30	2	1	61	5	20	-	117	15	1	3	...	2	201	4	1	29,512
Washington	3	4	9	6	256	3	-	-	7	3	8	3	-	4	...	-	8	5	23,323
West Virginia	5	-	332	1	-	88	-	3	-	3	3	-	-	171	-	...	1	-	17,029
Wisconsin	1	5	14	1	2	7	4	-	3	4	12	3	1	1	2	2	...	2	33,653
Wyoming	1	1	6	6	3	3	-	-	5	-	11	19	-	-	5	-	2	...	2,346

NOTE.—For discussion of rules for residence allocation, see text in Volume I, "Vital Statistics of the United States, 1951."

Table 47. Deaths by Month: United States and Each State, 1951

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,482,099	131,467	124,455	140,324	125,339	122,518	115,633	118,134	114,628	110,277	120,481	124,661	134,182
Alabama	27,224	2,491	2,356	2,566	2,293	2,225	2,172	2,218	2,118	1,913	2,132	2,326	2,414
Arizona	7,684	742	614	725	601	647	582	638	540	564	623	653	755
Arkansas	15,699	1,481	1,366	1,441	1,338	1,286	1,227	1,298	1,246	1,102	1,172	1,378	1,364
California	103,808	9,134	8,578	10,238	8,143	8,600	7,946	8,307	8,092	7,871	8,410	8,696	9,793
Colorado	13,123	1,040	1,039	1,075	1,070	1,077	1,116	1,123	1,046	1,108	1,128	1,108	1,193
Connecticut	19,622	1,660	1,733	2,074	1,562	1,582	1,506	1,496	1,395	1,504	1,648	1,673	1,789
Delaware	3,520	273	284	322	337	287	315	288	273	260	289	296	296
District of Columbia	8,964	786	713	796	756	754	725	698	693	626	797	786	834
Florida	29,305	2,783	2,757	2,984	2,609	2,327	2,197	2,151	2,176	2,000	2,151	2,426	2,744
Georgia	31,041	2,826	2,727	2,801	2,655	2,520	2,448	2,401	2,402	2,180	2,584	2,697	2,800
Idaho	4,872	377	374	400	417	388	476	420	407	414	392	378	429
Illinois	92,020	8,146	7,373	8,547	8,045	7,807	7,101	7,257	6,970	6,914	7,425	7,901	8,534
Indiana	40,945	3,650	3,214	3,915	3,567	3,561	3,183	3,109	3,190	3,106	3,316	3,456	3,678
Iowa	26,407	2,361	2,110	2,282	2,226	2,247	2,085	2,102	2,059	2,037	2,246	2,203	2,449
Kansas	19,390	1,710	1,634	1,615	1,612	1,566	1,467	1,665	1,633	1,461	1,603	1,685	1,739
Kentucky	27,265	2,487	2,382	2,435	2,441	2,207	2,164	2,105	2,101	1,988	2,188	2,200	2,567
Louisiana	24,846	2,242	2,370	2,219	1,999	1,878	1,843	1,991	2,143	1,775	2,027	2,097	2,262
Maine	9,984	843	822	1,096	800	782	791	825	797	711	834	846	837
Maryland	21,654	2,014	951	2,038	1,981	1,897	1,854	1,911	1,702	1,711	1,916	1,946	1,733
Massachusetts	53,627	4,643	4,905	5,349	4,347	4,453	4,111	4,149	3,911	4,008	4,467	4,438	4,846
Michigan	58,983	5,093	4,808	6,066	5,056	4,831	4,458	4,812	4,578	4,538	4,748	4,901	5,094
Minnesota	28,206	2,421	2,241	2,437	2,346	2,477	2,281	2,360	2,256	2,190	2,314	2,410	2,473
Mississippi	20,941	1,964	1,895	1,875	1,866	1,583	1,507	1,675	1,726	1,522	1,660	1,732	1,936
Missouri	44,316	3,994	3,709	3,958	3,875	3,619	3,289	3,632	3,344	3,357	3,670	3,800	4,069
Montana	5,854	469	453	538	503	477	473	496	503	464	528	474	476
Nebraska	12,775	1,117	1,000	1,110	1,097	1,117	944	1,081	945	954	1,095	1,089	1,226
Nevada	1,827	150	146	195	146	162	132	152	147	136	176	123	162
New Hampshire	6,326	560	570	684	503	507	470	516	479	508	490	476	563
New Jersey	49,421	4,442	4,336	4,866	3,966	4,071	3,807	3,914	3,744	3,619	4,010	4,067	4,579
New Mexico	5,767	498	478	478	436	486	449	485	445	488	555	477	492
New York	158,483	13,989	13,668	15,781	13,096	12,998	12,216	12,308	11,851	11,749	13,096	13,327	14,404
North Carolina	31,407	2,927	2,772	2,700	2,680	2,590	2,615	2,345	2,401	2,288	2,539	2,723	2,827
North Dakota	5,016	427	355	428	442	446	412	432	392	405	421	426	430
Ohio	81,689	7,138	6,625	7,767	7,223	6,921	6,417	6,311	6,270	5,984	6,724	6,876	7,433
Oklahoma	19,650	1,772	1,620	1,706	1,707	1,642	1,490	1,653	1,655	1,474	1,487	1,634	1,810
Oregon	14,620	1,218	1,235	1,428	1,238	1,263	1,190	1,096	1,131	1,165	1,180	1,169	1,307
Pennsylvania	110,983	9,907	9,851	11,253	9,571	9,070	8,496	8,509	8,151	7,995	8,760	9,293	10,127
Rhode Island	8,200	723	684	878	687	664	631	634	610	580	682	665	762
South Carolina	17,752	1,577	1,497	1,612	1,537	1,543	1,394	1,449	1,358	1,290	1,439	1,486	1,570
South Dakota	5,807	556	474	512	526	448	434	493	481	379	498	523	483
Tennessee	30,543	2,773	2,608	2,586	2,781	2,556	2,403	2,481	2,468	2,252	2,446	2,517	2,672
Texas	67,283	5,989	5,931	5,746	5,566	5,350	5,537	6,051	5,941	4,877	5,028	5,461	5,806
Utah	5,203	433	354	477	446	470	446	397	402	367	472	455	484
Vermont	4,298	375	360	428	377	354	334	316	362	306	347	368	371
Virginia	29,404	2,626	2,440	2,663	2,467	2,368	2,436	2,325	2,177	2,181	2,409	2,519	2,793
Washington	23,378	2,024	1,836	2,440	1,937	1,923	1,920	1,709	1,760	1,815	1,980	1,958	2,076
West Virginia	17,024	1,539	1,412	1,614	1,519	1,455	1,299	1,306	1,269	1,274	1,460	1,415	1,462
Wisconsin	33,562	2,862	2,633	2,986	2,762	2,848	2,621	2,828	2,672	2,665	2,728	2,916	3,041
Wyoming	2,381	215	162	194	184	188	223	216	216	202	191	192	198

Table 48 Deaths by Month, Race, and Sex: United States and Each State, 1951

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,482,099	131,467	124,455	140,324	125,339	122,518	115,633	118,134	114,628	110,277	120,481	124,661	134,182
Male	845,233	74,644	70,471	79,211	70,982	69,823	65,895	67,553	65,702	63,620	69,184	71,317	76,831
Female	636,866	56,823	53,984	61,113	54,357	52,695	49,738	50,581	48,926	46,657	51,297	53,344	57,351
White	1,302,969	115,497	108,895	123,894	110,254	108,049	101,602	103,752	100,398	97,127	105,791	109,601	118,109
Male	747,049	65,980	61,963	70,228	62,799	61,880	58,240	59,710	57,946	56,314	60,992	63,120	67,877
Female	555,920	49,517	46,932	53,666	47,455	46,169	43,362	44,042	42,452	40,813	44,799	46,481	50,232
Nonwhite	179,130	15,970	15,560	16,430	15,085	14,469	14,031	14,382	14,230	13,150	14,690	15,060	16,073
Male	98,184	8,664	8,508	8,983	8,183	7,943	7,655	7,843	7,756	7,306	8,192	8,197	8,954
Female	80,946	7,306	7,052	7,447	6,902	6,526	6,376	6,539	6,474	5,844	6,498	6,863	7,119
ALABAMA	27,416	2,524	2,383	2,582	2,299	2,244	2,196	2,213	2,135	1,937	2,139	2,326	2,438
Male	15,384	1,430	1,360	1,450	1,263	1,292	1,211	1,181	1,161	1,119	1,228	1,329	1,360
Female	12,032	1,094	1,023	1,132	1,036	952	985	1,032	974	818	911	997	1,078
White	16,031	1,507	1,373	1,424	1,367	1,313	1,310	1,301	1,300	1,158	1,253	1,363	1,362
Male	9,420	902	815	844	790	790	753	720	732	711	758	812	793
Female	6,611	605	558	580	577	523	557	581	568	447	495	551	569
Nonwhite	11,385	1,017	1,010	1,158	932	931	886	912	835	779	886	963	1,076
Male	5,964	528	545	606	473	502	458	461	429	408	470	517	567
Female	5,421	489	465	552	459	429	428	451	406	371	416	446	509
ARIZONA	7,098	642	543	654	528	620	566	611	524	543	604	604	659
Male	4,445	390	333	418	316	388	352	383	334	339	379	406	407
Female	2,653	252	210	236	212	232	214	228	190	204	225	198	252
White	5,872	520	461	553	436	501	470	515	438	448	482	492	556
Male	3,720	324	284	360	266	313	300	314	285	284	313	332	345
Female	2,152	196	177	193	170	188	170	201	153	164	169	160	211
Nonwhite	1,226	122	82	101	92	119	96	96	86	95	122	112	103
Male	725	66	49	58	50	75	52	69	49	55	66	74	62
Female	501	56	33	43	42	44	44	27	37	40	56	38	41
ARKANSAS	15,776	1,507	1,370	1,424	1,355	1,294	1,227	1,306	1,249	1,116	1,169	1,398	1,361
Male	9,225	889	806	838	751	748	714	743	742	667	699	836	792
Female	6,551	618	564	586	604	546	513	563	507	449	470	562	569
White	11,376	1,089	980	1,042	988	970	899	912	887	825	838	999	947
Male	6,870	673	581	627	573	575	540	535	541	513	523	624	565
Female	4,506	416	399	415	415	395	359	377	346	312	315	375	382
Nonwhite	4,400	418	390	382	367	324	328	394	362	291	331	399	414
Male	2,355	216	225	211	178	173	174	208	201	154	176	212	227
Female	2,045	202	165	171	189	151	154	186	161	137	155	187	187
CALIFORNIA	104,089	9,099	8,551	10,208	8,176	8,667	8,029	8,366	8,117	7,932	8,438	8,740	9,766
Male	61,061	5,307	5,002	5,941	4,784	5,028	4,711	4,922	4,728	4,688	4,998	5,212	5,760
Female	43,028	3,792	3,549	4,267	3,412	3,639	3,318	3,444	3,389	3,244	3,440	3,528	4,006
White	98,549	8,647	8,111	9,694	7,743	8,193	7,586	7,942	7,680	7,501	7,968	8,269	9,215
Male	57,574	5,030	4,714	5,622	4,498	4,738	4,441	4,652	4,457	4,424	4,682	4,906	5,410
Female	40,975	3,617	3,397	4,072	3,245	3,455	3,145	3,290	3,223	3,077	3,286	3,363	3,805
Nonwhite	5,540	452	440	514	433	474	443	424	437	431	470	471	551
Male	3,487	277	288	319	266	290	270	270	271	264	316	306	350
Female	2,053	175	152	195	167	184	173	154	166	167	154	165	201
COLORADO	12,674	1,029	1,019	1,052	1,051	1,055	1,049	1,072	957	1,046	1,109	1,073	1,162
Male	7,346	599	588	579	640	624	576	625	568	603	642	613	689
Female	5,328	430	431	473	411	431	473	447	389	443	467	460	473
White	12,360	1,008	995	1,024	1,021	1,026	1,031	1,040	935	1,022	1,069	1,056	1,133
Male	7,160	587	571	563	621	607	566	607	556	590	617	604	671
Female	5,200	421	424	461	400	419	465	433	379	432	452	452	462
Nonwhite	314	21	24	28	30	29	18	32	22	24	40	17	29
Male	186	12	17	16	19	17	10	18	12	13	25	9	18
Female	128	9	7	12	11	12	8	14	10	11	15	8	11
CONNECTICUT	19,864	1,686	1,762	2,096	1,587	1,585	1,524	1,517	1,429	1,514	1,659	1,686	1,819
Male	10,847	924	949	1,129	880	854	842	807	796	854	926	894	992
Female	9,017	762	813	967	707	731	682	710	633	660	733	792	827
White	19.292	1,632	1,708	2,045	1,543	1,550	1,478	1,478	1,371	1,470	1,619	1,636	1,762
Male	10,558	894	920	1,105	856	842	817	791	765	829	908	869	982
Female	8,734	738	788	940	687	708	661	687	606	641	711	767	800
Nonwhite	572	54	54	51	44	35	46	39	58	44	40	50	57
Male	289	30	29	24	24	12	25	16	31	25	18	25	30
Female	283	24	25	27	20	23	21	23	27	19	22	25	27
DELAWARE	3,439	269	282	321	327	284	293	283	271	253	274	287	295
Male	1,937	166	147	184	197	165	163	166	163	140	139	146	161
Female	1,502	103	135	137	130	119	130	117	108	113	135	141	134
White	2,819	213	222	270	264	240	249	233	225	208	222	231	242
Male	1,558	131	108	156	153	140	134	131	134	116	107	118	130
Female	1,261	82	114	114	111	100	115	102	91	92	115	113	112
Nonwhite	620	56	60	51	63	44	44	50	46	45	52	56	53
Male	379	35	39	28	44	25	29	35	29	24	32	28	31
Female	241	21	21	23	19	19	15	15	17	21	20	28	22
DISTRICT OF COLUMBIA	8,410	744	662	766	702	686	679	658	654	617	742	706	794
Male	4,583	405	363	391	392	366	369	368	357	367	407	378	420
Female	3,827	339	299	375	310	320	310	290	297	250	335	328	374
White	5,187	462	406	482	424	438	404	427	400	376	456	427	485
Male	2,853	252	218	248	244	234	226	239	226	234	242	235	255
Female	2,334	210	188	234	180	204	178	188	174	142	214	192	230
Nonwhite	3,223	282	256	284	278	248	275	231	254	241	286	279	309
Male	1,730	153	145	143	148	132	143	129	131	133	165	143	165
Female	1,493	129	111	141	130	116	132	102	123	108	121	136	144
FLORIDA	27,909	2,491	2,392	2,658	2,392	2,249	2,207	2,205	2,231	2,024	2,180	2,308	2,572
Male	16,776	1,498	1,444	1,621	1,439	1,327	1,358	1,251	1,368	1,193	1,321	1,395	1,561
Female	11,133	993	948	1,037	953	922	849	954	863	831	859	913	1,011
White	20,653	1,836	1,755	1,954	1,738	1,675	1,661	1,648	1,647	1,455	1,611	1,723	1,950
Male	12,673	1,141	1,111	1,224	1,056	997	1,044	958	1,026	860	1,002	1,073	1,181
Female	7,980	695	644	730	682	678	617	690	621	595	609	650	769
Nonwhite	7,256	655	637	704	654	574	546	557	584	569	569	585	622
Male	4,103	357	333	397	383	330	314	293	342	333	319	322	380
Female	3,153	298	304	307	271	244	232	264	242	236	250	263	242

Table 48. Deaths by Month, Race, and Sex: United States and Each State, 1951—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	30,926	2,798	2,706	2,778	2,664	2,505	2,437	2,392	2,389	2,184	2,568	2,698	2,807
Male	17,505	1,569	1,496	1,565	1,491	1,388	1,366	1,377	1,359	1,272	1,467	1,580	1,555
Female	13,421	1,229	1,210	1,193	1,173	1,117	1,071	1,015	1,030	912	1,101	1,118	1,252
White	18,338	1,605	1,571	1,629	1,597	1,537	1,476	1,415	1,384	1,282	1,513	1,610	1,719
Male	10,764	931	902	966	936	866	872	833	825	786	893	988	966
Female	7,574	674	669	663	661	671	604	582	559	496	620	622	753
Nonwhite	12,588	1,193	1,135	1,149	1,067	968	961	977	1,005	902	1,055	1,088	1,088
Male	6,741	638	594	619	555	522	494	544	534	486	574	592	589
Female	5,847	555	541	530	512	446	467	433	471	416	481	496	499
IDAHO	5,012	384	393	418	438	397	474	433	420	415	405	391	444
Male	3,203	249	252	269	278	249	272	298	268	264	272	247	285
Female	1,809	135	141	149	160	148	202	135	152	151	133	144	159
White	4,922	378	387	417	431	393	464	425	411	410	391	384	431
Male	3,155	246	247	269	273	248	265	293	264	261	265	243	281
Female	1,767	132	140	148	158	145	199	132	147	149	126	141	150
Nonwhite	90	6	6	1	7	4	10	8	9	5	14	7	13
Male	48	3	5	-	5	1	7	5	4	3	7	4	4
Female	42	3	1	1	2	3	3	3	5	2	7	3	9
ILLINOIS	93,304	8,297	7,499	8,620	8,152	7,926	7,155	7,438	7,118	7,022	7,493	7,981	8,603
Male	53,346	4,695	4,254	4,863	4,642	4,597	4,093	4,204	4,121	4,043	4,326	4,530	4,978
Female	39,958	3,602	3,245	3,757	3,510	3,329	3,062	3,234	2,997	2,979	3,167	3,451	3,625
White	85,357	7,572	6,907	7,858	7,501	7,268	6,546	6,757	6,526	6,404	6,826	7,316	7,876
Male	48,936	4,292	3,918	4,433	4,276	4,256	3,764	3,835	3,774	3,684	3,945	4,173	4,586
Female	36,421	3,280	2,989	3,425	3,225	3,012	2,782	2,922	2,752	2,720	2,881	3,143	3,290
Nonwhite	7,947	725	592	762	651	658	609	681	592	618	667	665	727
Male	4,410	403	336	430	366	341	329	369	347	359	381	357	392
Female	3,537	322	256	332	285	317	280	312	245	259	286	308	335
INDIANA	41,154	3,653	3,259	3,973	3,590	3,550	3,217	3,117	3,194	3,121	3,311	3,477	3,692
Male	23,434	2,084	1,808	2,318	1,996	1,981	1,819	1,777	1,840	1,813	1,916	1,960	2,122
Female	17,720	1,569	1,451	1,655	1,594	1,569	1,398	1,340	1,354	1,308	1,395	1,517	1,570
White	38,799	3,465	3,072	3,746	3,391	3,383	3,041	2,940	3,006	2,930	3,092	3,272	3,461
Male	22,145	1,996	1,701	2,184	1,883	1,897	1,717	1,680	1,732	1,709	1,798	1,857	1,991
Female	16,654	1,469	1,371	1,562	1,508	1,486	1,324	1,260	1,274	1,221	1,294	1,415	1,470
Nonwhite	2,355	188	187	227	199	167	176	177	188	191	219	205	231
Male	1,289	88	107	134	113	84	102	97	108	104	118	103	131
Female	1,066	100	80	93	86	83	74	80	80	87	101	102	100
IOWA	26,410	2,376	2,110	2,291	2,207	2,219	2,113	2,094	2,083	2,032	2,243	2,201	2,441
Male	14,979	1,329	1,188	1,280	1,215	1,245	1,265	1,178	1,201	1,190	1,266	1,255	1,367
Female	11,431	1,047	922	1,011	992	974	848	916	882	842	977	946	1,074
White	26,118	2,349	2,081	2,268	2,179	2,195	2,093	2,079	2,059	2,012	2,221	2,173	2,409
Male	14,823	1,320	1,172	1,270	1,200	1,231	1,252	1,170	1,186	1,179	1,251	1,242	1,350
Female	11,295	1,029	909	998	979	964	841	909	873	833	970	931	1,059
Nonwhite	292	27	29	23	28	24	20	15	24	20	22	28	32
Male	156	9	16	10	15	14	13	8	15	11	15	13	17
Female	136	18	13	13	13	10	7	7	9	9	7	15	15
KANSAS	19,090	1,683	1,586	1,616	1,591	1,564	1,448	1,637	1,601	1,457	1,565	1,633	1,709
Male	11,127	961	949	926	893	910	868	968	928	874	903	936	1,011
Female	7,963	722	637	690	698	654	580	669	673	583	662	697	698
White	18,053	1,599	1,500	1,536	1,491	1,477	1,373	1,551	1,505	1,390	1,480	1,545	1,606
Male	10,541	912	898	877	839	865	824	927	876	834	855	888	946
Female	7,512	687	602	659	652	612	549	624	629	556	625	657	660
Nonwhite	1,037	84	86	80	100	87	75	86	96	67	85	88	103
Male	586	49	51	49	54	45	44	41	52	40	48	48	65
Female	451	35	35	31	46	42	31	45	44	27	37	40	38
KENTUCKY	27,542	2,506	2,387	2,481	2,481	2,226	2,187	2,126	2,104	2,008	2,218	2,238	2,582
Male	15,777	1,402	1,381	1,417	1,449	1,330	1,209	1,193	1,207	1,160	1,287	1,230	1,512
Female	11,765	1,104	1,006	1,064	1,032	896	978	933	897	848	931	1,008	1,070
White	24,375	2,267	2,080	2,182	2,174	1,988	1,962	1,857	1,856	1,772	1,951	1,992	2,294
Male	14,067	1,283	1,215	1,257	1,272	1,196	1,092	1,064	1,073	1,027	1,130	1,109	1,349
Female	10,308	984	865	925	902	792	870	793	783	745	821	883	945
Nonwhite	3,167	239	307	299	307	238	225	269	248	234	267	246	288
Male	1,710	119	166	160	177	134	117	129	134	133	157	121	163
Female	1,457	120	141	139	130	104	108	140	114	101	110	125	125
LOUISIANA	24,749	2,241	2,349	2,205	1,994	1,856	1,826	1,982	2,145	1,775	2,028	2,087	2,261
Male	14,077	1,266	1,300	1,268	1,135	1,028	1,019	1,133	1,175	1,021	1,179	1,228	1,325
Female	10,672	975	1,049	937	859	828	807	849	970	754	849	859	936
White	14,423	1,297	1,328	1,287	1,202	1,073	1,080	1,137	1,268	1,029	1,183	1,210	1,329
Male	8,541	749	760	754	728	622	632	678	732	615	708	746	817
Female	5,882	548	568	533	474	451	448	459	536	414	475	464	512
Nonwhite	10,326	944	1,021	918	792	783	746	845	877	746	845	877	932
Male	5,536	517	540	514	407	406	387	455	443	406	471	482	508
Female	4,790	427	481	404	385	377	359	390	434	340	374	395	424
MAINE	10,037	865	835	1,119	815	789	782	807	758	723	840	853	851
Male	5,627	473	460	631	454	440	427	462	435	406	460	505	474
Female	4,410	392	375	488	361	349	355	345	323	317	380	348	377
White	10,013	863	832	1,116	814	789	781	804	757	723	837	850	847
Male	5,609	471	458	629	454	440	426	459	434	406	458	502	472
Female	4,404	392	374	487	360	349	355	345	323	317	379	348	375
Nonwhite	24	2	3	3	1	-	1	3	1	-	3	3	4
Male	18	2	2	2	-	-	1	3	1	-	2	3	2
Female	6	-	1	1	1	-	-	-	-	-	1	-	2
MARYLAND	21,353	1,997	950	2,003	1,934	1,867	1,825	1,860	1,677	1,688	1,888	1,958	1,706
Male	11,862	1,125	546	1,109	1,061	1,041	989	1,069	950	928	1,044	1,064	936
Female	9,491	872	404	894	873	826	836	791	727	760	844	894	770
White	16,963	1,607	764	1,589	1,516	1,423	1,443	1,497	1,360	1,347	1,474	1,579	1,364
Male	9,369	917	436	889	815	763	766	866	764	747	816	847	743
Female	7,594	690	328	700	701	660	677	631	596	600	658	732	621
Nonwhite	4,390	390	186	414	418	444	382	363	317	341	414	379	342
Male	2,493	208	110	220	246	278	223	203	186	181	228	217	193
Female	1,897	182	76	194	172	166	159	160	131	160	186	162	149

Table 48. Deaths by Month, Race, and Sex: United States and Each State, 1951—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	53,883	4,665	4,930	5,377	4,359	4,480	4,121	4,179	3,948	4,005	4,463	4,457	4,899
Male	28,697	2,508	2,632	2,791	2,338	2,401	2,192	2,264	2,132	2,121	2,379	2,379	2,560
Female	25,186	2,157	2,298	2,586	2,021	2,079	1,929	1,915	1,816	1,884	2,084	2,078	2,339
White	52,898	4,590	4,831	5,264	4,280	4,397	4,052	4,078	3,871	3,940	4,384	4,398	4,813
Male	28,161	2,470	2,595	2,723	2,298	2,351	2,144	2,203	2,086	2,090	2,340	2,347	2,514
Female	24,737	2,120	2,236	2,541	1,982	2,046	1,908	1,875	1,785	1,850	2,044	2,051	2,299
Nonwhite	985	75	99	113	79	83	69	101	77	65	79	59	86
Male	536	38	37	68	40	50	48	61	46	31	39	32	46
Female	449	37	62	45	39	33	21	40	31	34	40	27	40
MICHIGAN	59,396	5,142	4,868	6,133	5,109	4,868	4,473	4,807	4,573	4,547	4,782	4,945	5,149
Male	34,501	2,960	2,828	3,514	2,943	2,822	2,606	2,835	2,642	2,633	2,766	2,922	3,030
Female	24,895	2,182	2,040	2,619	2,166	2,046	1,867	1,972	1,931	1,914	2,016	2,023	2,119
White	54,971	4,783	4,495	5,691	4,737	4,517	4,099	4,439	4,237	4,214	4,418	4,590	4,751
Male	32,057	2,766	2,620	3,273	2,743	2,623	2,399	2,638	2,454	2,448	2,564	2,729	2,800
Female	22,914	2,017	1,875	2,418	1,994	1,894	1,700	1,801	1,783	1,766	1,854	1,861	1,951
Nonwhite	4,425	359	373	442	372	351	374	368	336	333	364	355	398
Male	2,444	194	208	241	200	199	207	197	188	185	202	193	230
Female	1,981	165	165	201	172	152	167	171	148	148	162	162	168
MINNESOTA	27,690	2,414	2,214	2,399	2,318	2,441	2,211	2,271	2,192	2,131	2,285	2,344	2,470
Male	16,231	1,371	1,291	1,401	1,339	1,433	1,307	1,340	1,342	1,266	1,343	1,376	1,422
Female	11,459	1,043	923	998	979	1,008	904	931	850	865	942	968	1,048
White	27,345	2,393	2,192	2,365	2,289	2,417	2,182	2,244	2,168	2,103	2,254	2,307	2,431
Male	16,046	1,358	1,282	1,383	1,327	1,422	1,294	1,325	1,328	1,250	1,324	1,351	1,402
Female	11,299	1,035	910	982	962	995	888	919	840	853	930	956	1,029
Nonwhite	345	21	22	34	29	24	29	27	24	28	31	37	39
Male	185	13	9	18	12	11	13	15	14	16	19	25	20
Female	160	8	13	16	17	13	16	12	10	12	12	12	19
MISSISSIPPI	21,076	1,963	1,884	1,877	1,878	1,605	1,518	1,691	1,743	1,532	1,684	1,742	1,959
Male	11,611	1,124	1,034	1,030	1,035	833	832	884	961	848	954	981	1,095
Female	9,465	839	850	847	843	772	686	807	782	684	730	761	864
White	9,669	889	802	850	839	766	716	789	808	719	786	814	891
Male	5,696	526	453	496	492	443	424	441	483	441	478	488	531
Female	3,973	363	349	354	347	323	292	348	325	278	308	326	360
Nonwhite	11,407	1,074	1,082	1,027	1,039	839	802	902	935	813	898	928	1,068
Male	5,915	598	581	534	543	390	408	443	478	407	476	493	564
Female	5,492	476	501	493	496	449	394	459	457	406	422	435	504
MISSOURI	44,123	3,968	3,721	3,934	3,853	3,569	3,287	3,608	3,340	3,317	3,692	3,803	4,031
Male	25,012	2,243	2,113	2,239	2,159	2,024	1,867	2,043	1,878	1,892	2,068	2,208	2,278
Female	19,111	1,725	1,608	1,695	1,694	1,545	1,420	1,565	1,462	1,425	1,624	1,595	1,753
White	39,633	3,574	3,360	3,537	3,476	3,226	2,926	3,205	3,002	2,992	3,294	3,416	3,625
Male	22,565	2,030	1,927	2,019	1,936	1,837	1,687	1,824	1,703	1,710	1,856	1,984	2,052
Female	17,068	1,544	1,433	1,518	1,540	1,389	1,239	1,381	1,299	1,282	1,438	1,432	1,573
Nonwhite	4,490	394	361	397	377	343	361	403	338	325	398	387	406
Male	2,447	213	186	220	223	187	180	219	175	182	212	224	226
Female	2,043	181	175	177	154	156	181	184	163	143	186	163	180
MONTANA	5,914	481	462	561	516	480	465	487	497	458	526	485	496
Male	3,769	300	285	347	347	319	318	319	316	285	336	296	301
Female	2,145	181	177	214	169	161	147	168	181	173	190	189	195
White	5,642	459	443	539	488	462	442	463	467	437	501	468	473
Male	3,615	287	272	338	330	309	304	307	299	274	322	286	287
Female	2,027	172	171	201	158	153	138	156	168	163	179	182	186
Nonwhite	272	22	19	22	28	18	23	24	30	21	25	17	23
Male	154	13	13	9	17	10	14	12	17	11	14	10	14
Female	118	9	6	13	11	8	9	12	13	10	11	7	9
NEBRASKA	12,909	1,137	1,012	1,126	1,108	1,122	947	1,103	956	957	1,097	1,099	1,245
Male	7,618	660	591	652	649	631	567	664	593	572	669	656	714
Female	5,291	477	421	474	459	491	380	439	363	385	428	443	531
White	12,605	1,107	989	1,105	1,087	1,089	929	1,080	930	937	1,064	1,075	1,213
Male	7,451	642	577	639	639	614	556	653	577	562	652	641	699
Female	5,154	465	412	466	448	475	373	427	353	375	412	434	514
Nonwhite	304	30	23	21	21	33	18	23	26	20	33	24	32
Male	167	18	14	13	10	17	11	11	16	10	17	15	15
Female	137	12	9	8	11	16	7	12	10	10	16	9	17
NEVADA	1,673	151	130	190	139	142	118	132	132	120	157	112	150
Male	1,140	99	79	119	100	91	80	89	98	87	117	71	110
Female	533	52	51	71	39	51	38	43	34	33	40	41	40
White	1,494	128	118	166	127	126	107	118	115	111	142	100	136
Male	1,031	84	73	103	94	81	72	82	86	81	109	66	100
Female	463	44	45	63	33	45	35	36	29	30	33	34	36
Nonwhite	179	23	12	24	12	16	11	14	17	9	15	12	14
Male	109	15	6	16	6	10	8	7	12	6	8	5	10
Female	70	8	6	8	6	6	3	7	5	3	7	7	4
NEW HAMPSHIRE	6,204	549	572	683	513	513	458	468	447	493	476	473	559
Male	3,432	299	307	374	281	284	248	276	263	279	256	266	299
Female	2,772	250	265	309	232	229	210	192	184	214	220	207	260
White	6,189	547	571	680	513	510	457	468	447	491	476	470	559
Male	3,426	297	307	373	281	283	248	276	263	279	256	264	299
Female	2,763	250	264	307	232	227	209	192	184	212	220	206	260
Nonwhite	15	2	1	3	-	3	1	-	-	2	-	3	-
Male	6	2	-	1	-	1	-	-	-	-	-	2	-
Female	9	-	1	2	-	2	1	-	-	2	-	1	-
NEW JERSEY	50,443	4,580	4,446	4,990	4,084	4,163	3,894	3,918	3,793	3,673	4,094	4,152	4,656
Male	27,926	2,560	2,476	2,693	2,279	2,287	2,157	2,243	2,129	2,030	2,246	2,272	2,555
Female	22,517	2,020	1,971	2,297	1,805	1,876	1,737	1,675	1,664	1,643	1,848	1,880	2,101
White	46,703	4,259	4,110	4,646	3,790	3,842	3,583	3,642	3,481	3,420	3,763	3,828	4,339
Male	25,836	2,374	2,299	2,517	2,118	2,103	1,962	2,086	1,944	1,895	2,062	2,107	2,369
Female	20,867	1,885	1,811	2,129	1,672	1,739	1,621	1,556	1,537	1,525	1,701	1,721	1,970
Nonwhite	3,740	321	336	344	294	321	311	276	312	253	331	324	317
Male	2,090	186	176	176	161	184	195	157	185	135	184	165	186
Female	1,650	135	160	168	133	137	116	119	127	118	147	159	131

Table 48. Deaths by Month, Race, and Sex: United States and Each State, 1951—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	5,614	484	458	474	429	459	446	462	430	486	523	476	487
Male	3,294	302	273	277	247	267	259	282	252	277	294	276	288
Female	2,320	182	185	197	182	192	187	180	178	209	229	200	199
White	4,894	435	411	403	365	397	396	384	361	411	459	423	449
Male	2,918	273	250	243	217	235	229	238	213	236	265	248	271
Female	1,976	162	161	160	148	162	167	146	148	175	194	175	178
Nonwhite	720	49	47	71	64	62	50	78	69	75	64	53	38
Male	376	29	23	34	30	32	30	44	39	41	29	28	17
Female	344	20	24	37	34	30	20	34	30	34	35	25	21
NEW YORK	158,488	14,014	13,709	15,817	13,136	12,988	12,194	12,312	11,830	11,711	13,040	13,347	14,390
Male	87,205	7,700	7,459	8,542	7,146	7,127	6,775	6,861	6,582	6,513	7,186	7,377	7,937
Female	71,283	6,314	6,250	7,275	5,990	5,861	5,419	5,451	5,248	5,198	5,854	5,970	6,453
White	148,760	13,165	12,836	14,924	12,324	12,191	11,417	11,566	11,070	10,981	12,223	12,536	13,527
Male	81,892	7,254	6,989	8,054	6,711	6,684	6,357	6,429	6,177	6,114	6,714	6,948	7,461
Female	66,868	5,911	5,847	6,870	5,613	5,507	5,060	5,137	4,893	4,867	5,509	5,588	6,066
Nonwhite	9,728	849	873	893	812	797	777	746	760	730	817	811	863
Male	5,313	446	470	488	435	443	418	452	405	399	472	429	476
Female	4,415	403	403	405	377	354	359	314	355	331	345	382	387
NORTH CAROLINA	31,371	2,937	2,789	2,700	2,676	2,593	2,572	2,347	2,378	2,284	2,535	2,711	2,849
Male	18,071	1,695	1,590	1,526	1,531	1,477	1,494	1,369	1,369	1,342	1,467	1,578	1,633
Female	13,300	1,242	1,199	1,174	1,145	1,116	1,078	978	1,009	942	1,068	1,133	1,216
White	20,929	1,964	1,830	1,805	1,803	1,751	1,707	1,561	1,585	1,528	1,722	1,768	1,905
Male	12,338	1,154	1,074	1,040	1,049	1,018	1,023	938	925	911	1,034	1,060	1,112
Female	8,591	810	756	765	754	733	684	623	660	617	688	708	793
Nonwhite	10,442	973	959	895	873	842	865	786	793	756	813	943	944
Male	5,733	541	516	486	482	459	471	431	444	431	433	518	521
Female	4,709	432	443	409	391	383	394	355	349	325	380	425	423
NORTH DAKOTA	5,111	437	357	442	440	460	412	445	394	404	432	449	439
Male	3,135	275	205	253	262	285	249	286	237	251	261	291	280
Female	1,976	162	152	189	178	175	163	159	157	153	171	158	159
White	4,979	426	350	433	426	454	398	439	383	394	418	429	429
Male	3,061	269	200	247	257	282	242	283	229	244	255	276	277
Female	1,918	157	150	186	169	172	156	156	154	150	163	153	152
Nonwhite	132	11	7	9	14	6	14	6	11	10	14	20	10
Male	74	6	5	6	5	3	7	3	8	7	6	15	3
Female	58	5	2	3	9	3	7	3	3	3	8	5	7
OHIO	81,931	7,186	6,673	7,812	7,192	6,940	6,442	6,331	6,251	6,006	6,727	6,912	7,459
Male	46,335	3,989	3,792	4,450	3,931	3,958	3,631	3,584	3,546	3,431	3,805	3,921	4,297
Female	35,596	3,197	2,881	3,362	3,261	2,982	2,811	2,747	2,705	2,575	2,922	2,991	3,162
White	75,842	6,662	6,208	7,220	6,685	6,403	5,943	5,894	5,788	5,537	6,198	6,388	6,916
Male	42,896	3,717	3,526	4,123	3,677	3,643	3,344	3,337	3,272	3,153	3,487	3,626	3,991
Female	32,946	2,945	2,682	3,097	3,008	2,760	2,599	2,557	2,516	2,384	2,711	2,762	2,925
Nonwhite	6,089	524	465	592	507	537	499	437	463	469	529	524	543
Male	3,439	272	266	327	254	315	287	247	274	278	318	295	306
Female	2,650	252	199	265	253	222	212	190	189	191	211	229	237
OKLAHOMA	20,118	1,840	1,658	1,745	1,728	1,686	1,506	1,685	1,713	1,504	1,507	1,683	1,863
Male	11,990	1,073	1,002	1,035	1,028	1,023	872	981	994	917	912	1,002	1,151
Female	8,128	767	656	710	700	663	634	704	719	587	595	681	712
White	17,729	1,637	1,458	1,556	1,511	1,488	1,318	1,478	1,521	1,331	1,314	1,480	1,637
Male	10,679	971	895	924	920	901	765	875	895	818	803	890	1,022
Female	7,050	666	563	632	591	587	553	603	626	513	511	590	615
Nonwhite	2,389	203	200	189	217	198	188	207	192	173	193	203	226
Male	1,311	102	107	111	108	122	107	106	99	99	109	112	129
Female	1,078	101	93	78	109	76	81	101	93	74	84	91	97
OREGON	14,549	1,223	1,225	1,429	1,224	1,257	1,180	1,072	1,129	1,136	1,180	1,179	1,315
Male	8,893	756	724	878	762	780	707	685	671	703	737	678	812
Female	5,656	467	501	551	462	477	473	387	458	433	443	501	503
White	14,294	1,194	1,203	1,413	1,206	1,226	1,156	1,061	1,111	1,115	1,163	1,155	1,291
Male	8,751	734	710	871	751	763	693	678	663	697	726	667	798
Female	5,543	460	493	542	455	463	463	383	448	418	437	488	493
Nonwhite	255	29	22	16	18	31	24	11	18	21	17	24	24
Male	142	22	14	7	11	17	14	7	8	6	11	11	14
Female	113	7	8	9	7	14	10	4	10	15	6	13	10
PENNSYLVANIA	111,426	9,919	9,891	11,265	9,616	9,107	8,514	8,599	8,221	8,049	8,800	9,284	10,161
Male	62,093	5,476	5,393	6,182	5,314	5,123	4,739	4,806	4,636	4,584	4,954	5,108	5,778
Female	49,333	4,443	4,498	5,083	4,302	3,984	3,775	3,793	3,585	3,465	3,846	4,176	4,383
White	103,761	9,275	9,131	10,465	9,001	8,500	7,885	8,004	7,624	7,504	8,192	8,719	9,461
Male	57,862	5,137	4,994	5,724	4,980	4,770	4,384	4,471	4,310	4,278	4,597	4,818	5,389
Female	45,899	4,138	4,137	4,741	4,021	3,730	3,501	3,533	3,314	3,226	3,595	3,901	4,062
Nonwhite	7,665	644	760	800	615	607	629	595	597	545	608	565	700
Male	4,231	339	399	458	334	353	355	335	326	306	357	290	379
Female	3,434	305	361	342	281	254	274	260	271	239	251	275	321
RHODE ISLAND	8,156	725	678	882	680	647	633	632	603	572	685	668	751
Male	4,353	393	355	470	372	312	337	352	318	312	378	349	405
Female	3,803	332	323	412	308	335	296	280	285	260	307	319	346
White	7,947	704	659	855	667	631	616	619	588	561	667	649	731
Male	4,242	382	343	452	363	309	329	345	310	306	367	340	396
Female	3,705	322	316	403	304	322	287	274	278	255	300	309	335
Nonwhite	209	21	19	27	13	16	17	13	15	11	18	19	20
Male	111	11	12	18	9	3	8	7	8	6	11	9	9
Female	98	10	7	9	4	13	9	6	7	5	7	10	11
SOUTH CAROLINA	17,854	1,590	1,511	1,641	1,536	1,552	1,419	1,447	1,362	1,286	1,452	1,484	1,574
Male	10,183	901	815	910	899	914	796	827	782	753	821	861	904
Female	7,671	689	696	731	637	638	623	620	580	533	631	623	670
White	9,479	818	804	855	815	828	768	811	701	666	790	785	838
Male	5,704	487	459	499	506	514	457	486	441	416	473	479	487
Female	3,775	331	345	356	309	314	311	325	260	250	317	306	351
Nonwhite	8,375	772	707	786	721	724	651	636	661	620	662	699	736
Male	4,479	414	356	411	393	400	339	341	341	337	348	382	417
Female	3,896	358	351	375	328	324	312	295	320	283	314	317	319

Table 48. Deaths by Month, Race, and Sex: United States and Each State, 1951—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	5,838	549	481	518	538	449	435	487	475	396	486	532	492
Male	3,518	333	289	315	325	255	266	295	272	242	277	334	315
Female	2,320	216	192	203	213	194	169	192	203	154	209	198	177
White	5,552	517	448	497	514	418	418	454	454	382	459	518	473
Male	3,343	311	266	307	310	238	255	273	261	234	257	327	304
Female	2,209	206	182	190	204	180	163	181	193	148	202	191	169
Nonwhite	286	32	33	21	24	31	17	33	21	14	27	14	19
Male	175	22	23	8	15	17	11	22	11	8	20	7	11
Female	111	10	10	13	9	14	6	11	10	6	7	7	8
TENNESSEE	29,584	2,664	2,567	2,526	2,682	2,460	2,330	2,400	2,377	2,165	2,389	2,431	2,593
Male	16,571	1,497	1,470	1,389	1,474	1,348	1,360	1,346	1,345	1,210	1,325	1,376	1,452
Female	13,013	1,167	1,097	1,137	1,208	1,112	970	1,054	1,031	955	1,066	1,055	1,141
White	22,766	2,062	1,959	1,960	2,078	1,892	1,770	1,832	1,837	1,678	1,858	1,851	2,009
Male	12,939	1,178	1,129	1,093	1,146	1,049	1,042	1,039	1,055	951	1,043	1,072	1,142
Female	9,827	884	830	867	932	843	728	793	782	727	815	779	867
Nonwhite	6,818	602	608	566	604	568	560	568	540	487	531	600	584
Male	3,632	319	341	296	328	299	318	307	291	259	280	304	290
Female	3,186	283	267	270	276	269	242	261	249	228	251	296	294
TEXAS	67,238	5,922	5,905	5,708	5,573	5,365	5,551	6,090	5,981	4,888	5,023	5,439	5,793
Male	39,407	3,505	3,433	3,338	3,225	3,181	3,272	3,455	3,428	2,892	3,042	3,235	3,403
Female	27,831	2,417	2,472	2,370	2,348	2,184	2,279	2,635	2,553	1,996	1,981	2,204	2,390
White	55,904	4,930	4,920	4,787	4,619	4,478	4,660	5,051	4,917	4,017	4,182	4,474	4,869
Male	33,251	2,960	2,891	2,829	2,720	2,701	2,774	2,915	2,878	2,407	2,570	2,727	2,879
Female	22,653	1,970	2,029	1,958	1,899	1,777	1,886	2,136	2,039	1,610	1,622	1,747	1,990
Nonwhite	11,334	992	985	921	954	887	891	1,039	1,064	871	841	965	924
Male	6,156	545	542	509	505	480	498	540	548	485	472	508	524
Female	5,178	447	443	412	449	407	393	499	516	386	369	457	400
UTAH	5,111	428	351	467	441	461	432	387	410	364	447	445	478
Male	3,046	264	217	272	267	266	240	232	239	235	269	251	294
Female	2,065	164	134	195	174	195	192	155	171	129	178	194	184
White	4,975	414	339	459	430	451	422	380	395	355	434	434	462
Male	2,962	254	210	268	261	259	232	226	232	231	260	244	285
Female	2,013	160	129	191	169	192	190	154	163	124	174	190	177
Nonwhite	136	14	12	8	11	10	10	7	15	9	13	11	16
Male	84	10	7	4	6	7	8	6	7	4	9	7	9
Female	52	4	5	4	5	3	2	1	8	5	4	4	7
VERMONT	4,284	388	370	430	378	345	343	318	339	300	340	367	366
Male	2,341	190	199	227	209	184	182	178	188	182	190	215	197
Female	1,943	198	171	203	169	161	161	140	151	118	150	152	169
White	4,280	388	369	428	378	345	343	317	339	300	340	367	366
Male	2,339	190	199	225	209	184	182	178	188	182	190	215	197
Female	1,941	198	170	203	169	161	161	139	151	118	150	152	169
Nonwhite	4	-	1	2	-	-	-	1	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	1	-	-	-	-	-
VIRGINIA	29,512	2,645	2,437	2,681	2,479	2,383	2,442	2,310	2,185	2,186	2,415	2,559	2,792
Male	17,021	1,503	1,411	1,501	1,406	1,388	1,363	1,360	1,289	1,304	1,401	1,486	1,649
Female	12,491	1,142	1,026	1,180	1,073	995	1,079	950	896	882	1,014	1,073	1,143
White	20,421	1,819	1,606	1,869	1,760	1,642	1,708	1,603	1,529	1,500	1,659	1,804	1,922
Male	11,910	1,059	922	1,079	1,011	971	982	958	890	881	978	1,052	1,127
Female	8,511	760	684	790	749	671	726	645	639	619	681	752	795
Nonwhite	9,091	826	831	812	719	741	734	707	654	686	756	755	870
Male	5,111	444	489	422	395	417	381	402	359	423	423	434	522
Female	3,980	382	342	390	324	324	353	305	295	263	333	321	348
WASHINGTON	23,323	2,033	1,854	2,436	1,935	1,908	1,909	1,704	1,745	1,802	1,985	1,936	2,078
Male	14,121	1,233	1,089	1,467	1,190	1,135	1,131	1,066	1,103	1,107	1,203	1,153	1,244
Female	9,202	800	765	969	745	773	778	638	640	695	782	783	834
White	22,677	1,970	1,806	2,364	1,885	1,849	1,854	1,644	1,696	1,757	1,928	1,885	2,039
Male	13,712	1,198	1,062	1,417	1,158	1,097	1,093	1,022	1,074	1,082	1,172	1,117	1,220
Female	8,965	772	744	947	727	752	761	622	622	675	756	768	819
Nonwhite	646	63	48	72	50	59	55	60	47	45	57	51	39
Male	409	35	27	50	32	38	38	44	29	25	31	36	24
Female	237	28	21	22	18	21	17	16	18	20	26	15	15
WEST VIRGINIA	17,029	1,539	1,424	1,601	1,541	1,450	1,312	1,312	1,295	1,270	1,446	1,376	1,464
Male	10,092	920	841	961	931	863	773	768	773	729	900	805	830
Female	6,937	619	583	640	610	587	538	544	522	541	546	575	634
White	15,701	1,418	1,314	1,469	1,439	1,337	1,188	1,203	1,172	1,199	1,327	1,285	1,352
Male	9,296	844	780	873	866	801	710	699	695	683	851	751	763
Female	6,405	574	534	596	573	536	478	504	477	516	496	532	589
Nonwhite	1,328	121	110	132	102	113	125	109	123	71	119	95	112
Male	796	76	61	88	65	62	63	69	78	46	69	52	67
Female	532	45	49	44	37	51	60	40	45	25	50	43	45
WISCONSIN	33,653	2,884	2,673	3,020	2,775	2,854	2,617	2,806	2,628	2,652	2,749	2,933	3,062
Male	19,585	1,620	1,548	1,723	1,627	1,695	1,510	1,639	1,517	1,567	1,639	1,715	1,785
Female	14,068	1,264	1,125	1,297	1,148	1,159	1,107	1,167	1,111	1,085	1,110	1,218	1,277
White	33,166	2,845	2,642	2,987	2,737	2,802	2,577	2,765	2,582	2,612	2,706	2,892	3,019
Male	19,281	1,592	1,530	1,704	1,597	1,662	1,485	1,618	1,489	1,540	1,609	1,699	1,756
Female	13,885	1,253	1,112	1,283	1,140	1,140	1,092	1,147	1,093	1,072	1,097	1,193	1,263
Nonwhite	487	39	31	33	38	52	40	41	46	40	43	41	43
Male	304	28	18	19	30	33	25	21	28	27	30	16	29
Female	183	11	13	14	8	19	15	20	18	13	13	25	14
WYOMING	2,346	219	187	195	180	188	219	207	209	178	191	193	200
Male	1,501	134	105	118	110	116	142	119	147	115	132	137	126
Female	845	85	82	77	70	72	77	88	62	63	59	55	74
White	2,264	209	158	186	165	182	218	202	204	173	184	188	195
Male	1,453	131	100	115	99	113	141	115	144	111	127	133	124
Female	811	78	58	71	66	69	77	87	60	62	57	55	71
Nonwhite	82	10	9	9	15	6	1	5	5	5	7	5	5
Male	48	3	5	3	11	3	1	4	3	4	5	4	2
Female	34	7	4	6	4	3	-	1	2	1	2	1	3

Table 49. Deaths by Specified Race and Sex: United States and Each State, 1951

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,482,099	845,233	636,866	747,049	555,920	93,515	78,468	2,583	2,027	1,046	142	677	228	363	81
Alabama	27,416	15,384	12,032	9,420	6,611	5,962	5,420	-	1	2	-	-	-	-	-
Arizona	7,098	4,445	2,653	3,720	2,152	228	113	480	382	11	2	2	1	4	3
Arkansas	15,776	9,225	6,551	6,870	4,506	2,351	2,045	1	-	2	-	-	-	1	-
California	104,089	61,061	43,028	57,574	40,975	2,220	1,668	198	145	430	86	403	124	236	30
Colorado	12,674	7,346	5,328	7,160	5,200	136	105	15	7	3	-	31	14	1	2
Connecticut	19,864	10,847	9,017	10,558	8,734	278	281	3	1	7	1	1	-	-	-
Delaware	3,439	1,937	1,502	1,558	1,261	375	241	1	-	1	-	-	-	2	-
District of Columbia	8,410	4,583	3,827	2,853	2,334	1,696	1,493	2	-	26	-	2	-	4	-
Florida	27,909	16,776	11,133	12,673	7,980	4,096	3,148	3	4	2	-	-	-	2	1
Georgia	30,926	17,505	13,421	10,764	7,574	6,739	5,847	-	-	1	-	1	-	-	-
Idaho	5,012	3,203	1,809	3,155	1,767	6	5	33	31	3	1	6	4	-	1
Illinois	93,304	53,346	39,958	48,936	36,421	4,289	3,506	8	7	52	4	52	18	9	2
Indiana	41,154	23,434	17,720	22,145	16,654	1,281	1,052	4	5	1	2	-	-	3	7
Iowa	26,410	14,979	11,431	14,823	11,295	151	131	4	3	1	1	-	-	-	1
Kansas	19,090	11,127	7,963	10,541	7,512	571	447	12	2	2	1	-	-	1	1
Kentucky	27,542	15,777	11,765	14,067	10,308	1,709	1,455	1	-	-	1	-	-	-	1
Louisiana	24,749	14,077	10,672	8,541	5,882	5,522	4,782	8	7	5	1	-	-	1	-
Maine	10,037	5,627	4,410	5,609	4,404	8	3	9	3	1	-	-	-	-	-
Maryland	21,353	11,862	9,491	9,369	7,594	2,478	1,894	1	1	12	1	-	1	2	-
Massachusetts	53,883	28,697	25,186	28,161	24,737	463	443	7	1	55	3	2	-	9	2
Michigan	59,396	34,501	24,895	32,057	22,914	2,355	1,934	56	39	23	4	5	2	5	2
Minnesota	27,690	16,231	11,459	16,046	11,299	100	82	71	77	6	-	5	1	3	-
Mississippi	21,076	11,611	9,465	5,696	3,973	5,888	5,480	19	11	8	1	-	-	-	-
Missouri	44,123	25,012	19,111	22,565	17,068	2,436	2,039	2	2	8	1	1	1	-	-
Montana	5,914	3,769	2,145	3,615	2,027	12	6	132	111	2	-	6	1	2	-
Nebraska	12,909	7,618	5,291	7,451	5,154	139	114	25	22	1	-	2	-	-	1
Nevada	1,673	1,140	533	1,031	463	26	17	70	50	9	-	4	2	-	1
New Hampshire	6,204	3,432	2,772	3,426	2,763	6	9	-	-	-	-	-	-	-	-
New Jersey	50,443	27,926	22,517	25,836	20,867	2,069	1,646	1	1	17	1	1	2	2	-
New Mexico	5,614	3,294	2,320	2,918	1,976	53	46	321	298	-	-	2	-	-	-
New York	158,488	87,205	71,283	81,892	66,868	4,966	4,343	57	41	225	16	32	4	33	11
North Carolina	31,371	18,071	13,300	12,338	8,591	5,627	4,641	106	68	-	-	-	-	-	-
North Dakota	5,111	3,135	1,976	3,061	1,918	4	1	69	56	-	-	-	-	1	1
Ohio	81,931	46,335	35,596	42,896	32,946	3,413	2,641	5	2	17	-	3	4	1	3
Oklahoma	20,118	11,990	8,128	10,679	7,050	990	805	319	272	2	-	-	-	-	1
Oregon	14,549	8,893	5,656	8,751	5,543	61	52	44	44	12	4	19	11	6	2
Pennsylvania	111,426	62,093	49,333	57,862	45,899	4,194	3,428	2	3	32	2	2	1	1	-
Rhode Island	8,156	4,353	3,803	4,242	3,705	92	95	12	3	5	-	-	-	2	-
South Carolina	17,854	10,183	7,671	5,704	3,775	4,474	3,894	5	2	-	-	-	-	-	-
South Dakota	5,838	3,518	2,320	3,343	2,209	5	-	170	111	-	-	-	-	-	-
Tennessee	29,584	16,571	13,013	12,939	9,827	3,624	3,185	3	1	5	-	-	-	-	-
Texas	67,238	39,407	27,831	33,251	22,653	6,124	5,171	11	3	16	1	4	2	1	1
Utah	5,111	3,046	2,065	2,962	2,013	16	14	35	29	4	-	28	9	1	-
Vermont	4,284	2,341	1,943	2,339	1,941	2	1	-	-	-	1	-	-	-	-
Virginia	29,512	17,021	12,491	11,910	8,511	5,099	3,976	1	4	6	-	-	-	5	-
Washington	23,323	14,121	9,202	13,712	8,965	166	105	143	98	25	4	54	23	21	7
West Virginia	17,029	10,092	6,937	9,296	6,405	796	532	-	-	-	-	-	-	-	-
Wisconsin	33,653	19,585	14,068	19,281	13,885	202	126	90	55	5	2	5	-	2	-
Wyoming	2,346	1,501	845	1,453	811	17	6	24	24	1	1	4	3	2	-

Table 50. Deaths by Race and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1951

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
UNITED STATES	1,482,099	845,233	636,866	1,302,969	747,049	555,920	179,130	98,184	80,946
Metropolitan counties	855,302	480,648	374,654	761,028	428,826	332,202	94,274	51,822	42,452
Nonmetropolitan counties	626,797	364,585	262,212	541,941	318,223	223,718	84,856	46,362	38,494
Alabama	27,416	15,384	12,032	16,031	9,420	6,611	11,385	5,964	5,421
Metropolitan counties	9,814	5,522	4,292	5,239	3,102	2,137	4,575	2,420	2,155
Nonmetropolitan counties	17,602	9,862	7,740	10,792	6,318	4,474	6,810	3,544	3,266
Arizona	7,098	4,445	2,653	5,872	3,720	2,152	1,226	725	501
Metropolitan counties	3,082	1,946	1,136	2,816	1,776	1,040	266	170	96
Nonmetropolitan counties	4,016	2,499	1,517	3,056	1,944	1,112	960	555	405
Arkansas	15,776	9,225	6,551	11,376	6,870	4,506	4,400	2,355	2,045
Metropolitan counties	1,858	1,061	797	1,263	748	515	595	313	282
Nonmetropolitan counties	13,918	8,164	5,754	10,113	6,122	3,991	3,805	2,042	1,763
California	104,089	61,061	43,028	98,549	57,574	40,975	5,540	3,487	2,053
Metropolitan counties	84,260	48,485	35,775	79,606	45,598	34,008	4,654	2,887	1,767
Nonmetropolitan counties	19,829	12,576	7,253	18,943	11,976	6,967	886	600	286
Colorado	12,674	7,346	5,328	12,360	7,160	5,200	314	186	128
Metropolitan counties	6,324	3,617	2,707	6,098	3,482	2,616	226	135	91
Nonmetropolitan counties	6,350	3,729	2,621	6,262	3,678	2,584	88	51	37
Connecticut	19,864	10,847	9,017	19,292	10,558	8,734	572	289	283
Metropolitan counties	15,695	8,504	7,191	15,168	8,246	6,922	527	258	269
Nonmetropolitan counties	4,169	2,343	1,826	4,124	2,312	1,812	45	31	14
Delaware	3,439	1,937	1,502	2,819	1,558	1,261	620	379	241
Metropolitan counties	2,216	1,235	981	1,867	1,028	839	349	207	142
Nonmetropolitan counties	1,223	702	521	952	530	422	271	172	99
District of Columbia	8,410	4,583	3,827	5,187	2,853	2,334	3,223	1,730	1,493
Florida	27,909	16,776	11,133	20,653	12,673	7,980	7,256	4,103	3,153
Metropolitan counties	13,726	8,239	5,487	10,996	6,714	4,282	2,730	1,525	1,205
Nonmetropolitan counties	14,183	8,537	5,646	9,657	5,959	3,698	4,526	2,578	1,948
Georgia	30,926	17,505	13,421	18,338	10,764	7,574	12,588	6,741	5,847
Metropolitan counties	11,275	6,226	5,049	5,753	3,855	2,898	4,522	2,371	2,151
Nonmetropolitan counties	19,651	11,279	8,372	11,585	6,909	4,676	8,066	4,370	3,696
Idaho	5,012	3,203	1,809	4,922	3,155	1,767	90	48	42
Nonmetropolitan counties	5,012	3,203	1,809	4,922	3,155	1,767	90	48	42
Illinois	93,304	53,346	39,958	85,357	48,936	36,421	7,947	4,410	3,537
Metropolitan counties	65,960	37,696	28,264	58,695	33,649	25,046	7,265	4,047	3,218
Nonmetropolitan counties	27,344	15,650	11,694	26,662	15,287	11,375	682	363	319
Indiana	41,154	23,434	17,720	38,799	22,145	16,654	2,355	1,289	1,066
Metropolitan counties	17,548	10,002	7,546	15,528	8,897	6,631	2,020	1,105	915
Nonmetropolitan counties	23,606	13,432	10,174	23.271	13,248	10,023	335	184	151
Iowa	26,410	14,979	11,431	26,118	14,823	11,295	292	156	136
Metropolitan counties	6,899	3,829	3,070	6,697	3,730	2,967	202	99	103
Nonmetropolitan counties	19,511	11,150	8,361	19,421	11,093	8,328	90	57	33
Kansas	19,090	11,127	7,963	18,053	10,541	7,512	1,037	586	451
Metropolitan counties	5,156	2,972	2,186	4,536	2,628	1,908	622	344	278
Nonmetropolitan counties	13,932	8,155	5,777	13,517	7,913	5,604	415	242	173
Kentucky	27,542	15,777	11,765	24,375	14,067	10,308	3,167	1,710	1,457
Metropolitan counties	8,586	4,775	3,811	7,175	4,024	3,151	1,411	751	660
Nonmetropolitan counties	18,956	11,002	7,954	17,200	10,043	7,157	1,756	959	797
Louisiana	24,749	14,077	10,672	14,423	8,541	5,882	10,326	5,536	4,790
Metropolitan parishes	10,073	5,448	4,625	6,230	3,448	2,782	3,843	2,000	1,843
Nonmetropolitan parishes	14,676	8,629	6,047	8,193	5,093	3,100	6,483	3,536	2,947
Maine	10,057	5,627	4,410	10,013	5,609	4,404	24	18	6
Metropolitan counties	1,916	958	858	1,810	953	857	6	5	1
Nonmetropolitan counties	8,221	4,669	3,552	8,203	4,656	3,547	18	13	5
Maryland	21,352	11,862	9,491	16,963	9,369	7,594	4,390	2,493	1,897
Metropolitan counties	14,769	8,187	6,582	11,549	6,373	5,176	3,220	1,814	1,406
Nonmetropolitan counties	6,584	3,675	2,909	5,414	2,996	2,418	1,170	679	491
Massachusetts	53,883	28,697	25,186	52,898	28,161	24,737	985	536	449
Metropolitan counties	52,345	27,851	24,494	51,391	27,337	24,054	954	514	440
Nonmetropolitan counties	1,538	846	692	1,507	824	683	31	22	9
Michigan	59,396	34,501	24,895	54,971	32,057	22,914	4,425	2,444	1,981
Metropolitan counties	37,124	21,525	15,599	33,232	19,358	13,874	3,892	2,167	1,725
Nonmetropolitan counties	22,272	12,976	9,296	21,739	12,699	9,040	533	277	256
Minnesota	27,690	16,231	11,459	27,345	16,046	11,299	345	185	160
Metropolitan counties	12,634	7,208	5,426	12,433	7,088	5,345	201	120	81
Nonmetropolitan counties	15,056	9,023	6,033	14,912	8,958	5,954	144	65	79
Mississippi	21,076	11,611	9,465	9,669	5,696	3,973	11,407	5,915	5,492
Metropolitan counties	1,309	694	615	591	338	253	718	356	362
Nonmetropolitan counties	19,767	10,917	8,850	9,078	5,358	3,720	10,689	5,559	5,130
Missouri	44,123	25,012	19,111	39,633	22,565	17,068	4,490	2,447	2,043
Metropolitan counties	23,172	12,832	10,340	19,693	10,965	8,728	3,479	1,867	1,612
Nonmetropolitan counties	20,951	12,180	8,771	19,940	11,600	8,340	1,011	580	431
Montana	5,914	3,769	2,145	5,642	3,615	2,027	272	154	118
Nonmetropolitan counties	5,914	3,769	2,145	5,642	3,615	2,027	272	154	118

Table 50. Deaths by Race and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1951—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Nebraska	12,909	7,618	5,291	12,605	7,451	5,154	304	167	137
Metropolitan counties	4,090	2,348	1,742	3,856	2,222	1,634	234	126	108
Nonmetropolitan counties	8,819	5,270	3,549	8,749	5,229	3,520	70	41	29
Nevada	1,673	1,140	533	1,494	1,031	463	179	109	70
Nonmetropolitan counties	1,673	1,140	533	1,494	1,031	463	179	109	70
New Hampshire	6,204	3,432	2,772	6,189	3,426	2,763	15	6	9
Metropolitan counties	1,835	995	840	1,833	994	839	2	1	1
Nonmetropolitan counties	4,369	2,437	1,932	4,356	2,432	1,924	13	5	8
New Jersey	50,443	27,926	22,517	46,703	25,836	20,867	3,740	2,090	1,650
Metropolitan counties	44,654	24,717	19,937	41,324	22,851	18,473	3,330	1,866	1,464
Nonmetropolitan counties	5,789	3,209	2,580	5,379	2,985	2,394	410	224	186
New Mexico	5,614	3,294	2,320	4,894	2,918	1,976	720	376	344
Metropolitan counties	1,159	680	479	1,098	646	452	61	34	27
Nonmetropolitan counties	4,455	2.614	1,841	3,796	2,272	1,524	659	342	317
New York	158,488	87,205	71,283	148,760	81,892	66,868	9,728	5,313	4,415
Metropolitan counties	130,084	71,575	58,509	120,731	66,482	54,249	9,353	5,093	4,260
Nonmetropolitan counties	28,404	15,630	12,774	28,029	15,410	12,619	375	220	155
North Carolina	31,371	18,071	13,300	20,929	12,338	8,591	10,442	5,733	4,709
Metropolitan counties	6,973	3,955	3,018	4,666	2,716	1,950	2,307	1,239	1,068
Nonmetropolitan counties	24,398	14,116	10,282	16,263	9,622	6,641	8,135	4,494	3,641
North Dakota	5,111	3,135	1,976	4,979	3,061	1,918	132	74	58
Nonmetropolitan counties	5,111	3,135	1,976	4,979	3,061	1,918	132	74	58
Ohio	81,931	46,335	35,596	75,842	42,896	32,946	6,089	3,439	2,650
Metropolitan counties	54,459	30,846	23,613	48,912	27,722	21,190	5,547	3,124	2,423
Nonmetropolitan counties	27,472	15,489	11,983	26,930	15,174	11,756	542	315	227
Oklahoma	20,118	11,990	8,128	17,729	10,679	7,050	2,389	1,311	1,078
Metropolitan counties	4,936	2,876	2,060	4,295	2,527	1,768	641	349	292
Nonmetropolitan counties	15,182	9,114	6,068	13,434	8,152	5,282	1,748	962	786
Oregon	14,549	8,893	5,656	14,294	8,751	5,543	255	142	113
Metropolitan counties	6,673	3,967	2,706	6,528	3,883	2,645	145	84	61
Nonmetropolitan counties	7.876	4,926	2,950	7,766	4,868	2,898	110	58	52
Pennsylvania	111,426	62,093	49,333	103,761	57,862	45,899	7,665	4,231	3,434
Metropolitan counties	86,694	48,081	38,613	79,334	44,023	35,311	7,360	4,058	3,302
Nonmetropolitan counties	24,732	14,012	10,720	24,427	13,839	10,588	305	173	132
Rhode Island	8,156	4,353	3,803	7,947	4,242	3,705	209	111	98
Metropolitan counties	7,164	3,835	3,329	7,007	3,757	3,250	157	78	79
Nonmetropolitan counties	992	518	474	940	485	455	52	33	19
South Carolina	17,854	10,183	7,671	9,479	5,704	3,775	8,375	4,479	3,896
Metropolitan counties	4,580	2,576	2,004	2,636	1,545	1,091	1,944	1,031	913
Nonmetropolitan counties	13,274	7,607	5,667	6,843	4,159	2,684	6,431	3,448	2,983
South Dakota	5,838	3,518	2,320	5,552	3,343	2,209	286	175	111
Metropolitan counties	621	360	261	619	359	260	2	1	1
Nonmetropolitan counties	5,217	3,158	2,059	4,933	2,984	1,949	284	174	110
Tennessee	29,584	16,571	13,013	22,766	12,939	9,827	6,818	3,632	3,186
Metropolitan counties	12,597	7,025	5,572	8,337	4,740	3,597	4,260	2,285	1,975
Nonmetropolitan counties	16,987	9,546	7,441	14,429	8,199	6,230	2,558	1,347	1,211
Texas	67,238	39,407	27,831	55,904	33,251	22,653	11,334	6,156	5,178
Metropolitan counties	29,843	17,258	12,585	24,817	14,538	10,279	5,026	2,720	2,306
Nonmetropolitan counties	37,395	22,149	15,246	31,087	18,713	12,374	6,308	3,436	2,872
Utah	5,111	3,046	2,065	4,975	2,962	2,013	136	84	52
Metropolitan counties	2,827	1,649	1,178	2,766	1,608	1,158	61	41	20
Nonmetropolitan counties	2,284	1,397	887	2,209	1,354	855	75	43	32
Vermont	4,284	2,341	1,943	4,280	2,339	1,941	4	2	2
Nonmetropolitan counties	4,284	2,341	1,943	4,280	2,339	1,941	4	2	2
Virginia	29,512	17,021	12,491	20,421	11,910	8,511	9,091	5,111	3,980
Metropolitan counties	10,142	5,732	4,410	6,935	3,960	2,975	3,207	1,772	1,435
Nonmetropolitan counties	19,370	11,289	8,081	13,486	7,950	5,536	5,884	3,339	2,545
Washington	23,323	14,121	9,202	22,677	13,712	8,965	646	409	237
Metropolitan counties	13,266	7,904	5,362	12,878	7,657	5,221	388	247	141
Nonmetropolitan counties	10,057	6,217	3,840	9,799	6,055	3,744	258	162	96
West Virginia	17,029	10,092	6,937	15,701	9,296	6,405	1,328	796	532
Metropolitan counties	5,476	3,222	2,254	5,043	2,953	2,090	433	269	164
Nonmetropolitan counties	11,553	6,870	4,683	10,658	6,343	4,315	895	527	368
Wisconsin	33,653	19,585	14,068	33,166	19,281	13,885	487	304	183
Metropolitan counties	13,176	7,652	5,524	12,860	7,453	5,407	316	199	117
Nonmetropolitan counties	20,477	11,933	8,544	20,306	11,828	8,478	171	105	66
Wyoming	2,346	1,501	845	2,264	1,453	811	82	48	34
Nonmetropolitan counties	2,346	1,501	845	2,264	1,453	811	82	48	34

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census. The category "nonmetropolitan counties" includes all other counties in the State.

Table 51. Deaths by Age, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1951

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,482,099	106,702	19,106	14,860	27,383	42,066	76,956	149,202	256,840	349,444	316,513	121,714	1,313
Metropolitan counties	855,302	54,540	8,957	6,978	12,933	23,668	46,945	95,146	163,466	205,725	172,714	63,895	635
Nonmetropolitan counties	626,797	52,162	10,149	7,882	14,450	18,398	30,011	54,056	93,374	143,719	143,799	58,119	678
Alabama	27,416	3,110	598	439	860	1,159	1,902	3,104	4,541	5,677	4,395	1,533	98
Metropolitan counties	9,814	996	185	130	291	453	806	1,379	1,880	1,928	1,300	446	20
Nonmetropolitan counties	17,602	2,114	413	309	569	706	1,096	1,725	2,661	3,749	3,095	1,087	78
Arizona	7,098	1,127	275	128	231	325	495	773	1,126	1,313	937	359	9
Metropolitan counties	3,082	378	68	53	81	123	248	351	558	644	442	153	3
Nonmetropolitan counties	4,016	749	207	75	150	202	247	422	568	669	495	206	6
Arkansas	15,776	1,274	327	246	434	516	842	1,558	2,562	3,607	3,268	1,132	10
Metropolitan counties	1,858	170	34	25	35	48	107	225	319	414	370	110	1
Nonmetropolitan counties	13,918	1,104	293	221	399	468	735	1,333	2,243	3,193	2,898	1,022	9
California	104,089	6,381	1,240	914	1,869	3,098	5,665	10,977	17,942	25,161	22,088	8,686	68
Metropolitan counties	84,260	4,876	939	652	1,323	2,388	4,600	9,057	14,760	20,420	18,065	7,143	39
Nonmetropolitan counties	19,829	1,505	301	262	546	710	1,065	1,920	3,182	4,741	4,025	1,543	29
Colorado	12,674	1,194	208	167	255	355	622	1,010	1,868	2,821	2,933	1,233	8
Metropolitan counties	6,324	565	109	72	104	199	336	564	975	1,439	1,383	576	2
Nonmetropolitan counties	6,350	629	99	95	151	156	286	446	893	1,382	1,550	657	6
Connecticut	19,864	899	155	125	212	410	831	1,869	3,843	5,055	4,614	1,839	12
Metropolitan counties	15,695	695	110	98	164	341	675	1,525	3,169	3,967	3,552	1,390	9
Nonmetropolitan counties	4,169	204	45	27	48	69	156	344	674	1,088	1,062	449	3
Delaware	3,439	227	35	31	60	89	183	356	583	847	710	315	3
Metropolitan counties	2,216	142	16	19	32	56	119	253	394	574	422	188	1
Nonmetropolitan counties	1,223	85	19	12	28	33	64	103	189	273	288	127	2
District of Columbia	8,410	608	93	46	135	347	692	1,130	1,659	1,741	1,445	512	2
Florida	27,909	2,322	394	260	600	1,046	1,908	3,421	4,895	6,277	4,969	1,792	25
Metropolitan counties	13,726	933	171	114	233	507	978	1,792	2,558	3,159	2,424	849	8
Nonmetropolitan counties	14,183	1,389	223	146	367	539	930	1,629	2,337	3,118	2,545	943	17
Georgia	30,926	3,272	570	470	964	1,410	2,503	4,067	5,270	6,125	4,632	1,609	34
Metropolitan counties	11,275	1,112	167	130	320	577	1,031	1,705	2,021	2,085	1,593	529	5
Nonmetropolitan counties	19,651	2,160	403	340	644	833	1,472	2,362	3,249	4,040	3,039	1,080	29
Idaho	5,012	412	110	91	117	157	266	423	795	1,142	1,099	394	6
Nonmetropolitan counties	5,012	412	110	91	117	157	266	423	795	1,142	1,099	394	6
Illinois	93,304	5,020	845	693	1,336	2,289	4,666	9,699	17,927	25,055	20,156	7,598	20
Metropolitan counties	65,960	3,753	580	467	880	1,730	3,696	7,761	13,884	16,258	12,443	4,496	12
Nonmetropolitan counties	27,344	1,267	265	226	456	559	970	1,938	4,043	6,797	7,713	3,102	8
Indiana	41,154	2,730	447	424	704	1,019	1,845	3,518	6,607	9,692	10,119	4,010	39
Metropolitan counties	17,548	1,340	198	181	312	514	984	1,807	3,241	4,029	3,596	1,330	16
Nonmetropolitan counties	23,606	1,390	249	243	392	505	861	1,711	3,366	5,663	6,523	2,680	23
Iowa	26,410	1,655	262	222	376	495	878	1,945	3,784	6,185	7,352	3,249	7
Metropolitan counties	6,899	484	71	57	88	173	267	627	1,100	1,628	1,683	719	2
Nonmetropolitan counties	19,511	1,171	191	165	288	322	611	1,318	2,684	4,557	5,669	2,530	5
Kansas	19,090	1,123	195	190	337	458	760	1,383	2,731	4,472	5,128	2,297	16
Metropolitan counties	5,158	365	58	64	92	164	253	477	833	1,153	1,204	489	6
Nonmetropolitan counties	13,932	758	137	126	245	294	507	906	1,898	3,319	3,924	1,808	10
Kentucky	27,542	2,504	483	365	700	935	1,431	2,563	4,057	5,834	6,277	2,371	22
Metropolitan counties	8,586	650	111	78	128	263	498	1,036	1,485	1,842	1,807	676	2
Nonmetropolitan counties	18,956	1,854	372	287	572	672	933	1,527	2,562	3,992	4,470	1,695	20
Louisiana	24,749	2,621	475	362	664	823	1,612	2,838	4,268	5,519	4,010	1,533	24
Metropolitan parishes	10,073	868	138	90	209	324	705	1,376	1,982	2,236	1,580	550	15
Nonmetropolitan parishes	14,676	1,753	337	272	455	499	907	1,462	2,286	3,283	2,430	983	9
Maine	10,037	631	134	77	153	193	352	745	1,439	2,401	2,712	1,191	9
Metropolitan counties	1,816	101	15	10	22	25	71	151	272	458	493	218	-
Nonmetropolitan counties	8,221	530	119	67	131	168	281	594	1,167	1,943	2,219	973	9
Maryland	21,353	1,492	260	205	391	689	1,342	2,487	3,893	4,773	4,221	1,569	31
Metropolitan counties	14,769	1,006	182	136	263	507	972	1,886	2,888	3,248	2,672	998	11
Nonmetropolitan counties	6,584	486	78	69	128	182	370	601	1,005	1,525	1,549	571	20
Massachusetts	53,883	2,217	398	327	533	955	2,099	4,797	9,671	13,748	13,450	5,388	300
Metropolitan counties	52,345	2,152	387	325	510	928	2,035	4,678	9,459	13,389	13,022	5,184	296
Nonmetropolitan counties	1,538	65	11	2	23	27	64	119	232	359	428	204	4
Michigan	59,396	4,516	706	643	1,029	1,615	3,022	6,190	10,921	13,998	11,917	4,811	28
Metropolitan counties	37,124	3,073	459	379	651	1,134	2,170	4,507	7,493	8,467	6,392	2,389	10
Nonmetropolitan counties	22,272	1,443	247	264	378	481	852	1,683	3,428	5,531	5,525	2,422	18
Minnesota	27,690	1,879	296	302	436	508	993	2,236	4,345	6,706	6,922	3,061	6
Metropolitan counties	12,634	857	122	116	169	246	494	1,132	2,283	3,182	2,776	1,252	5
Nonmetropolitan counties	15,056	1,022	174	186	267	262	499	1,104	2,062	3,524	4,146	1,809	1
Mississippi	21,076	2,611	519	351	625	826	1,331	2,157	2,887	4,450	3,871	1,420	28
Metropolitan counties	1,309	205	34	18	35	56	92	139	192	257	200	70	1
Nonmetropolitan counties	19,767	2,406	485	333	590	770	1,239	2,018	2,695	4,185	3,671	1,350	27
Missouri	44,123	2,499	461	377	672	944	1,890	4,027	7,054	10,685	10,852	4,618	44
Metropolitan counties	23,172	1,321	211	159	317	558	1,180	2,563	4,190	5,681	4,976	2,005	11
Nonmetropolitan counties	20,951	1,178	250	218	355	386	710	1,464	2,864	5,004	5,876	2,613	33
Montana	5,914	424	87	73	104	194	302	509	1,002	1,461	1,243	512	3
Nonmetropolitan counties	5,914	424	87	73	104	194	302	509	1,002	1,461	1,243	512	3

Table 51. Deaths by Age, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1951—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	12,909	794	154	126	242	289	423	976	1,936	3,022	3,338	1,603	6
Metropolitan counties	4,090	247	50	32	72	89	163	370	742	972	902	446	5
Nonmetropolitan counties	8,819	547	104	94	170	200	260	606	1,194	2,050	2,436	1,157	1
Nevada	1,673	137	36	19	53	58	105	233	301	370	263	92	6
Nonmetropolitan counties	1,673	137	36	19	53	58	105	233	301	370	263	92	6
New Hampshire	6,204	277	57	47	70	96	226	464	956	1,509	1,713	780	9
Metropolitan counties	1,835	82	19	14	22	34	68	146	346	438	451	210	5
Nonmetropolitan counties	4,369	195	38	33	48	62	158	318	610	1,071	1,262	570	4
New Jersey	50,443	2,542	368	326	581	1,153	2,485	5,429	10,390	12,690	10,717	3,759	3
Metropolitan counties	44,654	2,246	326	285	515	1,027	2,252	4,875	9,355	11,252	9,326	3,192	3
Nonmetropolitan counties	5,789	296	42	41	66	126	233	554	1,035	1,438	1,391	567	-
New Mexico	5,614	1,310	261	129	223	316	330	486	659	789	769	336	6
Metropolitan counties	1,159	273	42	29	32	64	73	115	159	156	142	73	1
Nonmetropolitan counties	4,455	1,037	219	100	191	252	257	371	500	633	627	263	5
New York	158,488	7,444	1,286	1,026	1,930	3,534	7,629	17,334	31,722	40,756	33,556	12,207	64
Metropolitan counties	130,084	6,097	1,041	822	1,547	3,022	6,646	15,203	27,355	33,462	26,083	8,767	39
Nonmetropolitan counties	28,404	1,347	245	204	383	512	983	2,131	4,367	7,294	7,473	3,440	25
North Carolina	31,371	3,630	624	514	940	1,454	2,330	3,645	5,102	6,513	4,944	1,658	17
Metropolitan counties	6,973	670	109	89	172	331	587	957	1,239	1,423	1,045	348	3
Nonmetropolitan counties	24,398	2,960	515	425	768	1,123	1,743	2,688	3,863	5,090	3,899	1,310	14
North Dakota	5,111	471	84	46	101	160	200	398	706	1,222	1,221	493	9
Nonmetropolitan counties	5,111	471	84	46	101	160	200	398	706	1,222	1,221	493	9
Ohio	81,931	5,112	869	690	1,238	2,041	3,867	7,860	13,969	19,796	19,128	7,337	24
Metropolitan counties	54,459	3,511	565	446	774	1,460	2,859	5,823	10,231	13,286	11,397	4,095	12
Nonmetropolitan counties	27,472	1,601	304	244	464	581	1,008	2,037	3,738	6,510	7,731	3,242	12
Oklahoma	20,118	1,561	339	274	443	561	930	1,654	2,860	4,585	4,905	1,980	46
Metropolitan counties	4,936	470	71	55	99	161	294	506	829	1,031	1,008	407	5
Nonmetropolitan counties	15,182	1,091	268	219	344	400	636	1,148	2,031	3,554	3,897	1,573	41
Oregon	14,549	882	175	148	248	381	739	1,325	2,396	3,527	3,303	1,412	13
Metropolitan counties	6,673	311	55	42	74	155	298	628	1,124	1,734	1,564	679	9
Nonmetropolitan counties	7,876	571	120	106	174	226	441	697	1,272	1,793	1,739	733	4
Pennsylvania	111,426	6,117	920	869	1,548	2,528	5,415	11,149	21,067	28,337	24,755	8,691	29
Metropolitan counties	86,694	4,729	672	660	1,128	1,992	4,393	9,022	17,014	22,065	18,587	6,413	19
Nonmetropolitan counties	24,732	1,388	248	209	421	536	1,022	2,127	4,053	6,272	6,168	2,278	10
Rhode Island	8,156	429	58	40	73	158	327	778	1,491	2,117	1,999	685	1
Metropolitan counties	7,164	365	46	29	58	138	286	708	1,330	1,868	1,763	572	1
Nonmetropolitan counties	992	64	12	11	15	20	41	70	161	249	236	113	-
South Carolina	17,854	2,210	411	320	586	929	1,488	2,357	3,322	3,331	2,212	676	12
Metropolitan counties	4,580	537	93	72	142	253	422	660	864	840	548	146	3
Nonmetropolitan counties	13,274	1,673	318	248	444	676	1,066	1,697	2,458	2,491	1,664	530	9
South Dakota	5,838	444	107	69	147	137	231	450	871	1,369	1,358	650	5
Metropolitan counties	621	48	8	9	12	20	27	55	103	146	126	67	-
Nonmetropolitan counties	5,217	396	99	60	135	117	204	395	768	1,223	1,232	583	5
Tennessee	29,584	2,876	502	361	748	1,078	1,832	3,118	4,520	6,485	6,024	2,034	6
Metropolitan counties	12,597	1,240	187	121	287	505	949	1,669	2,159	2,676	2,114	686	4
Nonmetropolitan counties	16,987	1,636	315	240	461	573	883	1,449	2,361	3,809	3,910	1,348	2
Texas	67,238	8,479	1,685	992	1,998	2,806	4,082	6,887	10,359	13,518	12,034	4,367	31
Metropolitan counties	29,843	3,800	651	406	852	1,359	2,076	3,537	5,054	5,689	4,703	1,702	14
Nonmetropolitan counties	37,395	4,679	1,034	586	1,146	1,447	2,006	3,350	5,305	7,829	7,331	2,665	17
Utah	5,111	548	122	122	158	171	266	455	755	1,085	1,015	404	10
Metropolitan counties	2,827	267	55	54	72	91	151	242	441	632	582	235	5
Nonmetropolitan counties	2,284	281	67	68	86	80	115	213	314	453	433	169	5
Vermont	4,284	239	44	37	64	88	144	297	599	1,025	1,234	500	13
Nonmetropolitan counties	4,284	239	44	37	64	88	144	297	599	1,025	1,234	500	13
Virginia	29,512	2,985	480	382	812	1,206	1,996	3,335	4,860	6,368	5,213	1,824	51
Metropolitan counties	10,142	965	147	118	218	458	854	1,360	1,823	2,048	1,611	533	7
Nonmetropolitan counties	19,370	2,020	333	264	594	748	1,142	1,975	3,037	4,320	3,602	1,291	44
Washington	23,323	1,411	284	212	352	591	1,109	2,088	3,823	5,808	5,383	2,240	22
Metropolitan counties	13,266	737	147	105	152	318	648	1,225	2,246	3,332	3,060	1,285	13
Nonmetropolitan counties	10,057	674	137	107	200	273	461	863	1,577	2,476	2,323	957	9
West Virginia	17,029	1,623	288	246	428	709	946	1,663	2,527	3,692	3,492	1,343	72
Metropolitan counties	5,476	441	99	82	131	227	322	588	887	1,223	1,084	383	9
Nonmetropolitan counties	11,553	1,182	189	164	297	482	624	1,075	1,640	2,469	2,408	960	63
Wisconsin	33,653	2,200	337	284	519	673	1,299	2,822	5,591	8,256	8,219	3,449	4
Metropolitan counties	13,176	854	116	89	180	303	568	1,336	2,600	3,263	2,780	1,086	1
Nonmetropolitan counties	20,477	1,346	221	195	339	370	731	1,486	2,991	4,993	5,439	2,363	3
Wyoming	2,346	233	42	53	83	94	125	217	388	549	398	162	2
Nonmetropolitan counties	2,346	233	42	53	83	94	125	217	388	549	398	162	2

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census. The category "nonmetropolitan counties" includes all other counties in the State.

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951

(Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 estimated midyear population in each specified group, excluding armed forces overseas. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1951, and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,482,099	747,049	555,920	98,184	80,946	966.3	1,098.6	802.7	1,249.6	979.0
	I. Infective and parasitic diseases										
	Tuberculosis of respiratory system (001-008)										
001	Respiratory tuberculosis with mention of occupational disease of lung	647	595	5	47	-	0.4	0.9	0.0	0.6	0
002	Pulmonary tuberculosis	26,644	13,534	5,854	4,458	2,798	17.4	19.9	8.5	56.7	33.8
003	Pleural tuberculosis	244	116	62	42	24	0.2	0.2	0.1	0.5	0.3
.0	Pleurisy specified as tuberculous	114	57	19	26	10	0.1	0.1	0.0	0.3	0.1
.1	Pleurisy with effusion without mention of cause	132	59	43	16	14	0.1	0.1	0.1	0.2	0.2
004	Primary tuberculosis complex with symptoms	8	3	2	2	1	0.0	0.0	0.0	0.0	0.0
005	Tracheobronchial glandular tuberculosis with symptoms	13	7	1	1	4	0.0	0.0	0.0	0.0	0.0
007	Other respiratory tuberculosis	23	12	5	2	4	0.0	0.0	0.0	0.0	0.0
008	Tuberculosis, unspecified site	717	309	169	138	101	0.5	0.5	0.2	1.8	1.2
	Tuberculosis, other forms (010-019)										
010	Tuberculosis of meninges and central nervous system	909	284	262	201	162	0.6	0.4	0.4	2.6	2.0
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	163	40	46	31	46	0.1	0.1	0.1	0.4	0.6
012	Tuberculosis of bones and joints, active or unspecified	252	114	70	42	26	0.2	0.2	0.1	0.5	0.3
.0	Active or unspecified tuberculosis of vertebral column	186	78	57	32	19	0.1	0.1	0.1	0.4	0.2
.1	Active or unspecified tuberculosis of hip	17	9	3	3	2	0.0	0.0	0.0	0.0	0.0
.2	Active or unspecified tuberculosis of knee	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	43	25	8	6	4	0.0	0.0	0.0	0.1	0.0
013	Late effects of tuberculosis of bones and joints	5	5	-	-	-	0.0	0.0	0	0	0
.0	Late effects of tuberculosis of vertebral column	4	4	-	-	-	0.0	0.0	0	0	0
.1-.3	Late effects of tuberculosis of all other and unspecified bones and joints	1	1	-	-	-	0.0	0.0	0	0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	12	3	8	-	1	0.0	0.0	0	0	0
015	Tuberculosis of lymphatic system	57	20	15	13	9	0.0	0.0	0.0	0.2	0.1
016	Tuberculosis of genito-urinary system	250	133	83	24	10	0.2	0.2	0.1	0.3	0.1
017	Tuberculosis of adrenal glands	42	15	14	11	2	0.0	0.0	0.0	0.1	0.0
018	Tuberculosis of other organs	43	16	10	12	5	0.0	0.0	0.0	0.2	0.1
019	Disseminated tuberculosis	834	274	194	216	150	0.5	0.4	0.3	2.7	1.8
.1	Acute miliary tuberculosis, unspecified	62	21	19	12	10	0.0	0.0	0.0	0.2	0.1
.2	Other forms of disseminated tuberculosis	772	253	175	204	140	0.5	0.4	0.3	2.6	1.7
	Syphilis and its sequelae (020-029)										
020	Congenital syphilis	171	37	33	55	46	0.1	0.1	0.0	0.7	0.6
.0	Interstitial keratitis	1	1	-	-	-	0.0	0.0	0	0	0
.1	Juvenile neurosyphilis	17	9	4	3	1	0.0	0.0	0.0	0.0	0.0
.2	Other congenital syphilis	153	27	29	52	45	0.1	0.0	0.0	0.7	0.5
021	Early syphilis	2	-	-	2	-	0.0	0	0	0.0	0
022	Aneurysm of aorta	1,666	981	285	274	126	1.1	1.4	0.4	3.5	1.5
023	Other cardiovascular syphilis	2,213	1,046	275	643	249	1.4	1.5	0.4	8.2	3.0
024	Tabes dorsalis	152	103	30	16	3	0.1	0.2	0.0	0.2	0.0
025	General paralysis of insane	1,109	533	162	300	114	0.7	0.8	0.2	3.8	1.4
026	Other syphilis of central nervous system	721	344	133	180	64	0.5	0.5	0.2	2.3	0.8
027	Other forms of late syphilis	112	57	25	20	10	0.1	0.1	0.0	0.3	0.1
028	Latent syphilis	16	8	3	3	2	0.0	0.0	0.0	0.0	0.0
029	Syphilis, unqualified	112	39	21	28	24	0.1	0.1	0.0	0.4	0.3
	Gonococcal infection and other venereal diseases (030-039)										
030	Acute or unspecified gonorrhea	11	2	2	2	5	0.0	0.0	0.0	0.0	0.1
031	Chronic gonococcal infection of genito-urinary system	13	1	3	-	9	0.0	0.0	0.0	0	0.1
034	Gonococcal infection of other sites	5	2	1	2	-	0.0	0.0	0.0	0.0	0
035	Late effects of gonococcal infection	14	7	-	6	1	0.0	0.0	0	0.1	0.0
037	Lymphogranuloma venereum	29	1	2	11	15	0.0	0.0	0.0	0.1	0.2
038	Granuloma inguinale, venereal	8	1	1	3	3	0.0	0.0	0.0	0.0	0.0
039	Other and unspecified venereal diseases	5	-	2	1	2	0.0	0	0.0	0.0	0.0
	Infectious diseases commonly arising in intestinal tract (040-049)										
040	Typhoid fever*	83	34	23	11	15	0.1	0.0	0.0	0.1	0.2
041	Paratyphoid fever	12	4	7	1	-	0.0	0.0	0.0	0.0	0
042	Other Salmonella infections	19	5	7	6	1	0.0	0.0	0.0	0.1	0.0
044	Brucellosis (undulant fever)	34	20	9	4	1	0.0	0.0	0.0	0.1	0.0
045	Bacillary dysentery	356	139	116	54	47	0.2	0.2	0.2	0.7	0.6
.0	Flexner-Boyd group	5	3	2	-	-	0.0	0.0	0.0	0	0
.2	Shiga	21	9	5	4	3	0.0	0.0	0.0	0.1	0.0
.3	Sonne	2	1	1	-	-	0.0	0.0	0.0	0	0
.4	Bacillary, other, and unspecified	328	126	108	50	44	0.2	0.2	0.2	0.6	0.5
046	Amebiasis	148	66	46	18	18	0.1	0.1	0.1	0.2	0.2
047	Other protozoal dysentery	2	1	-	-	1	0.0	0.0	0	0	0.0
048	Unspecified forms of dysentery	534	205	198	72	59	0.3	0.3	0.3	0.9	0.7
049	Food poisoning (infection and intoxication)	168	51	47	35	35	0.1	0.1	0.1	0.4	0.4
.0	Staphylococcal	2	-	2	-	-	0.0	0	0.0	0	0
.1	Botulism	31	17	9	3	2	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	135	34	36	32	33	0.1	0.0	0.1	0.4	0.4
	Other bacterial diseases (050-064)										
050	Scarlet fever*	72	33	39	-	-	0.0	0.0	0.1	0	0
051	Streptococcal sore throat*	275	123	101	30	21	0.2	0.2	0.1	0.4	0.3
052	Erysipelas	46	16	26	3	1	0.0	0.0	0.0	0.0	0.0
053	Septicemia and pyemia	677	301	242	66	68	0.4	0.4	0.3	0.8	0.8
.0	Streptococcus	71	30	26	7	8	0.0	0.0	0.0	0.1	0.1
.1	Staphylococcus	64	28	22	9	5	0.0	0.0	0.0	0.1	0.1
.2	Pneumococcus	18	7	4	3	4	0.0	0.0	0.0	0.0	0.0
.3	Other specified organism	24	15	8	-	1	0.0	0.0	0.0	0	0.0
.4	Organism unspecified	500	221	182	47	50	0.3	0.3	0.3	0.6	0.6

*Deaths occurring 1 year or more after onset of disease are shown separately at end of table.

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Continued										
	Other bacterial diseases (050-064)—Continued										
055	Diphtheria*	302	129	99	50	24	0.2	0.2	0.1	0.6	0.3
056	Whooping cough*	951	226	227	249	249	0.6	0.3	0.3	3.2	3.0
.0	Without mention of pneumonia	376	94	89	108	85	0.2	0.1	0.1	1.4	1.0
.1	With pneumonia	575	132	138	141	164	0.4	0.2	0.2	1.8	2.0
057	Meningococcal infections*	1,124	513	432	107	72	0.7	0.8	0.6	1.4	0.9
.0	Meningococcal meningitis	648	283	236	80	49	0.4	0.4	0.3	1.0	0.6
.1	Acute and unspecified meningococcemia	474	229	195	27	23	0.3	0.3	0.3	0.3	0.3
.3	Other forms of meningococcal infection	2	1	1	-	-	0.0	0.0	0.0	0	0
059	Tularemia*	9	3	2	3	1	0.0	0.0	0.0	0.0	0.0
060	Leprosy	3	1	1	1	-	0.0	0.0	0.0	0.0	0
061	Tetanus	394	157	76	94	67	0.3	0.2	0.1	1.2	0.8
062	Anthrax	3	2	-	1	-	0.0	0.0	0	0.0	0
063	Gas gangrene	25	11	6	7	1	0.0	0.0	0.0	0.1	0.0
064	Other bacterial diseases	8	7	1	-	-	0.0	0.0	0.0	0	0
	Spirochetal diseases, except syphilis (070-074)										
070	Vincent's infection	14	4	5	1	4	0.0	0.0	0.0	0.0	0.0
071	Relapsing fever	1	-	1	-	-	0.0	0	0.0	0	0
072	Leptospirosis icterohemorrhagica (Weil's disease)	13	3	4	6	-	0.0	0.0	0.0	0.1	0
074	Other spirochetal and leptospirochetal infections	3	3	-	-	-	0.0	0.0	0	0	0
	Diseases attributable to viruses (080-096)										
080	Acute poliomyelitis	1,551	870	579	59	43	1.0	1.3	0.8	0.8	0.5
.0	Specified as bulbar or polioencephalitis	1,094	607	430	29	28	0.7	0.9	0.6	0.4	0.3
.1	With other paralysis	59	35	16	7	1	0.0	0.1	0.0	0.1	0.0
.3	Unspecified	398	228	133	23	14	0.3	0.3	0.2	0.3	0.2
081	Late effects of acute poliomyelitis	106	53	42	9	2	0.1	0.1	0.1	0.1	0.0
082	Acute infectious encephalitis	429	189	179	26	35	0.3	0.3	0.3	0.3	0.4
A	Arthropod-borne encephalitis	48	22	18	5	3	0.0	0.0	0.0	0.1	0.0
B	Other acute encephalitis	381	167	161	21	32	0.2	0.2	0.2	0.3	0.4
083	Late effects of acute infectious encephalitis	186	102	79	2	3	0.1	0.2	0.1	0.0	0.0
.0	Postencephalitic Parkinsonism	124	72	49	1	2	0.1	0.1	0.1	0.0	0.0
.1	Postencephalitic personality and character disorders	3	2	1	-	-	0.0	0.0	0.0	0	0
.2	Postencephalitic psychosis	17	9	7	1	-	0.0	0.0	0.0	0.0	0
.3	Other postencephalitic conditions	42	19	22	-	1	0.0	0.0	0.0	0	0.0
084	Smallpox	1	-	-	1	-	0.0	0	0	0.0	0
085	Measles*	683	288	257	66	72	0.4	0.4	0.4	0.8	0.9
.0	Without mention of pneumonia	304	142	108	23	31	0.2	0.2	0.2	0.3	0.4
.1	With pneumonia	379	146	149	43	41	0.2	0.2	0.2	0.5	0.5
086	Rubella (German measles)*	13	6	6	1	-	0.0	0.0	0.0	0.0	0
087	Chickenpox*	94	39	34	10	11	0.1	0.1	0.0	0.1	0.1
088	Herpes zoster	65	27	35	3	-	0.0	0.0	0.1	0.0	0
089	Mumps*	48	23	16	4	5	0.0	0.0	0.0	0.1	0.1
092	Infectious hepatitis	675	284	314	33	44	0.4	0.4	0.5	0.4	0.5
093	Glandular fever (infectious mononucleosis)	14	4	7	2	1	0.0	0.0	0.0	0.0	0.0
094	Rabies	18	10	4	1	3	0.0	0.0	0.0	0.0	0.0
096	Other diseases attributable to viruses	325	148	137	26	14	0.2	0.2	0.2	0.3	0.2
.0	Herpes febrilis	9	5	3	-	1	0.0	0.0	0.0	0	0.0
.2	Psittacosis and ornithosis	1	1	-	-	-	0.0	0.0	0	0	0
.3	Cowpox	2	-	2	-	-	0.0	0	0.0	0	0
.5	Epidemic myalgia (Bornholm disease)	1	-	1	-	-	0.0	0	0.0	0	0
.9	Other	312	142	131	26	13	0.2	0.2	0.2	0.3	0.2
	Typhus and other rickettsial diseases (100-108)										
102	Brill's disease, not specified as louse- or flea-borne typhus	2	1	-	1	-	0.0	0.0	0	0.0	0
104	Tick-borne typhus	26	14	9	2	1	0.0	0.0	0.0	0.0	0.0
A	Rocky Mountain spotted fever	26	14	9	2	1	0.0	0.0	0.0	0.0	0.0
107	Typhus, unspecified	16	10	5	1	-	0.0	0.0	0.0	0.0	0
108	Other rickettsial diseases	2	-	1	1	-	0.0	0	0.0	0.0	0
	Malaria (110-117)										
110	Vivax malaria (benign tertian)	1	1	-	-	-	0.0	0.0	0	0	0
112	Falciparum malaria (malignant tertian)	6	4	1	1	-	0.0	0.0	0.0	0.0	0
115	Blackwater fever	2	2	-	-	-	0.0	0.0	0	0	0
116	Other and unspecified forms of malaria	55	23	9	14	9	0.0	0.0	0.0	0.2	0.1
	Other infective and parasitic diseases (120-138)										
120	Leishmaniasis	1	1	-	-	-	0.0	0.0	0	0	0
122	Other protozoal diseases	16	6	7	2	1	0.0	0.0	0.0	0.0	0.0
123	Schistosomiasis	1	1	-	-	-	0.0	0.0	0	0	0
124	Other trematode infestation	2	1	-	1	-	0.0	0.0	0	0.0	0
125	Hydatid disease	8	5	3	-	-	0.0	0.0	0.0	0	0
126	Other cestode infestation	3	1	1	-	1	0.0	0.0	0.0	0	0.0
128	Trichiniasis	10	2	8	-	-	0.0	0.0	0.0	0	0
129	Ankylostomiasis	7	2	3	1	1	0.0	0.0	0.0	0.0	0.0
130	Infestation with worms of other, mixed, and unspecified type	69	13	21	16	19	0.0	0.0	0.0	0.2	0.2
132	Actinomycosis	37	23	6	5	3	0.0	0.0	0.0	0.1	0.0
133	Coccidioidomycosis	68	26	7	33	2	0.0	0.0	0.0	0.4	0.0
134	Other fungus infections	233	122	75	24	12	0.2	0.2	0.1	0.3	0.1
.0	Blastomycosis	28	19	4	3	2	0.0	0.0	0.0	0.0	0.0
.1	Cryptococcosis (torulosis)	39	20	11	6	2	0.0	0.0	0.0	0.1	0.0
.2	Histoplasmosis	34	20	9	4	1	0.0	0.0	0.0	0.1	0.0
.3	Moniliasis	70	30	30	5	5	0.0	0.0	0.0	0.1	0.1
.4	Sporotrichosis	2	1	-	1	-	0.0	0.0	0	0.0	0
.5	Other	60	32	21	5	2	0.0	0.0	0.0	0.1	0.0
135	Scabies	2	1	-	1	-	0.0	0.0	0	0.0	0
136	Pediculosis	1	1	-	-	-	0.0	0.0	0	0	0
138	Other infective and parasitic diseases	124	41	39	21	23	0.1	0.1	0.1	0.3	0.3

*Deaths occurring 1 year or more after onset of disease are shown separately at end of table.

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms										
	Malignant neoplasm of buccal cavity and pharynx (140-148)										
140	Malignant neoplasm of lip	392	346	38	3	5	0.3	0.5	0.1	0.0	0.1
141	Malignant neoplasm of tongue	1,177	861	214	76	26	0.8	1.3	0.3	1.0	0.3
142	Malignant neoplasm of salivary gland	468	276	164	13	16	0.3	0.4	0.2	0.2	0.2
.0	Mixed salivary gland tumor	53	30	17	4	2	0.0	0.0	0.0	0.1	0.0
.1	Other	416	246	147	9	14	0.3	0.4	0.2	0.1	0.2
143	Malignant neoplasm of floor of mouth	217	172	27	12	6	0.1	0.3	0.0	0.2	0.1
144	Malignant neoplasm of other parts of mouth and mouth unspecified	750	523	169	44	14	0.5	0.8	0.2	0.6	0.2
145	Malignant neoplasm of oral mesopharynx	348	273	52	23	-	0.2	0.4	0.1	0.3	0
146	Malignant neoplasm of nasopharynx	321	202	76	36	7	0.2	0.3	0.1	0.5	0.1
147	Malignant neoplasm of hypopharynx	158	134	19	4	1	0.1	0.2	0.0	0.1	0.0
148	Malignant neoplasm of pharynx, unspecified	1,058	773	184	71	30	0.7	1.1	0.3	0.9	0.4
	Malignant neoplasm of digestive organs and peritoneum (150-159)										
150	Malignant neoplasm of esophagus	3,854	2,596	754	415	89	2.5	3.8	1.1	5.3	1.1
151	Malignant neoplasm of stomach	23,683	13,376	7,900	1,590	817	15.4	19.7	11.4	20.2	9.9
152	Malignant neoplasm of small intestine, including duodenum	719	327	342	24	26	0.5	0.5	0.5	0.3	0.3
153	Malignant neoplasm of large intestine, except rectum	22,798	9,687	11,936	517	658	14.9	14.2	17.2	6.6	8.0
154	Malignant neoplasm of rectum	10,103	5,348	4,126	317	312	6.6	7.9	6.0	4.0	3.8
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	4,753	1,690	2,776	154	133	3.1	2.5	4.0	2.0	1.6
156	Malignant neoplasm of liver (secondary and unspecified)	5,570	2,542	2,484	300	244	3.6	3.7	3.6	3.8	3.0
A	Not stated whether primary or secondary	4,943	2,256	2,208	259	220	3.2	3.3	3.2	3.3	2.7
B	Secondary	627	286	276	41	24	0.4	0.4	0.4	0.5	0.3
157	Malignant neoplasm of pancreas	9,348	5,199	3,511	374	264	6.1	7.6	5.1	4.8	3.2
158	Malignant neoplasm of peritoneum	815	353	402	31	29	0.5	0.5	0.6	0.4	0.4
159	Malignant neoplasm of unspecified digestive organs	791	330	326	62	73	0.5	0.5	0.5	0.8	0.9
	Malignant neoplasm of respiratory system (160-165)										
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	607	300	241	49	17	0.4	0.4	0.3	0.6	0.2
161	Malignant neoplasm of larynx	1,835	1,557	156	106	16	1.2	2.3	0.2	1.3	0.2
162	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	8,438	6,723	1,098	524	93	5.5	9.9	1.6	6.7	1.1
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	11,287	8,410	2,149	562	166	7.4	12.4	3.1	7.2	2.0
164	Malignant neoplasm of mediastinum	346	233	86	16	11	0.2	0.3	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)	325	166	133	15	11	0.2	0.2	0.2	0.2	0.1
	Malignant neoplasm of breast and genito-urinary organs (170-181)										
170	Malignant neoplasm of breast	19,179	201	17,624	20	1,334	12.5	0.3	25.4	0.3	16.1
171	Malignant neoplasm of cervix uteri	8,121	...	6,673	...	1,448	5.3	...	9.6	...	17.5
172	Malignant neoplasm of corpus uteri	1,040	...	953	...	87	0.7	...	1.4	...	1.1
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	81	...	63	...	18	0.1	...	0.1	...	0.2
174	Malignant neoplasm of uterus, unspecified	6,156	...	5,167	...	989	4.0	...	7.5	...	12.0
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	5,927	...	5,595	...	332	3.9	...	8.1	...	4.0
176	Malignant neoplasm of other and unspecified female genital organs	683	...	618	...	65	0.4	...	0.9	...	0.8
177	Malignant neoplasm of prostate	11,492	10,374	...	1,118	...	7.5	15.3	...	14.2	...
178	Malignant neoplasm of testis	690	663	...	27	...	0.4	1.0	...	0.3	...
179	Malignant neoplasm of other and unspecified male genital organs	301	245	...	56	...	0.2	0.4	...	0.7	...
180	Malignant neoplasm of kidney	3,699	2,157	1,338	117	87	2.4	3.2	1.9	1.5	1.1
181	Malignant neoplasm of bladder and of urinary organs	6,459	4,136	1,889	272	162	4.2	6.1	2.7	3.5	2.0
	Malignant neoplasm of other and unspecified sites (190-199)										
190	Malignant melanoma of skin	1,400	752	619	10	19	0.9	1.1	0.9	0.1	0.2
191	Other malignant neoplasm of skin	1,856	1,088	669	49	50	1.2	1.6	1.0	0.6	0.6
192	Malignant neoplasm of eye	344	178	143	14	9	0.2	0.3	0.2	0.2	0.1
193	Malignant neoplasm of brain and other parts of nervous system	4,543	2,590	1,741	111	101	3.0	3.8	2.5	1.4	1.2
194	Malignant neoplasm of thyroid gland	899	292	547	25	35	0.6	0.4	0.8	0.3	0.4
195	Malignant neoplasm of other endocrine glands	350	207	123	11	9	0.2	0.3	0.2	0.1	0.1
196	Malignant neoplasm of bone (including jaw bone)	2,048	1,100	787	83	78	1.3	1.6	1.1	1.1	0.9
197	Malignant neoplasm of connective tissue	573	298	229	26	20	0.4	0.4	0.3	0.3	0.2
198	Secondary and unspecified malignant neoplasm of lymph nodes	362	207	131	14	10	0.2	0.3	0.2	0.2	0.1
A	Not stated whether primary or secondary	259	151	92	8	8	0.2	0.2	0.1	0.1	0.1
B	Secondary	103	56	39	6	2	0.1	0.1	0.1	0.1	0.0
199	Malignant neoplasm of other and unspecified sites	11,365	4,795	5,473	505	592	7.4	7.1	7.9	6.4	7.2
A	Of other specified sites, not stated to be secondary	3,213	1,307	1,596	132	178	2.1	1.9	2.3	1.7	2.2
B	Of unspecified site, not stated to be secondary	794	308	349	56	81	0.5	0.5	0.5	0.7	1.0
C	Of small intestine, including duodenum, specified as secondary	5	-	5	-	-	0.0	0	0.0	0	0
D	Of large intestine, except rectum, specified as secondary	111	55	52	3	1	0.1	0.1	0.1	0.0	0.0
E	Of brain and other parts of nervous system specified as secondary	166	100	55	8	3	0.1	0.1	0.1	0.1	0.0
F	Of bone (including jaw bone), specified as secondary	217	122	83	6	6	0.1	0.2	0.1	0.1	0.1
G	Specified as secondary of any other site except liver, thoracic organs, and lymph nodes	1,171	375	697	40	59	0.8	0.6	1.0	0.5	0.7
H	Generalized and secondary malignant neoplasm of multiple specified sites with primary site not indicated	3,244	1,574	1,427	125	118	2.1	2.3	2.1	1.6	1.4
M	Generalized or disseminated malignant neoplasm with no site specified	2,444	954	1,209	135	146	1.6	1.4	1.7	1.7	1.8
	Neoplasms of lymphatic and hematopoietic tissues (200-205)										
200	Lymphosarcoma and reticulosarcoma	3,713	2,109	1,419	116	69	2.4	3.1	2.0	1.5	0.8
.0	Reticulum cell sarcoma	609	333	245	23	7	0.4	0.5	0.4	0.3	0.1
.1	Lymphosarcoma	2,606	1,488	990	83	45	1.7	2.2	1.4	1.1	0.5
.2	Other primary malignant neoplasms of lymphoid tissue	498	288	183	10	17	0.3	0.4	0.3	0.1	0.2
201	Hodgkin's disease	2,630	1,541	926	103	60	1.7	2.3	1.3	1.3	0.7
202	Other forms of lymphoma (reticulosis)	599	330	225	22	22	0.4	0.5	0.3	0.3	0.3
.0	Giant follicular lymphoma (Brill-Symmer's disease)	46	18	25	1	2	0.0	0.0	0.0	0.0	0.0
.1	Other	553	312	200	21	20	0.4	0.5	0.3	0.3	0.2

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Neoplasms of lymphatic and hematopoietic tissues (200-205)—Con.										
203	Multiple myeloma (plasmocytoma)	1,427	758	543	73	53	0.9	1.1	0.8	0.9	0.6
204	Leukemia and aleukemia	9,357	5,141	3,678	317	221	6.1	7.6	5.3	4.0	2.7
.0	Lymphatic leukemia	3,773	2,183	1,369	138	83	2.5	3.2	2.0	1.8	1.0
.1	Myeloid leukemia	2,996	1,561	1,259	102	74	2.0	2.3	1.8	1.3	0.9
.2	Monocytic leukemia	604	315	265	18	6	0.4	0.5	0.4	0.2	0.1
.3	Acute leukemia, unspecified type	809	434	333	25	17	0.5	0.6	0.5	0.3	0.2
.4	Other and unspecified leukemia	1,175	648	452	34	41	0.8	1.0	0.7	0.4	0.5
205	Mycosis fungoides	69	46	19	2	2	0.0	0.1	0.0	0.0	0.0
	Benign neoplasm (210-229)										
210	Benign neoplasm of buccal cavity and pharynx	9	5	1	3	-	0.0	0.0	0.0	0.0	0
211	Benign neoplasm of other parts of digestive system	170	86	74	5	5	0.1	0.1	0.1	0.1	0.1
212	Benign neoplasm of respiratory system	79	42	28	3	6	0.1	0.1	0.0	0.0	0.1
213	Benign neoplasm of breast	4	-	4	-	-	0.0	0	0.0	0	0
214	Uterine fibromyoma	735	...	450	...	285	0.5	...	0.6	...	3.4
215	Other benign neoplasm of uterus	77	...	60	...	17	0.1	...	0.1	...	0.2
216	Benign neoplasm of ovary	290	...	257	...	33	0.2	...	0.4	...	0.4
217	Benign neoplasm of other female genital organs	8	...	6	...	2	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs	1	1	...	-	...	0.0	0.0	...	0	...
219	Benign neoplasm of kidney and other urinary organs	56	35	21	-	-	0.0	0.1	0.0	0	0
220	Benign melanoma of skin	1	-	1	-	-	0.0	0	0.0	0	0
221	Pilonidal cyst	4	1	3	-	-	0.0	0.0	0.0	0	0
222	Other benign neoplasm of skin	7	3	4	-	-	0.0	0.0	0.0	0	0
223	Benign neoplasm of brain and other parts of nervous system	779	341	360	43	35	0.5	0.5	0.5	0.5	0.4
224	Benign neoplasm of endocrine glands	195	80	88	20	7	0.1	0.1	0.1	0.3	0.1
225	Benign neoplasm of bone and cartilage	41	19	17	4	1	0.0	0.0	0.0	0.1	0.0
226	Lipoma	27	12	12	-	3	0.0	0.0	0.0	0	0.0
227	Other benign neoplasm of muscular and connective tissue	22	8	11	-	3	0.0	0.0	0.0	0	0.0
228	Hemangioma and lymphangioma	86	45	34	4	3	0.1	0.1	0.0	0.1	0.0
229	Benign neoplasm of other and unspecified organs and tissues	45	12	25	2	6	0.0	0.0	0.0	0.0	0.1
	Neoplasm of unspecified nature (230-239)										
230	Neoplasm of unspecified nature of digestive organs	253	115	116	14	8	0.2	0.2	0.2	0.2	0.1
231	Neoplasm of unspecified nature of respiratory organs	203	123	54	16	10	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast	4	-	3	-	1	0.0	0	0.0	0	0.0
233	Neoplasm of unspecified nature of uterus	19	...	12	...	7	0.0	...	0.0	...	0.1
234	Neoplasm of unspecified nature of ovary	17	...	14	...	3	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs	1	...	1	...	-	0.0	...	0.0	...	0
236	Neoplasm of unspecified nature of other genito-urinary organs	79	50	22	3	4	0.1	0.1	0.0	0.0	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,657	808	681	86	82	1.1	1.2	1.0	1.1	1.0
238	Neoplasm of unspecified nature of skin and musculoskeletal system	28	11	15	1	1	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	269	76	145	13	35	0.2	0.1	0.2	0.2	0.4
	III. Allergic, endocrine system, metabolic, and nutritional diseases										
	Allergic disorders (240-245)										
240	Hay fever	3	1	2	-	-	0.0	0.0	0.0	0	0
241	Asthma	6,871	4,235	2,070	304	262	4.5	6.2	3.0	3.9	3.2
242	Angioneurotic edema	21	10	7	3	1	0.0	0.0	0.0	0.0	0.0
243	Urticaria	10	3	4	-	3	0.0	0.0	0.0	0	0.0
244	Allergic eczema	5	3	1	1	-	0.0	0.0	0.0	0.0	0
245	Other allergic disorders	20	13	5	2	-	0.0	0.0	0.0	0.0	0
	Diseases of thyroid gland (250-254)										
250	Simple goiter	78	10	50	1	17	0.1	0.0	0.1	0.0	0.2
251	Nontoxic nodular goiter	98	14	74	1	9	0.1	0.0	0.1	0.0	0.1
252	Thyrotoxicosis with or without goiter	1,211	173	862	25	151	0.8	0.3	1.2	0.3	1.8
.0	Toxic diffuse goiter	1,068	155	755	23	135	0.7	0.2	1.1	0.3	1.6
.1	Toxic nodular goiter	143	18	107	2	16	0.1	0.0	0.2	0.0	0.2
253	Myxedema and cretinism	162	36	121	1	4	0.1	0.1	0.2	0.0	0.0
254	Other diseases of thyroid gland	59	13	37	1	8	0.0	0.0	0.1	0.0	0.1
	Diabetes mellitus (260)										
260	Diabetes mellitus	25,047	8,711	14,055	800	1,481	16.3	12.8	20.3	10.2	17.9
	Diseases of other endocrine glands (270-277)										
270	Disorders of pancreatic internal secretion other than diabetes mellitus	22	7	11	1	3	0.0	0.0	0.0	0.0	0.0
271	Diseases of parathyroid gland	28	9	15	3	1	0.0	0.0	0.0	0.0	0.0
272	Diseases of pituitary gland	191	71	101	10	9	0.1	0.1	0.1	0.1	0.1
273	Diseases of thymus gland	605	313	192	57	43	0.4	0.5	0.3	0.7	0.5
274	Diseases of adrenal glands	385	170	174	25	16	0.3	0.2	0.3	0.3	0.2
277	Polyglandular dysfunction and other diseases of endocrine glands	64	24	33	1	6	0.0	0.0	0.0	0.0	0.1
	Avitaminoses, and other metabolic diseases (280-289)										
280	Beriberi	44	25	11	3	5	0.0	0.0	0.0	0.0	0.1
281	Pellagra	209	47	109	15	38	0.1	0.1	0.2	0.2	0.5
282	Scurvy	15	5	7	3	-	0.0	0.0	0.0	0.0	0
283	Active rickets	42	11	9	8	14	0.0	0.0	0.0	0.1	0.2
284	Late effects of rickets	1	1	-	-	-	0.0	0.0	0	0	0
285	Osteomalacia	11	4	6	1	-	0.0	0.0	0.0	0.0	0
286	Other avitaminoses and nutritional deficiency states	771	314	302	79	76	0.5	0.5	0.4	1.0	0.9
.0	Steatorrhea and sprue	88	39	40	3	6	0.1	0.1	0.1	0.0	0.1
.1-.4	Other vitamin deficiency states	5	3	1	-	1	0.0	0.0	0.0	0	0.0
.5	Malnutrition, unqualified	512	193	200	67	52	0.3	0.3	0.3	0.9	0.6
.6	Other and multiple deficiency states	166	79	61	9	17	0.1	0.1	0.1	0.1	0.2
287	Obesity, not specified as of endocrine origin	14	7	5	-	2	0.0	0.0	0.0	0	0.0
288	Gout	20	16	3	-	1	0.0	0.0	0.0	0	0.0
289	Other metabolic diseases	304	168	117	8	11	0.2	0.2	0.2	0.1	0.1

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IV. Diseases of the blood and blood-forming organs										
	Diseases of blood and blood-forming organs (290-299)										
290	Pernicious and other hyperchromic anemias	1,913	786	1,045	37	45	1.2	1.2	1.5	0.5	0.5
.0	Pernicious anemia	1,807	734	995	34	44	1.2	1.1	1.4	0.4	0.5
.1	Subacute combined degeneration of spinal cord	46	23	20	2	1	0.0	0.0	0.0	0.0	0.0
.2	Other hyperchromic anemias	60	29	30	1	-	0.0	0.0	0.0	0.0	0
291	Iron deficiencies anemias (hypochromic anemias)	90	31	44	3	12	0.1	0.0	0.1	0.0	0.1
292	Other anemias of specified type	1,015	448	371	99	97	0.7	0.7	0.5	1.3	1.2
.1	Acute hemolytic anemia	19	8	7	1	3	0.0	0.0	0.0	0.0	0.0
.2	Other hemolytic anemias	136	61	55	10	10	0.1	0.1	0.1	0.1	0.1
.3	Leuko-erythroblastic anemia	41	19	18	2	2	0.0	0.0	0.0	0.0	0.0
.4	Aplastic anemia	671	347	286	22	16	0.4	0.5	0.4	0.3	0.2
.5	Nonregenerative anemia	9	5	3	-	1	0.0	0.0	0.0	0	0.0
.6	Sickle cell anemia	133	4	1	64	64	0.1	0.0	0.0	0.8	0.8
.7	Other specified anemias	6	4	1	-	1	0.0	0.0	0.0	0	0.0
293	Anemia of unspecified type	1,000	391	436	70	103	0.7	0.6	0.6	0.9	1.2
294	Polycythemia	246	159	83	2	2	0.2	0.2	0.1	0.0	0.0
295	Hemophilia	59	46	4	5	4	0.0	0.1	0.0	0.1	0.0
296	Purpura and other hemorrhagic conditions	589	239	300	20	30	0.4	0.4	0.4	0.3	0.4
297	Agranulocytosis	137	44	87	4	2	0.1	0.1	0.1	0.1	0.0
298	Diseases of spleen	260	118	127	7	8	0.2	0.2	0.2	0.1	0.1
.0	Hepatolienal fibrosis	172	72	92	4	4	0.1	0.1	0.1	0.1	0.0
.1	Other	88	46	35	3	4	0.1	0.1	0.1	0.0	0.0
299	Other diseases of blood and blood-forming organs	149	72	58	10	9	0.1	0.1	0.1	0.1	0.1
	V. Mental, psychoneurotic, and personality disorders										
	Psychoses (300-309)										
300	Schizophrenic disorders (dementia praecox)	290	132	96	28	34	0.2	0.2	0.1	0.4	0.4
301	Manic-depressive reaction	129	33	44	34	18	0.1	0.0	0.1	0.4	0.2
302	Involutional melancholia	29	10	16	-	3	0.0	0.0	0.0	0	0.0
303	Paranoia and paranoid states	7	3	3	-	1	0.0	0.0	0.0	0	0.0
304	Senile psychosis	826	358	390	30	48	0.5	0.5	0.6	0.4	0.6
305	Presenile psychosis	76	32	40	3	1	0.0	0.0	0.1	0.0	0.0
307	Alcholic psychosis	289	233	18	36	2	0.2	0.3	0.0	0.5	0.0
309	Other and unspecified psychoses	197	61	96	18	22	0.1	0.1	0.1	0.2	0.3
	Psychoneurotic disorders (310-318)										
310	Anxiety reaction without mention of somatic symptoms	3	1	1	-	1	0.0	0.0	0.0	0	0.0
311	Hysterical reaction without mention of anxiety reaction	26	6	19	-	1	0.0	0.0	0.0	0	0.0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	4	3	-	1	-	0.0	0.0	0	0.0	0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	7	3	4	-	-	0.0	0.0	0.0	0	0
318	Psychoneurotic disorders, other, mixed, and unspecified types	24	8	10	3	3	0.0	0.0	0.0	0.0	0.0
	Disorders of character, behavior, and intelligence (320-326)										
320	Pathological personality	5	3	2	-	-	0.0	0.0	0.0	0	0
322	Alcoholism	2,322	1,614	273	323	112	1.5	2.4	0.4	4.1	1.4
.0	Acute	805	542	76	144	43	0.5	0.8	0.1	1.8	0.5
.1	Chronic	898	663	129	77	29	0.6	1.0	0.2	1.0	0.4
.2	Unspecified	619	409	68	102	40	0.4	0.6	0.1	1.3	0.5
323	Other drug addiction	65	30	19	15	1	0.0	0.0	0.0	0.2	0.0
325	Mental deficiency	206	100	80	14	12	0.1	0.1	0.1	0.2	0.1
	VI. Diseases of the nervous system and sense organs										
	Vascular lesions affecting central nervous system (330-334)										
330	Subarachnoid hemorrhage	3,831	1,592	1,686	260	293	2.5	2.3	2.4	3.3	3.5
331	Cerebral hemorrhage	110,005	46,307	49,844	6,451	7,403	71.7	68.1	72.0	82.1	89.5
332	Cerebral embolism and thrombosis	28,339	13,241	12,947	1,122	1,029	18.5	19.5	18.7	14.3	12.4
333	Spasm of cerebral arteries	17	7	10	-	-	0.0	0.0	0.0	0	0
334	Other and ill-defined vascular lesions affecting central nervous system	21,358	8,837	8,979	1,695	1,847	13.9	13.0	13.0	21.6	22.3
	Inflammatory diseases of central nervous system (340-345)										
340	Meningitis, except meningococcal and tuberculous	1,881	869	488	297	227	1.2	1.3	0.7	3.8	2.7
.0	H. influenza	321	144	98	40	39	0.2	0.2	0.1	0.5	0.5
.1	Pneumococcus	355	152	90	66	47	0.2	0.2	0.1	0.8	0.6
.2	Due to other specified organism	155	74	42	16	23	0.1	0.1	0.1	0.2	0.3
.3	Unspecified cause	1,050	499	258	175	118	0.7	0.7	0.4	2.2	1.4
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	34	16	10	2	6	0.0	0.0	0.0	0.0	0.1
342	Intracranial and intraspinal abscess	309	151	91	48	19	0.2	0.2	0.1	0.6	0.2
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	661	290	244	75	52	0.4	0.4	0.4	1.0	0.6
344	Late effects of intracranial abscess or pyogenic infection	597	286	229	41	41	0.4	0.4	0.3	0.5	0.5
A	Hydrocephalus, not otherwise specified	405	185	157	32	31	0.3	0.3	0.2	0.4	0.4
B	Other late effects of intracranial abscess or pyogenic infection	192	101	72	9	10	0.1	0.1	0.1	0.1	0.1
345	Multiple sclerosis	1,418	663	671	39	45	0.9	1.0	1.0	0.5	0.5
	Other diseases of central nervous system (350-357)										
350	Paralysis agitans	2,243	1,210	955	50	28	1.5	1.8	1.4	0.6	0.3
351	Cerebral spastic infantile paralysis	613	297	237	40	39	0.4	0.4	0.3	0.5	0.5
352	Other cerebral paralysis	899	342	308	113	136	0.6	0.5	0.4	1.4	1.6
353	Epilepsy	2,332	1,164	743	271	154	1.5	1.7	1.1	3.4	1.8
.0	Petit mal	10	7	2	-	1	0.0	0.0	0.0	0	0.0
.1	Grand mal	259	123	94	31	11	0.2	0.2	0.1	0.4	0.1
.2	Status epilepticus	524	256	194	62	32	0.3	0.3	0.3	0.8	0.4
.3	Other and unspecified	1,539	798	453	178	110	1.0	1.2	0.7	2.3	1.3
354	Migraine	2	-	1	1	-	0.0	0	0.0	0.0	0
355	Other diseases of brain	724	357	276	53	38	0.5	0.5	0.4	0.7	0.5

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Continued										
	Other diseases of central nervous system (350-357)—Continued										
356	Motor neurone disease and muscular atrophy	1,103	652	395	34	22	0.7	1.0	0.6	0.4	0.3
.0	Progressive muscular atrophy	296	168	110	11	7	0.2	0.2	0.2	0.1	0.1
.1	Amyotrophic lateral sclerosis	770	465	270	21	14	0.5	0.7	0.4	0.3	0.2
.2	Spinal type of muscular atrophy	30	18	10	2	-	0.0	0.0	0.0	0.0	0
.3	Other and unspecified manifestations	7	1	5	-	1	0.0	0.0	0.0	0	0.0
357	Other diseases of spinal cord	219	118	74	11	16	0.1	0.2	0.1	0.1	0.2
	Diseases of nerves and peripheral ganglia (360-369)										
360	Facial paralysis	2	2	-	-	-	0.0	0.0	0	0	0
361	Trigeminal neuralgia	40	18	18	3	1	0.0	0.0	0.0	0.0	0.0
363	Sciatica	4	1	3	-	-	0.0	0.0	0.0	0	0
364	Polyneuritis and polyradiculitis	105	57	38	5	5	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritica	2	1	-	-	1	0.0	0.0	0	0	0.0
366	Other and unspecified forms of neuralgia and neuritis	41	17	16	4	4	0.0	0.0	0.0	0.1	0.0
367	Other diseases of cranial nerves	12	5	5	2	-	0.0	0.0	0.0	0.0	0
368	Other diseases of peripheral nerves except autonomic	25	14	7	2	2	0.0	0.0	0.0	0.0	0.0
369	Diseases of peripheral autonomic nervous system	8	8	-	-	-	0.0	0.0	0	0	0
	Inflammatory diseases of eye (370-379)										
370	Conjunctivitis and ophthalmia	1	1	-	-	-	0.0	0.0	0	0	0
374	Keratitis	1	-	1	-	-	0.0	0	0.0	0	0
376	Other inflammation of uveal tract	6	3	2	1	-	0.0	0.0	0.0	0.0	0
377	Inflammation of optic nerve and retina	3	-	-	2	1	0.0	0	0	0.0	0.0
378	Inflammation of lachrymal glands and ducts	1	-	1	-	-	0.0	0	0.0	0	0
379	Other inflammatory diseases of eye	4	1	2	1	-	0.0	0.0	0.0	0.0	0
	Other diseases and conditions of eye (380-389)										
381	Corneal ulcer	1	-	-	1	-	0.0	0	0	0.0	0
382	Corneal opacity	1	-	1	-	-	0.0	0	0.0	0	0
383	Pterygium	1	1	-	-	-	0.0	0.0	0	0	0
384	Strabismus	12	8	4	-	-	0.0	0.0	0.0	0	0
385	Cataract	72	36	32	1	3	0.0	0.1	0.0	0.0	0.0
386	Detachment of retina	3	1	2	-	-	0.0	0.0	0.0	0	0
387	Glaucoma	14	2	11	-	1	0.0	0.0	0.0	0	0.0
388	Other diseases of eye	11	3	2	2	4	0.0	0.0	0.0	0.0	0.0
389	Blindness	3	-	2	1	-	0.0	0	0.0	0.0	0
	Diseases of ear and mastoid process (390-398)										
391	Otitis media without mention of mastoiditis	344	170	115	34	25	0.2	0.3	0.2	0.4	0.3
.0	Acute	69	40	17	6	6	0.0	0.1	0.0	0.1	0.1
.1	Chronic	51	26	19	3	3	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	224	104	79	25	16	0.1	0.2	0.1	0.3	0.2
392	Otitis media with mastoiditis	63	32	23	5	3	0.0	0.0	0.0	0.1	0.0
.0	Acute	16	6	5	4	1	0.0	0.0	0.0	0.1	0.0
.1	Chronic	22	16	6	-	-	0.0	0.0	0.0	0	0
.2	Unspecified	25	10	12	1	2	0.0	0.0	0.0	0.0	0.0
393	Mastoiditis without mention of otitis media	85	52	24	4	5	0.1	0.1	0.0	0.1	0.1
.0	Acute	18	13	4	-	1	0.0	0.0	0.0	0	0.0
.1	Chronic	31	21	10	-	-	0.0	0.0	0.0	0	0
.2	Unspecified	36	18	10	4	4	0.0	0.0	0.0	0.1	0.0
394	Other inflammatory diseases of ear	2	-	1	1	-	0.0	0	0.0	0.0	0
395	Ménière's disease	1	1	-	-	-	0.0	0.0	0	0	0
396	Other diseases of ear and mastoid process	6	4	2	-	-	0.0	0.0	0.0	0	0
	VII. Diseases of the circulatory system										
	Rheumatic fever (400-402)										
400	Rheumatic fever without mention of heart involvement	274	122	99	21	32	0.2	0.2	0.1	0.3	0.4
401	Rheumatic fever with heart involvement	1,343	562	504	130	147	0.9	0.8	0.7	1.7	1.8
.0	Active rheumatic pericarditis	126	71	33	10	12	0.1	0.1	0.0	0.1	0.1
.1	Active rheumatic endocarditis	218	101	82	15	20	0.1	0.1	0.1	0.2	0.2
.2	Active rheumatic myocarditis	110	37	45	13	15	0.1	0.1	0.1	0.2	0.2
.3	Active rheumatic fever with other and multiple types of heart involvement	889	353	344	92	100	0.6	0.5	0.5	1.2	1.2
402	Chorea	31	6	23	2	-	0.0	0.0	0.0	0.0	0
.0	Without mention of heart involvement	11	1	8	2	-	0.0	0.0	0.0	0.0	0
.1	With heart involvement	20	5	15	-	-	0.0	0.0	0.0	0	0
	Chronic rheumatic heart disease (410-416)										
410	Diseases of mitral valve	8,149	3,558	3,714	428	449	5.3	5.2	5.4	5.4	5.4
411	Diseases of aortic valve specified as rheumatic	827	619	184	17	7	0.5	0.9	0.3	0.2	0.1
412	Diseases of tricuspid valve	24	14	8	1	1	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic	9	4	4	1	-	0.0	0.0	0.0	0.0	0
414	Other endocarditis specified as rheumatic	1,256	581	597	36	42	0.8	0.9	0.9	0.5	0.5
415	Other myocarditis specified as rheumatic	897	407	433	25	32	0.6	0.6	0.6	0.3	0.4
416	Other heart disease specified as rheumatic	8,826	3,918	4,164	353	391	5.8	5.8	6.0	4.5	4.7
	Arteriosclerotic and degenerative heart disease (420-422)										
420	Arteriosclerotic heart disease, including coronary disease	336,619	206,090	111,430	11,258	7,841	219.5	303.1	160.9	143.3	94.8
.0	Arteriosclerotic heart disease, so described	111,012	57,495	46,772	3,736	3,009	72.4	84.6	67.5	47.5	36.4
.1	Heart disease specified as involving coronary arteries	223,697	147,443	64,082	7,428	4,744	145.8	216.8	92.5	94.5	57.4
.2	Angina pectoris without mention of coronary disease	1,910	1,152	576	94	88	1.2	1.7	0.8	1.2	1.1
421	Chronic endocarditis not specified as rheumatic	9,738	4,529	3,704	789	716	6.3	6.7	5.3	10.0	8.7
.0	Of mitral valve, specified as nonrheumatic	918	389	393	74	62	0.6	0.6	0.6	0.9	0.7
.1	Of aortic valve, not specified as rheumatic	1,749	989	464	179	137	1.1	1.4	0.7	2.3	1.7
.2	Of tricuspid valve, specified as nonrheumatic	3	3	-	-	-	0.0	0.0	0	0	0
.3	Of pulmonary valve, not specified as rheumatic	6	3	2	-	1	0.0	0.0	0.0	0	0.0
.4	Other and ill-defined, not specified as rheumatic	7,062	3,165	2,845	536	516	4.6	4.7	4.1	6.8	6.2
422	Other myocardial degeneration	70,897	32,927	30,919	3,843	3,208	46.2	48.4	44.6	48.9	38.8
.0	Fatty degeneration	103	53	40	2	8	0.1	0.1	0.1	0.0	0.1
.1	With arteriosclerosis	34,486	15,808	15,973	1,511	1,194	22.5	23.2	23.1	19.2	14.4
.2	Other	36,308	17,066	14,906	2,330	2,006	23.7	25.1	21.5	29.7	24.3

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Other diseases of heart (430-434)										
430	Acute and subacute endocarditis	869	425	287	72	85	0.6	0.6	0.4	0.9	1.0
.0	Acute and subacute bacterial endocarditis	652	345	224	38	45	0.4	0.5	0.3	0.5	0.5
.1	Other acute endocarditis	217	80	63	34	40	0.1	0.1	0.1	0.4	0.5
431	Acute myocarditis not specified as rheumatic	2,370	1,028	876	227	239	1.5	1.5	1.3	2.9	2.9
432	Acute pericarditis specified as nonrheumatic	41	20	12	5	4	0.0	0.0	0.0	0.1	0.0
433	Functional disease of heart	2,365	1,164	1,072	68	61	1.5	1.7	1.5	0.9	0.7
.0	Heart block	550	324	184	25	17	0.4	0.5	0.3	0.3	0.2
.1	Other disorders of heart rhythm	1,804	834	883	43	44	1.2	1.2	1.3	0.5	0.5
.2	Other functional diseases of heart	11	6	5	-	-	0.0	0.0	0.0	0	0
434	Other and unspecified diseases of heart	17,531	9,059	5,064	1,951	1,457	11.4	13.3	7.3	24.8	17.6
.0	Kyphoscoliotic heart disease	63	28	31	1	3	0.0	0.0	0.0	0.0	0.0
.1	Congestive heart failure	4,289	1,967	1,528	442	352	2.8	2.9	2.2	5.6	4.3
.2	Left ventricular failure	897	492	282	71	52	0.6	0.7	0.4	0.9	0.6
.3	Other and unspecified disease of heart	12,282	6,572	3,223	1,437	1,050	8.0	9.7	4.7	18.3	12.7
	Hypertensive disease (440-447)										
440	Essential benign hypertension with heart disease	944	375	468	46	55	0.6	0.6	0.7	0.6	0.7
441	Essential malignant hypertension with heart disease	867	314	329	104	120	0.6	0.5	0.5	1.3	1.5
442	Hypertensive heart disease with arteriolar nephrosclerosis	25,151	10,628	10,022	2,215	2,286	16.4	15.6	14.5	28.2	27.6
443	Other and unspecified hypertensive heart disease	58,295	20,712	26,416	5,228	5,939	38.0	30.5	38.1	66.5	71.8
444	Essential benign hypertension without mention of heart	2,788	926	1,135	320	407	1.8	1.4	1.6	4.1	4.9
445	Essential malignant hypertension without mention of heart	1,374	501	400	238	235	0.9	0.7	0.6	3.0	2.8
446	Hypertension with arteriolar nephrosclerosis without mention of heart	6,588	2,997	2,538	576	477	4.3	4.4	3.7	7.3	5.8
447	Other hypertensive disease without mention of heart	2,506	906	1,287	128	185	1.6	1.3	1.9	1.6	2.2
	Diseases of arteries (450-456)										
450	General arteriosclerosis	31,884	14,864	14,957	1,116	947	20.8	21.9	21.6	14.2	11.5
.0	Without mention of gangrene	29,653	13,642	14,167	1,014	830	19.3	20.1	20.5	12.9	10.0
.1	With gangrene	2,231	1,222	790	102	117	1.5	1.8	1.1	1.3	1.4
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	2,639	1,789	636	131	83	1.7	2.6	0.9	1.7	1.0
452	Other aneurysm, except of heart and aorta	308	160	107	24	17	0.2	0.2	0.2	0.3	0.2
453	Peripheral vascular disease	364	240	99	15	10	0.2	0.4	0.1	0.2	0.1
.0	Raynaud's disease	49	22	25	-	2	0.0	0.0	0.0	0	0.0
.1	Thrombo-angiitis obliterans	261	186	56	12	7	0.2	0.3	0.1	0.2	0.1
.2	Chilblains	1	1	-	-	-	0.0	0.0	0	0	0
.3	Other	53	31	18	3	1	0.0	0.0	0.0	0.0	0.0
454	Arterial embolism and thrombosis	324	163	132	15	14	0.2	0.2	0.2	0.2	0.2
455	Gangrene of unspecified cause	250	119	75	36	20	0.2	0.2	0.1	0.5	0.2
456	Other diseases of arteries	683	236	354	28	65	0.4	0.3	0.5	0.4	0.8
	Diseases of veins and other diseases of circulatory system (460-468)										
460	Varicose veins of lower extremities	257	90	138	17	12	0.2	0.1	0.2	0.2	0.1
461	Hemorrhoids	94	59	24	6	5	0.1	0.1	0.0	0.1	0.1
462	Varicose veins of other specified sites	268	149	89	24	6	0.2	0.2	0.1	0.3	0.1
463	Phlebitis and thrombophlebitis of lower extremities	530	254	234	20	22	0.3	0.4	0.3	0.3	0.3
464	Phlebitis and thrombophlebitis of other sites	340	149	161	14	16	0.2	0.2	0.2	0.2	0.2
465	Pulmonary embolism and infarction	1,205	595	435	94	81	0.8	0.9	0.6	1.2	1.0
466	Other venous embolism and thrombosis	592	268	264	27	33	0.4	0.4	0.4	0.3	0.4
467	Other diseases of circulatory system	338	164	103	32	39	0.2	0.2	0.1	0.4	0.5
.0	Hypotension	71	31	14	14	12	0.0	0.0	0.0	0.2	0.1
.1	Diseases of capillaries	16	7	9	-	-	0.0	0.0	0.0	0	0
.2	Other and unspecified circulatory diseases	251	126	80	18	27	0.2	0.2	0.1	0.2	0.3
468	Certain diseases of lymph nodes and lymph channels	76	26	31	10	9	0.0	0.0	0.0	0.1	0.1
	VIII. Diseases of the respiratory system										
	Acute upper respiratory infections (470-475)										
470	Acute nasopharyngitis (common cold)	155	51	39	27	38	0.1	0.1	0.1	0.3	0.5
471	Acute sinusitis	32	17	11	1	3	0.0	0.0	0.0	0.0	0.0
472	Acute pharyngitis	122	63	43	8	8	0.1	0.1	0.1	0.1	0.1
473	Acute tonsillitis	117	50	40	13	14	0.1	0.1	0.1	0.2	0.2
474	Acute laryngitis and tracheitis	166	78	70	9	9	0.1	0.1	0.1	0.1	0.1
475	Acute upper respiratory infection of multiple or unspecified sites	317	148	116	30	23	0.2	0.2	0.2	0.4	0.3
	Influenza (480-483)										
480	Influenza with pneumonia*	3,533	1,331	1,264	462	476	2.3	2.0	1.8	5.9	5.8
481	Influenza with other respiratory manifestations, and influenza unqualified*	3,094	1,305	1,298	233	258	2.0	1.9	1.9	3.0	3.1
482	Influenza with digestive manifestations, but without respiratory symptoms	310	125	126	28	31	0.2	0.2	0.2	0.4	0.4
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	9	6	1	-	2	0.0	0.0	0.0	0	0.0
	Pneumonia (490-493)										
490	Lobar pneumonia*	12,935	6,248	3,927	1,627	1,133	8.4	9.2	5.7	20.7	13.7
491	Bronchopneumonia*	20,076	8,958	7,415	2,061	1,642	13.1	13.2	10.7	26.2	19.9
492	Primary atypical pneumonia*	4,053	1,952	1,600	268	233	2.6	2.9	2.3	3.4	2.8
493	Pneumonia, other and unspecified*	4,159	1,662	1,427	610	460	2.7	2.4	2.1	7.8	5.6
	Bronchitis (500-502)										
500	Acute bronchitis	980	501	326	82	71	0.6	0.7	0.5	1.0	0.9
501	Bronchitis, unqualified	748	330	282	76	60	0.5	0.5	0.4	1.0	0.7
502	Chronic bronchitis	1,198	792	338	42	26	0.8	1.2	0.5	0.5	0.3
.0	Bronchitis with emphysema	300	266	28	4	2	0.2	0.4	0.0	0.1	0.0
.1	Other	898	526	310	38	24	0.6	0.8	0.4	0.5	0.3

*Deaths occurring 1 year or more after onset of disease are shown separately at end of table.

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII. Diseases of the respiratory system—Continued										
	Other diseases of respiratory system (510-527)										
510	Hypertrophy of tonsils and adenoids	317	140	127	24	26	0.2	0.2	0.2	0.3	0.3
.0	Without mention of tonsillectomy or adenoidectomy	30	7	17	2	4	0.0	0.0	0.0	0.0	0.0
.1	With tonsillectomy or adenoidectomy	287	133	110	22	22	0.2	0.2	0.2	0.3	0.3
511	Peritonsillar abscess (quinsy)	33	14	12	4	3	0.0	0.0	0.0	0.1	0.0
512	Chronic pharyngitis and nasopharyngitis	8	4	3	-	1	0.0	0.0	0.0	0	0.0
513	Chronic sinusitis	117	71	29	12	5	0.1	0.1	0.0	0.2	0.1
514	Deflected nasal septum	4	4	-	-	-	0.0	0.0	0	0	0
515	Nasal polyp	7	6	-	1	-	0.0	0.0	0	0.0	0
516	Chronic laryngitis	1	1	-	-	-	0.0	0.0	0	0	0
517	Other diseases of upper respiratory tract	209	93	73	20	23	0.1	0.1	0.1	0.3	0.3
518	Empyema	174	106	38	24	6	0.1	0.2	0.1	0.3	0.1
519	Pleurisy	211	114	61	24	12	0.1	0.2	0.1	0.3	0.1
.0	Without mention of effusion or tuberculosis	143	79	37	18	9	0.1	0.1	0.1	0.2	0.1
.1	With effusion with mention of a bacterial cause other than tuberculosis	5	2	2	1	-	0.0	0.0	0.0	0.0	0
.2	Other specified forms of effusion, except tuberculous	63	33	22	5	3	0.0	0.0	0.0	0.1	0.0
520	Spontaneous pneumothorax	54	35	13	5	1	0.0	0.1	0.0	0.1	0.0
521	Abscess of lung	566	330	112	86	38	0.4	0.5	0.2	1.1	0.5
522	Pulmonary congestion and hypostasis	1,399	604	647	71	77	0.9	0.9	0.9	0.9	0.9
525	Pneumoconiosis due to silica and silicates (occupational)	1,358	1,314	8	36	-	0.9	1.9	0.0	0.5	0
.0	Silicosis	598	567	4	27	-	0.4	0.8	0.0	0.3	0
.1	Anthracosilicosis	605	597	4	4	-	0.4	0.9	0.0	0.1	0
.2	Asbestosis	9	9	-	-	-	0.0	0.0	0	0	0
.3	Other, including pneumoconiosis unspecified	146	141	-	5	-	0.1	0.2	0	0.1	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	75	68	2	5	-	0.0	0.1	0.0	0.1	0
525	Other chronic interstitial pneumonia	1,261	810	338	89	44	0.8	1.2	0.5	0.9	0.5
526	Bronchiectasis	2,190	1,362	702	89	37	1.4	2.0	1.0	1.1	0.4
527	Other diseases of lung and pleural cavity	2,494	1,802	463	163	66	1.6	2.7	0.7	2.1	0.8
.0	Pulmonary collapse (1 year and over)	124	59	43	14	8	0.1	0.1	0.1	0.2	0.1
.1	Emphysema without mention of bronchitis	1,714	1,428	199	76	13	1.1	2.1	0.3	1.0	0.2
.2	Other	656	317	221	73	45	0.4	0.5	0.3	0.9	0.5
	IX. Diseases of the digestive system										
	Diseases of buccal cavity and esophagus (530-539)										
530	Dental caries	16	9	4	2	1	0.0	0.0	0.0	0.0	0.0
531	Abscesses of supporting structures of teeth	46	29	13	2	2	0.0	0.0	0.0	0.0	0.0
532	Other inflammatory diseases of supporting structures of teeth	104	46	20	20	18	0.1	0.1	0.0	0.3	0.2
533	Disorders of occlusion, eruption, and tooth development	5	1	1	-	3	0.0	0.0	0.0	0	0.0
535	Other diseases of teeth and supporting structures	81	34	28	12	7	0.1	0.0	0.0	0.2	0.1
536	Stomatitis	23	8	9	4	2	0.0	0.0	0.0	0.1	0.0
537	Diseases of salivary glands	63	21	37	3	2	0.0	0.0	0.1	0.0	0.0
538	Other diseases of buccal cavity	31	14	10	5	2	0.0	0.0	0.0	0.1	0.0
539	Diseases of esophagus	409	233	133	22	21	0.3	0.3	0.2	0.3	0.3
	Diseases of stomach and duodenum (540-545)										
540	Ulcer of stomach	4,555	3,270	842	319	124	3.0	4.8	1.2	4.1	1.5
.0	Without mention of perforation	2,842	2,030	548	175	89	1.9	3.0	0.8	2.2	1.1
.1	With perforation	1,713	1,240	294	144	35	1.1	1.8	0.4	1.8	0.4
541	Ulcer of duodenum	3,932	3,066	651	185	50	2.6	4.5	0.9	2.4	0.6
.0	Without mention of perforation	2,356	1,858	367	103	28	1.5	2.7	0.5	1.3	0.3
.1	With perforation	1,576	1,208	264	82	22	1.0	1.8	0.4	1.0	0.3
542	Gastrojejunal ulcer	143	111	27	3	2	0.1	0.2	0.0	0.0	0.0
.0	Without mention of perforation	88	66	19	2	1	0.1	0.1	0.0	0.0	0.0
.1	With perforation	55	45	8	1	1	0.0	0.1	0.0	0.0	0.0
543	Gastritis and duodenitis	335	166	85	41	43	0.2	0.2	0.1	0.5	0.5
544	Disorders of function of stomach	302	102	69	60	71	0.2	0.1	0.1	0.8	0.9
.0	Disorders of gastric secretion	7	3	2	1	1	0.0	0.0	0.0	0.0	0.0
.1	Disorders of gastric motility	42	27	10	4	1	0.0	0.0	0.0	0.1	0.0
.2	Other	253	72	57	55	69	0.2	0.1	0.1	0.7	0.8
545	Other diseases of stomach and duodenum	297	164	98	18	17	0.2	0.2	0.1	0.2	0.2
	Appendicitis (550-553)										
550	Acute appendicitis	2,553	1,354	771	244	184	1.7	2.0	1.1	3.1	2.2
.0	Without mention of peritonitis	495	280	148	30	37	0.3	0.4	0.2	0.4	0.4
.1	With peritonitis	2,058	1,074	623	214	147	1.3	1.6	0.9	2.7	1.8
551	Appendicitis, unqualified	235	110	87	22	16	0.2	0.2	0.1	0.3	0.2
552	Other appendicitis	42	22	14	3	3	0.0	0.0	0.0	0.0	0.0
553	Other diseases of appendix	16	5	9	1	1	0.0	0.0	0.0	0.0	0.0
	Hernia of abdominal cavity (560,561)										
560	Hernia of abdominal cavity without mention of obstruction	1,300	697	484	79	40	0.8	1.0	0.7	1.0	0.5
.0	Inguinal	319	266	19	33	1	0.2	0.4	0.0	0.4	0.0
.1	Femoral	24	12	10	1	1	0.0	0.0	0.0	0.0	0.0
.2	Umbilical	193	70	95	13	15	0.1	0.1	0.1	0.2	0.2
.3	Ventral (incisional)	231	70	148	3	10	0.2	0.1	0.2	0.0	0.1
.4	Other specified site	395	180	183	15	7	0.3	0.3	0.3	0.2	0.1
.5	Unspecified site	138	99	19	14	6	0.1	0.1	0.0	0.2	0.1
561	Hernia of abdominal cavity with obstruction	2,548	1,276	985	174	101	1.7	1.9	1.4	2.2	1.2
.0	Inguinal	898	679	108	95	14	0.6	1.0	0.2	1.2	0.2
.1	Femoral	334	99	220	4	11	0.2	0.1	0.3	0.1	0.1
.2	Umbilical	271	74	162	7	28	0.2	0.1	0.2	0.1	0.3
.3	Ventral (incisional)	404	86	279	4	25	0.3	0.1	0.4	0.1	0.3
.4	Other specified site	156	67	78	8	9	0.1	0.1	0.1	0.1	0.1
.5	Unspecified site	485	261	154	56	14	0.3	0.4	0.2	0.7	0.2

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system—Continued										
	Other diseases of intestines and peritoneum (570-578)										
570	Intestinal obstruction without mention of hernia	4,781	2,000	2,066	342	373	3.1	2.9	3.0	4.4	4.5
.0	Intussusception	270	136	88	31	15	0.2	0.2	0.1	0.4	0.2
.1	Paralytic ileus	295	150	125	11	9	0.2	0.2	0.2	0.1	0.1
.2	Mesenteric infarction	1,066	531	425	51	59	0.7	0.8	0.6	0.6	0.7
.3	Volvulus	692	323	259	68	42	0.5	0.5	0.4	0.9	0.5
.4	Impaction of intestine	135	37	86	8	4	0.1	0.1	0.1	0.1	0.0
.5	Other	2,323	823	1,083	173	244	1.5	1.2	1.6	2.2	3.0
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5,636	2,119	1,818	935	764	3.7	3.1	2.6	11.9	9.2
.0	Ages between 4 weeks and 2 years	4,397	1,630	1,306	811	650	2.9	2.4	1.9	10.3	7.9
.1	Ages 2 years and over	1,239	489	512	124	114	0.8	0.7	0.7	1.6	1.4
572	Chronic enteritis and ulcerative colitis	2,065	887	1,051	62	65	1.3	1.3	1.5	0.8	0.8
.0	Regional enteritis	96	48	45	3	-	0.1	0.1	0.1	0.0	0
.1	Diverticulitis	1,091	477	575	19	20	0.7	0.7	0.8	0.2	0.2
.2	Ulcerative colitis	718	299	357	30	32	0.5	0.4	0.5	0.4	0.4
.3	Other	160	63	74	10	13	0.1	0.1	0.1	0.1	0.2
573	Functional disorders of intestines	67	20	34	9	4	0.0	0.0	0.0	0.1	0.0
574	Anal fissure and fistula	17	7	5	3	2	0.0	0.0	0.0	0.0	0.0
575	Abscess of anal and rectal regions	83	39	22	11	11	0.1	0.1	0.0	0.1	0.1
576	Peritonitis	515	224	195	39	57	0.3	0.3	0.3	0.5	0.7
577	Peritoneal adhesion	45	17	23	2	3	0.0	0.0	0.0	0.0	0.0
578	Other diseases of intestines and peritoneum	1,514	757	516	134	107	1.0	1.1	0.7	1.7	1.3
	Diseases of liver, gallbladder, and pancreas (580-587)										
580	Acute and subacute yellow atrophy of liver	687	308	287	57	35	0.4	0.5	0.4	0.7	0.4
581	Cirrhosis of liver	15,075	9,145	4,785	682	463	9.8	13.4	6.9	8.7	5.6
.0	Without mention of alcoholism	11,347	6,653	3,833	500	361	7.4	9.8	5.5	6.4	4.4
.1	With alcoholism	3,728	2,492	952	182	102	2.4	3.7	1.4	2.3	1.2
582	Suppurative hepatitis and liver abscess	126	57	49	13	7	0.1	0.1	0.1	0.2	0.1
583	Other diseases of liver	562	246	229	43	44	0.4	0.4	0.3	0.5	0.5
584	Cholelithiasis	3,667	1,288	2,285	31	63	2.4	1.9	3.3	0.4	0.8
585	Cholecystitis without mention of calculi	2,057	747	1,195	44	71	1.3	1.1	1.7	0.6	0.9
586	Other diseases of gallbladder and biliary ducts	798	296	458	19	25	0.5	0.4	0.7	0.2	0.3
587	Diseases of pancreas	1,481	803	554	84	40	1.0	1.2	0.8	1.1	0.5
.0	Acute pancreatitis	1,058	582	389	61	26	0.7	0.9	0.6	0.8	0.3
.1	Chronic pancreatitis	131	77	43	8	3	0.1	0.1	0.1	0.1	0.0
.2	Other diseases of pancreas	292	144	122	15	11	0.2	0.2	0.2	0.2	0.1
	X. Diseases of the genito-urinary system										
	Nephritis and nephrosis (590-594)										
590	Acute nephritis	1,984	779	659	256	290	1.3	1.1	1.0	3.3	3.5
591	Nephritis with edema, including nephrosis	1,280	539	453	147	141	0.8	0.8	0.7	1.9	1.7
592	Chronic nephritis	18,139	7,905	6,760	1,758	1,706	11.8	11.6	9.8	22.5	20.6
593	Nephritis not specified as acute or chronic	4,058	1,638	1,454	480	486	2.6	2.4	2.1	6.1	5.9
594	Other renal sclerosis	321	110	106	43	62	0.2	0.2	0.2	0.5	0.7
	Other diseases of urinary system (600-609)										
600	Infections of kidney	3,261	1,442	1,297	266	256	2.1	2.1	1.9	3.4	3.1
.0	Pyelitis, pyelocystitis, and pyelonephritis	3,079	1,357	1,222	256	244	2.0	2.0	1.8	3.3	3.0
.1	Abscess of kidney and perirenal tissue	121	61	45	7	8	0.1	0.1	0.1	0.1	0.1
.2	Other	61	24	30	3	4	0.0	0.0	0.0	0.0	0.0
601	Hydronephrosis	223	120	70	18	15	0.1	0.2	0.1	0.2	0.2
602	Calculi of kidney and ureter	963	464	413	38	48	0.6	0.7	0.6	0.5	0.6
603	Other diseases of kidney and ureter	383	197	138	25	23	0.2	0.3	0.2	0.3	0.3
604	Calculi of other parts of urinary system	111	87	14	9	1	0.1	0.1	0.0	0.1	0.0
605	Cystitis	387	196	134	32	25	0.3	0.3	0.2	0.4	0.3
606	Other diseases of bladder	238	158	38	35	7	0.2	0.2	0.1	0.4	0.1
607	Urethritis (nonvenereal)	9	2	1	6	-	0.0	0.0	0.0	0.1	0
608	Stricture of urethra	198	104	2	92	-	0.1	0.2	0.0	1.2	0
609	Other diseases of urethra	102	50	29	22	1	0.1	0.1	0.0	0.3	0.0
	Diseases of male genital organs (610-617)										
610	Hyperplasia of prostate	6,417	5,715	...	702	...	4.2	8.4	...	8.9	...
611	Prostatitis	542	465	...	77	...	0.4	0.7	...	1.0	...
612	Other diseases of prostate	111	96	...	15	...	0.1	0.1	...	0.2	...
613	Hydrocele	24	17	...	7	...	0.0	0.0	...	0.1	...
614	Orchitis and epididymitis	10	8	...	2	...	0.0	0.0	...	0.0	...
615	Redundant prepuce and phimosis	12	6	...	6	...	0.0	0.0	...	0.1	...
617	Other diseases of male genital organs	40	25	...	15	...	0.0	0.0	...	0.2	...
	Diseases of breast, ovary, fallopian tube, and parametrium (620-626)										
620	Chronic cystic disease of breast	2	1	1	-	-	0.0	0.0	0.0	0	0
621	Other diseases of breast	7	-	5	-	2	0.0	0	0.0	0	0.0
622	Acute salpingitis and oophoritis	19	...	13	...	6	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis	20	...	12	...	8	0.0	...	0.0	...	0.1
624	Salpingitis and oophoritis, unqualified	119	...	61	...	58	0.1	...	0.1	...	0.7
625	Other diseases of ovary and fallopian tube	29	...	21	...	8	0.0	...	0.0	...	0.1
626	Diseases of parametrium and pelvic peritoneum (female)	166	...	102	...	64	0.1	...	0.1	...	0.8
	Diseases of uterus and other female genital organs (630-637)										
630	Infective disease of uterus, vagina, and vulva	54	...	45	...	9	0.0	...	0.1	...	0.1
631	Uterovaginal prolapse	186	...	181	...	5	0.1	...	0.3	...	0.1
632	Malposition of uterus	14	...	13	...	1	0.0	...	0.0	...	0.0
633	Other diseases of uterus	138	...	112	...	26	0.1	...	0.2	...	0.3
634	Disorders of menstruation	6	...	4	...	2	0.0	...	0.0	...	0.0
635	Menopausal symptoms	6	...	2	...	4	0.0	...	0.0	...	0.0
636	Sterility, female	1	...	1	...	-	0.0	...	0.0	...	0
637	Other diseases of female genital organs	24	...	19	...	5	0.0	...	0.0	...	0.1

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium										
	Complications of pregnancy (640-649)										
640	Pyelitis and pyelonephritis of pregnancy*	17	...	10	...	7	0.0	...	0.0	...	0.1
641	Other infections of genito-urinary tract during pregnancy	14	...	11	...	3	0.0	...	0.0	...	0.0
642	Toxemias of pregnancy*	804	...	497	...	307	0.5	...	0.7	...	3.7
.0	Hypertensive disease arising during pregnancy	50	...	30	...	20	0.0	...	0.0	...	0.2
.1	Renal disease arising during pregnancy	120	...	70	...	50	0.1	...	0.1	...	0.6
.2	Preeclampsia of pregnancy	64	...	39	...	25	0.0	...	0.1	...	0.3
.3	Eclampsia of pregnancy	339	...	189	...	150	0.2	...	0.3	...	1.8
.4	Hyperemesis gravidarum	9	...	7	...	2	0.0	...	0.0	...	0.0
.5	Other	222	...	162	...	60	0.1	...	0.2	...	0.7
643	Placenta praevia	12	...	9	...	3	0.0	...	0.0	...	0.0
644	Other hemorrhage of pregnancy	21	...	14	...	7	0.0	...	0.0	...	0.1
645	Ectopic pregnancy	180	...	90	...	90	0.1	...	0.1	...	1.1
.0	Without mention of sepsis	151	...	74	...	77	0.1	...	0.1	...	0.9
.1	With sepsis	29	...	16	...	13	0.0	...	0.0	...	0.2
646	Anemia of pregnancy	12	...	8	...	4	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus	1	...	-	...	1	0.0	...	0	...	0.0
648	Other complications arising from pregnancy	89	...	61	...	28	0.1	...	0.1	...	0.3
.0	Threatened abortion	1	...	1	...	-	0.0	...	0.0	...	0
.1	Hydatidiform mole	10	...	9	...	1	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere	12	...	8	...	4	0.0	...	0.0	...	0.0
.3	Other	66	...	43	...	23	0.0	...	0.1	...	0.3
	Abortion (650-652)										
650	Abortion without mention of sepsis or toxemia	83	...	46	...	37	0.1	...	0.1	...	0.4
.0	Spontaneous or unspecified	50	...	20	...	30	0.0	...	0.0	...	0.4
.1	Induced for medical or legal indications	7	...	5	...	2	0.0	...	0.0	...	0.0
.2	Induced for other reasons	22	...	20	...	2	0.0	...	0.0	...	0.0
.3	Other	4	...	1	...	3	0.0	...	0.0	...	0.0
651	Abortion with sepsis*	189	...	106	...	83	0.1	...	0.2	...	1.0
.0	Spontaneous or unspecified	109	...	54	...	55	0.1	...	0.1	...	0.7
.1	Induced for medical or legal indications	15	...	12	...	3	0.0	...	0.0	...	0.0
.2	Induced for other reasons	62	...	38	...	24	0.0	...	0.1	...	0.3
.3	Other	3	...	2	...	1	0.0	...	0.0	...	0.0
652	Abortion with toxemia, without mention of sepsis	31	...	18	...	13	0.0	...	0.0	...	0.2
.0	Spontaneous or unspecified	19	...	11	...	8	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications	9	...	5	...	4	0.0	...	0.0	...	0.0
.2	Induced for other reasons	3	...	2	...	1	0.0	...	0.0	...	0.0
	Delivery without complication (660)										
660	Delivery without complication*	82	...	52	...	30	0.1	...	0.1	...	0.4
	Delivery with specified complication (670-678)										
670	Delivery complicated by placenta praevia or antepartum hemorrhage	222	...	154	...	68	0.1	...	0.2	...	0.8
671	Delivery complicated by retained placenta	46	...	23	...	23	0.0	...	0.0	...	0.3
672	Delivery complicated by other postpartum hemorrhage	204	...	130	...	74	0.1	...	0.2	...	0.9
673	Delivery complicated by abnormality of bony pelvis	19	...	12	...	7	0.0	...	0.0	...	0.1
674	Delivery complicated by disproportion or malposition of fetus	71	...	47	...	24	0.0	...	0.1	...	0.3
675	Delivery complicated by prolonged labor of other origin	52	...	34	...	18	0.0	...	0.0	...	0.2
676	Delivery with laceration of perineum, without mention of other laceration*	2	...	2	...	-	0.0	...	0.0	...	0
677	Delivery with other trauma	102	...	72	...	30	0.1	...	0.1	...	0.4
678	Delivery with other complications of childbirth	66	...	51	...	15	0.0	...	0.1	...	0.2
	Complications of the puerperium (680-689)										
680	Puerperal urinary infection without other sepsis	1	...	1	...	-	0.0	...	0.0	...	0
681	Sepsis of childbirth and the puerperium*	93	...	58	...	35	0.1	...	0.1	...	0.4
682	Puerperal phlebitis and thrombosis*	80	...	57	...	23	0.1	...	0.1	...	0.3
684	Puerperal pulmonary embolism	134	...	103	...	31	0.1	...	0.1	...	0.4
685	Puerperal eclampsia*	109	...	66	...	43	0.1	...	0.1	...	0.5
686	Other forms of puerperal toxemia	10	...	5	...	5	0.0	...	0.0	...	0.1
687	Cerebral hemorrhage in the puerperium*	41	...	28	...	13	0.0	...	0.0	...	0.2
688	Other and unspecified complications of the puerperium	24	...	12	...	12	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation	1	...	1	...	-	0.0	...	0.0	...	0
	XII. Diseases of the skin and cellular tissue										
	Infections of skin and subcutaneous tissue (690-698)										
690	Boil and carbuncle	34	15	16	1	2	0.0	0.0	0.0	0.0	0.0
691	Cellulitis of finger and toe	3	2	1	-	-	0.0	0.0	0.0	0	0
692	Other cellulitis and abscess without mention of lymphangitis	223	104	66	24	29	0.1	0.2	0.1	0.3	0.4
693	Other cellulitis and abscess with lymphangitis	9	3	6	-	-	0.0	0.0	0.0	0	0
694	Acute lymphadenitis	1	1	-	-	-	0.0	0.0	0	0	0
695	Impetigo	27	8	10	6	3	0.0	0.0	0.0	0.1	0.0
698	Other local infections of skin and subcutaneous tissue	76	40	21	10	5	0.0	0.1	0.0	0.1	0.1
	Other diseases of skin and subcutaneous tissue (700-716)										
701	Eczema	16	11	1	3	1	0.0	0.0	0.0	0.0	0.0
703	Other dermatitis	34	17	8	6	3	0.0	0.0	0.0	0.1	0.0
704	Pemphigus	263	118	109	14	22	0.2	0.2	0.2	0.2	0.3
705	Erythematous conditions	249	62	122	17	48	0.2	0.1	0.2	0.2	0.6
706	Psoriasis and similar disorders	9	6	3	-	-	0.0	0.0	0.0	0	0
707	Lichen planus	1	1	-	-	-	0.0	0.0	0	0	0
708	Pruritus and related conditions	3	3	-	-	-	0.0	0.0	0	0	0
709	Corns and callosities	3	2	1	-	-	0.0	0.0	0.0	0	0
710	Other hypertrophic and atrophic conditions of skin	165	61	89	7	8	0.1	0.1	0.1	0.1	0.1
711	Other dermatoses	5	4	1	-	-	0.0	0.0	0.0	0	0

*Deaths occurring 1 year or more after onset of disease are shown separately at end of table.

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue—Continued										
	Other diseases of skin and subcutaneous tissue (700-716)—Con.										
712	Diseases of nail	1	1	-	-	-	0.0	0.0	0	0	0
713	Diseases of hair and hair follicles	2	1	1	-	-	0.0	0.0	0.0	0	0
714	Diseases of sweat and sebaceous glands	4	4	-	-	-	0.0	0.0	0	0	0
715	Chronic ulcer of skin	233	74	120	15	24	0.2	0.1	0.2	0.2	0.3
716	Other diseases of skin	8	5	2	1	-	0.0	0.0	0.0	0.0	0
	XIII. Diseases of the bones and organs of movement										
	Arthritis and rheumatism, except rheumatic fever (720-727)										
720	Acute arthritis due to pyogenic organisms	32	8	14	8	2	0.0	0.0	0.0	0.1	0.0
722	Rheumatoid arthritis and allied conditions	957	334	541	25	57	0.6	0.5	0.8	0.3	0.7
.0	Rheumatoid arthritis	946	327	537	25	57	0.6	0.5	0.8	0.3	0.7
.1	Spondylitis ankylopoietica	10	6	4	-	-	0.0	0.0	0.0	0	0
.2	Chronic rheumatoid nodular fibrositis	1	1	-	-	-	0.0	0.0	0	0	0
723	Osteo-arthritis (arthrosis) and allied conditions	408	122	254	12	20	0.3	0.2	0.4	0.2	0.2
.0	Osteo-arthritis (arthrosis)	397	118	247	12	20	0.3	0.2	0.4	0.2	0.2
.1	Spondylitis osteo-arthritica (spondylarthrosis)	9	3	6	-	-	0.0	0.0	0.0	0	0
.2	Adult osteochondrosis of spine	2	1	1	-	-	0.0	0.0	0.0	0	0
724	Other specified forms of arthritis	15	7	6	2	-	0.0	0.0	0.0	0.0	0
725	Arthritis, unspecified	405	130	215	22	38	0.3	0.2	0.3	0.3	0.5
726	Muscular rheumatism	16	7	8	-	1	0.0	0.0	0.0	0	0.0
727	Rheumatism unspecified	74	23	27	8	16	0.0	0.0	0.0	0.1	0.2
	Osteomyelitis and other diseases of bone and joint (730-738)										
730	Osteomyelitis and periostitis	174	97	45	21	11	0.1	0.1	0.1	0.3	0.1
.0	Acute osteomyelitis	15	8	5	1	1	0.0	0.0	0.0	0.0	0.0
.1	Chronic osteomyelitis	62	41	14	6	1	0.0	0.1	0.0	0.1	0.0
.2	Unspecified osteomyelitis	93	46	24	14	9	0.1	0.1	0.0	0.2	0.1
.3	Periostitis without mention of osteomyelitis	4	2	2	-	-	0.0	0.0	0.0	0	0
731	Osteitis deformans	115	56	46	11	2	0.1	0.1	0.1	0.1	0.0
732	Osteochondrosis	1	-	1	-	-	0.0	0	0.0	0	0
733	Other diseases of bone	156	60	87	5	4	0.1	0.1	0.1	0.1	0.0
734	Internal derangement of knee joint	3	1	1	1	-	0.0	0.0	0.0	0.0	0
735	Displacement of intervertebral disc	65	40	19	4	2	0.0	0.1	0.0	0.1	0.0
737	Ankylosis of joint	8	3	3	-	2	0.0	0.0	0.0	0	0.0
738	Other diseases of joint	19	9	8	1	1	0.0	0.0	0.0	0.0	0.0
	Other diseases of musculoskeletal system (740-749)										
740	Bunion	1	-	1	-	-	0.0	0	0.0	0	0
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	10	7	3	-	-	0.0	0.0	0.0	0	0
742	Synovitis, bursitis, and tenosynovitis of occupational origin	1	-	1	-	-	0.0	0	0.0	0	0
743	Infective myositis and other inflammatory diseases of tendon and fascia	5	2	1	-	2	0.0	0.0	0.0	0	0.0
744	Other diseases of muscle, tendon, and fascia	588	287	247	30	24	0.4	0.4	0.4	0.4	0.3
.0	Myasthenia gravis	225	83	117	9	16	0.1	0.1	0.2	0.1	0.2
.1	Inborn defect of muscle	334	194	113	19	8	0.2	0.3	0.2	0.2	0.1
.2	Other	29	10	17	2	-	0.0	0.0	0.0	0.0	0
745	Curvature of spine	67	26	39	2	-	0.0	0.0	0.1	0.0	0
746	Flat foot	1	1	-	-	-	0.0	0.0	0	0	0
747	Hallux valgus and varus	1	-	1	-	-	0.0	0	0.0	0	0
748	Clubfoot	9	7	2	-	-	0.0	0.0	0.0	0	0
749	Other deformities	13	5	6	1	1	0.0	0.0	0.0	0.0	0.0
	XIV. Congenital malformations										
	Congenital malformations (750-759)										
750	Monstrosity	941	348	546	24	23	0.6	0.5	0.8	0.3	0.3
751	Spina bifida and meningocele	1,707	691	943	50	23	1.1	1.0	1.4	0.6	0.3
752	Congenital hydrocephalus	1,858	792	868	116	82	1.2	1.2	1.3	1.5	1.0
753	Other congenital malformations of nervous system and sense organs	659	281	307	39	32	0.4	0.4	0.4	0.5	0.4
.0	Congenital cataract	3	2	1	-	-	0.0	0.0	0.0	0	0
.1	Other	656	279	306	39	32	0.4	0.4	0.4	0.5	0.4
754	Congenital malformations of circulatory system	8,200	4,136	3,219	473	372	5.3	6.1	4.6	6.0	4.5
.0	Tetralogy of Fallot	304	147	137	9	11	0.2	0.2	0.2	0.1	0.1
.1	Patent ductus arteriosus (Botalli)	370	172	156	22	20	0.2	0.3	0.2	0.3	0.2
.2	Interventricular septal defect	418	202	181	20	15	0.3	0.3	0.3	0.3	0.2
.3	Interauricular septal defect	568	291	212	35	30	0.4	0.4	0.3	0.4	0.4
.4	Other and unspecified malformations of heart	5,780	2,893	2,262	349	276	3.8	4.3	3.3	4.4	3.3
.5	Coarctation of aorta	247	152	80	10	5	0.2	0.2	0.1	0.1	0.1
.6	Other circulatory malformations	513	279	191	28	15	0.3	0.4	0.3	0.4	0.2
755	Cleft palate and harelip	165	75	72	9	9	0.1	0.1	0.1	0.1	0.1
756	Congenital malformations of digestive system	2,372	1,248	841	165	118	1.5	1.8	1.2	2.1	1.4
.0	Congenital hypertrophic pyloric stenosis	223	136	43	28	16	0.1	0.2	0.1	0.4	0.2
.1	Imperforate anus	187	121	42	16	8	0.1	0.2	0.1	0.2	0.1
.2	Other	1,962	991	756	121	94	1.3	1.5	1.1	1.5	1.1
757	Congenital malformations of genito-urinary system	1,308	746	468	63	31	0.9	1.1	0.7	0.8	0.4
.0	Undescended testicle	1	1	...	-	...	0.0	0.0	...	0	...
.1	Polycystic disease of kidney	816	457	325	30	24	0.5	0.6	0.5	0.4	0.3
.2	Congenital malformations of external genital organs	23	14	6	3	-	0.0	0.0	0.0	0.0	0
.3	Other	468	294	137	30	7	0.3	0.4	0.2	0.4	0.1
758	Congenital malformations of bone and joint	280	132	120	9	19	0.2	0.2	0.2	0.1	0.2
759	Other and unspecified congenital malformations, not elsewhere classified	1,375	689	517	94	75	0.9	1.0	0.7	1.2	0.9
.0	Of respiratory system	442	227	168	28	19	0.3	0.3	0.2	0.4	0.2
.1	Of skin	27	14	12	1	-	0.0	0.0	0.0	0.0	0
.2	Of muscle	92	55	30	6	1	0.1	0.1	0.0	0.1	0.0
.3	Other and unspecified	814	393	307	59	55	0.5	0.6	0.4	0.8	0.7

302662 O - 54 - 3

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XV. Certain diseases of early infancy										
	Birth injuries, asphyxia, and infections of newborn (760-769)										
760	Intracranial and spinal injury at birth	5,007	2,694	1,419	541	353	3.3	4.0	2.0	6.9	4.3
.0	Without mention of immaturity	3,665	1,962	1,046	407	250	2.4	2.9	1.5	5.2	3.0
.5	With immaturity	1,342	732	373	134	103	0.9	1.1	0.5	1.7	1.2
761	Other birth injury	6,802	3,611	2,368	464	359	4.4	5.3	3.4	5.9	4.3
.0	Without mention of immaturity	2,365	1,154	769	250	192	1.5	1.7	1.1	3.2	2.3
.5	With immaturity	4,437	2,457	1,599	214	167	2.9	3.6	2.3	2.7	2.0
762	Postnatal asphyxia and atelectasis	15,153	7,766	5,009	1,392	986	9.9	11.4	7.2	17.7	11.9
.0	Without mention of immaturity	5,708	2,932	1,833	563	380	3.7	4.3	2.6	7.2	4.5
.5	With immaturity	9,445	4,834	3,176	829	606	6.2	7.1	4.6	10.6	7.3
763	Pneumonia of newborn	2,825	1,191	843	463	328	1.8	1.8	1.2	5.9	4.0
.0	Without mention of immaturity	2,003	830	572	355	246	1.3	1.2	0.8	4.5	3.0
.5	With immaturity	822	361	271	108	82	0.5	0.5	0.4	1.4	1.0
764	Diarrhea of newborn	687	267	201	127	92	0.4	0.4	0.3	1.6	1.1
.0	Without mention of immaturity	522	213	144	98	67	0.3	0.3	0.2	1.2	0.8
.5	With immaturity	165	54	57	29	25	0.1	0.1	0.1	0.4	0.3
765	Ophthalmia neonatorum	3	-	-	2	1	0.0	0	0	0.0	0.0
.0	Without mention of immaturity	1	-	-	1	-	0.0	0	0	0.0	0
.5	With immaturity	2	-	-	1	1	0.0	0	0	0.0	0.0
766	Pemphigus neonatorum	25	10	11	2	2	0.0	0.0	0.0	0.0	0.0
.0	Without mention of immaturity	16	9	3	2	2	0.0	0.0	0.0	0.0	0.0
.5	With immaturity	9	1	8	-	-	0.0	0.0	0.0	0	0
767	Umbilical sepsis	122	34	27	29	32	0.1	0.0	0.0	0.4	0.4
.0	Without mention of immaturity	109	31	21	25	32	0.1	0.0	0.0	0.3	0.4
.5	With immaturity	13	3	6	4	-	0.0	0.0	0.0	0.1	0
768	Other sepsis of newborn	265	127	76	36	26	0.2	0.2	0.1	0.5	0.3
.0	Without mention of immaturity	190	95	55	22	18	0.1	0.1	0.1	0.3	0.2
.5	With immaturity	75	32	21	14	8	0.0	0.0	0.0	0.2	0.1
769	Neonatal disorders arising from maternal toxemia	613	270	211	73	59	0.4	0.4	0.3	0.9	0.7
.0-.4	Without mention of immaturity	274	114	81	45	34	0.2	0.2	0.1	0.6	0.4
.0	Attributed to "toxemia of pregnancy"	207	86	53	37	31	0.1	0.1	0.1	0.5	0.4
.1	Attributed to maternal diabetes	41	19	16	4	2	0.0	0.0	0.0	0.1	0.0
.2	Attributed to maternal rubella, without mention of immaturity	5	2	2	1	-	0.0	0.0	0.0	0.0	0
.3	Attributed to toxoplasmosis	2	1	-	-	1	0.0	0.0	0	0	0.0
.4	Attributed to other or unspecified maternal toxemia	19	6	10	3	-	0.0	0.0	0.0	0.0	0
.5-.9	With immaturity	339	156	130	28	25	0.2	0.2	0.2	0.4	0.3
.5	Attributed to "toxemia of pregnancy"	278	128	104	23	23	0.2	0.2	0.2	0.3	0.3
.6	Attributed to maternal diabetes	32	18	13	1	-	0.0	0.0	0.0	0.0	0
.7	Attributed to maternal rubella	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.9	Attributed to other or unspecified maternal toxemia	26	9	12	3	2	0.0	0.0	0.0	0.0	0.0
	Other diseases peculiar to early infancy (770-776)										
770	Hemolytic disease of newborn (erythroblastosis)	2,649	1,436	1,052	111	50	1.7	2.1	1.5	1.4	0.6
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,995	1,068	809	87	31	1.3	1.6	1.2	1.1	0.4
.1	Kernicterus, without mention of immaturity	150	84	57	4	5	0.1	0.1	0.1	0.1	0.1
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	21	14	4	3	-	0.0	0.0	0.0	0.0	0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	460	256	174	17	13	0.3	0.4	0.3	0.2	0.2
.6	Kernicterus, with immaturity	18	11	6	-	1	0.0	0.0	0.0	0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	5	3	2	-	-	0.0	0.0	0.0	0	0
771	Hemorrhagic disease of newborn	970	471	260	157	82	0.6	0.7	0.4	2.0	1.0
.0	Without mention of immaturity	626	309	164	107	46	0.4	0.5	0.2	1.4	0.6
.5	With immaturity	344	162	96	50	36	0.2	0.2	0.1	0.6	0.4
772	Nutritional maladjustment	954	339	236	217	162	0.6	0.5	0.3	2.8	2.0
.0	Without mention of immaturity	646	241	160	146	99	0.4	0.4	0.2	1.9	1.2
.5	With immaturity	308	98	76	71	63	0.2	0.1	0.1	0.9	0.8
773	Ill-defined diseases peculiar to early infancy	2,771	1,230	898	386	257	1.8	1.8	1.3	4.9	3.1
.0	Without mention of immaturity	737	250	211	171	105	0.5	0.4	0.3	2.2	1.3
.5	With immaturity	2,034	980	687	215	152	1.3	1.4	1.0	2.7	1.8
774	Immaturity with mention of any other subsidiary condition	1,122	485	371	146	120	0.7	0.7	0.5	1.9	1.5
776	Immaturity unqualified	23,128	10,335	7,729	2,771	2,293	15.1	15.2	11.2	35.3	27.7
	XVI. Symptoms, senility, and ill-defined conditions										
	Symptoms referable to systems or organs (780-789)										
780	Certain symptoms referable to nervous system and special senses	216	83	70	36	27	0.1	0.1	0.1	0.5	0.3
.0	Coma and stupor	26	7	9	7	3	0.0	0.0	0.0	0.1	0.0
.1	Delirium	2	1	1	-	-	0.0	0.0	0.0	0	0
.2	Convulsions	168	68	55	25	20	0.1	0.1	0.1	0.3	0.2
.3	Jacksonian epilepsy	4	1	3	-	-	0.0	0.0	0.0	0	0
.4-.9	Other specified symptoms referable to nervous system and special senses	16	6	2	4	4	0.0	0.0	0.0	0.1	0.0
781	Other symptoms referable to nervous system and special senses	24	9	10	1	4	0.0	0.0	0.0	0.0	0.0
782	Symptoms referable to cardiovascular and lymphatic system	2,309	1,227	619	272	191	1.5	1.8	0.9	3.5	2.3
.0	Precordial pain	4	2	1	-	1	0.0	0.0	0.0	0	0.0
.1	Palpitation	1	1	-	-	-	0.0	0.0	0	0	0
.2	Tachycardia	7	2	2	2	1	0.0	0.0	0.0	0.0	0.0
.3	Pallor and cyanosis (not of newborn)	2	2	-	-	-	0.0	0.0	0	0	0
.4	Acute heart failure, undefined	2,177	1,181	587	241	168	1.4	1.7	0.8	3.1	2.0
.5	Syncope or collapse	12	5	5	1	1	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)	54	12	6	22	14	0.0	0.0	0.0	0.3	0.2
.7	Enlargement of lymph node	1	-	-	1	-	0.0	0	0	0.0	0
.8	Splenomegaly	5	2	1	2	-	0.0	0.0	0.0	0.0	0
.9	Shock without mention of trauma	46	20	17	3	6	0.0	0.0	0.0	0.0	0.1
783	Symptoms referable to respiratory system	210	99	61	32	18	0.1	0.1	0.1	0.4	0.2
.0	Epistaxis	10	4	2	3	1	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis	182	88	54	25	15	0.1	0.1	0.1	0.3	0.2
.2	Dyspnea	7	1	2	2	2	0.0	0.0	0.0	0.0	0.0
.3-.7	Other symptoms referable to respiratory system	11	6	3	2	-	0.0	0.0	0.0	0.0	0

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions—Continued										
	Symptoms referable to systems or organs (780-789)—Continued										
784	Symptoms referable to upper gastro-intestinal tract	190	111	58	15	6	0.1	0.2	0.1	0.2	0.1
785	Symptoms referable to abdomen and lower gastro-intestinal system	221	87	47	58	29	0.1	0.1	0.1	0.7	0.4
.2	Jaundice	110	40	19	37	14	0.1	0.1	0.0	0.5	0.2
.6	Diarrhea, age 2 years and over	54	18	18	10	8	0.0	0.0	0.0	0.1	0.1
.0,.1,.3-.5,.7-.9	Other symptoms referable to abdomen and lower gastro-intestinal system	57	29	10	11	7	0.0	0.0	0.0	0.1	0.1
786	Symptoms referable to genito-urinary system	35	20	7	8	-	0.0	0.0	0.0	0.1	0
787	Symptoms referable to limbs and back	3	1	1	-	1	0.0	0.0	0.0	0	0.0
788	Other general symptoms	167	61	50	25	31	0.1	0.1	0.1	0.3	0.4
.0-.5	Other specified general symptoms	38	20	11	5	2	0.0	0.0	0.0	0.1	0.0
.6	Acidosis	27	10	7	3	7	0.0	0.0	0.0	0.0	0.1
.7	Alkalosis	3	-	1	-	2	0.0	0	0.0	0	0.0
.8	Pyrexia of unknown origin	96	28	31	17	20	0.1	0.0	0.0	0.2	0.2
.9	Other specified symptoms not classifiable elsewhere	3	3	-	-	-	0.0	0.0	0	0	0
789	Abnormal urinary constituents of unspecified cause	23	10	9	3	1	0.0	0.0	0.0	0.0	0.0
	Senility and ill-defined diseases (790-795)										
790	Nervousness and debility	54	19	19	9	7	0.0	0.0	0.0	0.1	0.1
791	Headache	5	1	1	2	1	0.0	0.0	0.0	0.0	0.0
792	Uremia, unqualified	520	265	159	60	36	0.3	0.4	0.2	0.8	0.4
794	Senility without mention of psychosis	5,289	1,920	2,398	428	543	3.4	2.8	3.5	5.4	6.6
795	Ill-defined and unknown causes of mortality	13,381	4,729	2,438	3,497	2,717	8.7	7.0	3.5	44.5	32.9
.0	Other ill-defined conditions	653	257	189	129	78	0.4	0.4	0.3	1.6	0.9
.2	Sudden death (cause unknown)	615	239	101	159	116	0.4	0.4	0.1	2.0	1.4
.3	Found dead (cause unknown)	516	238	103	102	73	0.3	0.3	0.1	1.3	0.9
.4	Died without sign of disease	3,864	1,677	654	901	632	2.5	2.5	0.9	11.5	7.6
.5	Other, unknown, and unspecified causes	7,733	2,318	1,391	2,206	1,818	5.0	3.4	2.0	28.1	22.0
	XVII. Accidents, poisonings, and violence										
	Railway accidents (E800-E802)										
E800	Railway accident involving railroad employee	442	405	-	37	-	0.3	0.6	0	0.5	0
E801	Railway accident involving passenger	234	167	29	27	11	0.2	0.2	0.0	0.3	0.1
E802	Railway accident involving other and unspecified person	1,382	965	134	254	29	0.9	1.4	0.2	3.2	0.4
	Motor-vehicle traffic accidents (E810-E825)										
E810	Motor-vehicle traffic accident involving collision with railway train	1,573	1,078	372	91	32	1.0	1.6	0.5	1.2	0.4
E811	Motor-vehicle traffic accident involving collision with streetcar	46	30	11	5	-	0.0	0.0	0.0	0.1	0
E812	Motor-vehicle traffic accident to pedestrian	8,578	5,619	1,762	890	307	5.6	8.3	2.5	11.3	3.7
E813	Motor-vehicle traffic accident to pedal cyclist	365	313	16	34	2	0.2	0.5	0.0	0.4	0.0
E814	Motor-vehicle traffic accident to rider or passenger of motorcycle, in collision with nonmotorvehicle or object	41	35	1	4	1	0.0	0.1	0.0	0.1	0.0
E815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	472	434	23	15	-	0.3	0.6	0.0	0.2	0
E816	Other motor-vehicle traffic accident involving two or more motor vehicles	9,408	5,967	2,568	677	196	6.1	8.8	3.7	8.6	2.4
E818	Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle	70	46	6	14	4	0.0	0.1	0.0	0.2	0.0
E819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	1,895	1,267	449	140	39	1.2	1.9	0.6	1.8	0.5
E820	Motor-vehicle traffic accident while boarding and alighting	34	15	16	2	1	0.0	0.0	0.0	0.0	0.0
E821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	340	304	18	18	-	0.2	0.4	0.0	0.2	0
E822	Motor-vehicle traffic accident involving overturning in roadway	1,700	1,228	248	190	34	1.1	1.8	0.4	2.4	0.4
E823	Motor-vehicle traffic accident involving running off roadway	5,622	4,047	941	487	147	3.7	6.0	1.4	6.2	1.8
E824	Other noncollision motor-vehicle traffic accident	936	534	227	142	33	0.6	0.8	0.3	1.8	0.4
E825	Motor-vehicle traffic accident of unspecified nature	4,950	3,208	1,071	501	170	3.2	4.7	1.5	6.4	2.1
	Motor-vehicle nontraffic accidents (E830-E835)										
E830	Motor-vehicle nontraffic accident to pedestrian	558	353	154	37	14	0.4	0.5	0.2	0.5	0.2
E832	Motor-vehicle nontraffic accident to rider or passenger of motorcycle	15	15	-	-	-	0.0	0.0	0	0	0
E833	Other motor-vehicle nontraffic accident involving two or more motor vehicles	27	20	4	2	1	0.0	0.0	0.0	0.0	0.0
E834	Motor-vehicle nontraffic accident while boarding and alighting	17	7	9	-	1	0.0	0.0	0.0	0	0.0
E835	Motor-vehicle nontraffic accident of other and unspecified nature	349	277	31	29	12	0.2	0.4	0.0	0.4	0.1
	Other road-vehicle accidents (E840-E845)										
E840	Streetcar accident to pedestrian	81	54	19	5	3	0.1	0.1	0.0	0.1	0.0
E841	Other streetcar accident, except collision with motor vehicle	14	8	6	-	-	0.0	0.0	0.0	0	0
E842	Accident to pedestrian caused by pedal cycle	16	8	6	2	-	0.0	0.0	0.0	0.0	0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	51	37	9	4	1	0.0	0.1	0.0	0.1	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle	8	5	1	2	-	0.0	0.0	0.0	0.0	0
E845	Other nonmotor road-vehicle accidents	289	195	43	48	3	0.2	0.3	0.1	0.6	0.0
	Water-transport accidents (E850-E858)										
E850	Submersion of occupant of small boat	1,241	1,019	90	119	13	0.8	1.5	0.1	1.5	0.2
E851	Other water-transport injury by submersion	193	175	1	16	1	0.1	0.3	0.0	0.2	0.0
E852	Fall on stairs and ladders in water transport	4	3	1	-	-	0.0	0.0	0.0	0	0
E853	Other falls from one level to another in water transport	53	48	-	5	-	0.0	0.1	0	0.1	0
E854	Falls on same level in water transport	1	1	-	-	-	0.0	0.0	0	0	0
E855	Unspecified falls in water transport	10	8	-	2	-	0.0	0.0	0	0.0	0
E856	Machinery accident in water transport	11	9	1	1	-	0.0	0.0	0.0	0.0	0
E857	Other specified accidents in water transport	124	94	16	14	-	0.1	0.1	0.0	0.2	0
E858	Water-transport accident of unspecified cause	2	2	-	-	-	0.0	0.0	0	0	0

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE			
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Aircraft accidents (E860-E866)										
E860	Accident to personnel in military aircraft	207	202	-	5	-	0.1	0.3	0	0.1	0
E861	Injury to occupant by accident to commercial "transport" aircraft	167	121	46	-	-	0.1	0.2	0.1	0	0
E863	Injury to occupant by accident to other aircraft	134	117	16	1	-	0.1	0.2	0.0	0.0	0
E864	Aircraft accident at airfield to person not in aircraft	17	12	3	2	-	0.0	0.0	0.0	0.0	0
E865	Aircraft accident elsewhere to person not in aircraft	10	5	5	-	-	0.0	0.0	0.0	0	0
E866	Other and unspecified aircraft accidents	1,212	1,079	125	8	-	0.8	1.6	0.2	0.1	0
	Accidental poisoning by solid and liquid substances (E870-E888)										
E870	Accidental poisoning by morphine and other opium derivatives	28	14	6	7	1	0.0	0.0	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives	363	155	194	9	5	0.2	0.2	0.3	0.1	0.1
E872	Accidental poisoning by aspirin and salicylates	89	41	33	12	3	0.1	0.1	0.0	0.2	0.0
E873	Accidental poisoning by bromides	14	9	5	-	-	0.0	0.0	0.0	0	0
E874	Accidental poisoning by other analgesic and soporific drugs	94	56	33	2	3	0.1	0.1	0.0	0.0	0.0
E876	Accidental poisoning by strychnine	16	7	6	1	2	0.0	0.0	0.0	0.0	0.0
E877	Accidental poisoning by belladonna, hyoscine, and atropine	3	3	-	-	-	0.0	0.0	0	0	0
E878	Accidental poisoning by other and unspecified drugs	53	26	18	4	5	0.0	0.0	0.0	0.1	0.1
E879	Accidental poisoning by noxious foodstuffs	11	6	4	1	-	0.0	0.0	0.0	0.0	0
E880	Accidental poisoning by alcohol	269	148	19	67	35	0.2	0.2	0.0	0.9	0.4
E881	Accidental poisoning by petroleum products	102	33	24	32	13	0.1	0.0	0.0	0.4	0.2
E882	Accidental poisoning by industrial solvents	48	34	6	5	3	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	62	25	10	13	14	0.0	0.0	0.0	0.2	0.2
E884	Accidental poisoning by mercury and its compounds	17	6	10	-	1	0.0	0.0	0.0	0	0.0
E885	Accidental poisoning by lead and its compounds	68	27	17	5	19	0.0	0.0	0.0	0.1	0.2
E886	Accidental poisoning by arsenic and antimony, and their compounds	57	24	16	13	4	0.0	0.0	0.0	0.2	0.0
E887	Accidental poisoning by fluorides	6	2	3	1	-	0.0	0.0	0.0	0.0	0
E888	Accidental poisoning by other and unspecified solid and liquid substances	197	107	52	22	16	0.1	0.2	0.1	0.3	0.2
	Accidental poisoning by gases and vapors (E890-E895)										
E890	Accidental poisoning by utility (illuminating) gas	846	507	270	48	21	0.6	0.7	0.4	0.6	0.3
E891	Accidental poisoning by motor-vehicle exhaust gas	350	280	47	14	9	0.2	0.4	0.1	0.2	0.1
E892	Accidental poisoning by other carbon monoxide gas	265	166	75	17	7	0.2	0.2	0.1	0.2	0.1
E893	Accidental poisoning by cyanide gas	5	3	1	1	-	0.0	0.0	0.0	0.0	0
E894	Accidental poisoning by other specified gases and vapors	114	84	9	18	3	0.1	0.1	0.0	0.2	0.0
E895	Accidental poisoning by unspecified gases and vapors	47	35	8	4	-	0.0	0.1	0.0	0.1	0
	Accidental falls (E900-E904)										
E900	Fall on stairs	2,782	1,472	1,119	125	66	1.8	2.2	1.6	1.6	0.8
E901	Fall from ladders	337	294	26	14	3	0.2	0.4	0.0	0.2	0.0
E902	Other falls from one level to another	4,132	2,440	1,334	256	102	2.7	3.6	1.9	3.3	1.2
E903	Fall on same level	4,945	1,830	2,948	88	79	3.2	2.7	4.3	1.1	1.0
E904	Unspecified falls	9,180	3,547	5,216	229	188	6.0	5.2	7.5	2.9	2.3
	Other accidents (E910-E936)										
E910	Blow from falling object	1,535	1,268	54	207	6	1.0	1.9	0.1	2.6	0.1
E911	Accident caused by vehicle	181	159	3	19	-	0.1	0.2	0.0	0.2	0
E912	Accident caused by machinery	2,068	1,793	87	183	5	1.3	2.6	0.1	2.3	0.1
E913	Accident caused by cutting and piercing instruments	186	98	21	54	13	0.1	0.1	0.0	0.7	0.2
E914	Accident caused by electric current	988	867	50	66	5	0.6	1.3	0.1	0.8	0.1
E915	Accident caused by explosion of pressure vessel	36	28	3	5	-	0.0	0.0	0.0	0.1	0
E916	Accident caused by fire and explosion of combustible material	6,788	2,963	1,918	982	925	4.4	4.4	2.8	12.5	11.2
E917	Accident caused by hot substance, corrosive liquid, and steam	944	393	271	148	132	0.6	0.6	0.4	1.9	1.6
E919	Accident caused by firearm	2,247	1,649	205	315	78	1.5	2.4	0.3	4.0	0.9
E920	Foreign body entering eye and adnexa	4	2	1	-	1	0.0	0.0	0.0	0	0.0
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,162	551	387	112	112	0.8	0.8	0.6	1.4	1.4
E922	Inhalation and ingestion of other object causing obstruction or suffocation	294	140	82	47	25	0.2	0.2	0.1	0.6	0.3
E923	Foreign body entering other orifice	140	63	59	14	4	0.1	0.1	0.1	0.2	0.0
E924	Accidental mechanical suffocation in bed and cradle	1,339	589	398	179	173	0.9	0.9	0.6	2.3	2.1
E925	Accidental mechanical suffocation in other and unspecified circumstances	482	293	87	68	34	0.3	0.4	0.1	0.9	0.4
E926	Lack of care of infants under 1 year of age	54	12	18	13	11	0.0	0.0	0.0	0.2	0.1
E927	Accidents caused by bites and stings of venomous animals and insects	49	29	10	6	4	0.0	0.0	0.0	0.1	0.0
E928	Other accidents caused by animals	226	176	22	25	3	0.1	0.3	0.0	0.3	0.0
E929	Accidental drowning and submersion	5,055	3,555	674	756	70	3.3	5.2	1.0	9.6	0.8
E930	High and low air pressure	2	1	1	-	-	0.0	0.0	0.0	0	0
E931	Excessive heat and insolation	422	250	70	75	27	0.3	0.4	0.1	1.0	0.3
E932	Excessive cold	407	216	50	101	40	0.3	0.3	0.1	1.3	0.5
E933	Hunger, thirst, and exposure	385	192	55	86	52	0.3	0.3	0.1	1.1	0.6
E934	Cataclysm	122	71	36	12	3	0.1	0.1	0.1	0.2	0.0
E935	Lightning	248	166	36	34	12	0.2	0.2	0.1	0.4	0.1
E936	Other and unspecified accidents	1,887	1,214	347	235	91	1.2	1.8	0.5	3.0	1.1
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)										
E940	Generalized vaccinia following vaccination	1	1	-	-	-	0.0	0.0	0	0	0
E941	Postvaccinal encephalitis	9	6	3	-	-	0.0	0.0	0.0	0	0
E942	Other complications of smallpox vaccination	3	1	2	-	-	0.0	0.0	0.0	0	0
E944	Other complications of prophylactic inoculation	10	7	3	-	-	0.0	0.0	0.0	0	0
E945	Complications of anesthesia for nontherapeutic purpose	5	1	1	-	3	0.0	0.0	0.0	0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures	38	18	15	4	1	0.0	0.0	0.0	0.1	0.0

Table 52. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1951—Continued

(See headnote on p. 17)

SIXTH REVISION ON INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)										
E950	Therapeutic misadventure in surgical treatment	259	92	112	21	34	0.2	0.1	0.2	0.3	0.4
E951	Therapeutic misadventure in infusion or transfusion	87	38	42	3	4	0.1	0.1	0.1	0.0	0.0
E952	Therapeutic misadventure in local applications	4	1	2	1	-	0.0	0.0	0.0	0.0	0
E953	Therapeutic misadventure in administration of drugs or biologicals	62	34	24	3	1	0.0	0.0	0.0	0.0	0.0
E954	Therapeutic misadventure in anesthesia	73	33	28	6	6	0.0	0.0	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure	10	3	7	-	-	0.0	0.0	0.0	0	0
E956	Late complication of surgical operation	114	33	69	2	10	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump	1	1	-	-	-	0.0	0.0	0	0	0
E958	Late complication of irradiation	2	-	1	-	1	0.0	0	0.0	0	0.0
E959	Late complications of other forms of treatment	2	2	-	-	-	0.0	0.0	0	0	0
	Late effects of injury and poisoning (E960-E965)										
E960	Late effect of motor-vehicle accident	51	31	16	2	2	0.0	0.0	0.0	0.0	0.0
E961	Late effect of accidental poisoning	14	6	7	1	-	0.0	0.0	0.0	0.0	0
E962	Late effect of other accidental injury	476	251	178	36	11	0.3	0.4	0.3	0.5	0.1
E963	Late effect of self-inflicted injury	6	3	1	2	-	0.0	0.0	0.0	0.0	0
E964	Late effect of injury purposely inflicted by another person (not in war)	11	5	-	5	1	0.0	0.0	0	0.1	0.0
E965	Late effects of injuries due to war operations	24	23	-	1	-	0.0	0.0	0	0.0	0
	Suicide and self-inflicted injury (E970-E979)										
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	764	310	441	6	7	0.5	0.5	0.6	0.1	0.1
A	Suicide by morphine and other opium derivatives	12	6	5	1	-	0.0	0.0	0.0	0.0	0
B	Suicide by barbituric acid and derivatives	643	258	373	5	7	0.4	0.4	0.5	0.1	0.1
C	Suicide by acetylsalicylic acid	9	3	6	-	-	0.0	0.0	0.0	0	0
D	Suicide by methyl salicylate	6	-	6	-	-	0.0	0	0.0	0	0
E	Suicide by other salicylates	3	-	3	-	-	0.0	0	0.0	0	0
G	Suicide by antipyretic substance NEC	2	-	2	-	-	0.0	0	0.0	0	0
H	Suicide by other analgesic and soporific substances	74	39	35	-	-	0.0	0.1	0.1	0	0
M	Suicide by unspecified drugs	15	4	11	-	-	0.0	0.0	0.0	0	0
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	876	435	378	37	26	0.6	0.6	0.5	0.5	0.3
A	Suicide by poisoning with strychnine	100	54	41	4	1	0.1	0.1	0.1	0.1	0.0
B	Suicide by phenol compounds	86	53	31	1	1	0.1	0.1	0.0	0.0	0.0
C	Suicide by lye and potash	52	17	25	6	4	0.0	0.0	0.0	0.1	0.0
D	Suicide by cresol compounds	30	9	15	2	4	0.0	0.0	0.0	0.0	0.0
E	Suicide by mercury and its compounds	38	13	25	-	-	0.0	0.0	0.0	0	0
F	Suicide by arsenic and its compounds	113	60	48	3	2	0.1	0.1	0.1	0.0	0.0
G	Suicide by flourides	54	13	35	2	4	0.0	0.0	0.1	0.0	0.0
H	Suicide by other and unspecified solid and liquid substances	403	216	158	19	10	0.3	0.3	0.2	0.2	0.1
E972	Suicide and self-inflicted poisoning by gases in domestic use	745	407	302	25	11	0.5	0.6	0.4	0.3	0.1
E973	Suicide and self-inflicted poisoning by other gases	1,279	1,067	204	7	1	0.8	1.6	0.3	0.1	0.0
A	Suicide by motor-vehicle exhaust gas	1,077	902	170	5	-	0.7	1.3	0.2	0.1	0
B	Suicide by other motor exhaust gas	16	16	-	-	-	0.0	0.0	0	0	0
C	Suicide by other carbon monoxide	143	121	19	2	1	0.1	0.2	0.0	0.0	0.0
D	Suicide by other poisonous gases	43	28	15	-	-	0.0	0.0	0.0	0	0
E974	Suicide and self-inflicted injury by hanging and strangulation	3,360	2,472	764	97	27	2.2	3.6	1.1	1.2	0.3
E975	Suicide and self-inflicted injury by submersion (drowning)	648	344	254	38	12	0.4	0.5	0.4	0.5	0.1
E976	Suicide and self-inflicted injury by firearms and explosives	6,873	5,801	795	239	38	4.5	8.5	1.1	3.0	0.5
E977	Suicide and self-inflicted injury by cutting and piercing instruments	544	432	89	20	3	0.4	0.6	0.1	0.3	0.0
E978	Suicide and self-inflicted injury by jumping from high place	527	325	163	29	10	0.3	0.5	0.2	0.4	0.1
E979	Suicide and self-inflicted injury by other and unspecified means	287	188	77	16	6	0.2	0.3	0.1	0.2	0.1
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)										
E980	Nonaccidental poisoning by another person	57	25	21	7	4	0.0	0.0	0.0	0.1	0.0
E981	Assault by firearms and explosives	3,898	1,300	516	1,630	452	2.5	1.9	0.7	20.7	5.5
E982	Assault by cutting and piercing instruments	1,787	322	104	1,096	265	1.2	0.5	0.2	13.9	3.2
E983	Assault by other means	1,410	599	300	351	160	0.9	0.9	0.4	4.5	1.9
E984	Injury by intervention of police	227	115	-	110	2	0.1	0.2	0	1.4	0.0
E985	Execution	105	55	1	49	-	0.1	0.1	0.0	0.6	0
	Injury resulting from operations of war (E990-E999)										
E991	Injury due to war operations by gunshot	9	7	-	2	-	0.0	0.0	0	0.0	0
E995	Injury due to war operations by explosion of artillery shell	5	5	-	-	-	0.0	0.0	0	0	0
E998	Injury due to war operations by other and unspecified means	4	4	-	-	-	0.0	0.0	0	0	0

NOTE.—Deaths reported as occurring 1 year or more after onset of specified diseases, ordinarily acute in nature, are as follows:

CAUSE OF DEATH	Total	WHITE		NONWHITE		CAUSE OF DEATH	Total	WHITE		NONWHITE	
		Male	Female	Male	Female			Male	Female	Male	Female
Typhoid fever—040	7	3	4	-	-	Lobar pneumonia—490	8	4	4	-	-
Scarlet fever—050	51	23	28	-	-	Bronchopneumonia—491	5	3	2	-	-
Streptococcal sore throat—051	10	6	4	-	-	Primary atypical pneumonia—492	12	5	7	-	-
Diphtheria—055	11	4	7	-	-	Pneumonia, other and unspecified—493	23	13	7	1	2
Whooping cough—056	6	3	3	-	-	Pyelitis and pyelonephritis of pregnancy—640	2	...	2	...	-
Meningococcal infections—057	3	2	1	-	-	Toxemias of pregnancy—642	31	...	28	...	3
Tularemia—059	1	1	-	-	-	Abortion with sepsis—651	1	...	-	...	1
Measles—085	9	3	6	-	-	Delivery without complication—660	1	...	-	...	1
Rubella (German measles)—086	1	-	1	-	-	Delivery with laceration of perineum, without mention of other laceration—676	2	...	2	...	-
Chickenpox—087	1	-	1	-	-	Sepsis of childbirth and the puerperium—681	1	...	1	...	-
Mumps—089	1	-	1	-	-	Puerperal phlebitis and thrombosis—682	1	...	1	...	-
Influenza with pneumonia—480	4	3	-	-	1	Puerperal eclampsia—685	2	...	2	...	-
Influenza with other respiratory manifestations, and influenza unqualified—481	24	15	7	1	1	Cerebral hemorrhage in the puerperium—687	1	...	1	...	-

Table 52. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1951

(Exclusive of deaths among armed forces overseas. Includes three-digit categories (E870-E936). Numbers under places of accident are four-digit subcategory numbers of the International List)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Residential institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances (E870-E888)											
E870	Accidental poisoning by morphine and other opium derivatives	28	8	-	-	1	-	-	3	-	2	14
	White--Male	14	4	-	-	-	-	-	2	-	1	7
	Female	6	2	-	-	-	-	-	1	-	-	3
	Nonwhite--Male	7	2	-	-	-	-	-	-	-	1	4
	Female	1	-	-	-	1	-	-	-	-	-	-
E871	Accidental poisoning by barbituric acid and derivatives	363	218	-	-	1	-	4	17	5	5	113
	White--Male	155	82	-	-	1	-	2	13	3	3	51
	Female	194	131	-	-	-	-	2	4	1	1	55
	Nonwhite--Male	9	2	-	-	-	-	-	-	1	1	5
	Female	5	3	-	-	-	-	-	-	-	-	2
E872	Accidental poisoning by aspirin and salicylates	89	62	-	-	-	-	-	-	2	-	25
	White--Male	41	30	-	-	-	-	-	-	2	-	9
	Female	33	26	-	-	-	-	-	-	-	-	7
	Nonwhite--Male	12	6	-	-	-	-	-	-	-	-	6
	Female	3	-	-	-	-	-	-	-	-	-	3
E873	Accidental poisoning by bromides	14	6	-	-	1	-	-	1	-	-	6
	White--Male	9	3	-	-	1	-	-	1	-	-	4
	Female	5	3	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	94	48	-	-	1	-	-	4	3	3	35
	White--Male	56	25	-	-	1	-	-	3	2	2	23
	Female	33	20	-	-	-	-	-	1	1	1	10
	Nonwhite--Male	2	-	-	-	-	-	-	-	-	-	2
	Female	3	3	-	-	-	-	-	-	-	-	-
E875	Accidental poisoning by sulphonamides	-	-	-	-	-	-	-	-	-	-	-
	White--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	16	12	-	-	-	-	-	1	-	-	3
	White--Male	7	5	-	-	-	-	-	-	-	-	2
	Female	6	5	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	1	-	-	-	-	-	-	1	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	3	1	-	-	-	-	-	-	-	-	2
	White--Male	3	1	-	-	-	-	-	-	-	-	2
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	53	25	1	-	-	-	-	1	2	-	24
	White--Male	26	11	-	-	-	-	-	-	1	-	14
	Female	18	9	-	-	-	-	-	1	1	-	7
	Nonwhite--Male	4	2	1	-	-	-	-	-	-	-	1
	Female	5	3	-	-	-	-	-	-	-	-	2
E879	Accidental poisoning by noxious foodstuffs	11	7	-	-	-	-	-	-	-	2	2
	White--Male	6	3	-	-	-	-	-	-	-	2	1
	Female	4	3	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	269	64	1	-	7	-	2	5	-	7	183
	White--Male	148	26	1	-	7	-	1	3	-	7	103
	Female	19	4	-	-	-	-	-	2	-	-	13
	Nonwhite--Male	67	19	-	-	-	-	-	-	-	-	48
	Female	35	15	-	-	-	-	1	-	-	-	19
E881	Accidental poisoning by petroleum products	102	71	1	-	-	-	1	-	-	1	28
	White--Male	33	20	1	-	-	-	1	-	-	-	11
	Female	24	21	-	-	-	-	-	-	-	-	3
	Nonwhite--Male	32	22	-	-	-	-	-	-	-	1	9
	Female	13	8	-	-	-	-	-	-	-	-	5
E882	Accidental poisoning by industrial solvents	48	24	1	-	7	-	-	-	1	1	14
	White--Male	34	15	1	-	7	-	-	-	1	1	9
	Female	6	3	-	-	-	-	-	-	-	-	3
	Nonwhite--Male	5	5	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	2
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	62	31	-	-	1	-	2	2	2	1	23
	White--Male	25	14	-	-	1	-	1	-	1	-	8
	Female	10	6	-	-	-	-	-	1	-	-	3
	Nonwhite--Male	13	4	-	-	-	-	1	1	1	1	5
	Female	14	7	-	-	-	-	-	-	-	-	7
E884	Accidental poisoning by mercury and its compounds	17	7	-	-	-	-	-	2	-	-	8
	White--Male	6	3	-	-	-	-	-	1	-	-	2
	Female	10	4	-	-	-	-	-	1	-	-	5
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1
E885	Accidental poisoning by lead and its compounds	68	28	-	1	3	-	-	-	-	2	34
	White--Male	27	5	-	1	3	-	-	-	-	1	17
	Female	17	10	-	-	-	-	-	-	-	1	6
	Nonwhite--Male	5	2	-	-	-	-	-	-	-	-	3
	Female	19	11	-	-	-	-	-	-	-	-	8
E886	Accidental poisoning by arsenic and antimony, and their compounds	57	40	1	-	-	-	-	-	-	-	16
	White--Male	24	19	-	-	-	-	-	-	-	-	5
	Female	16	13	-	-	-	-	-	-	-	-	3
	Nonwhite--Male	13	6	1	-	-	-	-	-	-	-	6
	Female	4	2	-	-	-	-	-	-	-	-	2

See footnotes on p. 35.

Table 52. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1951—Continued

(See headnote on p. 32)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances (E870-E888)—Con.											
E887	Accidental poisoning by fluorides	6	5	-	-	-	-	-	-	-	-	1
	White—Male	2	1	-	-	-	-	-	-	-	-	1
	Female	3	3	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other unspecified solid and liquid substances	197	75	9	-	4	-	2	3	2	10	92
	White—Male	107	37	6	-	4	-	1	3	2	5	49
	Female	52	23	2	-	-	-	-	-	-	2	25
	Nonwhite—Male	22	8	1	-	-	-	1	-	-	3	9
	Female	16	7	-	-	-	-	-	-	-	-	9
	Accidental poisoning by gases and vapors (E890-E895)											
E890	Accidental poisoning by utility (illuminating) gas	846	717	3	-	5	4	3	66	-	14	34
	White—Male	507	423	3	-	5	2	2	42	-	8	22
	Female	270	237	-	-	-	2	1	16	-	3	11
	Nonwhite—Male	48	39	-	-	-	-	-	5	-	3	1
	Female	21	18	-	-	-	-	-	3	-	-	-
E891	Accidental poisoning by motor-vehicle exhaust gas	350	148	10	8	41	1	71	10	-	42	19
	White—Male	280	130	10	7	33	1	47	7	-	28	17
	Female	47	12	-	1	5	-	16	1	-	10	2
	Nonwhite—Male	14	4	-	-	2	-	6	1	-	1	-
	Female	9	2	-	-	1	-	2	1	-	3	-
E892	Accident poisoning by other carbon monoxide gas	265	154	5	1	18	-	9	11	4	12	51
	White—Male	166	84	3	-	15	-	8	8	2	9	37
	Female	75	56	2	1	-	-	1	2	-	2	11
	Nonwhite—Male	17	8	-	-	3	-	-	1	2	1	2
	Female	7	6	-	-	-	-	-	-	-	-	1
E893	Accidental poisoning by cyanide gas	5	2	-	-	2	-	-	-	-	1	-
	White—Male	3	1	-	-	1	-	-	-	-	1	-
	Female	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	114	38	2	-	21	-	5	9	2	9	28
	White—Male	84	26	-	-	18	-	4	6	1	8	21
	Female	9	6	-	-	-	-	-	2	-	-	1
	Nonwhite—Male	18	5	2	-	3	-	1	1	1	1	4
	Female	3	1	-	-	-	-	-	-	-	-	2
E895	Accidental poisoning by unspecified gases and vapors	47	16	3	1	12	-	-	2	-	6	7
	White—Male	35	10	3	1	11	-	-	1	-	4	5
	Female	8	4	-	-	1	-	-	1	-	-	2
	Nonwhite—Male	4	2	-	-	-	-	-	-	-	2	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Accidental falls (E900-E904)											
E900	Fall on stairs	2,782	2,174	10	1	15	10	31	259	72	92	118
	White—Male	1,472	1,073	5	1	12	10	20	186	40	68	57
	Female	1,119	955	4	-	3	-	5	60	28	15	49
	Nonwhite—Male	125	91	1	-	-	-	5	13	2	6	7
	Female	66	55	-	-	-	-	1	-	2	3	5
E901	Fall from ladders	337	176	21	1	55	1	7	25	3	32	16
	White—Male	294	146	19	1	51	1	6	22	3	31	14
	Female	26	24	-	-	-	-	-	-	-	-	2
	Nonwhite—Male	14	4	2	-	4	-	1	2	-	1	-
	Female	3	2	-	-	-	-	-	1	-	-	-
E902	Other falls from one level to another	4,132	1,846	159	33	341	42	159	228	586	540	198
	White—Male	2,440	797	143	33	315	33	126	185	275	418	115
	Female	1,334	874	8	-	3	6	19	25	282	49	68
	Nonwhite—Male	256	103	7	-	22	2	12	17	14	67	12
	Female	102	72	1	-	1	1	2	1	15	6	3
E903	Fall on same level	4,945	3,116	36	2	34	16	836	103	555	87	160
	White—Male	1,830	834	23	2	30	9	553	57	218	49	55
	Female	2,948	2,207	10	-	2	5	226	37	330	33	98
	Nonwhite—Male	88	23	1	-	2	2	41	8	3	3	5
	Female	79	52	2	-	-	-	16	1	4	2	2
E904	Unspecified falls	9,180	4,621	48	17	100	19	411	173	638	186	2,767
	White—Male	3,547	1,388	36	17	85	13	307	113	335	120	1,133
	Female	5,215	3,057	12	-	5	5	62	48	485	43	1,499
	Nonwhite—Male	229	63	-	-	10	1	39	9	7	20	80
	Female	188	113	-	-	-	-	3	3	11	3	55
	Other accidents (E910-E936)											
E910	Blow from falling object	1,535	137	154	427	266	10	67	22	2	354	96
	White—Male	1,268	89	136	391	223	6	53	19	1	278	72
	Female	54	36	3	1	1	3	3	1	-	4	2
	Nonwhite—Male	207	9	15	35	42	1	9	2	1	72	21
	Female	6	3	-	-	-	-	2	-	-	-	1
E911	Accident caused by vehicle	181	-	-	136	37	1	-	4	-	1	2
	White—Male	159	-	-	123	31	1	-	3	-	1	-
	Female	3	-	-	1	-	-	-	1	-	-	1
	Nonwhite—Male	19	-	-	12	6	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	2,068	93	851	86	588	23	114	34	5	187	87
	White—Male	1,793	68	750	81	500	17	104	29	5	165	74
	Female	87	17	50	-	4	4	4	-	-	3	5
	Nonwhite—Male	183	7	49	5	83	2	6	5	-	19	7
	Female	5	1	2	-	1	-	-	-	-	-	1

See footnotes on p. 35.

Table 52. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1951—Continued

(See headnote on p. 32)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents (E910-E936)—Continued											
E913	Accident caused by cutting and piercing instruments	186	75	18	-	16	3	8	7	2	16	41
	White—Male	98	35	14	-	11	3	2	6	2	8	17
	Female	21	14	1	-	-	-	1	-	-	1	4
	Nonwhite—Male	54	20	3	-	5	-	5	1	-	6	14
	Female	13	6	-	-	-	-	-	-	-	1	6
E914	Accident caused by electric current	988	166	76	38	233	10	193	34	3	168	67
	White—Male	867	112	66	37	220	10	181	32	2	150	57
	Female	50	38	1	-	2	-	1	-	-	6	2
	Nonwhite—Male	66	13	8	1	11	-	10	2	1	12	8
	Female	5	3	1	-	-	-	1	-	-	-	-
E915	Accident caused by explosion of pressure vessel	36	4	3	1	23	-	3	-	-	1	1
	White—Male	28	1	2	1	21	-	2	-	-	-	1
	Female	3	3	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	5	-	1	-	2	-	1	-	-	1	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E916	Accident cuased by fire and explosion of combustible material	6,788	5,386	139	160	374	11	49	185	100	176	208
	White—Male	2,963	1,932	98	160	320	9	36	134	63	123	88
	Female	1,918	1,740	22	-	13	2	1	32	28	19	61
	Nonwhite—Male	982	834	13	-	39	-	11	15	8	30	32
	Female	925	880	6	-	2	-	1	4	1	4	27
E917	Accident caused by hot substance, corrosive liquid, and steam	944	518	12	-	57	2	5	13	34	26	277
	White—Male	393	202	5	-	41	1	1	6	16	20	101
	Female	271	173	4	-	-	-	-	4	13	2	75
	Nonwhite—Male	148	68	3	-	16	1	3	2	2	4	49
	Female	132	75	-	-	-	-	1	1	3	-	52
E918	Accident caused by radiation	-	-	-	-	-	-	-	-	-	-	-
	White—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm	2,247	915	332	46	33	19	99	37	3	431	332
	White—Male	1,649	618	278	38	27	17	75	26	2	368	200
	Female	205	130	11	1	2	2	3	2	1	16	37
	Nonwhite—Male	315	120	41	6	4	-	19	8	-	37	80
	Female	78	47	2	1	-	-	2	1	-	10	15
E920	Foreign body entering eye and adnexa	4	-	-	-	-	-	-	-	-	2	2
	White—Male	2	-	-	-	-	-	-	-	-	2	-
	Female	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,162	500	4	-	1	-	7	10	89	20	531
	White—Male	551	231	3	-	1	-	4	5	50	14	243
	Female	387	170	1	-	-	-	3	5	26	4	178
	Nonwhite—Male	112	46	-	-	-	-	-	-	8	2	56
	Female	112	53	-	-	-	-	-	-	5	-	54
E922	Inhalation and ingestion of other object causing obstruction or suffocation	294	102	2	-	3	2	2	1	13	3	166
	White—Male	140	49	2	-	3	2	1	-	8	1	74
	Female	82	32	-	-	-	-	-	1	4	1	44
	Nonwhite—Male	47	12	-	-	-	-	-	-	-	1	34
	Female	25	9	-	-	-	-	1	-	1	-	14
E923	Foreign body entering other orifice	140	38	1	-	1	-	-	-	4	-	96
	White—Male	63	15	1	-	1	-	-	-	3	-	43
	Female	59	19	-	-	-	-	-	-	1	-	39
	Nonwhite—Male	14	3	-	-	-	-	-	-	-	-	11
	Female	4	1	-	-	-	-	-	-	-	-	3
E924	Accidental mechanical suffocation in bed and cradle	1,339	1,187	2	-	-	1	3	6	12	26	102
	White—Male	589	519	1	-	-	1	3	3	5	11	46
	Female	398	351	-	-	-	-	-	3	6	7	31
	Nonwhite—Male	179	160	1	-	-	-	-	-	-	5	13
	Female	173	157	-	-	-	-	-	-	1	3	12
E925	Accidental mechanical suffocation in other and unspecified circumstances	482	170	21	24	48	4	49	3	3	56	104
	White—Male	293	84	21	23	33	2	37	3	3	44	43
	Female	87	53	-	1	-	2	3	-	-	3	25
	Nonwhite—Male	68	14	-	-	15	-	9	-	-	8	22
	Female	34	19	-	-	-	-	-	-	-	1	14
E926	Lack of care of infants under 1 year of age	54	8	-	-	-	-	3	1	-	3	39
	White—Male	12	1	-	-	-	-	2	-	-	-	9
	Female	18	2	-	-	-	-	1	1	-	2	12
	Nonwhite—Male	13	3	-	-	-	-	-	-	-	-	10
	Female	11	2	-	-	-	-	-	-	-	1	8
E927	Accidents caused by bites and stings of venomous animals and insects	49	10	10	-	-	1	4	1	-	6	17
	White—Male	29	3	6	-	-	1	3	1	-	4	11
	Female	10	4	2	-	-	-	-	-	-	1	3
	Nonwhite—Male	6	3	1	-	-	-	1	-	-	1	-
	Female	4	-	1	-	-	-	-	-	-	-	3
E928	Other accidents caused by animals	226	33	141	-	5	5	10	1	-	10	21
	White—Male	176	20	119	-	5	4	6	-	-	7	15
	Female	22	10	6	-	-	1	1	1	-	1	2
	Nonwhite—Male	25	3	14	-	-	-	2	-	-	2	4
	Female	3	-	2	-	-	-	1	-	-	-	-
E929	Accidental drowning and submersion	5,055	368	334	108	70	228	30	11	17	3,525	364
	White—Male	3,555	220	224	81	56	149	19	8	15	2,524	259
	Female	674	129	58	8	-	39	5	1	-	394	40
	Nonwhite—Male	756	16	44	18	14	37	4	2	1	564	56
	Female	70	3	8	1	-	3	2	-	1	43	9

See footnotes on p. 35.

Table 52. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1951—Continued

(See headnote on p. 32)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents (E910-E936)—Continued											
E930	High and low air pressure	2	-	-	-	-	-	-	-	-	1	1
	White--Male	1	-	-	-	-	-	-	-	-	1	-
	Female	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation	422	38	16	-	9	3	12	7	6	25	306
	White--Male	250	20	10	-	7	2	11	6	6	15	173
	Female	70	6	-	-	-	1	-	-	-	2	61
	Nonwhite--Male	75	8	6	-	2	-	1	1	-	6	51
	Female	27	4	-	-	-	-	-	-	-	2	21
E932	Excessive cold	407	74	15	-	5	-	29	1	2	69	212
	White--Male	216	37	6	-	4	-	21	-	1	39	108
	Female	50	13	2	-	-	-	2	-	1	3	29
	Nonwhite--Male	101	16	6	-	1	-	6	1	-	22	49
	Female	40	8	1	-	-	-	-	-	-	5	26
E933	Hunger, thirst, and exposure	385	20	10	-	2	1	11	1	1	51	288
	White--Male	192	6	7	-	2	1	7	1	1	33	134
	Female	55	4	1	-	-	-	-	-	-	4	46
	Nonwhite--Male	86	5	1	-	-	-	1	-	-	10	69
	Female	52	5	1	-	-	-	3	-	-	4	39
E934	Cataclysm	122	35	6	-	2	-	33	6	-	31	9
	White--Male	71	21	3	-	2	-	13	4	-	24	4
	Female	36	12	2	-	-	-	14	2	-	4	2
	Nonwhite--Male	12	2	1	-	-	-	4	-	-	3	2
	Female	3	-	-	-	-	-	2	-	-	-	1
E935	Lightning	248	62	70	5	4	15	9	3	-	44	36
	White--Male	166	33	53	3	3	11	6	2	-	40	15
	Female	36	19	5	-	-	1	2	1	-	-	8
	Nonwhite--Male	34	7	10	2	1	3	1	-	-	1	9
	Female	12	3	2	-	-	-	-	-	-	3	4
E936	Other and unspecified accidents	1,887	314	52	33	178	55	159	66	115	154	761
	White--Male	1,214	172	42	30	146	46	105	43	61	118	451
	Female	347	82	4	-	2	3	21	14	45	12	164
	Nonwhite--Male	235	32	6	3	30	6	30	9	6	22	91
	Female	91	28	-	-	-	-	3	-	3	2	55

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 53. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		ALL CAUSES	1,482,099	845,233	636,866
2		I.—Infective and parasitic diseases	47,398	31,015	16,383
3		Tuberculosis, all forms—001-019	30,863	20,720	10,143
4	A 1	Tuberculosis of respiratory system—001-008	28,296	19,266	9,030
5	A 2	Tuberculosis of meninges and central nervous system—010	909	485	424
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	163	71	92
7	A 4 pt.	Tuberculosis of vertebral column—012.0,013.0	190	114	76
8	A 4 pt.	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	67	47	20
9	A 5 pt.	Tuberculosis of genito-urinary system—016	250	157	93
10	A 5 pt.	Tuberculosis of lymphatic system and other organs—014,015,017,018	154	90	64
11	A 5 pt.	Disseminated tuberculosis—019	834	490	344
12		Syphilis and its sequelae—020-029	6,274	4,669	1,605
13	A 6	Congenital syphilis—020	171	92	79
14	A 7	Early syphilis—021	2	2	-
15	A 10 pt.	Aneurysm of aorta—022	1,666	1,255	411
16	A 10 pt.	Other cardiovascular syphilis—023	2,213	1,689	524
17	A 8	Tabes dorsalis—024	152	119	33
18	A 9	General paralysis of insane—025	1,109	833	276
19	A 10 pt.	Other syphilis of central nervous system—026	721	524	197
20	A 10 pt.	Other syphilis—027-029	240	155	85
21	A 11	Gonococcal infection—030-035	43	22	21
22	A 12	Typhoid fever—040	83	45	38
23	A 13 pt.	Paratyphoid fever—041	12	5	7
24	A 13 pt.	Other Salmonella infections—042	19	11	8
25	A 14	Cholera—043	-	-	-
26	A 15	Brucellosis (undulant fever)—044	34	24	10
27	A 16	Dysentery, all forms—045-048	1,040	555	485
28	A 43 pt.	Food poisoning (infection and intoxication)—049	168	86	82
29	A 17	Scarlet fever—050	72	33	39
30	A 18	Streptococcal sore throat—051	275	153	122
31	A 19	Erysipelas—052	46	19	27
32	A 20	Septicemia and pyemia—053	677	367	310
33	A 21	Diphtheria—055	302	179	123
34	A 22	Whooping cough—056	951	475	476
35	A 23	Meningococcal infections—057	1,124	620	504
36	A 24	Plague—058	-	-	-
37	A 43 pt.	Tularemia—059	9	6	3
38	A 25	Leprosy—060	3	2	1
39	A 26	Tetanus—061	394	251	143
40	A 27	Anthrax—062	3	3	-
41	A 28	Acute poliomyelitis—080	1,551	929	622
42	A 30 pt.	Late effects of acute poliomyelitis—081	106	62	44
43	A 29	Acute infectious encephalitis—082	429	215	214
44	A 30 pt.	Late effects of acute infectious encephalitis—083	186	104	82
45	A 31	Smallpox—084	1	1	-
46	A 32	Measles—085	683	354	329
47	A 33	Yellow fever—091	-	-	-
48	A 34	Infectious hepatitis—092	675	317	358
49	A 35	Rabies—094	18	11	7
50	A 36 pt.	Tick-borne typhus—104	26	16	10
51		Rocky Mountain spotted fever—104A	26	16	10
52		Other forms of tick-borne typhus—104B	-	-	-
53	A 36 pt.	Typhus, other and unspecified, and other rickettsial diseases—100-103,105-108	20	14	6
54	A 37	Malaria—110-117	64	45	19
55	A 38	Schistosomiasis—123	1	1	-
56	A 39	Hydatid disease—125	8	5	3
57	A 40	Filariasis—127	-	-	-
58	A 41	Ankylostomiasis—129	7	3	4
59	A 42	Other diseases due to helminths—124,126,128,130	84	34	50
60	A 43 pt.	All other infective and parasitic diseases—036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,147	659	488
61		II.—Neoplasms	220,691	112,124	108,567
62		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	215,525	110,034	105,491
63	A 44	Malignant neoplasm of buccal cavity and pharynx—140-148	4,890	3,842	1,048
64		Malignant neoplasm of lip—140	392	349	43
65		Malignant neoplasm of tongue—141	1,177	937	240
66		Malignant neoplasm of other and unspecified parts of buccal cavity—142-144	1,436	1,040	396
67		Malignant neoplasm of pharynx—145-148	1,885	1,516	369
68		Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	81,807	44,905	36,902
69	A 45	Malignant neoplasm of esophagus—150	3,854	3,011	843
70	A 46	Malignant neoplasm of stomach—151	23,683	14,966	8,717
71	A 47	Malignant neoplasm of intestine, except rectum—152,153	23,517	10,555	12,962
72	A 48	Malignant neoplasm of rectum—154	10,103	5,665	4,438
73	A 57 pt.	Malignant neoplasm of biliary passages and of liver (stated to be primary site)—155	4,753	1,844	2,909
74	A 57 pt.	Malignant neoplasm of liver not specified whether primary or secondary—156A	4,943	2,515	2,428
75	A 57 pt.	Malignant neoplasm of pancreas—157	9,348	5,573	3,775
76	A 57 pt.	Malignant neoplasm of peritoneum and of unspecified digestive organs—158,159	1,606	776	830
77		Malignant neoplasm of respiratory system—160-164	22,513	18,480	4,033
78	A 49	Malignant neoplasm of larynx—161	1,835	1,663	172
79	A 50 pt.	Malignant neoplasm of trachea, and of bronchus and lung specified as primary—162	8,438	7,247	1,191
80	A 50 pt.	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary—163	11,287	8,972	2,315
81	A 57 pt.	Malignant neoplasm of other parts of respiratory system—160,164	953	598	355
82	A 51	Malignant neoplasm of breast—170	19,179	221	18,958
83		Malignant neoplasm of genital organs—171-179	34,491	12,483	22,008
84	A 52	Malignant neoplasm of cervix uteri—171	8,121	...	8,121
85	A 53	Malignant neoplasm of other and unspecified parts of uterus—172-174	7,277	...	7,277
86	A 57 pt.	Malignant neoplasm of ovary, fallopian tube, and broad ligament—175	5,927	...	5,927
87	A 57 pt.	Malignant neoplasm of other and unspecified female genital organs—176	683	...	683
88	A 54	Malignant neoplasm of prostate—177	11,492	11,492	...
89	A 57 pt.	Malignant neoplasm of testis, and of other and unspecified male genital organs—178,179	991	991	...

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1951

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,302,969	747,049	555,920	171,983	93,515	78,468	4,610	2,583	2,027	1,188	1,046	142	905	677	228	444	363	81	1
34,420	23,043	11,377	12,096	7,439	4,657	635	314	321	122	115	7	772	659	113	53	45	8	2
22,280	15,480	6,800	7,935	4,838	3,097	441	218	223	104	97	7	685	554	111	38	33	5	3
20,674	14,576	6,098	7,081	4,342	2,739	347	174	173	100	93	7	558	449	99	36	32	4	4
546	284	262	317	176	141	46	25	21	-	-	-	-	-	-	-	-	-	5
86	40	46	65	28	37	12	3	9	-	-	-	-	-	-	-	-	-	6
139	82	57	49	30	19	1	1	-	-	-	-	-	-	-	-	-	-	7
50	37	13	14	8	6	2	2	-	-	-	-	-	-	-	-	-	-	8
216	133	83	27	20	7	4	2	2	-	-	-	-	-	-	1	1	-	9
101	54	47	45	33	12	8	3	5	-	-	-	-	-	-	-	-	-	10
488	274	194	337	201	136	21	9	12	2	2	-	5	3	2	1	1	-	11
4,115	3,148	967	2,111	1,483	628	30	20	10	10	10	-	2	2	-	6	6	-	12
70	37	33	95	52	43	6	3	3	-	-	-	-	-	-	-	-	-	13
-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1,266	981	285	394	269	125	5	4	1	-	-	-	-	-	-	1	1	-	15
1,321	1,046	275	877	630	247	7	5	2	5	5	-	1	1	-	2	2	-	16
133	103	30	16	13	3	2	2	-	-	-	-	-	-	-	1	1	-	17
695	533	162	407	293	114	3	3	-	3	3	-	-	-	-	1	1	-	18
477	344	133	236	175	61	5	2	3	1	1	-	1	1	-	1	1	-	19
153	104	49	84	49	35	2	1	1	1	1	-	1	1	-	-	-	-	20
18	12	6	25	10	15	-	-	-	-	-	-	-	-	-	-	-	-	21
57	34	23	24	9	15	1	1	-	1	1	-	-	-	-	-	-	-	22
11	4	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	23
12	5	7	5	4	1	1	1	-	1	1	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
29	20	9	4	4	-	1	1	-	-	-	-	-	-	-	-	-	-	26
771	411	360	254	135	119	15	9	6	-	-	-	-	-	-	-	-	-	27
98	51	47	68	34	34	2	1	1	-	-	-	-	-	-	-	-	-	28
72	33	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
224	123	101	50	29	21	-	-	-	1	1	-	-	-	-	-	-	-	30
42	16	26	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	31
543	301	242	123	59	64	8	5	3	1	1	-	2	1	1	-	-	-	32
228	129	99	70	47	23	4	3	1	-	-	-	-	-	-	-	-	-	33
453	226	227	450	231	219	48	18	30	-	-	-	-	-	-	-	-	-	34
945	513	432	166	99	67	10	7	3	-	-	-	1	1	-	2	1	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
5	3	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	37
2	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	38
233	157	76	160	94	66	1	1	-	-	-	-	-	-	-	-	-	-	39
2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1,449	870	579	96	55	41	6	4	2	-	-	-	-	-	-	-	-	-	41
95	53	42	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	42
368	189	179	53	23	30	5	1	4	1	1	-	1	1	-	1	-	1	43
181	102	79	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	45
545	288	257	97	50	47	40	16	24	-	-	-	-	-	-	1	-	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
598	284	314	72	30	42	5	3	2	-	-	-	-	-	-	-	-	-	48
14	10	4	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	49
23	14	9	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	50
23	14	9	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
17	11	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	53
40	30	10	24	15	9	-	-	-	-	-	-	-	-	-	-	-	-	54
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
5	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	58
47	17	30	34	15	19	2	1	1	1	1	-	1	1	-	-	-	-	59
889	498	391	237	149	88	14	5	9	1	1	-	1	1	-	5	5	-	60
202,552	103,478	99,074	17,440	8,171	9,269	276	128	148	170	148	22	188	145	43	65	54	11	61
199,160	101,605	96,555	16,681	7,963	8,718	264	121	143	169	147	22	188	145	43	63	53	10	62
4,503	3,560	943	355	255	100	5	4	1	22	18	4	2	2	-	3	3	-	63
384	346	38	7	2	5	1	1	-	-	-	-	-	-	-	-	-	-	64
1,075	861	214	98	73	25	2	1	1	1	1	-	1	1	-	-	-	-	65
1,331	971	360	103	68	35	-	-	-	2	1	1	-	-	-	-	-	-	66
1,713	1,382	331	147	112	35	2	2	-	19	16	3	1	1	-	3	3	-	67
75,443	41,162	34,281	6,025	3,484	2,541	114	63	51	81	78	3	121	98	23	23	20	3	68
3,350	2,596	754	482	395	87	4	2	2	6	6	-	10	10	-	2	2	-	69
21,276	13,376	7,900	2,271	1,479	792	43	29	14	19	19	-	66	57	9	8	6	2	70
22,292	10,014	12,278	1,175	508	667	21	8	13	12	12	-	15	11	4	2	2	-	71
9,474	5,348	4,126	606	301	305	6	3	3	11	9	2	4	2	2	2	2	-	72
4,466	1,690	2,776	253	129	124	10	5	5	10	9	1	9	6	3	5	5	-	73
4,464	2,256	2,208	453	241	212	12	4	8	10	10	-	3	3	-	1	1	-	74
8,710	5,199	3,511	598	345	253	14	9	5	10	10	-	13	8	5	3	2	1	75
1,411	683	728	187	86	101	4	3	1	3	3	-	1	1	-	-	-	-	76
20,953	17,223	3,730	1,479	1,189	290	18	14	4	28	25	3	21	16	5	14	13	1	77
1,713	1,557	156	117	102	15	1	1	-	1	1	-	3	2	1	-	-	-	78
7,821	6,723	1,098	579	491	88	3	3	-	15	13	2	11	9	2	9	8	1	79
10,559	8,410	2,149	695	534	161	11	8	3	11	10	1	6	5	1	5	5	-	80
860	533	327	88	62	26	3	2	1	1	1	-	1	-	1	-	-	-	81
17,825	201	17,624	1,340	20	1,320	12	-	12	2	-	2	-	-	-	-	-	-	82
30,351	11,282	19,069	4,065	1,183	2,882	52	11	41	11	5	6	11	2	9	1	-	1	83
6,673	....	6,673	1,418	...	1,418	24	...	24	1	...	1	4	...	4	1	...	1	84
6,183	....	6,183	1,076	...	1,076	11	...	11	3	...	3	4	...	4	-	...	-	85
5,595	...	5,595	324	...	324	5	...	5	2	...	2	1	...	1	-	...	-	86
618	...	618	64	...	64	1	....	1	-	...	-	-	...	-	-	...	-	87
10,374	10,374	...	1,106	1,106	...	7	7	....	3	3	....	2	2	...	-	-	...	88
908	908	...	77	77	...	4	4	....	2	2	....	-	-	...	-	-	...	89

Table 53. Deaths From 256 Selected Causes, by Specified

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		II.—Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1	A 57 pt.	Malignant neoplasm of urinary organs----180,181	10,158	6,682	3,476
2		Malignant neoplasm of kidney----180	3,699	2,274	1,425
3		Malignant neoplasm of bladder and other urinary organs----181	6,459	4,408	2,051
4		Malignant neoplasm of other and unspecified sites----156B,165,190-199	24,692	12,863	11,829
5	A 55	Malignant neoplasm of skin----190,191	3,256	1,899	1,357
6	A 57 pt.	Malignant neoplasm of eye----192	344	192	152
7	A 57 pt.	Malignant neoplasm of brain and other parts of nervous system----193	4,543	2,701	1,842
8	A 57 pt.	Malignant neoplasm of thyroid gland----194	899	317	582
9	A 56 pt.	Malignant neoplasm of bone (including jaw bone)----196	2,048	1,183	865
10	A 56 pt.	Malignant neoplasm of connective tissue----197	573	324	249
11	A 57 pt.	Malignant neoplasm of other specified sites, not stated to be secondary----195,198A,199A	3,822	1,816	2,006
12	A 57 pt.	Malignant neoplasm of unspecified site----156B,165,198B,199B-M	9,207	4,431	4,776
13	A 58	Leukemia and aleukemia----204	9,357	5,458	3,899
14	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopietic tissues----200-203,205	8,438	5,100	3,338
15		Lymphosarcoma and reticulosarcoma----200	3,713	2,225	1,488
16		Hodgkins's disease----201	2,630	1,644	986
17		Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	2,095	1,231	864
18	A 60	Benign neoplasms and neoplasms of unspecified nature----210-239	5,166	2,090	3,076
19		Benign neoplasms of female genital organs----214-217	1,110	...	1,110
20		Benign neoplasm of brain and other parts of nervous system----223	779	384	395
21		Other benign neoplasms----210-213,218-222,224-229	747	390	357
22		Neoplasm of unspecified nature of female genital organs----233-235	37	...	37
23		Neoplasm of unspecified nature of brain and other parts of nervous system----237	1,657	894	763
24		Other neoplasms of unspecified nature----230-232,236,238,239	836	422	414
25		III.—Allergic, endocrine system, metabolic, and nutritional diseases----	36,311	15,767	20,544
26	A 66 pt.	Asthma----241	6,871	4,539	2,332
27	A 61	Nontoxic goiter----250,251	176	26	150
28	A 62	Thyrotoxicosis with or without goiter----252	1,211	198	1,013
29	A 66 pt.	Myxedema, cretinism, and other diseases of thyroid gland----253,254	221	51	170
30	A 63	Diabetes mellitus----260	25,047	9,511	15,536
31	A 66 pt.	Diseases of thymus gland----273	605	370	235
32	A 66 pt.	Diseases of adrenal glands----274	385	195	190
33	A 64 pt.	Pellagra----281	209	62	147
34	A 64 pt.	All other avitaminoses and nutritional deficiency states----280,282-286	884	454	430
35	A 66 pt.	Other allergic, endocrine, and metabolic diseases----240,242-245,270-272,275-277,287-289	702	361	341
36		IV.—Diseases of the blood and blood-forming organs----	5,458	2,591	2,867
37	A 65	Anemias----290-293	4,018	1,865	2,153
38		Pernicious and other hyperchromic anemias----290	1,913	823	1,090
39		Anemias of other and unspecified type----291-293	2,105	1,042	1,063
40	A 66 pt.	Purpura and other hemorrhagic conditions----296	589	259	330
41	A 66 pt.	All other diseases of blood and blood-forming organs----294,295,297-299	851	467	384
42		V.—Mental, psychoneurotic, and personality disorders----	4,505	3,135	1,370
43	A 67 pt.	Senile psychosis----304	826	388	438
44	A 67 pt.	Alcoholic psychosis----307	289	269	20
45	A 67 pt.	Other psychoses----300-303,305,306,308,309	728	354	374
46	A 68 pt.	Alcoholism----322	2,322	1,937	385
47	A 69	Mental deficiency----325	206	114	92
48	A 68 pt.	Psychoneuroses and other disorders of personality----310-321,323,324,326	134	73	61
49		VI.—Diseases of the nervous system and sense organs----	177,459	87,509	89,950
50	A 70	Vascular lesions affecting central nervous system----330-334	163,550	79,512	84,038
51		Subarachnoid hemorrhage----330	3,831	1,852	1,979
52		Cerebral hemorrhage----331	110,005	52,758	57,247
53		Cerebral embolism and thrombosis----332	28,339	14,363	13,976
54		Other vascular lesions affecting central nervous system----333,334	21,375	10,539	10,836
55	A 71	Meningitis, except meningococcal and tuberculous----340	1,881	1,166	715
56	A 72	Multiple sclerosis----345	1,418	702	716
57	A 78 pt.	Paralysis agitans----350	2,243	1,260	983
58	A 78 pt.	Cerebral spastic infantile paralysis----351	613	337	276
59	A 73	Epilepsy----353	2,332	1,435	897
60	A 74	Inflammatory diseases of eye----370-379	16	9	7
61	A 75	Cataract----385	72	37	35
62	A 76	Glaucoma----387	14	2	12
63	A 77	Otitis media and mastoiditis----391-393	492	297	195
64	A 78 pt.	Other diseases of nervous system and sense organs----341-344,352,354-369,380-384,386,388-390,394-398	4,828	2,752	2,076
65		VII.—Diseases of the circulatory system----	600,731	351,408	249,323
66	A 79	Rheumatic fever----400-402	1,648	843	805
67		Diseases of heart----410-443	545,675	323,039	222,636
68	A 80	Chronic rheumatic heart disease----410-416	19,988	9,962	10,026
69		Diseases of mitral valve----410	8,149	3,986	4,163
70		Diseases of aortic valve specified as rheumatic----411	827	636	191
71		Diseases of tricuspid valve----412	24	15	9
72		Diseases of pulmonary valve and other endocarditis specified as rheumatic----413,414	1,265	622	643
73		Other diseases of heart specified as rheumatic----415,416	9,723	4,703	5,020
74	A 81 pt.	Arteriosclerotic heart disease, including coronary disease----420	336,619	217,348	119,271
75		Arteriosclerotic heart disease so described----420.0	111,012	61,231	49,781
76		Heart disease specified as involving coronary arteries----420.1	223,697	154,871	68,826
77		Angina pectoris without mention of coronary disease----420.2	1,910	1,246	664

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Race and Sex: United States, 1951—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
9,520	6,293	3,227	619	373	246	9	6	3	2	2	-	5	5	-	3	3	-	1
3,495	2,157	1,338	198	113	85	4	2	2	-	-	-	-	-	-	2	2	-	2
6,025	4,136	1,889	421	260	161	5	4	1	2	2	-	5	5	-	1	1	-	3
22,830	11,959	10,871	1,784	857	927	37	13	24	15	13	2	13	11	2	13	10	3	4
3,128	1,840	1,288	125	57	68	-	-	-	1	-	1	2	2	-	-	-	-	5
321	178	143	21	13	8	1	-	1	1	1	-	-	-	-	-	-	-	6
4,331	2,590	1,741	209	110	99	2	1	1	-	-	-	-	-	-	1	-	1	7
839	292	547	56	23	33	4	2	2	-	-	-	-	-	-	-	-	-	8
1,887	1,100	787	152	80	72	6	2	4	1	-	1	1	1	-	1	-	1	9
527	298	229	45	26	19	-	-	-	-	-	-	-	-	-	1	-	1	10
3,476	1,665	1,811	331	144	187	10	2	8	2	2	-	1	1	-	2	2	-	11
8,321	3,996	4,325	845	404	441	14	6	8	10	10	-	9	7	2	8	8	-	12
8,819	5,141	3,678	514	300	214	11	7	4	4	3	1	4	3	1	5	4	1	13
7,916	4,784	3,132	500	302	198	6	3	3	4	3	1	11	8	3	1	-	1	14
3,528	2,109	1,419	174	108	66	1	1	-	3	2	1	7	5	2	-	-	-	15
2,467	1,541	926	160	103	57	1	-	1	-	-	-	1	-	1	1	-	1	16
1,921	1,134	787	166	91	75	4	2	2	1	1	-	3	3	-	-	-	-	17
4,392	1,873	2,519	759	208	551	12	7	5	1	1	-	-	-	-	2	1	1	18
773	...	773	335	...	335	2	...	2	-	...	-	-	...	-	-	...	-	19
701	341	360	75	40	35	3	3	-	-	-	-	-	-	-	-	-	-	20
672	349	323	71	38	33	1	1	-	1	1	-	-	-	-	2	1	1	21
27	...	27	9	...	9	1	...	1	-	...	-	-	...	-	-	...	-	22
1,489	808	681	167	85	82	1	1	-	-	-	-	-	-	-	-	-	-	23
730	375	355	102	45	57	4	2	2	-	-	-	-	-	-	-	-	-	24
32,797	14,414	18,383	3,389	1,273	2,116	73	36	37	29	27	2	19	13	6	4	4	-	25
6,305	4,235	2,070	544	288	256	7	3	4	7	7	-	8	6	2	-	-	-	26
148	24	124	28	2	26	-	-	-	-	-	-	-	-	-	-	-	-	27
1,035	173	862	170	22	148	4	2	2	1	1	-	1	-	1	-	-	-	28
207	49	158	14	2	12	-	-	-	-	-	-	-	-	-	-	-	-	29
22,766	8,711	14,055	2,209	758	1,451	45	19	26	15	14	1	8	5	3	4	4	-	30
505	313	192	94	53	41	3	2	1	3	2	1	-	-	-	-	-	-	31
344	170	174	38	22	16	1	1	-	2	2	-	-	-	-	-	-	-	32
156	47	109	53	15	38	-	-	-	-	-	-	-	-	-	-	-	-	33
695	360	335	176	85	91	11	7	4	-	-	-	2	2	-	-	-	-	34
636	332	304	63	26	37	2	2	-	1	1	-	-	-	-	-	-	-	35
4,889	2,334	2,555	549	249	300	14	6	8	3	1	2	3	1	2	-	-	-	36
3,552	1,656	1,896	453	203	250	9	4	5	2	1	1	2	1	1	-	-	-	37
1,831	786	1,045	77	35	42	5	2	3	-	-	-	-	-	-	-	-	-	38
1,721	870	851	376	168	208	4	2	2	2	1	1	2	1	1	-	-	-	39
539	239	300	46	19	27	3	1	2	-	-	-	1	-	1	-	-	-	40
798	439	359	50	27	23	2	1	1	1	-	1	-	-	-	-	-	-	41
3,741	2,630	1,111	731	483	248	26	17	9	5	4	1	-	-	-	2	1	1	42
748	358	390	75	29	46	3	1	2	-	-	-	-	-	-	-	-	-	43
251	233	18	38	36	2	-	-	-	-	-	-	-	-	-	-	-	-	44
566	271	295	161	83	78	-	-	-	1	-	1	-	-	-	-	-	-	45
1,887	1,614	273	410	306	104	22	15	7	1	1	-	-	-	-	2	1	1	46
180	100	80	26	14	12	-	-	-	-	-	-	-	-	-	-	-	-	47
109	54	55	21	15	6	1	1	-	3	3	-	-	-	-	-	-	-	48
155,337	76,837	78,500	21,596	10,310	11,286	255	140	115	125	110	15	113	82	31	33	30	3	49
143,450	69,984	73,466	19,671	9,231	10,440	175	89	86	117	102	15	109	79	30	28	27	1	50
3,278	1,592	1,686	528	242	286	7	3	4	7	7	-	9	6	3	2	2	-	51
96,151	46,307	49,844	13,573	6,263	7,310	121	61	60	74	63	11	68	47	21	18	17	1	52
26,188	13,241	12,947	2,093	1,077	1,016	20	11	9	14	13	1	18	15	3	6	6	-	53
17,633	8,844	8,989	3,477	1,649	1,828	27	14	13	22	19	3	14	11	3	2	2	-	54
1,357	869	488	484	269	215	33	22	11	3	3	-	3	3	-	1	-	1	55
1,334	663	671	83	39	44	1	-	1	-	-	-	-	-	-	-	-	-	56
2,165	1,210	955	76	49	27	2	1	1	-	-	-	-	-	-	-	-	-	57
534	297	237	77	39	38	2	1	1	-	-	-	-	-	-	-	-	-	58
1,907	1,164	743	416	265	151	8	5	3	1	1	-	-	-	-	-	-	-	59
11	5	6	3	2	1	1	1	-	1	1	-	-	-	-	-	-	-	60
68	36	32	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	61
13	2	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	62
416	254	162	63	36	27	12	6	6	1	1	-	-	-	-	-	-	-	63
4,082	2,353	1,729	718	379	339	21	15	6	2	2	-	1	-	1	4	3	1	64
545,245	321,717	223,528	54,029	28,626	25,403	695	401	294	381	355	26	260	204	56	121	105	16	65
1,316	690	626	323	149	174	9	4	5	-	-	-	-	-	-	-	-	-	66
496,075	296,372	199,703	48,274	25,691	22,583	625	367	258	351	326	25	237	185	52	113	98	15	67
18,205	9,101	9,104	1,714	819	895	49	29	20	9	6	3	4	1	3	7	6	1	68
7,272	3,558	3,714	845	410	435	26	14	12	1	1	-	1	-	1	4	3	1	69
803	619	184	24	17	7	-	-	-	-	-	-	-	-	-	-	-	-	70
22	14	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	71
1,186	585	601	74	34	40	5	3	2	-	-	-	-	-	-	-	-	-	72
8,922	4,325	4,597	769	357	412	18	12	6	8	5	3	3	1	2	3	3	-	73
317,520	206,090	111,430	18,369	10,676	7,693	296	190	106	210	199	11	147	125	22	77	68	9	74
104,267	57,495	46,772	6,482	3,528	2,954	91	54	37	95	88	7	51	46	5	26	20	6	75
211,525	147,443	64,082	11,708	7,055	4,653	203	135	68	115	111	4	95	79	16	51	48	3	76
1,728	1,152	576	179	93	86	2	1	1	-	-	-	1	-	1	-	-	-	77

Table 53. Deaths From 256 Selected Causes, by Specified

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List Number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII.—Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Chronic endocarditis not specified as rheumatic---421	9,738	5,318	4,420
2		Of mitral valve, specified as nonrheumatic---421.0	918	463	455
3		Of aortic valve, not specified as rheumatic---421.1	1,749	1,148	601
4		Of other valves, not specified as rheumatic---421.2-421.4	7,071	3,707	3,364
5	A 81 pt.	Other myocardial degeneration---422	70,897	36,770	34,127
6		With arteriosclerosis---422.1	34,486	17,319	17,167
7		Without mention of arteriosclerosis---422.0,422.2	36,411	19,451	16,960
8	A 82	Other diseases of heart---430-434	23,176	14,019	9,157
9		Acute and subacute endocarditis---430	869	497	372
10		Acute myocarditis not specified as rheumatic---431	2,370	1,255	1,115
11		Acute pericarditis specified as nonrheumatic---432	41	25	16
12		Functional disease of heart---433	2,365	1,232	1,133
13		Other and unspecified diseases of heart---434	17,531	11,010	6,521
14	A 83	Hypertension with heart disease---440-443	85,257	39,622	45,635
15		Hypertensive heart disease with arteriolar nephrosclerosis---442	25,151	12,843	12,308
16		Essential hypertension with heart disease, other and unspecified hypertensive heart disease---440,441,443	60,106	26,779	33,327
17	A 84	Hypertension without mention of heart---444-447	13,256	6,592	6,664
18		Hypertension with arteriolar nephrosclerosis without mention of heart---446	6,588	3,573	3,015
19		Essential hypertension and other hypertensive disease without mention of heart---444,445,447	6,668	3,019	3,649
20	A 85	Diseases of arteries---450-456	36,452	18,936	17,516
21		General arteriosclerosis---450	31,864	15,960	15,904
22		Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm---451	2,639	1,920	719
23		Gangrene of unspecified cause---455	250	155	95
24		Other arterial diseases---452-454,456	1,679	881	798
25	A 86	Diseases of veins and other diseases of circulatory system---460-468	3,700	1,998	1,702
26		VIII.—Diseases of the respiratory system---	62,482	36,705	25,777
27	A 87	Acute upper respiratory infections---470-475	909	495	414
28	A 88	Influenza---480-483	6,946	3,490	3,456
29		Pneumonia, except pneumonia of newborn---490-493	41,223	23,386	17,837
30	A 89	Lobar pneumonia---490	12,935	7,875	5,060
31	A 90	Bronchopneumonia---491	20,076	11,019	9,057
32	A 91 pt.	Primary atypical pneumonia---492	4,053	2,220	1,833
33	A 91 pt.	Pneumonia, other and unspecified---493	4,159	2,272	1,887
34	A 92	Acute bronchitis---500	980	583	397
35	A 93	Bronchitis, chronic and unqualified---501,502	1,946	1,240	706
36	A 94	Hypertrophy of tonsils and adenoids---510	317	164	153
37	A 95	Empyema and abscess of lung---518,521	740	546	194
38	A 96	Pleurisy---519	211	138	73
39	A 97	All other respiratory diseases---511-517,520,522-527	9,210	6,663	2,547
40		IX.—Diseases of the digestive system---	56,210	33,427	22,783
41	A 98	Diseases of teeth and supporting structures---530-535	252	155	97
42	A 99	Ulcer of stomach---540	4,555	3,589	966
43	A 100	Ulcer of duodenum---541	3,932	3,251	681
44	A 101	Gastritis and duodenitis---543	335	207	128
45	A 102	Appendicitis---550-553	2,846	1,761	1,085
46	A 103	Hernia and intestinal obstruction---560,561,570	8,627	4,568	4,059
47	A 104	Gastro-enteritis and colitis, except diarrhea of newborn---571,572	7,701	4,003	3,698
48	A 105	Cirrhosis of liver---581	15,075	9,827	5,248
49		Without mention of alcoholism---581.0	11,347	7,153	4,194
50		With alcoholism---581.1	3,728	2,674	1,054
51	A 106	Cholelithiasis and cholecystitis---584,585	5,724	2,110	3,614
52	A 107	Other diseases of digestive system---536-539,542,544,545,573-580,582,583,586,587	7,163	3,956	3,207
53		X.—Diseases of the genito-urinary system---	39,604	24,185	15,419
54		Nephritis and nephrosis---590-594	25,782	13,665	12,117
55	A 108	Acute nephritis---590	1,984	1,035	949
56	A 109 pt.	Nephritis with edema, including nephrosis---591	1,280	686	594
57	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis---592-594	22,518	11,944	10,574
58	A 110	Infections of kidney---600	3,261	1,708	1,553
59	A 111	Calculi of urinary system---602,604	1,074	598	476
60	A 114 pt.	Other diseases of urinary system---601,603,605-609	1,540	1,057	483
61	A 112	Hyperplasia of prostate---610	6,417	6,417	...
62	A 114 pt.	Other diseases of male genital organs---611-617	739	739	...
63	A 113	Diseases of breast---620,621	9	1	8
64	A 114 pt.	Diseases of female genital organs---622-637	782	...	782
65		XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium---	2,812	...	2,812
66	A 115	Sepsis of pregnancy, childbirth, and puerperium---640,641,681,682,684	338	...	338
67	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia---642,685,686	923	...	923
68	A 117	Hemorrhage of pregnancy and childbirth---643,644,670-672	505	...	505
69	A 120 pt.	Ectopic pregnancy---645	180	...	180
70	A 118	Abortion without mention of sepsis or toxemia---650	83	...	83
71	A 119	Abortion with sepsis---651	189	...	189
72	A 116 pt.	Abortion with toxemia, without mention of sepsis---652	31	...	31
73	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium---646-649,660,673-680,683,687-689	563	...	563
74		XII.—Diseases of the skin and cellular tissue---	1,369	647	722
75	A 121	Infections of skin and subcutaneous tissue---690-698	373	214	159
76	A 126 pt.	Other diseases of skin and subcutaneous tissue---700-716	996	433	563
77		XIII.—Diseases of the bones and organs of movement---	3,144	1,385	1,759
78	A 122	Arthritis and spondylitis---720-725	1,817	670	1,147
79	A 123	Muscular rheumatism and rheumatism, unspecified---726,727	90	38	52
80	A 124	Osteomyelitis and periostitis---730	174	118	56
81	A 125	Ankylosis and acquired musculoskeletal deformities---737,745-749	99	45	54
82	A 126 pt.	All other diseases of musculoskeletal system---731-736,738-744	964	514	450

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Race and Sex: United States, 1951—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
8,233	4,529	3,704	1,486	777	709	12	7	5	-	-	-	5	3	2	2	2	-	1
782	389	393	133	72	61	2	2	-	-	-	-	1	-	1	-	-	-	2
1,433	969	464	313	177	136	3	2	1	-	-	-	-	-	-	-	-	-	3
6,018	3,171	2,847	1,040	528	512	7	3	4	-	-	-	4	3	1	2	2	-	4
63,846	32,927	30,919	6,876	3,724	3,152	100	54	46	38	36	2	28	24	4	9	5	4	5
31,781	15,808	15,973	2,650	1,470	1,180	23	11	12	17	17	-	11	10	1	4	3	1	6
32,065	17,119	14,946	4,226	2,254	1,972	77	43	34	21	19	2	17	14	3	5	2	3	7
19,007	11,696	7,311	4,085	2,264	1,821	61	40	21	14	11	3	6	6	-	3	2	1	8
712	425	287	153	69	84	2	1	1	1	1	-	1	1	-	-	-	-	9
1,904	1,028	876	460	223	237	3	1	2	3	3	-	-	-	-	-	-	-	10
32	20	12	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	11
2,236	1,164	1,072	122	62	60	7	6	1	-	-	-	-	-	-	-	-	-	12
14,123	9,059	5,064	3,341	1,905	1,436	49	32	17	10	7	3	5	5	-	3	2	1	13
69,264	32,029	37,235	15,744	7,431	8,313	107	47	60	80	74	6	47	26	21	15	15	-	14
20,650	10,628	10,022	4,423	2,174	2,249	42	12	30	20	19	1	15	9	6	1	1	-	15
48,614	21,401	27,213	11,321	5,257	6,064	65	35	30	60	55	5	32	17	15	14	14	-	16
10,690	5,330	5,360	2,538	1,243	1,295	16	8	8	5	5	-	5	5	-	2	1	1	17
5,535	2,997	2,538	1,033	561	472	11	7	4	3	3	-	4	4	-	2	1	1	18
5,155	2,333	2,822	1,505	682	823	5	1	4	2	2	-	1	1	-	-	-	-	19
33,931	17,571	16,360	2,436	1,304	1,132	37	18	19	25	24	1	17	13	4	6	6	-	20
29,821	14,864	14,957	1,995	1,068	927	34	18	16	18	17	1	13	10	3	3	3	-	21
2,425	1,789	636	206	124	82	1	-	1	4	4	-	2	2	-	1	1	-	22
194	119	75	54	35	19	1	-	1	1	1	-	-	-	-	-	-	-	23
1,491	799	692	181	77	104	1	-	1	2	2	-	2	1	1	2	2	-	24
3,233	1,754	1,479	458	239	219	8	4	4	-	-	-	1	1	-	-	-	-	25
51,446	30,495	20,951	10,348	5,804	4,544	551	299	252	62	54	8	46	33	13	29	20	9	26
726	407	319	176	84	92	6	3	3	1	1	-	-	-	-	-	-	-	27
5,456	2,767	2,689	1,456	706	750	32	17	15	-	-	-	1	-	1	1	-	1	28
33,189	18,820	14,369	7,468	4,234	3,234	468	257	211	47	41	6	31	20	11	20	14	6	29
10,175	6,248	3,927	2,611	1,536	1,075	119	63	56	15	14	1	8	7	1	7	7	-	30
16,373	8,958	7,415	3,404	1,879	1,525	238	138	100	31	27	4	21	13	8	9	4	5	31
3,552	1,952	1,600	476	262	214	21	4	17	1	-	1	-	-	-	3	2	1	32
3,089	1,662	1,427	977	557	420	90	52	38	-	-	-	2	-	2	1	1	-	33
827	501	326	138	74	64	9	2	7	3	3	-	1	1	-	2	2	-	34
1,742	1,122	620	186	107	79	12	6	6	2	2	-	3	2	1	1	1	-	35
267	140	127	46	22	24	2	1	1	-	-	-	1	1	-	1	-	1	36
586	436	150	148	106	42	3	1	2	1	1	-	-	-	-	2	2	-	37
175	114	61	36	24	12	-	-	-	-	-	-	-	-	-	-	-	-	38
8,478	6,188	2,290	694	447	247	19	12	7	8	6	2	9	9	-	2	1	1	39
49,637	29,698	19,939	6,036	3,415	2,621	423	212	211	64	60	4	35	28	7	15	14	1	40
185	119	66	67	36	31	-	-	-	-	-	-	-	-	-	-	-	-	41
4,112	3,270	842	415	296	119	5	3	2	10	9	1	11	9	2	2	2	-	42
3,697	3,066	631	221	172	49	4	4	-	6	6	-	3	2	1	1	1	-	43
251	166	85	83	40	43	1	1	-	-	-	-	-	-	-	-	-	-	44
2,372	1,491	881	453	257	196	13	6	7	4	4	-	3	2	1	1	1	-	45
7,518	3,973	3,545	1,071	575	496	25	9	16	5	4	1	7	6	1	1	1	-	46
5,875	3,006	2,869	1,551	849	702	269	145	124	3	1	2	1	-	1	2	2	-	47
13,930	9,145	4,785	1,064	626	438	42	19	23	28	28	-	4	3	1	7	6	1	48
10,486	6,653	3,833	807	461	346	26	12	14	21	21	-	4	3	1	3	3	-	49
3,444	2,492	952	257	165	92	16	7	9	7	7	-	-	-	-	4	3	1	50
5,515	2,035	3,480	173	60	113	30	9	21	2	2	-	4	4	-	-	-	-	51
6,182	3,427	2,755	938	504	434	34	16	18	6	6	-	2	2	-	1	1	-	52
32,284	20,124	12,160	7,151	3,946	3,205	97	58	39	41	38	3	20	13	7	11	6	5	53
20,403	10,971	9,432	5,259	2,617	2,642	68	36	32	31	29	2	13	7	6	8	5	3	54
1,438	779	659	527	245	282	14	8	6	1	1	-	3	1	2	1	1	-	55
992	539	453	284	146	138	1	-	1	1	1	-	1	-	1	1	-	1	56
17,973	9,653	8,320	4,448	2,226	2,222	53	28	25	29	27	2	9	6	3	6	4	2	57
2,739	1,442	1,297	508	260	248	10	5	5	2	1	1	1	-	1	1	-	1	58
978	551	427	92	44	48	-	-	-	2	2	-	1	1	-	1	-	1	59
1,239	827	412	293	223	70	5	4	1	1	1	-	1	1	-	1	1	-	60
5,715	5,715	...	682	682	...	11	11	...	5	5	...	4	4	...	-	-	...	61
617	617	...	120	120	...	2	2	...	-	-	...	-	-	...	-	-	...	62
7	1	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	63
586	...	586	195	...	195	1	...	1	-	...	-	-	...	-	-	...	-	64
1,778	...	1,778	999	...	999	28	...	28	3	...	3	2	...	2	2	...	2	65
239	...	239	98	...	98	1	...	1	-	...	-	-	...	-	-	...	-	66
568	...	568	344	...	344	11	...	11	-	...	-	-	...	-	-	...	-	67
330	...	330	160	...	160	11	...	11	3	...	3	-	...	-	1	...	1	68
90	...	90	90	...	90	-	...	-	-	...	-	-	...	-	-	...	-	69
46	...	46	36	...	36	1	...	1	-	...	-	-	...	-	-	...	-	70
106	...	106	80	...	80	2	...	2	-	...	-	1	...	1	-	...	-	71
18	...	18	13	...	13	-	...	-	-	...	-	-	...	-	-	...	-	72
381	...	381	178	...	178	2	...	2	-	...	-	1	...	1	1	...	1	73
1,120	543	577	236	98	138	12	5	7	-	-	-	1	1	-	-	-	-	74
293	173	120	72	37	35	8	4	4	-	-	-	-	-	-	-	-	-	75
827	370	457	164	61	103	4	1	3	-	-	-	1	1	-	-	-	-	76
2,808	1,232	1,576	321	146	175	10	5	5	1	1	-	4	1	3	-	-	-	77
1,631	601	1,030	174	63	111	8	4	4	1	1	-	3	1	2	-	-	-	78
65	30	35	24	7	17	1	1	-	-	-	-	-	-	-	-	-	-	79
142	97	45	31	21	10	1	-	1	-	-	-	-	-	-	-	-	-	80
93	42	51	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	81
877	462	415	86	52	34	-	-	-	-	-	-	1	-	1	-	-	-	82

Table 53 Deaths From 256 Selected Causes, by Specified

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XIV.—Congenital malformations	18,865	10,180	8,685
2	A 127	Spina bifida and meningocele—751	1,707	741	966
3	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	2,517	1,228	1,289
4	A 128	Congenital malformations of circulatory system—754	8,200	4,609	3,591
5	A 129 pt.	Other congenital malformations—750,755-759	6,441	3,602	2,839
6		XV.—Certain diseases of early infancy	63,096	37,183	25,913
7	A 130	Birth injuries—760,761	11,809	7,310	4,499
8	A 131	Postnatal asphyxia and atelectasis—762	15,153	9,158	5,995
9	A 132	Infections of newborn—763-768	3,927	2,288	1,639
10	A 133	Hemolytic disease of newborn (erythroblastosis)—770	2,649	1,547	1,102
11	A 134	All other defined diseases of early infancy—769,771,772	2,537	1,527	1,010
12	A 135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	27,021	15,353	11,668
13		XVI.—Symptoms, senility, and ill-defined conditions	22,647	13,088	9,559
14	A 136	Senility without mention of psychosis—794	5,289	2,348	2,941
15	A 137	Symptoms, ill-defined and unknown causes—780-793,795	17,358	10,740	6,618
16		XVII.—Accidents, poisonings, and violence	119,317	84,884	34,433
17		Accidents—E800-E962	95,871	66,873	28,998
18	AE 139 pt.	Railway accidents—E800-E802	2,058	1,855	203
19	AE 138	Motor-vehicle accidents—E810-E835	36,996	28,075	8,921
20		Motor-vehicle traffic accidents—E810-E825	36,030	27,335	8,695
21		Motor-vehicle traffic accident involving collision with railway train—E810	1,573	1,169	404
22		Motor-vehicle traffic accident to pedestrian—E812	8,578	6,509	2,069
23		Other motor-vehicle traffic accidents involving collision—E811,E813-E819	12,297	8,981	3,316
24		Motor-vehicle noncollision traffic accidents—E820-E824	8,632	6,967	1,665
25		Motor-vehicle traffic accident of unspecified nature—E825	4,950	3,709	1,241
26		Motor-vehicle nontraffic accidents—E830-E835	966	740	226
27	AE 139 pt.	Other road-vehicle accidents—E840-E845	459	368	91
28	AE 139 pt.	Water-transport accidents—E850-E858	1,639	1,516	123
29	AE 139 pt.	Aircraft accidents—E860-E866	1,747	1,552	195
30	AE 140 pt.	Accidental poisoning by solid and liquid substances—E870-E888	1,497	917	580
31	AE 140 pt.	Accidental poisoning by gases and vapor—E890-E895	1,627	1,177	450
32	AE 141	Accidental falls—E900-E904	21,376	10,295	11,081
33		Fall from one level to another—E900-E902	7,251	4,601	2,650
34		Fall on same level—E903	4,945	1,918	3,027
35		Unspecified falls—E904	9,180	3,776	5,404
36	AE 147 pt.	Blow from falling object—E910	1,535	1,475	60
37	AE 142	Accident caused by machinery—E912	2,068	1,976	92
38	AE 147 pt.	Accident caused by electric current—E914	988	933	55
39	AE 143	Accident caused by fire and explosion of combustible material—E916	6,788	3,945	2,843
40	AE 144	Accident caused by hot substance, corrosive liquid, steam and radiation—E917,E918	944	541	403
41	AE 145	Accident caused by firearm—E919	2,247	1,964	283
42	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	1,456	850	606
43	AE 146	Accidental drowning—E929	5,055	4,311	744
44	AE 147 pt.	Excessive heat and insolation—E931	422	325	97
45	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	680	311	369
46	AE 147 pt.	All other accidents—E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	6,289	4,487	1,802
47	AE 148	Suicide—E963,E970-E979	15,909	12,300	3,609
48		Suicide by poisoning—E970-E973	3,664	2,294	1,370
49		Suicide by hanging and strangulation—E974	3,360	2,569	791
50		Suicide by firearms and explosives—E976	6,873	6,040	833
51		Suicide by all other means—E963,E975,E977-E979	2,012	1,397	615
52	AE 149	Homicide—E964,E980-E985	7,495	5,669	1,826
53		Assault by firearms and explosives—E981	3,898	2,930	968
54		Assault by cutting and piercing instruments—E982	1,787	1,418	369
55		Assault by other means—E964,E980,E983	1,478	992	486
56		Injury by intervention of police—E984	227	225	2
57		Execution—E985	105	104	1
58	AE 150	Injury resulting from operations of war—E965,E990-E999	42	42	-

[1] See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Race and Sex: United States, 1951—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
17,039	9,138	7,901	1,728	988	740	68	40	28	14	6	8	12	5	7	4	3	1	1
1,634	691	943	67	48	19	5	2	3	1	-	1	-	-	-	-	-	-	2
2,248	1,073	1,175	253	143	110	15	12	3	-	-	-	-	-	-	1	-	1	3
7,355	4,136	3,219	807	452	355	18	11	7	11	6	5	8	3	5	1	1	-	4
5,802	3,238	2,564	601	345	256	30	15	15	2	-	2	4	2	2	2	2	-	5
50,977	30,266	20,711	11,663	6,650	5,013	318	185	133	59	34	25	49	30	19	30	18	12	6
10,092	6,305	3,787	1,627	951	676	61	34	27	15	9	6	7	6	1	7	5	2	7
12,775	7,766	5,009	2,273	1,330	943	58	40	18	21	12	9	19	8	11	7	2	5	8
2,787	1,629	1,158	1,077	624	453	55	30	25	3	3	-	4	2	2	1	-	1	9
2,488	1,436	1,052	150	102	48	9	8	1	2	1	1	-	-	-	-	-	-	10
1,787	1,080	707	714	423	291	31	20	11	-	-	-	2	1	1	3	3	-	11
21,048	12,050	8,998	5,822	3,220	2,602	104	53	51	18	9	9	17	13	4	12	8	4	12
14,589	8,642	5,947	7,600	4,200	3,400	436	226	210	10	9	1	5	5	-	7	6	1	13
4,318	1,920	2,398	909	398	511	58	26	32	3	3	-	1	1	-	-	-	-	14
10,271	6,722	3,549	6,691	3,802	2,889	378	200	178	7	6	1	4	4	-	7	6	1	15
102,310	72,458	29,852	16,071	11,717	4,354	693	511	182	99	84	15	76	57	19	68	57	11	16
83,656	58,214	25,442	11,447	8,082	3,365	601	441	160	59	50	9	53	42	11	55	44	11	17
1,700	1,537	163	324	286	38	27	25	2	3	3	-	2	2	-	2	2	-	18
32,724	24,797	7,927	3,911	3,005	906	285	209	76	19	17	2	28	21	7	29	26	3	19
31,854	24,125	7,729	3,825	2,943	882	275	203	72	19	17	2	28	21	7	29	26	3	20
1,450	1,078	372	118	86	32	4	4	-	-	-	-	-	-	-	1	1	-	21
7,381	5,619	1,762	1,103	808	295	70	59	11	8	7	1	11	11	-	5	5	-	22
11,166	8,092	3,074	1,034	819	215	65	45	20	7	6	1	12	6	6	13	13	-	23
7,578	6,128	1,450	935	755	180	101	70	31	4	4	-	5	4	1	9	6	3	24
4,279	3,208	1,071	635	475	160	35	25	10	-	-	-	-	-	-	1	1	-	25
870	672	198	86	62	24	10	6	4	-	-	-	-	-	-	-	-	-	26
391	307	84	63	58	5	5	3	2	-	-	-	-	-	-	-	-	-	27
1,468	1,359	109	157	145	12	6	4	2	3	3	-	2	2	-	3	3	-	28
1,731	1,536	195	14	14	-	-	-	-	-	-	-	1	1	-	1	1	-	29
1,179	723	456	299	177	122	15	13	2	3	3	-	-	-	-	1	1	-	30
1,495	1,075	410	134	97	37	4	2	2	2	2	-	1	1	-	1	-	1	31
20,226	9,583	10,643	1,085	666	419	47	33	14	9	8	1	5	4	1	4	1	3	32
6,685	4,206	2,479	536	372	164	20	15	5	5	4	1	3	3	-	2	1	1	33
4,778	1,830	2,948	159	84	75	7	4	3	-	-	-	-	-	-	1	-	1	34
8,763	3,547	5,216	390	210	180	20	14	6	4	4	-	2	1	1	1	-	1	35
1,322	1,268	54	208	202	6	3	3	-	-	-	-	-	-	-	2	2	-	36
1,880	1,793	87	176	172	4	8	8	-	1	-	1	2	2	-	1	1	-	37
917	867	50	66	61	5	4	4	-	1	1	-	-	-	-	-	-	-	38
4,881	2,963	1,918	1,851	946	905	48	30	18	1	-	1	3	3	-	4	3	1	39
664	393	271	275	147	128	5	1	4	-	-	-	-	-	-	-	-	-	40
1,854	1,649	205	378	303	75	14	11	3	-	-	-	1	1	-	-	-	-	41
1,160	691	469	280	150	130	10	6	4	2	2	-	3	-	3	1	1	-	42
4,229	3,555	674	773	711	62	42	35	7	7	6	1	4	4	-	-	-	-	43
320	250	70	96	71	25	5	3	2	-	-	-	-	-	-	1	1	-	44
580	271	309	95	35	60	3	3	-	1	1	-	-	-	-	1	1	-	45
4,945	3,597	1,348	1,262	836	426	70	48	22	7	4	3	1	1	-	4	1	3	46
15,252	11,784	3,468	558	439	119	35	26	9	33	28	5	22	14	8	9	9	-	47
3,544	2,219	1,325	111	68	43	1	-	1	5	5	-	2	1	1	1	1	-	48
3,236	2,472	764	87	72	15	7	6	1	16	12	4	11	4	7	3	3	-	49
6,596	5,801	795	250	214	36	18	16	2	6	6	-	2	2	-	1	1	-	50
1,876	1,292	584	110	85	25	9	4	5	6	5	1	7	7	-	4	4	-	51
3,363	2,421	942	4,063	3,193	870	57	44	13	7	6	1	1	1	-	4	4	-	52
1,816	1,300	516	2,052	1,602	450	27	25	2	1	1	-	-	-	-	2	2	-	53
426	322	104	1,350	1,087	263	7	5	2	2	2	-	-	-	-	2	2	-	54
950	629	321	504	349	155	20	11	9	3	2	1	1	1	-	-	-	-	55
115	115	-	109	107	2	2	2	-	1	1	-	-	-	-	-	-	-	56
56	55	1	48	48	-	1	1	-	-	-	-	-	-	-	-	-	-	57
39	39	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	58

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,462,099	106,702	7,987	4,713	3,494	2,912	125,808	8,396	6,464	11,309
2		Male	845,233	61,465	4,222	2,636	1,934	1,702	71,959	4,906	4,152	7,459
3		Female	636,866	45,237	3,765	2,077	1,560	1,210	53,849	3,490	2,312	3,850
4		White--Male	747,049	48,509	3,171	2,050	1,568	1,410	56,708	4,088	3,390	6,161
5		White--Female	555,920	35,169	2,825	1,593	1,260	977	41,824	2,842	1,854	2,632
6		Negro--Male	93,515	12,187	929	528	325	263	14,232	766	725	1,214
7		Negro--Female	78,468	9,478	810	429	267	218	11,202	610	437	963
8		Other--Male	4,669	769	122	58	41	29	1,019	52	37	84
9		Other--Female	2,478	590	130	55	33	15	823	38	21	55
10		I. Infective and parasitic diseases	47,398	2,772	1,187	748	465	382	5,554	1,053	595	946
11		White--Male	23,043	1,018	402	283	171	167	2,041	452	262	273
12		White--Female	11,377	794	414	240	177	123	1,748	380	187	291
13		Negro--Male	7,439	479	155	104	52	44	834	109	55	136
14		Negro--Female	4,657	389	150	80	39	33	691	90	78	212
15		Other--Male	533	44	29	18	10	10	111	12	7	18
16		Other--Female	349	48	37	23	16	5	129	10	6	16
17	001-019	Tuberculosis, all forms	30,863	234	312	225	118	77	966	184	159	565
18		White--Male	15,480	71	83	74	39	29	296	53	34	103
19		White--Female	6,800	72	93	64	31	24	284	60	41	142
20		Negro--Male	4,838	38	60	30	19	11	158	27	23	103
21		Negro--Female	3,097	32	42	39	10	8	131	28	55	186
22		Other--Male	402	11	14	9	7	3	44	7	4	17
23		Other--Female	246	10	20	9	12	2	53	9	2	14
24	001-008	Tuberculosis of respiratory system	28,296	107	108	77	48	27	367	70	99	477
25		White--Male	14,576	35	29	25	13	9	111	14	14	81
26		White--Female	6,098	33	30	17	12	8	100	17	24	116
27		Negro--Male	4,342	16	18	11	10	5	60	13	14	89
28		Negro--Female	2,739	11	13	16	6	3	49	14	45	168
29		Other--Male	348	5	9	4	2	1	21	5	1	11
30		Other--Female	193	7	9	4	5	1	26	7	1	12
31	010	Tuberculosis of meninges and central nervous system	909	81	148	105	49	37	420	93	37	41
32		White--Male	284	24	42	37	19	13	135	34	13	8
33		White--Female	262	24	48	31	19	11	133	36	13	14
34		Negro--Male	176	14	28	13	2	5	62	12	4	6
35		Negro--Female	141	13	21	18	-	5	57	10	4	8
36		Other--Male	25	5	4	2	3	2	16	1	3	4
37		Other--Female	21	1	5	4	6	1	17	-	-	1
38	011	Tuberculosis of intestines, peritoneum, and mesenteric glands	163	2	4	1	3	-	10	3	2	4
39		White--Male	40	-	-	-	-	-	-	1	-	-
40		White--Female	46	1	-	1	-	-	2	-	-	1
41		Negro--Male	28	-	-	-	1	-	1	-	-	-
42		Negro--Female	37	-	2	-	2	-	4	-	1	3
43		Other--Male	3	1	1	-	-	-	2	-	-	-
44		Other--Female	9	-	1	-	-	-	1	2	1	-
45	012.0,013.0	Tuberculosis of vertebral column	190	1	2	-	-	2	5	2	2	6
46		White--Male	82	-	-	-	-	1	1	-	1	3
47		White--Female	57	1	2	-	-	1	4	-	-	1
48		Negro--Male	30	-	-	-	-	-	-	-	1	-
49		Negro--Female	19	-	-	-	-	-	-	1	-	2
50		Other--Male	2	-	-	-	-	-	-	1	-	-
51		Other--Female	-	-	-	-	-	-	-	-	-	-
52	012.1-012.3, 013.1-013.3	Tuberculosis of other bones and joints	67	-	2	1	1	1	5	1	1	2
53		White--Male	37	-	2	1	1	1	5	-	-	-
54		White--Female	13	-	-	-	-	-	-	1	-	1
55		Negro--Male	8	-	-	-	-	-	-	-	1	1
56		Negro--Female	6	-	-	-	-	-	-	-	-	-
57		Other--Male	2	-	-	-	-	-	-	-	-	-
58		Other--Female	1	-	-	-	-	-	-	-	-	-
59	016	Tuberculosis of genito-urinary system	250	-	1	-	-	-	1	-	-	4
60		White--Male	133	-	-	-	-	-	-	-	-	3
61		White--Female	83	-	-	-	-	-	-	-	-	-
62		Negro--Male	20	-	-	-	-	-	-	-	-	-
63		Negro--Female	7	-	-	-	-	-	-	-	-	1
64		Other--Male	4	-	-	-	-	-	-	-	-	-
65		Other--Female	3	-	1	-	-	-	1	-	-	-
66	014,015, 017,018	Tuberculosis of lymphatic system and other organs	154	-	2	5	2	-	9	3	3	3
67		White--Male	54	-	-	1	1	-	2	1	-	-
68		White--Female	47	-	1	-	-	-	1	1	1	-
69		Negro--Male	33	-	1	3	-	-	4	-	-	1
70		Negro--Female	12	-	-	1	-	-	1	1	2	1
71		Other--Male	3	-	-	-	1	-	1	-	-	-
72		Other--Female	5	-	-	-	-	-	-	-	-	1
73	019	Disseminated tuberculosis	834	43	45	36	15	10	149	12	15	28
74		White--Male	274	12	10	10	5	5	42	3	6	8
75		White--Female	194	13	12	15	-	4	44	5	3	9
76		Negro--Male	201	8	13	3	6	1	31	2	3	6
77		Negro--Female	136	8	6	4	2	-	20	2	3	3
78		Other--Male	15	-	-	3	1	-	4	-	-	2
79		Other--Female	14	2	4	1	1	-	8	-	-	-
80	020-029	Syphilis and its sequelae	6,274	129	7	1	1	2	140	3	8	17
81		White--Male	3,148	19	-	1	-	1	21	-	2	8
82		White--Female	967	21	3	-	-	1	25	-	1	3
83		Negro--Male	1,483	45	2	-	-	-	47	2	2	2
84		Negro--Female	628	38	2	-	1	-	41	1	3	4
85		Other--Male	38	3	-	-	-	-	3	-	-	-
86		Other--Female	10	3	-	-	-	-	3	-	-	-
87	020	Congenital syphilis	171	125	6	1	1	2	135	1	4	7
88		White--Male	37	18	-	1	-	1	20	-	1	3
89		White--Female	33	20	2	-	-	1	23	-	1	3
90		Negro--Male	52	45	2	-	-	-	47	1	2	-
91		Negro--Female	43	36	2	-	1	-	39	-	-	1
92		Other--Male	3	3	-	-	-	-	3	-	-	-
93		Other--Female	3	3	-	-	-	-	3	-	-	-

Age, Race, and Sex: United States, 1951

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16,074	19,247	22,619	31,544	45,412	61,140	88,082	115,112	141,728	170,945	178,499	175,159	141,354	80,254	32,742	7,270	1,448	1,313	1
10,557	11,845	13,413	18,459	27,394	37,823	55,290	73,840	88,634	102,978	100,641	92,565	69,214	36,636	13,419	2,710	529	810	2
5,517	7,402	9,406	13,085	18,018	23,317	32,772	41,272	53,094	67,967	77,858	82,594	72,140	43,618	19,323	4,560	919	503	3
8,443	9,142	10,489	14,541	22,254	31,625	46,204	64,666	79,587	93,310	93,067	86,897	65,637	34,768	12,763	2,390	306	613	4
3,869	5,204	6,810	9,452	13,265	17,877	25,335	34,373	46,049	60,416	71,708	77,974	69,047	41,728	18,416	4,152	525	368	5
2,008	2,579	2,803	3,793	4,964	5,949	8,740	8,848	8,655	9,237	7,167	5,375	3,380	1,774	617	302	208	179	6
1,549	2,102	2,509	3,544	4,672	5,353	7,312	6,771	6,922	7,407	6,003	4,507	3,000	1,841	871	383	380	130	7
106	124	121	125	176	249	346	326	392	431	407	293	197	94	39	18	15	18	8
99	96	87	89	81	87	125	128	123	144	147	113	93	49	36	25	14	5	9
1,677	2,339	2,521	2,835	3,210	3,625	4,169	4,351	4,186	3,912	2,849	1,986	998	417	116	21	6	32	10
404	628	789	1,085	1,444	1,844	2,276	2,636	2,721	2,442	1,742	1,160	542	221	61	7	2	11	11
489	746	777	721	694	640	625	659	674	793	755	615	360	156	47	11	2	7	12
322	409	494	575	695	757	895	739	547	438	219	124	57	19	3	3	-	9	13
396	513	408	416	347	340	318	267	182	187	101	57	27	17	5	-	1	4	14
28	18	34	16	15	35	42	40	52	39	25	27	8	4	-	-	1	1	15
38	25	19	22	15	9	13	10	10	13	7	3	4	-	-	-	-	-	16
1,309	1,937	2,089	2,357	2,579	2,723	3,029	3,058	2,929	2,641	1,964	1,372	648	259	62	8	5	20	17
243	472	623	904	1,207	1,481	1,764	1,971	1,988	1,712	1,236	809	377	157	37	2	2	9	18
363	570	627	606	564	464	428	438	440	520	507	424	219	73	21	3	2	4	19
282	378	425	468	530	524	596	457	339	260	133	81	28	18	1	3	-	4	20
360	475	365	343	252	221	194	157	107	103	63	31	12	9	3	-	-	2	21
28	18	30	14	13	25	37	31	46	34	18	24	8	2	-	-	1	1	22
33	24	19	22	13	8	10	4	9	12	7	3	4	-	-	-	-	-	23
1,188	1,785	1,952	2,213	2,409	2,577	2,880	2,887	2,791	2,491	1,859	1,304	612	243	60	8	5	19	24
224	438	586	862	1,139	1,421	1,705	1,904	1,936	1,637	1,180	775	353	146	37	2	2	9	25
340	535	595	570	537	431	397	386	394	480	470	399	208	71	19	3	2	4	26
244	336	398	433	485	495	559	422	311	234	126	73	27	15	1	3	-	4	27
327	441	328	316	227	197	178	141	96	97	59	30	12	9	3	-	-	2	28
23	14	28	13	12	25	34	31	45	33	17	24	8	2	-	-	1	-	29
30	21	17	19	9	8	7	3	9	10	7	3	4	-	-	-	-	-	30
51	39	41	39	41	31	21	17	12	12	10	4	-	-	-	-	-	-	31
8	7	10	9	15	13	7	6	6	6	6	1	-	-	-	-	-	-	32
11	10	9	5	8	7	5	4	1	2	2	2	-	-	-	-	-	-	33
18	13	10	16	10	5	8	3	3	4	1	1	-	-	-	-	-	-	34
12	8	12	8	8	6	1	4	2	-	1	-	-	-	-	-	-	-	35
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
12	4	9	12	10	9	11	19	12	18	10	10	3	3	1	-	-	1	38
-	-	1	-	3	4	2	5	3	7	5	5	3	1	-	-	-	-	39
2	2	2	4	1	3	2	5	5	7	5	3	-	1	1	-	-	-	40
5	-	1	1	4	-	4	5	2	3	-	1	-	1	-	-	-	-	41
4	2	4	6	1	2	2	4	2	1	-	1	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	43
1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	44
9	16	13	6	14	11	19	18	20	20	9	10	9	1	-	-	-	-	45
2	6	6	2	6	5	9	6	6	13	4	6	5	1	-	-	-	-	46
2	1	4	2	4	3	2	7	10	5	4	4	4	-	-	-	-	-	47
1	6	1	-	4	2	5	5	2	2	1	-	-	-	-	-	-	-	48
3	3	2	2	-	1	3	-	2	-	-	-	-	-	-	-	-	-	49
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
2	3	5	4	3	5	1	11	4	4	5	7	4	-	-	-	-	-	52
-	2	2	3	1	1	1	5	2	3	4	5	3	-	-	-	-	-	53
-	1	1	1	-	2	-	3	1	-	1	1	-	-	-	-	-	-	54
-	-	1	-	1	-	-	2	-	-	-	1	1	-	-	-	-	-	55
-	-	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	56
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	58
5	13	10	27	19	25	31	36	20	25	14	7	7	6	-	-	-	-	59
1	3	5	16	13	17	18	15	5	13	10	5	5	4	-	-	-	-	60
2	3	2	6	5	6	10	17	14	10	4	1	2	1	-	-	-	-	61
1	3	2	3	-	2	1	3	1	2	-	1	-	1	-	-	-	-	62
-	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	63
1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	65
4	6	8	14	10	14	9	18	11	15	10	8	6	2	1	-	-	-	66
2	1	2	2	5	4	1	8	7	7	4	2	4	2	-	-	-	-	67
-	-	3	3	2	4	4	8	1	4	6	6	2	-	1	-	-	-	68
1	3	2	6	2	5	3	1	3	2	-	-	-	-	-	-	-	-	69
1	2	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	70
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	71
-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	72
38	71	51	42	73	51	57	52	59	56	47	22	7	4	-	-	-	-	73
6	15	11	10	25	16	21	22	23	26	23	10	4	3	-	-	-	-	74
6	18	11	15	7	8	8	8	14	12	15	8	3	-	-	-	-	-	75
12	17	10	9	24	15	16	16	17	13	5	4	-	1	-	-	-	-	76
13	17	17	7	15	12	10	6	4	4	3	-	-	-	-	-	-	-	77
-	2	2	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	78
1	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	79
27	27	96	173	337	564	815	973	938	939	590	377	175	53	13	2	-	7	80
8	6	18	39	102	213	360	518	577	571	358	227	92	21	5	1	-	1	81
4	5	19	18	47	73	86	119	115	141	131	95	55	24	4	1	-	1	82
7	11	39	71	124	193	264	240	184	160	73	38	19	1	2	-	-	4	83
8	5	19	45	63	78	100	85	58	62	24	14	9	6	2	-	-	1	84
-	-	1	-	1	6	4	8	3	4	4	3	-	1	-	-	-	-	85
-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-	86
6	2	1	3	1	3	2	2	1	1	-	2	-	-	-	-	-	-	87
3	2	1	1	1	3	-	-	-	-	-	2	-	-	-	-	-	-	88
1	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	89
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	90
2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
		Syphilis and its sequelae—Continued										
1	021	Early syphilis	2	-	-	-	-	-	-	-	-	-
2		White—Male	-	-	-	-	-	-	-	-	-	-
3		Female	-	-	-	-	-	-	-	-	-	-
4		Negro—Male	2	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other—Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	022	Aneurysm of aorta	1,666	1	-	-	-	-	1	-	2	1
9		White—Male	981	-	-	-	-	-	-	-	1	1
10		Female	285	1	-	-	-	-	1	-	-	-
11		Negro—Male	269	-	-	-	-	-	-	-	-	-
12		Female	125	-	-	-	-	-	-	-	1	-
13		Other—Male	5	-	-	-	-	-	-	-	-	-
14		Female	1	-	-	-	-	-	-	-	-	-
15	023	Other cardiovascular syphilis	2,213	-	1	-	-	-	1	1	-	2
16		White—Male	1,046	-	-	-	-	-	-	-	-	1
17		Female	275	-	1	-	-	-	1	-	-	-
18		Negro—Male	630	-	-	-	-	-	-	-	-	1
19		Female	247	-	-	-	-	-	-	1	-	-
20		Other—Male	13	-	-	-	-	-	-	-	-	-
21		Female	2	-	-	-	-	-	-	-	-	-
22	024	Tabes dorsalis	152	-	-	-	-	-	-	-	-	-
23		White—Male	103	-	-	-	-	-	-	-	-	-
24		Female	30	-	-	-	-	-	-	-	-	-
25		Negro—Male	13	-	-	-	-	-	-	-	-	-
26		Female	3	-	-	-	-	-	-	-	-	-
27		Other—Male	3	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	025	General paralysis of insane	1,109	-	-	-	-	-	-	1	-	2
30		White—Male	533	-	-	-	-	-	-	-	-	1
31		Female	162	-	-	-	-	-	-	-	-	-
32		Negro—Male	293	-	-	-	-	-	-	1	-	1
33		Female	114	-	-	-	-	-	-	-	-	-
34		Other—Male	7	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	026	Other syphilis of central nervous system	721	1	-	-	-	-	1	-	-	3
37		White—Male	344	-	-	-	-	-	-	-	-	1
38		Female	133	-	-	-	-	-	-	-	-	-
39		Negro—Male	175	-	-	-	-	-	-	-	-	-
40		Female	61	1	-	-	-	-	1	-	-	2
41		Other—Male	5	-	-	-	-	-	-	-	-	-
42		Female	3	-	-	-	-	-	-	-	-	-
43	027-029	Other syphilis	240	2	-	-	-	-	2	-	2	2
44		White—Male	104	1	-	-	-	-	1	-	-	1
45		Female	49	-	-	-	-	-	-	-	-	-
46		Negro—Male	49	-	-	-	-	-	-	-	-	-
47		Female	35	1	-	-	-	-	1	-	2	1
48		Other—Male	2	-	-	-	-	-	-	-	-	-
49		Female	1	-	-	-	-	-	-	-	-	-
50	030-035	Gonococcal infection	43	-	-	-	-	-	-	-	1	1
51		White—Male	12	-	-	-	-	-	-	-	-	-
52		Female	6	-	-	-	-	-	-	-	-	-
53		Negro—Male	10	-	-	-	-	-	-	-	-	-
54		Female	15	-	-	-	-	-	-	-	1	1
55		Other—Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	040	Typhoid fever	83	1	1	-	2	2	6	3	6	5
58		White—Male	34	1	-	-	1	-	2	1	2	2
59		Female	23	-	-	-	-	-	-	1	1	-
60		Negro—Male	9	-	1	-	-	1	2	-	3	1
61		Female	15	-	-	-	1	-	1	1	-	2
62		Other—Male	2	-	-	-	-	1	1	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	041	Paratyphoid fever	12	-	1	-	-	-	1	1	-	-
65		White—Male	4	-	1	-	-	-	1	-	-	-
66		Female	7	-	-	-	-	-	-	1	-	-
67		Negro—Male	1	-	-	-	-	-	-	-	-	-
68		Female	-	-	-	-	-	-	-	-	-	-
69		Other—Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	042	Other Salmonella infections	19	6	-	1	-	-	7	1	1	-
72		White—Male	5	1	-	-	-	-	1	1	-	-
73		Female	7	1	-	-	-	-	1	-	1	-
74		Negro—Male	4	2	-	1	-	-	3	-	-	-
75		Female	1	1	-	-	-	-	1	-	-	-
76		Other—Male	2	1	-	-	-	-	1	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	043	Cholera	-	-	-	-	-	-	-	-	-	-
79		White—Male	-	-	-	-	-	-	-	-	-	-
80		Female	-	-	-	-	-	-	-	-	-	-
81		Negro—Male	-	-	-	-	-	-	-	-	-	-
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other—Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	044	Brucellosis (undulant fever)	34	1	-	1	-	-	2	1	-	-
86		White—Male	20	1	-	-	-	-	1	1	-	-
87		Female	9	-	-	-	-	-	-	-	-	-
88		Negro—Male	4	-	-	1	-	-	1	-	-	-
89		Female	-	-	-	-	-	-	-	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Female	1	-	-	-	-	-	-	-	-	-
92	045-048	Dysentery, all forms	1,040	563	99	35	9	10	716	17	8	9
93		White—Male	411	231	32	12	2	1	278	6	4	6
94		Female	360	186	41	10	4	4	245	7	2	3
95		Negro—Male	135	82	12	7	-	1	102	2	1	-
96		Female	119	55	10	6	3	3	77	2	-	-
97		Other—Male	9	4	4	-	-	1	9	-	-	-
98		Female	6	5	-	-	-	-	5	-	1	-

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
7	8	18	29	54	95	155	270	257	261	204	175	90	31	6	1	-	1	8
4	3	3	3	19	35	83	161	180	175	136	108	54	12	2	1	-	-	9
1	1	5	2	4	8	13	30	25	42	52	57	29	14	1	-	-	-	10
2	1	7	14	18	33	42	58	38	32	11	6	4	1	2	-	-	-	11
-	3	3	10	13	19	17	19	12	12	5	3	3	3	1	-	-	1	12
-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	13
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	14
5	8	28	55	124	209	319	386	356	348	211	106	41	8	2	1	-	2	15
-	1	3	9	22	76	127	191	211	214	115	56	16	3	1	-	-	-	16
-	1	2	4	13	23	22	44	38	40	40	24	16	5	1	1	-	-	17
3	6	14	24	57	79	124	111	77	60	46	19	7	-	-	-	-	2	18
2	-	9	18	32	31	44	35	30	30	7	6	2	-	-	-	-	-	19
-	-	-	-	-	-	2	4	-	3	3	1	-	-	-	-	-	-	20
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	21
-	-	-	2	7	12	12	21	20	35	19	14	7	2	1	-	-	-	22
-	-	-	2	3	6	5	13	14	23	15	13	7	1	1	-	-	-	23
-	-	-	-	2	4	2	5	3	9	4	-	-	1	-	-	-	-	24
-	-	-	-	2	-	5	1	2	2	-	1	-	-	-	-	-	-	25
-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
4	4	19	47	81	143	183	160	171	154	66	36	26	7	3	-	-	2	29
1	-	4	16	34	55	77	91	95	89	37	19	10	2	1	-	-	1	30
1	2	4	4	12	19	28	23	18	18	13	6	9	3	1	-	-	1	31
1	-	7	20	26	51	54	31	46	37	7	7	4	-	-	-	-	-	32
1	2	3	7	8	16	23	15	11	10	8	4	3	2	1	-	-	-	33
-	-	1	-	1	2	1	-	1	-	1	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
2	3	23	27	55	76	107	108	104	107	63	31	9	1	-	-	-	1	36
-	-	4	7	20	31	51	52	61	52	38	22	5	-	-	-	-	-	37
1	1	7	5	12	14	13	11	23	23	15	6	1	1	-	-	-	-	38
1	2	10	9	15	22	30	31	17	24	9	2	2	-	-	-	-	1	39
-	-	2	6	8	7	11	11	2	8	1	1	1	-	-	-	-	-	40
-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	42
3	2	7	10	15	26	36	26	29	33	27	12	2	4	1	-	-	1	43
-	-	3	1	3	7	17	10	16	18	17	7	-	3	-	-	-	-	44
-	-	1	2	4	5	6	5	8	8	7	2	-	-	1	-	-	-	45
-	2	1	3	6	8	8	8	3	5	-	2	2	-	-	-	-	1	46
3	-	2	4	2	4	5	3	2	2	3	-	-	1	-	-	-	-	47
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	48
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	49
2	-	4	2	7	4	2	1	3	4	2	1	1	2	-	-	-	-	50
-	-	-	-	1	-	1	1	3	1	2	-	1	2	-	-	-	-	51
1	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	52
-	-	1	2	3	1	-	-	-	2	-	1	-	-	-	-	-	-	53
1	-	3	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
5	2	5	2	9	6	7	4	4	9	4	1	3	2	-	-	-	-	57
2	-	1	-	6	3	3	3	1	4	3	-	-	1	-	-	-	-	58
1	-	3	1	-	2	2	-	3	5	1	1	1	1	-	-	-	-	59
-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	60
2	1	-	1	2	1	2	-	-	-	-	-	2	-	-	-	-	-	61
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
1	-	1	-	-	-	-	1	-	2	3	2	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	65
1	-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	66
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	3	-	2	4	-	-	1	-	-	-	-	-	71
-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	73
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
1	1	2	3	1	4	1	5	4	2	2	3	2	-	-	-	-	-	85
1	-	1	2	-	2	1	2	3	-	2	3	1	-	-	-	-	-	86
-	1	1	-	-	1	-	2	1	2	-	-	1	-	-	-	-	-	87
-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	91
7	5	9	12	12	14	23	25	22	38	32	44	27	15	4	-	1	-	92
3	2	6	5	3	7	10	9	11	12	14	20	9	4	2	-	-	-	93
-	1	3	3	8	3	5	6	8	16	9	15	14	10	2	-	-	-	94
-	1	-	3	1	1	4	5	2	3	6	1	3	-	-	-	-	-	95
4	1	-	1	-	3	4	5	1	7	3	8	1	1	-	-	1	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	049	Food poisoning (infection and intoxication)	168	24	8	4	4	2	42	7	4	5
2		White—Male	51	2	3	3	1	-	9	4	2	1
3		Female	47	4	3	-	2	1	10	1	-	2
4		Negro—Male	34	9	2	-	1	-	12	-	2	1
5		Female	34	8	-	1	-	-	9	2	-	1
6		Other—Male	1	1	-	-	-	-	1	-	-	-
7		Female	1	-	-	-	-	1	1	-	-	-
8	050	Scarlet fever	72	1	2	1	1	3	8	4	2	5
9		White—Male	33	-	2	-	-	1	3	2	1	2
10		Female	39	1	-	1	1	2	5	2	1	3
11		Negro—Male	-	-	-	-	-	-	-	-	-	-
12		Female	-	-	-	-	-	-	-	-	-	-
13		Other—Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	051	Streptococcal sore throat	275	37	13	12	12	13	87	22	9	11
16		White—Male	123	23	6	6	1	5	41	11	4	4
17		Female	101	11	5	4	7	4	31	4	4	4
18		Negro—Male	29	2	1	1	3	3	10	4	-	2
19		Female	21	1	1	-	1	1	4	3	1	1
20		Other—Male	1	-	-	1	-	-	1	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	052	Erysipelas	46	5	-	-	-	-	5	-	-	-
23		White—Male	16	3	-	-	-	-	3	-	-	-
24		Female	26	2	-	-	-	-	2	-	-	-
25		Negro—Male	3	-	-	-	-	-	-	-	-	-
26		Female	1	-	-	-	-	-	-	-	-	-
27		Other—Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	053	Septicemia and pyemia	677	192	48	29	14	11	294	25	12	14
30		White—Male	301	85	22	12	7	8	134	12	6	5
31		Female	242	67	15	12	6	3	103	11	4	5
32		Negro—Male	59	20	7	3	-	-	30	1	1	2
33		Female	64	16	4	2	1	-	23	1	1	-
34		Other—Male	7	3	-	-	-	-	3	-	-	1
35		Female	4	1	-	-	-	-	1	-	-	1
36	055	Diphtheria	302	12	37	37	44	31	161	71	8	1
37		White—Male	129	7	19	7	16	14	63	28	4	-
38		Female	99	4	12	12	13	9	50	24	4	1
39		Negro—Male	47	-	4	12	11	5	32	11	-	-
40		Female	23	1	2	5	4	2	14	7	-	-
41		Other—Male	3	-	-	1	-	1	2	1	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	056	Whooping cough	951	651	166	50	25	20	912	24	5	-
44		White—Male	226	176	21	7	7	5	216	5	1	-
45		Female	227	142	51	16	4	3	216	7	3	-
46		Negro—Male	231	167	34	10	4	6	221	7	1	-
47		Female	219	143	50	10	6	4	213	4	-	-
48		Other—Male	18	9	4	2	1	1	17	1	-	-
49		Female	30	14	6	5	3	1	29	-	-	-
50	057	Meningococcal infections	1,124	303	159	119	69	50	700	96	45	61
51		White—Male	513	154	68	62	28	25	337	31	20	28
52		Female	432	100	72	43	37	14	266	42	18	20
53		Negro—Male	99	24	5	11	1	6	47	13	3	11
54		Female	67	21	13	2	2	3	41	9	3	2
55		Other—Male	8	2	-	-	1	2	5	1	1	-
56		Female	5	2	1	1	-	-	4	-	-	-
57	058	Plague	-	-	-	-	-	-	-	-	-	-
58		White—Male	-	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro—Male	-	-	-	-	-	-	-	-	-	-
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other—Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	059	Tularemia	9	-	-	-	-	-	-	-	-	-
65		White—Male	3	-	-	-	-	-	-	-	-	-
66		Female	2	-	-	-	-	-	-	-	-	-
67		Negro—Male	3	-	-	-	-	-	-	-	-	-
68		Female	1	-	-	-	-	-	-	-	-	-
69		Other—Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	060	Leprosy	3	-	-	-	-	-	-	-	-	-
72		White—Male	1	-	-	-	-	-	-	-	-	-
73		Female	1	-	-	-	-	-	-	-	-	-
74		Negro—Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other—Male	1	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	061	Tetanus	394	110	4	7	11	9	141	41	39	9
79		White—Male	157	24	1	2	7	4	38	16	22	5
80		Female	76	15	1	1	3	1	21	8	8	1
81		Negro—Male	94	38	1	3	1	3	46	10	7	2
82		Female	66	32	1	1	-	1	35	7	2	1
83		Other—Male	-	-	-	-	-	-	-	-	-	-
84		Female	1	1	-	-	-	-	1	-	-	-
85	062	Anthrax	3	-	-	-	-	-	-	-	1	-
86		White—Male	2	-	-	-	-	-	-	-	1	-
87		Female	-	-	-	-	-	-	-	-	-	-
88		Negro—Male	1	-	-	-	-	-	-	-	-	-
89		Female	-	-	-	-	-	-	-	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	080	Acute poliomyelitis	1,551	67	62	77	64	68	338	311	187	149
93		White—Male	870	27	30	43	27	38	165	184	117	75
94		Female	579	28	24	26	25	22	125	106	61	67
95		Negro—Male	55	7	3	4	6	5	25	13	4	4
96		Female	41	3	5	2	5	3	18	7	5	3
97		Other—Male	4	1	-	2	-	-	3	1	-	-
98		Female	2	1	-	-	1	-	2	-	-	-

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	5	9	6	6	8	11	9	11	12	7	11	5	5	-	-	-	-	1
2	2	1	3	2	3	3	3	4	3	3	4	2	-	-	-	-	-	2
-	-	3	-	1	2	1	1	4	4	3	7	3	5	-	-	-	-	3
2	1	2	1	2	2	4	2	1	2	-	-	-	-	-	-	-	-	4
1	2	3	2	1	1	3	3	2	3	1	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
9	5	4	6	4	6	3	5	1	1	2	2	2	1	2	-	-	-	8
2	2	1	5	1	3	1	4	-	1	1	2	2	-	-	-	-	-	9
7	3	3	1	3	3	2	1	1	-	1	-	-	1	2	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
4	8	19	8	14 14	11	11	10	10	6	12	7	13	7	4	1	-	1	15
2	2	8	1	9	9	4	5	2	5	1	2	3	5	3	1	-	1	16
1	5	5	3	2	1	4	3	7	-	9	5	10	2	1	-	-	-	17
-	-	3	3	3	1	1	1	-	-	1	-	-	-	-	-	-	-	18
1	1	3	1	-	-	2	1	1	1	1	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	1	-	2	1	2	3	10	5	1	5	6	1	2	1	-	1	22
-	-	1	-	-	1	1	1	4	1	1	2	-	-	-	-	-	-	23
-	-	-	-	2	-	-	1	5	4	-	3	4	1	2	1	-	1	24
-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
11	14	18	13	14	25	28	41	37	37	37	20	18	11	6	2	-	-	29
2	3	3	5	4	11	14	14	16	22	22	11	8	5	3	1	-	-	30
5	7	9	5	3	7	10	15	14	9	11	8	7	5	3	1	-	-	31
1	-	3	1	4	2	2	3	2	4	2	-	1	-	-	-	-	-	32
2	4	3	2	3	4	2	8	4	2	1	1	2	1	-	-	-	-	33
-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	34
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	35
1	5	3	3	8	11	7	4	3	6	1	5	1	3	-	-	-	-	36
-	1	2	-	6	8	6	2	2	4	-	2	-	1	-	-	-	-	37
-	3	-	2	1	2	1	1	1	2	1	3	1	2	-	-	-	-	38
-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	39
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
1	2	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	44
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	49
35	12	12	23	12	34	18	14	18	19	13	5	7	-	-	-	-	-	50
16	5	5	13	4	11	13	6	7	8	6	1	2	-	-	-	-	-	51
12	5	5	6	5	12	3	4	10	10	5	4	5	-	-	-	-	-	52
6	1	1	4	2	6	1	2	1	1	-	-	-	-	-	-	-	-	53
1	1	-	-	1	5	-	2	-	-	2	-	-	-	-	-	-	-	54
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	1	-	1	1	1	1	1	1	2	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	65
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	66
-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	67
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
8	5	8	16	9	16	16	19	18	15	15	12	3	2	-	-	-	2	78
2	-	4	6	5	6	6	12	7	6	10	10	2	-	-	-	-	-	79
3	2	3	6	-	4	3	2	5	3	1	2	1	2	-	-	-	1	80
-	2	-	2	2	3	4	5	5	3	2	-	-	-	-	-	-	1	81
3	1	1	2	2	3	3	-	1	3	2	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
159	185	108	52	27	9	14	8	-	4	-	-	-	-	-	-	-	-	92
89	97	68	34	21	4	7	7	-	2	-	-	-	-	-	-	-	-	93
64	85	38	18	5	4	4	1	-	1	-	-	-	-	-	-	-	-	94
5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	95
1	1	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	081	Late effects of acute poliomyelitis	106	1	2	-	-	2	5	6	16	5
2		White--Male	53	-	-	-	-	1	1	5	7	4
3		Female	42	-	1	-	-	-	1	1	8	1
4		Negro--Male	9	1	1	-	-	1	3	-	1	-
5		Female	2	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	082	Acute infectious encephalitis	429	65	34	19	16	17	151	29	12	18
9		White--Male	189	32	14	7	7	8	68	10	3	7
10		Female	178	24	14	7	8	7	60	15	5	6
11		Negro--Male	23	4	2	3	-	-	9	1	2	2
12		Female	30	3	3	-	1	2	9	3	2	3
13		Other--Male	3	1	1	-	-	-	2	-	-	-
14		Female	5	1	-	2	-	-	3	-	-	-
15	083	Late effects of acute infectious encephalitis	186	-	4	1	1	1	7	1	3	2
16		White--Male	102	-	2	1	-	-	3	-	1	-
17		Female	79	-	1	-	1	1	3	1	2	1
18		Negro--Male	2	-	1	-	-	-	1	-	-	-
19		Female	3	-	-	-	-	-	-	-	-	1
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	084	Smallpox	1	-	-	-	-	-	-	-	-	-
23		White--Male	-	-	-	-	-	-	-	-	-	-
24		Female	-	-	-	-	-	-	-	-	-	-
25		Negro--Male	1	-	-	-	-	-	-	-	-	-
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	085	Measles	883	162	147	78	45	34	466	120	27	18
30		White--Male	288	73	67	28	18	12	198	54	10	7
31		Female	257	44	55	26	23	16	164	49	10	6
32		Negro--Male	50	17	5	11	2	1	36	9	3	2
33		Female	47	12	9	5	1	4	31	7	3	2
34		Other--Male	16	8	2	2	1	1	14	1	1	-
35		Female	25	8	9	6	-	-	23	-	-	1
36	091	Yellow fever	-	-	-	-	-	-	-	-	-	-
37		White--Male	-	-	-	-	-	-	-	-	-	-
38		Female	-	-	-	-	-	-	-	-	-	-
39		Negro--Male	-	-	-	-	-	-	-	-	-	-
40		Female	-	-	-	-	-	-	-	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	092	Infectious hepatitis	675	27	11	7	4	6	55	25	23	19
44		White--Male	284	14	5	3	-	3	25	10	9	3
45		Female	314	3	3	4	3	3	16	14	10	13
46		Negro--Male	30	4	1	-	-	-	5	-	1	2
47		Female	42	6	-	-	1	-	7	1	1	1
48		Other--Male	3	-	2	-	-	-	2	-	-	-
49		Female	2	-	-	-	-	-	-	-	2	-
50	094	Rabies	18	-	-	-	1	3	4	4	2	2
51		White--Male	10	-	-	-	1	2	3	1	2	1
52		Female	4	-	-	-	-	-	-	2	-	1
53		Negro--Male	1	-	-	-	-	-	-	-	-	-
54		Female	3	-	-	-	-	1	1	1	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	104	Tick-borne typhus	26	1	-	1	-	2	4	6	1	-
58		White--Male	14	-	-	1	-	1	2	3	-	-
59		Female	9	-	-	-	-	1	1	3	-	-
60		Negro--Male	1	-	-	-	-	-	-	-	-	-
61		Female	1	1	-	-	-	-	1	-	-	-
62		Other--Male	1	-	-	-	-	-	-	-	1	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	104A	Rocky Mountain spotted fever	26	1	-	1	-	2	4	6	1	-
65		White--Male	14	-	-	1	-	1	2	3	-	-
66		Female	9	-	-	-	-	1	1	3	-	-
67		Negro--Male	1	-	-	-	-	-	-	-	-	-
68		Female	1	1	-	-	-	-	1	-	-	-
69		Other--Male	1	-	-	-	-	-	-	-	1	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	104B	Other forms of tick-borne typhus	-	-	-	-	-	-	-	-	-	-
72		White--Male	-	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74		Negro--Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	100-103, 105-108	Typhus, etc.,* and other rickettsial diseases	20	1	1	-	1	1	4	1	-	-
79		White--Male	11	1	-	-	1	-	2	1	-	-
80		Female	6	-	-	-	-	1	1	-	-	-
81		Negro--Male	3	-	1	-	-	-	1	-	-	-
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	110-117	Malaria	64	3	2	-	-	-	5	2	-	1
86		White--Male	30	1	-	-	-	-	1	-	-	1
87		Female	10	-	-	-	-	-	-	1	-	-
88		Negro--Male	15	2	2	-	-	-	4	-	-	-
89		Female	9	-	-	-	-	-	-	1	-	-
90		Other--Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	123	Schistosomiasis	1	-	-	-	-	-	-	-	-	-
93		White--Male	1	-	-	-	-	-	-	-	-	-
94		Female	-	-	-	-	-	-	-	-	-	-
95		Negro--Male	-	-	-	-	-	-	-	-	-	-
96		Female	-	-	-	-	-	-	-	-	-	-
97		Other--Male	-	-	-	-	-	-	-	-	-	-
98		Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
15	11	14	8	8	4	6	2	1	3	2	-	-	-	-	-	-	-	1
6	4	9	6	2	2	2	2	1	2	-	-	-	-	-	-	-	-	2
6	6	4	2	4	2	4	-	-	1	2	-	-	-	-	-	-	-	3
2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
14	16	20	19	26	28	28	16	13	16	10	4	4	3	2	-	-	-	8
5	11	7	8	12	11	14	11	4	9	5	1	2	1	-	-	-	-	9
7	3	11	10	7	12	12	5	8	7	4	2	2	1	2	-	-	-	10
-	-	1	1	3	1	2	-	-	-	1	-	-	-	-	-	-	-	11
-	2	1	-	4	4	-	-	1	-	-	1	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	13
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	-	7	10	22	29	17	20	27	18	11	6	4	1	-	-	-	-	15
-	-	2	6	12	20	9	11	16	12	5	4	1	-	-	-	-	-	16
1	-	4	4	9	8	8	9	11	6	6	2	3	1	-	-	-	-	17
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
2	11	7	3	8	5	1	1	1	-	4	3	1	4	-	-	-	1	29
1	1	3	1	7	-	1	-	-	-	2	2	-	1	-	-	-	-	30
-	9	3	2	1	4	-	1	1	-	2	1	1	3	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
32	41	33	41	42	43	57	54	45	53	43	28	24	12	5	-	-	-	43
9	6	6	16	16	16	27	25	27	26	25	14	12	9	3	-	-	-	44
12	27	22	19	19	22	27	24	16	25	17	14	12	3	2	-	-	-	45
5	2	4	3	1	2	2	2	1	-	-	-	-	-	-	-	-	-	46
6	6	1	3	6	3	1	3	1	2	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
1	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	50
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	1	2	4	3	2	1	-	2	-	-	-	-	-	-	57
-	-	-	-	-	2	2	1	2	-	-	2	-	-	-	-	-	-	58
-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	1	2	4	3	2	1	-	2	-	-	-	-	-	-	64
-	-	-	-	-	2	2	1	2	-	-	2	-	-	-	-	-	-	65
-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
1	-	2	1	-	-	1	1	2	-	3	2	2	-	-	-	-	-	78
1	-	-	-	-	-	1	-	2	-	1	2	1	-	-	-	-	-	79
-	-	-	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-	80
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
2	2	5	5	4	3	1	6	2	6	9	4	5	1	-	1	-	-	85
1	1	3	3	3	2	-	2	2	2	4	2	1	1	-	1	-	-	86
-	-	1	-	1	-	1	1	-	1	2	1	1	-	-	-	-	-	87
1	1	1	1	-	-	-	2	-	2	1	-	2	-	-	-	-	-	88
-	-	-	1	-	1	-	1	-	1	2	1	1	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	125	Hydatid disease	8	-	-	-	-	-	-	-	-	-
2		White—Male	5	-	-	-	-	-	-	-	-	-
3		Female	3	-	-	-	-	-	-	-	-	-
4		Negro—Male	-	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other—Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	127	Filariasis	-	-	-	-	-	-	-	-	-	-
9		White—Male	-	-	-	-	-	-	-	-	-	-
10		Female	-	-	-	-	-	-	-	-	-	-
11		Negro—Male	-	-	-	-	-	-	-	-	-	-
12		Female	-	-	-	-	-	-	-	-	-	-
13		Other—Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	129	Ankylostomiasis	7	-	1	2	-	-	3	1	-	1
16		White—Male	2	-	1	-	-	-	1	-	-	-
17		Female	3	-	-	1	-	-	1	1	-	1
18		Negro—Male	1	-	-	1	-	-	1	-	-	-
19		Female	1	-	-	-	-	-	-	-	-	1
20		Other—Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	124,126,	Other diseases due to helminths	84	4	19	19	9	5	56	8	1	2
23	128,130	White—Male	17	-	3	4	2	2	11	2	-	1
24		Female	30	3	4	4	3	3	17	1	1	1
25		Negro—Male	15	-	6	3	3	-	12	2	-	-
26		Female	19	1	6	7	1	-	15	2	-	-
27		Other—Male	2	-	-	1	-	-	1	-	-	-
28		Female	1	-	-	-	-	-	-	1	-	-
29	Residual[1]	All other infective and parasitic diseases	1,147	172	47	22	14	13	268	39	15	26
30		White—Male	498	72	22	10	6	7	117	11	10	10
31		Female	391	66	16	9	6	3	100	18	2	11
32		Negro—Male	149	17	4	3	1	1	26	7	1	2
33		Female	88	15	2	-	1	1	19	3	1	3
34		Other—Male	12	-	2	-	-	-	2	-	-	-
35		Female	9	2	1	-	-	1	4	-	1	-
36		II. Neoplasms	220,691	416	336	462	514	471	2,199	1,060	735	927
37		White—Male	103,478	197	170	247	264	246	1,124	541	380	490
38		Female	99,074	182	136	171	209	188	886	430	289	324
39		Negro—Male	8,171	18	12	19	25	17	91	35	31	65
40		Female	9,269	17	15	20	15	18	85	51	33	39
41		Other—Male	475	-	1	4	-	2	7	2	2	6
42		Female	224	2	2	1	1	-	6	1	-	3
43	140-205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	215,525	269	299	428	481	437	1,914	964	661	843
44		White—Male	101,605	134	152	230	249	233	998	501	349	459
45		Female	96,555	112	121	159	195	170	757	393	258	289
46		Negro—Male	7,963	12	9	17	21	15	74	27	27	54
47		Female	8,718	9	14	17	15	17	72	42	26	33
48		Other—Male	466	-	1	4	-	2	7	1	1	5
49		Female	218	2	2	1	1	-	6	-	-	3
50	140-148	Malignant neoplasm of buccal cavity and pharynx	4,890	2	1	2	3	1	9	4	7	14
51		White—Male	3,560	1	1	1	2	1	6	3	4	6
52		Female	943	1	-	1	1	-	3	1	3	3
53		Negro—Male	255	-	-	-	-	-	-	-	-	3
54		Female	100	-	-	-	-	-	-	-	-	2
55		Other—Male	27	-	-	-	-	-	-	-	-	-
56		Female	5	-	-	-	-	-	-	-	-	-
57	140	Of lip	392	1	-	-	-	-	1	-	-	-
58		White—Male	346	1	-	-	-	-	1	-	-	-
59		Female	38	-	-	-	-	-	-	-	-	-
60		Negro—Male	2	-	-	-	-	-	-	-	-	-
61		Female	5	-	-	-	-	-	-	-	-	-
62		Other—Male	1	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	141	Of tongue	1,177	-	-	-	-	1	1	-	1	1
65		White—Male	861	-	-	-	-	1	1	-	1	-
66		Female	214	-	-	-	-	-	-	-	-	-
67		Negro—Male	73	-	-	-	-	-	-	-	-	1
68		Female	25	-	-	-	-	-	-	-	-	-
69		Other—Male	3	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	142-144	Of other and unspecified parts of buccal cavity	1,436	-	-	1	-	-	1	1	1	2
72		White—Male	971	-	-	-	-	-	-	1	1	-
73		Female	360	-	-	1	-	-	1	-	-	1
74		Negro—Male	68	-	-	-	-	-	-	-	-	-
75		Female	35	-	-	-	-	-	-	-	-	1
76		Other—Male	1	-	-	-	-	-	-	-	-	-
77		Female	1	-	-	-	-	-	-	-	-	-
78	145-148	Of pharynx	1,885	1	1	1	3	-	6	3	5	11
79		White—Male	1,382	-	1	1	2	-	4	2	2	6
80		Female	331	1	-	-	1	-	2	1	3	2
81		Negro—Male	112	-	-	-	-	-	-	-	-	2
82		Female	35	-	-	-	-	-	-	-	-	1
83		Other—Male	22	-	-	-	-	-	-	-	-	-
84		Female	3	-	-	-	-	-	-	-	-	-
85	150-156A,	Malignant neoplasm of digestive organs and peritoneum	81,807	16	12	19	10	6	63	26	26	53
86	157-159	White—Male	41,162	10	6	10	7	3	36	16	17	27
87		Female	34,281	2	5	5	3	3	18	8	7	15
88		Negro—Male	3,484	2	1	3	-	-	6	-	-	7
89		Female	2,541	1	-	-	-	-	1	1	2	3
90		Other—Male	259	-	-	1	-	-	1	1	-	1
91		Female	80	1	-	-	-	-	1	-	-	-
92	150	Of esophagus	3,854	-	-	-	-	-	-	-	-	-
93		White—Male	2,596	-	-	-	-	-	-	-	-	-
94		Female	754	-	-	-	-	-	-	-	-	-
95		Negro—Male	395	-	-	-	-	-	-	-	-	-
96		Female	87	-	-	-	-	-	-	-	-	-
97		Other—Male	20	-	-	-	-	-	-	-	-	-
98		Female	2	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	1	2	1	-	2	2	-	-	-	-	-	-	-	1
-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	15
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	4	2	-	1	1	-	1	2	4	1	-	-	-	-	-	-	-	22
-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	23
-	4	1	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	24
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	26
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
22	37	41	65	53	70	58	62	78	63	77	70	46	35	16	6	-	-	29
7	10	17	27	21	26	22	24	41	32	37	40	24	13	8	1	-	-	30
1	10	11	13	8	12	18	20	21	29	37	27	18	22	8	5	-	-	31
10	6	8	13	16	18	11	14	10	1	-	2	4	-	-	-	-	-	32
3	10	4	10	7	12	6	2	4	1	2	1	-	-	-	-	-	-	33
-	-	1	2	-	2	1	1	2	-	1	-	-	-	-	-	-	-	34
1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	35
1,268	1,972	3,155	5,409	8,833	12,988	19,029	24,918	29,105	31,570	29,040	24,050	15,199	6,752	1,984	313	42	143	36
647	838	1,079	1,673	2,797	4,700	7,752	11,585	14,633	16,358	14,872	12,238	7,537	3,195	840	133	11	55	37
476	882	1,601	2,902	4,717	6,603	8,745	10,891	12,175	12,999	12,567	10,805	7,164	3,331	1,059	154	10	64	38
70	93	125	203	358	605	1,086	1,269	1,167	1,146	859	530	259	116	35	10	8	10	39
71	143	333	604	927	1,019	1,367	1,086	1,047	991	646	429	218	98	44	15	13	10	40
1	7	9	11	16	41	57	56	57	62	76	36	13	8	3	1	-	4	41
3	9	8	16	18	20	22	31	26	14	20	12	8	4	3	-	-	-	42
1,153	1,795	2,901	5,056	8,363	12,486	18,495	24,425	28,648	31,157	28,736	23,822	15,019	6,656	1,946	305	40	140	43
603	781	1,019	1,583	2,680	4,577	7,555	11,373	14,428	16,154	14,742	12,145	7,459	3,169	833	132	11	54	44
427	796	1,476	2,738	4,477	6,311	8,491	10,662	11,978	12,824	12,406	10,686	7,072	3,264	1,030	147	9	64	45
60	81	116	190	337	588	1,063	1,252	1,149	1,131	857	524	256	115	34	10	8	10	46
60	122	274	519	836	950	1,308	1,051	1,013	972	635	420	211	96	43	15	12	8	47
1	7	8	11	16	40	56	56	54	62	76	36	13	8	3	1	-	4	48
2	8	8	15	17	20	22	31	26	14	20	11	8	4	3	-	-	-	49
16	19	19	67	153	265	409	587	685	755	671	604	362	171	58	12	-	3	50
7	6	10	42	82	174	267	442	527	583	507	460	271	117	34	9	-	3	51
5	10	5	13	36	54	70	83	102	140	125	131	84	50	22	3	-	-	52
1	1	2	6	21	24	43	47	38	23	26	11	4	3	2	-	-	-	53
3	1	1	4	8	9	22	11	14	9	11	1	3	1	-	-	-	-	54
-	1	1	2	4	4	5	4	4	-	1	1	-	-	-	-	-	-	55
-	-	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	56
1	2	1	3	3	10	18	36	41	49	73	60	46	38	9	1	-	-	57
-	2	-	3	3	9	17	32	35	41	67	53	41	33	8	1	-	-	58
-	-	-	-	-	1	-	3	5	7	4	7	5	5	1	-	-	-	59
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	60
1	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	4	4	15	28	62	98	146	186	188	156	154	86	31	13	2	-	1	64
-	1	2	9	13	42	63	109	143	152	119	113	65	18	8	1	-	1	65
-	3	2	3	7	12	16	21	24	27	23	38	19	13	5	1	-	-	66
-	-	-	3	6	6	13	13	11	7	8	3	2	-	-	-	-	-	67
-	-	-	-	2	2	5	3	6	2	5	-	-	-	-	-	-	-	68
-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	70
2	3	3	18	40	84	116	149	190	231	208	129	122	61	19	5	-	1	71
-	-	3	10	25	51	67	102	140	161	143	131	81	42	8	4	-	1	72
2	3	-	4	9	21	23	28	45	59	53	43	39	18	10	1	-	-	73
-	-	-	1	4	9	12	14	3	7	10	5	1	1	1	-	-	-	74
-	-	-	3	2	3	12	5	2	4	2	-	1	-	-	-	-	-	75
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	77
13	10	11	31	82	109	177	256	268	287	234	211	108	41	17	4	-	1	78
7	3	5	20	41	72	120	199	209	229	178	163	84	24	10	3	-	1	79
3	4	3	6	20	20	31	31	28	47	45	43	21	14	6	1	-	-	80
1	1	2	2	11	9	17	19	24	9	8	3	1	2	1	-	-	-	81
2	1	-	1	4	4	5	3	5	2	3	1	2	1	-	-	-	-	82
-	1	1	2	4	4	3	4	2	-	-	1	-	-	-	-	-	-	83
-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	84
125	234	569	1,089	1,980	3,361	5,855	8,709	11,148	13,321	13,120	10,968	7,041	3,082	869	118	15	55	85
57	91	217	442	858	1,541	2,749	4,465	5,968	7,227	6,859	5,539	3,282	1,360	334	46	4	27	86
47	101	263	452	814	1,354	2,233	3,305	4,251	5,154	5,532	4,980	3,534	1,627	500	64	3	19	87
10	22	38	73	135	254	480	572	538	514	402	239	124	47	15	1	3	4	88
11	17	43	90	159	195	356	317	353	378	268	185	90	40	18	6	5	3	89
-	2	4	6	10	13	30	33	29	40	50	20	9	6	1	1	-	2	90
-	1	4	6	4	4	7	17	9	8	9	5	2	2	1	-	-	-	91
2	1	10	25	80	149	346	494	626	651	614	439	273	101	35	4	-	4	92
1	1	4	7	39	87	214	315	451	490	425	289	180	60	17	3	-	3	93
-	-	3	4	13	16	41	77	95	112	142	116	80	36	17	1	-	1	94
-	-	-	9	20	36	72	84	69	34	35	20	11	4	1	-	-	-	95
1	-	3	5	8	9	15	15	9	10	6	4	2	-	-	-	-	-	96
-	-	-	-	-	1	4	3	2	4	5	-	-	1	-	-	-	-	97
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	98

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
		Malignant neoplasms of digestive organs and peritoneum—Con.										
1	151	Of stomach	23,683	1	-	-	1	-	2	-	3	11
2		White—Male	13,376	1	-	-	1	-	2	-	1	6
3		Female	7,900	-	-	-	-	-	-	-	1	1
4		Negro—Male	1,479	-	-	-	-	-	-	-	-	2
5		Female	792	-	-	-	-	-	-	-	1	1
6		Other—Male	111	-	-	-	-	-	-	-	-	1
7		Female	25	-	-	-	-	-	-	-	-	-
8	152,153	Of intestine, except rectum	23,517	2	1	1	1	-	5	4	13	20
9		White—Male	10,014	1	-	-	1	-	2	3	10	11
10		Female	12,278	-	-	-	-	-	-	-	3	6
11		Negro—Male	508	1	1	1	-	-	3	-	-	2
12		Female	667	-	-	-	-	-	-	1	-	1
13		Other—Male	33	-	-	-	-	-	-	-	-	-
14		Female	17	-	-	-	-	-	-	-	-	-
15	154	Of rectum	10,103	-	-	1	-	-	1	1	1	6
16		White—Male	5,348	-	-	-	-	-	-	1	1	2
17		Female	4,126	-	-	1	-	-	1	-	-	3
18		Negro—Male	301	-	-	-	-	-	-	-	-	1
19		Female	305	-	-	-	-	-	-	-	-	-
20		Other—Male	16	-	-	-	-	-	-	-	-	-
21		Female	7	-	-	-	-	-	-	-	-	-
22	155	Of biliary passages and of liver (stated to be primary site)	4,753	3	3	4	2	-	12	4	-	5
23		White—Male	1,690	2	1	3	-	-	6	3	-	3
24		Female	2,776	-	2	-	2	-	4	1	-	1
25		Negro—Male	129	-	-	-	-	-	-	-	-	1
26		Female	124	1	-	-	-	-	1	-	-	-
27		Other—Male	25	-	-	1	-	-	1	-	-	-
28		Female	9	-	-	-	-	-	-	-	-	-
29	156A	Of liver not specified whether primary or secondary	4,943	6	4	8	3	2	23	10	5	4
30		White—Male	2,256	3	2	6	2	-	13	5	3	3
31		Female	2,208	2	2	1	1	2	8	4	2	1
32		Negro—Male	241	-	-	1	-	-	1	-	-	-
33		Female	212	-	-	-	-	-	-	-	-	-
34		Other—Male	18	-	-	-	-	-	-	1	-	-
35		Female	8	1	-	-	-	-	1	-	-	-
36	157	Of pancreas	9,348	1	1	-	-	-	2	-	-	2
37		White—Male	5,199	1	1	-	-	-	2	-	-	-
38		Female	3,511	-	-	-	-	-	-	-	-	2
39		Negro—Male	345	-	-	-	-	-	-	-	-	-
40		Female	253	-	-	-	-	-	-	-	-	-
41		Other—Male	29	-	-	-	-	-	-	-	-	-
42		Female	11	-	-	-	-	-	-	-	-	-
43	158,159	Of peritoneum and of unspecified digestive organs	1,606	3	3	5	3	4	18	7	4	5
44		White—Male	683	2	2	1	3	3	11	4	2	2
45		Female	728	-	1	3	-	1	5	3	1	1
46		Negro—Male	86	1	-	1	-	-	2	-	-	1
47		Female	101	-	-	-	-	-	-	-	1	1
48		Other—Male	7	-	-	-	-	-	-	-	-	-
49		Female	1	-	-	-	-	-	-	-	-	-
50	160-164	Malignant neoplasm of respiratory system	22,513	2	1	3	5	1	12	11	16	17
51		White—Male	17,223	1	1	1	2	-	5	5	8	12
52		Female	3,730	1	-	2	3	1	7	4	4	4
53		Negro—Male	1,189	-	-	-	-	-	-	-	2	-
54		Female	290	-	-	-	-	-	-	2	2	1
55		Other—Male	68	-	-	-	-	-	-	-	-	-
56		Female	13	-	-	-	-	-	-	-	-	-
57	161	Of larynx	1,835	-	-	-	-	-	-	1	1	-
58		White—Male	1,557	-	-	-	-	-	-	1	-	-
59		Female	156	-	-	-	-	-	-	-	1	-
60		Negro—Male	102	-	-	-	-	-	-	-	-	-
61		Female	15	-	-	-	-	-	-	-	-	-
62		Other—Male	4	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	162	Of trachea, and of bronchus and lung specified as primary	8,438	-	-	1	2	-	3	-	4	-
65		White—Male	6,723	-	-	-	-	-	-	-	2	-
66		Female	1,098	-	-	1	2	-	3	-	1	-
67		Negro—Male	491	-	-	-	-	-	-	-	1	-
68		Female	88	-	-	-	-	-	-	-	-	-
69		Other—Male	33	-	-	-	-	-	-	-	-	-
70		Female	5	-	-	-	-	-	-	-	-	-
71	163	Of lung and bronchus, unspecified as primary or secondary	11,287	-	-	-	1	1	2	5	7	9
72		White—Male	8,410	-	-	-	1	-	1	3	5	5
73		Female	2,149	-	-	-	-	1	1	1	1	4
74		Negro—Male	534	-	-	-	-	-	-	-	1	-
75		Female	161	-	-	-	-	-	-	1	-	-
76		Other—Male	28	-	-	-	-	-	-	-	-	-
77		Female	5	-	-	-	-	-	-	-	-	-
78	160,164	Of other parts of respiratory system	953	2	1	2	2	-	7	5	4	8
79		White—Male	533	1	1	1	1	-	4	1	1	7
80		Female	327	1	-	1	1	-	3	3	1	-
81		Negro—Male	62	-	-	-	-	-	-	-	-	-
82		Female	26	-	-	-	-	-	-	1	2	1
83		Other—Male	3	-	-	-	-	-	-	-	-	-
84		Female	2	-	-	-	-	-	-	-	-	-
85	170	Malignant neoplasm of breast	19,179	-	-	-	-	-	-	-	1	7
86		White—Male	201	-	-	-	-	-	-	-	-	1
87		Female	17,624	-	-	-	-	-	-	-	1	6
88		Negro—Male	20	-	-	-	-	-	-	-	-	-
89		Female	1,320	-	-	-	-	-	-	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Female	14	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16	47	125	283	509	891	1,519	2,341	3,156	4,006	3,950	3,353	2,189	958	259	42	9	14	1
4	21	45	131	249	464	807	1,344	1,888	2,445	2,307	1,877	1,164	474	119	19	3	6	2
4	18	56	87	164	272	397	654	907	1,174	1,353	1,283	931	447	125	20	2	4	3
6	2	10	34	53	98	197	240	232	229	174	118	50	20	10	-	2	2	4
2	5	11	26	37	52	105	85	115	133	94	64	39	14	3	2	2	1	5
-	1	1	2	4	4	12	13	12	21	21	9	5	2	1	1	-	1	6
-	-	2	3	2	1	1	5	2	4	1	2	-	1	1	-	-	-	7
53	85	214	365	607	1,032	1,609	2,353	2,932	3,594	3,772	3,285	2,224	992	293	40	5	20	8
25	32	75	121	221	380	588	976	1,352	1,688	1,732	1,426	878	383	88	13	1	9	9
22	42	119	208	317	556	859	1,212	1,425	1,737	1,886	1,776	1,298	584	195	25	1	7	10
3	8	5	11	20	37	62	73	64	78	75	27	26	10	2	-	-	2	11
3	3	13	22	46	57	97	84	88	87	69	50	20	12	8	2	3	1	12
-	-	-	2	3	2	1	5	2	4	8	3	-	2	-	-	-	1	13
-	-	2	1	-	-	2	3	1	-	2	3	2	1	-	-	-	-	14
26	32	84	168	276	440	795	1,103	1,422	1,639	1,494	1,268	845	372	112	10	1	7	15
14	13	33	71	117	216	405	598	780	912	839	715	402	175	47	4	-	3	16
9	13	40	75	125	173	309	421	550	620	600	506	422	187	63	5	-	4	17
1	3	5	10	14	21	38	42	43	54	28	26	14	-	-	-	1	-	18
2	3	6	10	20	28	41	37	45	50	24	20	7	9	2	1	-	-	19
-	-	-	1	-	2	2	2	3	2	2	1	-	1	-	-	-	-	20
-	-	-	1	-	-	-	3	1	1	1	-	-	-	-	-	-	-	21
5	16	32	31	97	200	351	575	776	811	768	580	330	129	26	4	-	1	22
2	4	11	12	34	68	113	226	283	277	275	219	106	37	10	-	-	1	23
3	6	11	14	47	110	204	307	444	490	467	340	217	90	16	4	-	-	24
-	4	8	2	4	10	17	21	19	20	10	9	2	2	-	-	-	-	25
-	2	1	3	9	11	11	15	27	22	12	8	2	-	-	-	-	-	26
-	-	1	-	1	1	5	3	2	2	2	4	3	-	-	-	-	-	27
-	-	-	-	2	-	1	3	1	-	2	-	-	-	-	-	-	-	28
5	19	37	61	130	196	357	523	631	779	795	687	437	189	46	6	-	3	29
2	5	14	28	41	92	155	254	309	367	386	302	188	71	15	1	-	2	30
3	7	12	18	60	72	139	194	262	353	351	348	230	111	28	5	-	-	31
-	2	8	2	12	18	26	47	29	32	31	18	8	5	2	-	-	-	32
-	3	3	12	16	10	31	26	26	26	26	18	11	2	1	-	-	1	33
-	1	-	-	1	3	4	2	3	1	1	1	-	-	-	-	-	-	34
-	1	-	1	-	1	2	-	2	-	-	-	-	-	-	-	-	-	35
9	17	40	101	238	383	752	1,150	1,407	1,605	1,492	1,164	616	279	79	9	-	3	36
3	9	21	55	141	209	417	683	822	932	794	620	315	139	31	4	-	2	37
5	6	12	33	70	124	230	363	478	582	629	506	286	134	46	4	-	1	38
-	1	2	3	9	30	59	54	69	51	36	18	10	3	-	-	-	-	39
1	1	4	9	18	18	43	42	33	34	22	18	4	3	2	1	-	-	40
-	-	1	1	-	-	2	5	4	4	9	2	1	-	-	-	-	-	41
-	-	-	-	-	2	1	3	1	2	2	-	-	-	-	-	-	-	42
9	17	27	35	43	70	126	170	198	236	235	192	127	62	19	3	-	3	43
6	6	14	17	16	25	50	69	83	116	101	81	49	21	7	2	-	1	44
1	9	10	13	18	31	54	77	90	86	104	105	70	38	10	-	-	2	45
-	2	-	2	3	4	9	11	13	16	13	3	3	3	-	1	-	-	46
2	-	2	3	5	10	13	13	10	16	15	3	5	-	2	-	-	-	47
-	-	1	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	49
51	68	123	344	777	1,534	2,684	3,626	4,109	3,678	2,695	1,619	766	281	80	9	2	11	50
24	37	77	223	549	1,172	2,059	2,884	3,382	2,931	2,044	1,113	480	165	41	4	2	6	51
23	20	34	74	156	208	345	428	495	533	534	446	264	108	35	4	-	4	52
3	8	5	35	47	111	222	256	185	169	83	44	12	6	1	-	-	-	53
1	2	6	12	24	34	45	43	36	34	21	13	9	2	2	1	-	-	54
-	-	-	-	-	7	12	11	10	11	12	3	1	-	-	-	-	1	55
-	1	1	-	1	2	1	4	1	-	1	-	-	-	1	-	-	-	56
-	3	4	8	54	100	178	243	317	304	294	193	89	33	11	2	-	-	57
-	-	2	6	39	83	150	205	277	269	255	159	72	28	9	2	-	-	58
-	2	2	1	10	8	11	14	21	21	18	27	13	5	2	-	-	-	59
-	1	-	1	5	6	15	22	17	12	15	6	2	-	-	-	-	-	60
-	-	-	-	-	3	2	2	1	-	4	1	2	-	-	-	-	-	61
-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	63
10	32	50	145	319	638	1,162	1,526	1,628	1,286	872	479	195	71	11	2	2	3	64
4	22	33	104	240	508	910	1,254	1,379	1,052	699	334	126	44	7	1	2	2	65
5	7	14	25	51	64	129	141	158	142	135	126	67	25	4	-	-	1	66
1	3	1	13	19	50	98	108	76	76	26	17	1	1	-	-	-	-	67
-	-	2	3	8	12	17	15	9	12	6	1	1	1	-	1	-	-	68
-	-	-	-	-	3	7	6	6	4	6	1	-	-	-	-	-	-	69
-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	70
26	25	60	169	360	737	1,258	1,727	2,044	1,985	1,403	871	413	142	35	2	-	7	71
14	13	36	104	243	545	955	1,347	1,652	1,549	1,012	586	240	76	19	1	-	4	72
9	8	16	38	82	121	176	236	285	339	341	258	157	61	14	1	-	2	73
2	3	4	18	22	49	99	113	86	71	38	15	9	4	-	-	-	-	74
1	1	4	9	13	18	23	24	19	21	9	10	6	1	1	-	-	-	75
-	-	-	-	-	3	5	5	3	5	3	2	1	-	-	-	-	1	76
-	-	-	-	-	1	-	2	1	-	-	-	-	-	1	-	-	-	77
15	8	9	22	44	59	86	130	120	103	126	76	69	35	23	3	-	1	78
6	2	6	9	27	36	44	78	74	61	78	34	42	17	6	-	-	-	79
9	3	2	10	13	15	29	37	33	31	40	35	27	17	15	3	-	1	80
-	1	-	3	1	6	10	13	6	10	4	6	-	1	1	-	-	-	81
-	1	-	-	3	1	3	2	7	1	2	1	-	-	1	-	-	-	82
-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	83
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
9	107	340	809	1,375	1,848	2,235	2,422	2,390	2,264	1,938	1,616	1,091	500	177	35	4	11	85
-	-	4	5	6	9	16	24	36	38	27	16	11	7	1	-	-	-	86
6	91	291	695	1,223	1,663	1,990	2,237	2,209	2,097	1,832	1,546	1,050	477	166	32	2	10	87
-	-	1	1	1	3	7	3	1	1	1	1	-	-	-	-	-	-	88
3	15	44	106	145	171	222	158	142	128	76	51	28	16	9	3	2	1	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	1	-	2	-	2	-	-	2	-	2	2	2	-	1	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
1	171-179	Malignant neoplasm of genital organs	34,491	1	5	1	6	4	17	5	21	66
2		White—Male	11,282	-	2	-	4	1	7	3	5	23
3		Female	19,069	1	1	-	2	1	5	2	13	31
4		Negro—Male	1,183	-	-	-	-	2	2	-	-	5
5		Female	2,882	-	2	-	-	-	2	-	3	5
6		Other—Male	18	-	-	1	-	-	1	-	-	1
7		Female	57	-	-	-	-	-	-	-	-	1
8	171	Of cervix uteri	8,121	-	1	-	1	-	2	-	-	3
9		White—Female	6,673	-	-	-	1	-	1	-	-	1
10		Negro—Female	1,418	-	1	-	-	-	1	-	-	2
11		Other—Female	30	-	-	-	-	-	-	-	-	-
12	172-174	Of other and unspecified parts of uterus	7,277	-	-	-	-	-	-	-	2	3
13		White—Female	6,183	-	-	-	-	-	-	-	-	1
14		Negro—Female	1,076	-	-	-	-	-	-	-	2	2
15		Other—Female	18	-	-	-	-	-	-	-	-	-
16	175	Of ovary, fallopian tube, and broad ligament	5,927	1	1	-	-	-	2	2	14	31
17		White—Female	5,595	1	1	-	-	-	2	2	13	29
18		Negro—Female	324	-	-	-	-	-	-	-	1	1
19		Other—Female	8	-	-	-	-	-	-	-	-	1
20	176	Of other and unspecified female genital organs	683	-	1	-	1	1	3	-	-	-
21		White—Female	618	-	-	-	1	1	2	-	-	-
22		Negro—Female	64	-	1	-	-	-	1	-	-	-
23		Other—Female	1	-	-	-	-	-	-	-	-	-
24	177	Of prostate	11,492	-	1	-	1	-	2	1	3	4
25		White—Male	10,374	-	1	-	1	-	2	1	3	2
26		Negro—Male	1,106	-	-	-	-	-	-	-	-	2
27		Other—Male	12	-	-	-	-	-	-	-	-	-
28	178,179	Of testis, and of other and unspecified male genital organs	991	-	1	1	3	3	8	2	2	25
29		White—Male	908	-	1	-	3	1	5	2	2	21
30		Negro—Male	77	-	-	-	-	2	2	-	-	3
31		Other—Male	6	-	-	1	-	-	1	-	-	1
32	180,181	Malignant neoplasm of urinary organs	10,158	28	32	56	46	33	195	67	9	8
33		White—Male	6,293	16	21	30	17	18	102	24	7	2
34		Female	3,227	9	8	19	22	14	72	34	2	4
35		Negro—Male	373	1	2	3	3	-	9	3	-	1
36		Female	246	2	1	3	4	1	11	6	-	-
37		Other—Male	16	-	-	-	-	-	-	-	-	1
38		Female	3	-	-	1	-	-	1	-	-	-
39	180	Of kidney	3,699	26	29	50	45	33	183	64	9	7
40		White—Male	2,157	15	18	24	17	18	92	22	7	1
41		Female	1,338	8	8	19	21	14	70	34	2	4
42		Negro—Male	113	1	2	3	3	-	9	2	-	1
43		Female	85	2	1	3	4	1	11	6	-	-
44		Other—Male	4	-	-	-	-	-	-	-	-	1
45		Female	2	-	-	1	-	-	1	-	-	-
46	181	Of bladder and other urinary organs	6,459	2	3	6	1	-	12	3	-	1
47		White—Male	4,136	1	3	6	-	-	10	2	-	1
48		Female	1,889	1	-	-	1	-	2	-	-	-
49		Negro—Male	260	-	-	-	-	-	-	1	-	-
50		Female	161	-	-	-	-	-	-	-	-	-
51		Other—Male	12	-	-	-	-	-	-	-	-	-
52		Female	1	-	-	-	-	-	-	-	-	-
53	156B,165, 190-199	Malignant neoplasm of other and unspecified sites	24,692	90	90	130	120	128	558	283	245	269
54		White—Male	11,959	44	44	67	64	61	280	148	125	144
55		Female	10,871	38	42	47	39	52	218	107	103	97
56		Negro—Male	857	5	2	10	12	5	34	10	8	14
57		Female	927	2	2	6	4	10	24	18	9	13
58		Other—Male	47	-	-	-	-	-	-	-	-	-
59		Female	31	1	-	-	1	-	2	-	-	1
60	190,191	Of skin	3,256	1	-	2	2	1	6	5	1	15
61		White—Male	1,840	1	-	-	2	-	3	1	-	8
62		Female	1,288	-	-	2	-	1	3	3	1	6
63		Negro—Male	57	-	-	-	-	-	-	-	-	1
64		Female	68	-	-	-	-	-	-	1	-	-
65		Other—Male	2	-	-	-	-	-	-	-	-	-
66		Female	1	-	-	-	-	-	-	-	-	-
67	192	Of eye	344	5	4	23	22	11	65	5	3	2
68		White—Male	178	4	1	12	10	5	32	2	1	-
69		Female	143	-	3	5	7	6	21	2	2	2
70		Negro—Male	13	-	-	5	4	-	9	1	-	-
71		Female	8	-	-	-	1	1	2	-	-	-
72		Other—Male	1	-	-	-	-	-	-	-	-	-
73		Female	1	1	-	-	-	-	1	-	-	-
74	193	Of brain and other parts of nervous system	4,543	47	62	70	67	85	331	203	121	88
75		White—Male	2,590	23	30	42	37	44	176	106	62	53
76		Female	1,741	22	29	22	21	30	124	76	49	28
77		Negro—Male	110	2	2	3	5	5	17	7	3	2
78		Female	99	-	1	3	3	6	13	14	7	5
79		Other—Male	1	-	-	-	-	-	-	-	-	-
80		Female	2	-	-	-	1	-	1	-	-	-
81	194	Of thyroid gland	899	-	1	-	-	-	1	2	1	4
82		White—Male	292	-	1	-	-	-	1	1	1	2
83		Female	547	-	-	-	-	-	-	1	-	1
84		Negro—Male	23	-	-	-	-	-	-	-	-	-
85		Female	33	-	-	-	-	-	-	-	-	1
86		Other—Male	2	-	-	-	-	-	-	-	-	-
87		Female	2	-	-	-	-	-	-	-	-	-
88	196	Of bone (including jaw bone)	2,048	4	6	4	8	6	28	32	80	105
89		White—Male	1,100	1	2	1	4	3	11	16	42	55
90		Female	787	1	3	3	3	3	13	14	33	42
91		Negro—Male	80	1	-	-	1	-	2	1	3	3
92		Female	72	1	1	-	-	-	2	1	2	4
93		Other—Male	3	-	-	-	-	-	-	-	-	-
94		Female	6	-	-	-	-	-	-	-	-	1

*For complete category title, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
159	351	601	1,139	1,796	2,350	3,031	3,501	3,914	4,528	4,480	4,121	2,825	1,184	309	58	7	28	1
70	126	105	88	86	105	193	482	939	1,627	2,158	2,379	1,860	780	199	40	2	5	2
72	163	373	811	1,330	1,821	2,283	2,538	2,498	2,411	1,950	1,482	825	342	90	12	1	16	3
3	3	7	7	13	38	83	130	175	223	201	152	82	38	13	3	2	3	4
14	55	115	227	360	375	467	343	293	264	167	102	54	22	6	3	2	3	5
-	2	-	-	-	1	-	1	-	1	2	4	1	2	1	-	-	1	6
-	2	1	6	7	10	5	7	9	2	2	2	3	-	-	-	-	-	7
28	114	272	618	877	1,012	1,069	1,041	929	770	562	457	226	102	21	9	1	8	8
18	80	205	463	662	817	861	863	796	662	509	407	203	93	18	7	-	7	9
10	34	66	150	210	190	206	174	127	108	53	49	22	9	3	2	1	1	10
-	-	1	5	5	5	2	4	6	-	-	1	1	-	-	-	-	-	11
26	44	99	205	364	521	823	919	985	1,061	909	675	397	180	51	4	2	7	12
25	32	69	148	260	385	638	785	867	937	809	634	368	168	48	3	1	5	13
1	10	30	56	103	134	184	131	115	123	98	41	27	12	3	1	1	2	14
-	2	-	1	1	2	1	3	3	1	2	-	2	-	-	-	-	-	15
30	57	106	209	426	645	815	876	798	756	549	356	185	49	16	1	-	4	16
28	49	92	192	386	596	746	843	757	727	537	344	182	49	16	1	-	4	17
2	8	14	17	39	46	68	33	41	28	12	11	3	-	-	-	-	-	18
-	-	-	-	1	3	1	-	-	1	-	1	-	-	-	-	-	-	19
2	5	12	12	30	28	48	52	88	90	99	98	74	33	8	1	-	-	20
1	2	7	8	22	23	38	47	78	85	95	97	72	32	8	1	-	-	21
1	3	5	4	8	5	9	5	10	5	4	1	2	1	-	-	-	-	22
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
2	3	3	9	22	74	226	539	1,053	1,804	2,302	2,473	1,906	804	208	42	4	8	24
2	2	2	6	15	49	147	419	889	1,582	2,104	2,322	1,824	764	194	39	2	4	25
-	1	1	3	7	25	79	120	164	221	196	147	81	38	13	3	2	3	26
-	-	-	-	-	-	-	-	-	1	2	4	1	2	1	-	-	1	27
71	128	109	86	77	70	50	74	61	47	59	62	37	16	5	1	-	1	28
68	124	103	82	71	56	46	63	50	45	54	57	36	16	5	1	-	1	29
3	2	6	4	6	13	4	10	11	2	5	5	1	-	-	-	-	-	30
-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	31
19	34	43	98	197	418	722	1,083	1,415	1,572	1,560	1,348	821	405	122	16	1	5	32
10	17	18	49	105	248	467	712	956	1,028	931	814	503	219	68	9	-	4	33
7	11	14	31	57	115	164	287	380	454	561	496	305	178	50	4	-	1	34
2	3	3	10	18	31	52	54	47	56	44	23	7	4	2	3	1	-	35
-	3	7	7	17	22	38	28	29	31	23	13	6	4	1	-	-	-	36
-	-	1	1	-	1	-	2	3	3	1	2	-	-	1	-	-	-	37
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	38
18	26	33	65	120	223	350	474	566	554	467	309	161	55	13	1	-	1	39
9	15	15	33	71	139	222	308	354	332	259	174	72	24	6	1	-	1	40
7	8	11	25	34	67	98	148	184	198	195	128	88	30	7	-	-	-	41
2	1	2	2	9	10	13	10	22	17	9	4	-	-	-	-	-	-	42
-	2	4	4	6	6	17	8	5	7	4	3	1	1	-	-	-	-	43
-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	45
1	8	10	33	77	195	372	609	849	1,018	1,093	1,039	660	350	109	15	1	4	46
1	2	3	16	34	109	245	404	602	696	672	640	431	195	62	8	-	3	47
-	3	3	6	23	48	66	139	196	256	366	368	217	148	43	4	-	1	48
-	2	1	8	9	21	39	44	25	39	35	19	7	4	2	3	1	-	49
-	1	3	3	11	16	21	20	24	24	19	10	5	3	1	-	-	-	50
-	-	-	-	-	1	-	2	2	3	1	2	-	-	1	-	-	-	51
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	52
350	411	552	820	1,178	1,638	2,145	2,676	2,943	2,988	2,653	2,313	1,516	790	282	54	10	18	53
194	201	254	363	521	746	998	1,346	1,465	1,510	1,281	1,111	721	389	132	22	3	5	54
129	173	255	374	519	689	906	1,101	1,265	1,280	1,230	1,114	753	376	142	27	3	10	55
15	22	16	30	48	86	115	107	101	91	78	39	23	13	1	3	1	2	56
10	13	25	52	86	105	113	114	105	102	55	43	17	10	7	2	3	1	57
-	-	1	1	2	11	8	5	5	4	5	4	1	-	-	-	-	-	58
2	2	1	-	2	1	5	3	2	1	4	2	1	2	-	-	-	-	59
59	77	99	132	142	196	211	249	302	330	362	384	324	227	107	23	3	2	60
28	41	46	75	59	108	119	158	180	194	217	236	178	133	45	9	1	1	61
28	35	50	48	74	73	80	79	107	116	135	144	140	90	61	14	1	-	62
-	-	1	2	3	5	6	6	9	9	7	1	3	3	-	-	-	1	63
2	1	2	7	6	10	6	6	6	10	3	3	2	1	1	-	1	-	64
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	65
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	6	3	5	7	10	12	27	38	50	30	34	27	17	1	1	-	1	67
-	1	1	1	1	4	7	14	19	30	15	17	19	12	1	1	-	-	68
-	3	2	4	6	6	5	13	18	16	14	16	7	5	-	-	-	1	69
-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	70
-	1	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
122	172	209	296	377	492	568	616	447	284	105	75	21	10	1	2	-	3	74
63	94	116	145	215	287	324	367	279	176	62	44	15	5	-	1	-	-	75
48	60	86	135	141	181	230	234	164	101	42	28	6	5	-	-	-	3	76
6	10	5	10	11	14	8	9	1	5	1	1	-	-	-	-	-	-	77
4	8	2	6	10	10	5	6	3	2	-	2	-	-	1	1	-	-	78
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	79
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
3	5	7	18	27	48	83	87	139	148	139	108	56	14	7	1	-	1	81
1	4	3	9	13	18	24	32	52	47	37	26	13	4	2	1	-	1	82
2	1	3	9	10	25	48	48	79	89	98	77	41	10	5	-	-	-	83
-	-	1	-	1	2	4	3	1	9	1	1	-	-	-	-	-	-	84
-	-	-	-	3	2	6	4	6	3	2	4	2	-	-	-	-	-	85
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	87
62	38	40	57	82	111	148	180	224	253	244	203	100	43	18	-	-	-	88
36	16	19	23	37	54	80	90	123	147	143	126	48	21	13	-	-	-	89
22	19	17	26	33	37	51	71	86	90	90	73	45	20	5	-	-	-	90
3	3	2	3	4	7	10	9	9	7	7	2	5	-	-	-	-	-	91
1	-	2	5	8	13	4	9	6	8	3	2	1	1	-	-	-	-	92
-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	93
-	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-	94

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
		Malignant neoplasms of other and unspecified sites—Con.										
1	197	Of connective tissue	573	3	3	3	4	9	22	4	10	12
2		White—Male	298	3	1	1	1	3	9	3	4	7
3		Female	229	-	2	-	2	4	8	1	5	3
4		Negro—Male	26	-	-	1	1	-	2	-	1	2
5		Female	19	-	-	1	-	2	3	-	-	-
6		Other—Male	-	-	-	-	-	-	-	-	-	-
7		Female	1	-	-	-	-	-	-	-	-	-
8	195,198A,	Of other specified sites, not stated to be secondary	3,822	26	9	18	11	13	77	22	18	29
9	199A	White—Male	1,665	11	6	8	8	5	38	13	9	14
10		Female	1,811	13	3	8	3	7	34	8	8	10
11		Negro—Male	144	1	-	1	-	-	2	1	1	2
12		Female	187	1	-	1	-	1	3	-	-	3
13		Other—Male	7	-	-	-	-	-	-	-	-	-
14		Female	8	-	-	-	-	-	-	-	-	-
15	156B,165,	Of unspecified sites	9,207	4	5	10	6	3	28	10	11	14
16	198B,	White—Male	3,996	1	3	3	2	1	10	6	6	5
17	199B-M	Female	4,325	2	2	7	3	1	15	2	5	5
18		Negro—Male	404	1	-	-	1	-	2	-	-	4
19		Female	441	-	-	-	-	1	1	2	-	-
20		Other—Male	31	-	-	-	-	-	-	-	-	-
21		Female	10	-	-	-	-	-	-	-	-	-
22	204	Leukemia and aleukemia	9,357	105	136	202	259	234	936	462	254	253
23		White—Male	5,141	54	66	114	138	130	502	241	124	146
24		Female	3,678	43	57	79	114	92	385	199	108	83
25		Negro—Male	300	4	4	1	3	8	18	10	13	14
26		Female	214	4	6	6	4	5	25	12	9	7
27		Other—Male	17	-	1	2	-	1	4	-	-	2
28		Female	7	-	2	-	-	-	2	-	-	1
29	200-203,205	Lymphosarcoma, etc.*	8,438	25	22	15	32	30	124	108	82	156
30		White—Male	4,784	8	11	7	15	19	60	61	59	98
31		Female	3,132	17	8	6	11	7	49	38	17	46
32		Negro—Male	302	-	-	-	3	2	5	4	4	10
33		Female	198	-	3	2	3	1	9	3	1	2
34		Other—Male	14	-	-	-	-	1	1	-	1	-
35		Female	8	-	-	-	-	-	-	-	-	-
36	200	Lymphosarcoma and reticulosarcoma	3,713	9	6	7	23	24	69	71	46	59
37		White—Male	2,109	3	3	4	12	15	37	39	30	36
38		Female	1,419	6	3	3	9	5	26	28	12	19
39		Negro—Male	108	-	-	-	1	2	3	3	2	3
40		Female	66	-	-	-	1	1	2	1	1	1
41		Other—Male	8	-	-	-	-	1	1	-	1	-
42		Female	3	-	-	-	-	-	-	-	-	-
43	201	Hodgkin's disease	2,630	1	7	2	2	2	14	21	28	86
44		White—Male	1,541	-	3	-	-	1	4	14	22	58
45		Female	926	1	3	2	-	1	7	5	4	21
46		Negro—Male	103	-	-	-	1	-	1	1	2	6
47		Female	57	-	1	-	1	-	2	1	-	1
48		Other—Male	-	-	-	-	-	-	-	-	-	-
49		Female	3	-	-	-	-	-	-	-	-	-
50	202,203,205	Other neoplasms of lymphatic and hematopoietic tissues	2,095	15	9	6	7	4	41	14	8	11
51		White—Male	1,134	5	5	3	3	3	19	8	7	4
52		Female	787	10	2	1	2	1	16	5	1	6
53		Negro—Male	91	-	-	-	1	-	1	-	-	1
54		Female	75	-	2	2	1	-	5	1	-	-
55		Other—Male	6	-	-	-	-	-	-	-	-	-
56		Female	2	-	-	-	-	-	-	-	-	-
57	210-239	Benign neoplasms and neoplasms of unspecified nature	5,166	147	37	34	33	34	285	96	74	84
58		White—Male	1,873	63	18	17	15	13	126	40	31	31
59		Female	2,519	70	15	12	14	16	129	37	31	35
60		Negro—Male	208	6	3	2	4	2	17	8	4	11
61		Female	551	8	1	3	-	1	13	9	7	6
62		Other—Male	9	-	-	-	-	-	-	1	1	1
63		Female	6	-	-	-	-	-	-	1	-	-
64	214-217	Benign neoplasms of female genital organs	1,110	-	-	-	1	-	1	-	-	4
65		White—Female	773	-	-	-	1	-	1	-	-	4
66		Negro—Female	335	-	-	-	-	-	-	-	-	-
67		Other—Female	2	-	-	-	-	-	-	-	-	-
68	223	Benign neoplasm of brain and other parts of nervous system	779	12	7	10	12	3	44	18	15	15
69		White—Male	341	4	5	5	8	1	23	3	6	5
70		Female	360	6	2	4	3	1	16	9	8	4
71		Negro—Male	40	1	-	-	1	1	3	2	-	3
72		Female	35	1	-	1	-	-	2	1	1	2
73		Other—Male	3	-	-	-	-	-	-	1	-	1
74		Female	-	-	-	-	-	-	-	-	-	-
75	210-213,	Other benign neoplasms	747	65	12	9	7	8	101	17	14	17
76	218-222,	White—Male	349	26	4	6	1	4	41	7	8	9
77	224-229	Female	323	34	5	3	5	4	51	7	3	7
78		Negro—Male	38	2	2	-	1	-	5	3	2	-
79		Female	33	3	1	-	-	-	4	-	-	1
80		Other—Male	3	-	-	-	-	-	-	-	1	-
81		Female	1	-	-	-	-	-	-	-	-	-
82	233-235	Neoplasm of unspecified nature of female genital organs	37	-	-	-	-	-	-	-	-	-
83		White—Female	27	-	-	-	-	-	-	-	-	-
84		Negro—Female	9	-	-	-	-	-	-	-	-	-
85		Other—Female	1	-	-	-	-	-	-	-	-	-
86	237	Neoplasm of unspecified nature of brain, etc.*	1,657	30	15	13	11	23	92	53	41	43
87		White—Male	808	13	9	5	5	8	40	25	15	16
88		Female	681	12	5	5	4	13	39	18	20	18
89		Negro—Male	85	2	1	2	2	1	8	3	1	8
90		Female	82	3	-	1	-	1	5	7	5	1
91		Other—Male	1	-	-	-	-	-	-	-	-	-
92		Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
21	19	17	24	47	39	52	61	49	66	49	37	28	11	4	-	-	1	1
14	6	9	12	23	27	20	37	23	42	25	15	14	5	3	-	-	-	2
7	10	7	9	22	10	23	20	21	22	18	22	14	5	1	-	-	1	3
-	2	1	1	1	1	4	-	5	1	4	-	-	1	-	-	-	-	4
-	1	-	2	1	1	5	3	-	1	2	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	7
46	33	53	95	119	183	271	397	467	494	457	449	350	187	57	10	4	4	8
31	17	19	39	43	72	101	187	199	225	191	185	165	86	24	4	1	2	9
10	13	28	42	51	81	107	162	224	238	238	243	180	98	30	5	1	-	10
4	3	1	5	5	15	31	16	18	13	14	5	3	2	1	-	1	1	11
1	-	4	9	18	15	29	27	26	18	14	13	2	-	2	1	1	1	12
-	-	-	-	1	-	1	3	-	-	-	2	-	-	-	-	-	-	13
-	-	1	-	1	-	2	2	-	-	-	1	-	1	-	-	-	-	14
37	61	124	193	377	559	800	1,059	1,277	1,363	1,267	1,023	610	281	87	17	3	6	15
21	22	41	59	130	176	323	461	590	649	591	462	269	123	44	6	1	1	16
12	32	62	101	182	276	362	474	566	608	595	511	320	143	40	8	1	5	17
2	3	5	9	23	42	52	64	58	46	44	29	11	7	-	3	-	-	18
2	2	15	23	40	54	58	59	57	58	30	18	10	8	3	-	1	-	19
-	-	1	1	1	10	4	1	5	2	4	2	-	-	-	-	-	-	20
-	2	-	-	1	1	1	-	1	-	3	1	-	-	-	-	-	-	21
209	249	302	305	432	479	601	803	943	1,024	856	700	356	154	30	3	1	5	22
114	124	147	135	201	246	336	439	546	624	511	398	203	85	14	2	-	3	23
73	103	118	145	188	195	216	313	351	358	324	287	148	65	16	1	-	2	24
12	12	17	14	26	16	29	39	24	28	11	10	2	4	-	-	1	-	25
9	8	19	9	17	21	19	12	20	14	6	4	3	-	-	-	-	-	26
1	1	1	1	-	1	1	-	1	-	3	1	-	-	-	-	-	-	27
-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	28
215	322	352	405	475	593	813	1,018	1,101	1,027	763	533	241	89	19	-	-	4	29
127	179	187	236	222	336	470	579	609	586	424	315	128	47	10	-	-	1	30
65	124	123	143	154	212	284	370	427	397	318	204	109	41	9	-	-	2	31
14	10	27	14	28	25	32	44	40	26	11	5	2	-	-	-	-	1	32
9	8	14	12	20	18	26	25	21	12	8	8	1	1	-	-	-	-	33
-	1	-	-	-	2	-	-	2	3	2	1	1	-	-	-	-	-	34
-	-	1	-	1	-	1	-	2	3	-	-	-	-	-	-	-	-	35
68	92	93	148	191	259	391	466	522	451	350	244	132	46	12	-	-	3	36
42	53	47	90	109	147	232	276	280	262	201	134	66	21	6	-	-	1	37
16	31	36	49	69	93	141	165	210	178	143	107	64	25	6	-	-	1	38
7	5	5	6	8	12	8	18	17	6	3	-	1	-	-	-	-	1	39
3	2	5	3	5	6	9	7	12	5	2	2	-	-	-	-	-	-	40
-	1	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	41
-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	42
137	219	224	211	201	204	200	248	235	233	173	120	50	21	4	-	-	1	43
78	121	128	119	124	123	119	151	136	130	92	78	28	13	3	-	-	-	44
47	88	72	79	53	67	70	82	92	93	76	39	21	8	1	-	-	1	45
7	5	19	6	14	8	6	12	5	7	3	1	-	-	-	-	-	-	46
5	5	4	7	9	6	5	3	2	2	2	2	1	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	49
10	11	35	46	83	130	222	304	344	343	240	169	59	22	3	-	-	-	50
7	5	12	27	39	66	119	152	193	194	131	103	34	13	1	-	-	-	51
2	5	15	15	32	52	73	123	125	126	99	58	24	8	2	-	-	-	52
-	-	3	2	6	5	18	14	18	13	5	4	1	-	-	-	-	-	53
1	1	5	2	6	6	12	15	7	5	4	4	-	1	-	-	-	-	54
-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	56
115	177	254	353	470	502	534	493	457	413	304	228	180	96	38	8	2	3	57
44	57	60	90	117	123	197	212	205	204	130	93	78	26	7	1	-	1	58
49	86	125	164	240	292	254	229	197	175	161	119	92	67	29	7	1	-	59
10	12	9	13	21	17	23	17	18	15	2	6	3	1	1	-	-	-	60
11	21	39	85	91	69	59	35	34	19	11	9	7	2	1	-	1	2	61
-	-	1	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	62
1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	63
11	34	96	149	202	200	118	72	53	43	40	34	28	17	4	2	1	1	64
10	21	49	79	132	148	86	56	41	34	35	27	27	17	4	2	-	-	65
1	13	47	69	69	52	32	16	12	9	5	7	1	-	-	-	1	1	66
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
25	38	39	52	80	85	99	90	68	61	26	14	7	4	-	1	-	-	68
11	18	17	28	30	32	48	36	28	32	12	7	3	2	-	-	-	-	69
10	18	18	21	40	43	42	46	35	23	14	7	3	2	-	1	-	-	70
2	1	2	1	6	5	5	4	2	4	-	-	-	-	-	-	-	-	71
2	1	2	2	4	5	3	4	3	2	-	-	1	-	-	-	-	-	72
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
22	22	23	30	34	47	64	66	54	72	60	47	36	18	3	-	-	-	75
11	6	7	9	13	19	30	31	34	38	34	26	20	5	1	-	-	-	76
9	11	13	13	13	23	28	28	16	27	24	20	15	13	2	-	-	-	77
1	3	2	4	3	1	2	5	2	4	-	1	-	-	-	-	-	-	78
1	1	1	4	5	3	4	2	1	3	2	-	1	-	-	-	-	-	79
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	80
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
1	-	3	2	4	3	5	3	3	3	3	1	2	2	2	-	-	-	82
-	-	3	2	2	3	3	1	2	2	2	1	2	2	2	-	-	-	83
-	-	-	-	2	-	2	2	1	1	1	-	-	-	-	-	-	-	84
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
50	76	80	106	127	134	201	199	192	158	71	32	13	7	2	-	-	-	86
19	31	31	50	69	57	95	114	103	83	36	14	8	2	-	-	-	-	87
20	33	40	42	46	64	83	76	75	50	34	16	4	3	-	-	-	-	88
6	6	3	5	8	6	14	2	5	4	1	2	1	1	1	-	-	-	89
5	6	5	9	4	7	9	7	9	1	-	-	-	1	1	-	-	-	90
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Benign neoplasms and neoplasms of unspecified nature—Con.										
1	230-232,	Other neoplasms of unspecified nature	836	40	3	2	2	-	47	10	4	5
2	236,238,	White—Male	375	20	-	1	1	-	22	5	2	1
3	239	Female	355	18	3	-	1	-	22	3	-	2
4		Negro—Male	45	1	-	-	-	-	1	-	1	-
5		Female	57	1	-	1	-	-	2	1	1	2
6		Other—Male	2	-	-	-	-	-	-	-	-	-
7		Female	2	-	-	-	-	-	-	1	-	-
8		III. Allergic, endocrine system, metabolic, and nutritional diseases	36,311	815	191	93	65	50	1,214	110	129	182
9		White—Male	14,414	415	80	34	34	20	583	46	38	64
10		Female	18,383	261	64	36	19	19	399	46	65	80
11		Negro—Male	1,273	70	26	9	2	4	111	9	10	16
12		Female	2,116	60	15	11	8	6	100	8	16	22
13		Other—Male	80	6	3	3	1	1	14	1	-	-
14		Female	45	3	3	-	1	-	7	-	-	-
15	241	Asthma	6,871	64	43	34	16	11	168	16	16	28
16		White—Male	4,235	32	17	12	9	3	73	8	9	16
17		Female	2,070	22	11	14	6	5	58	3	2	9
18		Negro—Male	288	5	6	3	1	1	16	2	2	1
19		Female	256	5	6	4	-	2	17	3	3	2
20		Other—Male	16	-	1	1	-	-	2	-	-	-
21		Female	6	-	2	-	-	-	2	-	-	-
22	250,251	Nontoxic goiter	176	2	-	-	-	-	2	-	-	4
23		White—Male	24	2	-	-	-	-	2	-	-	-
24		Female	124	-	-	-	-	-	-	-	-	4
25		Negro—Male	2	-	-	-	-	-	-	-	-	-
26		Female	26	-	-	-	-	-	-	-	-	-
27		Other—Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	252	Thyrotoxicosis with or without goiter	1,211	-	-	1	-	-	1	-	5	7
30		White—Male	173	-	-	-	-	-	-	-	-	1
31		Female	862	-	-	-	-	-	-	-	5	2
32		Negro—Male	22	-	-	1	-	-	1	-	-	1
33		Female	148	-	-	-	-	-	-	-	-	3
34		Other—Male	3	-	-	-	-	-	-	-	-	-
35		Female	3	-	-	-	-	-	-	-	-	-
36	253,254	Myxedema, cretinism, and other diseases of thyroid gland	221	18	3	1	1	3	26	1	2	3
37		White—Male	49	7	2	-	1	1	11	-	-	3
38		Female	158	11	1	1	-	-	13	1	1	-
39		Negro—Male	2	-	-	-	-	1	1	-	-	-
40		Female	12	-	-	-	-	1	1	-	1	-
41		Other—Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	260	Diabetes mellitus	25,047	13	22	14	9	15	73	47	78	111
44		White—Male	9,711	8	9	3	5	8	33	13	18	28
45		Female	14,055	5	12	8	3	6	34	25	48	57
46		Negro—Male	758	-	1	1	-	1	3	5	5	12
47		Female	1,451	-	-	2	1	-	3	4	7	14
48		Other—Male	42	-	-	-	-	-	-	-	-	-
49		Female	30	-	-	-	-	-	-	-	-	-
50	273	Diseases of thymus gland	605	503	42	7	10	7	569	11	6	4
51		White—Male	313	262	21	3	6	2	294	6	4	3
52		Female	192	155	14	3	2	4	178	5	1	1
53		Negro—Male	53	46	4	-	-	-	50	-	1	-
54		Female	41	35	2	1	2	1	41	-	-	-
55		Other—Male	4	3	1	-	-	-	4	-	-	-
56		Female	2	2	-	-	-	-	2	-	-	-
57	274	Diseases of adrenal glands	385	80	9	6	6	2	103	5	2	8
58		White—Male	170	49	4	2	3	-	58	4	2	6
59		Female	174	23	3	2	2	-	30	1	-	2
60		Negro—Male	22	5	1	2	1	-	9	-	-	-
61		Female	16	2	1	-	-	1	4	-	-	-
62		Other—Male	3	1	-	-	-	1	2	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	281	Pellagra	209	1	1	1	1	-	4	-	-	2
65		White—Male	47	1	1	-	-	-	2	-	-	-
66		Female	109	-	-	-	-	-	-	-	-	1
67		Negro—Male	15	-	-	1	-	-	1	-	-	-
68		Female	38	-	-	-	1	-	1	-	-	1
69		Other—Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	280,282-286	All other avitaminoses and nutritional deficiency states	884	66	52	21	17	6	162	15	6	1
72		White—Male	360	22	17	7	6	2	54	8	1	-
73		Female	335	21	16	7	5	3	52	5	3	1
74		Negro—Male	85	9	12	1	-	-	22	2	1	-
75		Female	91	12	5	4	4	1	26	-	1	-
76		Other—Male	9	1	1	2	1	-	5	-	-	-
77		Female	4	1	1	-	1	-	3	-	-	-
78	Residual[1]	Other allergic, endocrine, and metabolic diseases	702	68	19	8	5	6	106	15	14	14
79		White—Male	332	32	9	7	4	4	56	7	4	7
80		Female	304	24	7	1	1	1	34	6	5	3
81		Negro—Male	26	5	2	-	-	1	8	-	1	2
82		Female	37	6	1	-	-	-	7	1	4	2
83		Other—Male	3	1	-	-	-	-	1	1	-	-
84		Female	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
6	7	13	14	23	33	47	63	87	96	104	100	94	48	27	5	1	2	1
3	2	5	3	5	15	24	31	40	51	48	46	47	17	6	1	-	1	2
-	3	2	7	7	11	12	22	28	39	52	48	41	30	21	4	1	-	3
1	2	2	3	4	5	2	6	9	3	1	3	2	-	-	-	-	-	4
2	-	4	1	7	2	9	4	8	3	3	2	4	1	-	-	-	1	5
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	7
255	418	492	637	891	1,365	2,233	3,401	4,891	5,901	5,604	4,437	2,738	1,039	286	45	14	29	8
76	162	178	219	347	559	885	1,410	2,025	2,333	2,166	1,723	1,056	406	109	14	3	12	9
118	184	211	252	332	520	931	1,568	2,495	3,143	3,136	2,535	1,582	591	160	21	4	10	10
23	27	29	60	54	87	143	151	130	165	118	77	37	14	5	4	2	1	11
36	43	73	102	154	188	266	258	229	251	164	94	59	26	12	5	5	5	12
2	-	1	3	3	6	5	8	9	6	13	4	3	2	-	-	-	-	13
-	2	-	1	1	5	3	6	3	3	7	4	1	-	-	1	-	1	14
49	68	114	162	202	348	560	764	969	1,084	917	719	408	193	60	11	5	10	15
14	19	29	44	87	185	326	511	735	768	599	453	225	102	22	3	1	6	16
18	29	57	76	87	114	157	183	185	260	283	250	167	85	38	4	2	3	17
6	7	10	19	14	26	41	35	33	28	26	14	6	1	-	1	-	-	18
11	12	18	23	14	23	31	32	15	25	8	1	8	5	-	2	2	1	19
-	-	-	-	-	-	4	3	1	3	1	-	2	-	-	-	-	-	20
-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	21
2	2	7	3	14	11	17	15	16	21	25	19	14	4	-	-	-	-	22
-	1	-	-	1	-	1	2	3	2	4	4	3	1	-	-	-	-	23
-	1	6	1	6	10	14	8	10	17	20	13	11	3	-	-	-	-	24
-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	25
2	-	1	2	6	1	2	4	3	2	1	2	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
14	19	31	38	60	93	110	155	166	210	148	98	45	9	2	-	-	-	29
-	1	4	6	5	11	15	25	35	38	23	8	1	-	-	-	-	-	30
7	12	12	16	25	56	78	110	124	154	121	88	42	8	2	-	-	-	31
3	-	1	2	2	2	5	3	-	2	-	-	-	-	-	-	-	-	32
4	5	13	13	28	23	12	16	7	16	4	1	2	1	-	-	-	-	33
-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	34
-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	35
5	6	9	10	8	8	15	26	31	27	20	13	7	3	-	1	-	-	36
1	2	4	1	1	-	5	7	4	2	2	3	2	-	-	1	-	-	37
3	4	4	8	6	8	10	15	25	25	18	10	5	2	-	-	-	-	38
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	39
1	-	1	1	1	-	-	3	2	-	-	-	-	1	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
154	268	258	352	504	794	1,397	2,277	3,558	4,394	4,310	3,411	2,115	750	162	17	2	15	43
51	118	111	146	213	309	490	796	1,185	1,442	1,472	1,185	760	274	57	5	-	5	44
72	113	104	113	162	286	611	1,175	2,085	2,627	2,607	2,087	1,291	451	92	8	-	7	45
13	17	14	35	30	55	87	105	88	125	76	53	19	9	3	2	2	-	46
16	20	29	55	95	135	206	191	190	194	140	80	43	14	10	2	-	3	47
2	-	-	2	3	4	1	5	7	3	8	4	1	2	-	-	-	-	48
-	-	-	1	1	5	2	5	3	3	7	2	1	-	-	-	-	-	49
2	4	3	-	-	2	-	1	2	1	-	-	-	-	-	-	-	-	50
-	1	1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	51
2	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	52
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
7	12	19	19	21	33	26	30	29	20	30	14	4	2	1	-	-	-	57
1	4	8	4	8	15	7	11	7	10	12	9	2	1	1	-	-	-	58
5	7	9	11	13	14	17	19	16	9	14	4	2	1	-	-	-	-	59
-	-	2	1	-	1	1	-	4	-	4	-	-	-	-	-	-	-	60
1	1	-	3	-	2	1	-	2	1	-	1	-	-	-	-	-	-	61
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	6	3	4	8	11	5	15	31	28	48	27	13	3	1	-	-	64
-	-	1	-	1	1	3	-	4	7	3	12	7	3	2	1	-	-	65
-	-	-	1	-	4	4	2	6	17	18	31	17	7	1	-	-	-	66
-	-	-	-	1	2	1	-	2	1	4	2	1	-	-	-	-	-	67
-	-	5	2	2	1	3	3	3	6	3	3	2	3	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
6	9	12	16	20	20	37	39	46	72	82	92	109	62	55	13	7	3	71
3	3	4	3	9	12	12	11	17	41	37	41	51	23	25	3	2	-	72
1	2	5	8	7	5	12	17	20	16	29	40	43	33	26	8	2	-	73
1	2	-	3	2	-	7	4	2	8	7	5	11	4	2	1	-	1	74
1	2	3	2	2	3	6	7	6	7	6	6	4	2	2	1	3	1	75
-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	77
16	30	33	34	58	48	60	89	59	41	44	23	9	3	3	2	-	1	78
6	13	16	15	22	24	26	47	34	22	14	8	5	2	2	1	-	1	79
10	14	13	18	26	23	28	38	23	18	26	12	4	1	1	1	-	-	80
-	-	1	-	4	1	1	2	1	1	1	3	-	-	-	-	-	-	81
-	3	3	1	6	-	5	2	1	-	2	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		IV. Diseases of the blood and blood-forming organs-----	5,458	256	100	37	30	26	449	92	75	75
2		White--------Male----	2,334	109	39	14	14	11	187	43	33	30
3		Female--	2,555	73	31	14	4	10	132	33	19	19
4		Negro--------Male----	249	48	15	4	8	1	76	5	12	11
5		Female--	300	22	13	4	3	4	46	11	11	15
6		Other--------Male----	8	3	1	1	-	-	5	-	-	-
7		Female--	12	1	1	-	1	-	3	-	-	-
8	280-293	Anemias----------	4,018	144	77	22	17	15	275	51	41	42
9		White--------Male----	1,656	49	27	9	3	3	91	16	13	16
10		Female--	1,896	40	23	6	3	8	80	21	11	7
11		Negro--------Male----	203	34	13	3	8	1	59	4	10	8
12		Female--	250	19	12	4	2	3	40	10	7	11
13		Other--------Male----	6	2	1	-	-	-	3	-	-	-
14		Female--	7	-	1	-	1	-	2	-	-	-
15	290	Pernicious and other hyperchromic anemias----------	1,913	6	3	-	1	-	10	-	1	1
16		White--------Male----	786	2	-	-	-	-	2	-	1	-
17		Female--	1,045	3	3	-	-	-	6	-	-	1
18		Negro--------Male----	35	1	-	-	1	-	2	-	-	-
19		Female--	42	-	-	-	-	-	-	-	-	-
20		Other--------Male----	2	-	-	-	-	-	-	-	-	-
21		Female--	3	-	-	-	-	-	-	-	-	-
22	291-293	Anemias of other and unspecified type----------	2,105	138	74	22	16	15	265	51	40	41
23		White--------Male----	870	47	27	9	3	3	89	16	12	16
24		Female--	851	37	20	6	3	8	74	21	11	6
25		Negro--------Male----	168	33	13	3	7	1	57	4	10	8
26		Female--	208	19	12	4	2	3	40	10	7	11
27		Other--------Male----	4	2	1	-	-	-	3	-	-	-
28		Female--	4	-	1	-	1	-	2	-	-	-
29	296	Purpura and other hemorrhagic conditions----------	589	63	8	10	5	10	96	27	15	19
30		White--------Male----	239	34	3	2	4	7	50	15	8	7
31		Female--	300	20	4	7	-	2	33	11	5	8
32		Negro--------Male----	19	7	-	1	-	-	8	-	-	2
33		Female--	27	1	1	-	1	1	4	1	2	2
34		Other--------Male----	1	1	-	-	-	-	1	-	-	-
35		Female--	3	-	-	-	-	-	-	-	-	-
36	294,295,	All other diseases of blood and blood-forming organs----------	851	49	15	5	8	1	78	14	19	14
37	297-299	White--------Male----	439	26	9	3	7	1	46	12	12	7
38		Female--	359	13	4	1	1	-	19	1	3	4
39		Negro--------Male----	27	7	2	-	-	-	9	1	2	1
40		Female--	23	2	-	-	-	-	2	-	2	2
41		Other--------Male----	1	-	-	1	-	-	1	-	-	-
42		Female--	2	1	-	-	-	-	1	-	-	-
43		V. Mental, psychoneurotic, and personality disorders---	4,505	66	23	18	9	6	122	22	13	37
44		White--------Male----	2,630	27	11	10	7	6	61	7	4	20
45		Female--	1,111	36	10	8	2	-	56	7	3	4
46		Negro--------Male----	483	1	1	-	-	-	2	3	4	6
47		Female--	248	2	1	-	-	-	3	5	2	6
48		Other--------Male----	22	-	-	-	-	-	-	-	-	-
49		Female--	11	-	-	-	-	-	-	-	-	1
50	304	Senile psychosis----------	826	-	-	-	-	-	-	-	-	-
51		White--------Male----	358	-	-	-	-	-	-	-	-	-
52		Female--	390	-	-	-	-	-	-	-	-	-
53		Negro--------Male----	29	-	-	-	-	-	-	-	-	-
54		Female--	46	-	-	-	-	-	-	-	-	-
55		Other--------Male----	1	-	-	-	-	-	-	-	-	-
56		Female--	2	-	-	-	-	-	-	-	-	-
57	307	Alcoholic psychosis----------	289	-	-	-	-	-	-	-	-	-
58		White--------Male----	233	-	-	-	-	-	-	-	-	-
59		Female--	18	-	-	-	-	-	-	-	-	-
60		Negro--------Male----	36	-	-	-	-	-	-	-	-	-
61		Female--	2	-	-	-	-	-	-	-	-	-
62		Other--------Male----	-	-	-	-	-	-	-	-	-	-
63		Female--	-	-	-	-	-	-	-	-	-	-
64	300-303,	Other psychoses----------	728	-	-	-	-	-	-	1	-	15
65	305,306,	White--------Male----	271	-	-	-	-	-	-	1	-	10
66	308,309	Female--	295	-	-	-	-	-	-	-	-	2
67		Negro--------Male----	83	-	-	-	-	-	-	-	-	-
68		Female--	78	-	-	-	-	-	-	-	-	2
69		Other--------Male----	-	-	-	-	-	-	-	-	-	-
70		Female--	1	-	-	-	-	-	-	-	-	1
71	322	Alcoholism----------	2,322	-	1	-	1	1	3	5	-	6
72		White--------Male----	1,614	-	-	-	1	1	2	1	-	4
73		Female--	273	-	-	-	-	-	-	-	-	-
74		Negro--------Male----	306	-	1	-	-	-	1	3	-	1
75		Female--	104	-	-	-	-	-	-	1	-	1
76		Other--------Male----	17	-	-	-	-	-	-	-	-	-
77		Female--	8	-	-	-	-	-	-	-	-	-
78	325	Mental deficiency----------	206	63	21	18	8	5	115	15	13	12
79		White--------Male----	100	26	10	10	6	5	57	5	4	5
80		Female--	80	34	10	8	2	-	54	6	3	2
81		Negro--------Male----	14	1	-	-	-	-	1	-	4	2
82		Female--	12	2	1	-	-	-	3	4	2	3
83		Other--------Male----	-	-	-	-	-	-	-	-	-	-
84		Female--	-	-	-	-	-	-	-	-	-	-
85	310-321,	Psychoneuroses and other disorders of personality----------	134	3	1	-	-	-	4	1	-	4
86	323,324,	White--------Male----	54	1	1	-	-	-	2	-	-	1
87	326	Female--	55	2	-	-	-	-	2	1	-	-
88		Negro--------Male----	15	-	-	-	-	-	-	-	-	3
89		Female--	6	-	-	-	-	-	-	-	-	-
90		Other--------Male----	4	-	-	-	-	-	-	-	-	-
91		Female--	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
98	108	99	140	144	174	244	329	440	579	664	772	585	289	88	9	-	5	1
26	28	35	35	49	68	99	143	198	268	295	371	268	118	35	5	-	-	2
40	48	31	65	71	83	106	149	222	283	341	384	303	167	51	4	-	4	3
11	12	14	8	5	9	20	16	6	12	12	9	6	3	1	-	-	1	4
21	20	17	31	19	14	19	19	13	13	15	8	6	1	1	-	-	-	5
-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	6
-	-	2	1	-	-	-	2	-	1	1	-	2	-	-	-	-	-	7
56	63	49	81	74	91	149	194	300	420	543	679	537	278	81	9	-	5	8
13	15	12	14	22	31	54	68	129	188	249	332	245	111	32	5	-	-	9
16	23	11	37	30	45	64	94	154	205	269	331	279	163	48	4	-	4	10
7	11	12	7	4	5	15	14	6	11	11	8	6	3	1	-	-	1	11
20	14	14	22	18	10	16	17	10	13	13	8	6	1	-	-	-	-	12
-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	13
-	-	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-	14
3	9	5	14	15	26	40	86	120	230	318	464	345	174	44	5	-	3	15
-	3	1	1	5	8	11	26	45	95	135	209	158	66	17	3	-	-	16
2	3	1	8	9	15	18	47	72	122	172	246	185	106	27	2	-	3	17
-	2	1	1	1	2	4	6	-	5	4	3	2	2	-	-	-	-	18
1	1	2	3	-	1	7	7	2	6	6	6	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	20
-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	21
53	54	44	67	59	65	109	108	180	190	225	215	192	104	37	4	-	2	22
13	12	11	13	17	23	43	42	84	93	114	123	87	45	15	2	-	-	23
14	20	10	29	21	30	46	47	82	83	97	85	94	57	21	2	-	1	24
7	9	11	6	3	3	11	8	6	6	7	5	4	1	1	-	-	1	25
19	13	12	19	18	9	9	10	8	7	7	2	6	1	-	-	-	-	26
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	28
29	30	25	27	29	31	34	60	35	41	37	27	18	4	5	-	-	-	29
5	7	14	6	8	10	13	27	15	15	14	12	8	3	2	-	-	-	30
20	17	10	18	20	17	18	28	19	26	22	15	9	1	3	-	-	-	31
3	1	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	32
1	5	-	3	1	3	1	2	1	-	1	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	35
13	15	25	32	41	52	61	75	105	118	84	66	30	7	2	-	-	-	36
8	6	9	15	19	27	32	48	54	65	32	27	15	4	1	-	-	-	37
4	8	10	10	21	21	24	27	49	52	50	38	15	3	-	-	-	-	38
1	-	2	1	1	3	3	-	-	1	1	1	-	-	-	-	-	-	39
-	1	3	6	-	1	2	-	2	-	1	-	-	-	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
84	138	221	372	485	499	434	357	338	301	273	257	273	158	90	16	2	13	43
26	55	105	209	297	322	290	249	246	201	159	127	134	69	38	5	-	6	44
17	23	51	72	85	91	73	70	53	64	83	95	122	78	51	10	2	1	45
31	39	42	55	67	59	47	28	28	23	15	19	6	2	-	1	-	6	46
7	19	21	31	35	23	20	9	8	11	13	16	11	7	1	-	-	-	47
2	2	-	2	1	3	4	1	3	1	2	-	-	1	-	-	-	-	48
1	-	2	3	-	1	-	-	-	1	1	-	-	1	-	-	-	-	49
-	-	-	-	-	1	1	3	15	47	123	164	227	141	85	16	2	1	50
-	-	-	-	-	-	1	1	8	19	53	69	107	59	35	5	-	1	51
-	-	-	-	-	-	-	1	3	21	52	71	109	72	49	10	2	-	52
-	-	-	-	-	-	-	-	3	4	5	10	4	2	-	1	-	-	53
-	-	-	-	-	1	-	1	1	3	12	14	7	6	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	56
3	10	26	43	49	55	39	19	17	15	8	3	1	1	-	-	-	-	57
-	6	15	32	40	48	33	17	16	15	8	2	-	1	-	-	-	-	58
-	-	1	6	5	2	1	1	-	-	-	1	1	-	-	-	-	-	59
3	4	10	5	4	5	3	1	1	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
32	53	35	56	65	71	68	77	73	60	46	34	22	11	3	-	-	6	64
12	19	11	24	25	20	21	28	28	23	19	14	10	5	1	-	-	-	65
8	12	15	17	18	35	32	41	34	28	19	16	10	5	2	-	-	1	66
7	11	2	7	10	8	5	7	5	5	7	4	-	-	-	-	-	5	67
5	11	7	8	12	8	10	1	6	4	1	-	2	1	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
30	62	139	257	354	354	312	250	224	162	86	49	19	4	-	-	-	6	71
10	24	68	146	227	246	226	198	190	133	75	40	15	4	-	-	-	5	72
5	7	28	42	51	45	36	24	13	10	7	4	1	-	-	-	-	-	73
12	21	28	42	53	46	39	20	18	13	2	4	2	-	-	-	-	1	74
1	8	13	23	22	13	8	7	1	4	-	1	1	-	-	-	-	-	75
1	2	-	1	1	3	3	1	2	1	2	-	-	-	-	-	-	-	76
1	-	2	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	77
8	7	8	5	4	8	3	1	2	3	2	-	-	-	-	-	-	-	78
3	5	4	3	2	4	3	1	2	1	1	-	-	-	-	-	-	-	79
1	1	3	2	2	4	-	-	-	1	1	-	-	-	-	-	-	-	80
4	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
11	6	13	11	13	10	11	7	7	14	8	7	4	1	2	-	-	-	85
1	1	7	4	3	4	6	4	2	10	3	2	2	-	2	-	-	-	86
3	3	4	5	9	5	4	3	3	4	4	3	1	1	-	-	-	-	87
5	2	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	88
1	-	1	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	89
1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		VI. Diseases of the nervous system and sense organs----	177,459	1,361	491	303	216	194	2,565	548	397	527
2		White--------Male----	76,837	596	213	149	96	100	1,154	284	172	230
3		Female--	78,500	424	172	96	78	65	835	188	148	172
4		Negro--------Male----	10,310	167	52	30	18	17	284	44	48	69
5		Female--	11,286	140	48	24	20	11	243	27	27	52
6		Other--------Male----	362	24	4	3	2	-	33	4	1	3
7		Female--	164	10	2	1	2	1	16	1	1	1
8	330-334	Vascular lesions affecting central nervous system----------	163,550	163	35	31	31	24	284	84	76	137
9		White--------Male----	69,984	81	15	15	12	13	136	36	27	50
10		Female--	73,466	52	15	12	15	6	100	36	37	57
11		Negro--------Male----	9,231	15	5	3	3	4	30	7	9	18
12		Female--	10,440	10	-	-	1	1	12	5	3	12
13		Other--------Male----	297	3	-	1	-	-	4	-	-	-
14		Female--	132	2	-	-	-	-	2	-	-	-
15	330	Subarachnoid hemorrhage----------	3,831	39	10	2	6	3	60	23	31	58
16		White--------Male----	1,592	22	3	2	4	2	33	13	11	26
17		Female--	1,686	10	6	-	2	-	18	7	15	21
18		Negro--------Male----	242	2	1	-	-	1	4	3	5	5
19		Female--	286	4	-	-	-	-	4	-	-	6
20		Other--------Male----	18	-	-	-	-	-	-	-	-	-
21		Female--	7	1	-	-	-	-	1	-	-	-
22	331	Cerebral hemorrhage----------	110,005	87	12	19	9	11	138	28	34	57
23		White--------Male----	46,307	40	6	7	1	5	59	15	12	17
24		Female--	49,844	28	3	9	5	6	51	9	16	26
25		Negro--------Male----	5,263	10	3	2	2	-	17	2	4	9
26		Female--	7,310	5	-	-	1	-	6	2	2	5
27		Other--------Male----	188	3	-	1	-	-	4	-	-	-
28		Female--	93	1	-	-	-	-	1	-	-	-
29	332	Cerebral embolism and thrombosis----------	28,339	14	3	2	3	3	25	10	1	8
30		White--------Male----	13,241	5	1	1	1	3	11	1	-	2
31		Female--	12,947	5	2	-	2	-	9	8	1	4
32		Negro--------Male----	1,077	3	-	1	-	-	4	1	-	1
33		Female--	1,016	1	-	-	-	-	1	-	-	1
34		Other--------Male----	45	-	-	-	-	-	-	-	-	-
35		Female--	13	-	-	-	-	-	-	-	-	-
36	333,334	Other vascular lesions affecting central nervous system-----	21,375	23	10	8	13	7	61	23	10	14
37		White--------Male----	8,844	14	5	5	6	3	33	7	4	5
38		Female--	8,989	9	4	3	6	-	22	12	5	6
39		Negro--------Male----	1,649	-	1	-	1	3	5	1	-	3
40		Female--	1,828	-	-	-	-	1	1	3	1	-
41		Other--------Male----	46	-	-	-	-	-	-	-	-	-
42		Female--	19	-	-	-	-	-	-	-	-	-
43	340	Meningitis, except meningococcal and tuberculous----------	1,881	565	194	94	63	46	962	97	46	39
44		White--------Male----	869	225	84	49	32	23	413	64	19	13
45		Female--	488	156	52	22	18	14	262	23	14	10
46		Negro--------Male----	269	89	25	12	7	7	140	7	6	10
47		Female--	215	76	27	9	5	2	119	3	5	5
48		Other--------Male----	28	12	4	2	1	-	19	-	1	1
49		Female--	12	7	2	-	-	-	9	-	1	-
50	345	Multiple sclerosis----------	1,418	-	-	-	-	-	-	-	1	9
51		White--------Male----	663	-	-	-	-	-	-	-	-	4
52		Female--	671	-	-	-	-	-	-	-	-	3
53		Negro--------Male----	39	-	-	-	-	-	-	-	-	1
54		Female--	44	-	-	-	-	-	-	-	1	1
55		Other--------Male----	-	-	-	-	-	-	-	-	-	-
56		Female--	1	-	-	-	-	-	-	-	-	-
57	350	Paralysis agitans----------	2,243	-	-	-	-	-	-	-	-	-
58		White--------Male----	1,210	-	-	-	-	-	-	-	-	-
59		Female--	955	-	-	-	-	-	-	-	-	-
60		Negro--------Male----	49	-	-	-	-	-	-	-	-	-
61		Female--	27	-	-	-	-	-	-	-	-	-
62		Other--------Male----	1	-	-	-	-	-	-	-	-	-
63		Female--	1	-	-	-	-	-	-	-	-	-
64	351	Cerebral spastic infantile paralysis----------	613	48	63	48	37	37	233	112	63	50
65		White--------Male----	297	22	28	22	15	22	109	55	29	26
66		Female--	237	19	21	17	15	11	83	48	23	20
67		Negro--------Male----	39	3	7	5	1	2	18	7	6	2
68		Female--	38	4	7	4	5	2	22	2	5	1
69		Other--------Male----	1	-	-	-	-	-	-	-	-	1
70		Female--	1	-	-	-	1	-	1	-	-	-
71	353	Epilepsy----------	2,332	25	20	23	19	38	125	91	115	183
72		White--------Male----	1,164	11	8	9	10	22	60	53	58	84
73		Female--	743	10	11	11	5	11	48	24	32	50
74		Negro--------Male----	265	3	1	-	3	2	9	9	17	26
75		Female--	151	1	-	3	1	3	8	5	8	21
76		Other--------Male----	6	-	-	-	-	-	-	-	-	1
77		Female--	3	-	-	-	-	-	-	-	-	1
78	370-379	Inflammatory diseases of eye----------	16	1	-	-	-	-	1	-	-	2
79		White--------Male----	5	-	-	-	-	-	-	-	-	-
80		Female--	6	1	-	-	-	-	1	-	-	-
81		Negro--------Male----	2	-	-	-	-	-	-	-	-	1
82		Female--	1	-	-	-	-	-	-	-	-	1
83		Other--------Male----	2	-	-	-	-	-	-	-	-	-
84		Female--	-	-	-	-	-	-	-	-	-	-
85	385	Cataract----------	72	-	-	-	-	-	-	-	-	-
86		White--------Male----	36	-	-	-	-	-	-	-	-	-
87		Female--	32	-	-	-	-	-	-	-	-	-
88		Negro--------Male----	1	-	-	-	-	-	-	-	-	-
89		Female--	3	-	-	-	-	-	-	-	-	-
90		Other--------Male----	-	-	-	-	-	-	-	-	-	-
91		Female--	-	-	-	-	-	-	-	-	-	-
92	387	Glaucoma----------	14	-	-	-	-	-	-	-	-	-
93		White--------Male----	2	-	-	-	-	-	-	-	-	-
94		Female--	11	-	-	-	-	-	-	-	-	-
95		Negro--------Male----	-	-	-	-	-	-	-	-	-	-
96		Female--	1	-	-	-	-	-	-	-	-	-
97		Other--------Male----	-	-	-	-	-	-	-	-	-	-
98		Female--	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
633	894	1,235	2,054	3,453	5,332	8,656	11,909	16,337	22,928	27,549	29,325	24,182	12,920	4,807	901	141	166	1
253	377	491	742	1,219	1,906	3,123	5,051	7,523	10,681	12,893	13,205	10,280	5,148	1,740	275	24	66	2
233	298	419	697	1,165	1,925	3,094	4,311	6,102	9,146	12,162	14,207	12,768	7,159	2,836	532	59	44	3
74	110	149	271	431	647	1,137	1,202	1,299	1,515	1,155	879	561	269	78	42	18	28	4
70	100	168	336	612	831	1,254	1,301	1,356	1,513	1,283	985	538	330	146	49	40	25	5
3	4	5	7	16	19	32	26	40	53	40	35	21	11	4	2	-	3	6
-	5	3	1	10	4	16	18	17	20	16	14	14	3	3	1	-	-	7
242	438	702	1,468	2,779	4,581	7,854	10,993	15,265	21,689	26,370	28,359	23,608	12,681	4,753	889	139	159	8
77	164	232	491	911	1,558	2,743	4,572	6,925	9,988	12,240	12,695	10,002	5,057	1,722	272	23	63	9
89	150	231	470	918	1,645	2,812	3,993	5,724	8,708	11,732	13,800	12,499	7,035	2,806	524	58	42	10
35	55	93	211	360	585	1,058	1,130	1,251	1,450	1,097	860	554	263	77	42	18	28	11
41	68	138	292	570	773	1,199	1,256	1,310	1,475	1,245	957	519	313	141	48	40	23	12
-	-	5	4	14	16	29	24	39	50	40	33	20	10	4	2	-	3	13
-	1	3	-	6	4	13	18	16	18	16	14	14	3	3	1	-	-	14
105	152	202	329	403	483	482	448	301	255	216	162	80	27	10	-	-	4	15
36	74	87	137	153	186	189	225	134	98	83	62	31	9	3	-	-	2	16
41	50	82	129	168	220	224	175	129	131	119	89	46	15	7	-	-	-	17
15	11	10	24	34	33	36	15	20	12	9	4	1	1	-	-	-	-	18
13	16	21	38	45	41	31	30	15	12	5	6	2	-	-	-	-	1	19
-	-	2	1	2	2	1	2	3	2	-	-	-	2	-	-	-	1	20
-	1	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	21
101	226	417	962	1,941	3,378	5,815	8,016	10,789	15,083	17,819	18,616	15,146	7,905	2,833	508	83	110	22
31	74	124	307	624	1,104	2,005	3,248	4,823	6,854	8,107	8,168	6,356	3,143	1,029	150	12	45	23
33	76	122	289	642	1,230	2,143	3,070	4,174	6,211	8,092	9,226	8,042	4,371	1,663	298	34	26	24
16	36	65	152	250	445	751	777	824	962	738	570	368	168	56	24	10	19	25
21	40	101	213	412	586	884	891	929	1,009	852	621	363	215	80	33	27	18	26
-	-	3	1	9	10	24	15	26	31	20	22	11	5	3	2	-	2	27
-	-	2	-	4	3	8	15	13	16	10	9	6	3	2	1	-	-	28
13	29	41	78	192	339	795	1,414	2,463	3,609	4,906	5,542	4,860	2,733	1,031	209	26	15	29
3	6	12	25	78	165	351	698	1,306	1,821	2,504	2,629	2,091	1,078	382	68	4	6	30
4	13	15	28	55	93	240	456	838	1,431	2,111	2,662	2,626	1,582	619	127	17	8	31
1	5	8	11	29	34	103	148	179	184	136	112	73	29	7	8	2	-	32
5	5	5	13	29	45	97	107	132	165	143	132	62	42	22	6	3	1	33
-	-	-	1	1	2	3	4	6	7	8	5	5	2	1	-	-	-	34
-	-	1	-	-	-	1	1	2	1	2	2	3	-	-	-	-	-	35
23	31	42	99	243	381	762	1,115	1,712	2,742	3,429	4,039	3,522	2,016	879	172	30	30	36
7	10	9	22	56	103	198	401	662	1,215	1,546	1,836	1,524	827	308	54	7	10	37
11	11	12	24	53	102	205	292	583	935	1,410	1,823	1,785	1,067	517	99	7	8	38
3	3	10	24	47	73	168	190	228	292	212	174	112	65	14	10	6	9	39
2	7	11	28	84	101	187	228	234	289	245	198	92	56	39	9	10	3	40
-	-	-	1	2	2	1	3	4	10	12	6	4	1	-	-	-	-	41
-	-	-	-	1	-	3	1	1	1	4	2	5	-	1	-	-	-	42
38	40	50	60	73	62	83	71	74	66	59	26	22	9	2	1	-	1	43
17	14	23	29	30	30	42	41	37	35	35	15	8	2	1	1	-	-	44
7	8	10	13	17	14	20	13	22	18	12	8	11	5	1	-	-	-	45
5	11	8	10	17	9	11	11	8	7	6	2	1	-	-	-	-	-	46
7	6	9	7	8	8	10	5	7	3	6	1	2	2	-	-	-	1	47
2	-	-	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	48
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	49
17	38	93	126	142	173	160	153	146	138	94	68	39	16	3	1	-	1	50
6	14	36	37	56	69	71	76	71	89	61	43	20	9	1	-	-	-	51
8	17	51	73	84	92	78	69	71	46	29	24	17	6	1	1	-	1	52
1	2	3	8	-	5	6	5	1	3	2	1	1	-	-	-	-	-	53
2	4	3	8	2	7	5	3	3	-	2	-	1	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	2	2	5	26	33	65	123	254	434	508	454	243	74	17	2	-	1	57
-	1	1	2	12	16	34	63	154	253	274	245	122	28	3	1	-	1	58
-	-	1	2	12	14	20	54	86	165	221	203	118	46	12	1	-	-	59
-	1	-	1	1	-	8	5	11	10	9	2	1	-	-	-	-	-	60
-	-	-	-	1	3	2	1	2	6	4	4	2	-	2	-	-	-	61
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	63
42	29	24	11	3	11	5	5	5	11	2	4	-	1	1	-	-	1	64
19	14	15	6	2	6	3	3	2	5	1	2	-	-	-	-	-	-	65
18	11	8	4	1	4	1	2	3	5	1	2	-	1	1	-	-	1	66
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
2	2	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
190	204	212	202	200	173	138	107	117	94	76	64	27	7	5	-	-	2	71
92	100	102	97	97	88	75	56	66	48	35	29	14	4	4	-	-	2	72
67	65	63	71	60	60	36	33	39	30	24	25	12	3	1	-	-	-	73
18	25	34	18	29	18	18	14	7	10	11	2	-	-	-	-	-	-	74
13	11	13	15	14	7	8	4	5	6	6	6	1	-	-	-	-	-	75
-	2	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	76
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	77
-	-	1	2	1	1	-	2	-	1	-	3	1	1	-	-	-	-	78
-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	79
-	-	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	80
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	2	-	2	1	5	12	17	16	6	9	2	-	-	-	85
-	-	-	-	1	-	-	1	4	2	7	10	5	6	-	-	-	-	86
-	-	-	-	1	-	2	-	1	10	8	5	1	3	1	-	-	-	87
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	2	1	4	4	1	2	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	93
-	-	-	-	-	-	-	-	2	1	3	4	1	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VI. Diseases of the nervous system and sense organs—Continued										
1	391-393	Otitis media and mastoiditis	492	155	27	12	9	6	209	25	20	16
2		White—Male	254	74	8	8	3	3	96	12	9	10
3		Female	162	48	12	1	4	2	67	9	11	3
4		Negro—Male	36	16	4	1	-	-	21	-	-	2
5		Female	27	11	3	1	1	-	16	3	-	1
6		Other—Male	7	5	-	-	-	-	5	-	-	-
7		Female	6	1	-	1	1	1	4	1	-	-
8	Residual[1]	Other diseases of nervous system and sense organs	4,828	404	152	95	57	43	751	139	76	91
9		White—Male	2,353	183	70	46	24	17	340	64	30	43
10		Female	1,729	138	61	33	21	21	274	48	31	29
11		Negro—Male	379	41	10	9	4	2	66	14	10	9
12		Female	339	38	11	7	7	3	66	9	5	10
13		Other—Male	20	4	-	-	1	-	5	4	-	-
14		Female	8	-	-	-	-	-	-	-	-	-
15		VII. Diseases of the circulatory system	600,731	338	85	58	48	51	580	339	496	742
16		White—Male	321,717	145	33	21	17	23	239	123	183	300
17		Female	223,528	122	37	24	21	15	219	104	178	257
18		Negro—Male	28,626	38	6	8	4	9	65	49	56	76
19		Female	25,403	30	9	4	6	4	53	59	75	99
20		Other—Male	1,065	3	-	1	-	-	4	1	3	6
21		Female	392	-	-	-	-	-	-	3	1	4
22	400-402	Rheumatic fever	1,648	17	11	11	23	23	85	217	268	117
23		White—Male	690	5	7	1	7	11	31	71	89	44
24		Female	626	7	3	7	9	5	31	89	99	40
25		Negro—Male	149	2	1	2	4	6	15	35	33	12
26		Female	174	2	-	1	3	1	7	40	45	20
27		Other—Male	4	1	-	-	-	-	1	-	1	1
28		Female	5	-	-	-	-	-	-	2	1	-
29	410-443	Diseases of heart	545,675	253	61	39	20	27	400	111	198	541
30		White—Male	296,372	116	20	15	9	12	172	46	82	236
31		Female	199,703	86	28	14	8	9	145	31	68	174
32		Negro—Male	25,691	28	5	6	-	3	42	13	19	61
33		Female	22,583	21	8	3	3	3	38	19	27	65
34		Other—Male	976	2	-	1	-	-	3	1	2	3
35		Female	350	-	-	-	-	-	-	1	-	2
36	410-416	Chronic rheumatic heart disease	19,988	3	1	2	2	3	11	42	104	284
37		White—Male	9,101	2	-	1	1	1	5	11	44	129
38		Female	9,104	-	-	1	-	-	1	18	37	101
39		Negro—Male	819	1	-	-	-	2	3	4	9	21
40		Female	895	-	1	-	1	-	2	9	12	31
41		Other—Male	42	-	-	-	-	-	-	-	2	1
42		Female	27	-	-	-	-	-	-	-	-	1
43	410	Diseases of mitral valve	8,149	3	1	2	-	1	7	10	24	59
44		White—Male	3,558	2	-	1	-	1	4	5	11	28
45		Female	3,714	-	-	1	-	-	1	5	5	24
46		Negro—Male	410	1	-	-	-	-	1	-	2	1
47		Female	435	-	1	-	-	-	1	-	5	6
48		Other—Male	18	-	-	-	-	-	-	-	1	-
49		Female	14	-	-	-	-	-	-	-	-	-
50	411	Diseases of aortic valve specified as rheumatic	827	...	-	-	-	-	-	-	2	6
51		White—Male	619	...	-	-	-	-	-	-	-	4
52		Female	184	...	-	-	-	-	-	-	2	-
53		Negro—Male	17	...	-	-	-	-	-	-	-	1
54		Female	7	...	-	-	-	-	-	-	-	1
55		Other—Male	-	...	-	-	-	-	-	-	-	-
56		Female	-	...	-	-	-	-	-	-	-	-
57	412	Diseases of tricuspid valve	24	-	-	-	-	-	-	-	-	1
58		White—Male	14	-	-	-	-	-	-	-	-	-
59		Female	8	-	-	-	-	-	-	-	-	1
60		Negro—Male	1	-	-	-	-	-	-	-	-	-
61		Female	1	-	-	-	-	-	-	-	-	-
62		Other—Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	413,414	Diseases of pulmonary valve, etc.,* specified as rheumatic	1,265	...	-	-	-	-	-	4	9	28
65		White—Male	585	...	-	-	-	-	-	1	3	11
66		Female	601	...	-	-	-	-	-	2	4	13
67		Negro—Male	34	...	-	-	-	-	-	-	1	2
68		Female	40	...	-	-	-	-	-	1	1	2
69		Other—Male	3	...	-	-	-	-	-	-	-	-
70		Female	2	...	-	-	-	-	-	-	-	-
71	415,416	Other diseases of heart specified as rheumatic	9,723	-	-	-	2	2	4	28	69	190
72		White—Male	4,325	-	-	-	1	-	1	5	30	86
73		Female	4,597	-	-	-	-	-	-	11	26	63
74		Negro—Male	357	-	-	-	-	2	2	4	6	17
75		Female	412	-	-	-	1	-	1	8	6	22
76		Other—Male	21	-	-	-	-	-	-	-	1	1
77		Female	11	-	-	-	-	-	-	-	-	1
78	420	Arteriosclerotic heart disease, including coronary disease	336,619	35	2	5	4	1	47	12	14	76
79		White—Male	206,090	18	2	2	3	1	26	9	9	34
80		Female	111,430	10	-	1	1	-	12	1	3	25
81		Negro—Male	10,676	4	-	-	-	-	4	1	2	11
82		Female	7,693	3	-	1	-	-	4	1	-	6
83		Other—Male	582	-	-	1	-	-	1	-	-	-
84		Female	148	-	-	-	-	-	-	-	-	-
85	420.0	Arteriosclerotic heart disease so described	111,012	2	1	-	1	-	4	5	2	9
86		White—Male	57,495	2	1	-	1	-	4	4	2	5
87		Female	46,772	-	-	-	-	-	-	-	-	4
88		Negro—Male	3,528	-	-	-	-	-	-	-	-	-
89		Female	2,954	-	-	-	-	-	-	1	-	-
90		Other—Male	208	-	-	-	-	-	-	-	-	-
91		Female	55	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
12	20	10	20	15	19	23	23	22	20	22	11	4	1	-	-	-	-	1
6	9	7	15	11	8	12	14	12	12	12	6	3	-	-	-	-	-	2
3	8	3	4	2	10	6	8	8	6	7	5	1	1	-	-	-	-	3
2	1	-	1	1	1	3	1	-	2	1	-	-	-	-	-	-	-	4
-	1	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	5
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
92	123	141	160	212	279	326	431	447	462	397	316	231	119	24	8	2	1	8
36	61	75	65	99	131	143	224	252	248	227	158	105	41	9	1	1	-	9
41	39	51	58	69	86	119	139	146	157	125	130	108	59	13	6	1	-	10
10	13	11	21	23	28	33	36	21	33	28	12	4	6	1	-	-	-	11
5	8	4	14	17	32	27	31	27	22	17	16	13	13	1	1	-	1	12
-	1	-	1	1	2	3	1	-	1	-	-	1	-	-	-	-	-	13
-	1	-	1	3	-	1	-	1	1	-	-	-	-	-	-	-	-	14
1,173	1,982	3,557	7,058	13,583	21,433	35,075	49,618	64,209	80,602	87,608	89,402	75,176	44,454	18,338	4,129	716	461	15
440	788	1,635	3,623	7,828	13,116	21,417	31,378	38,989	46,336	47,075	45,090	35,046	19,206	7,133	1,385	167	220	16
422	652	966	1,680	2,753	4,396	7,589	11,733	18,400	26,765	34,311	39,480	36,971	23,402	10,463	2,416	289	142	17
110	241	431	822	1,485	1,985	3,229	3,578	3,680	3,979	3,308	2,524	1,585	858	302	124	87	52	18
187	287	507	904	1,467	1,863	2,773	2,797	2,970	3,302	2,725	2,138	1,466	929	409	185	163	45	19
6	4	7	17	42	52	95	101	137	166	146	126	87	37	15	8	4	1	20
8	10	11	12	8	21	32	31	33	54	43	44	21	22	16	11	6	1	21
81	91	91	118	101	86	91	90	58	54	38	32	10	14	4	1	-	1	22
33	36	42	48	53	45	47	53	28	28	17	17	2	4	2	-	-	-	23
33	37	35	50	36	33	36	29	26	20	18	15	6	9	2	1	-	1	24
2	5	5	13	9	5	2	5	3	2	1	-	2	-	-	-	-	-	25
12	13	8	6	3	3	6	3	1	4	2	-	-	1	-	-	-	-	26
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
918	1,641	3,038	6,306	12,522	20,146	33,318	47,188	60,947	75,776	81,057	80,613	65,292	37,159	14,449	3,117	533	405	29
363	683	1,476	3,382	7,434	12,569	20,619	30,139	37,280	43,812	43,744	40,858	30,487	15,960	5,658	1,055	122	195	30
305	518	792	1,447	2,446	4,033	7,022	11,043	17,389	25,121	31,698	35,485	32,049	19,624	8,190	1,790	213	120	31
97	203	356	703	1,312	1,788	2,988	3,298	3,399	3,639	2,983	2,212	1,385	733	238	103	71	48	32
142	224	398	747	1,285	1,686	2,568	2,582	2,716	3,000	2,465	1,907	1,276	792	335	152	121	40	33
4	3	7	17	39	51	92	98	131	153	129	110	77	33	14	7	1	1	34
7	10	9	10	8	19	29	28	32	51	38	41	18	17	14	10	5	1	35
413	650	918	1,328	1,706	1,932	2,201	2,077	2,109	1,820	1,526	1,306	899	456	155	38	8	5	36
176	272	410	566	812	862	1,024	1,013	1,008	866	719	572	359	186	56	9	-	2	37
165	286	383	623	742	904	989	919	962	830	677	642	487	231	82	20	2	3	38
24	38	53	58	70	76	89	71	77	64	61	56	18	16	6	1	4	-	39
42	48	66	74	79	87	93	69	58	57	64	33	31	21	9	8	2	-	40
2	1	2	5	2	2	6	2	3	3	4	2	3	2	-	-	-	-	41
4	5	4	2	1	1	-	3	1	-	1	1	1	-	2	-	-	-	42
115	233	337	419	547	642	785	726	821	799	783	762	595	321	120	36	7	1	43
46	102	149	158	240	282	351	331	362	375	356	329	241	134	46	8	-	-	44
55	97	153	225	259	303	346	311	370	334	320	359	308	155	62	19	2	1	45
3	12	13	12	19	26	47	42	49	48	51	48	15	12	5	1	3	-	46
8	19	19	22	27	31	39	40	37	40	54	24	29	19	5	8	2	-	47
1	-	2	1	1	-	2	1	2	2	1	1	2	1	-	-	-	-	48
2	3	1	1	1	-	-	1	1	-	1	1	-	-	2	-	-	-	49
7	16	31	55	74	79	120	140	112	80	52	33	14	6	-	-	-	-	50
7	10	22	44	55	63	92	105	85	59	39	22	9	3	-	-	-	-	51
-	5	7	8	12	12	28	31	27	21	12	11	5	3	-	-	-	-	52
-	-	2	3	6	2	-	3	-	-	-	-	-	-	-	-	-	-	53
-	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	2	1	4	6	5	1	3	1	-	-	-	-	-	57
-	-	-	-	-	2	1	1	4	2	1	2	1	-	-	-	-	-	58
-	-	-	-	-	-	-	2	2	2	-	1	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
48	39	57	106	113	126	133	105	135	115	87	74	53	24	9	-	-	-	64
23	14	30	55	51	54	56	51	63	55	41	36	26	13	2	-	-	-	65
15	23	22	37	56	64	64	50	68	58	45	36	27	11	6	-	-	-	66
5	-	3	7	3	3	4	1	2	1	1	1	-	-	-	-	-	-	67
4	1	2	5	3	5	9	3	2	-	-	1	-	-	1	-	-	-	68
-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	69
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
243	362	493	748	972	1,083	1,162	1,102	1,035	821	603	434	236	105	26	2	1	4	71
100	146	209	309	466	461	524	525	494	375	282	183	82	36	8	1	-	2	72
95	161	201	353	415	525	551	525	495	415	300	235	147	62	14	1	-	2	73
16	26	35	36	42	45	38	25	26	14	9	7	3	4	1	-	1	-	74
30	27	45	47	48	49	45	24	19	17	9	8	2	2	3	-	-	-	75
1	1	-	2	1	2	4	1	1	-	3	1	1	1	-	-	-	-	76
1	1	3	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	77
193	436	1,155	3,107	7,336	12,782	21,846	32,321	41,449	50,429	52,078	48,435	36,552	19,394	7,111	1,399	203	244	78
89	233	782	2,227	5,465	9,694	16,039	23,449	28,292	31,991	30,553	26,467	18,291	8,794	2,953	493	58	142	79
51	86	173	383	906	1,721	3,547	6,344	10,675	15,728	19,269	20,308	17,262	10,018	3,947	814	86	71	80
18	69	104	286	564	783	1,340	1,489	1,426	1,554	1,226	842	513	283	83	36	20	22	81
32	45	90	202	378	547	857	967	960	1,035	936	728	427	272	113	52	33	8	82
1	2	3	8	20	29	53	58	81	98	78	68	48	21	9	2	1	1	83
2	1	3	1	3	8	10	14	15	23	16	22	11	6	6	2	5	-	84
18	15	63	176	629	1,294	3,269	6,255	10,033	15,135	18,952	20,575	18,194	10,877	4,426	883	119	79	85
11	8	42	116	422	866	2,093	3,944	6,032	8,651	10,027	10,222	8,350	4,618	1,714	295	35	34	86
4	5	10	16	85	214	656	1,566	3,130	5,367	7,816	9,481	9,295	5,918	2,581	537	52	35	87
2	1	5	30	65	103	273	414	485	643	566	434	272	161	43	14	11	6	88
-	1	6	13	56	105	232	308	354	431	510	392	243	161	82	36	20	3	89
1	-	-	1	1	4	14	19	28	32	26	35	27	14	4	-	1	1	90
-	-	-	-	-	2	1	4	4	11	7	11	7	5	2	1	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Arteriosclerotic heart disease, including coronary disease—Continued										
1	420.1	Heart disease specified as involving coronary arteries	223,697	32	1	5	3	1	42	7	12	66
2		White—Male	147,443	16	1	2	2	1	22	5	7	29
3		White—Female	64,082	9	-	1	1	-	11	1	3	21
4		Negro—Male	7,055	4	-	-	-	-	4	1	2	11
5		Negro—Female	4,653	3	-	1	-	-	4	-	-	5
6		Other—Male	373	-	-	1	-	-	1	-	-	-
7		Other—Female	91	-	-	-	-	-	-	-	-	-
8	420.2	Angina pectoris without mention of coronary disease	1,910	1	-	-	-	-	1	-	-	1
9		White—Male	1,152	-	-	-	-	-	-	-	-	-
10		White—Female	576	1	-	-	-	-	1	-	-	-
11		Negro—Male	93	-	-	-	-	-	-	-	-	-
12		Negro—Female	86	-	-	-	-	-	-	-	-	1
13		Other—Male	1	-	-	-	-	-	-	-	-	-
14		Other—Female	2	-	-	-	-	-	-	-	-	-
15	421	Chronic endocarditis not specified as rheumatic	9,738	21	8	3	1	2	35	11	4	16
16		White—Male	4,529	9	3	1	-	-	13	4	3	8
17		White—Female	3,704	5	4	2	1	2	14	4	1	4
18		Negro—Male	777	4	-	-	-	-	4	2	-	1
19		Negro—Female	709	3	1	-	-	-	4	1	-	3
20		Other—Male	12	-	-	-	-	-	-	-	-	-
21		Other—Female	7	-	-	-	-	-	-	-	-	-
22	421.0	Of mitral valve, specified as nonrheumatic	918	-	-	-	1	-	1	-	1	-
23		White—Male	389	-	-	-	-	-	-	-	-	-
24		White—Female	393	-	-	-	1	-	1	-	1	-
25		Negro—Male	72	-	-	-	-	-	-	-	-	-
26		Negro—Female	61	-	-	-	-	-	-	-	-	-
27		Other—Male	2	-	-	-	-	-	-	-	-	-
28		Other—Female	1	-	-	-	-	-	-	-	-	-
29	421.1	Of aortic valve, not specified as rheumatic	1,749	-	-	-	-	-	-	2	-	4
30		White—Male	969	-	-	-	-	-	-	1	-	3
31		White—Female	464	-	-	-	-	-	-	1	-	-
32		Negro—Male	177	-	-	-	-	-	-	-	-	1
33		Negro—Female	136	-	-	-	-	-	-	-	-	-
34		Other—Male	2	-	-	-	-	-	-	-	-	-
35		Other—Female	1	-	-	-	-	-	-	-	-	-
36	421.2-421.4	Of other valves, not specified as rheumatic	7,071	21	8	3	-	2	34	9	3	12
37		White—Male	3,171	9	3	1	-	-	13	3	3	5
38		White—Female	2,847	5	4	2	-	2	13	3	-	4
39		Negro—Male	528	4	-	-	-	-	4	2	-	-
40		Negro—Female	512	3	1	-	-	-	4	1	-	3
41		Other—Male	8	-	-	-	-	-	-	-	-	-
42		Other—Female	5	-	-	-	-	-	-	-	-	-
43	422	Other myocardial degeneration	70,897	25	12	11	2	3	53	10	27	48
44		White—Male	32,927	9	6	4	1	2	22	4	9	17
45		White—Female	30,919	12	4	4	1	1	22	3	11	14
46		Negro—Male	3,724	2	1	1	-	-	4	2	3	12
47		Negro—Female	3,152	1	1	2	-	-	4	1	4	4
48		Other—Male	119	1	-	-	-	-	1	-	-	1
49		Other—Female	56	-	-	-	-	-	-	-	-	-
50	422.1	With arteriosclerosis	34,486	1	-	1	-	-	2	1	2	7
51		White—Male	15,808	-	-	1	-	-	1	-	1	2
52		White—Female	15,973	1	-	-	-	-	1	-	1	3
53		Negro—Male	1,470	-	-	-	-	-	-	-	-	1
54		Negro—Female	1,180	-	-	-	-	-	-	1	-	1
55		Other—Male	41	-	-	-	-	-	-	-	-	-
56		Other—Female	14	-	-	-	-	-	-	-	-	-
57	422.0,422.2	Without mention of arteriosclerosis	36,411	24	12	10	2	3	51	9	25	41
58		White—Male	17,119	9	6	3	1	2	21	4	8	15
59		White—Female	14,946	11	4	4	1	1	21	3	10	11
60		Negro—Male	2,254	2	1	1	-	-	4	2	3	11
61		Negro—Female	1,972	1	1	2	-	-	4	-	4	3
62		Other—Male	78	1	-	-	-	-	1	-	-	1
63		Other—Female	42	-	-	-	-	-	-	-	-	-
64	430-434	Other diseases of heart	23,176	169	38	18	11	18	254	35	41	95
65		White—Male	11,696	78	9	7	4	8	106	17	16	42
66		White—Female	7,311	59	20	6	5	6	96	5	14	20
67		Negro—Male	2,264	17	4	5	-	1	27	4	3	16
68		Negro—Female	1,821	14	5	-	2	3	24	7	8	15
69		Other—Male	59	1	-	-	-	-	1	1	-	1
70		Other—Female	25	-	-	-	-	-	-	1	-	1
71	430	Acute and subacute endocarditis	869	9	3	2	2	3	19	8	10	15
72		White—Male	425	6	1	2	1	1	11	4	3	6
73		White—Female	287	2	1	-	1	2	6	-	4	4
74		Negro—Male	69	1	1	-	-	-	2	1	1	1
75		Negro—Female	84	-	-	-	-	-	-	3	2	4
76		Other—Male	3	-	-	-	-	-	-	-	-	-
77		Other—Female	1	-	-	-	-	-	-	-	-	-
78	431	Acute myocarditis not specified as rheumatic	2,370	34	14	5	2	5	60	4	4	12
79		White—Male	1,028	13	3	1	1	2	20	2	3	7
80		White—Female	876	13	8	2	1	2	26	1	-	3
81		Negro—Male	223	3	1	2	-	-	6	1	1	-
82		Negro—Female	237	5	2	-	-	1	8	-	-	1
83		Other—Male	4	-	-	-	-	-	-	-	-	-
84		Other—Female	2	-	-	-	-	-	-	-	-	1
85	432	Acute pericarditis specified as nonrheumatic	41	3	2	-	1	1	7	-	-	-
86		White—Male	20	-	-	-	1	1	2	-	-	-
87		White—Female	12	2	1	-	-	-	3	-	-	-
88		Negro—Male	5	1	-	-	-	-	1	-	-	-
89		Negro—Female	4	-	1	-	-	-	1	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Other—Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
170	416	1,079	2,911	6,673	11,390	18,430	25,889	31,179	35,032	32,812	27,575	18,155	8,442	2,658	512	84	163	1
77	222	733	2,100	5,022	8,759	13,854	19,378	22,104	23,171	20,334	16,091	9,841	4,139	1,228	197	23	107	2
45	81	163	365	817	1,493	2,864	4,749	7,485	10,286	11,350	10,712	7,874	4,067	1,350	275	34	36	3
16	66	96	254	493	674	1,054	1,064	930	898	651	400	235	120	40	22	9	15	4
30	44	81	184	319	434	610	649	598	599	416	328	180	108	31	15	13	5	5
-	2	3	7	19	24	39	39	53	66	52	33	21	7	5	2	-	-	6
2	1	3	1	3	6	9	10	9	12	9	11	4	1	4	1	5	-	7
5	5	13	20	34	98	147	177	237	262	314	285	203	75	27	4	-	2	8
1	3	7	11	21	69	92	127	156	169	192	154	100	37	11	1	-	1	9
2	-	-	2	4	14	27	29	60	75	103	115	93	33	16	2	-	-	10
-	2	3	2	6	6	13	11	11	13	9	8	6	2	-	-	-	1	11
2	-	3	5	3	8	15	10	8	5	10	8	4	3	-	1	-	-	12
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	14
33	50	64	111	187	329	500	689	958	1,251	1,389	1,536	1,352	839	285	82	10	7	15
8	21	24	43	80	151	224	362	501	618	690	724	586	346	95	26	1	1	16
9	12	18	28	53	79	137	173	254	415	518	675	664	429	169	44	2	2	17
10	7	8	16	26	55	77	84	114	116	90	64	57	24	7	9	3	3	18
6	10	14	24	26	44	61	68	86	101	90	68	44	38	14	2	4	1	19
-	-	-	-	1	-	1	2	2	-	1	3	1	1	-	-	-	-	20
-	-	-	-	1	-	-	-	1	1	-	2	-	1	-	1	-	-	21
1	4	4	8	10	23	28	53	74	106	127	153	172	100	39	12	2	-	22
1	1	2	6	4	10	9	25	37	47	58	68	60	39	15	7	-	-	23
-	2	-	2	2	5	12	12	14	40	49	66	107	55	21	4	-	-	24
-	1	-	-	2	3	5	11	13	9	9	12	4	2	1	1	-	-	25
-	-	2	-	2	5	2	5	10	10	11	5	1	3	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	28
4	9	18	32	53	95	133	186	240	241	222	203	160	100	36	9	2	-	29
1	3	9	15	32	47	81	126	151	132	117	109	83	42	15	2	-	-	30
1	2	1	3	5	12	23	28	52	68	70	73	60	43	18	4	-	-	31
1	-	5	7	10	20	17	16	25	26	16	12	8	6	2	3	1	-	32
1	4	3	7	6	16	12	15	11	15	19	8	8	9	1	-	1	-	33
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	35
28	37	42	71	124	211	339	450	644	904	1,040	1,180	1,020	639	210	61	6	7	36
6	17	13	22	44	94	134	211	313	439	515	547	443	265	65	17	1	1	37
8	8	17	23	46	62	102	133	188	307	399	536	497	331	130	36	2	2	38
9	6	3	9	14	32	55	57	76	81	65	40	44	16	5	5	2	3	39
5	6	9	17	18	23	47	48	65	76	60	55	35	26	10	2	1	1	40
-	-	-	-	1	-	1	1	1	-	1	2	1	-	-	-	-	-	41
-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	1	-	-	42
60	122	206	393	701	1,082	1,938	3,036	4,808	7,373	10,036	12,763	13,365	9,239	4,347	1,038	202	50	43
21	42	68	145	273	458	830	1,453	2,448	3,891	5,049	6,178	6,008	3,921	1,674	350	46	20	44
19	32	53	102	171	282	476	839	1,505	2,491	4,086	5,812	6,768	4,988	2,528	610	90	17	45
10	26	43	70	130	188	332	403	466	548	498	424	303	154	58	26	22	2	46
9	20	41	74	125	150	286	324	368	415	378	328	272	167	82	45	44	11	47
1	-	-	-	2	3	7	15	16	17	19	16	10	6	3	2	-	-	48
-	2	1	2	-	1	7	2	5	11	6	5	4	3	2	5	-	-	49
4	17	18	43	137	213	500	939	1,807	3,214	4,955	6,768	7,503	5,215	2,471	556	88	26	50
2	7	3	11	32	65	172	431	897	1,638	2,474	3,296	3,386	2,224	960	185	14	7	51
1	1	6	9	25	60	126	245	565	1,133	2,097	3,144	3,856	2,842	1,455	345	46	12	52
1	5	7	11	42	53	110	143	192	250	224	185	145	63	20	9	3	1	53
-	4	2	12	38	33	89	116	143	185	152	134	111	83	36	14	20	6	54
-	-	-	-	-	2	2	4	7	4	6	7	5	3	-	1	-	-	55
-	-	-	-	-	-	1	-	3	4	2	2	-	-	-	2	-	-	56
56	105	188	350	564	869	1,438	2,097	3,001	4,159	5,081	5,995	5,862	4,024	1,876	482	114	24	57
19	35	65	134	241	393	658	1,022	1,551	2,253	2,575	2,882	2,622	1,697	714	165	32	13	58
18	31	47	93	146	222	350	594	940	1,358	1,989	2,668	2,912	2,146	1,073	265	44	5	59
9	21	36	59	88	135	222	260	274	298	274	239	158	91	38	17	14	1	60
9	16	39	62	87	117	197	208	225	230	226	194	161	84	46	31	24	5	61
1	-	-	-	2	1	5	11	9	13	13	9	5	3	3	1	-	-	62
-	2	1	2	-	1	6	2	2	7	4	3	4	3	2	3	-	-	63
166	202	302	510	796	1,059	1,596	1,943	2,438	3,099	2,990	2,965	2,474	1,398	599	154	35	25	64
54	68	113	203	341	524	789	1,061	1,348	1,691	1,644	1,567	1,195	615	230	56	5	11	65
46	65	72	116	156	207	295	413	642	901	973	1,112	1,079	678	324	76	13	8	66
28	26	59	89	146	173	295	281	257	272	234	168	97	48	24	8	7	2	67
38	41	58	98	148	143	210	184	181	222	135	108	99	55	20	13	10	4	68
-	-	-	3	4	9	5	3	9	8	2	7	4	1	-	1	-	-	69
-	2	-	1	1	3	2	1	1	5	2	3	1	1	-	-	-	-	70
33	38	39	43	57	63	87	95	101	72	70	53	44	22	5	2	1	2	71
9	13	17	17	32	29	47	63	61	33	31	21	19	6	1	1	-	1	72
12	18	13	18	14	19	21	16	26	28	28	29	22	3	4	1	-	1	73
5	1	3	1	5	6	9	11	7	7	6	2	-	1	-	-	-	-	74
7	6	6	7	5	7	10	4	7	4	5	1	3	2	-	-	1	-	75
-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	77
16	16	32	59	73	125	137	148	199	316	293	312	304	156	79	21	2	2	78
5	3	12	28	24	54	55	61	91	143	145	153	127	57	31	6	-	1	79
4	7	5	13	18	22	32	33	59	105	112	131	159	91	43	12	-	-	80
4	1	5	5	12	22	28	33	26	30	22	12	7	4	2	1	-	1	81
3	5	10	13	17	27	22	21	22	37	14	15	11	4	3	2	2	-	82
-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	84
2	1	1	1	1	3	1	6	5	2	4	4	2	1	-	-	-	-	85
1	-	-	-	1	2	-	4	1	-	4	2	2	-	-	-	-	-	86
-	-	-	1	-	-	1	2	3	-	1	1	-	1	-	-	-	-	87
-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	88
1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Other diseases of heart—Continued										
1	433	Functional disease of heart	2,365	21	2	-	-	-	23	3	1	5
2		White—Male	1,164	8	-	-	-	-	8	2	-	4
3		Female	1,072	10	2	-	-	-	12	-	1	1
4		Negro—Male	62	2	-	-	-	-	2	-	-	-
5		Female	60	-	-	-	-	-	-	-	-	-
6		Other—Male	6	1	-	-	-	-	1	-	-	-
7		Female	1	-	-	-	-	-	-	1	-	-
8	434	Other and unspecified diseases of heart	17,531	102	17	11	6	9	145	20	26	63
9		White—Male	9,059	51	5	4	1	4	65	9	10	25
10		Female	5,064	32	8	4	3	2	49	4	9	12
11		Negro—Male	1,905	10	2	3	-	1	16	2	1	15
12		Female	1,436	9	2	-	2	2	15	4	6	10
13		Other—Male	46	-	-	-	-	-	-	1	-	1
14		Female	21	-	-	-	-	-	-	-	-	-
15	440-443	Hypertension with heart disease	85,257	-	-	-	-	-	-	1	8	22
16		White—Male	32,029	-	-	-	-	-	-	1	1	6
17		Female	37,235	-	-	-	-	-	-	-	2	10
18		Negro—Male	7,431	-	-	-	-	-	-	-	2	-
19		Female	8,313	-	-	-	-	-	-	-	3	6
20		Other—Male	162	-	-	-	-	-	-	-	-	-
21		Female	87	-	-	-	-	-	-	-	-	-
22	442	Hypertensive heart disease with arteriolar nephrosclerosis	25,151	-	-	-	-	-	-	1	6	11
23		White—Male	10,628	-	-	-	-	-	-	1	-	3
24		Female	10,022	-	-	-	-	-	-	-	1	3
25		Negro—Male	2,174	-	-	-	-	-	-	-	2	-
26		Female	2,249	-	-	-	-	-	-	-	3	5
27		Other—Male	41	-	-	-	-	-	-	-	-	-
28		Female	37	-	-	-	-	-	-	-	-	-
29	440,441,443	Essential hypertension with heart disease, etc.*	60,106	-	-	-	-	-	-	-	2	11
30		White—Male	21,401	-	-	-	-	-	-	-	1	3
31		Female	27,213	-	-	-	-	-	-	-	1	7
32		Negro—Male	5,257	-	-	-	-	-	-	-	-	-
33		Female	6,064	-	-	-	-	-	-	-	-	1
34		Other—Male	121	-	-	-	-	-	-	-	-	-
35		Female	50	-	-	-	-	-	-	-	-	-
36	444-447	Hypertension without mention of heart	13,256	-	-	-	-	-	-	2	4	10
37		White—Male	5,330	-	-	-	-	-	-	1	2	4
38		Female	5,360	-	-	-	-	-	-	1	2	3
39		Negro—Male	1,243	-	-	-	-	-	-	-	-	2
40		Female	1,295	-	-	-	-	-	-	-	-	1
41		Other—Male	19	-	-	-	-	-	-	-	-	-
42		Female	9	-	-	-	-	-	-	-	-	-
43	446	Hypertension with arteriolar nephrosclerosis, etc.*	6,588	-	-	-	-	-	-	1	3	4
44		White—Male	2,997	-	-	-	-	-	-	-	2	1
45		Female	2,538	-	-	-	-	-	-	1	1	1
46		Negro—Male	561	-	-	-	-	-	-	-	-	1
47		Female	472	-	-	-	-	-	-	-	-	1
48		Other—Male	15	-	-	-	-	-	-	-	-	-
49		Female	5	-	-	-	-	-	-	-	-	-
50	444,445,447	Essential hypertension, other hypertensive disease, etc.*	6,668	-	-	-	-	-	-	1	1	6
51		White—Male	2,333	-	-	-	-	-	-	1	-	3
52		Female	2,822	-	-	-	-	-	-	-	1	2
53		Negro—Male	682	-	-	-	-	-	-	-	-	1
54		Female	823	-	-	-	-	-	-	-	-	-
55		Other—Male	4	-	-	-	-	-	-	-	-	-
56		Female	4	-	-	-	-	-	-	-	-	-
57	450-456	Diseases of arteries	36,452	9	1	1	2	1	14	2	23	53
58		White—Male	17,571	5	-	-	1	-	6	1	9	11
59		Female	16,360	3	1	1	1	1	7	1	8	33
60		Negro—Male	1,304	1	-	-	-	-	1	-	3	1
61		Female	1,132	-	-	-	-	-	-	-	3	5
62		Other—Male	61	-	-	-	-	-	-	-	-	1
63		Female	24	-	-	-	-	-	-	-	-	2
64	450	General arteriosclerosis	31,884	-	-	-	1	-	1	-	-	-
65		White—Male	14,864	-	-	-	-	-	-	-	-	-
66		Female	14,957	-	-	-	1	-	1	-	-	-
67		Negro—Male	1,068	-	-	-	-	-	-	-	-	-
68		Female	927	-	-	-	-	-	-	-	-	-
69		Other—Male	48	-	-	-	-	-	-	-	-	-
70		Female	20	-	-	-	-	-	-	-	-	-
71	451	Aortic aneurysm specified as nonsyphilitic, etc.*	2,639	1	-	-	-	1	2	-	-	2
72		White—Male	1,789	-	-	-	-	-	-	-	-	1
73		Female	636	-	-	-	-	1	1	-	-	1
74		Negro—Male	124	1	-	-	-	-	1	-	-	-
75		Female	82	-	-	-	-	-	-	-	-	-
76		Other—Male	7	-	-	-	-	-	-	-	-	-
77		Female	1	-	-	-	-	-	-	-	-	-
78	455	Gangrene of unspecified cause	250	1	-	-	-	-	1	-	-	-
79		White—Male	119	1	-	-	-	-	1	-	-	-
80		Female	75	-	-	-	-	-	-	-	-	-
81		Negro—Male	35	-	-	-	-	-	-	-	-	-
82		Female	19	-	-	-	-	-	-	-	-	-
83		Other—Male	1	-	-	-	-	-	-	-	-	-
84		Female	1	-	-	-	-	-	-	-	-	-
85	452-454,456	Other arterial diseases	1,679	7	1	1	1	-	10	2	23	51
86		White—Male	799	4	-	-	1	-	5	1	9	10
87		Female	692	3	1	1	-	-	5	1	8	32
88		Negro—Male	77	-	-	-	-	-	-	-	3	1
89		Female	104	-	-	-	-	-	-	-	3	5
90		Other—Male	5	-	-	-	-	-	-	-	-	1
91		Female	2	-	-	-	-	-	-	-	-	2

*For complete category title, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	16	22	21	54	70	124	185	287	322	375	352	296	143	50	6	1	4	1
2	5	11	11	28	39	56	102	145	171	168	200	139	51	17	3	-	2	2
3	8	6	7	15	27	54	72	128	139	191	139	150	85	31	3	-	-	3
-	1	2	-	3	1	9	4	9	6	11	6	4	3	1	-	-	-	4
-	2	3	3	8	2	5	7	5	6	3	6	2	4	1	-	1	2	5
-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
110	131	208	386	611	798	1,247	1,509	1,846	2,387	2,248	2,244	1,828	1,086	465	125	31	17	8
37	46	73	147	256	400	631	851	1,050	1,344	1,296	1,191	908	501	181	46	5	7	9
27	32	48	77	109	139	187	290	426	629	642	812	748	498	246	60	13	7	10
19	23	48	83	126	144	249	233	214	228	195	147	86	40	21	7	7	1	11
27	28	39	75	118	106	173	152	147	174	113	86	83	45	16	11	6	2	12
-	-	-	3	2	6	5	2	8	8	-	5	3	1	-	1	-	-	13
-	2	-	1	-	3	2	1	1	4	2	3	-	1	1	-	-	-	14
53	181	393	857	1,796	2,962	5,237	7,122	9,185	11,804	13,038	13,608	10,650	5,833	1,952	406	75	74	15
15	47	79	198	463	880	1,713	2,801	3,683	4,755	5,089	5,350	4,048	2,098	650	121	12	19	16
15	37	93	195	418	840	1,578	2,355	3,351	4,756	6,175	6,936	5,789	3,280	1,140	226	20	19	17
7	37	89	184	376	513	855	970	1,059	1,085	874	658	397	208	60	23	15	19	18
15	60	129	275	527	715	1,061	970	1,063	1,170	862	642	403	239	97	32	28	16	19
-	-	2	1	10	8	20	18	20	27	25	14	11	2	2	2	-	-	20
1	-	1	4	2	6	10	8	9	11	13	8	2	6	3	2	-	1	21
16	81	147	274	505	733	1,263	1,721	2,130	2,982	3,673	4,304	3,744	2,377	895	220	44	24	22
7	27	30	68	135	260	454	724	907	1,270	1,619	1,938	1,699	1,049	340	78	11	8	23
2	15	33	72	132	179	357	499	662	1,080	1,488	1,932	1,772	1,172	494	116	9	4	24
1	16	33	50	108	120	200	255	289	316	296	241	137	66	20	10	8	6	25
6	23	49	80	128	173	239	238	266	306	257	185	132	86	37	14	16	6	26
-	-	2	1	2	-	7	4	2	4	7	5	4	1	1	1	-	-	27
-	-	-	3	-	1	6	1	4	6	6	3	-	3	3	1	-	-	28
37	100	246	583	1,291	2,229	3,974	5,401	7,055	8,822	9,365	9,304	6,906	3,456	1,057	186	31	50	29
8	20	49	130	328	620	1,259	2,077	2,776	3,485	3,470	3,412	2,349	1,049	310	43	1	11	30
13	22	60	123	286	661	1,221	1,856	2,689	3,676	4,687	5,004	4,017	2,108	646	110	11	15	31
6	21	56	134	288	393	655	715	770	769	578	417	260	142	40	13	7	13	32
9	37	80	195	399	542	822	732	797	864	605	457	271	153	60	18	12	10	33
-	-	-	-	8	8	13	14	18	23	18	9	7	1	1	1	-	-	34
1	-	1	1	2	5	4	7	5	5	7	5	2	3	-	1	-	1	35
47	101	238	349	560	638	795	968	1,041	1,397	1,621	1,971	1,806	1,118	461	90	24	15	36
14	29	55	88	168	223	292	426	434	599	710	850	775	453	169	28	3	7	37
12	23	52	74	143	175	248	286	380	532	684	927	908	596	257	51	4	2	38
8	22	55	74	120	122	118	142	113	123	122	101	60	30	21	3	6	3	39
13	27	78	113	128	116	134	110	113	139	100	89	62	37	14	8	10	3	40
-	-	-	-	1	1	1	1	1	4	5	3	1	1	-	-	-	-	41
-	-	-	-	-	1	2	3	-	-	-	1	-	1	-	-	1	-	42
21	42	91	140	203	242	350	437	530	705	836	1,083	926	616	283	56	10	9	43
8	13	23	36	72	74	141	212	254	346	394	519	461	298	115	22	1	5	44
4	15	18	28	47	69	109	125	178	245	331	477	415	292	148	30	3	1	45
3	5	18	31	40	49	57	62	57	57	69	54	24	14	14	1	3	2	46
6	9	32	45	43	49	40	35	40	54	38	30	26	11	6	3	3	1	47
-	-	-	-	1	-	1	1	1	3	4	3	-	1	-	-	-	-	48
-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	49
26	59	147	209	357	396	445	531	511	692	785	888	880	502	178	34	14	6	50
6	16	32	52	96	149	151	214	180	253	316	331	314	155	54	6	2	2	51
8	8	34	46	96	106	139	161	202	287	353	450	493	304	109	21	1	1	52
5	17	35	43	80	73	61	80	56	66	53	47	36	16	7	2	3	1	53
7	18	46	68	85	67	94	75	73	85	62	59	36	26	8	5	7	2	54
-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	55
-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	56
80	83	112	148	237	350	585	967	1,749	2,894	4,454	6,389	7,803	6,029	3,386	906	156	32	57
16	28	33	58	103	177	312	553	1,031	1,634	2,386	3,181	3,658	2,730	1,292	296	41	15	58
47	41	56	58	79	86	139	235	453	910	1,723	2,865	3,878	3,101	1,989	566	71	14	59
2	3	9	11	27	50	87	97	143	191	186	196	133	92	43	18	10	1	60
14	10	14	21	26	37	44	80	118	147	143	133	122	99	59	24	31	2	61
1	1	-	-	2	-	2	2	3	9	11	12	9	3	1	1	3	-	62
-	-	-	-	-	-	1	-	1	3	5	2	3	4	2	1	-	-	63
-	5	9	16	42	122	243	497	1,141	2,250	3,883	5,906	7,492	5,872	3,329	895	154	27	64
-	2	2	7	12	57	102	231	592	1,193	2,006	2,899	3,489	2,659	1,269	293	40	11	65
-	2	4	6	10	22	61	134	337	750	1,563	2,694	3,745	3,026	1,958	560	70	14	66
-	-	3	-	7	22	56	66	118	184	171	178	128	86	41	17	10	1	67
-	1	-	3	13	21	23	64	90	133	131	122	118	94	59	23	31	1	68
-	-	-	-	-	-	-	2	3	7	7	12	9	3	1	1	3	-	69
-	-	-	-	-	-	1	-	1	3	5	1	3	4	1	1	-	-	70
7	12	18	32	59	121	194	305	438	466	404	319	164	71	20	2	-	3	71
4	9	10	14	32	70	130	228	343	336	283	202	91	24	8	1	-	3	72
2	2	6	8	11	23	28	43	62	104	107	110	70	45	12	1	-	-	73
1	-	2	6	9	17	23	23	15	15	7	3	1	1	-	-	-	-	74
-	1	-	4	6	11	11	11	18	9	5	3	2	1	-	-	-	-	75
-	-	-	-	1	-	2	-	-	2	2	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	77
-	-	2	2	4	2	8	10	20	23	35	43	45	32	16	5	1	1	78
-	-	1	1	2	2	4	3	5	11	19	18	25	16	9	1	-	1	79
-	-	1	-	-	-	1	4	5	6	8	11	20	9	6	3	1	-	80
-	-	-	1	2	-	1	2	7	5	3	10	-	4	-	-	-	-	81
-	-	-	-	-	-	2	1	3	1	4	4	-	3	-	1	-	-	82
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	84
73	66	83	98	132	105	140	155	150	155	132	121	102	54	21	4	1	1	85
12	17	20	36	57	48	76	91	91	94	78	62	53	31	6	1	1	-	86
45	37	45	44	58	41	49	54	49	50	45	50	43	21	13	2	-	-	87
1	3	4	4	9	11	7	6	3	7	5	5	4	1	2	1	-	-	88
14	8	14	14	7	5	8	4	7	4	3	4	2	1	-	-	-	1	89
1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
1	460-468	Diseases of veins and other diseases of circulatory system----	3,700	59	12	7	3	-	81	7	3	21
2		White--------Male----	1,754	19	6	5	-	-	30	4	1	5
3		Female--	1,479	26	5	2	3	-	36	2	1	7
4		Negro--------Male----	239	7	-	-	-	-	7	1	1	-
5		Female--	219	7	1	-	-	-	8	-	-	8
6		Other--------Male----	5	-	-	-	-	-	-	-	-	1
7		Female--	4	-	-	-	-	-	-	-	-	-
8		VIII. Diseases of the respiratory system----------	62,482	9,858	1,841	806	459	358	13,322	812	366	435
9		White--------Male----	30,495	3,676	688	348	191	153	5,056	336	141	166
10		Female--	20,951	2,891	635	249	175	121	4,071	309	129	130
11		Negro--------Male----	5,804	1,650	242	104	43	33	2,072	83	51	73
12		Female--	4,544	1,359	203	84	37	44	1,727	71	41	62
13		Other--------Male----	406	163	33	11	9	3	219	6	3	2
14		Female--	282	119	40	10	4	4	177	7	1	2
15	470-475	Acute upper respiratory infections----------	909	341	86	41	39	24	531	56	18	13
16		White--------Male----	407	140	41	18	18	13	230	23	12	4
17		Female--	319	92	27	15	13	11	158	24	6	7
18		Negro--------Male----	84	54	7	3	4	-	66	2	-	2
19		Female--	92	52	10	5	4	-	71	6	-	-
20		Other--------Male----	4	1	-	-	-	-	1	1	-	-
21		Female--	3	2	1	-	-	-	3	-	-	-
22	480-483	Influenza----------	6,946	776	167	66	33	29	1,071	95	38	65
23		White--------Male----	2,767	226	61	28	14	13	342	38	11	24
24		Female--	2,689	216	52	21	7	5	301	33	13	18
25		Negro--------Male----	706	168	25	9	4	7	213	13	10	11
26		Female--	750	150	27	7	7	3	194	9	4	12
27		Other--------Male----	17	9	1	1	1	1	13	1	-	-
28		Female--	17	7	1	-	-	-	8	1	-	-
29	490-493	Pneumonia, except pneumonia of newborn----------	41,223	7,537	1,315	559	277	201	9,889	440	235	282
30		White--------Male----	18,820	2,786	443	235	102	72	3,638	182	95	106
31		Female--	14,369	2,179	468	164	111	65	2,987	153	82	83
32		Negro--------Male----	4,234	1,278	189	79	31	23	1,600	56	29	48
33		Female--	3,234	1,051	150	66	22	36	1,325	42	26	41
34		Other--------Male----	332	143	30	8	7	2	190	3	2	2
35		Female--	234	100	35	7	4	3	149	4	1	2
36	490	Lobar pneumonia----------	12,935	1,138	248	85	50	42	1,563	122	81	101
37		White--------Male----	6,248	414	90	42	18	13	577	50	29	38
38		Female--	3,927	343	80	27	19	12	481	34	26	21
39		Negro--------Male----	1,536	188	38	9	7	8	250	22	11	21
40		Female--	1,075	153	26	6	5	9	199	15	14	20
41		Other--------Male----	91	20	8	-	1	-	29	-	1	1
42		Female--	58	20	6	1	-	-	27	1	-	-
43	491	Bronchopneumonia----------	20,076	4,442	757	354	157	114	5,824	217	107	104
44		White--------Male----	8,958	1,614	243	142	64	40	2,103	89	51	37
45		Female--	7,415	1,251	268	112	63	38	1,732	81	40	33
46		Negro--------Male----	1,879	763	115	52	15	11	956	24	9	20
47		Female--	1,525	662	93	37	11	20	823	19	5	13
48		Other--------Male----	182	93	15	7	3	2	120	1	1	1
49		Female--	117	59	23	4	1	3	90	3	1	-
50	492	Primary atypical pneumonia----------	4,053	773	131	53	34	20	1,011	54	23	40
51		White--------Male----	1,952	358	44	27	9	10	448	22	10	15
52		Female--	1,600	250	62	14	17	6	349	26	6	20
53		Negro--------Male----	262	92	12	6	4	2	116	4	4	2
54		Female--	214	61	10	5	3	2	81	2	3	3
55		Other--------Male----	6	5	-	-	-	-	5	-	-	-
56		Female--	19	7	3	1	1	-	12	-	-	-
57	493	Pneumonia, other and unspecified----------	4,159	1,184	179	67	36	25	1,491	47	24	37
58		White--------Male----	1,662	400	66	24	11	9	510	21	5	16
59		Female--	1,427	335	58	11	12	9	425	12	10	9
60		Negro--------Male----	557	235	24	12	5	2	278	6	5	5
61		Female--	420	175	21	18	3	5	222	6	4	5
62		Other--------Male----	53	25	7	1	3	-	36	2	-	-
63		Female--	40	14	3	1	2	-	20	-	-	2
64	500	Acute bronchitis----------	980	320	99	47	24	16	506	29	7	4
65		White--------Male----	501	152	59	22	12	7	252	16	4	3
66		Female--	326	90	27	16	11	7	151	13	2	-
67		Negro--------Male----	74	40	7	4	-	2	53	-	-	1
68		Female--	64	30	5	2	1	-	38	-	1	-
69		Other--------Male----	8	4	-	1	-	-	5	-	-	-
70		Female--	7	4	1	2	-	-	7	-	-	-
71	501,502	Bronchitis, chronic and unqualified----------	1,946	282	74	31	25	14	406	24	7	4
72		White--------Male----	1,122	103	32	16	14	9	174	9	3	2
73		Female--	620	98	31	9	7	3	148	12	1	2
74		Negro--------Male----	107	34	7	4	2	-	47	1	3	-
75		Female--	79	23	2	1	1	2	29	2	-	-
76		Other--------Male----	11	2	1	-	1	-	4	-	-	-
77		Female--	7	2	1	1	-	-	4	-	-	-
78	510	Hypertrophy of tonsils and adenoids----------	317	1	5	8	38	53	105	111	23	15
79		White--------Male----	140	-	3	3	22	25	53	51	3	4
80		Female--	127	-	2	5	16	25	48	45	10	6
81		Negro--------Male----	22	1	-	-	-	1	2	7	5	2
82		Female--	24	-	-	-	-	2	2	5	4	3
83		Other--------Male----	2	-	-	-	-	-	-	1	1	-
84		Female--	2	-	-	-	-	-	-	2	-	-
85	518,521	Empyema and abscess of lung----------	740	23	4	3	2	2	34	5	6	6
86		White--------Male----	436	10	2	1	1	2	16	2	2	4
87		Female--	150	10	1	2	1	-	14	1	2	-
88		Negro--------Male----	106	2	-	-	-	-	2	-	1	1
89		Female--	42	1	-	-	-	-	1	2	1	1
90		Other--------Male----	4	-	-	-	-	-	-	-	-	-
91		Female--	2	-	1	-	-	-	1	-	-	-

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
47	66	78	137	163	213	286	405	414	481	438	397	265	134	38	15	3	8	1
14	12	29	47	70	102	147	207	216	263	218	184	124	59	12	6	1	3	2
25	33	31	51	49	69	84	140	152	182	188	188	130	72	25	8	1	5	3
1	8	8	21	17	20	34	36	22	24	16	15	5	3	-	-	-	-	4
6	13	9	17	27	21	21	22	22	12	15	9	6	-	1	1	1	-	5
-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	6
1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7
509	544	733	1,034	1,470	1,919	2,718	3,582	4,438	5,411	5,902	6,465	5,925	4,061	2,079	563	142	52	8
178	178	288	425	690	994	1,470	2,216	2,744	3,254	3,261	3,364	2,845	1,826	817	188	33	25	9
157	178	203	284	354	398	500	722	1,003	1,455	2,063	2,654	2,748	2,032	1,153	326	69	13	10
80	86	132	179	233	303	467	390	419	385	284	245	149	93	40	22	12	6	11
92	93	104	139	184	215	271	230	251	279	251	172	151	96	59	25	24	7	12
-	3	3	3	8	7	7	16	16	32	28	19	16	9	4	-	4	1	13
2	6	3	4	1	2	3	8	5	6	15	11	16	5	6	2	-	-	14
13	13	14	6	25	16	18	23	16	21	20	27	29	33	13	4	-	-	15
6	6	10	2	11	11	8	12	10	9	7	13	12	15	4	2	-	-	16
4	4	3	4	9	4	7	10	5	10	10	13	14	17	9	1	-	-	17
1	2	1	-	-	1	-	1	-	2	-	-	2	1	-	1	-	-	18
2	1	-	-	4	-	3	-	1	-	2	1	1	-	-	-	-	-	19
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
57	52	76	96	135	170	246	285	420	561	733	836	890	660	331	96	27	6	22
17	19	27	35	56	70	90	123	179	270	313	361	358	269	123	30	7	5	23
18	16	23	27	25	35	44	74	133	183	309	388	451	343	189	53	12	1	24
7	11	14	12	22	29	49	47	55	52	47	42	33	21	7	7	4	-	25
15	6	12	22	32	35	63	40	53	55	61	42	46	27	12	6	4	-	26
-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	27
-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	28
333	346	487	705	965	1,224	1,685	2,017	2,501	3,158	3,734	4,425	4,113	2,788	1,401	365	92	38	29
112	104	178	285	431	575	824	1,118	1,365	1,691	1,946	2,249	1,984	1,234	548	121	19	15	30
105	106	130	191	240	259	332	443	662	966	1,382	1,868	1,911	1,419	773	219	47	11	31
55	55	98	127	170	229	342	276	283	277	204	175	100	60	30	9	6	5	32
59	72	76	97	118	156	181	159	172	195	168	113	94	62	41	14	17	6	33
-	3	2	1	6	4	4	13	14	24	22	11	14	9	4	-	3	1	34
2	6	3	4	-	1	2	8	5	5	12	9	10	4	5	2	-	-	35
140	152	212	360	488	608	788	881	1,120	1,191	1,312	1,421	1,226	743	326	72	18	10	36
40	38	70	143	219	286	388	495	632	647	696	755	632	348	130	29	3	3	37
45	44	40	79	104	109	125	158	250	329	466	542	511	349	170	35	6	3	38
22	27	56	81	103	140	185	140	142	121	70	77	38	17	8	2	1	2	39
33	38	45	54	59	68	87	80	89	82	65	38	37	24	13	5	8	2	40
-	2	-	1	3	4	2	7	6	10	10	4	5	4	2	-	-	-	41
-	3	1	2	-	1	1	1	1	2	5	5	3	1	3	1	-	-	42
114	116	158	207	309	400	622	784	916	1,393	1,748	2,209	2,192	1,547	812	219	56	22	43
47	40	54	80	144	192	303	430	488	727	929	1,117	1,029	689	320	71	11	7	44
34	40	55	70	76	104	144	187	283	450	640	962	1,064	793	449	137	33	8	45
16	18	26	31	48	58	107	101	81	115	94	68	49	29	18	4	4	3	46
15	16	21	24	40	46	67	56	55	91	72	52	41	29	24	6	7	3	47
-	1	2	-	1	-	1	5	8	9	11	7	6	5	1	-	1	1	48
2	1	-	2	-	-	-	5	1	1	2	3	3	2	-	1	-	-	49
33	45	73	87	103	121	164	224	272	328	374	407	341	215	107	25	1	5	50
15	18	38	39	39	65	85	130	158	185	198	201	146	82	42	10	1	5	51
8	11	20	30	45	28	41	71	80	122	160	194	183	129	63	14	-	-	52
7	5	9	9	12	8	23	12	21	12	8	5	4	1	-	-	-	-	53
3	11	5	9	7	20	13	10	12	8	8	7	7	3	1	1	-	-	54
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	55
-	-	1	-	-	-	1	1	1	1	-	-	1	-	1	-	-	-	56
46	33	44	51	65	95	111	128	193	246	300	388	354	283	156	49	17	1	57
10	8	16	23	29	32	48	63	87	132	123	176	177	115	56	11	4	-	58
18	11	15	12	15	18	22	27	49	65	116	170	153	148	91	33	8	-	59
10	5	7	6	7	23	27	23	39	29	32	25	9	13	4	3	1	-	60
8	7	5	10	12	22	14	13	16	14	23	16	9	6	3	2	2	1	61
-	-	-	-	2	-	-	1	-	5	1	-	3	-	1	-	2	-	62
-	2	1	-	-	-	-	1	2	1	5	1	3	1	1	-	-	-	63
7	5	5	14	13	22	21	33	36	38	47	54	58	47	26	8	-	-	64
6	1	2	4	4	14	10	26	22	25	22	31	18	25	13	3	-	-	65
1	3	-	3	6	3	5	6	9	7	22	20	36	21	13	5	-	-	66
-	-	1	4	-	4	3	-	4	2	-	-	2	-	-	-	-	-	67
-	1	2	3	3	1	2	-	1	3	3	3	2	1	-	-	-	-	68
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
6	11	8	18	29	37	69	131	171	214	218	223	178	114	56	16	5	1	71
1	3	3	8	16	24	47	95	133	151	146	123	90	60	23	8	3	-	72
5	6	5	4	10	6	15	21	26	47	60	86	82	49	28	6	1	-	73
-	-	-	4	-	3	5	3	8	12	6	7	3	2	1	1	1	-	74
-	2	-	1	2	2	1	12	4	4	5	6	1	2	4	1	-	1	75
-	-	-	1	-	2	1	-	-	-	1	1	1	-	-	-	-	-	76
-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	77
13	14	6	7	2	7	6	5	-	2	-	-	1	-	-	-	-	-	78
6	10	1	1	1	5	2	2	-	1	-	-	-	-	-	-	-	-	79
4	2	4	2	-	-	1	3	-	1	-	-	1	-	-	-	-	-	80
1	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	81
2	-	1	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
19	19	28	38	53	59	68	87	75	86	63	43	30	15	4	1	-	1	85
5	5	12	13	27	31	40	55	52	61	44	31	20	11	3	1	-	1	86
5	9	7	12	6	13	10	10	12	16	10	9	10	3	1	-	-	-	87
5	4	5	9	14	10	14	18	8	4	7	3	-	1	-	-	-	-	88
4	1	4	4	5	4	3	4	3	4	1	-	-	-	-	-	-	-	89
-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VIII. Diseases of the respiratory system—Continued										
1	519	Pleurisy	211	5	2	2	1	1	11	1	2	-
2		White--Male	114	1	1	1	1	-	4	-	-	-
3		Female	61	2	-	1	-	-	3	-	1	-
4		Negro--Male	24	2	-	-	-	-	2	1	1	-
5		Female	12	-	1	-	-	1	2	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	Residual[1]	All other respiratory diseases	9,210	593	89	49	20	18	769	51	30	46
9		White--Male	6,188	258	46	24	7	12	347	15	11	19
10		Female	2,290	204	27	16	9	5	261	28	12	14
11		Negro--Male	447	71	7	5	2	-	85	3	2	8
12		Female	247	52	8	3	2	-	65	5	5	5
13		Other--Male	28	4	1	1	-	-	6	-	-	-
14		Female	10	4	-	-	-	1	5	-	-	-
15		IX. Diseases of the digestive system	56,210	5,463	748	242	167	111	6,731	320	242	290
16		White--Male	29,698	2,236	280	96	71	49	2,732	139	110	129
17		Female	19,939	1,648	238	79	60	41	2,066	126	81	106
18		Negro--Male	3,415	764	99	25	20	17	925	36	30	29
19		Female	2,621	598	81	31	12	4	726	14	20	23
20		Other--Male	314	120	24	6	4	-	154	4	1	1
21		Female	223	97	26	5	-	-	128	1	-	2
22	530-535	Diseases of teeth and supporting structures	252	3	2	-	-	1	6	1	4	5
23		White--Male	119	1	-	-	-	-	1	-	1	3
24		Female	66	-	1	-	-	1	2	-	1	1
25		Negro--Male	36	-	-	-	-	-	-	1	1	-
26		Female	31	2	1	-	-	-	3	-	1	1
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	540	Ulcer of stomach	4,555	27	1	1	2	-	31	-	-	6
30		White--Male	3,270	11	1	-	1	-	13	-	-	4
31		Female	842	9	-	-	1	-	10	-	-	1
32		Negro--Male	296	4	-	1	-	-	5	-	-	1
33		Female	119	3	-	-	-	-	3	-	-	-
34		Other--Male	23	-	-	-	-	-	-	-	-	-
35		Female	5	-	-	-	-	-	-	-	-	-
36	541	Ulcer of duodenum	3,932	14	1	-	2	2	19	-	1	5
37		White--Male	3,066	10	-	-	1	-	11	-	1	2
38		Female	631	2	-	-	1	2	5	-	-	1
39		Negro--Male	172	2	1	-	-	-	3	-	-	1
40		Female	49	-	-	-	-	-	-	-	-	1
41		Other--Male	13	-	-	-	-	-	-	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	543	Gastritis and duodenitis	335	33	5	3	1	1	43	1	1	4
44		White--Male	166	13	1	1	-	-	15	1	-	3
45		Female	85	8	3	1	1	1	14	-	1	1
46		Negro--Male	40	4	1	-	-	-	5	-	-	-
47		Female	43	7	-	1	-	-	8	-	-	-
48		Other--Male	1	1	-	-	-	-	1	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	550-553	Appendicitis	2,846	16	23	35	49	40	163	127	110	105
51		White--Male	1,491	8	15	18	21	23	85	54	49	52
52		Female	881	4	4	13	24	14	59	48	38	34
53		Negro--Male	257	1	3	1	2	3	10	16	14	12
54		Female	196	3	1	2	1	-	7	8	8	6
55		Other--Male	13	-	-	1	1	-	2	1	1	-
56		Female	8	-	-	-	-	-	-	-	-	1
57	560,561,570	Hernia and intestinal obstruction	8,627	966	68	34	16	13	1,097	37	29	34
58		White--Male	3,973	504	31	18	11	7	571	15	17	13
59		Female	3,545	321	9	10	2	2	344	15	6	10
60		Negro--Male	575	79	16	4	3	3	105	5	3	7
61		Female	496	55	11	2	-	1	69	2	3	4
62		Other--Male	20	6	-	-	-	-	6	-	-	-
63		Female	18	1	1	-	-	-	2	-	-	-
64	571,572	Gastro-enteritis and colitis, except diarrhea of newborn	7,701	3,912	546	123	51	33	4,665	75	34	44
65		White--Male	3,006	1,460	192	40	13	12	1,717	37	16	23
66		Female	2,869	1,153	174	37	15	10	1,389	26	11	18
67		Negro--Male	849	617	73	17	11	8	726	7	3	3
68		Female	702	478	61	20	9	3	571	2	4	-
69		Other--Male	148	111	23	4	3	-	141	2	-	-
70		Female	127	93	23	5	-	-	121	1	-	-
71	581	Cirrhosis of liver	15,075	43	10	-	3	-	56	16	20	26
72		White--Male	9,145	21	3	-	3	-	27	7	8	11
73		Female	4,785	14	5	-	-	-	19	7	11	12
74		Negro--Male	626	2	-	-	-	-	2	2	1	-
75		Female	438	6	2	-	-	-	8	-	-	2
76		Other--Male	56	-	-	-	-	-	-	-	-	-
77		Female	25	-	-	-	-	-	-	-	-	1
78	581.0	Without mention of alcoholism	11,347	43	10	-	3	-	56	16	19	24
79		White--Male	6,653	21	3	-	3	-	27	7	8	10
80		Female	3,833	14	5	-	-	-	19	7	10	11
81		Negro--Male	461	2	-	-	-	-	2	2	1	-
82		Female	346	6	2	-	-	-	8	-	-	2
83		Other--Male	39	-	-	-	-	-	-	-	-	-
84		Female	15	-	-	-	-	-	-	-	-	1
85	581.1	With alcoholism	3,728	-	-	-	-	-	-	-	1	2
86		White--Male	2,492	-	-	-	-	-	-	-	-	1
87		Female	952	-	-	-	-	-	-	-	1	1
88		Negro--Male	165	-	-	-	-	-	-	-	-	-
89		Female	92	-	-	-	-	-	-	-	-	-
90		Other--Male	17	-	-	-	-	-	-	-	-	-
91		Female	10	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	7	5	8	10	15	15	21	22	20	31	20	14	5	4	-	-	-	1
-	4	4	4	2	7	7	11	17	13	18	12	9	-	2	-	-	-	2
-	3	-	1	4	3	5	5	3	5	11	7	4	4	2	-	-	-	3
-	-	1	1	2	3	2	4	2	2	1	1	-	1	-	-	-	-	4
-	-	-	2	2	2	1	1	-	-	1	-	1	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
61	77	104	142	238	369	590	980	1,197	1,311	1,056	837	612	399	244	73	18	6	8
25	26	51	73	142	257	442	774	966	1,033	765	544	354	212	101	23	4	4	9
15	29	31	40	54	75	81	150	153	220	259	263	239	176	138	42	9	1	10
11	12	12	22	25	22	51	41	59	34	19	17	9	7	2	4	1	1	11
10	10	9	6	17	15	15	14	17	18	10	7	6	4	2	4	3	-	12
-	-	1	1	-	-	-	1	2	6	3	6	1	-	-	-	1	-	13
-	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	14
372	659	1,210	1,982	2,925	3,765	4,773	5,438	5,742	6,297	5,439	4,611	3,184	1,554	524	96	20	36	15
148	245	524	995	1,616	2,176	2,696	3,230	3,428	3,685	2,969	2,410	1,555	662	205	25	1	18	16
129	254	442	661	867	1,099	1,439	1,656	1,907	2,188	2,168	2,014	1,529	825	304	56	10	12	17
46	75	110	161	243	251	330	322	253	242	169	109	54	34	7	4	3	2	18
48	79	121	154	185	211	278	201	148	149	103	67	37	30	7	10	6	4	19
-	2	4	5	6	18	24	22	18	21	19	10	2	3	-	-	-	-	20
1	4	9	6	8	10	6	7	8	12	11	1	7	-	1	1	-	-	21
13	10	11	15	22	20	24	15	20	18	25	19	16	5	2	-	1	-	22
5	4	6	3	9	8	12	6	10	12	13	12	11	2	1	-	-	-	23
5	5	3	5	7	6	1	2	6	4	8	4	2	3	1	-	-	-	24
2	-	-	1	5	2	8	5	2	-	3	3	2	-	-	-	1	-	25
1	1	2	6	1	4	3	2	2	2	1	-	1	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
16	39	68	140	218	347	406	538	631	708	563	449	233	123	30	4	2	3	29
5	23	41	93	154	255	294	401	488	519	405	330	152	68	20	3	-	2	30
3	4	13	21	22	38	48	74	97	134	129	110	78	48	10	1	-	1	31
6	8	10	18	32	37	43	43	27	34	18	7	-	6	-	-	1	-	32
2	4	4	8	10	15	16	13	16	14	7	2	3	1	-	-	1	-	33
-	-	-	-	-	2	3	7	3	4	4	-	-	-	-	-	-	-	34
-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	35
21	40	81	135	229	314	406	505	576	566	397	322	206	79	24	4	-	2	36
14	27	60	103	183	250	318	409	466	457	316	230	148	53	14	2	-	2	37
5	7	10	20	24	38	49	58	86	84	64	87	58	24	10	1	-	-	38
1	5	9	10	19	20	28	26	17	18	12	1	-	2	-	-	-	-	39
1	1	2	2	3	4	8	9	6	4	3	4	-	-	-	1	-	-	40
-	-	-	-	-	2	3	2	1	3	2	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
4	5	10	22	16	19	23	26	37	28	27	23	22	17	4	3	-	-	43
1	1	5	14	8	11	9	19	24	15	13	13	6	7	1	-	-	-	44
2	2	1	1	4	2	4	2	9	2	12	6	9	9	3	1	-	-	45
-	-	1	1	3	3	6	4	3	7	-	2	3	1	-	1	-	-	46
1	2	3	6	1	3	4	1	1	4	2	2	4	-	-	1	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
85	89	103	142	160	165	217	215	247	283	220	228	112	49	18	3	2	3	50
33	30	55	81	94	91	104	120	151	155	122	117	63	24	8	1	1	1	51
25	30	22	32	25	32	57	50	77	98	77	94	47	24	9	1	1	1	52
15	12	9	16	20	16	26	32	12	18	10	14	2	1	1	-	-	1	53
11	16	14	12	20	22	28	13	5	12	10	3	-	-	-	1	-	-	54
-	-	1	1	-	3	1	-	2	-	1	-	-	-	-	-	-	-	55
1	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	56
49	85	135	192	261	358	493	651	759	998	1,059	949	836	423	149	24	4	5	57
25	21	31	58	87	119	202	304	374	497	531	446	405	191	61	4	-	1	58
12	36	61	77	108	142	185	251	289	395	446	455	396	214	82	17	2	2	59
7	17	19	22	30	43	39	50	55	55	46	35	23	9	2	1	1	1	60
5	11	24	34	34	52	64	43	37	47	30	11	9	9	4	2	1	1	61
-	-	-	-	1	1	2	2	1	1	4	2	-	-	-	-	-	-	62
-	-	-	1	1	1	1	1	3	3	2	-	3	-	-	-	-	-	63
61	74	104	95	131	148	187	208	246	340	340	350	316	191	72	14	3	3	64
24	28	44	46	54	68	89	101	121	158	140	127	115	67	25	5	-	1	65
31	38	49	39	63	59	67	81	98	158	182	203	185	117	43	9	2	1	66
1	6	4	4	5	10	12	14	15	11	8	8	8	1	3	-	-	-	67
5	1	7	6	9	11	18	12	9	11	9	11	7	6	1	-	1	1	68
-	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	70
37	124	413	856	1,343	1,671	2,044	2,052	1,865	1,734	1,228	860	467	204	40	6	-	13	71
12	42	173	441	777	1,029	1,233	1,328	1,206	1,168	770	534	266	83	18	2	-	10	72
16	52	176	314	413	489	624	585	559	481	405	293	189	112	22	3	-	3	73
2	11	29	47	81	82	106	87	64	53	29	20	5	5	-	-	-	-	74
7	17	31	49	65	57	70	44	28	21	16	12	6	4	-	1	-	-	75
-	-	-	4	4	9	10	6	7	10	5	1	-	-	-	-	-	-	76
-	2	4	1	3	5	1	2	1	1	3	-	1	-	-	-	-	-	77
34	84	265	524	849	1,151	1,408	1,502	1,486	1,407	1,069	770	437	194	39	4	-	9	78
12	28	108	256	466	690	816	927	927	910	650	465	243	78	18	1	-	6	79
14	32	120	201	278	342	458	467	480	428	373	274	184	108	21	3	-	3	80
1	9	13	30	51	66	75	69	49	43	24	18	4	4	-	-	-	-	81
7	13	23	35	48	44	51	34	25	18	16	12	6	4	-	-	-	-	82
-	-	-	1	4	7	7	4	5	7	3	1	-	-	-	-	-	-	83
-	2	1	1	2	2	1	1	-	1	3	-	-	-	-	-	-	-	84
3	40	148	332	494	520	636	550	379	327	159	90	30	10	1	2	-	4	85
-	14	65	185	311	339	417	401	279	258	120	69	23	5	-	1	-	4	86
2	20	56	113	135	147	166	118	79	53	32	19	5	4	1	-	-	-	87
1	2	16	17	30	16	31	18	15	10	5	2	1	1	-	-	-	-	88
-	4	8	14	17	13	19	10	3	3	-	-	-	-	-	1	-	-	89
-	-	-	3	-	2	3	2	2	3	2	-	-	-	-	-	-	-	90
-	-	3	-	1	3	-	1	1	-	-	-	1	-	-	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		IX. Diseases of the digestive system—Continued										
1	584,585	Cholelithiasis and cholecystitis	5,724	4	1	-	-	-	5	-	1	8
2		White--Male	2,035	2	-	-	-	-	2	-	-	1
3		Female	3,480	1	-	-	-	-	1	-	1	5
4		Negro--Male	60	1	-	-	-	-	1	-	-	1
5		Female	113	-	-	-	-	-	-	-	-	1
6		Other--Male	15	-	1	-	-	-	1	-	-	-
7		Female	21	-	-	-	-	-	-	-	-	-
8	Residual[1]	Other diseases of digestive system	7,163	445	91	46	43	21	646	63	42	53
9		White--Male	3,427	206	37	19	21	7	290	25	18	17
10		Female	2,755	136	42	18	16	11	223	30	12	23
11		Negro--Male	504	54	5	2	4	3	68	5	8	4
12		Female	434	44	5	6	2	-	57	2	4	8
13		Other--Male	25	2	-	1	-	-	3	1	-	1
14		Female	18	3	2	-	-	-	5	-	-	-
15		X. Diseases of the genito-urinary system	39,604	168	75	74	90	109	516	282	222	330
16		White--Male	20,124	73	29	25	39	50	216	126	86	136
17		Female	12,160	57	23	28	33	39	180	114	92	127
18		Negro--Male	3,946	23	11	10	10	13	67	21	18	20
19		Female	3,205	12	10	11	7	6	46	19	22	45
20		Other--Male	115	2	-	-	1	1	4	2	2	1
21		Female	54	1	2	-	-	-	3	-	2	1
22	590-594	Nephritis and nephrosis	25,782	90	59	68	84	101	402	258	195	291
23		White--Male	10,971	33	21	23	37	48	162	116	74	124
24		Female	9,432	32	20	25	29	36	142	103	82	109
25		Negro--Male	2,617	13	8	10	10	10	51	19	16	20
26		Female	2,642	9	9	10	7	6	41	18	19	36
27		Other--Male	77	2	-	-	1	1	4	2	2	1
28		Female	43	1	1	-	-	-	2	-	2	1
29	590	Acute nephritis	1,984	50	36	23	21	17	147	75	52	56
30		White--Male	779	20	11	3	4	9	47	31	17	23
31		Female	659	15	11	8	7	4	45	25	21	19
32		Negro--Male	245	6	6	6	4	3	25	8	5	5
33		Female	282	9	7	6	5	1	28	11	6	9
34		Other--Male	11	-	-	-	1	-	1	-	1	-
35		Female	8	-	1	-	-	-	1	-	2	-
36	591	Nephritis with edema, including nephrosis	1,280	15	10	20	30	37	112	47	26	22
37		White--Male	539	1	5	10	16	14	46	19	5	7
38		Female	453	11	2	6	10	19	48	22	13	5
39		Negro--Male	146	3	1	1	3	2	10	3	5	3
40		Female	138	-	2	3	1	2	8	3	3	6
41		Other--Male	1	-	-	-	-	-	-	-	-	-
42		Female	3	-	-	-	-	-	-	-	-	1
43	592-594	Chronic and unspecified nephritis and other renal sclerosis	22,518	25	13	25	33	47	143	136	117	213
44		White--Male	9,653	12	5	10	17	25	69	66	52	94
45		Female	8,320	6	7	11	12	13	49	56	48	85
46		Negro--Male	2,226	4	1	3	3	5	16	8	6	12
47		Female	2,222	-	-	1	1	3	5	4	10	21
48		Other--Male	65	2	-	-	-	1	3	2	1	1
49		Female	32	1	-	-	-	-	1	-	-	-
50	600	Infections of kidney	3,261	36	6	3	4	2	51	13	19	15
51		White--Male	1,442	15	3	1	-	-	19	4	8	5
52		Female	1,297	16	1	2	4	2	25	7	9	9
53		Negro--Male	260	3	-	-	-	-	3	1	2	-
54		Female	248	2	1	-	-	-	3	1	-	1
55		Other--Male	6	-	-	-	-	-	-	-	-	-
56		Female	8	-	1	-	-	-	1	-	-	-
57	602,604	Calculi of urinary system	1,074	1	-	-	-	-	1	4	-	1
58		White--Male	551	-	-	-	-	-	-	3	-	1
59		Female	427	1	-	-	-	-	1	1	-	-
60		Negro--Male	44	-	-	-	-	-	-	-	-	-
61		Female	48	-	-	-	-	-	-	-	-	-
62		Other--Male	3	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	601,603,	Other diseases of urinary system	1,540	30	10	3	1	5	49	6	4	7
65	605-609	White--Male	827	20	5	1	1	2	29	3	4	6
66		Female	412	6	2	1	-	1	10	2	-	1
67		Negro--Male	223	3	3	-	-	2	8	1	-	-
68		Female	70	1	-	1	-	-	2	-	-	-
69		Other--Male	7	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	610	Hyperplasia of prostate	6,417	-	-	-	-	-	-	-	-	-
72		White--Male	5,715	-	-	-	-	-	-	-	-	-
73		Negro--Male	682	-	-	-	-	-	-	-	-	-
74		Other--Male	20	-	-	-	-	-	-	-	-	-
75	611-617	Other diseases of male genital organs	739	9	-	-	1	1	11	-	-	-
76		White--Male	617	5	-	-	1	-	6	-	-	-
77		Negro--Male	120	4	-	-	-	1	5	-	-	-
78		Other--Male	2	-	-	-	-	-	-	-	-	-
79	620,621	Diseases of breast	9	1	-	-	-	-	1	-	-	-
80		White--Male	1	-	-	-	-	-	-	-	-	-
81		Female	6	1	-	-	-	-	1	-	-	-
82		Negro--Male	-	-	-	-	-	-	-	-	-	-
83		Female	2	-	-	-	-	-	-	-	-	-
84		Other--Male	-	-	-	-	-	-	-	-	-	-
85		Female	-	-	-	-	-	-	-	-	-	-
86	622-637	Diseases of female genital organs	782	1	-	-	-	-	1	1	4	16
87		White--Female	586	1	-	-	-	-	1	1	1	8
88		Negro--Female	195	-	-	-	-	-	-	-	3	8
89		Other--Female	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
10	39	55	94	168	267	410	544	690	875	871	777	546	254	87	15	3	5	1
3	9	20	25	65	105	147	198	246	308	320	290	189	86	17	4	-	-	2
6	28	31	60	83	149	242	313	421	543	529	473	346	165	68	10	3	3	3
-	1	3	1	9	3	4	7	6	5	11	3	4	1	-	-	-	-	4
1	1	-	6	9	6	15	21	14	18	4	9	3	1	1	-	-	2	5
-	-	-	-	-	1	1	3	1	-	3	2	2	1	-	-	-	-	6
-	-	1	2	2	3	1	2	2	1	4	-	2	-	1	-	-	-	7
76	154	230	291	377	456	563	684	671	747	709	634	430	209	98	23	5	2	8
26	60	89	131	185	240	288	344	342	396	339	311	200	81	40	4	-	1	9
24	52	76	92	118	144	162	240	265	289	316	289	219	109	56	13	2	1	10
12	15	26	41	39	35	58	54	32	41	32	16	7	8	1	2	-	-	11
14	25	34	25	33	37	52	43	30	16	21	13	4	9	1	3	3	-	12
-	1	3	-	1	-	3	2	2	2	-	4	-	2	-	-	-	-	13
-	1	2	2	1	-	-	1	-	3	1	1	-	-	-	1	-	-	14
535	674	882	1,100	1,468	1,712	2,251	2,772	3,481	4,410	4,964	5,223	4,633	2,721	1,101	222	64	41	15
224	258	323	379	507	677	901	1,282	1,641	2,272	2,794	3,062	2,827	1,626	644	106	21	16	16
197	229	303	373	466	542	639	873	1,084	1,280	1,392	1,547	1,390	867	366	77	11	11	17
38	54	87	128	224	236	345	332	433	539	478	405	277	151	49	21	15	8	18
72	122	163	214	261	254	345	267	312	305	281	197	127	77	38	17	16	5	19
1	10	2	2	8	2	14	14	6	10	12	9	11	-	2	1	1	1	20
3	1	4	4	2	1	7	4	5	4	7	3	1	-	2	-	-	-	21
441	513	685	817	1,109	1,291	1,674	1,980	2,395	2,779	2,932	3,023	2,610	1,528	657	133	44	25	22
203	221	281	315	434	545	672	886	1,000	1,201	1,281	1,326	1,197	612	268	37	8	8	23
149	162	203	252	300	373	462	641	822	971	1,107	1,271	1,136	747	318	65	9	8	24
32	46	78	93	174	168	255	213	288	330	281	241	155	95	33	15	11	3	25
53	75	118	152	193	202	267	231	275	270	250	179	117	74	36	16	15	5	26
1	8	2	2	6	2	11	7	5	7	6	5	4	-	-	-	1	1	27
3	1	3	3	2	1	7	2	5	-	7	1	1	-	2	-	-	-	28
77	62	86	97	119	105	110	135	155	181	145	144	132	63	34	5	1	3	29
34	20	24	36	50	42	47	55	59	69	63	62	61	22	15	2	-	-	30
21	16	27	26	29	23	29	50	54	55	47	58	58	36	17	1	1	1	31
7	8	13	19	21	14	15	12	17	34	17	12	6	4	1	2	-	-	32
15	16	22	15	17	26	17	18	23	22	16	11	6	1	1	-	-	2	33
-	1	-	-	1	-	2	-	1	1	1	1	1	-	-	-	-	-	34
-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	35
37	40	41	53	66	70	91	104	92	128	106	104	77	40	16	5	3	-	36
17	12	16	21	25	29	32	49	37	57	59	50	31	20	6	1	-	-	37
11	14	12	15	18	24	28	33	32	48	29	42	35	15	6	2	1	-	38
3	4	9	6	13	11	19	12	13	12	4	6	6	3	2	-	2	-	39
5	10	4	11	10	6	12	10	9	10	14	6	5	2	2	2	-	-	40
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	41
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	42
327	411	558	667	924	1,116	1,473	1,741	2,148	2,470	2,681	2,775	2,401	1,425	607	123	40	22	43
152	189	241	258	359	474	593	782	904	1,075	1,159	1,214	1,105	570	247	34	8	8	44
117	132	164	211	253	326	405	558	736	868	1,031	1,171	1,043	696	295	62	7	7	45
22	34	56	68	140	143	221	189	258	284	260	223	143	88	30	13	9	3	46
33	49	92	126	166	170	238	203	243	238	220	162	106	71	33	14	15	3	47
1	7	2	2	5	2	9	7	4	5	5	4	3	-	-	-	1	1	48
2	-	3	2	1	1	7	2	3	-	6	1	1	-	2	-	-	-	49
39	57	87	100	134	159	251	308	303	398	391	362	323	164	65	13	4	5	50
12	20	26	29	33	50	94	133	140	194	207	189	149	90	31	5	2	2	51
21	24	43	36	54	64	88	104	124	145	142	143	153	68	30	6	1	1	52
3	2	4	17	21	21	25	40	21	32	24	16	15	5	3	2	1	2	53
3	10	13	18	26	24	43	26	18	23	18	13	6	1	1	-	-	-	54
-	1	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	55
-	-	1	-	-	-	-	2	-	3	-	1	-	-	-	-	-	-	56
10	13	21	45	54	70	104	125	130	138	135	102	74	31	13	2	-	1	57
3	5	9	20	19	33	55	58	69	77	77	52	37	21	11	1	-	-	58
4	6	10	15	23	27	35	55	52	53	50	46	35	10	2	1	-	1	59
2	1	-	5	3	6	5	9	-	5	5	2	1	-	-	-	-	-	60
1	1	2	5	8	4	8	2	9	3	3	1	1	-	-	-	-	-	61
-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	63
9	27	18	26	65	76	105	116	133	190	195	202	163	96	35	12	4	2	64
6	12	5	12	17	29	41	55	78	100	123	121	97	58	21	6	3	1	65
3	7	5	1	19	17	23	35	31	50	43	67	53	28	13	4	-	-	66
-	4	5	9	18	26	28	23	17	34	18	12	10	9	-	-	-	1	67
-	3	3	3	10	4	12	3	7	6	8	2	3	1	1	1	1	-	68
-	1	-	-	1	-	1	-	-	-	3	-	-	-	-	1	-	-	69
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	1	4	5	24	58	172	427	781	1,157	1,348	1,307	781	285	52	8	7	71
-	-	1	1	2	16	32	131	332	655	1,024	1,228	1,216	746	273	48	5	5	72
-	-	-	3	3	8	26	38	94	124	130	116	86	35	10	4	3	2	73
-	-	-	-	-	-	-	3	1	2	3	4	5	-	2	-	-	-	74
1	1	1	3	7	11	13	27	35	59	102	164	143	106	43	9	3	-	75
-	-	1	2	2	4	7	18	22	45	82	146	131	99	40	9	3	-	76
1	1	-	1	5	7	6	9	13	14	20	18	10	7	3	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	78
1	1	-	-	2	1	1	1	-	-	-	1	-	-	-	-	-	-	79
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	80
1	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
34	62	69	105	92	80	45	43	58	65	52	21	13	15	3	1	1	1	86
19	29	42	69	70	60	30	38	55	61	50	19	13	14	3	1	1	1	87
15	33	27	36	22	20	15	5	3	3	2	2	-	1	-	-	-	-	88
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	89

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	2,812	...	...	...	...	...	...	...	11	268
2		White--Female	1,778	...	...	...	...	...	...	...	4	142
3		Negro--Female	999	...	...	...	...	...	...	...	6	123
4		Other--Female	35	...	...	...	...	...	...	...	1	3
5	640,641,	Sepsis of pregnancy, childbirth, and puerperium	338	...	...	...	...	...	...	...	1	35
6	681,682,	White--Female	239	...	...	...	...	...	...	...	-	23
7	684	Negro--Female	98	...	...	...	...	...	...	...	1	12
8		Other--Female	1	...	...	...	...	...	...	...	-	-
9	642,685,686	Toxemias of pregnancy and puerperium, etc.*	923	...	...	...	...	...	...	...	7	118
10		White--Female	568	...	...	...	...	...	...	...	2	53
11		Negro--Female	344	...	...	...	...	...	...	...	4	63
12		Other--Female	11	...	...	...	...	...	...	...	1	2
13	643,644,	Hemorrhage of pregnancy and childbirth	505	...	...	...	...	...	...	...	1	29
14	670-672	White--Female	330	...	...	...	...	...	...	...	-	17
15		Negro--Female	160	...	...	...	...	...	...	...	1	12
16		Other--Female	15	...	...	...	...	...	...	...	-	-
17	645	Ectopic pregnancy	180	...	...	...	...	...	...	...	-	9
18		White--Female	90	...	...	...	...	...	...	...	-	6
19		Negro--Female	90	...	...	...	...	...	...	...	-	3
20		Other--Female	-	...	...	...	...	...	...	...	-	-
21	650	Abortion without mention of sepsis or toxemia	83	...	...	...	...	...	...	...	-	5
22		White--Female	46	...	...	...	...	...	...	...	-	4
23		Negro--Female	36	...	...	...	...	...	...	...	-	1
24		Other--Female	1	...	...	...	...	...	...	...	-	-
25	651	Abortion with sepsis	189	...	...	...	...	...	...	...	1	20
26		White--Female	106	...	...	...	...	...	...	...	1	10
27		Negro--Female	80	...	...	...	...	...	...	...	-	9
28		Other--Female	3	...	...	...	...	...	...	...	-	1
29	652	Abortion with toxemia, without mention of sepsis	31	...	...	...	...	...	...	...	-	1
30		White--Female	18	...	...	...	...	...	...	...	-	1
31		Negro--Female	13	...	...	...	...	...	...	...	-	-
32		Other--Female	-	...	...	...	...	...	...	...	-	-
33	Residual[1]	Other complications of pregnancy, childbirth, and puerperium	563	...	...	...	...	...	...	...	1	51
34		White--Female	381	...	...	...	...	...	...	...	1	28
35		Negro--Female	178	...	...	...	...	...	...	...	-	23
36		Other--Female	4	...	...	...	...	...	...	...	-	-
37		XII. Diseases of the skin and cellular tissue	1,369	65	9	4	2	6	86	17	16	15
38		White--Male	543	27	2	2	1	2	34	7	5	3
39		Female	577	24	4	-	1	2	31	7	9	9
40		Negro--Male	98	8	1	2	-	1	12	1	1	1
41		Female	138	2	2	-	-	-	4	2	1	2
42		Other--Male	6	4	-	-	-	-	4	-	-	-
43		Female	7	-	-	-	-	1	1	-	-	-
44	690-698	Infections of skin and subcutaneous tissue	373	35	5	2	1	5	48	8	4	2
45		White--Male	173	14	1	-	1	1	17	3	2	1
46		Female	120	13	4	-	-	2	19	3	1	1
47		Negro--Male	37	3	-	2	-	1	6	1	1	-
48		Female	35	1	-	-	-	-	1	1	-	-
49		Other--Male	4	4	-	-	-	-	4	-	-	-
50		Female	4	-	-	-	-	1	1	-	-	-
51	700-716	Other diseases of skin and subcutaneous tissue	996	30	4	2	1	1	38	9	12	13
52		White--Male	370	13	1	2	-	1	17	4	3	2
53		Female	457	11	-	-	1	-	12	4	8	8
54		Negro--Male	61	5	1	-	-	-	6	-	-	1
55		Female	103	1	2	-	-	-	3	1	1	2
56		Other--Male	2	-	-	-	-	-	-	-	-	-
57		Female	3	-	-	-	-	-	-	-	-	-
58		XIII. Diseases of the bones and organs of movement	3,144	128	24	9	10	3	174	22	23	74
59		White--Male	1,232	59	6	6	3	2	76	8	16	52
60		Female	1,576	55	15	2	7	1	80	8	2	11
61		Negro--Male	146	8	2	-	-	-	10	4	3	8
62		Female	175	5	1	1	-	-	7	2	2	3
63		Other--Male	7	-	-	-	-	-	-	-	-	-
64		Female	8	1	-	-	-	-	1	-	-	-
65	720-725	Arthritis and spondylitis	1,817	3	-	2	-	1	6	3	1	8
66		White--Male	601	1	-	2	-	-	3	1	-	2
67		Female	1,030	-	-	-	-	1	1	-	-	2
68		Negro--Male	63	2	-	-	-	-	2	1	-	3
69		Female	111	-	-	-	-	-	-	1	1	1
70		Other--Male	6	-	-	-	-	-	-	-	-	-
71		Female	6	-	-	-	-	-	-	-	-	-
72	726,727	Muscular rheumatism and rheumatism, unspecified	90	1	-	-	1	-	2	2	-	-
73		White--Male	30	-	-	-	-	-	-	1	-	-
74		Female	35	-	-	-	1	-	1	-	-	-
75		Negro--Male	7	-	-	-	-	-	-	1	-	-
76		Female	17	1	-	-	-	-	1	-	-	-
77		Other--Male	1	-	-	-	-	-	-	-	-	-
78		Female	-	-	-	-	-	-	-	-	-	-
79	730	Osteomyelitis and periostitis	174	9	2	-	-	-	11	-	1	1
80		White--Male	97	4	-	-	-	-	4	-	1	-
81		Female	45	2	1	-	-	-	3	-	-	-
82		Negro--Male	21	2	1	-	-	-	3	-	-	-
83		Female	10	1	-	-	-	-	1	-	-	1
84		Other--Male	-	-	-	-	-	-	-	-	-	-
85		Female	1	-	-	-	-	-	-	-	-	-
86	737,745-749	Ankylosis and acquired musculoskeletal deformities	99	21	-	1	2	1	25	1	2	7
87		White--Male	42	12	-	1	1	1	15	-	1	4
88		Female	51	9	-	-	1	-	10	1	1	2
89		Negro--Male	3	-	-	-	-	-	-	-	-	1
90		Female	3	-	-	-	-	-	-	-	-	-
91		Other--Male	-	-	-	-	-	-	-	-	-	-
92		Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
530	654	594	486	236	23	4	3	-	-	1	1	-	1	-	-	-	-	1
338	418	376	300	173	18	4	2	-	-	1	1	-	1	-	-	-	-	2
185	225	210	182	62	5	-	1	-	-	-	-	-	-	-	-	-	-	3
7	11	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4
72	74	77	50	29	-	-	-	-	-	-	-	-	-	-	-	-	-	5
49	58	55	30	24	-	-	-	-	-	-	-	-	-	-	-	-	-	6
23	16	22	19	5	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
170	209	165	149	86	13	3	2	-	-	-	1	-	-	-	-	-	-	9
110	135	103	88	59	13	3	1	-	-	-	1	-	-	-	-	-	-	10
58	72	59	60	27	-	-	1	-	-	-	-	-	-	-	-	-	-	11
2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
85	123	116	104	42	4	-	1	-	-	-	-	-	-	-	-	-	-	13
57	80	71	73	29	2	-	1	-	-	-	-	-	-	-	-	-	-	14
25	37	42	29	12	2	-	-	-	-	-	-	-	-	-	-	-	-	15
3	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
20	57	49	33	11	1	-	-	-	-	-	-	-	-	-	-	-	-	17
8	28	25	14	9	-	-	-	-	-	-	-	-	-	-	-	-	-	18
12	29	24	19	2	1	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
21	16	16	18	6	1	-	-	-	-	-	-	-	-	-	-	-	-	21
13	5	11	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	22
7	11	5	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
45	49	34	26	14	-	-	-	-	-	-	-	-	-	-	-	-	-	25
21	26	22	16	10	-	-	-	-	-	-	-	-	-	-	-	-	-	26
24	22	11	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
7	7	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	29
2	5	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	30
5	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
110	119	128	101	47	3	1	-	-	-	1	-	-	1	-	-	-	-	33
78	81	84	67	37	2	1	-	-	-	1	-	-	1	-	-	-	-	34
31	36	43	34	10	1	-	-	-	-	-	-	-	-	-	-	-	-	35
1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
29	34	51	62	70	78	99	102	117	119	131	129	98	69	34	12	1	-	37
5	6	7	23	24	23	26	47	52	50	66	72	44	33	14	2	-	-	38
19	14	26	19	26	31	45	36	56	46	48	50	46	32	17	9	1	-	39
1	5	3	5	3	8	13	8	6	13	10	2	-	3	2	1	-	-	40
4	9	14	15	17	14	14	10	3	10	6	5	6	1	1	-	-	-	41
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	42
-	-	1	-	-	1	1	-	-	-	1	-	2	-	-	-	-	-	43
8	8	9	16	18	19	20	19	30	43	31	39	24	16	9	1	1	-	44
4	4	4	8	5	4	8	7	18	22	22	23	9	9	3	-	-	-	45
3	1	3	2	7	5	6	8	11	8	5	13	12	6	5	-	1	-	46
1	3	-	2	1	2	3	2	-	9	2	1	-	1	1	1	-	-	47
-	-	2	4	5	7	3	2	1	4	2	2	1	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	50
21	26	42	46	52	59	79	83	87	76	100	90	74	53	25	11	-	-	51
1	2	3	15	19	19	18	40	34	28	44	49	35	24	11	2	-	-	52
16	13	23	17	19	26	39	28	45	38	43	37	34	26	12	9	-	-	53
-	2	3	3	2	6	10	6	6	4	8	1	-	2	1	-	-	-	54
4	9	12	11	12	7	11	8	2	6	4	3	5	1	1	-	-	-	55
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	56
-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	57
56	47	60	60	79	116	139	197	298	386	426	436	291	174	57	21	2	6	58
35	21	26	26	33	54	58	85	103	154	165	156	91	51	21	-	-	1	59
13	16	25	18	34	47	50	90	152	195	224	253	187	117	33	20	-	1	60
7	3	4	6	3	4	11	12	18	19	10	10	6	4	1	-	-	3	61
1	6	5	9	8	11	19	10	24	14	25	15	7	2	1	1	2	1	62
-	-	-	1	1	-	-	-	1	2	-	2	-	-	-	-	-	-	63
-	1	-	-	-	-	1	-	-	2	2	-	-	-	1	-	-	-	64
6	7	20	28	30	53	70	120	193	263	288	321	218	121	41	14	1	5	65
2	2	12	10	13	23	21	45	61	100	99	102	59	30	16	-	-	-	66
4	3	4	9	10	25	32	58	101	144	160	200	150	89	23	14	-	1	67
-	1	1	2	2	1	5	8	11	7	5	6	3	1	1	-	-	3	68
-	1	3	6	4	4	11	9	19	9	22	11	6	1	-	-	1	1	69
-	-	-	1	1	-	-	-	1	1	-	2	-	-	-	-	-	-	70
-	-	-	-	-	-	1	-	-	2	2	-	-	-	1	-	-	-	71
1	1	-	1	1	2	3	6	9	11	16	18	5	9	1	1	-	1	72
-	-	-	1	-	-	1	2	3	1	7	7	2	3	1	-	-	1	73
-	-	-	-	1	1	1	2	3	5	6	8	2	4	-	1	-	-	74
1	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	75
-	1	-	-	-	1	1	1	3	3	2	3	-	1	-	-	-	-	76
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
2	8	8	2	4	9	13	12	15	23	26	17	10	7	4	1	-	-	79
1	6	4	1	1	5	7	6	9	12	14	11	7	6	2	-	-	-	80
1	1	2	-	-	2	3	5	4	8	8	4	1	1	2	-	-	-	81
-	-	2	1	1	1	2	1	1	2	3	2	2	-	-	-	-	-	82
-	-	-	-	2	1	1	-	1	1	1	-	-	-	-	1	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
4	1	3	7	4	7	2	5	5	9	5	1	8	-	1	1	1	-	86
1	-	2	4	3	2	-	1	1	4	3	-	1	-	-	-	-	-	87
2	1	1	3	1	4	2	3	4	5	2	1	6	-	1	1	-	-	88
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XIII. Diseases of the bones and organs of movement—Continued										
1	731-736,	All other diseases of musculoskeletal system	964	94	22	6	7	1	130	16	19	58
2	738-744	White—Male	462	42	6	3	2	1	54	6	14	46
3		Female	415	44	14	2	5	-	65	7	1	7
4		Negro—Male	52	4	1	-	-	-	5	2	3	4
5		Female	34	3	1	1	-	-	5	1	1	1
6		Other—Male	-	-	-	-	-	-	-	-	-	-
7		Female	1	1	-	-	-	-	1	-	-	-
8		XIV. Congenital malformations	18,865	14,721	880	367	196	136	16,300	362	236	179
9		White—Male	9,138	7,170	373	146	95	62	7,846	158	110	89
10		Female	7,901	6,125	405	167	83	62	6,842	157	96	77
11		Negro—Male	988	758	53	31	12	7	861	26	22	4
12		Female	740	583	47	20	6	5	661	17	7	8
13		Other—Male	54	47	1	2	-	-	50	3	-	1
14		Female	44	38	1	1	-	-	40	1	1	-
15	751	Spina bifida and meningocele	1,707	1,555	55	26	13	8	1,657	15	11	5
16		White—Male	691	627	20	10	8	2	667	4	5	4
17		Female	943	860	32	15	5	6	918	11	6	1
18		Negro—Male	48	43	3	1	-	-	47	-	-	-
19		Female	19	19	-	-	-	-	19	-	-	-
20		Other—Male	2	2	-	-	-	-	2	-	-	-
21		Female	4	4	-	-	-	-	4	-	-	-
22	752,753	Congenital hydrocephalus, etc.*	2,517	1,825	266	102	65	40	2,298	102	39	20
23		White—Male	1,073	776	115	40	29	23	985	43	14	7
24		Female	1,175	877	127	44	26	11	1,085	40	16	10
25		Negro—Male	143	85	13	9	6	2	115	11	9	1
26		Female	110	72	11	7	4	4	98	7	-	2
27		Other—Male	12	9	-	2	-	-	11	1	-	-
28		Female	4	4	-	-	-	-	4	-	-	-
29	754	Congenital malformations of circulatory system	8,200	6,498	385	158	73	50	7,164	163	117	112
30		White—Male	4,136	3,344	157	60	36	25	3,622	75	61	54
31		Female	3,219	2,471	173	71	32	22	2,769	71	43	52
32		Negro—Male	452	363	27	16	4	3	413	7	10	1
33		Female	355	287	28	10	1	-	326	9	2	4
34		Other—Male	21	19	-	-	-	-	19	1	-	1
35		Female	17	14	-	1	-	-	15	-	1	-
36	750,755-759	Other congenital malformations	6,441	4,843	174	81	45	38	5,181	82	69	42
37		White—Male	3,238	2,421	81	36	22	12	2,572	36	30	24
38		Female	2,564	1,917	73	37	20	23	2,070	35	31	14
39		Negro—Male	345	267	10	5	2	2	286	8	3	2
40		Female	256	205	8	3	1	1	218	1	5	2
41		Other—Male	19	17	1	-	-	-	18	1	-	-
42		Female	19	16	1	-	-	-	17	1	-	-
43		XV. Certain diseases of early infancy	63,096	63,044	25	8	2	1	63,080	5	1	-
44		White—Male	30,266	30,245	9	3	-	1	30,258	3	-	-
45		Female	20,711	20,689	10	5	1	-	20,705	2	1	-
46		Negro—Male	6,650	6,645	3	-	-	-	6,648	-	-	-
47		Female	5,013	5,011	1	-	1	-	5,013	-	-	-
48		Other—Male	267	267	-	-	-	-	267	-	-	-
49		Female	189	187	2	-	-	-	189	-	-	-
50	760,761	Birth injuries	11,809	11,808	-	-	-	-	11,808	-	-	-
51		White—Male	6,305	6,304	-	-	-	-	6,304	-	-	-
52		Female	3,787	3,787	-	-	-	-	3,787	-	-	-
53		Negro—Male	951	951	-	-	-	-	951	-	-	-
54		Female	676	676	-	-	-	-	676	-	-	-
55		Other—Male	54	54	-	-	-	-	54	-	-	-
56		Female	36	36	-	-	-	-	36	-	-	-
57	762	Postnatal asphyxia and atelectasis	15,153	15,148	1	-	-	-	15,149	-	-	-
58		White—Male	7,766	7,762	1	-	-	-	7,763	-	-	-
59		Female	5,009	5,009	-	-	-	-	5,009	-	-	-
60		Negro—Male	1,330	1,329	-	-	-	-	1,329	-	-	-
61		Female	943	943	-	-	-	-	943	-	-	-
62		Other—Male	62	62	-	-	-	-	62	-	-	-
63		Female	43	43	-	-	-	-	43	-	-	-
64	763-768	Infections of newborn	3,927	3,926	-	-	-	-	3,926	-	-	-
65		White—Male	1,629	1,629	-	-	-	-	1,629	-	-	-
66		Female	1,158	1,158	-	-	-	-	1,158	-	-	-
67		Negro—Male	624	623	-	-	-	-	623	-	-	-
68		Female	453	453	-	-	-	-	453	-	-	-
69		Other—Male	35	35	-	-	-	-	35	-	-	-
70		Female	28	28	-	-	-	-	28	-	-	-
71	770	Hemolytic disease of newborn (erythroblastosis)	2,649	2,627	10	4	1	1	2,643	5	1	-
72		White—Male	1,436	1,425	5	2	-	1	1,433	3	-	-
73		Female	1,052	1,042	4	2	1	-	1,049	2	1	-
74		Negro—Male	102	101	1	-	-	-	102	-	-	-
75		Female	48	48	-	-	-	-	48	-	-	-
76		Other—Male	9	9	-	-	-	-	9	-	-	-
77		Female	2	2	-	-	-	-	2	-	-	-
78	769,771,772	All other defined diseases of early infancy	2,537	2,536	-	1	-	-	2,537	-	-	-
79		White—Male	1,080	1,080	-	-	-	-	1,080	-	-	-
80		Female	707	706	-	1	-	-	707	-	-	-
81		Negro—Male	423	423	-	-	-	-	423	-	-	-
82		Female	291	291	-	-	-	-	291	-	-	-
83		Other—Male	24	24	-	-	-	-	24	-	-	-
84		Female	12	12	-	-	-	-	12	-	-	-
85	773-776	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	27,021	26,999	14	3	1	-	27,017	-	-	-
86		White—Male	12,050	12,045	3	1	-	-	12,049	-	-	-
87		Female	8,998	8,987	6	2	-	-	8,995	-	-	-
88		Negro—Male	3,220	3,218	2	-	-	-	3,220	-	-	-
89		Female	2,602	2,600	1	-	1	-	2,602	-	-	-
90		Other—Male	83	83	-	-	-	-	83	-	-	-
91		Female	68	66	2	-	-	-	68	-	-	-

*For complete category title, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
43	30	29	22	40	45	51	54	76	80	91	79	50	37	10	4	-	-	1
31	13	8	10	16	24	29	31	29	37	42	36	22	12	2	-	-	-	2
6	11	18	6	22	15	12	22	40	33	48	40	28	23	7	4	-	-	3
5	2	1	3	-	2	4	1	6	9	1	2	-	2	-	-	-	-	4
1	4	2	3	2	4	6	-	1	1	-	1	-	-	1	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
196	175	156	173	187	199	182	159	111	103	63	50	23	4	3	-	-	4	8
105	87	75	90	92	93	100	81	72	54	43	31	8	2	2	-	-	-	9
74	77	68	72	79	84	73	72	32	43	16	18	14	2	1	-	-	4	10
12	8	8	3	11	12	6	4	4	4	2	1	-	-	-	-	-	-	11
4	3	5	8	5	10	3	2	2	2	2	-	1	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	14
8	1	2	5	-	-	-	-	1	-	-	1	-	-	-	-	-	1	15
5	-	1	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	16
2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	17
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
20	15	6	4	2	4	2	1	2	1	1	-	-	-	-	-	-	-	22
5	6	3	2	-	3	1	1	2	1	-	-	-	-	-	-	-	-	23
10	8	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	24
3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
121	99	87	74	55	57	46	38	29	18	9	3	7	-	-	-	-	1	29
66	50	41	38	28	27	24	16	18	10	4	2	-	-	-	-	-	-	30
45	44	40	33	24	26	21	20	10	7	5	1	7	-	-	-	-	1	31
7	4	4	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	32
2	1	2	2	2	3	1	1	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
47	60	61	90	130	138	134	120	79	84	53	46	16	4	3	-	-	2	36
29	31	30	47	64	63	75	64	51	43	39	28	8	2	2	-	-	-	37
17	24	26	35	54	57	51	52	22	36	11	17	7	2	1	-	-	2	38
1	3	2	2	9	11	6	3	3	3	2	1	-	-	-	-	-	-	39
-	2	3	6	3	7	2	1	2	2	1	-	1	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	9	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	44
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	86
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		XVI. Symptoms, senility, and ill-defined conditions----	22,647	3,379	278	119	88	63	3,927	134	70	130
2		White--------Male----	8,642	889	84	34	21	22	1,050	46	28	34
3		Female--	5,947	590	72	37	24	13	736	34	12	22
4		Negro--------Male----	4,200	1,024	55	24	20	14	1,137	20	14	34
5		Female--	3,400	771	50	15	13	8	857	27	12	29
6		Other--------Male----	246	55	10	4	7	5	81	4	3	6
7		Female--	212	50	7	5	3	1	66	3	1	5
8	794	Senility without mention of psychosis----------	5,289	-	-	-	-	-	-	-	-	1
9		White--------Male----	1,920	-	-	-	-	-	-	-	-	-
10		Female--	2,398	-	-	-	-	-	-	-	-	-
11		Negro--------Male----	398	-	-	-	-	-	-	-	-	-
12		Female--	511	-	-	-	-	-	-	-	-	-
13		Other--------Male----	30	-	-	-	-	-	-	-	-	1
14		Female--	32	-	-	-	-	-	-	-	-	-
15	780-793,795	Symptoms, ill-defined and unknown causes----------	17,358	3,379	278	119	88	63	3,927	134	70	129
16		White--------Male----	6,722	889	84	34	21	22	1,050	46	28	34
17		Female--	3,549	590	72	37	24	13	736	34	12	22
18		Negro--------Male----	3,802	1,024	55	24	20	14	1,137	20	14	34
19		Female--	2,889	771	50	15	13	8	857	27	12	29
20		Other--------Male----	216	55	10	4	7	5	81	4	3	5
21		Female--	180	50	7	5	3	1	66	3	1	5
22		XVII. Accidents, poisonings, and violence----------	119,317	3,852	1,694	1,365	1,133	945	8,989	3,218	2,837	6,152
23		White--------Male----	72,458	1,627	752	632	544	496	4,051	1,769	1,822	4,145
24		Female--	29,852	1,198	559	437	366	278	2,838	897	539	1,061
25		Negro--------Male----	11,717	486	196	158	111	86	1,037	321	370	666
26		Female--	4,354	477	164	124	100	75	940	207	84	223
27		Other--------Male----	709	31	16	5	7	7	66	13	15	40
28		Female--	227	33	7	9	5	3	57	11	7	17
29	E800-E962	Accidents----------	95,871	3,711	1,673	1,348	1,104	933	8,769	3,161	2,731	5,495
30		White--------Male----	58,214	1,574	746	625	532	493	3,970	1,742	1,767	3,871
31		Female--	25,442	1,139	552	430	358	272	2,751	874	510	939
32		Negro--------Male----	8,082	474	193	156	105	84	1,012	320	353	484
33		Female--	3,365	461	160	123	97	74	915	202	79	150
34		Other--------Male----	577	30	16	5	7	7	65	13	15	35
35		Female--	191	33	6	9	5	3	56	10	7	16
36	E800-E802	Railway accidents----------	2,058	-	15	6	4	1	26	31	32	65
37		White--------Male----	1,537	-	8	3	2	1	14	22	25	44
38		Female--	163	-	2	2	1	-	5	3	3	6
39		Negro--------Male----	286	-	5	1	1	-	7	5	4	9
40		Female--	38	-	-	-	-	-	-	1	-	2
41		Other--------Male----	32	-	-	-	-	-	-	-	-	4
42		Female--	2	-	-	-	-	-	-	-	-	-
43	E810-E835	Motor-vehicle accidents----------	36,996	287	448	379	375	386	1,875	1,350	950	3,288
44		White--------Male----	24,797	142	225	191	211	235	1,004	735	603	2,310
45		Female--	7,927	110	171	133	118	110	642	426	243	687
46		Negro--------Male----	3,005	10	22	34	25	26	117	129	70	186
47		Female--	906	14	23	14	18	14	83	54	29	75
48		Other--------Male----	273	4	5	2	1	1	13	4	2	18
49		Female--	88	7	2	5	2	-	16	2	3	12
50	E810-E825	Motor-vehicle traffic accidents----------	36,030	278	267	305	338	362	1,550	1,301	936	3,240
51		White--------Male----	24,125	139	133	156	185	222	835	715	594	2,271
52		Female--	7,729	106	99	101	110	101	517	405	241	683
53		Negro--------Male----	2,943	9	15	30	22	25	101	122	68	182
54		Female--	882	14	16	13	18	13	74	53	28	75
55		Other--------Male----	267	4	3	2	1	1	11	4	2	17
56		Female--	84	6	1	3	2	-	12	2	3	12
57	E810	Motor-vehicle traffic accident with railway train*--------	1,573	12	8	13	10	19	62	33	42	154
58		White--------Male----	1,078	7	1	6	5	12	31	15	27	102
59		Female--	372	4	6	4	4	7	25	15	10	40
60		Negro--------Male----	86	-	-	3	1	-	4	1	3	7
61		Female--	32	1	1	-	-	-	2	2	1	5
62		Other--------Male----	5	-	-	-	-	-	-	-	1	-
63		Female--	-	-	-	-	-	-	-	-	-	-
64	E812	Motor-vehicle traffic accident to pedestrian----------	8,578	17	120	169	170	218	694	837	257	202
65		White--------Male----	5,619	9	61	85	96	140	391	477	159	127
66		Female--	1,762	6	42	56	48	54	206	234	69	41
67		Negro--------Male----	808	-	7	18	14	15	54	85	16	23
68		Female--	295	1	8	7	12	8	36	38	12	5
69		Other--------Male----	82	1	1	1	-	1	4	2	-	4
70		Female--	12	-	1	2	-	-	3	1	1	2
71	E811,E813-E819	Other motor-vehicle traffic accidents, etc.*----------	12,297	127	66	48	63	50	354	237	348	1,220
72		White--------Male----	8,092	60	34	24	29	29	176	132	253	863
73		Female--	3,074	58	25	18	27	17	145	89	62	264
74		Negro--------Male----	819	4	5	4	4	2	19	14	28	56
75		Female--	215	3	2	2	3	2	12	2	4	25
76		Other--------Male----	70	1	-	-	-	-	1	-	1	5
77		Female--	27	1	-	-	-	-	1	-	-	7
78	E820-E824	Motor-vehicle noncollision traffic accidents----------	8,632	60	49	55	74	57	295	116	204	1,119
79		White--------Male----	6,128	28	26	29	43	30	156	59	118	790
80		Female--	1,450	19	17	20	24	20	100	37	63	225
81		Negro--------Male----	755	3	1	3	3	6	16	13	14	67
82		Female--	180	3	3	1	1	1	9	5	7	29
83		Other--------Male----	84	2	2	1	1	-	6	1	-	6
84		Female--	35	5	-	1	2	-	8	1	2	2
85	E825	Motor-vehicle traffic accident of unspecified nature------	4,950	62	24	20	21	18	145	78	85	545
86		White--------Male----	3,208	35	11	12	12	11	81	32	37	389
87		Female--	1,071	19	9	3	7	3	41	30	37	113
88		Negro--------Male----	475	2	2	2	-	2	8	9	7	29
89		Female--	160	6	2	3	2	2	15	6	4	11
90		Other--------Male----	26	-	-	-	-	-	-	1	-	2
91		Female--	10	-	-	-	-	-	-	-	-	1

*For complete category title, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
224	274	317	458	662	793	1,013	1,143	1,361	1,771	1,823	2,002	2,384	1,901	1,416	529	231	84	1
81	80	87	164	265	360	421	528	593	815	813	871	947	741	501	150	28	39	2
50	52	91	90	117	110	155	189	239	319	402	610	875	819	715	250	44	16	3
44	62	74	108	142	180	244	248	281	386	317	276	279	153	75	61	53	12	4
38	73	56	90	132	134	176	166	225	233	256	210	248	164	110	57	95	12	5
4	2	4	6	4	3	8	7	14	8	23	15	21	12	11	3	5	2	6
7	5	5	-	2	6	9	5	9	10	12	20	14	12	4	8	6	3	7
-	-	-	-	-	-	9	13	51	112	302	596	1,266	1,282	1,107	391	155	4	8
-	-	-	-	-	-	2	-	8	34	114	227	497	501	398	115	20	4	9
-	-	-	-	-	-	3	1	12	24	81	248	552	621	604	214	38	-	10
-	-	-	-	-	-	2	5	16	29	45	52	92	60	39	27	31	-	11
-	-	-	-	-	-	2	7	15	25	55	61	113	86	59	29	59	-	12
-	-	-	-	-	-	-	-	-	-	5	3	6	8	4	1	2	-	13
-	-	-	-	-	-	-	-	-	-	2	5	6	6	3	5	5	-	14
224	274	317	458	662	793	1,004	1,130	1,310	1,659	1,521	1,406	1,118	619	309	138	76	80	15
81	80	87	164	265	360	419	528	585	781	699	644	450	240	103	35	8	35	16
50	52	91	90	117	110	152	188	227	295	321	362	323	198	111	36	6	16	17
44	62	74	108	142	180	242	243	265	357	272	224	187	93	36	34	22	12	18
38	73	56	90	132	134	174	159	210	208	201	149	135	78	51	28	36	12	19
4	2	4	6	4	3	8	7	14	8	18	12	15	4	7	2	3	2	20
7	5	5	-	2	6	9	5	9	10	10	15	8	6	1	3	1	3	21
8,435	8,335	7,536	7,684	7,716	7,118	7,043	6,833	6,674	6,655	6,163	6,013	5,665	3,740	1,819	393	67	232	22
5,795	5,391	4,847	4,853	5,046	4,733	4,690	4,745	4,619	4,407	3,754	3,017	2,457	1,464	603	95	16	139	23
1,097	1,133	1,220	1,246	1,332	1,289	1,327	1,352	1,455	1,697	2,039	2,706	2,988	2,149	1,160	266	24	37	24
1,139	1,355	1,101	1,209	1,010	806	767	549	404	371	211	165	104	55	19	9	10	39	25
317	367	304	309	257	221	189	147	152	147	132	114	98	63	37	19	15	12	26
59	72	52	52	56	62	58	34	38	29	23	10	15	7	-	3	-	5	27
28	17	12	15	15	7	12	6	6	4	4	1	3	2	-	1	2	-	28
6,871	6,198	5,446	5,383	5,336	4,877	4,932	4,890	4,911	5,131	5,087	5,393	5,254	3,578	1,786	388	66	188	29
5,099	4,472	3,849	3,693	3,687	3,304	3,315	3,320	3,266	3,217	2,868	2,515	2,132	1,319	579	91	16	122	30
874	796	801	796	820	830	869	1,004	1,144	1,431	1,860	2,610	2,915	2,134	1,152	265	24	23	31
668	701	593	669	601	532	541	408	330	319	190	146	99	53	18	9	9	27	32
159	167	155	176	171	157	155	126	140	137	126	111	94	63	37	19	15	11	33
50	50	40	38	43	50	45	27	27	23	20	10	11	7	-	3	-	5	34
21	12	8	11	14	4	7	5	4	4	3	1	3	2	-	1	2	-	35
116	148	167	171	182	185	173	194	159	129	104	79	48	23	8	-	-	18	36
84	97	112	125	127	142	133	159	137	106	81	58	36	19	6	-	-	10	37
5	11	11	5	12	13	9	15	11	11	16	18	6	3	-	-	-	-	38
20	32	38	35	35	25	26	18	9	7	3	2	4	-	2	-	-	5	39
3	3	2	3	3	1	3	2	1	5	3	1	2	-	-	-	-	3	40
4	5	4	3	3	4	2	-	1	-	1	-	-	1	-	-	-	-	41
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4,425	3,539	2,797	2,546	2,371	2,188	2,072	2,012	2,004	1,908	1,536	1,130	659	226	54	13	-	53	43
3,311	2,501	1,910	1,710	1,573	1,431	1,322	1,311	1,322	1,267	1,026	767	460	158	38	7	-	31	44
618	531	507	440	460	473	462	507	498	482	410	298	166	53	13	4	-	7	45
367	394	279	289	245	198	202	137	123	108	68	45	26	9	2	1	-	10	46
87	76	68	78	64	66	60	41	41	37	20	16	4	4	1	-	-	2	47
30	26	28	23	20	19	22	14	18	13	10	4	3	2	-	1	-	3	48
12	11	5	6	9	1	4	2	2	1	2	-	-	-	-	-	-	-	49
4,349	3,470	2,757	2,497	2,322	2,138	2,018	1,981	1,978	1,875	1,519	1,109	650	221	53	13	-	53	50
3,245	2,442	1,875	1,667	1,534	1,389	1,283	1,283	1,297	1,241	1,013	756	456	154	37	7	-	31	51
616	525	507	437	459	472	455	505	498	476	406	290	161	52	13	4	-	7	52
360	391	275	287	239	193	197	137	123	108	68	44	26	9	2	1	-	10	53
86	76	67	77	62	64	57	40	40	37	20	15	4	4	1	-	-	2	54
30	25	28	23	19	19	22	14	18	12	10	4	3	2	-	1	-	3	55
12	11	5	6	9	1	4	2	2	1	2	-	-	-	-	-	-	-	56
185	142	165	133	113	107	99	91	95	74	39	26	8	4	-	-	-	1	57
138	97	106	89	73	77	72	63	71	53	35	19	7	3	-	-	-	-	58
35	30	42	27	31	20	21	22	21	20	4	7	1	1	-	-	-	-	59
8	12	15	12	4	8	3	6	1	1	-	-	-	-	-	-	-	1	60
4	3	1	3	4	2	3	-	2	-	-	-	-	-	-	-	-	-	61
-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
223	251	252	285	370	485	502	616	747	812	783	655	401	146	33	10	-	17	64
140	151	159	167	233	326	317	420	505	560	561	479	296	109	25	5	-	12	65
31	35	37	49	63	82	95	104	149	155	167	134	76	25	5	3	-	2	66
38	48	42	43	52	49	55	59	70	70	39	30	23	6	2	1	-	3	67
9	13	11	16	15	22	28	27	15	18	11	10	4	4	1	-	-	-	68
5	4	3	6	6	6	7	6	8	9	5	2	2	2	-	1	-	-	69
-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1,653	1,336	1,049	951	897	795	749	702	624	561	406	227	122	41	8	2	-	15	71
1,211	920	702	622	592	500	466	422	386	346	246	142	73	25	5	1	-	9	72
288	258	229	197	207	215	203	245	203	186	140	75	46	14	3	1	-	4	73
103	124	84	98	76	57	63	28	24	18	16	6	2	2	-	-	-	1	74
35	25	24	26	14	15	10	4	3	11	2	3	-	-	-	-	-	-	75
10	7	9	7	3	8	6	3	7	-	-	1	1	-	-	-	-	1	76
6	2	1	1	5	-	1	-	1	-	2	-	-	-	-	-	-	-	77
1,496	1,179	857	735	595	464	389	321	307	252	126	92	56	13	5	-	-	11	78
1,160	899	627	525	428	308	263	217	209	182	83	52	40	5	2	-	-	5	79
159	119	116	107	84	89	65	70	70	53	34	34	15	7	3	-	-	-	80
135	127	85	79	61	49	47	24	18	9	4	3	1	1	-	-	-	2	81
27	15	15	17	13	12	9	6	6	4	2	2	-	-	-	-	-	2	82
11	12	11	6	6	5	4	4	3	3	3	1	-	-	-	-	-	2	83
4	7	3	1	3	1	1	-	1	1	-	-	-	-	-	-	-	-	84
792	562	434	393	347	287	279	251	205	176	165	109	63	17	7	1	-	9	85
596	375	281	264	208	178	165	161	126	100	88	64	40	12	5	1	-	5	86
103	83	83	57	74	66	71	64	55	62	61	40	23	5	2	-	-	1	87
76	80	49	55	46	30	29	20	10	10	9	5	-	-	-	-	-	3	88
11	20	16	15	16	13	7	3	14	4	5	-	-	-	-	-	-	-	89
4	2	4	2	3	-	5	1	-	-	2	-	-	-	-	-	-	-	90
2	2	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
		Motor-vehicle accidents—Continued										
1	E830-E835	Motor-vehicle nontraffic accidents	966	9	181	74	37	24	325	49	14	48
2		White—Male	672	3	92	35	26	13	169	20	9	39
3		Female	198	4	72	32	8	9	125	21	2	4
4		Negro—Male	62	1	7	4	3	1	16	7	2	4
5		Female	24	-	7	1	-	1	9	1	1	-
6		Other—Male	6	-	2	-	-	-	2	-	-	1
7		Female	4	1	1	2	-	-	4	-	-	-
8	E840-E845	Other road-vehicle accidents	459	3	-	-	2	6	11	34	58	45
9		White—Male	307	2	-	-	1	-	3	23	36	29
10		Female	84	-	-	-	1	2	3	5	16	10
11		Negro—Male	58	1	-	-	-	4	5	5	6	5
12		Female	5	-	-	-	-	-	-	1	-	-
13		Other—Male	3	-	-	-	-	-	-	-	-	-
14		Female	2	-	-	-	-	-	-	-	-	1
15	E850-E858	Water-transport accidents	1,639	1	3	6	5	7	22	73	91	150
16		White—Male	1,359	1	2	3	3	4	13	59	63	118
17		Female	109	-	1	3	2	2	8	11	10	15
18		Negro—Male	145	-	-	-	-	1	1	3	15	12
19		Female	12	-	-	-	-	-	-	-	1	5
20		Other—Male	12	-	-	-	-	-	-	-	2	-
21		Female	2	-	-	-	-	-	-	-	-	-
22	E860-E866	Aircraft accidents	1,747	5	4	5	4	4	22	24	19	68
23		White—Male	1,536	1	3	2	2	2	10	13	7	61
24		Female	195	4	1	3	2	2	12	11	12	7
25		Negro—Male	14	-	-	-	-	-	-	-	-	-
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other—Male	2	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	E870-E888	Accidental poisoning by solid and liquid substances	1,497	39	217	108	32	15	411	15	5	31
30		White—Male	723	18	76	38	12	5	149	5	4	12
31		Female	456	10	58	38	13	7	126	4	-	7
32		Negro—Male	177	6	45	15	4	1	71	4	1	7
33		Female	122	5	37	17	2	1	62	2	-	5
34		Other—Male	17	-	1	-	1	1	3	-	-	-
35		Female	2	-	-	-	-	-	-	-	-	-
36	E890-E895	Accidental poisoning by gases and vapors	1,627	23	15	12	5	3	58	14	26	88
37		White—Male	1,075	7	7	6	3	-	23	4	14	47
38		Female	410	9	5	3	1	2	20	7	10	35
39		Negro—Male	97	3	3	2	1	1	10	1	1	3
40		Female	37	4	-	1	-	-	5	2	1	2
41		Other—Male	5	-	-	-	-	-	-	-	-	-
42		Female	3	-	-	-	-	-	-	-	-	1
43	E900-E904	Accidental falls	21,376	148	91	63	32	33	367	136	94	141
44		White—Male	9,583	67	41	28	18	22	176	87	66	107
45		Female	10,643	45	32	24	9	8	118	31	12	14
46		Negro—Male	666	17	8	6	3	-	34	13	9	11
47		Female	419	16	8	5	1	1	31	3	5	5
48		Other—Male	46	-	1	-	1	2	4	1	1	4
49		Female	19	3	1	-	-	-	4	1	1	-
50	E900-E902	Fall from one level to another	7,251	113	68	47	25	23	276	91	61	91
51		White—Male	4,206	51	27	22	14	17	131	60	45	76
52		Female	2,479	34	27	18	6	5	90	18	7	7
53		Negro—Male	372	13	7	3	3	-	26	10	5	6
54		Female	164	12	6	4	1	-	23	1	3	-
55		Other—Male	23	-	1	-	1	1	3	1	1	2
56		Female	7	3	-	-	-	-	3	1	-	-
57	E903	Fall on same level	4,945	2	3	4	1	4	14	14	11	10
58		White—Male	1,830	1	3	2	1	3	10	5	6	3
59		Female	2,948	1	-	2	-	1	4	6	2	3
60		Negro—Male	84	-	-	-	-	-	-	2	2	1
61		Female	75	-	-	-	-	-	-	1	1	2
62		Other—Male	4	-	-	-	-	-	-	-	-	1
63		Female	4	-	-	-	-	-	-	-	-	-
64	E904	Unspecified falls	9,180	33	20	12	6	6	77	31	22	40
65		White—Male	3,547	15	11	4	3	2	35	22	15	28
66		Female	5,216	10	5	4	3	2	24	7	3	4
67		Negro—Male	210	4	1	3	-	-	8	1	2	4
68		Female	180	4	2	1	-	1	8	1	1	3
69		Other—Male	19	-	-	-	-	1	1	-	-	1
70		Female	8	-	1	-	-	-	1	-	1	-
71	E910	Blow from falling object	1,535	2	9	15	16	18	60	46	20	55
72		White—Male	1,268	1	2	8	9	12	32	26	14	46
73		Female	54	1	6	4	7	3	21	16	5	-
74		Negro—Male	202	-	-	-	-	3	3	3	1	9
75		Female	6	-	1	3	-	-	4	1	-	-
76		Other—Male	5	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	E912	Accident caused by machinery	2,068	-	17	34	14	24	89	51	84	134
79		White—Male	1,793	-	11	25	9	17	62	33	68	118
80		Female	87	-	6	8	4	4	22	14	7	5
81		Negro—Male	172	-	-	-	1	-	1	4	9	8
82		Female	4	-	-	1	-	1	2	-	-	1
83		Other—Male	11	-	-	-	-	1	1	-	-	2
84		Female	1	-	-	-	-	1	1	-	-	-
85	E914	Accident caused by electric current	988	4	12	6	6	8	36	22	24	67
86		White—Male	867	2	9	4	3	6	24	14	18	61
87		Female	50	1	3	1	3	2	10	7	5	3
88		Negro—Male	61	1	-	1	-	-	2	-	1	3
89		Female	5	-	-	-	-	-	-	1	-	-
90		Other—Male	5	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
76	69	40	49	49	50	54	31	26	33	17	21	9	5	1	-	-	-	1
66	59	35	43	39	42	39	28	25	26	13	11	4	4	1	-	-	-	2
2	6	-	3	1	1	7	2	-	6	4	8	5	1	-	-	-	-	3
7	3	4	2	6	5	5	-	-	-	-	1	-	-	-	-	-	-	4
1	-	1	1	2	2	3	1	1	-	-	1	-	-	-	-	-	-	5
-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
13	12	13	13	16	14	27	33	37	39	30	29	20	14	-	-	-	1	8
8	9	10	7	8	7	16	24	23	32	19	26	15	11	-	-	-	1	9
5	1	3	2	2	-	5	6	9	3	6	2	3	3	-	-	-	-	10
-	1	-	3	4	6	5	3	5	3	4	1	2	-	-	-	-	-	11
-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	12
-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	13
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	14
169	172	160	174	167	118	119	81	56	42	17	18	1	-	-	-	-	9	15
136	150	143	145	140	90	102	72	51	38	15	16	1	-	-	-	-	7	16
11	8	6	12	7	9	3	4	1	1	1	2	-	-	-	-	-	-	17
17	14	10	17	17	15	13	3	4	2	1	-	-	-	-	-	-	1	18
2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	19
3	-	-	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	20
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	21
369	440	330	186	106	72	41	31	17	3	2	4	1	-	-	-	-	12	22
342	412	300	163	90	54	35	21	12	2	2	1	1	-	-	-	-	10	23
21	24	27	22	15	18	6	10	4	1	-	3	-	-	-	-	-	2	24
4	4	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
48	61	86	137	167	145	118	86	61	51	36	16	11	7	-	1	-	4	29
15	22	42	65	85	77	74	58	38	28	25	12	4	3	-	1	-	4	30
21	18	29	48	49	45	32	22	17	18	9	3	4	4	-	-	-	-	31
8	6	11	13	18	14	10	3	5	2	2	-	2	-	-	-	-	-	32
4	11	3	9	12	6	2	1	1	3	-	1	-	-	-	-	-	-	33
-	4	1	1	3	3	-	2	-	-	-	-	-	-	-	-	-	-	34
-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	35
130	105	120	93	125	118	115	113	131	127	101	87	42	25	8	-	-	1	36
83	74	85	77	94	87	86	81	89	84	69	45	15	14	3	-	-	1	37
34	12	21	6	18	16	23	27	34	38	28	41	25	10	5	-	-	-	38
6	12	11	8	9	8	5	5	7	5	3	1	1	1	-	-	-	-	39
4	7	2	2	3	5	1	-	1	-	1	-	1	-	-	-	-	-	40
1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	41
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
173	201	272	463	477	576	716	929	1,158	1,611	2,242	3,113	3,780	2,958	1,573	335	46	15	43
135	126	173	310	351	406	478	634	699	905	1,010	1,124	1,259	963	476	79	14	5	44
12	28	34	73	62	87	149	218	366	617	1,158	1,920	2,455	1,945	1,074	242	20	8	45
18	40	49	58	50	55	62	56	60	50	29	25	20	17	5	2	2	1	46
7	4	13	18	14	25	20	17	31	34	42	39	43	29	18	12	9	-	47
1	2	3	3	-	3	5	2	1	4	3	4	2	2	-	-	-	1	48
-	1	-	1	-	-	2	2	1	1	-	1	1	2	-	-	1	-	49
118	135	167	286	269	331	401	507	566	687	727	800	807	575	275	70	9	2	50
96	96	109	200	205	237	278	379	387	463	415	363	335	222	89	19	-	1	51
4	13	20	40	26	48	69	91	136	183	290	410	454	342	175	49	6	1	52
12	21	29	35	31	34	40	30	29	25	13	12	5	6	1	1	1	-	53
5	3	7	10	7	12	9	5	14	14	8	14	12	4	10	1	2	-	54
1	1	2	1	-	-	3	2	-	2	1	1	1	1	-	-	-	-	55
-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	56
6	17	23	47	49	83	94	153	214	346	553	838	1,047	852	456	107	10	1	57
4	6	15	26	34	51	56	87	115	151	224	292	328	263	129	22	2	1	58
1	6	3	8	9	16	32	50	86	181	312	537	705	576	323	82	6	-	59
1	5	3	8	3	11	3	11	8	9	5	4	4	4	-	-	-	-	60
-	-	2	4	3	5	3	5	5	4	10	5	9	7	4	3	2	-	61
-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	63
49	49	82	130	159	162	221	269	378	578	962	1,475	1,926	1,531	842	158	27	12	64
35	24	49	84	112	118	144	168	197	291	371	469	596	478	258	38	12	3	65
7	9	11	25	27	23	48	77	144	253	556	973	1,296	1,027	576	111	8	7	66
5	14	17	15	16	10	19	15	23	16	11	9	11	7	4	1	1	1	67
2	1	4	4	4	8	8	7	12	16	24	20	22	18	4	8	5	-	68
-	1	1	1	-	3	2	-	1	2	-	3	1	1	-	-	-	1	69
-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	1	-	70
98	129	133	165	161	171	144	132	101	58	33	15	8	2	2	-	-	2	71
85	119	116	140	135	136	118	107	93	48	29	11	8	2	1	-	-	2	72
-	-	1	2	-	1	1	2	1	-	1	2	-	-	1	-	-	-	73
12	10	15	23	25	33	25	21	7	10	3	2	-	-	-	-	-	-	74
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
137	179	170	185	202	162	174	163	122	113	63	25	13	1	-	-	-	1	78
122	150	149	162	176	138	154	144	118	100	61	24	12	1	-	-	-	1	79
3	4	2	4	6	5	1	5	3	4	1	-	1	-	-	-	-	-	80
11	23	18	18	20	18	16	14	1	9	1	1	-	-	-	-	-	-	81
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	2	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
116	148	127	110	114	70	68	36	28	10	8	2	1	-	-	-	-	1	85
105	141	119	94	105	56	60	31	23	8	5	1	1	-	-	-	-	1	86
-	2	1	2	3	4	2	2	4	1	3	1	-	-	-	-	-	-	87
10	3	7	13	5	7	5	3	1	1	-	-	-	-	-	-	-	-	88
1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	89
-	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
1	E916	Accident caused by fire and explosion, etc.*	6,788	275	265	300	295	210	1,345	486	165	151
2		White—Male	2,963	75	74	77	91	57	374	129	64	59
3		Female	1,918	64	65	90	102	68	389	194	51	48
4		Negro—Male	946	66	65	69	37	34	271	59	26	12
5		Female	905	68	55	62	63	49	297	97	22	31
6		Other—Male	36	1	5	1	-	1	8	3	2	-
7		Female	20	1	1	1	2	1	6	4	-	1
8	E917,E918	Accident caused by hot substance, etc.*	944	73	105	72	42	23	315	39	11	10
9		White—Male	393	34	43	26	13	8	124	8	3	6
10		Female	271	16	32	28	18	10	104	13	3	2
11		Negro—Male	147	12	17	11	4	2	46	3	2	1
12		Female	128	9	12	7	7	3	38	14	3	1
13		Other—Male	1	-	-	-	-	-	-	-	-	-
14		Female	4	2	1	-	-	-	3	1	-	-
15	E919	Accident caused by firearm	2,247	4	12	20	38	21	95	132	293	359
16		White—Male	1,649	1	4	9	19	8	41	87	227	274
17		Female	205	3	6	5	10	7	31	18	25	20
18		Negro—Male	303	-	1	3	5	5	14	17	34	54
19		Female	75	-	1	2	4	1	8	9	3	9
20		Other—Male	12	-	-	-	-	-	-	1	4	2
21		Female	3	-	-	1	-	-	1	-	-	-
22	E921,E922	Inhalation and ingestion of food or other object, etc.*	1,456	974	119	39	28	13	1,173	21	6	6
23		White—Male	691	438	51	18	13	3	523	12	4	3
24		Female	469	327	39	11	10	8	395	3	1	3
25		Negro—Male	150	95	18	4	4	1	122	3	1	-
26		Female	130	102	8	6	1	1	118	2	-	-
27		Other—Male	9	7	2	-	-	-	9	-	-	-
28		Female	7	5	1	-	-	-	6	1	-	-
29	E929	Accidental drowning	5,055	53	208	216	135	102	714	521	648	639
30		White—Male	3,555	30	128	148	91	81	478	381	398	433
31		Female	674	17	69	59	31	19	195	76	88	57
32		Negro—Male	711	3	4	6	11	-	24	55	150	139
33		Female	62	3	7	2	-	-	12	5	8	6
34		Other—Male	45	-	-	1	2	1	4	3	1	3
35		Female	8	-	-	-	-	1	1	1	3	1
36	E931	Excessive heat and insolation	422	25	2	3	1	1	32	1	2	2
37		White—Male	250	7	1	1	1	-	10	1	1	-
38		Female	70	10	1	1	-	1	13	-	1	1
39		Negro—Male	71	4	-	1	-	-	5	-	-	1
40		Female	25	1	-	-	-	-	1	-	-	-
41		Other—Male	4	2	-	-	-	-	2	-	-	-
42		Female	2	1	-	-	-	-	1	-	-	-
43	E940-E959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*	680	23	7	5	7	5	47	16	7	13
44		White—Male	271	11	4	3	3	2	23	9	4	6
45		Female	309	8	2	2	4	2	18	5	2	4
46		Negro—Male	35	1	-	-	-	1	2	2	-	-
47		Female	60	2	1	-	-	-	3	-	1	3
48		Other—Male	5	1	-	-	-	-	1	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	Residual[1]	All other accidents	6,289	1,772	124	59	63	53	2,071	149	196	183
51		White—Male	3,597	737	57	35	28	30	887	94	148	137
52		Female	1,348	514	53	15	22	15	619	30	16	15
53		Negro—Male	836	255	5	3	9	5	277	14	23	24
54		Female	426	237	7	3	1	3	251	10	6	5
55		Other—Male	54	15	2	1	2	-	20	1	3	2
56		Female	28	14	-	2	1	-	17	-	-	-
57	E963,E970-E979	Suicide	15,909	-	-	-	-	-	-	1	51	270
58		White—Male	11,784	-	-	-	-	-	-	1	37	171
59		Female	3,468	-	-	-	-	-	-	-	9	77
60		Negro—Male	439	-	-	-	-	-	-	-	5	9
61		Female	119	-	-	-	-	-	-	-	-	10
62		Other—Male	77	-	-	-	-	-	-	-	-	2
63		Female	22	-	-	-	-	-	-	-	-	1
64	E970-E973	Suicide by poisoning	3,664	-	-	-	-	-	-	-	1	56
65		White—Male	2,219	-	-	-	-	-	-	-	-	22
66		Female	1,325	-	-	-	-	-	-	-	1	30
67		Negro—Male	68	-	-	-	-	-	-	-	-	1
68		Female	43	-	-	-	-	-	-	-	-	3
69		Other—Male	7	-	-	-	-	-	-	-	-	-
70		Female	2	-	-	-	-	-	-	-	-	-
71	E974	Suicide by hanging and strangulation	3,360	-	-	-	-	-	-	-	23	63
72		White—Male	2,472	-	-	-	-	-	-	-	20	50
73		Female	764	-	-	-	-	-	-	-	1	8
74		Negro—Male	72	-	-	-	-	-	-	-	2	3
75		Female	15	-	-	-	-	-	-	-	-	1
76		Other—Male	25	-	-	-	-	-	-	-	-	1
77		Female	12	-	-	-	-	-	-	-	-	-
78	E976	Suicide by firearms and explosives	6,873	-	-	-	-	-	-	1	25	126
79		White—Male	5,801	-	-	-	-	-	-	1	16	88
80		Female	795	-	-	-	-	-	-	-	6	30
81		Negro—Male	214	-	-	-	-	-	-	-	3	4
82		Female	36	-	-	-	-	-	-	-	-	4
83		Other—Male	25	-	-	-	-	-	-	-	-	-
84		Female	2	-	-	-	-	-	-	-	-	-
85	E963,E975, E977-E979	Suicide by all other means	2,012	-	-	-	-	-	-	-	2	25
86		White—Male	1,292	-	-	-	-	-	-	-	1	11
87		Female	584	-	-	-	-	-	-	-	1	9
88		Negro—Male	85	-	-	-	-	-	-	-	-	1
89		Female	25	-	-	-	-	-	-	-	-	2
90		Other—Male	20	-	-	-	-	-	-	-	-	1
91		Female	6	-	-	-	-	-	-	-	-	1

*For complete category title, see table 53.

[1]For category numbers, see table 53.

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
234	321	335	340	434	331	343	305	339	367	355	385	313	146	52	19	10	12	1
111	175	185	194	246	186	194	157	170	163	170	163	133	59	20	3	1	7	2
64	75	72	80	82	65	67	68	89	109	106	150	127	55	20	6	-	1	3
33	38	48	41	67	51	48	41	39	54	34	36	21	13	4	4	3	3	4
25	32	28	23	36	27	30	38	39	38	41	36	27	19	8	5	5	1	5
-	1	-	2	2	2	3	1	2	1	3	-	5	-	-	1	-	-	6
1	-	2	-	1	-	1	-	-	2	1	-	-	-	-	-	1	-	7
14	15	21	33	34	25	39	45	43	68	66	51	60	25	23	2	3	2	8
3	8	13	15	16	15	17	18	21	27	29	20	27	10	12	-	1	-	9
2	2	3	4	8	2	6	7	10	22	21	24	23	8	6	-	1	-	10
4	3	3	10	8	6	12	12	6	10	8	5	4	3	-	-	1	-	11
5	2	2	4	2	2	4	8	6	9	8	2	6	4	5	1	-	2	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
219	176	180	169	144	117	100	93	73	52	24	15	-	3	-	-	-	3	15
154	122	128	112	117	92	78	74	63	44	18	14	-	3	-	-	-	1	16
16	19	22	18	10	7	6	7	2	2	2	-	-	-	-	-	-	-	17
38	25	21	32	14	15	11	11	7	6	2	-	-	-	-	-	-	2	18
8	8	9	7	2	2	5	1	1	-	2	1	-	-	-	-	-	-	19
1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	20
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
14	13	22	14	12	19	21	23	17	25	16	31	13	8	2	-	-	-	22
6	6	15	7	7	10	17	15	13	19	7	17	3	6	1	-	-	-	23
4	4	4	2	3	7	2	3	2	5	7	13	9	2	-	-	-	-	24
2	2	2	4	2	2	1	4	1	1	1	1	1	-	-	-	-	-	25
2	1	1	1	-	-	1	1	1	-	1	-	-	-	1	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
359	267	195	245	204	215	241	203	163	147	106	90	40	11	7	1	1	38	29
244	191	154	165	162	159	186	136	135	109	84	65	30	8	5	-	-	32	30
27	15	9	27	14	23	18	39	18	25	13	17	6	2	1	1	-	3	31
79	51	29	43	20	26	29	25	8	12	6	6	3	1	1	-	1	3	32
3	7	3	5	2	4	4	-	1	-	1	-	1	-	-	-	-	-	33
5	3	-	4	6	3	4	3	1	1	2	2	-	-	-	-	-	-	34
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
21	17	24	29	40	33	40	36	27	23	30	24	18	15	3	3	2	-	36
12	10	18	12	29	23	29	28	15	13	20	11	11	6	-	1	-	-	37
-	-	1	4	3	1	3	1	4	3	7	11	7	6	2	1	1	-	38
8	5	3	10	6	6	6	5	7	4	3	1	-	-	-	-	1	-	39
1	2	2	3	1	2	2	2	1	3	-	1	-	3	1	-	-	-	40
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	42
24	33	36	46	53	45	52	58	59	63	47	39	32	6	3	-	-	1	43
13	9	12	15	10	15	14	24	27	27	20	18	18	6	1	-	-	-	44
8	16	16	21	31	22	25	26	26	32	24	19	12	-	2	-	-	-	45
1	2	4	-	5	2	5	2	2	4	2	-	2	-	-	-	-	-	46
2	6	4	10	7	6	7	4	4	-	-	2	-	-	-	-	-	1	47
-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
192	222	258	264	327	273	329	317	316	295	271	240	194	108	51	14	4	15	50
130	150	165	175	216	180	202	226	217	197	178	122	98	50	16	-	-	9	51
23	26	32	24	35	32	49	35	45	57	67	86	71	43	28	11	2	2	52
30	36	42	51	50	45	60	45	37	31	20	20	13	9	4	2	1	2	53
4	8	16	11	21	11	15	10	12	8	6	12	10	4	3	1	1	1	54
2	2	2	1	3	5	3	-	4	2	-	-	1	2	-	-	-	1	55
3	-	1	2	2	-	-	1	1	-	-	-	1	-	-	-	-	-	56
670	967	1,074	1,310	1,576	1,655	1,651	1,621	1,541	1,380	986	572	376	153	30	5	-	20	57
451	624	708	873	1,105	1,211	1,198	1,264	1,235	1,107	835	477	307	140	24	4	-	12	58
146	252	298	352	409	391	392	310	278	245	138	85	61	12	6	1	-	6	59
44	66	47	60	38	38	41	31	17	19	8	10	3	1	-	-	-	2	60
16	13	17	12	15	7	9	10	1	5	2	-	2	-	-	-	-	-	61
7	10	2	10	8	7	9	5	8	4	2	-	3	-	-	-	-	-	62
6	2	2	3	1	1	2	1	2	-	1	-	-	-	-	-	-	-	63
172	257	304	388	459	446	397	355	289	236	142	92	48	12	3	1	-	6	64
104	143	166	231	277	270	233	234	194	144	97	62	27	10	2	-	-	3	65
56	92	123	147	170	170	153	109	90	84	42	30	21	2	1	1	-	3	66
5	18	8	3	7	4	6	7	4	4	1	-	-	-	-	-	-	-	67
7	3	6	6	3	2	4	5	1	2	1	-	-	-	-	-	-	-	68
-	1	-	-	2	-	1	-	-	2	1	-	-	-	-	-	-	-	69
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
99	131	153	189	253	301	366	403	410	382	273	144	103	51	11	2	-	3	71
72	94	96	105	169	211	263	312	308	300	218	114	84	44	9	2	-	1	72
11	23	48	66	77	82	90	85	95	77	50	28	13	7	2	-	-	1	73
12	9	5	11	5	3	8	2	1	2	3	2	3	-	-	-	-	1	74
1	1	3	1	1	2	1	2	-	2	-	-	-	-	-	-	-	-	75
1	3	-	4	-	3	3	1	4	1	1	-	3	-	-	-	-	-	76
2	1	1	2	1	-	1	1	2	-	1	-	-	-	-	-	-	-	77
335	482	498	595	701	722	667	658	619	548	423	254	144	63	5	-	-	7	78
246	337	379	451	573	613	575	589	573	505	407	238	139	61	5	-	-	5	79
57	103	93	105	99	85	66	51	35	35	12	10	5	1	-	-	-	2	80
20	30	21	32	20	21	20	14	11	8	3	6	-	1	-	-	-	-	81
6	6	5	3	6	1	3	1	-	-	1	-	-	-	-	-	-	-	82
5	5	-	4	3	2	3	3	-	-	-	-	-	-	-	-	-	-	83
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
64	97	119	138	163	186	221	205	223	214	148	82	81	27	11	2	-	4	85
29	50	67	86	86	117	127	129	160	158	113	63	57	25	8	2	-	3	86
22	34	34	34	63	54	83	65	58	49	34	17	22	2	3	-	-	-	87
7	9	13	14	6	10	7	8	1	5	1	2	-	-	-	-	-	1	88
2	3	3	2	5	2	1	2	-	1	-	-	2	-	-	-	-	-	89
1	1	2	2	3	2	2	1	4	1	-	-	-	-	-	-	-	-	90
3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	91

Table 54. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence--Continued										
1	E964,E980-	Homicide	7,495	141	21	17	29	12	220	56	55	382
2	E985	White--Male	2,421	53	6	7	12	3	81	26	18	98
3		Female	942	59	7	7	8	6	87	23	20	45
4		Negro--Male	3,193	12	3	2	6	2	25	1	12	173
5		Female	870	16	4	1	3	1	25	5	5	63
6		Other--Male	55	1	-	-	-	-	1	-	-	3
7		Female	14	-	1	-	-	-	1	1	-	-
8	E981	Assault by firearms and explosives	3,898	4	4	7	10	3	28	23	26	191
9		White--Male	1,300	2	1	3	4	-	10	14	11	48
10		Female	516	-	1	3	2	2	8	6	9	28
11		Negro--Male	1,602	-	1	-	2	1	4	1	4	79
12		Female	450	2	1	1	2	-	6	2	2	35
13		Other--Male	28	-	-	-	-	-	-	-	-	1
14		Female	2	-	-	-	-	-	-	-	-	-
15	E982	Assault by cutting and piercing instruments	1,787	11	2	1	2	1	17	8	11	128
16		White--Male	322	4	1	-	-	-	5	2	1	23
17		Female	104	3	1	1	1	-	6	4	3	8
18		Negro--Male	1,087	1	-	-	1	-	2	-	5	72
19		Female	263	3	-	-	-	1	4	2	2	23
20		Other--Male	9	-	-	-	-	-	-	-	-	2
21		Female	2	-	-	-	-	-	-	-	-	-
22	E964,E980,	Assault by other means	1,478	126	15	9	17	8	175	25	18	35
23	E983	White--Male	629	47	4	4	8	3	66	10	6	12
24		Female	321	56	5	3	5	4	73	13	8	9
25		Negro--Male	349	11	2	2	3	1	19	-	3	9
26		Female	155	11	3	-	1	-	15	1	1	5
27		Other--Male	14	1	-	-	-	-	1	-	-	-
28		Female	10	-	1	-	-	-	1	1	-	-
29	E984	Injury by intervention of police	227	-	-	-	-	-	-	-	-	27
30		White--Male	115	-	-	-	-	-	-	-	-	15
31		Female	-	-	-	-	-	-	-	-	-	-
32		Negro--Male	107	-	-	-	-	-	-	-	-	12
33		Female	2	-	-	-	-	-	-	-	-	-
34		Other--Male	3	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	E985	Execution	105	-	-	-	-	-	-	-	-	1
37		White--Male	55	-	-	-	-	-	-	-	-	-
38		Female	1	-	-	-	-	-	-	-	-	-
39		Negro--Male	48	-	-	-	-	-	-	-	-	1
40		Female	-	-	-	-	-	-	-	-	-	-
41		Other--Male	1	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	E965,E990-	Injury resulting from operations of war	42	-	-	-	-	-	-	-	-	5
44	E999	White--Male	39	-	-	-	-	-	-	-	-	5
45		Female	-	-	-	-	-	-	-	-	-	-
46		Negro--Male	3	-	-	-	-	-	-	-	-	-
47		Female	-	-	-	-	-	-	-	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1951—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
882	1,165	1,013	987	801	586	457	318	219	144	90	48	35	9	3	-	1	24	1
234	290	287	285	251	218	174	157	115	83	51	25	18	5	-	-	-	5	2
77	85	121	98	103	68	66	38	33	21	21	11	12	3	2	-	-	8	3
426	588	461	478	371	236	185	110	57	33	13	9	2	1	1	-	1	10	4
142	187	132	121	71	57	25	11	11	5	4	3	2	-	-	-	-	1	5
2	12	10	4	5	5	4	2	3	2	1	-	1	-	-	-	-	-	6
1	3	2	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	7
468	626	570	558	448	326	252	164	87	54	35	24	9	2	-	-	-	7	8
125	170	176	166	145	132	97	86	50	32	18	13	4	1	-	-	-	2	9
54	52	79	69	60	49	41	22	12	7	9	4	5	1	-	-	-	1	10
217	303	236	251	197	114	98	50	20	13	6	5	-	-	-	-	-	4	11
70	93	75	70	42	28	12	6	4	1	2	2	-	-	-	-	-	-	12
1	8	4	2	4	3	3	-	1	1	-	-	-	-	-	-	-	-	13
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	14
250	344	276	245	176	125	81	45	44	20	4	4	5	-	1	-	-	3	15
42	47	45	42	29	23	20	14	15	7	2	3	2	-	-	-	-	-	16
9	12	18	8	10	5	6	1	7	3	1	-	2	-	-	-	-	1	17
148	216	173	159	124	86	47	25	17	8	1	1	-	-	1	-	-	2	18
51	66	37	36	13	11	7	3	5	2	-	-	1	-	-	-	-	-	19
-	2	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	20
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
89	126	123	142	154	110	116	103	81	69	48	19	21	7	2	-	1	14	22
26	38	47	57	62	50	53	56	47	43	28	9	12	4	-	-	-	3	23
14	21	23	21	33	14	19	15	14	11	11	7	5	2	2	-	-	6	24
29	35	29	46	42	27	36	30	16	12	6	2	2	1	-	-	1	4	25
20	28	20	15	16	17	6	2	2	2	2	1	1	-	-	-	-	1	26
-	2	3	2	1	-	-	-	2	1	1	-	1	-	-	-	-	-	27
-	2	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	28
50	38	29	27	15	19	7	5	7	-	2	1	-	-	-	-	-	-	29
31	19	12	11	9	9	4	-	3	-	2	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
18	19	16	16	6	7	3	5	4	-	-	1	-	-	-	-	-	-	32
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
25	31	15	15	8	6	1	1	-	1	1	-	-	-	-	-	-	-	36
10	16	7	9	6	4	-	1	-	1	1	-	-	-	-	-	-	-	37
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
14	15	7	6	2	2	1	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
12	5	3	4	3	-	3	4	3	-	-	-	-	-	-	-	-	-	43
11	5	3	2	3	-	3	4	3	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	1,482,099	747,049	555,920	98,184	80,946	27,416	9,420	6,611	5,964	5,421
2	I. Infective and parasitic diseases	47,398	23,043	11,377	7,972	5,006	1,268	345	223	397	303
3	Tuberculosis, all forms---001-019	30,863	15,480	6,800	5,240	3,343	814	245	131	246	192
4	Tuberculosis of respiratory system---001-008	28,296	14,576	6,098	4,690	2,932	749	229	115	224	181
5	Tuberculosis of meninges and central nervous system---010	909	284	262	201	162	28	7	9	8	4
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	163	40	46	31	46	3	-	1	1	1
7	Tuberculosis of vertebral column---012.0,013.0	190	82	57	32	19	4	1	1	1	1
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	67	37	13	10	7	1	1	-	-	-
9	Tuberculosis of genito-urinary system---016	250	133	83	24	10	2	2	-	-	-
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	154	54	47	36	17	3	-	3	-	-
11	Disseminated tuberculosis---019	834	274	194	216	150	24	5	2	12	5
12	Syphilis and its sequelae---020-029	6,274	3,148	967	1,521	638	127	20	11	68	28
13	Congenital syphilis---020	171	37	33	55	46	14	-	-	8	6
14	Early syphilis---021	2	-	-	2	-	-	-	-	-	-
15	Aneurysm of aorta---022	1,666	981	285	274	126	25	7	3	11	4
16	Other cardiovascular syphilis---023	2,213	1,046	275	643	249	47	5	3	32	7
17	Tabes dorsalis---024	152	103	30	16	3	-	-	-	-	-
18	General paralysis of insane---025	1,109	533	162	300	114	17	4	3	6	4
19	Other syphilis of central nervous system---026	721	344	133	180	64	15	3	2	6	4
20	Other syphilis---027-029	240	104	49	51	36	9	1	-	5	3
21	Gonococcal infection---030-035	43	12	6	10	15	3	-	-	1	2
22	Typhoid fever---040	83	34	23	11	15	3	-	-	-	3
23	Paratyphoid fever---041	12	4	7	1	-	-	-	-	-	-
24	Other Salmonella infections---042	19	5	7	6	1	1	1	-	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	34	20	9	4	1	-	-	-	-	-
27	Dysentery, all forms---045-048	1,040	411	360	144	125	29	8	7	8	6
28	Food poisoning (infection and intoxication)---049	168	51	47	35	35	11	1	2	2	6
29	Scarlet fever---050	72	33	39	-	-	1	-	1	-	-
30	Streptococcal sore throat---051	275	123	101	30	21	3	1	-	2	-
31	Erysipelas---052	46	16	26	3	1	2	-	2	-	-
32	Septicemia and pyemia---053	677	301	242	66	68	23	4	5	5	9
33	Diphtheria---055	302	129	99	50	24	23	6	3	11	3
34	Whooping cough---056	951	226	227	249	249	46	2	7	15	22
35	Meningococcal infections---057	1,124	513	432	107	72	30	8	15	5	2
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	9	3	2	3	1	-	-	-	-	-
38	Leprosy---060	3	1	1	1	-	-	-	-	-	-
39	Tetanus---061	394	157	76	94	67	30	4	3	13	10
40	Anthrax---062	3	2	-	1	-	-	-	-	-	-
41	Acute poliomyelitis---080	1,551	870	579	59	43	37	19	13	4	1
42	Late effects of acute poliomyelitis---081	106	53	42	9	2	2	-	1	1	-
43	Acute infectious encephalitis---082	429	189	179	26	35	11	5	5	-	1
44	Late effects of acute infectious encephalitis---083	186	102	79	2	3	1	-	-	-	1
45	Smallpox---084	1	-	-	1	-	-	-	-	-	-
46	Measles---085	683	288	257	66	72	20	2	3	8	7
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	675	284	314	33	44	14	7	3	1	3
49	Rabies---094	18	10	4	1	3	2	1	-	-	1
50	Tick-borne typhus---104	26	14	9	2	1	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	26	14	9	2	1	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	20	11	6	3	-	-	-	-	-	-
54	Malaria---110-117	64	30	10	15	9	3	-	1	-	2
55	Schistosomiasis---123	1	1	-	-	-	-	-	-	-	-
56	Hydatid disease---125	8	5	3	-	-	-	-	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	7	2	3	1	1	1	1	-	-	-
59	Other diseases due to helminths---124,126,128,130	84	17	30	17	20	3	1	1	-	1
60	All other infective and parasitic diseases---Residual[1]	1,147	498	391	161	97	28	9	9	7	3
61	II. Neoplasms	220,691	103,478	99,074	8,646	9,493	2,958	1,047	1,030	373	508
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	215,525	101,605	96,555	8,429	8,936	2,853	1,016	999	360	478
63	Malignant neoplasm of buccal cavity and pharynx---140-148	4,890	3,560	943	282	105	67	35	24	3	5
64	Of lip---140	392	346	38	3	5	7	5	2	-	-
65	Of tongue---141	1,177	861	214	76	26	9	4	3	1	1
66	Of other and unspecified parts of buccal cavity---142-144	1,436	971	360	69	36	22	8	10	-	4
67	Of pharynx---145-148	1,885	1,382	331	134	38	29	18	9	2	-
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	81,807	41,162	34,281	3,743	2,621	873	330	266	146	131
69	Of esophagus---150	3,854	2,596	754	415	89	30	15	7	6	2
70	Of stomach---151	23,683	13,376	7,900	1,590	817	293	111	65	73	44
71	Of intestine, except rectum---152,153	23,517	10,014	12,278	541	684	211	76	93	24	18
72	Of rectum---154	10,103	5,348	4,126	317	312	91	29	33	9	20
73	Of biliary passages and of liver (stated to be primary site)---155	4,753	1,690	2,776	154	133	103	35	30	16	22
74	Of liver not specified whether primary or secondary---156A	4,943	2,256	2,208	259	220	39	17	9	4	9
75	Of pancreas---157	9,348	5,199	3,511	374	264	89	39	25	12	13
76	Of peritoneum and of unspecified digestive organs---158,159	1,606	683	728	93	102	17	8	4	2	3
77	Malignant neoplasm of respiratory system---160-164	22,513	17,223	3,730	1,257	303	289	185	43	44	17
78	Of larynx---161	1,835	1,557	156	106	16	26	14	5	6	1
79	Of trachea, and of bronchus and lung specified as primary---162	8,438	6,723	1,098	524	93	192	136	24	25	7
80	Of lung and bronchus, unspecified as primary or secondary---163	11,287	8,410	2,149	562	166	52	26	10	8	6
81	Of other parts of respiratory system---160,164	953	533	327	65	28	19	7	4	5	3
82	Malignant neoplasm of breast---170	19,179	201	17,624	20	1,334	216	3	151	1	61

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,098	3,720	2,152	725	501	15,776	6,870	4,506	2,355	2,045	104,089	57,574	40,975	3,487	2,053	12,674	7,160	5,200	186	128	1
621	305	119	109	88	866	328	200	201	137	3,197	1,914	804	343	136	361	228	117	10	6	2
440	239	73	75	53	566	227	136	123	80	2,170	1,325	511	234	100	194	126	54	9	5	3
403	228	69	65	41	529	215	127	111	76	1,989	1,238	452	217	82	185	122	49	9	5	4
20	4	3	5	8	15	6	4	4	1	67	26	29	6	6	2	-	2	-	-	5
4	2	-	1	1	1	-	-	-	1	9	2	4	1	2	-	-	-	-	-	6
2	1	-	1	-	1	-	1	-	-	7	4	1	1	1	-	-	-	-	-	7
1	1	-	-	-	-	-	-	-	-	5	3	-	1	1	-	-	-	-	-	8
1	-	-	1	-	1	-	-	1	-	24	16	7	1	-	4	2	2	-	-	9
-	-	-	-	-	3	1	-	2	-	10	5	4	-	1	2	1	1	-	-	10
9	3	1	2	3	16	5	4	5	2	59	31	14	7	7	1	1	-	-	-	11
45	20	9	11	5	83	28	7	32	16	425	287	51	68	19	34	28	4	1	1	12
6	1	1	1	3	4	-	-	3	1	5	3	1	-	1	1	-	1	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
7	3	2	2	-	21	13	1	5	2	127	88	20	14	5	10	9	1	-	-	15
24	15	4	4	1	28	7	2	10	9	184	130	16	32	6	12	10	1	-	1	16
1	-	-	1	-	-	-	-	-	-	5	4	-	1	-	1	1	-	-	-	17
4	-	2	1	1	13	4	2	6	1	39	23	2	9	5	6	5	1	-	-	18
2	1	-	1	-	12	4	2	5	1	53	31	10	12	-	3	2	-	1	-	19
1	-	-	1	-	5	-	-	3	2	12	8	2	-	2	1	1	-	-	-	20
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	21
1	1	-	-	-	1	-	-	-	1	3	2	1	-	-	2	2	-	-	-	22
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	-	-	-	-	-	26
20	10	6	2	2	30	6	14	4	6	26	12	12	1	1	9	3	6	-	-	27
1	-	1	-	-	7	3	1	1	2	8	4	4	-	-	2	1	1	-	-	28
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	3	2	1	-	-	29
2	2	-	-	-	8	2	4	-	2	9	6	1	2	-	2	2	-	-	-	30
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	2	-	2	-	-	31
6	2	1	1	2	11	3	4	2	2	36	14	18	2	2	8	6	2	-	-	32
4	-	1	2	1	16	7	6	1	2	15	11	3	1	-	2	-	2	-	-	33
27	2	3	8	14	30	3	2	15	10	15	5	10	-	-	14	7	7	-	-	34
6	1	2	1	2	9	4	3	2	-	73	35	33	4	1	12	8	4	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	38
1	-	1	-	-	15	3	2	5	5	14	10	3	1	-	2	1	1	-	-	39
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	40
19	10	7	1	1	19	10	7	1	1	155	89	66	-	-	46	23	23	-	-	41
-	-	-	-	-	3	2	1	-	-	9	6	3	-	-	-	-	-	-	-	42
2	-	1	-	1	2	1	1	-	-	22	7	13	1	1	6	3	3	-	-	43
2	2	-	-	-	4	2	2	-	-	12	9	3	-	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
19	6	6	3	4	16	10	2	3	1	37	20	15	-	2	5	5	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
7	3	1	2	1	7	3	2	-	2	46	23	21	-	2	7	3	4	-	-	48
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	8	1	-	3	4	3	2	1	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	59
19	7	7	3	2	25	11	4	7	3	98	36	27	27	8	10	7	3	-	-	60
809	393	355	41	20	1,982	804	779	164	235	15,864	7,795	7,330	431	308	1,779	897	846	18	18	61
794	389	348	38	19	1,907	787	746	160	214	15,531	7,657	7,152	429	293	1,739	876	827	18	18	62
15	9	4	2	-	36	20	12	3	1	395	296	79	15	5	31	21	9	1	-	63
2	1	1	-	-	5	4	1	-	-	26	23	3	-	-	2	2	-	-	-	64
2	1	1	-	-	3	2	-	1	-	113	89	20	2	2	6	4	1	1	-	65
3	1	1	1	-	9	2	6	1	-	115	82	30	2	1	13	9	4	-	-	66
8	6	1	1	-	19	12	5	1	1	141	102	26	11	2	10	6	4	-	-	67
261	135	98	16	12	640	281	230	68	61	5,566	2,903	2,373	208	82	651	353	288	8	2	68
6	4	2	-	-	34	15	8	9	2	257	187	51	17	2	16	11	5	-	-	69
94	54	27	8	5	231	104	69	30	28	1,590	948	518	95	29	244	153	85	4	2	70
56	27	25	2	2	153	61	72	11	9	1,491	659	788	24	20	166	74	91	1	-	71
35	17	15	1	2	54	24	24	2	4	764	402	335	15	12	68	37	30	1	-	72
21	8	10	2	1	60	23	23	7	7	404	143	237	18	6	53	20	33	-	-	73
14	8	4	-	2	25	10	10	1	4	206	98	92	13	3	19	11	8	-	-	74
28	15	11	2	-	71	40	20	6	5	762	429	303	21	9	73	45	26	2	-	75
7	2	4	1	-	12	4	4	2	2	92	37	49	5	1	12	2	10	-	-	76
96	76	16	4	-	158	111	32	9	6	1,803	1,424	301	65	13	157	120	33	4	-	77
5	4	1	-	-	14	9	2	2	1	140	125	11	4	-	5	5	-	-	-	78
42	38	2	2	-	89	67	17	2	3	940	755	139	37	9	106	82	21	3	-	79
45	32	11	2	-	40	28	8	3	1	655	504	124	23	4	38	28	10	-	-	80
4	2	2	-	-	15	7	5	2	1	68	40	27	1	-	8	5	2	1	-	81
64	-	64	-	-	138	2	113	-	23	1,444	17	1,393	-	34	148	2	143	-	3	82

302662 O - 54 - 7

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	34,491	11,282	19,069	1,201	2,939	624	130	232	70	192
2	Of cervix uteri----------171	9,121	...	6,673	...	1,448	207	...	113	...	94
3	Of other and unspecified parts of uterus----------172-174	7,277	...	6,183	...	1,094	147	...	67	...	80
4	Of ovary, fallopian tube, and broad ligament----------175	5,827	...	5,595	...	332	62	...	47	...	15
5	Of other and unspecified female genital organs----------176	683	...	618	...	65	8	...	5	...	3
6	Of prostate----------177	11,492	10,374	...	1,118	...	188	121	...	67	...
7	Of testis, and of other and unspecified male genital organs----178,179	991	908	...	83	...	12	9	...	3	...
8	Malignant neoplasm of urinary organs----------180,181	10,158	6,293	3,227	389	249	87	47	20	14	6
9	Of kidney----------180	3,699	2,157	1,338	117	87	36	23	8	3	2
10	Of bladder and other urinary organs----------181	6,459	4,136	1,889	272	162	51	24	12	11	4
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	24,692	11,959	10,871	904	958	439	166	179	48	46
12	Of skin----------190,191	3,256	1,840	1,288	59	69	79	36	32	7	4
13	Of eye----------192	344	178	143	14	9	7	2	3	-	2
14	Of brain and other parts of nervous system----------193	4,543	2,590	1,741	111	101	88	45	31	7	5
15	Of thyroid gland----------194	899	292	547	25	35	8	1	5	-	2
16	Of bone (including jaw bone)----------196	2,048	1,100	787	83	78	38	15	12	6	5
17	Of connective tissue----------197	573	298	229	26	20	10	1	5	3	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	3,822	1,665	1,811	151	195	73	27	26	8	12
19	Of unspecified sites----------156B,165,198B,199B-M	9,207	3,996	4,325	435	451	136	39	65	17	15
20	Leukemia and aleukemia----------204	9,357	5,141	3,678	317	221	130	56	52	16	6
21	Lymphosarcoma, etc.*----------200-203,205	8,438	4,784	3,132	316	206	128	64	32	18	14
22	Lymphosarcoma and reticulosarcoma----------200	3,713	2,109	1,419	116	69	54	26	14	7	7
23	Hodgkin's disease----------201	2,630	1,541	926	103	60	45	23	10	7	5
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	2,095	1,134	787	97	77	29	15	8	4	2
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,166	1,873	2,519	217	557	105	31	31	13	30
26	Benign neoplasms of female genital organs----------214-217	1,110	...	773	...	337	23	...	8	...	15
27	Benign neoplasm of brain and other parts of nervous system---------223	779	341	360	43	35	21	7	8	2	4
28	Other benign neoplasms----------210-213,218-222,224-229	747	349	323	41	34	18	6	4	4	4
29	Neoplasm of unspecified nature of female genital organs--------233-235	37	...	27	...	10	2	...	-	...	2
30	Neoplasm of unspecified nature of brain, etc.*----------237	1,657	808	681	86	82	32	14	9	5	4
31	Other neoplasms of unspecified nature----------230-232,236,238,239	836	375	355	47	59	9	4	2	2	1
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	36,311	14,414	18,383	1,353	2,161	534	144	171	91	128
33	Asthma----------241	6,871	4,235	2,070	304	262	85	30	17	21	17
34	Nontoxic goiter----------250,251	176	24	124	2	26	3	-	2	-	1
35	Thyrotoxicosis with or without goiter----------252	1,211	173	862	25	151	27	1	13	3	10
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	221	49	158	2	12	2	-	2	-	-
37	Diabetes mellitus----------260	25,047	8,711	14,055	800	1,481	333	96	108	48	81
38	Diseases of thymus gland----------273	605	313	192	57	43	14	5	-	5	4
39	Diseases of adrenal glands----------274	385	170	174	25	16	6	2	1	3	-
40	Pellagra----------281	209	47	109	15	38	23	4	13	1	5
41	All other avitaminoses and nutritional deficiency states-----280,282-286	884	360	335	94	95	27	1	12	7	7
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	702	332	304	29	37	14	5	3	3	3
43	IV. Diseases of the blood and blood-forming organs----------	5,458	2,334	2,555	257	312	86	23	30	13	20
44	Anemias----------290-293	4,018	1,656	1,896	209	257	63	16	19	11	17
45	Pernicious and other hyperchromic anemias----------290	1,913	786	1,045	37	45	12	6	2	1	3
46	Anemias of other and unspecified type----------291-293	2,105	870	851	172	212	51	10	17	10	14
47	Purpura and other hemorrhagic conditions----------296	589	239	300	20	30	11	4	6	1	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	851	439	359	28	25	12	3	5	1	3
49	V. Mental, psychoneurotic, and personality disorders----------	4,505	2,630	1,111	505	259	124	44	36	37	7
50	Senile psychosis----------304	826	358	390	30	48	10	4	3	2	1
51	Alcoholic psychosis----------307	289	233	18	36	2	2	2	-	-	-
52	Other psychoses----------300-303,305,306,308,309	728	271	295	83	79	59	5	26	22	6
53	Alcoholism----------322	2,322	1,614	273	323	112	46	31	4	11	-
54	Mental deficiency----------325	206	100	80	14	12	5	2	2	1	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	134	54	55	19	6	2	-	1	1	-
56	VI. Diseases of the nervous system and sense organs----------	177,459	76,837	78,500	10,672	11,450	3,654	1,008	977	766	903
57	Vascular lesions affecting central nervous system----------330-334	163,550	69,984	73,466	9,528	10,572	3,342	908	905	691	838
58	Subarachnoid hemorrhage----------330	3,831	1,592	1,686	260	293	80	25	23	13	19
59	Cerebral hemorrhage----------331	110,005	46,307	49,844	6,451	7,403	2,385	614	649	494	628
60	Cerebral embolism and thrombosis----------332	28,339	13,241	12,947	1,122	1,029	263	110	84	34	35
61	Other vascular lesions affecting central nervous system--------333,334	21,375	8,844	8,989	1,695	1,847	614	159	149	150	156
62	Meningitis, except meningococcal and tuberculous----------340	1,881	869	488	297	227	47	13	7	13	14
63	Multiple sclerosis----------345	1,418	663	671	39	45	13	4	4	3	2
64	Paralysis agitans----------350	2,243	1,210	955	50	28	24	10	12	2	-
65	Cerebral spastic infantile paralysis----------351	613	297	237	40	39	20	5	5	5	5
66	Epilepsy----------353	2,332	1,164	743	271	154	72	21	15	21	15
67	Inflammatory diseases of eye----------370-379	16	5	6	4	1	-	-	-	-	-
68	Cataract----------385	72	36	32	1	3	1	-	-	-	1
69	Glaucoma----------387	14	2	11	-	1	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	492	254	162	43	33	3	-	1	-	2
71	Other diseases of nervous system and sense organs----------Residual[1]	4,828	2,353	1,729	399	347	132	47	28	31	26
72	VII. Diseases of the circulatory system----------	600,731	321,717	223,528	29,691	25,795	8,869	3,442	2,166	1,676	1,585
73	Rheumatic fever----------400-402	1,648	690	626	153	179	48	6	7	16	19
74	Diseases of heart----------410-443	545,675	298,372	199,703	26,667	22,933	8,071	3,206	1,950	1,514	1,401
75	Chronic rheumatic heart disease----------410-416	19,988	9,101	9,104	861	922	250	95	60	43	52
76	Diseases of mitral valve----------410	8,149	3,558	3,714	428	449	148	49	36	30	33
77	Diseases of aortic valve specified as rheumatic----------411	827	619	184	17	7	4	3	1	-	-
78	Diseases of tricuspid valve----------412	24	14	8	1	1	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	1,265	585	601	37	42	5	2	1	1	1
80	Other diseases of heart specified as rheumatic----------415,416	9,723	4,325	4,597	378	423	93	41	22	12	18

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
134	48	81	4	1	426	119	186	37	84	2,336	787	1,403	43	103	277	110	162	-	5	1
38	...	37	...	1	113	...	73	...	40	575	...	527	...	48	60	...	56	...	4	2
23	...	23	...	-	117	...	78	...	39	385	...	353	...	32	40	...	40	...	-	3
20	...	20	...	-	38	...	33	...	5	499	...	480	...	19	63	...	62	...	1	4
1	...	1	...	-	2	...	2	...	-	47	...	43	...	4	4	...	4	...	-	5
50	46	...	4	...	155	118	...	37	...	753	714	...	39	...	101	101	...	-	...	6
2	2	...	-	...	1	1	...	-	...	77	73	...	4	...	9	9	...	-	...	7
43	28	14	1	-	75	36	21	14	4	758	512	226	10	10	93	60	32	-	1	8
17	10	6	1	-	25	10	8	6	1	256	159	92	1	4	35	24	11	-	-	9
26	18	8	-	-	50	26	13	8	3	502	353	134	9	6	58	36	21	-	1	10
107	49	47	6	5	277	126	106	21	24	1,763	869	821	43	30	213	114	94	2	3	11
16	7	9	-	-	55	25	27	2	1	228	129	95	2	2	30	18	12	-	-	12
2	-	2	-	-	4	2	1	1	-	20	8	11	1	-	4	3	1	-	-	13
29	18	10	-	1	42	26	12	2	2	366	207	149	6	4	44	28	16	-	-	14
4	2	1	1	-	7	2	2	-	3	71	23	42	2	4	7	2	4	-	1	15
9	4	3	1	1	26	13	11	2	-	118	63	52	1	2	18	12	6	-	-	16
3	1	1	1	-	5	1	4	-	-	54	37	15	1	1	6	1	5	-	-	17
12	6	2	1	3	53	20	24	2	7	227	105	114	3	5	22	11	10	-	1	18
32	11	19	2	-	85	37	25	12	11	679	297	343	27	12	82	39	40	2	1	19
47	29	14	3	1	93	56	27	4	6	748	415	302	22	9	89	48	37	3	1	20
27	15	10	2	-	64	36	19	4	5	718	434	254	23	7	80	48	29	-	3	21
7	2	4	1	-	25	12	9	2	2	371	226	133	10	2	36	22	12	-	2	22
12	8	3	1	-	23	15	5	2	1	184	117	58	9	-	26	14	12	-	-	23
8	5	3	-	-	16	9	5	-	2	163	91	63	4	5	18	12	5	-	1	24
15	4	7	3	1	75	17	33	4	21	333	138	178	2	15	40	21	19	-	-	25
5	...	5	...	-	26	...	13	...	13	55	...	46	...	9	5	...	5	...	-	26
1	1	-	-	-	7	2	2	1	2	64	25	38	-	1	13	5	8	-	-	27
4	2	1	1	-	7	3	1	1	2	64	37	23	2	2	15	9	6	-	-	28
1	...	1	...	-	1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	29
2	1	-	1	-	19	7	9	2	1	102	55	45	-	2	5	5	-	-	-	30
2	-	-	1	1	15	5	7	-	3	46	21	24	-	1	2	2	-	-	-	31
228	122	82	15	9	282	97	113	26	46	1,801	810	899	52	40	276	141	131	2	2	32
122	88	30	3	1	47	27	11	5	4	464	287	152	19	6	86	61	24	1	-	33
-	-	-	-	-	1	-	-	-	1	10	-	9	-	1	-	-	-	-	-	34
9	2	5	2	-	12	1	7	1	3	46	10	32	-	4	10	2	8	-	-	35
2	-	2	-	-	1	-	1	-	-	14	1	11	-	2	5	1	4	-	-	36
63	23	31	5	4	186	57	80	16	33	1,098	436	614	25	23	149	64	82	1	2	37
6	1	4	-	1	4	1	2	-	1	41	21	15	3	2	3	2	1	-	-	38
4	2	2	-	-	1	-	1	-	-	35	11	22	2	-	8	4	4	-	-	39
1	-	1	-	-	9	2	6	-	1	4	2	2	-	-	-	-	-	-	-	40
16	4	5	4	3	13	4	5	3	1	48	20	26	1	1	6	2	4	-	-	41
5	2	2	1	-	8	5	-	1	2	41	22	16	2	1	9	5	4	-	-	42
35	17	12	3	3	58	22	27	2	7	330	146	168	4	12	54	26	27	1	-	43
27	13	9	3	2	38	14	17	1	6	232	109	110	4	9	34	18	15	1	-	44
9	4	4	-	1	23	7	13	-	3	84	36	47	1	-	19	9	10	-	-	45
18	9	5	3	1	15	7	4	1	3	148	73	63	3	9	15	9	5	1	-	46
2	-	1	-	1	7	1	4	1	1	49	14	34	-	1	9	3	6	-	-	47
6	4	2	-	-	13	7	6	-	-	49	23	24	-	2	11	5	6	-	-	48
21	17	-	3	1	45	22	10	9	4	310	195	93	16	6	47	35	12	-	-	49
-	-	-	-	-	8	4	4	-	-	56	31	25	-	-	13	7	6	-	-	50
2	2	-	-	-	1	1	-	-	-	17	15	2	-	-	-	-	-	-	-	51
2	1	-	-	1	9	3	2	3	1	33	16	13	2	2	2	2	-	-	-	52
16	13	-	3	-	27	14	4	6	3	188	127	46	11	4	29	24	5	-	-	53
-	-	-	-	-	-	-	-	-	-	9	4	5	-	-	1	1	-	-	-	54
1	1	-	-	-	-	-	-	-	-	7	2	2	3	-	2	1	1	-	-	55
520	255	212	28	25	1,978	747	624	289	318	12,120	5,512	6,082	317	209	1,304	608	663	20	13	56
440	222	187	16	15	1,803	670	579	257	297	11,252	5,043	5,739	278	192	1,191	544	618	17	12	57
9	8	1	-	-	24	12	9	3	-	352	136	179	20	17	26	12	14	-	-	58
302	149	127	13	13	1,281	477	406	178	220	6,567	2,880	3,416	160	111	830	363	446	12	9	59
84	41	38	3	2	129	58	47	14	10	3,150	1,505	1,533	71	41	198	97	94	5	2	60
45	24	21	-	-	369	123	117	62	67	1,183	522	611	27	23	137	72	64	-	1	61
20	7	3	6	4	26	9	2	9	6	123	72	36	9	6	12	5	7	-	-	62
3	1	1	1	-	10	4	4	1	1	95	36	54	3	2	20	12	7	1	-	63
10	4	6	-	-	13	8	5	-	-	162	97	63	-	2	20	12	7	-	1	64
3	1	2	-	-	7	3	3	-	1	34	16	17	1	-	4	2	1	1	-	65
15	8	3	1	3	29	8	5	11	5	112	70	39	3	-	11	6	5	-	-	66
-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	67
-	-	-	-	-	2	-	1	-	1	3	3	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	69
8	4	1	1	2	10	5	4	1	-	50	25	20	4	1	8	3	4	1	-	70
21	8	9	3	1	78	40	21	10	7	284	148	113	17	6	37	23	14	-	-	71
1,947	1,215	587	90	55	5,459	2,680	1,472	693	614	43,797	25,296	16,842	1,022	637	4,859	2,774	1,960	71	54	72
10	5	2	1	2	17	6	4	4	3	99	50	39	7	3	20	6	14	-	-	73
1,742	1,114	501	82	45	4,949	2,448	1,324	629	548	39,107	23,016	14,649	900	542	4,378	2,540	1,729	60	49	74
77	41	28	1	7	163	58	44	30	31	1,481	709	720	27	25	256	124	132	-	-	75
26	13	8	-	5	90	25	21	20	24	645	295	335	6	9	116	55	61	-	-	76
2	2	-	-	-	3	3	-	-	-	106	83	22	-	1	16	12	4	-	-	77
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	78
4	2	1	-	1	5	3	1	1	-	87	46	37	2	2	18	7	11	-	-	79
45	24	19	1	1	65	27	22	9	7	641	284	325	19	13	106	50	56	-	-	80

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	336,619	206,090	111,430	11,258	7,841	3,799	1,912	917	556	414
2	Arteriosclerotic heart disease so described----420.0	111,012	57,495	46,772	3,736	3,009	954	413	273	150	118
3	Heart disease specified as involving coronary arteries----420.1	223,697	147,443	64,082	7,428	4,744	2,768	1,453	630	399	286
4	Angina pectoris without mention of coronary disease----420.2	1,910	1,152	576	94	88	77	46	14	7	10
5	Chronic endocarditis not specified as rheumatic----421	9,738	4,529	3,704	789	716	255	62	60	69	64
6	Of mitral valve, specified as nonrheumatic----421.0	918	389	393	74	62	18	7	5	4	2
7	Of aortic valve, not specified as rheumatic----421.1	1,749	969	464	179	137	31	7	7	8	9
8	Of other valves, not specified as rheumatic----421.2-421.4	7,071	3,171	2,847	536	517	206	48	48	57	53
9	Other myocardial degeneration----422	70,897	32,927	30,919	3,843	3,208	991	310	262	204	215
10	With arteriosclerosis----422.1	34,486	15,808	15,973	1,511	1,194	387	119	89	91	88
11	Without mention of arteriosclerosis----422.0,422.2	36,411	17,119	14,946	2,332	2,014	604	191	173	113	127
12	Other diseases of heart----430-434	23,176	11,696	7,311	2,323	1,846	670	273	122	145	130
13	Acute and subacute endocarditis----430	869	425	287	72	85	15	6	2	5	2
14	Acute myocarditis not specified as rheumatic----431	2,370	1,028	876	227	239	74	27	19	12	16
15	Acute pericarditis specified as nonrheumatic----432	41	20	12	5	4	-	-	-	-	-
16	Functional disease of heart----433	2,365	1,164	1,072	68	61	21	7	8	4	2
17	Other and unspecified diseases of heart----434	17,531	9,059	5,064	1,951	1,457	560	233	93	124	110
18	Hypertension with heart disease----440-443	85,257	32,029	37,235	7,593	8,400	2,106	554	529	497	526
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	25,151	10,628	10,022	2,215	2,286	682	178	180	167	157
20	Essential hypertension with heart disease, etc.*----440,441,443	60,106	21,401	27,213	5,378	6,114	1,424	376	349	330	369
21	Hypertension without mention of heart----444-447	13,256	5,330	5,360	1,262	1,304	321	69	77	71	104
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	6,588	2,997	2,538	576	477	89	29	23	21	16
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	6,668	2,333	2,822	686	827	232	40	54	50	88
24	Diseases of arteries----450-456	36,452	17,571	16,360	1,365	1,156	373	136	118	67	52
25	General arteriosclerosis----450	31,884	14,864	14,957	1,116	947	326	112	109	58	47
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	2,639	1,789	636	131	83	23	11	4	6	2
27	Gangrene of unspecified cause----455	250	119	75	36	20	4	2	-	1	1
28	Other arterial diseases----452-454,456	1,679	799	692	82	106	20	11	5	2	2
29	Diseases of veins and other diseases of circulatory system----460-468	3,700	1,754	1,479	244	223	56	25	14	8	9
30	VIII. Diseases of the respiratory system----	62,482	30,495	20,951	6,210	4,826	1,582	462	377	392	351
31	Acute upper respiratory infections----470-475	909	407	319	88	95	30	7	4	6	13
32	Influenza----480-486	6,946	2,767	2,689	723	767	310	80	73	71	86
33	Pneumonia, except pneumonia of newborn----490-493	41,223	18,820	14,369	4,566	3,468	1,039	286	252	285	216
34	Lobar pneumonia----490	12,935	6,248	3,827	1,627	1,133	339	90	71	105	73
35	Bronchopneumonia----491	20,076	8,958	7,415	2,061	1,642	457	125	115	117	100
36	Primary atypical pneumonia----492	4,053	1,952	1,600	268	233	144	53	55	19	17
37	Pneumonia, other and unspecified----493	4,159	1,662	1,427	510	460	99	18	11	44	26
38	Acute bronchitis----500	980	501	326	82	71	10	4	3	-	3
39	Bronchitis, chronic and unqualified----501,502	1,946	1,122	620	118	86	32	15	6	7	4
40	Hypertrophy of tonsils and adenoids----510	317	140	127	24	26	7	1	3	-	3
41	Empyema and abscess of lung----518,521	740	456	150	110	44	26	17	-	5	4
42	Pleurisy----519	211	114	61	24	12	3	-	1	-	2
43	All other respiratory diseases----Residual[1]	9,210	6,188	2,290	475	257	125	52	35	18	20
44	IX. Diseases of the digestive system----	56,210	29,698	19,939	3,729	2,844	889	342	228	177	142
45	Diseases of teeth and supporting structures----530-535	252	119	66	36	31	18	5	3	5	5
46	Ulcer of stomach----540	4,555	3,270	842	319	124	62	34	14	9	5
47	Ulcer of duodenum----541	3,932	3,066	631	185	50	44	29	4	6	5
48	Gastritis and duodenitis----543	335	166	85	41	43	5	-	-	3	2
49	Appendicitis----550-553	2,846	1,491	881	270	204	54	27	11	10	6
50	Hernia and intestinal obstruction----560,561,570	8,627	3,973	3,545	595	514	132	43	38	28	23
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	7,701	3,006	2,869	997	829	203	38	44	66	55
52	Cirrhosis of liver----581	15,075	9,145	4,785	682	463	152	79	32	30	11
53	Without mention of alcoholism----581.0	11,347	6,653	3,833	500	361	127	64	28	25	10
54	With alcoholism----581.1	3,728	2,492	952	182	102	25	15	4	5	1
55	Cholelithiasis and cholecystitis----584,585	5,724	2,035	3,480	75	134	76	32	36	-	8
56	Other diseases of digestive system----Residual[1]	7,163	3,427	2,755	529	452	143	55	46	20	22
57	X. Diseases of the genito-urinary system----	39,604	20,124	12,160	4,061	3,259	1,032	294	191	291	256
58	Nephritis and nephrosis----590-594	25,782	10,971	9,432	2,694	2,685	742	185	146	186	225
59	Acute nephritis----590	1,984	779	659	256	290	60	20	13	11	16
60	Nephritis with edema, including nephrosis----591	1,280	539	453	147	141	32	7	7	7	11
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	22,518	9,653	8,320	2,291	2,254	650	158	126	168	198
62	Infections of kidney----600	3,261	1,442	1,297	266	256	72	23	18	21	10
63	Calculi of urinary system----602,604	1,074	551	427	47	49	21	4	13	1	3
64	Other diseases of urinary system----601,603,605-609	1,540	827	412	230	71	24	11	3	8	2
65	Hyperplasia of prostate----610	6,417	5,715	...	702	...	120	58	...	62	...
66	Other diseases of male genital organs----611-617	739	617	...	122	...	26	13	...	13	...
67	Diseases of breast----620,621	9	1	6	-	2	-	-	-	-	-
68	Diseases of female genital organs----622-637	782	...	586	...	196	27	...	11	...	16
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	2,812	...	1,778	...	1,034	153	...	52	...	101
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	338	...	239	...	99	19	...	8	...	11
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	923	...	568	...	355	55	...	16	...	39
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	505	...	330	...	175	31	...	9	...	22
73	Ectopic pregnancy----645	180	...	90	...	90	10	...	3	...	7
74	Abortion without mention of sepsis or toxemia----650	83	...	46	...	37	4	...	-	...	4
75	Abortion with sepsis----651	189	...	106	...	83	10	...	4	...	6
76	Abortion with toxemia, without mention of sepsis----652	31	...	18	...	13	1	...	1	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	563	...	381	...	182	23	...	11	...	12

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,007	703	252	38	14	2,696	1,560	695	258	183	27,568	17,685	9,099	547	237	2,946	1,872	1,012	38	24	1
285	175	93	12	5	631	317	206	64	44	9,277	5,192	3,788	194	103	1,065	590	442	20	13	2
717	523	159	26	9	2,025	1,221	481	190	133	18,221	12,448	5,290	351	132	1,872	1,275	568	18	11	3
5	5	-	-	-	40	22	8	4	6	70	45	21	2	2	9	7	2	-	-	4
19	10	8	1	-	156	60	38	34	24	410	226	170	8	6	85	48	35	2	-	5
2	1	-	1	-	13	5	2	4	2	59	30	27	1	1	11	5	6	-	-	6
5	3	2	-	-	14	3	4	4	3	132	91	38	1	2	11	7	3	1	-	7
12	6	6	-	-	129	52	32	26	19	219	105	105	6	3	63	36	26	1	-	8
253	154	71	20	8	444	189	131	67	57	3,881	1,881	1,851	96	53	458	217	231	5	5	9
128	81	34	10	3	146	64	43	21	18	2,288	1,104	1,109	49	26	165	76	88	-	1	10
125	73	37	10	5	298	125	88	46	39	1,593	777	742	47	27	293	141	143	5	4	11
119	79	30	6	4	437	187	105	83	62	706	375	294	22	15	92	52	37	3	-	12
3	2	1	-	-	17	3	3	6	5	72	37	31	2	2	17	8	9	-	-	13
9	5	2	1	1	37	10	16	3	8	86	40	35	8	3	4	3	1	-	-	14
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	1	1	-	-	-	15
5	3	2	-	-	19	7	10	2	-	142	65	77	-	-	16	8	8	-	-	16
102	69	25	5	3	363	167	76	71	49	405	232	151	12	10	54	32	19	3	-	17
267	127	112	16	12	1,053	394	311	157	191	5,061	2,140	2,515	200	206	541	227	282	12	20	18
79	42	28	3	6	253	103	68	41	41	1,035	482	467	41	45	230	121	106	2	1	19
188	85	84	13	6	800	291	243	116	150	4,026	1,658	2,048	159	161	311	106	176	10	19	20
50	24	20	4	2	187	69	52	35	31	699	314	319	27	39	80	33	46	-	1	21
24	12	9	3	-	54	17	20	9	8	396	196	164	16	20	38	13	24	-	1	22
26	12	11	1	2	133	52	32	26	23	303	118	155	11	19	42	20	22	-	-	23
127	65	56	2	4	279	142	84	23	30	3,638	1,782	1,731	79	46	323	165	147	7	4	24
101	52	43	2	4	245	124	76	18	27	3,069	1,429	1,553	56	31	270	137	126	5	2	25
12	8	4	-	-	8	5	2	1	-	415	276	114	17	8	30	19	8	1	2	26
1	-	1	-	-	5	-	2	1	2	7	3	3	1	-	2	1	1	-	-	27
13	5	8	-	-	21	13	4	3	1	147	74	61	5	7	21	8	12	1	-	28
18	7	8	1	2	27	15	8	2	2	254	134	104	9	7	58	30	24	4	-	29
522	227	133	93	69	839	308	252	146	133	4,320	2,505	1,511	201	103	805	470	318	14	3	30
4	-	2	1	1	10	7	1	1	1	37	22	13	1	1	6	3	3	-	-	31
33	14	12	3	4	131	37	32	35	27	256	110	137	2	7	45	21	24	-	-	32
327	102	87	81	57	571	198	178	101	94	2,922	1,599	1,108	143	72	588	333	240	12	3	33
75	34	21	13	7	222	86	61	36	39	766	455	239	51	21	144	94	47	2	1	34
185	47	49	54	35	238	69	77	51	41	1,757	937	707	74	39	396	216	169	9	2	35
29	13	11	2	3	73	29	32	8	4	301	157	125	12	7	30	13	17	-	-	36
38	8	6	12	12	38	14	8	6	10	98	50	37	6	5	18	10	7	1	-	37
5	2	3	-	-	4	3	1	-	-	61	35	19	4	3	14	7	7	-	-	38
14	11	2	-	1	29	14	12	1	2	122	78	36	7	1	22	10	12	-	-	39
3	1	2	-	-	6	5	1	-	-	38	16	15	4	3	6	3	3	-	-	40
8	4	1	1	2	12	7	2	-	3	74	56	11	4	3	4	2	2	-	-	41
-	-	-	-	-	2	1	1	-	-	8	6	1	1	-	2	1	1	-	-	42
128	93	24	7	4	74	36	24	8	6	802	583	171	35	13	118	90	26	2	-	43
458	173	116	81	88	544	244	143	87	70	4,750	2,782	1,696	177	95	612	351	241	11	9	44
1	-	1	-	-	5	3	-	2	-	11	8	3	-	-	4	4	-	-	-	45
14	11	2	1	-	42	28	6	8	-	412	298	86	26	2	48	37	9	2	-	46
16	13	3	-	-	24	19	2	3	-	418	311	91	12	4	58	46	10	-	2	47
1	1	-	-	-	12	4	2	1	5	19	17	1	1	-	3	-	3	-	-	48
18	8	6	1	3	47	27	7	8	5	153	85	51	11	6	25	16	9	-	-	49
41	20	16	2	3	90	29	26	23	12	548	271	250	13	14	81	43	36	1	1	50
235	53	43	68	71	107	33	24	22	28	390	190	172	15	13	103	55	40	3	5	51
63	43	16	3	1	96	55	28	9	4	1,955	1,189	656	72	38	146	85	57	3	1	52
56	39	14	3	-	84	45	26	9	4	1,068	625	384	37	22	110	59	48	2	1	53
7	4	2	-	1	12	10	2	-	-	887	564	272	35	16	36	26	9	1	-	54
33	7	15	5	6	32	9	23	-	-	326	130	184	6	6	77	36	41	-	-	55
36	17	14	1	4	89	37	25	11	16	518	283	202	21	12	67	29	36	2	-	56
145	75	48	14	8	745	303	166	164	112	2,029	1,181	679	95	74	341	216	119	2	4	57
83	29	40	8	6	547	194	148	107	98	1,107	536	465	57	49	204	108	91	1	4	58
10	5	3	1	1	51	16	14	12	9	78	41	29	4	4	5	3	2	-	-	59
4	2	2	-	-	22	9	6	2	5	75	34	29	6	6	12	8	4	-	-	60
69	22	35	7	5	474	169	128	93	84	954	461	407	47	39	187	97	85	1	4	61
20	11	4	3	2	42	18	11	8	5	264	129	114	7	14	31	18	13	-	-	62
2	2	-	-	-	6	5	-	1	-	70	38	24	4	4	14	7	7	-	-	63
4	1	2	1	-	23	10	1	10	2	114	65	38	8	3	17	13	4	-	-	64
26	26	...	-	...	93	60	...	33	...	408	390	...	18	...	68	67	...	1	...	65
8	6	...	2	...	21	16	...	5	...	24	23	...	1	...	3	3	...	-	...	66
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	67
2	...	2	...	-	12	...	5	...	7	41	...	37	...	4	4	...	4	...	-	68
24	...	19	...	5	56	...	20	...	36	128	...	93	...	35	30	...	30	...	-	69
1	...	1	...	-	2	...	-	...	2	8	...	7	...	1	1	...	1	...	-	70
7	...	6	...	1	21	...	9	...	12	35	...	26	...	9	9	...	9	...	-	71
7	...	4	...	3	14	...	3	...	11	20	...	14	...	6	5	...	5	...	-	72
1	...	1	...	-	2	...	2	...	-	11	...	5	...	6	4	...	4	...	-	73
1	...	-	...	1	2	...	1	...	1	5	...	5	...	-	2	...	2	...	-	74
3	...	3	...	-	5	...	1	...	4	15	...	14	...	1	2	...	2	...	-	75
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	76
4	...	4	...	-	10	...	4	...	6	33	...	21	...	12	7	...	7	...	-	77

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	1,369	543	577	104	145	24	6	4	9	5
2	Infections of skin and subcutaneous tissue--690-698	373	173	120	41	39	9	4	2	2	1
3	Other diseases of skin and subcutaneous tissue--700-716	996	370	457	63	106	15	2	2	7	4
4	XIII. Diseases of the bones and organs of movement	3,144	1,232	1,576	153	183	94	26	33	16	19
5	Arthritis and spondylitis--720-725	1,617	601	1,030	69	117	67	17	22	12	16
6	Muscular rheumatism and rheumatism, unspecified--726,727	90	30	35	8	17	4	1	2	-	1
7	Osteomyelitis and periostitis--730	174	97	45	21	11	5	3	-	1	1
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	99	42	51	3	3	3	2	1	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	964	462	415	52	35	15	3	8	3	1
10	XIV. Congenital malformations	18,865	9,138	7,901	1,042	784	332	131	115	50	36
11	Spina bifida and meningocele--751	1,707	691	943	50	23	38	19	16	1	2
12	Congenital hydrocephalus, etc.*--752,753	2,517	1,073	1,175	155	114	32	14	10	4	4
13	Congenital malformations of circulatory system--754	8,200	4,136	3,219	473	372	140	50	47	25	18
14	Other congenital malformations--750,755-759	6,441	3,238	2,564	364	275	122	48	42	20	12
15	XV. Certain diseases of early infancy	63,096	30,266	20,711	6,917	5,202	1,712	585	381	429	317
16	Birth injuries--760,761	11,809	6,305	3,787	1,005	712	287	122	59	67	39
17	Postnatal asphyxia and atelectasis--762	15,153	7,766	5,009	1,392	986	277	122	70	55	30
18	Infections of newborn--763-768	3,927	1,629	1,158	659	481	124	29	19	43	33
19	Hemolytic disease of newborn (erythroblastosis)--770	2,649	1,436	1,052	111	50	35	18	10	5	2
20	All other defined diseases of early infancy--769,771,772	2,537	1,080	707	447	303	101	31	16	30	24
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	27,021	12,050	8,998	3,303	2,670	888	263	207	229	189
22	XVI. Symptoms, senility, and ill-defined conditions	22,647	8,642	5,947	4,446	3,612	1,513	316	199	529	469
23	Senility without mention of psychosis--794	5,289	1,920	2,398	428	543	215	37	52	52	74
24	Symptoms, ill-defined and unknown causes--780-793,795	17,358	6,722	3,549	4,018	3,069	1,298	279	147	477	395
25	XVII. Accidents, poisonings, and violence	119,317	72,458	29,852	12,426	4,581	2,592	1,205	398	718	271
26	Accidents--E800-E962	95,871	58,214	25,442	8,659	3,556	2,054	985	357	498	214
27	Railway accidents--E800-E802	2,058	1,537	163	318	40	63	32	1	25	5
28	Motor-vehicle accidents--E810-E835	36,996	24,797	7,927	3,278	994	872	498	131	187	56
29	Motor-vehicle traffic accidents--E810-E825	36,030	24,125	7,729	3,210	966	846	482	127	181	56
30	Motor-vehicle traffic accident with railway train*--E810	1,573	1,078	372	91	32	29	15	3	9	2
31	Motor-vehicle traffic accident to pedestrian--E812	8,578	5,619	1,782	890	307	182	87	36	36	23
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	12,297	8,092	3,074	889	242	305	174	52	69	10
33	Motor-vehicle noncollision traffic accidents--E820-E824	8,632	6,128	1,450	839	215	279	175	23	61	20
34	Motor-vehicle traffic accident of unspecified nature--E825	4,950	3,208	1,071	501	170	51	31	13	6	1
35	Motor-vehicle nontraffic accidents--E830-E835	966	672	198	88	28	26	16	4	6	-
36	Other road-vehicle accidents--E840-E845	459	307	84	61	7	16	6	2	7	1
37	Water-transport accidents--E850-E858	1,639	1,359	109	157	14	45	29	3	11	2
38	Aircraft accidents--E860-E866	1,747	1,536	195	16	-	18	18	-	-	-
39	Accidental poisoning by solid and liquid substances--E870-E888	1,497	723	456	194	124	43	10	10	14	9
40	Accidental poisoning by gases and vapors--E890-E895	1,627	1,075	410	102	40	7	6	-	1	-
41	Accidental falls--E900-E904	21,376	9,583	10,643	712	438	238	85	114	21	18
42	Fall from one level to another--E900-E902	7,251	4,206	2,479	395	171	84	44	19	14	7
43	Fall on same level--E903	4,945	1,830	2,948	88	79	72	17	48	2	5
44	Unspecified falls--E904	9,180	3,547	5,216	229	188	82	24	47	5	6
45	Blow from falling object--E910	1,535	1,268	54	207	6	48	24	-	24	-
46	Accident caused by machinery--E912	2,068	1,793	87	183	5	38	27	1	10	-
47	Accident caused by electric current--E914	988	867	50	66	5	19	17	-	2	-
48	Accident caused by fire and explosion, etc.*--E916	6,788	2,963	1,918	982	925	187	40	39	46	62
49	Accident caused by hot substance, etc.*--E917,E918	944	393	271	148	132	39	12	7	12	8
50	Accident caused by firearm--E919	2,247	1,649	205	315	78	71	40	7	21	3
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	1,456	691	469	159	137	27	8	3	8	8
52	Accidental drowning--E929	5,055	3,555	674	756	70	96	46	3	43	4
53	Excessive heat and insolation--E931	422	250	70	75	27	18	11	2	3	2
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	680	271	309	40	60	18	6	5	1	6
55	All other accidents--Residual[1]	6,289	3,597	1,348	890	454	191	70	29	62	30
56	Suicide--E963,E970-E979	15,909	11,784	3,468	516	141	183	144	20	16	3
57	Suicide by poisoning--E970-E973	3,664	2,219	1,325	75	45	22	13	7	2	-
58	Suicide by hanging and strangulation--E974	3,360	2,472	764	97	27	13	7	4	2	-
59	Suicide by firearms and explosives--E976	6,873	5,801	795	239	38	130	112	9	8	1
60	Suicide by all other means--E963,E975,E977-E979	2,012	1,292	584	105	31	18	12	-	4	2
61	Homicide--E964,E980-E985	7,495	2,421	942	3,248	884	354	75	21	204	54
62	Assault by firearms and explosives--E981	3,898	1,300	516	1,630	452	196	48	12	103	33
63	Assault by cutting and piercing instruments--E982	1,787	322	104	1,096	265	104	11	2	75	16
64	Assault by other means--E964,E980,E983	1,478	629	321	363	165	41	13	7	16	5
65	Injury by intervention of police--E984	227	115	-	110	2	13	3	-	10	-
66	Execution--E985	105	55	1	49	-	-	-	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	42	39	-	3	-	1	1	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORINA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
10	1	6	2	1	22	8	8	2	4	85	31	47	-	7	15	6	9	-	1	1
4	-	1	2	1	8	4	-	2	2	16	9	6	-	1	3	3	-	-	-	2
6	1	5	-	-	14	4	8	-	2	69	22	41	-	6	12	3	9	-	-	3
23	12	9	-	2	34	12	19	1	2	169	65	91	7	6	23	10	13	-	-	4
13	6	5	-	2	23	7	15	-	1	85	24	56	2	3	16	7	9	-	-	5
-	-	-	-	-	4	1	1	1	1	2	1	1	-	-	-	-	-	-	-	6
3	3	-	-	-	2	2	-	-	-	5	5	-	-	-	1	1	-	-	-	7
1	1	-	-	-	-	-	-	-	-	5	3	1	1	-	1	-	1	-	-	8
6	2	4	-	-	5	2	3	-	-	72	32	33	4	3	5	2	3	-	-	9
128	58	50	13	7	187	86	69	16	16	1,213	611	519	44	39	190	110	77	2	1	10
9	5	2	-	2	17	6	10	-	1	73	34	36	1	2	7	3	4	-	-	11
17	4	11	2	-	18	2	11	3	2	144	65	69	5	5	29	19	10	-	-	12
47	23	17	4	3	93	46	32	9	6	554	281	234	24	15	87	49	37	-	1	13
55	26	20	7	2	59	32	16	4	7	442	231	180	14	17	67	39	26	2	-	14
490	222	175	52	41	641	281	192	95	73	4,076	2,148	1,512	225	191	733	433	279	15	6	15
88	39	33	11	5	114	59	32	14	9	966	543	338	49	36	180	123	54	2	1	16
82	36	36	4	6	144	75	38	15	16	1,295	705	437	81	72	203	131	70	2	-	17
53	19	15	11	8	51	18	13	9	11	188	96	71	13	8	68	35	31	1	1	18
24	12	10	2	-	27	15	9	3	-	191	95	92	3	1	36	21	15	-	-	19
25	9	8	2	6	42	14	7	13	8	110	53	43	9	5	23	11	10	1	1	20
218	107	73	22	16	263	100	93	41	29	1,326	656	531	70	69	223	112	99	9	3	21
303	140	59	64	40	588	175	126	164	123	513	278	199	27	9	55	37	16	1	1	22
38	18	10	6	4	139	41	51	25	22	108	37	63	5	3	17	9	8	-	-	23
265	122	49	58	36	449	134	75	139	101	405	241	136	22	6	38	28	8	1	1	24
814	488	170	117	39	1,450	753	286	296	115	9,387	6,305	2,410	526	146	1,190	818	342	19	11	25
659	390	143	92	34	1,191	621	262	213	95	7,169	4,803	1,858	402	106	964	648	299	10	7	26
18	11	-	6	1	24	16	3	4	1	120	104	4	12	-	5	5	-	-	-	27
332	205	65	40	22	454	268	86	75	25	3,639	2,479	908	204	48	363	259	95	4	5	28
325	200	63	40	22	440	263	81	72	24	3,551	2,409	893	202	47	351	251	91	4	5	29
10	10	-	-	-	18	13	2	2	1	139	98	34	6	1	23	16	7	-	-	30
61	40	7	11	3	99	51	18	26	4	831	571	197	53	10	52	45	6	-	1	31
123	68	32	11	12	97	66	19	6	6	1,577	1,005	459	92	21	139	92	40	4	3	32
118	75	21	15	7	75	40	11	17	7	931	689	178	49	15	115	84	30	-	1	33
13	7	3	3	-	151	93	31	21	6	73	46	25	2	-	22	14	8	-	-	34
7	5	2	-	-	14	5	5	3	1	88	70	15	2	1	12	8	4	-	-	35
3	2	-	1	-	9	7	2	-	-	25	15	10	-	-	10	7	3	-	-	36
4	4	-	-	-	15	10	4	-	1	124	108	7	9	-	5	5	-	-	-	37
24	23	1	-	-	12	12	-	-	-	309	250	57	2	-	41	28	13	-	-	38
4	2	1	1	-	18	5	5	6	2	158	90	59	8	1	15	10	5	-	-	39
6	4	1	1	-	9	6	2	1	-	118	77	22	14	5	17	10	6	-	1	40
58	23	30	4	1	134	57	68	5	4	1,004	564	402	29	9	194	89	102	2	1	41
18	11	4	3	-	39	23	12	2	2	380	262	103	13	2	68	41	26	1	-	42
7	2	5	-	-	18	7	10	-	1	178	84	89	5	-	82	28	53	1	-	43
33	10	21	1	1	77	27	46	3	1	446	218	210	11	7	44	20	23	-	1	44
5	5	-	-	-	28	16	2	10	-	64	58	5	1	-	21	21	-	-	-	45
10	7	2	1	-	31	21	1	9	-	110	96	1	12	1	31	29	1	1	-	46
16	14	-	2	-	18	14	-	4	-	68	58	5	4	1	9	8	1	-	-	47
41	17	13	5	6	146	47	39	27	33	401	222	122	40	17	40	25	14	1	-	48
4	2	-	1	1	15	4	1	4	6	30	13	15	1	1	4	2	2	-	-	49
17	13	1	3	-	47	26	3	13	5	101	81	19	-	1	34	31	3	-	-	50
8	4	2	1	1	20	9	6	3	2	117	65	40	7	5	35	23	12	-	-	51
38	26	6	5	1	75	40	9	24	2	342	244	63	33	2	55	39	16	-	-	52
19	9	4	6	-	22	10	1	7	4	37	25	8	3	1	-	-	-	-	-	53
3	2	1	-	-	9	5	3	-	1	74	27	41	3	3	6	2	4	-	-	54
49	17	16	15	1	105	48	27	21	9	328	227	70	20	11	79	55	22	2	-	55
109	77	22	7	3	113	88	16	7	2	1,801	1,291	458	38	14	192	150	37	3	2	56
29	20	9	-	-	15	10	4	1	-	614	361	245	6	2	58	39	19	-	-	57
12	10	2	-	-	7	6	1	-	-	273	198	60	7	8	30	23	4	1	2	58
57	42	9	5	1	74	61	9	3	1	683	575	94	12	2	92	79	11	2	-	59
11	5	2	2	2	17	11	2	3	1	231	157	59	13	2	12	9	3	-	-	60
46	21	5	18	2	145	43	8	76	18	413	207	94	86	26	34	20	6	6	2	61
24	11	2	11	-	82	28	6	37	11	175	82	45	39	9	17	11	4	2	-	62
6	-	-	5	1	34	5	-	25	4	104	46	18	32	8	6	2	-	4	-	63
13	7	3	2	1	17	7	2	6	2	116	63	31	13	9	10	6	2	-	2	64
2	2	-	-	-	7	3	-	3	1	11	9	-	2	-	-	-	-	-	-	65
1	1	-	-	-	5	-	-	5	-	7	7	-	-	-	1	1	-	-	-	66
-	-	-	-	-	1	1	-	-	-	4	4	-	-	-	-	-	-	-	-	67

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	19,864	10,558	8,734	289	283	3,438	1,558	1,261	379	241
2	I. Infective and parasitic diseases	418	270	110	24	14	103	39	20	28	16
3	Tuberculosis, all forms---001-019	295	198	68	17	12	71	27	14	18	12
4	Tuberculosis of respiratory system---001-008	272	192	58	14	8	67	26	14	16	11
5	Tuberculosis of meninges and central nervous system---010	5	1	1	2	1	2	-	-	1	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	3	1	1	-	1	1	-	-	1	-
7	Tuberculosis of vertebral column---012.0,013.0	5	2	3	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	1	-	1	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system---016	2	2	-	-	-	1	1	-	-	-
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	-	-	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis---019	7	-	4	1	2	-	-	-	-	-
12	Syphilis and its sequelae---020-029	53	33	14	4	2	14	5	1	6	2
13	Congenital syphilis---020	-	-	-	-	-	-	-	-	-	-
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	22	14	8	-	-	4	3	-	1	-
16	Other cardiovascular syphilis---023	22	13	4	3	2	3	-	-	2	1
17	Tabes dorsalis---024	-	-	-	-	-	-	-	-	-	-
18	General paralysis of insane---025	4	2	1	1	-	3	-	-	3	-
19	Other syphilis of central nervous system---026	2	2	-	-	-	4	2	1	-	1
20	Other syphilis---027-029	3	2	1	-	-	-	-	-	-	-
21	Gonococcal infection---030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever---040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever---041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections---042	-	-	-	-	-	-	-	-	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms---045-048	-	-	-	-	-	2	-	-	1	1
28	Food poisoning (infection and intoxication)---049	1	-	-	1	-	1	1	-	-	-
29	Scarlet fever---050	1	1	-	-	-	-	-	-	-	-
30	Streptococcal sore throat---051	-	-	-	-	-	1	-	1	-	-
31	Erysipelas---052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia---053	8	4	3	1	-	1	-	-	1	-
33	Diphtheria---055	2	2	-	-	-	-	-	-	-	-
34	Whooping cough---056	-	-	-	-	-	1	-	1	-	-
35	Meningococcal infections---057	12	6	6	-	-	3	-	2	1	-
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	-	-	-	-	-
39	Tetanus---061	-	-	-	-	-	-	-	-	-	-
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	11	5	6	-	-	-	-	-	-	-
42	Late effects of acute poliomyelitis---081	1	1	-	-	-	-	-	-	-	-
43	Acute infectious encephalitis---082	2	1	-	1	-	3	2	1	-	-
44	Late effects of acute infectious encephalitis---083	4	3	1	-	-	-	-	-	-	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	2	-	2	-	-	2	2	-	-	-
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	8	5	3	-	-	4	2	-	1	1
49	Rabies---094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria---110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease---125	1	1	-	-	-	-	-	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	1	-	1	-	-	-	-	-	-	-
60	All other infective and parasitic diseases---Residual[1]	16	10	6	-	-	-	-	-	-	-
61	II. Neoplasms	3,514	1,817	1,629	32	36	477	193	218	33	33
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	3,418	1,772	1,579	32	35	466	189	212	33	32
63	Malignant neoplasm of buccal cavity and pharynx---140-148	94	81	11	2	-	9	8	-	-	1
64	Of lip---140	8	7	1	-	-	1	1	-	-	-
65	Of tongue---141	22	20	1	1	-	1	1	-	-	-
66	Of other and unspecified parts of buccal cavity---142-144	26	21	4	1	-	3	3	-	-	-
67	Of pharynx---145-148	38	33	5	-	-	4	3	-	-	1
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	1,346	718	598	20	10	168	72	70	15	11
69	Of esophagus---150	80	69	10	1	-	4	2	1	1	-
70	Of stomach---151	353	211	131	9	2	53	26	14	9	4
71	Of intestine, except rectum---152,153	404	190	206	3	5	45	18	20	1	6
72	Of rectum---154	214	121	86	5	2	19	9	10	-	-
73	Of biliary passages and of liver (stated to be primary site)---155	66	17	49	-	-	16	4	11	-	1
74	Of liver not specified whether primary or secondary---156A	59	27	32	-	-	7	3	4	-	-
75	Of pancreas---157	149	75	71	2	1	19	9	6	4	-
76	Of peritoneum and of unspecified digestive organs---158,159	21	8	13	-	-	5	1	4	-	-
77	Malignant neoplasm of respiratory system---160-164	402	340	58	4	-	49	35	9	5	-
78	Of larynx---161	34	32	2	-	-	10	7	1	2	-
79	Of trachea, and of bronchus and lung specified as primary---162	97	83	13	1	-	15	12	1	2	-
80	Of lung and bronchus, unspecified as primary or secondary---163	259	216	40	3	-	22	15	6	1	-
81	Of other parts of respiratory system---160,164	12	9	3	-	-	2	1	1	-	-
82	Malignant neoplasm of breast---170	299	1	294	-	4	37	1	35	-	1

*For complete category title, see table 53.

[1]For category numbers, see table 55.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,410	2,853	2,334	1,730	1,493	27,909	12,673	7,980	4,103	3,153	30,926	10,764	7,574	6,741	5,847	5,012	3,155	1,767	48	42	1
396	99	35	166	96	929	320	158	282	169	1,220	340	174	389	317	104	63	29	6	6	2
304	73	27	133	71	530	206	84	151	89	678	210	81	210	177	53	40	9	2	2	3
279	70	24	121	64	501	201	78	144	78	623	197	72	190	164	42	33	5	2	2	4
5	-	-	2	3	7	1	3	1	2	14	3	1	5	5	-	-	-	-	-	5
2	-	-	2	-	3	-	1	-	2	2	1	-	-	1	-	-	-	-	-	6
2	-	1	-	1	1	-	1	-	-	6	4	1	1	-	2	1	1	-	-	7
1	-	-	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	8
5	2	1	1	1	-	-	-	-	-	3	1	1	1	-	1	1	-	-	-	9
-	-	-	-	-	1	-	-	-	1	3	-	1	2	-	1	1	-	-	-	10
10	1	1	6	2	16	3	1	6	6	26	3	5	11	7	7	4	3	-	-	11
56	15	3	25	13	164	44	14	82	24	156	43	8	72	33	12	8	3	1	-	12
-	-	-	-	-	7	-	-	4	3	4	1	-	3	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	14
18	9	2	4	3	56	18	6	24	8	55	19	4	21	11	2	1	1	-	-	15
28	4	1	16	7	59	18	3	31	7	39	11	3	16	9	2	1	-	1	-	16
-	-	-	-	-	2	-	-	2	-	2	1	-	1	-	2	2	-	-	-	17
7	1	-	4	2	18	6	3	7	2	34	5	-	20	9	3	3	-	-	-	18
2	1	-	-	1	16	2	1	10	3	14	3	-	9	2	2	-	2	-	-	19
1	-	-	1	-	6	-	1	4	1	7	3	1	1	2	1	1	-	-	-	20
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	21
1	-	-	1	-	2	1	-	-	1	2	1	-	1	-	1	-	-	1	-	22
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	23
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	2	-	2	-	-	2	1	1	-	-	1	1	-	-	-	26
1	-	-	-	1	24	5	4	7	8	44	9	11	10	14	2	-	1	-	1	27
-	-	-	-	-	6	1	1	1	3	18	3	4	6	5	1	1	-	-	-	28
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	5	2	2	1	-	13	5	2	3	3	2	1	1	-	-	30
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	31
2	1	-	-	1	10	5	3	-	2	25	4	9	5	7	1	1	-	-	-	32
1	-	-	1	-	5	1	3	-	1	11	4	5	1	1	-	-	-	-	-	33
2	1	-	-	1	27	4	2	10	11	86	6	11	33	36	2	-	1	-	1	34
8	4	1	3	-	24	11	11	1	1	36	13	8	9	6	5	2	3	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
4	-	-	1	3	22	5	1	11	5	21	3	1	9	8	1	-	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	16	9	5	-	2	24	12	7	3	2	9	3	6	-	-	41
-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	42
1	-	1	-	-	15	3	5	2	5	6	1	1	2	2	4	2	2	-	-	43
5	2	1	1	1	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	5	1	2	1	1	24	4	3	11	6	4	-	-	2	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
3	2	1	-	-	19	6	8	2	3	10	2	6	1	1	1	-	1	-	-	48
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	-	1	-	-	5	3	1	1	-	-	-	-	-	-	53
1	1	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	2	-	1	-	1	1	-	1	-	-	-	-	-	-	-	58
-	-	-	-	-	11	1	2	4	4	8	-	2	1	5	-	-	-	-	-	59
7	-	1	1	5	32	12	4	9	7	37	11	8	9	9	3	2	1	-	-	60
1,302	420	454	203	225	3,838	1,756	1,463	291	328	3,316	1,140	1,239	392	545	645	385	252	3	5	61
1,264	412	440	196	216	3,722	1,724	1,417	279	302	3,214	1,120	1,205	378	511	622	376	238	3	5	62
33	23	1	8	1	94	67	13	10	4	63	34	15	8	6	12	11	1	-	-	63
1	1	-	-	-	3	3	-	-	-	1	1	-	-	-	2	2	-	-	-	64
9	5	1	2	1	22	14	6	1	1	10	7	2	1	-	4	4	-	-	-	65
14	9	-	5	-	28	18	5	3	2	22	11	5	3	3	1	1	-	-	-	66
9	8	-	1	-	41	32	2	6	1	30	15	8	4	3	5	4	1	-	-	67
481	166	155	87	73	1,246	599	447	119	81	1,064	373	380	171	140	265	173	87	-	5	68
34	13	8	13	-	59	35	6	16	2	59	22	16	16	5	7	6	1	-	-	69
121	42	26	32	21	327	179	91	38	19	322	114	83	84	41	94	64	26	-	4	70
152	47	68	13	24	324	131	155	19	19	255	85	120	20	30	57	33	24	-	-	71
59	29	13	6	11	173	77	68	10	18	93	30	33	15	15	28	17	11	-	-	72
18	4	8	1	5	52	21	26	4	1	104	35	40	14	15	14	11	3	-	-	73
24	8	7	6	3	101	41	37	13	10	52	21	18	3	10	23	16	7	-	-	74
57	22	17	12	6	178	105	52	13	8	148	58	61	16	13	38	23	14	-	1	75
16	1	8	4	3	32	10	12	6	4	31	8	9	3	11	4	3	1	-	-	76
133	78	15	38	2	451	353	59	33	6	280	177	42	46	15	54	45	7	2	-	77
9	5	1	3	-	47	40	3	3	1	26	17	3	4	2	4	4	-	-	-	78
57	32	4	20	1	150	121	16	12	1	197	129	31	31	6	26	22	3	1	-	79
63	40	9	13	1	228	178	32	16	2	48	28	6	7	7	22	19	3	-	-	80
4	1	1	2	-	26	14	8	2	2	9	3	2	4	-	2	-	1	1	-	81
116	-	79	-	37	264	3	222	1	38	271	2	196	3	70	48	-	48	-	-	82

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	485	176	297	3	9	89	14	56	5	14
2	Of cervix uteri----------171	90	...	87	...	3	26	...	18	...	8
3	Of other and unspecified parts of uterus----------172-174	95	...	91	...	4	28	...	24	...	4
4	Of ovary, fallopian tube, and broad ligament----------175	110	...	108	...	2	13	...	12	...	1
5	Of other and unspecified female genital organs----------176	11	...	11	...	-	3	...	2	...	1
6	Of prostate----------177	170	167	...	3	...	19	14	...	5	...
7	Of testis, and of other and unspecified male genital organs----178,179	9	9	...	-	...	-	-	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	166	118	46	-	2	16	10	5	-	1
9	Of kidney----------180	54	33	20	-	1	6	3	3	-	-
10	Of bladder and other urinary organs----------181	112	85	26	-	1	10	7	2	-	1
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	331	173	151	2	5	47	21	18	5	3
12	Of skin----------190,191	51	34	17	-	-	10	4	3	2	1
13	Of eye----------192	3	2	1	-	-	-	-	-	-	-
14	Of brain and other parts of nervous system----------193	59	36	20	2	1	10	6	3	1	-
15	Of thyroid gland----------194	11	4	7	-	-	1	-	-	1	-
16	Of bone (including jaw bone)----------196	20	13	7	-	-	5	3	2	-	-
17	Of connective tissue----------197	12	7	5	-	-	-	-	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	40	17	23	-	-	4	1	3	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	135	60	71	-	4	17	7	7	1	2
20	Leukemia and aleukemia----------204	151	93	54	1	3	23	12	9	2	-
21	Lymphosarcoma, etc.*----------200-203,205	144	72	70	-	2	28	16	10	1	1
22	Lymphosarcoma and reticulosarcoma----------200	57	32	24	-	1	13	9	4	-	-
23	Hodgkin's disease----------201	47	21	26	-	-	9	4	3	1	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	40	19	20	-	1	6	3	3	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	96	45	50	-	1	11	4	6	-	1
26	Benign neoplasms of female genital organs----------214-217	11	...	10	...	1	1	...	1	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	7	2	5	-	-	1	-	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	11	6	5	-	-	3	1	1	-	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	55	29	26	-	-	2	2	-	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	12	8	4	-	-	4	1	3	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	514	189	309	4	12	97	31	48	4	14
33	Asthma----------241	77	46	30	1	-	12	8	2	1	1
34	Nontoxic goiter----------250,251	1	-	-	-	1	1	-	1	-	-
35	Thyrotoxicosis with or without goiter----------252	12	2	9	-	1	3	-	3	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	3	1	2	-	-	-	-	-	-	-
37	Diabetes mellitus----------260	389	122	255	3	9	70	19	38	2	11
38	Diseases of thymus gland----------273	4	3	1	-	-	6	3	1	1	1
39	Diseases of adrenal glands----------274	1	-	1	-	-	-	-	-	-	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	8	6	2	-	-	2	-	1	-	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	19	9	9	-	1	3	1	2	-	-
43	IV. Diseases of the blood and blood-forming organs----------	64	24	39	1	-	10	1	6	1	2
44	Anemias----------290-293	44	18	26	-	-	8	1	5	1	1
45	Pernicious and other hyperchromic anemias----------290	23	9	14	-	-	3	-	3	-	-
46	Anemias of other and unspecified type----------291-293	21	9	12	-	-	5	1	2	1	1
47	Purpura and other hemorrhagic conditions----------296	7	4	2	1	-	1	-	-	-	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	13	2	11	-	-	1	-	1	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	95	62	27	5	1	17	9	1	5	2
50	Senile psychosis----------304	26	9	17	-	-	-	-	-	-	-
51	Alcoholic psychosis----------307	13	9	-	4	-	1	1	-	-	-
52	Other psychoses----------300-303,305,306,308,309	7	5	2	-	-	3	2	1	-	-
53	Alcoholism----------322	46	38	6	1	1	13	6	-	5	2
54	Mental deficiency----------325	3	1	2	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	2,311	1,044	1,219	22	26	351	138	152	34	27
57	Vascular lesions affecting central nervous system----------330-334	2,152	961	1,150	17	24	330	131	141	31	27
58	Subarachnoid hemorrhage----------330	68	28	38	1	1	8	2	4	-	2
59	Cerebral hemorrhage----------331	1,365	598	738	12	17	199	71	90	21	17
60	Cerebral embolism and thrombosis----------332	551	266	276	3	6	94	47	32	9	6
61	Other vascular lesions affecting central nervous system---------333,334	168	69	98	1	-	29	11	15	1	2
62	Meningitis, except meningococcal and tuberculous----------340	17	10	6	1	-	1	-	-	1	-
63	Multiple sclerosis----------345	21	13	7	-	1	3	2	-	1	-
64	Paralysis agitans----------350	38	16	19	2	1	-	-	-	-	-
65	Cerebral spastic infantile paralysis----------351	8	5	3	-	-	2	-	2	-	-
66	Epilepsy----------353	24	14	8	2	-	4	2	2	-	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	4	3	1	-	-	2	2	-	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	47	22	25	-	-	9	1	7	1	-
72	VII. Diseases of the circulatory system----------	8,964	4,861	3,897	99	107	1,539	742	575	133	89
73	Rheumatic fever----------400-402	20	10	5	2	3	2	1	-	1	-
74	Diseases of heart----------410-443	8,263	4,543	3,547	85	88	1,410	694	512	123	81
75	Chronic rheumatic heart disease----------410-416	298	132	158	4	4	44	17	21	4	2
76	Diseases of mitral valve----------410	100	45	54	1	-	15	6	7	1	1
77	Diseases of aortic valve specified as rheumatic----------411	23	15	8	-	-	1	-	1	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	11	3	7	1	-	2	1	1	-	-
80	Other diseases of heart specified as rheumatic----------415,416	164	69	89	2	4	26	10	12	3	1

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
209	32	89	18	70	671	185	328	52	106	693	156	266	76	195	87	45	42	-	-	1
77	...	36	...	41	184	...	135	...	49	208	...	117	...	91	11	...	11	...	-	2
43	...	21	...	22	146	...	103	...	43	163	...	392	...	71	15	...	15	...	-	3
34	...	28	...	6	93	...	81	...	12	66	...	46	...	20	15	...	15	...	-	4
5	...	4	...	1	11	...	9	...	2	24	...	11	...	13	1	...	1	...	-	5
44	29	...	15	...	220	173	...	47	...	221	152	...	69	...	43	43	...	-	...	6
6	3	...	3	...	17	12	...	5	...	11	4	...	7	...	2	2	...	-	...	7
57	35	11	8	3	188	110	56	16	6	133	61	45	18	9	23	19	4	-	-	8
20	11	4	4	1	78	49	21	4	4	53	23	24	5	1	11	9	2	-	-	9
37	24	7	4	2	110	61	35	12	2	80	38	21	13	8	12	10	2	-	-	10
144	43	60	20	21	530	257	190	35	48	435	187	160	39	49	80	52	27	1	-	11
13	5	6	1	1	71	45	20	4	2	67	32	27	2	6	12	8	3	1	-	12
-	-	-	-	-	8	4	3	-	1	2	-	2	-	-	2	2	-	-	-	13
18	9	7	2	-	73	44	26	2	1	96	56	33	3	4	14	12	2	-	-	14
6	3	2	1	-	15	6	5	2	-	14	4	5	3	2	4	1	3	-	-	15
14	6	5	1	2	42	26	9	3	4	46	21	14	4	7	6	4	2	-	-	16
4	-	1	1	2	10	3	6	1	-	8	3	1	2	2	3	1	2	-	-	17
21	5	11	1	4	92	42	31	8	11	84	35	29	11	9	11	7	4	-	-	18
68	15	28	13	12	221	87	90	15	29	118	36	49	14	19	28	17	11	-	-	19
38	17	10	7	4	154	83	57	6	8	151	64	65	9	13	34	21	13	-	-	20
53	18	20	10	5	124	67	45	7	5	124	66	36	8	14	19	10	9	-	-	21
27	5	13	7	2	51	27	18	4	2	36	16	11	2	7	7	5	2	-	-	22
15	9	4	1	1	41	25	13	1	2	50	31	11	3	5	4	3	1	-	-	23
11	4	3	2	2	32	15	14	2	1	38	19	14	3	2	8	2	6	-	-	24
38	8	14	7	9	116	32	46	12	26	102	20	34	14	34	23	9	14	-	-	25
7	...	3	...	4	30	...	11	...	19	33	...	10	...	23	5	...	5	...	-	26
8	1	5	1	1	15	9	5	1	-	13	4	6	2	1	1	1	-	-	-	27
2	1	1	-	-	8	2	3	2	1	12	3	7	-	2	4	2	2	-	-	28
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	29
16	5	4	4	3	40	14	18	6	2	27	10	7	6	4	8	4	4	-	-	30
5	1	1	2	1	21	7	7	3	4	17	3	4	6	4	5	2	3	-	-	31
135	39	48	17	31	577	224	202	68	83	697	206	240	87	164	127	65	59	1	2	32
17	7	8	-	2	135	77	28	15	15	127	59	29	19	20	26	18	8	-	-	33
-	-	-	-	-	3	-	3	-	-	4	-	3	-	1	2	-	2	-	-	34
5	1	-	-	4	12	-	8	2	2	26	-	13	1	12	7	2	4	1	-	35
-	-	-	-	-	4	1	3	-	-	3	2	1	-	-	-	-	-	-	-	36
103	29	36	15	23	356	120	143	37	56	435	121	156	52	106	88	43	43	-	2	37
4	-	-	2	2	7	3	1	2	1	10	4	1	1	4	-	-	-	-	-	38
1	-	1	-	-	14	6	4	1	3	4	1	1	1	1	2	1	1	-	-	39
-	-	-	-	-	7	-	4	-	3	41	7	22	6	6	-	-	-	-	-	40
-	-	-	-	-	30	12	7	10	1	36	9	8	7	12	1	1	-	-	-	41
5	2	3	-	-	9	5	1	1	2	11	3	6	-	2	1	-	1	-	-	42
20	5	7	3	5	123	49	49	13	12	93	26	30	12	25	13	9	4	-	-	43
16	3	6	3	4	96	35	38	12	11	65	17	20	10	18	12	8	4	-	-	44
6	-	5	-	1	32	13	17	2	-	18	6	8	1	3	7	5	2	-	-	45
10	3	1	3	3	64	22	21	10	11	47	11	12	9	15	5	3	2	-	-	46
1	1	-	-	-	11	7	4	-	-	12	3	4	-	5	1	1	-	-	-	47
3	1	1	-	1	16	7	7	1	1	16	6	6	2	2	-	-	-	-	-	48
20	9	4	3	4	69	42	16	8	3	153	75	14	42	22	24	16	7	-	1	49
-	-	-	-	-	9	4	4	1	-	8	3	2	1	2	6	2	4	-	-	50
3	2	-	1	-	4	3	-	1	-	9	9	-	-	-	-	-	-	-	-	51
3	1	2	-	-	12	7	3	1	1	15	2	2	1	10	4	2	2	-	-	52
11	5	1	2	3	38	26	5	5	2	114	60	5	39	10	12	10	1	-	1	53
2	1	-	-	1	5	1	4	-	-	2	1	1	-	-	2	2	-	-	-	54
1	-	1	-	-	1	1	-	-	-	5	-	4	1	-	-	-	-	-	-	55
853	235	268	160	190	3,576	1,323	1,197	526	530	4,752	1,415	1,190	1,034	1,113	607	315	286	3	3	56
752	206	246	133	167	3,303	1,210	1,129	479	485	4,408	1,290	1,121	956	1,041	562	289	267	3	3	57
41	8	11	11	11	166	21	33	6	6	112	32	36	19	25	14	6	8	-	-	58
464	115	156	82	111	2,298	805	751	359	383	3,150	919	794	680	757	406	205	196	2	3	59
192	65	62	29	36	529	241	215	41	32	471	186	142	76	67	74	40	34	-	-	60
55	18	17	11	9	410	143	130	73	64	675	153	149	181	192	68	38	29	1	-	61
19	3	3	6	7	50	18	8	10	14	48	13	2	15	18	3	2	1	-	-	62
7	1	4	1	1	14	6	6	-	2	6	2	3	-	1	5	3	2	-	-	63
13	3	6	1	3	42	22	17	2	1	22	13	8	1	-	8	5	3	-	-	64
3	2	-	1	-	14	8	5	-	1	29	12	7	5	5	2	1	1	-	-	65
22	4	2	14	2	27	11	5	6	5	88	32	14	25	17	6	3	3	-	-	66
-	-	-	-	-	2	-	1	1	-	1	-	-	-	1	-	-	-	-	-	67
2	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	69
2	2	-	-	-	7	3	2	1	1	9	4	2	1	2	6	3	3	-	-	70
33	14	6	4	9	117	45	24	27	21	139	49	31	31	28	15	9	6	-	-	71
3,571	1,327	1,044	627	573	10,083	5,258	2,821	1,128	876	10,091	3,971	2,511	1,940	1,669	1,897	1,286	599	7	5	72
5	1	2	2	-	20	8	5	4	3	60	14	13	15	18	9	6	3	-	-	73
3,271	1,239	951	561	520	9,128	4,864	2,497	987	780	8,923	3,586	2,192	1,705	1,440	1,754	1,189	535	5	5	74
100	39	35	13	13	303	128	118	31	26	211	59	62	40	50	85	52	33	-	-	75
52	23	19	5	5	124	52	48	14	10	116	27	26	27	36	25	15	10	-	-	76
5	3	1	-	1	16	14	1	1	-	10	8	-	2	-	3	3	-	-	-	77
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
3	1	2	-	-	19	6	9	2	2	11	4	4	2	1	8	5	3	-	-	79
40	12	13	8	7	144	56	60	14	14	74	20	32	9	13	49	29	20	-	-	80

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	5,844	3,443	2,308	54	39	780	437	255	52	36
2	Arteriosclerotic heart disease so described----------420.0	2,630	1,300	1,284	23	23	218	107	89	13	9
3	Heart disease specified as involving coronary arteries----------420.1	3,208	2,139	1,022	31	16	556	328	162	39	27
4	Angina pectoris without mention of coronary disease----------420.2	6	4	2	-	-	6	2	4	-	-
5	Chronic endocarditis not specified as rheumatic----------421	66	32	33	-	1	31	16	11	4	-
6	Of mitral valve, specified as nonrheumatic----------421.0	4	2	2	-	-	3	2	1	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	9	5	4	-	-	1	-	1	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	53	25	27	-	1	27	14	9	4	-
9	Other myocardial degeneration----------422	808	409	391	5	3	223	96	87	28	12
10	With arteriosclerosis----------422.1	552	275	276	1	-	122	56	49	11	6
11	Without mention of arteriosclerosis----------422.0,422.2	256	134	115	4	3	101	40	38	17	6
12	Other diseases of heart----------430-434	148	86	57	1	4	40	16	13	8	3
13	Acute and subacute endocarditis----------430	11	7	4	-	-	3	1	-	1	1
14	Acute myocarditis not specified as rheumatic----------431	29	13	14	-	2	4	2	1	1	-
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	18	9	9	-	-	7	4	3	-	-
17	Other and unspecified diseases of heart----------434	90	57	30	1	2	26	9	9	6	2
18	Hypertension with heart disease----------440-443	1,099	441	600	21	37	292	112	125	27	28
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	313	133	170	4	6	122	59	47	6	10
20	Essential hypertension with heart disease, etc.*----------440,441,443	786	308	430	17	31	170	53	78	21	18
21	Hypertension without mention of heart----------444-447	152	74	70	4	4	23	9	7	4	3
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	103	53	43	4	3	15	6	5	2	2
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	49	21	27	-	1	8	3	2	2	1
24	Diseases of arteries----------450-456	462	205	240	8	9	95	38	47	5	5
25	General arteriosclerosis----------450	378	163	203	6	6	84	32	43	4	5
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	58	33	22	1	2	9	6	2	1	-
27	Gangrene of unspecified cause----------455	1	-	1	-	-	-	-	-	-	-
28	Other arterial diseases----------452-454,456	25	9	14	1	1	2	-	2	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	67	29	35	-	3	9	-	9	-	-
30	VIII. Diseases of the respiratory system----------	615	340	251	19	5	132	57	36	24	15
31	Acute upper respiratory infections----------470-475	9	3	6	-	-	1	-	-	1	-
32	Influenza----------480-483	45	26	18	-	1	10	3	4	2	1
33	Pneumonia, except pneumonia of newborn----------490-493	395	199	175	17	4	88	36	25	16	11
34	Lobar pneumonia----------490	153	80	64	7	2	44	20	11	8	5
35	Bronchopneumonia----------491	158	77	73	7	1	26	6	11	6	3
36	Primary atypical pneumonia----------492	50	26	23	-	1	10	5	3	1	1
37	Pneumonia, other and unspecified----------493	34	16	15	3	-	8	5	-	1	2
38	Acute bronchitis----------500	6	4	2	-	-	6	3	-	1	2
39	Bronchitis, chronic and unqualified----------501,502	18	13	6	-	-	4	3	1	-	-
40	Hypertrophy of tonsils and adenoids----------510	1	1	-	-	-	1	-	1	-	-
41	Empyema and abscess of lung----------518,521	5	3	2	-	-	2	1	1	-	-
42	Pleurisy----------519	2	2	-	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	133	89	42	2	-	20	11	4	4	1
44	IX. Diseases of the digestive system----------	823	475	331	9	8	103	59	33	10	1
45	Diseases of teeth and supporting structures----------530-535	-	-	-	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	67	52	15	-	-	10	7	2	-	1
47	Ulcer of duodenum----------541	73	63	9	1	-	13	12	-	1	-
48	Gastritis and duodenitis----------543	2	2	-	-	-	-	-	-	-	-
49	Appendicitis----------550-553	35	22	10	2	1	5	2	3	-	-
50	Hernia and intestinal obstruction----------560,561,570	106	51	54	-	1	15	12	3	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	49	15	29	2	3	14	3	6	5	-
52	Cirrhosis of liver----------581	292	181	106	3	2	20	14	5	1	-
53	Without mention of alcoholism----------581.0	222	127	90	3	2	19	13	5	1	-
54	With alcoholism----------581.1	70	54	16	-	-	1	1	-	-	-
55	Cholelithiasis and cholecystitis----------584,585	77	27	50	-	-	10	3	7	-	-
56	Other diseases of digestive system----------Residual[1]	122	62	58	1	1	16	6	7	3	-
57	X. Diseases of the genito-urinary system----------	390	239	133	10	8	104	52	33	9	10
58	Nephritis and nephrosis----------590-594	251	133	106	7	5	71	30	28	7	6
59	Acute nephritis----------590	18	12	5	-	1	4	2	1	1	-
60	Nephritis with edema, including nephrosis----------591	15	8	7	-	-	2	2	-	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	218	113	94	7	4	65	26	27	6	6
62	Infections of kidney----------600	40	23	16	-	1	7	5	1	-	1
63	Calculi of urinary system----------602,604	18	12	6	-	-	4	-	4	-	-
64	Other diseases of urinary system----------601,603,605-609	24	18	3	1	2	1	-	-	1	-
65	Hyperplasia of prostate----------610	54	52	...	2	...	18	17	...	1	...
66	Other diseases of male genital organs----------611-617	1	1	...	-	...	-	-	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	2	...	2	...	-	3	...	-	...	3
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	14	...	13	...	1	5	...	3	...	2
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	2	...	2	...	-	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	3	...	3	...	-	2	...	-	...	2
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	1	...	1	...	-	1	...	1	...	-
73	Ectopic pregnancy----------645	1	...	1	...	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	1	...	1	...	-	1	...	1	...	-
76	Abortion with toxemia, without mention of sepsis----------652	1	...	-	...	1	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	4	...	4	...	-	1	...	1	...	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,590	805	476	173	136	5,600	3,486	1,454	394	266	4,291	2,249	1,090	551	401	1,056	792	256	5	3	1
443	160	156	65	62	1,412	791	449	104	68	778	348	245	107	78	220	148	71	1	-	2
1,145	644	319	108	74	4,135	2,668	992	283	192	3,445	1,866	831	436	312	829	638	184	4	3	3
2	1	1	-	-	53	27	13	7	6	68	35	14	8	11	7	6	1	-	-	4
34	7	12	7	8	168	50	47	34	37	180	39	45	53	43	23	14	9	-	-	5
7	1	-	3	3	6	3	-	1	2	20	5	7	4	4	-	-	-	-	-	6
7	1	3	-	3	31	13	8	6	4	36	9	7	13	7	7	5	2	-	-	7
20	5	9	4	2	131	34	39	27	31	124	25	31	36	32	16	9	7	-	-	8
591	161	160	144	126	906	368	310	134	94	1,053	320	280	280	173	237	147	90	-	-	9
236	73	83	37	43	421	175	141	58	47	501	154	131	149	67	106	61	45	-	-	10
355	88	77	107	83	485	193	169	76	47	552	166	149	131	106	131	86	45	-	-	11
105	40	23	25	17	749	365	166	125	93	870	298	148	223	201	96	71	24	-	1	12
7	1	1	2	3	11	1	2	5	3	21	6	3	4	8	2	1	1	-	-	13
12	8	3	-	1	60	19	11	17	13	72	10	10	24	28	9	6	3	-	-	14
1	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	15
6	1	3	-	2	40	20	17	1	2	33	12	15	5	1	13	9	4	-	-	16
79	30	16	23	10	637	325	136	102	74	743	270	119	190	164	72	55	16	-	1	17
851	187	245	199	220	1,402	467	402	269	264	2,318	621	567	558	572	237	113	123	-	1	18
382	96	113	92	81	477	182	138	82	75	754	209	201	174	170	90	53	36	-	1	19
469	91	132	107	139	925	285	264	187	189	1,564	412	366	384	402	147	60	87	-	-	20
80	14	17	31	18	282	105	77	59	41	491	129	131	115	116	42	23	19	-	-	21
35	7	8	13	7	131	66	25	24	16	149	54	49	30	16	16	11	5	-	-	22
45	7	9	18	11	151	39	52	35	25	342	75	82	85	100	26	12	14	-	-	23
173	62	62	23	26	570	244	218	66	42	553	221	154	94	84	106	64	40	2	-	24
141	50	58	15	18	478	190	198	52	38	472	185	138	83	66	87	51	34	2	-	25
21	10	2	3	6	61	43	9	6	3	42	26	2	5	9	11	11	-	-	-	26
1	-	-	1	-	9	4	2	3	-	8	1	2	4	1	-	-	-	-	-	27
10	2	2	4	2	22	7	9	5	1	31	9	12	2	8	8	2	6	-	-	28
42	11	12	10	9	83	37	24	12	10	64	21	21	11	11	6	4	2	-	-	29
286	112	59	66	49	1,296	479	315	271	231	1,765	461	396	478	430	176	110	59	5	2	30
2	1	1	-	-	18	6	9	-	3	39	7	8	9	15	2	2	-	-	-	31
2	1	-	-	1	211	53	43	56	59	367	85	95	87	100	20	14	6	-	-	32
207	77	45	48	37	783	246	209	177	151	1,082	241	225	331	285	98	54	38	4	2	33
89	34	14	27	14	254	79	41	76	58	390	75	94	115	106	18	11	6	-	1	34
93	37	21	16	19	366	114	114	72	66	457	111	89	139	118	41	24	16	1	-	35
14	3	8	1	2	102	36	36	15	15	100	33	23	20	24	17	11	6	-	-	36
11	3	2	4	2	61	17	18	14	12	135	22	19	57	37	22	8	10	3	1	37
3	2	1	-	-	16	6	6	4	-	19	5	3	6	5	2	1	1	-	-	38
11	5	3	-	3	42	25	8	5	4	40	18	6	5	11	15	10	4	1	-	39
-	-	-	-	-	7	3	1	2	1	6	6	-	-	-	2	2	-	-	-	40
9	2	2	4	1	11	3	2	5	1	17	5	4	7	1	3	2	1	-	-	41
1	1	-	-	-	5	3	-	1	1	3	1	2	-	-	-	-	-	-	-	42
51	23	7	14	7	203	134	37	21	11	192	93	53	33	13	34	25	9	-	-	43
353	149	96	62	46	1,177	491	329	217	140	1,110	396	283	241	190	184	102	77	2	3	44
-	-	-	-	-	5	2	1	1	1	10	5	-	2	3	1	1	-	-	-	45
18	10	-	4	4	78	38	16	18	6	97	47	12	22	16	21	16	4	-	1	46
23	12	4	6	1	76	50	15	9	2	56	37	5	12	2	13	12	1	-	-	47
-	-	-	-	-	13	1	1	7	4	11	3	-	2	6	4	2	2	-	-	48
24	8	4	8	4	62	17	14	23	8	63	17	18	19	9	11	7	4	-	-	49
44	10	16	10	8	198	70	65	34	29	180	60	49	33	38	33	20	13	-	-	50
32	8	14	8	2	173	37	49	52	35	257	52	52	89	64	24	8	15	1	-	51
131	73	30	14	14	284	157	74	33	20	197	105	59	17	16	25	12	13	-	-	52
100	53	26	9	12	244	131	64	30	19	114	53	41	10	10	23	11	12	-	-	53
31	20	4	5	2	40	26	10	3	1	83	52	18	7	6	2	1	1	-	-	54
21	8	9	-	4	78	33	39	2	4	70	23	41	2	4	26	8	17	-	1	55
60	20	19	12	9	210	86	55	38	31	169	47	47	43	32	26	16	8	1	1	56
178	55	41	49	33	912	386	201	177	148	1,280	384	273	362	261	143	91	50	1	1	57
105	27	30	30	18	583	201	149	117	116	926	244	209	250	223	99	55	43	-	1	58
12	1	7	1	3	64	19	15	9	21	123	27	21	38	37	4	1	2	-	1	59
13	4	4	4	1	39	11	13	8	7	41	12	5	14	10	5	3	2	-	-	60
80	22	19	25	14	480	171	121	100	88	762	205	183	198	176	90	51	39	-	-	61
25	6	6	5	8	73	29	22	9	13	103	22	38	21	22	8	4	3	1	-	62
9	3	3	1	2	36	18	11	4	3	30	16	13	1	-	4	3	1	-	-	63
10	4	1	3	2	44	15	5	20	4	44	17	3	18	6	6	5	1	-	-	64
22	13	...	9	...	131	111	...	20	...	130	74	...	56	...	22	22	...	-	...	65
3	2	...	1	...	19	12	...	7	...	27	11	...	16	...	2	2	...	-	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
4	...	1	...	3	26	...	14	...	12	20	...	10	...	10	2	...	2	...	-	68
10	...	1	...	9	86	...	35	...	51	138	...	44	...	94	5	...	5	...	-	69
1	...	-	...	1	16	...	8	...	8	20	...	10	...	10	1	...	1	...	-	70
3	...	-	...	3	27	...	8	...	19	58	...	18	...	40	3	...	3	...	-	71
1	...	-	...	1	14	...	9	...	5	26	...	6	...	20	1	...	1	...	-	72
-	...	-	...	-	9	...	3	...	6	4	...	-	...	4	-	...	-	...	-	73
-	...	-	...	-	1	...	-	...	1	3	...	1	...	2	-	...	-	...	-	74
3	...	-	...	3	7	...	2	...	5	6	...	1	...	5	-	...	-	...	-	75
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	76
2	...	1	...	1	11	...	5	...	6	21	...	8	...	13	-	...	-	...	-	77

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	14	5	7	-	2	-	-	-	-	-
2	Infections of skin and subcutaneous tissue--690-698	1	-	1	-	-	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue--700-716	13	5	6	-	2	-	-	-	-	-
4	XIII. Diseases of the bones and organs of movement	34	15	18	1	-	5	3	2	-	-
5	Arthritis and spondylitis--720-725	17	7	10	-	-	2	1	1	-	-
6	Muscular rheumatism and rheumatism, unspecified--726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis--730	3	2	1	-	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	-	-	-	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	14	6	7	1	-	3	2	1	-	-
10	XIV. Congenital malformations	241	106	123	2	10	36	21	10	4	1
11	Spina bifida and meningocele--751	11	4	7	-	-	2	1	-	1	-
12	Congenital hydrocephalus, etc.*--752,753	37	11	26	-	-	6	3	3	-	-
13	Congenital malformations of circulatory system--754	107	53	48	1	5	15	11	1	3	-
14	Other congenital malformations--750,755-759	86	38	42	1	5	13	6	6	-	1
15	XV. Certain diseases of early infancy	588	317	224	19	28	148	56	52	24	16
16	Birth injuries--760,761	110	65	40	1	4	18	10	7	1	-
17	Postnatal asphyxia and atelectasis--762	217	117	83	6	11	48	18	17	8	5
18	Infections of newborn--763-768	35	17	16	-	2	8	3	3	1	1
19	Hemolytic disease of newborn (erythroblastosis)--770	25	10	12	2	1	6	4	2	-	-
20	All other defined diseases of early infancy--769,771,772	14	10	4	-	-	6	3	-	1	2
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	187	98	69	10	10	62	18	23	13	8
22	XVI. Symptoms, senility, and ill-defined conditions	57	34	20	2	1	28	11	11	3	3
23	Senility without mention of psychosis--794	15	5	9	-	1	17	3	11	1	2
24	Symptoms, ill-defined and unknown causes--780-793,795	42	29	11	2	-	11	8	-	2	1
25	XVII. Accidents, poisonings, and violence	1,208	760	384	40	24	284	146	61	67	10
26	Accidents--E800-E962	903	554	304	31	14	236	115	56	56	9
27	Railway accidents--E800-E802	9	8	-	1	-	9	6	1	2	-
28	Motor-vehicle accidents--E810-E835	271	190	67	9	5	83	53	12	15	3
29	Motor-vehicle traffic accidents--E810-E825	265	187	64	9	5	80	51	11	15	3
30	Motor-vehicle traffic accident with railway train*--E810	2	1	-	1	-	2	2	-	-	-
31	Motor-vehicle traffic accident to pedestrian--E812	97	71	23	2	1	24	17	4	1	2
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	71	46	19	2	4	23	14	4	5	-
33	Motor-vehicle noncollision traffic accidents--E820-E824	78	57	18	3	-	28	15	3	9	1
34	Motor-vehicle traffic accident of unspecified nature--E825	17	12	4	1	-	3	3	-	-	-
35	Motor-vehicle nontraffic accidents--E830-E835	6	3	3	-	-	3	2	1	-	-
36	Other road-vehicle accidents--E840-E845	-	-	-	-	-	3	1	2	-	-
37	Water-transport accidents--E850-E858	14	12	2	-	-	2	2	-	-	-
38	Aircraft accidents--E860-E866	9	8	1	-	-	4	4	-	-	-
39	Accidental poisoning by solid and liquid substances--E870-E888	14	13	1	-	-	4	-	2	2	-
40	Accidental poisoning by gases and vapors--E890-E895	47	29	14	3	1	2	2	-	-	-
41	Accidental falls--E900-E904	315	134	173	3	5	49	13	32	4	-
42	Fall from one level to another--E900-E902	94	51	37	3	3	20	8	9	3	-
43	Fall on same level--E903	35	15	20	-	-	15	2	13	-	-
44	Unspecified falls--E904	186	68	116	-	2	14	3	10	1	-
45	Blow from falling object--E910	6	5	1	-	-	5	3	-	2	-
46	Accident caused by machinery--E912	7	7	-	-	-	2	2	-	-	-
47	Accident caused by electric current--E914	7	7	-	-	-	3	3	-	-	-
48	Accident caused by fire and explosion, etc.*--E916	45	31	7	5	2	31	13	4	11	3
49	Accident caused by hot substance, etc.*--E917,E918	8	4	3	-	1	-	-	-	-	-
50	Accident caused by firearm--E919	10	8	1	1	-	7	2	1	4	-
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	11	4	6	1	-	-	-	-	-	-
52	Accidental drowning--E929	58	45	8	5	-	13	4	-	8	1
53	Excessive heat and insolation--E931	-	-	-	-	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	14	10	4	-	-	-	-	-	-	-
55	All other accidents--Residual[1]	58	39	16	3	-	19	7	2	8	2
56	Suicide--E963,E970-E979	264	188	68	4	4	30	26	4	-	-
57	Suicide by poisoning--E970-E973	113	70	38	3	2	8	5	3	-	-
58	Suicide by hanging and strangulation--E974	62	46	16	-	-	7	6	1	-	-
59	Suicide by firearms and explosives--E976	61	56	5	-	-	14	14	-	-	-
60	Suicide by all other means--E963,E975,E977-E979	28	16	9	1	2	1	1	-	-	-
61	Homicide--E964,E980-E985	41	18	12	5	6	18	5	1	11	1
62	Assault by firearms and explosives--E981	14	8	3	1	2	8	3	-	5	-
63	Assault by cutting and piercing instruments--E982	7	3	2	1	1	5	-	1	4	-
64	Assault by other means--E964,E980,E983	19	6	7	3	3	5	2	-	2	1
65	Injury by intervention of police--E984	1	1	-	-	-	-	-	-	-	-
66	Execution--E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
10	3	2	2	3	29	11	4	4	10	36	7	7	10	12	4	2	2	-	-	1
4	1	2	-	1	13	3	1	3	6	13	2	2	4	5	-	-	-	-	-	2
6	2	-	2	2	16	8	3	1	4	23	5	5	6	7	4	2	2	-	-	3
21	5	8	4	4	54	17	27	3	7	82	23	35	13	11	9	4	5	-	-	4
12	2	6	1	3	26	6	14	1	5	55	13	29	5	8	7	3	4	-	-	5
-	-	-	-	-	1	-	-	1	-	5	1	-	1	3	-	-	-	-	-	6
2	1	-	1	-	6	2	2	1	1	6	3	1	2	-	-	-	-	-	-	7
-	-	-	-	-	2	-	2	-	-	1	-	-	1	-	-	-	-	-	-	8
7	2	2	2	1	19	9	9	-	1	15	6	5	4	-	2	1	1	-	-	9
87	27	31	15	14	336	145	125	39	27	410	144	161	61	44	90	56	33	1	-	10
6	1	2	3	-	26	7	16	3	-	26	4	19	3	-	5	4	1	-	-	11
12	6	4	-	2	47	18	19	6	4	58	19	21	9	9	19	10	8	1	-	12
36	12	10	8	6	148	65	48	22	13	185	63	75	25	22	38	24	14	-	-	13
33	8	15	4	6	115	55	42	8	10	141	58	46	24	13	28	18	10	-	-	14
420	128	80	107	105	1,388	529	347	291	221	1,749	573	367	451	358	267	143	116	2	6	15
76	29	17	16	14	264	106	67	42	49	277	119	66	55	37	63	32	30	-	1	16
184	43	32	61	48	321	143	89	52	37	334	145	87	60	42	58	30	27	-	1	17
15	7	1	4	3	79	19	8	32	20	162	43	31	58	30	8	4	4	-	-	18
12	5	5	1	1	48	27	15	4	2	53	23	16	11	3	11	8	3	-	-	19
6	2	1	2	1	61	20	6	20	15	130	22	15	51	42	11	2	6	2	1	20
127	42	24	23	38	615	214	162	141	98	793	221	152	216	204	116	67	46	-	3	21
16	4	2	8	2	762	264	146	219	133	838	179	124	309	226	102	53	34	8	7	22
1	-	1	-	-	159	59	58	24	18	208	38	52	58	60	48	24	21	3	-	23
15	4	1	8	2	603	205	88	195	115	630	141	72	251	166	54	29	13	5	7	24
732	236	154	238	104	2,674	1,379	545	566	184	3,196	1,424	486	920	366	615	455	150	9	1	25
535	159	126	158	92	2,031	1,084	436	375	136	2,440	1,137	404	617	282	528	386	132	9	1	26
2	1	-	1	-	38	20	2	15	1	60	33	2	23	2	12	11	1	-	-	27
143	43	28	48	24	831	493	155	138	45	1,024	574	132	242	76	211	156	51	4	-	28
141	41	28	48	24	814	484	152	134	44	998	561	128	237	72	201	147	50	4	-	29
2	-	-	2	-	47	29	9	9	-	42	24	10	6	2	10	7	3	-	-	30
40	14	5	12	9	159	88	32	27	12	183	78	32	50	23	26	17	6	3	-	31
38	13	11	11	3	179	110	35	26	8	184	108	26	42	8	35	18	17	-	-	32
29	7	2	15	5	134	81	23	25	5	192	105	18	64	5	82	68	13	1	-	33
32	7	10	8	7	295	176	53	47	19	397	246	42	75	34	48	37	11	-	-	34
2	2	-	-	-	17	9	3	4	1	26	13	4	5	4	10	9	1	-	-	35
3	2	1	-	-	6	4	1	1	-	15	6	-	9	-	4	3	1	-	-	36
12	6	1	5	-	56	41	5	10	-	56	43	4	7	2	6	6	-	-	-	37
9	5	-	4	-	108	90	17	1	-	27	26	1	-	-	9	9	-	-	-	38
10	3	2	3	2	47	20	11	11	5	88	20	13	28	27	6	4	2	-	-	39
1	-	-	1	-	30	15	10	4	1	18	13	1	4	-	4	2	2	-	-	40
179	64	66	33	16	313	122	148	26	17	306	113	133	25	35	59	30	29	-	-	41
68	29	13	19	7	90	47	24	14	5	98	44	24	13	17	16	12	4	-	-	42
23	6	12	4	1	49	20	25	3	1	70	22	34	7	7	14	5	9	-	-	43
88	29	41	10	8	174	55	99	9	11	138	47	75	5	11	29	13	16	-	-	44
-	-	-	-	-	25	13	1	10	1	59	37	1	21	-	27	24	2	1	-	45
3	1	1	1	-	25	18	-	7	-	52	31	3	18	-	23	20	3	-	-	46
3	2	-	1	-	36	27	1	7	1	19	16	-	3	-	2	2	-	-	-	47
48	5	12	14	17	115	37	25	23	30	244	51	50	77	66	28	19	8	-	1	48
2	-	-	2	-	32	6	4	14	8	27	4	6	9	8	4	3	1	-	-	49
5	1	-	4	-	58	30	3	17	8	83	41	12	24	6	25	22	2	1	-	50
13	2	3	4	4	25	9	7	6	3	36	11	9	8	8	11	8	3	-	-	51
30	9	5	14	2	161	85	21	51	4	111	55	10	44	2	51	37	13	1	-	52
2	1	-	1	-	9	5	-	4	-	14	6	-	6	2	-	-	-	-	-	53
6	1	2	-	3	15	2	9	2	2	8	3	2	-	3	4	2	2	-	-	54
64	13	5	22	24	101	47	16	28	10	193	54	25	69	45	42	28	12	2	-	55
108	63	24	19	2	324	228	82	10	4	288	200	52	28	8	70	57	13	-	-	56
28	17	9	-	2	99	59	38	2	-	41	21	15	3	2	13	8	5	-	-	57
22	14	3	5	-	35	20	10	2	3	23	10	7	5	1	7	5	2	-	-	58
21	14	3	4	-	157	127	24	5	1	206	161	24	17	4	43	39	4	-	-	59
37	18	9	10	-	33	22	10	1	-	18	8	6	3	1	7	5	2	-	-	60
89	14	4	61	10	318	66	27	181	44	468	87	30	275	76	17	12	5	-	-	61
24	4	-	16	4	168	37	20	88	23	265	59	22	142	42	10	8	2	-	-	62
19	1	-	17	1	96	9	2	71	14	128	11	2	95	20	2	1	1	-	-	63
41	9	4	23	5	37	14	5	11	7	55	11	6	24	14	3	1	2	-	-	64
5	-	-	5	-	12	6	-	6	-	12	4	-	8	-	-	-	-	-	-	65
-	-	-	-	-	5	-	-	5	-	8	2	-	6	-	2	2	-	-	-	66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	93,304	48,936	36,421	4,410	3,537	41,154	22,145	16,654	1,289	1,066
2	I. Infective and parasitic diseases	2,539	1,339	541	416	243	1,060	586	333	89	52
3	Tuberculosis, all forms-001-019	1,812	960	319	324	209	595	341	168	55	31
4	Tuberculosis of respiratory system-001-008	1,673	923	288	292	170	537	318	147	48	24
5	Tuberculosis of meninges and central nervous system-010	52	11	7	15	19	24	9	8	3	4
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	6	2	2	-	2	4	2	-	-	2
7	Tuberculosis of vertebral column-012.0,013.0	11	4	1	3	3	6	2	4	-	-
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	5	2	1	2	-	1	1	-	-	-
9	Tuberculosis of genito-urinary system-016	8	4	3	-	1	11	6	4	1	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	7	1	3	2	1	4	1	3	-	-
11	Disseminated tuberculosis-019	50	13	14	10	13	8	2	2	3	1
12	Syphilis and its sequelae-020-029	315	189	46	60	20	196	117	47	24	8
13	Congenital syphilis-020	1	1	-	-	-	4	-	3	1	-
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	81	51	13	11	6	40	23	13	2	2
16	Other cardiovascular syphilis-023	102	53	16	26	7	42	26	5	11	-
17	Tabes dorsalis-024	7	7	-	-	-	7	5	1	1	-
18	General paralysis of insane-025	85	56	7	17	5	55	32	13	6	4
19	Other syphilis of central nervous system-026	27	17	4	4	2	39	24	10	3	2
20	Other syphilis-027-029	12	4	6	2	-	9	7	2	-	-
21	Gonococcal infection-030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever-040	4	2	2	-	-	1	1	-	-	-
23	Paratyphoid fever-041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections-042	-	-	-	-	-	-	-	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	-	-	-	-	-	1	-	-	1	-
27	Dysentery, all forms-045-048	20	8	7	2	3	14	5	9	-	-
28	Food poisoning (infection and intoxication)-049	-	-	-	-	-	3	1	1	-	1
29	Scarlet fever-050	5	2	3	-	-	2	1	1	-	-
30	Streptococcal sore throat-051	10	5	5	-	-	12	7	4	1	-
31	Erysipelas-052	1	1	-	-	-	3	-	3	-	-
32	Septicemia and pyemia-053	8	3	5	-	-	27	13	13	1	-
33	Diphtheria-055	1	-	1	-	-	3	1	1	-	1
34	Whooping cough-056	15	3	7	3	2	15	4	10	-	1
35	Meningococcal infections-057	63	24	23	11	5	29	13	15	-	1
36	Plague-058	-	-	-	-	-	-	-	-	-	-
37	Tularemia-059	-	-	-	-	-	-	-	-	-	-
38	Leprosy-060	-	-	-	-	-	-	-	-	-	-
39	Tetanus-061	10	4	6	-	-	7	5	1	1	-
40	Anthrax-062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis-080	101	64	32	3	2	49	29	14	2	4
42	Late effects of acute poliomyelitis-081	8	5	3	-	-	1	-	1	-	-
43	Acute infectious encephalitis-082	20	9	10	-	1	17	8	8	1	-
44	Late effects of acute infectious encephalitis-083	11	4	7	-	-	3	2	1	-	-
45	Smallpox-084	-	-	-	-	-	-	-	-	-	-
46	Measles-085	31	11	19	1	-	10	4	5	-	1
47	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis-092	49	19	23	7	-	19	12	5	-	2
49	Rabies-094	-	-	-	-	-	1	-	1	-	-
50	Tick-borne typhus-104	1	-	1	-	-	1	-	-	1	-
51	Rocky Mountain spotted fever-104A	1	-	1	-	-	1	-	-	1	-
52	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria-110-117	4	3	1	-	-	1	1	-	-	-
55	Schistosomiasis-125	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease-125	1	-	1	-	-	-	-	-	-	-
57	Filariasis-127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths-124,126,128,130	-	-	-	-	-	1	-	1	-	-
60	All other infective and parasitic diseases-Residual[1]	49	23	20	5	1	49	21	24	2	2
61	II. Neoplasms	14,997	7,173	6,811	491	522	5,951	2,770	2,890	151	140
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	14,705	7,066	6,650	484	505	5,820	2,721	2,821	148	130
63	Malignant neoplasm of buccal cavity and pharynx-140-148	316	249	46	13	8	111	85	22	2	2
64	Of lip-140	20	18	1	-	1	13	12	-	-	1
65	Of tongue-141	93	75	12	4	2	16	11	4	1	-
66	Of other and unspecified parts of buccal cavity-142-144	78	59	16	2	1	39	29	9	1	-
67	Of pharynx-145-148	125	97	17	7	4	43	33	9	-	1
68	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	5,914	3,083	2,460	238	153	2,227	1,103	1,017	70	37
69	Of esophagus-150	367	269	55	37	6	78	52	18	6	2
70	Of stomach-151	1,594	940	544	70	40	589	356	191	30	12
71	Of intestine, except rectum-152,153	1,739	770	876	43	50	667	286	361	9	11
72	Of rectum-154	700	383	272	27	18	239	123	107	7	2
73	Of biliary passages and of liver (stated to be primary site)-155	358	125	223	6	4	155	33	117	2	3
74	Of liver not specified whether primary or secondary-156A	371	162	174	22	13	206	93	105	4	4
75	Of pancreas-157	696	378	265	32	21	240	131	98	10	1
76	Of peritoneum and of unspecified digestive organs-158,159	89	36	51	1	1	53	29	20	2	2
77	Malignant neoplasm of respiratory system-160-164	1,618	1,224	296	81	17	583	436	118	24	5
78	Of larynx-161	129	109	10	8	2	41	35	1	5	-
79	Of trachea, and of bronchus and lung specified as primary-162	629	485	95	44	5	199	168	21	9	1
80	Of lung and bronchus, unspecified as primary or secondary-163	795	601	161	24	9	313	215	87	8	3
81	Of other parts of respiratory system-160,164	65	29	30	5	1	30	18	9	2	1
82	Malignant neoplasm of breast-170	1,359	18	1,262	2	77	519	4	490	2	23

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,410	14,823	11,295	156	136	19,090	10,541	7,512	586	451	27,542	14,067	10,308	1,710	1,457	24,749	8,541	5,882	5,536	4,790	1
386	238	135	6	7	408	228	124	40	16	1,459	702	548	110	99	1,126	348	144	404	230	2
192	120	65	2	5	182	93	57	24	8	1,023	491	379	82	71	635	238	77	204	116	3
168	108	56	1	3	170	90	55	20	5	933	456	338	78	61	596	230	73	191	102	4
9	4	4	1	-	3	-	-	2	1	39	15	19	1	4	14	1	-	5	8	5
1	1	-	-	-	2	-	-	1	1	7	3	4	-	-	3	1	-	2	-	6
2	2	-	-	-	-	-	-	-	-	7	3	2	-	2	-	-	-	-	-	7
3	2	1	-	-	1	1	-	-	-	4	3	1	-	-	-	-	-	-	-	8
2	1	1	-	-	2	1	1	-	-	5	3	1	1	-	4	1	1	1	1	9
1	1	-	-	-	-	-	-	-	-	3	1	1	-	1	4	1	-	1	2	10
6	1	3	-	2	4	1	1	1	1	25	7	13	2	3	14	4	3	4	3	11
78	55	19	4	-	84	53	15	12	4	96	51	21	15	9	227	46	9	114	58	12
-	-	-	-	-	3	2	1	-	-	2	-	1	1	-	11	-	-	4	7	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
23	16	5	2	-	26	20	2	4	-	20	12	5	2	1	47	15	3	20	9	15
25	16	8	1	-	24	14	2	6	2	27	16	4	3	4	106	11	5	60	30	16
5	3	2	-	-	6	5	1	-	-	7	7	-	-	-	-	-	-	-	-	17
11	8	2	1	-	11	4	4	2	1	21	9	5	4	3	37	10	1	20	6	18
9	7	2	-	-	11	5	5	-	1	11	2	5	3	1	19	8	-	8	3	19
5	5	-	-	-	3	3	-	-	-	8	5	1	2	-	7	2	-	2	3	20
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	1	-	1	-	-	3	1	1	-	1	4	1	-	2	1	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	23
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	4	-	1	2	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	26
6	2	4	-	-	4	1	3	-	-	46	26	18	1	1	12	3	3	5	1	27
-	-	-	-	-	3	1	1	-	1	8	5	3	-	-	12	2	1	6	3	28
3	2	1	-	-	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-	29
4	2	2	-	-	2	1	1	-	-	6	2	3	-	1	5	1	1	-	3	30
1	-	1	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	31
10	4	6	-	-	6	4	-	1	1	21	7	10	1	3	20	9	6	4	1	32
-	-	-	-	-	1	1	-	-	-	16	7	9	-	-	15	3	4	4	4	33
3	-	3	-	-	7	2	3	1	1	43	21	15	4	3	40	1	4	21	14	34
11	6	4	-	1	4	2	2	-	-	65	32	30	2	1	21	3	6	7	5	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
5	4	1	-	-	5	5	-	-	-	2	1	1	-	-	26	6	1	11	8	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
20	10	10	-	-	52	35	17	-	-	22	12	7	-	3	32	18	5	3	6	41
4	4	-	-	-	1	1	-	-	-	2	2	-	-	-	4	-	1	3	-	42
8	2	6	-	-	9	5	4	-	-	12	5	5	2	-	7	1	6	-	-	43
3	1	2	-	-	2	1	1	-	-	5	3	1	-	1	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
4	4	-	-	-	16	7	8	1	-	43	17	24	-	2	14	6	6	1	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
11	8	3	-	-	5	2	3	-	-	13	2	10	-	1	9	2	4	1	2	48
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	49
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	53
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5	-	1	4	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	11	1	4	3	3	59
20	11	8	-	1	16	11	4	1	-	23	12	6	3	2	17	7	1	7	2	60
4,227	2,164	2,027	20	16	2,815	1,375	1,314	68	58	3,447	1,565	1,578	141	163	3,316	1,192	1,028	560	536	61
4,134	2,114	1,985	20	15	2,768	1,359	1,287	68	54	3,366	1,542	1,531	138	155	3,207	1,167	985	550	505	62
92	75	15	2	-	71	56	10	4	1	77	51	21	5	-	88	50	13	18	7	63
11	10	1	-	-	16	16	-	-	-	12	11	1	-	-	4	2	1	-	1	64
12	10	1	1	-	13	10	1	2	-	19	11	4	4	-	17	8	1	7	1	65
35	29	6	-	-	21	15	5	-	1	30	18	12	-	-	32	18	7	4	3	66
34	26	7	1	-	21	15	4	2	-	16	11	4	1	-	35	22	4	7	2	67
1,574	854	710	4	6	1,009	512	455	29	13	1,208	574	519	63	52	1,097	399	312	234	152	68
52	35	17	-	-	31	17	10	2	2	60	39	9	10	2	37	11	6	15	5	69
442	305	135	-	2	306	189	104	10	3	342	176	118	31	17	418	144	86	125	63	70
549	254	293	1	1	287	120	159	3	5	361	158	180	7	16	230	70	107	24	29	71
171	93	76	1	1	106	51	49	4	2	98	52	40	3	3	108	47	29	16	16	72
80	23	57	-	-	59	25	33	1	-	54	16	36	1	1	29	15	9	3	2	73
81	39	42	-	-	81	40	37	3	1	132	52	72	5	3	95	35	30	20	10	74
177	92	82	2	1	121	59	56	6	-	137	69	56	4	8	140	69	33	22	16	75
22	13	8	-	1	18	11	7	-	-	24	12	8	2	2	40	8	12	9	11	76
344	270	69	4	1	230	179	42	4	5	331	237	63	27	4	421	266	36	106	13	77
24	21	3	-	-	24	19	4	1	-	19	15	3	1	-	40	28	3	9	-	78
121	103	17	1	-	71	60	9	1	1	107	87	10	9	1	139	83	8	41	7	79
181	136	41	3	1	121	92	23	2	4	191	125	47	16	3	232	151	23	53	5	80
18	10	8	-	-	14	8	6	-	-	14	10	3	1	-	10	4	2	3	1	81
379	4	371	-	4	261	4	244	-	13	233	3	206	-	24	216	1	148	1	66	82

302662 O - 54 - 8

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	2,285	710	1,347	60	168	1,024	355	609	17	43
2	Of cervix uteri----------171	439	...	364	...	75	236	...	220	...	16
3	Of other and unspecified parts of uterus----------172-174	584	...	514	...	70	218	...	198	...	20
4	Of ovary, fallopian tube, and broad ligament----------175	445	...	425	...	20	172	...	166	...	6
5	Of other and unspecified female genital organs----------176	47	...	44	...	3	26	...	25	...	1
6	Of prostate----------177	702	645	...	57	...	332	316	...	16	...
7	Of testis, and of other and unspecified male genital organs----178,179	68	65	...	3	...	40	39	...	1	...
8	Malignant neoplasm of urinary organs----------180,181	769	501	218	26	24	277	167	99	7	4
9	Of kidney----------180	274	175	87	6	6	108	59	48	-	1
10	Of bladder and other urinary organs----------181	495	326	131	20	18	169	108	51	7	3
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,395	700	619	41	35	631	320	285	16	10
12	Of skin----------190,191	168	98	66	1	3	94	61	32	1	-
13	Of eye----------192	27	19	8	-	-	4	2	2	-	-
14	Of brain and other parts of nervous system----------193	316	162	132	10	12	100	54	42	3	1
15	Of thyroid gland----------194	49	20	26	1	2	20	5	15	-	-
16	Of bone (including jaw bone)----------196	147	86	54	5	2	58	40	14	2	2
17	Of connective tissue----------197	24	13	9	1	1	11	4	6	1	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	210	94	102	7	7	148	58	83	4	3
19	Of unspecified sites----------156B,165,198B,199B-M	454	208	222	16	8	196	96	91	5	4
20	Leukemia and aleukemia----------204	532	326	191	6	9	233	133	96	3	1
21	Lymphosarcoma, etc.*----------200-203,205	517	275	211	17	14	215	118	85	7	5
22	Lymphosarcoma and reticulosarcoma----------200	265	149	109	2	5	99	59	38	2	-
23	Hodgkin's disease----------201	144	68	63	9	4	70	39	26	2	3
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	108	58	39	6	5	46	20	21	3	2
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	292	107	161	7	17	131	49	69	3	10
26	Benign neoplasms of female genital organs----------214-217	81	...	68	...	13	26	...	19	...	7
27	Benign neoplasm of brain and other parts of nervous system---------223	63	33	26	4	-	24	13	9	1	1
28	Other benign neoplasms----------210-213,218-222,224-229	47	26	20	-	1	26	11	14	-	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	1	...	1	...	-	1	...	1	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	62	29	28	3	2	35	18	15	1	1
31	Other neoplasms of unspecified nature----------230-232,236,238,239	38	19	18	-	1	19	7	11	1	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	2,291	918	1,255	46	72	1,024	458	529	9	28
33	Asthma----------241	439	284	130	15	10	212	155	54	-	3
34	Nontoxic goiter----------250,251	11	3	8	-	-	4	1	2	-	1
35	Thyrotoxicosis with or without goiter----------252	91	17	72	2	-	44	7	33	1	3
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	10	4	6	-	-	5	2	3	-	-
37	Diabetes mellitus----------260	1,612	546	981	26	59	699	264	411	7	17
38	Diseases of thymus gland----------273	35	18	16	1	-	12	6	5	-	1
39	Diseases of adrenal glands----------274	17	9	7	1	-	11	5	5	1	-
40	Pellagra----------281	-	-	-	-	-	3	3	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	25	9	15	-	1	22	9	11	-	2
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	51	28	20	1	2	12	6	5	-	1
43	IV. Diseases of the blood and blood-forming organs----------	329	137	169	12	11	177	77	87	6	7
44	Anemias----------290-293	247	100	130	9	8	136	54	72	5	5
45	Pernicious and other hyperchromic anemias----------290	144	59	79	2	4	71	23	45	2	1
46	Anemias of other and unspecified type----------291-293	103	41	51	7	4	65	31	27	3	4
47	Purpura and other hemorrhagic conditions----------296	35	14	20	-	1	13	8	4	-	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	47	23	19	3	2	28	15	11	1	1
49	V. Mental, psychoneurotic, and personality disorders----------	149	97	34	9	9	113	75	23	8	7
50	Senile psychosis----------304	13	5	6	-	2	24	17	7	-	-
51	Alcoholic psychosis----------307	16	10	3	2	1	6	6	-	-	-
52	Other psychoses----------300-303,305,306,308,309	23	11	11	1	-	26	15	8	-	3
53	Alcoholism----------322	87	66	9	6	6	46	33	3	8	2
54	Mental deficiency----------325	8	5	3	-	-	5	1	4	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	2	-	2	-	-	6	3	1	-	2
56	VI. Diseases of the nervous system and sense organs----------	10,412	4,730	4,911	378	393	5,468	2,663	2,512	144	149
57	Vascular lesions affecting central nervous system----------330-334	9,682	4,361	4,605	347	369	5,073	2,436	2,364	136	137
58	Subarachnoid hemorrhage----------330	197	98	80	6	13	72	32	35	2	3
59	Cerebral hemorrhage----------331	6,548	2,894	3,238	203	213	3,721	1,770	1,752	97	102
60	Cerebral embolism and thrombosis----------332	1,642	777	708	83	74	655	332	292	19	12
61	Other vascular lesions affecting central nervous system--------333,334	1,295	592	579	55	69	625	302	285	18	20
62	Meningitis, except meningococcal and tuberculous----------340	63	34	19	6	4	37	17	15	4	1
63	Multiple sclerosis----------345	99	42	54	-	3	48	28	18	1	1
64	Paralysis agitans----------350	140	70	68	1	1	67	36	28	2	1
65	Cerebral spastic infantile paralysis----------351	39	23	15	-	1	7	3	4	-	-
66	Epilepsy----------353	112	53	47	9	3	66	44	21	1	-
67	Inflammatory diseases of eye----------370-379	1	-	1	-	-	-	-	-	-	-
68	Cataract----------385	7	5	2	-	-	2	1	1	-	-
69	Glaucoma----------387	-	-	-	-	-	1	-	1	-	-
70	Otitis media and mastoiditis----------391-393	21	7	10	2	2	12	7	5	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	248	135	90	13	10	155	91	55	-	9
72	VII. Diseases of the circulatory system----------	41,631	22,829	15,801	1,611	1,390	17,116	9,639	6,641	447	389
73	Rheumatic fever----------400-402	72	32	27	9	4	49	20	26	3	-
74	Diseases of heart----------410-443	38,647	21,379	14,492	1,491	1,285	15,288	8,748	5,800	393	347
75	Chronic rheumatic heart disease----------410-416	1,316	625	616	39	36	580	283	272	14	11
76	Diseases of mitral valve----------410	560	280	254	13	13	254	115	123	9	7
77	Diseases of aortic valve specified as rheumatic----------411	50	35	14	1	-	20	15	5	-	-
78	Diseases of tricuspid valve----------412	2	1	1	-	-	2	2	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	97	47	47	2	1	42	21	21	-	-
80	Other diseases of heart specified as rheumatic----------415,416	609	262	300	23	24	262	130	123	5	4

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
690	303	378	5	4	491	195	287	14	15	613	190	361	15	47	579	121	208	83	167	1
124	...	121	...	3	98	...	90	...	8	163	...	141	...	22	184	...	90	...	94	2
102	...	101	...	1	104	...	99	...	5	143	...	125	...	18	121	...	66	...	55	3
135	...	135	...	-	74	...	72	...	2	90	...	84	...	6	62	...	48	...	14	4
21	...	21	...	-	6	...	6	...	-	12	...	11	...	1	8	...	4	...	4	5
289	284	...	5	...	186	173	...	13	...	188	174	...	14	...	189	110	...	79	...	6
19	19	...	-	...	23	22	...	1	...	17	16	...	1	...	15	11	...	4	...	7
206	133	72	1	-	105	62	36	6	1	144	79	55	4	6	161	70	37	32	22	8
74	41	32	1	-	41	20	18	3	-	56	31	23	-	2	53	22	15	9	7	9
132	92	40	-	-	64	42	18	3	1	88	48	32	4	4	108	48	22	23	15	10
517	283	231	3	-	349	194	147	5	3	424	223	177	12	12	404	157	152	42	53	11
68	43	25	-	-	56	37	19	-	-	80	51	27	2	-	50	22	21	3	4	12
14	8	6	-	-	10	6	4	-	-	5	5	-	-	-	5	1	-	3	1	13
81	56	25	-	-	50	33	16	1	-	78	42	30	4	2	48	28	15	3	2	14
14	6	8	-	-	12	8	4	-	-	11	2	8	-	1	8	2	4	-	2	15
37	22	15	-	-	34	16	17	1	-	37	23	14	-	-	29	16	8	1	4	16
16	9	7	-	-	6	3	3	-	-	13	6	6	-	1	4	3	-	-	1	17
88	41	45	2	-	61	27	33	1	-	66	34	26	1	5	76	32	28	7	9	18
199	98	100	1	-	120	64	51	2	3	134	60	66	5	3	184	53	76	25	30	19
185	106	78	1	-	137	87	46	3	1	165	93	60	7	5	134	58	43	17	16	20
147	86	61	-	-	115	70	40	3	2	171	92	69	5	5	107	45	36	17	9	21
55	33	22	-	-	51	31	20	-	-	67	37	26	3	1	37	14	14	5	4	22
52	32	20	-	-	31	22	8	1	-	64	37	27	-	-	47	21	11	10	5	23
40	21	19	-	-	33	17	12	2	2	40	18	16	2	4	23	10	11	2	-	24
93	50	42	-	1	47	16	27	-	4	81	23	47	3	8	109	25	43	10	31	25
11	...	11	...	-	8	...	5	...	3	19	...	13	...	6	25	...	11	...	14	26
11	4	7	-	-	11	6	4	-	1	12	2	9	1	-	10	2	5	1	2	27
12	8	4	-	-	10	3	7	-	-	9	-	8	1	-	14	4	4	4	2	28
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	29
34	23	11	-	-	9	4	5	-	-	25	13	11	1	-	43	13	18	5	7	30
24	15	8	-	1	9	3	6	-	-	16	8	6	-	2	15	6	5	-	4	31
684	304	374	2	4	448	213	217	7	11	600	255	277	24	44	566	139	211	85	131	32
137	91	45	-	1	91	59	30	1	1	144	79	52	5	8	95	43	19	17	16	33
3	-	3	-	-	1	1	-	-	-	5	-	4	-	1	5	-	1	-	4	34
33	3	30	-	-	14	-	13	-	1	23	6	17	-	-	13	1	7	-	5	35
8	1	7	-	-	2	-	2	-	-	2	1	1	-	-	4	-	1	-	3	36
457	185	267	2	3	305	135	156	5	9	369	139	178	18	34	395	81	170	51	93	37
10	7	3	-	-	13	7	5	1	-	7	5	1	1	-	15	4	2	7	2	38
8	3	5	-	-	3	2	1	-	-	7	5	2	-	-	5	2	-	2	1	39
1	-	1	-	-	1	-	1	-	-	4	1	3	-	-	4	1	2	-	1	40
14	7	7	-	-	11	6	5	-	-	16	7	8	-	1	26	6	9	6	5	41
13	7	6	-	-	7	3	4	-	-	23	12	11	-	-	4	1	-	2	1	42
150	64	86	-	-	106	53	46	6	1	105	44	51	2	8	74	17	21	14	22	43
121	47	74	-	-	85	43	36	5	1	78	30	39	1	8	54	12	13	11	18	44
70	23	47	-	-	52	27	22	2	1	42	16	25	-	1	13	4	5	3	1	45
51	24	27	-	-	33	16	14	3	-	36	14	14	1	7	41	8	8	8	17	46
10	7	3	-	-	9	2	6	1	-	11	5	5	1	-	8	2	4	1	1	47
19	10	9	-	-	12	8	4	-	-	16	9	7	-	-	12	3	4	2	3	48
84	51	33	-	-	43	27	16	-	-	86	43	27	10	6	68	27	13	17	11	49
44	21	23	-	-	11	3	8	-	-	22	13	6	1	2	17	5	3	4	5	50
2	2	-	-	-	3	3	-	-	-	3	2	-	1	-	5	4	-	1	-	51
17	8	9	-	-	8	3	5	-	-	14	2	9	2	1	11	1	4	5	1	52
13	13	-	-	-	18	16	2	-	-	35	23	4	5	3	29	15	5	6	3	53
5	5	-	-	-	3	2	1	-	-	11	3	7	1	-	4	2	-	1	1	54
3	2	1	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	1	55
3,939	1,981	1,906	28	24	2,645	1,280	1,230	69	66	3,399	1,600	1,382	189	228	2,742	766	702	600	674	56
3,629	1,791	1,789	26	23	2,457	1,178	1,154	64	61	3,066	1,434	1,241	176	215	2,502	684	659	538	621	57
64	32	30	1	1	33	21	10	1	1	57	27	21	5	4	58	22	12	11	13	58
2,536	1,252	1,251	15	18	1,707	788	831	40	48	2,103	975	893	105	130	1,955	509	495	437	514	59
567	269	294	2	2	405	216	174	12	3	434	200	166	34	34	198	82	71	24	21	60
462	238	214	8	2	312	153	139	11	9	472	232	161	32	47	291	71	81	66	73	61
20	13	7	-	-	8	5	3	-	-	54	31	19	3	1	43	15	6	11	11	62
44	23	20	-	1	17	6	11	-	-	17	7	9	-	1	11	6	4	-	1	63
69	48	21	-	-	43	32	11	-	-	38	19	17	2	-	17	10	4	3	-	64
12	7	5	-	-	8	4	4	-	-	6	2	4	-	-	17	7	2	4	4	65
54	30	23	1	-	34	17	14	2	1	66	31	24	5	6	38	5	7	15	11	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
7	3	4	-	-	10	5	5	-	-	11	7	4	-	-	13	3	4	5	1	70
102	66	35	1	-	68	33	28	3	4	141	69	64	3	5	100	36	15	24	25	71
10,693	6,248	4,354	42	49	7,550	4,360	2,840	182	168	10,140	5,250	3,607	694	589	9,183	3,439	2,294	1,807	1,643	72
25	12	12	-	1	16	6	8	1	1	26	13	9	3	1	30	3	6	6	15	73
9,529	5,635	3,812	40	42	6,671	3,945	2,418	160	148	9,050	4,731	3,181	611	527	8,472	3,240	2,087	1,663	1,482	74
313	158	151	-	4	220	111	96	4	9	339	164	141	18	16	179	60	38	44	37	75
149	69	79	-	1	115	54	52	4	5	131	55	57	9	10	89	24	18	27	20	76
17	15	2	-	-	13	11	2	-	-	12	10	2	-	-	5	4	1	-	-	77
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	78
26	14	11	-	1	13	8	5	-	-	6	3	3	-	-	4	1	2	-	1	79
121	60	59	-	2	78	38	36	-	4	190	96	79	9	6	81	31	17	17	16	80

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	22,423	13,824	7,473	677	449	8,979	5,736	2,877	216	150
2	Arteriosclerotic heart disease so described----------420.0	7,694	4,044	3,054	325	271	2,457	1,312	1,008	75	62
3	Heart disease specified as involving coronary arteries----------420.1	14,609	9,700	4,381	351	177	6,468	4,390	1,852	139	87
4	Angina pectoris without mention of coronary disease----------420.2	120	80	38	1	1	54	34	17	2	1
5	Chronic endocarditis not specified as rheumatic----------421	523	268	222	19	14	290	161	120	6	3
6	Of mitral valve, specified as nonrheumatic----------421.0	87	41	40	5	1	30	11	17	2	-
7	Of aortic valve, not specified as rheumatic----------421.1	73	51	18	2	2	41	25	16	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	363	176	164	12	11	219	125	87	4	3
9	Other myocardial degeneration----------422	7,664	3,664	3,269	383	348	2,212	1,118	1,006	48	40
10	With arteriosclerosis----------422.1	3,023	1,409	1,512	51	51	912	456	422	17	17
11	Without mention of arteriosclerosis----------422.0,422.2	4,641	2,255	1,757	332	297	1,300	662	584	31	23
12	Other diseases of heart----------430-434	1,507	897	459	84	67	653	356	262	22	13
13	Acute and subacute endocarditis----------430	56	31	20	1	4	22	8	8	3	3
14	Acute myocarditis not specified as rheumatic----------431	178	84	84	5	5	91	44	42	4	1
15	Acute pericarditis specified as nonrheumatic----------432	3	1	1	1	-	-	-	-	-	-
16	Functional disease of heart----------433	116	49	66	1	-	105	59	44	2	-
17	Other and unspecified diseases of heart----------434	1,154	732	288	76	58	435	245	168	13	9
18	Hypertension with heart disease----------440-443	5,212	2,101	2,453	289	369	2,574	1,094	1,263	87	130
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	1,193	579	501	45	68	1,390	669	654	21	46
20	Essential hypertension with heart disease, etc.*----------440,441,443	4,019	1,522	1,952	244	301	1,184	425	609	66	84
21	Hypertension without mention of heart----------444-447	793	372	320	58	43	396	174	180	20	22
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	527	262	190	43	32	182	85	82	10	5
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	266	110	130	15	11	214	89	98	10	17
24	Diseases of arteries----------450-456	1,932	965	873	43	51	1,295	648	603	27	17
25	General arteriosclerosis----------450	1,674	821	791	31	31	1,203	588	574	24	17
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	143	94	38	5	6	43	31	10	2	-
27	Gangrene of unspecified cause----------455	9	6	1	2	-	6	3	2	1	-
28	Other arterial diseases----------452-454,456	106	44	43	5	14	43	26	17	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	187	81	89	10	7	88	49	32	4	3
30	VIII. Diseases of the respiratory system----------	3,417	1,809	1,191	251	166	1,528	810	573	72	73
31	Acute upper respiratory infections----------470-475	40	22	14	2	2	18	13	5	-	-
32	Influenza----------480-483	176	84	79	8	5	208	102	90	6	10
33	Pneumonia, except pneumonia of newborn----------490-493	2,563	1,302	902	221	138	990	498	376	58	58
34	Lobar pneumonia----------490	685	344	236	62	43	349	182	117	27	23
35	Bronchopneumonia----------491	1,611	811	559	151	90	442	215	179	21	27
36	Primary atypical pneumonia----------492	171	94	69	4	4	143	75	60	5	3
37	Pneumonia, other and unspecified----------493	96	53	38	4	1	56	26	20	5	5
38	Acute bronchitis----------500	68	39	21	4	4	20	12	6	1	1
39	Bronchitis, chronic and unqualified----------501,502	129	71	48	1	9	43	26	15	1	1
40	Hypertrophy of tonsils and adenoids----------510	14	7	4	3	-	7	4	2	-	1
41	Empyema and abscess of lung----------518,521	37	27	8	2	-	14	8	4	2	-
42	Pleurisy----------519	20	10	9	1	-	6	4	2	-	-
43	All other respiratory diseases----------Residual[1]	370	247	106	9	8	222	143	73	4	2
44	IX. Diseases of the digestive system----------	3,328	1,903	1,205	131	89	1,451	808	571	43	29
45	Diseases of teeth and supporting structures----------530-535	11	9	2	-	-	12	8	2	2	-
46	Ulcer of stomach----------540	290	218	52	14	6	108	84	21	2	1
47	Ulcer of duodenum----------541	280	223	38	14	5	105	85	15	5	-
48	Gastritis and duodenitis----------543	9	4	4	-	1	8	3	4	1	-
49	Appendicitis----------550-553	194	112	59	10	13	84	42	33	4	5
50	Hernia and intestinal obstruction----------560,561,570	515	237	239	20	19	236	104	115	8	9
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	282	137	116	12	17	198	102	82	9	5
52	Cirrhosis of liver----------581	999	645	293	46	15	345	225	108	7	5
53	Without mention of alcoholism----------581.0	648	415	211	16	6	291	184	98	6	3
54	With alcoholism----------581.1	351	230	82	30	9	54	41	10	1	2
55	Cholelithiasis and cholecystitis----------584,585	385	134	246	2	3	173	59	113	-	1
56	Other diseases of digestive system----------Residual[1]	363	184	156	13	10	182	96	78	5	3
57	X. Diseases of the genito-urinary system----------	2,781	1,493	992	158	138	1,143	672	388	46	37
58	Nephritis and nephrosis----------590-594	1,891	881	808	93	109	726	362	313	23	28
59	Acute nephritis----------590	93	45	39	5	4	55	22	28	2	3
60	Nephritis with edema, including nephrosis----------591	89	38	38	8	5	37	22	11	3	1
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,709	798	731	80	100	634	318	274	18	24
62	Infections of kidney----------600	208	82	86	22	18	78	37	32	5	4
63	Calculi of urinary system----------602,604	74	32	39	2	1	24	13	10	-	1
64	Other diseases of urinary system----------601,603,605-609	82	45	30	5	2	53	31	18	4	-
65	Hyperplasia of prostate----------610	455	421	...	34	...	206	195	...	11	...
66	Other diseases of male genital organs----------611-617	34	32	...	2	...	37	34	...	3	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	37	...	29	...	8	19	...	15	...	4
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	108	...	78	...	30	59	...	52	...	7
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,661,662,684	18	...	15	...	3	12	...	12	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	29	...	23	...	6	19	...	16	...	3
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	13	...	13	...	-	5	...	3	...	2
73	Ectopic pregnancy----------645	12	...	4	...	8	6	...	5	...	1
74	Abortion without mention of sepsis or toxemia----------650	3	...	-	...	3	1	...	1	...	-
75	Abortion with sepsis----------651	12	...	7	...	5	6	...	6	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	1	...	1	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	21	...	16	...	5	9	...	8	...	1

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,266	4,076	2,147	23	20	4,116	2,691	1,283	81	61	4,727	2,816	1,523	225	163	4,772	2,294	1,210	716	552	1
1,434	799	622	5	8	955	529	381	20	25	1,262	632	528	63	39	1,905	749	577	324	255	2
4,769	3,237	1,503	18	11	3,136	2,145	895	61	35	3,398	2,144	972	161	121	2,838	1,525	627	392	294	3
63	40	22	-	1	25	17	7	-	1	67	40	23	1	3	29	20	6	-	3	4
197	99	96	2	-	220	127	80	8	5	266	118	97	23	28	207	43	44	59	61	5
18	7	11	-	-	19	10	8	1	-	18	10	5	2	1	18	3	2	6	7	6
26	13	12	1	-	35	24	6	4	1	25	12	6	4	3	47	8	2	24	13	7
153	79	73	1	-	166	93	66	3	4	223	96	86	17	24	142	32	40	29	41	8
1,235	615	609	5	6	859	442	378	20	19	1,047	490	385	90	82	871	257	224	199	191	9
557	284	268	2	3	389	216	164	5	4	392	188	155	28	21	352	106	88	84	74	10
678	331	341	3	3	470	226	214	15	15	655	302	230	62	61	519	151	136	115	117	11
371	199	166	4	2	314	179	114	12	9	726	382	227	70	47	503	170	89	144	100	12
12	8	4	-	-	17	7	8	1	1	14	4	6	1	3	15	5	2	6	2	13
30	17	13	-	-	37	21	12	1	3	80	29	18	20	13	48	13	3	18	14	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	15
61	33	28	-	-	51	29	20	1	1	41	22	18	-	1	31	16	9	1	5	16
268	141	121	4	2	209	122	74	9	4	591	327	185	49	30	407	136	75	118	78	17
1,147	488	643	6	10	942	395	467	35	45	1,945	761	808	185	191	1,940	416	482	501	541	18
410	200	206	1	3	351	167	156	11	17	587	231	205	74	77	355	88	82	91	94	19
737	288	437	5	7	591	228	311	24	28	1,358	530	603	111	114	1,585	328	400	410	447	20
231	108	118	1	4	201	88	98	10	5	284	132	106	24	22	241	67	46	53	75	21
114	58	54	-	2	112	56	44	9	3	123	53	47	12	11	65	20	16	12	17	22
117	50	64	1	2	89	32	54	1	2	161	79	59	12	11	176	47	30	41	58	23
835	443	389	1	2	611	294	297	10	10	702	336	284	50	32	383	108	143	74	58	24
740	376	361	1	2	552	256	279	9	8	645	297	270	47	31	332	89	134	63	46	25
39	28	11	-	-	30	21	7	-	2	29	23	4	2	-	22	12	2	6	2	26
10	7	3	-	-	6	3	3	-	-	5	2	3	-	-	6	-	1	3	2	27
46	32	14	-	-	23	14	8	1	-	23	14	7	1	1	23	7	6	2	8	28
73	50	23	-	-	51	27	19	1	4	78	38	27	6	7	57	21	12	11	13	29
880	506	363	9	2	613	350	207	32	24	1,447	676	595	103	73	1,253	352	252	352	297	30
18	14	4	-	-	15	6	8	1	-	12	6	6	-	-	14	5	3	2	4	31
87	32	54	-	1	80	38	38	1	3	183	80	77	9	17	208	45	49	55	59	32
568	330	232	5	1	373	203	123	28	19	1,006	445	429	81	51	816	202	157	238	219	33
201	134	65	2	-	90	59	22	7	2	287	130	119	25	13	193	55	29	62	47	34
226	114	108	3	1	184	94	62	17	11	422	193	163	40	26	462	108	88	136	130	35
80	45	35	-	-	50	28	18	1	3	75	34	37	3	1	59	20	13	11	15	36
61	37	24	-	-	49	22	21	3	3	222	88	110	13	11	102	19	27	29	27	37
9	7	2	-	-	10	7	2	-	1	20	10	7	2	1	19	6	6	5	2	38
35	19	15	1	-	28	17	9	1	1	48	26	19	2	1	27	18	4	5	-	39
7	2	5	-	-	4	2	2	-	-	6	2	3	-	1	5	1	2	1	1	40
8	8	-	-	-	8	6	2	-	-	15	13	-	1	1	15	5	1	9	-	41
1	-	1	-	-	5	5	-	-	-	5	2	3	-	-	7	2	2	3	-	42
147	94	50	3	-	90	66	23	1	-	152	92	51	8	1	142	68	28	34	12	43
880	499	373	1	7	615	328	246	21	20	977	544	329	59	45	885	323	193	203	166	44
4	3	1	-	-	6	3	1	2	-	3	2	-	-	1	4	1	2	1	-	45
70	55	15	-	-	55	42	8	4	1	82	55	15	8	4	53	26	5	20	2	46
67	55	12	-	-	47	38	8	1	-	58	46	9	3	-	39	25	5	6	3	47
5	2	3	-	-	6	3	2	1	-	4	1	2	-	1	7	5	-	1	1	48
48	27	21	-	-	44	32	12	-	-	55	31	16	3	5	43	13	8	15	7	49
170	90	78	-	2	116	53	57	3	3	150	79	48	16	7	170	56	42	33	39	50
87	45	39	-	3	63	25	32	3	3	180	91	70	13	6	159	27	23	61	48	51
166	110	55	-	1	113	68	35	3	7	209	138	57	4	10	201	115	35	30	21	52
144	91	52	-	1	92	56	28	2	6	180	116	50	4	10	160	90	27	25	18	53
22	19	3	-	-	21	12	7	1	1	29	22	7	-	-	41	25	8	5	3	54
135	50	84	-	1	88	30	53	2	3	107	38	66	2	1	52	16	28	3	5	55
128	62	65	1	-	77	34	38	2	3	129	63	46	10	10	157	39	45	33	40	56
629	405	206	11	7	724	427	236	36	25	793	376	269	95	53	787	246	169	203	169	57
382	208	157	10	7	480	231	200	24	25	556	220	223	63	50	532	139	116	139	138	58
26	11	15	-	-	30	15	13	2	-	46	19	13	9	5	55	8	7	18	22	59
15	9	6	-	-	26	12	10	2	2	24	7	12	4	1	34	9	11	11	3	60
341	188	136	10	7	424	204	177	20	23	486	194	198	50	44	443	122	98	110	113	61
38	22	16	-	-	37	22	12	3	-	68	35	21	10	2	61	23	19	7	12	62
17	3	14	-	-	21	14	6	1	-	21	10	9	2	-	29	10	13	2	4	63
29	23	6	-	-	15	12	3	-	-	23	7	9	7	-	44	10	11	17	6	64
128	127	...	1	...	123	116	...	7	...	99	89	...	10	...	93	58	...	35	...	65
22	22	...	-	...	33	32	...	1	...	18	15	...	3	...	9	6	...	3	...	66
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
12	...	12	...	-	15	...	15	...	-	8	...	7	...	1	19	...	10	...	9	68
33	...	33	...	-	30	...	24	...	6	66	...	63	...	3	87	...	26	...	61	69
2	...	2	...	-	2	...	2	...	-	9	...	8	...	1	9	...	6	...	3	70
9	...	9	...	-	8	...	7	...	1	27	...	26	...	1	30	...	6	...	24	71
7	...	7	...	-	4	...	3	...	1	17	...	17	...	-	14	...	4	...	10	72
2	...	2	...	-	6	...	3	...	3	2	...	2	...	-	5	...	1	...	4	73
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	2	...	1	...	1	74
1	...	1	...	-	1	...	1	...	-	2	...	1	...	1	11	...	4	...	7	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	76
12	...	12	...	-	8	...	7	...	1	7	...	7	...	-	15	...	4	...	11	77

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	61	30	22	1	8	33	17	15	-	1
2	Infections of skin and subcutaneous tissue-----690-698	18	11	6	1	-	9	5	4	-	-
3	Other diseases of skin and subcutaneous tissue-----700-716	43	19	16	-	8	24	12	11	-	1
4	XIII. Diseases of the bones and organs of movement	149	72	68	6	3	79	43	32	2	2
5	Arthritis and spondylitis-----720-725	63	23	37	2	1	41	21	19	-	1
6	Muscular rheumatism and rheumatism, unspecified-----726,727	7	3	4	-	-	2	1	1	-	-
7	Osteomyelitis and periostitis-----730	11	7	2	1	1	4	3	1	-	-
8	Ankylosis and acquired musculoskeletal deformities-----737,745-749	5	4	1	-	-	2	2	-	-	-
9	All other diseases of musculoskeletal system-----731-736,738-744	63	35	24	3	1	30	16	11	2	1
10	XIV. Congenital malformations	1,046	520	455	48	23	502	252	212	22	16
11	Spina bifida and meningocele-----751	84	43	40	1	-	41	12	27	2	-
12	Congenital hydrocephalus, etc.*-----752,753	172	81	82	6	3	66	30	31	3	2
13	Congenital malformations of circulatory system-----754	441	224	180	22	15	215	118	79	10	8
14	Other congenital malformations-----750,755-759	349	172	153	19	5	180	92	75	7	6
15	XV. Certain diseases of early infancy	3,175	1,572	1,053	308	242	1,663	888	628	96	51
16	Birth injuries-----760,761	642	347	227	33	35	254	155	88	8	3
17	Postnatal asphyxia and atelectasis-----762	1,205	593	376	127	109	381	205	148	20	8
18	Infections of newborn-----763-768	176	70	55	27	24	99	48	37	9	5
19	Hemolytic disease of newborn (erythroblastosis)-----770	159	95	58	5	1	79	43	36	-	-
20	All other defined diseases of early infancy-----769,771,772	80	38	25	13	4	42	22	17	2	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-----773-776	913	429	312	103	69	808	415	302	57	34
22	XVI. Symptoms, senility, and ill-defined conditions	450	214	198	21	17	235	114	111	4	6
23	Senility without mention of psychosis-----794	224	88	121	8	7	117	49	67	-	1
24	Symptoms, ill-defined and unknown causes-----780-793,795	226	126	77	13	10	118	65	44	4	5
25	XVII. Accidents, poisonings, and violence	6,441	4,100	1,637	523	181	3,552	2,273	1,057	150	72
26	Accidents-----E800-E962	5,161	3,301	1,397	331	132	2,926	1,864	920	97	45
27	Railway accidents-----E800-E802	150	107	20	20	3	62	54	4	3	1
28	Motor-vehicle accidents-----E810-E835	1,994	1,373	460	122	39	1,239	891	297	34	17
29	Motor-vehicle traffic accidents-----E810-E825	1,960	1,346	453	122	39	1,224	880	294	34	16
30	Motor-vehicle traffic accident with railway train*-----E810	139	99	39	1	-	109	79	30	-	-
31	Motor-vehicle traffic accident to pedestrian-----E812	559	377	121	48	13	255	192	46	9	8
32	Other motor-vehicle traffic accidents, etc.*-----E811,E813-E819	782	523	205	38	16	527	364	144	15	4
33	Motor-vehicle noncollision traffic accidents-----E820-E824	396	284	74	30	8	277	204	60	9	4
34	Motor-vehicle traffic accident of unspecified nature-----E825	84	63	14	5	2	56	41	14	1	-
35	Motor-vehicle nontraffic accidents-----E830-E835	34	27	7	-	-	15	11	3	-	1
36	Other road-vehicle accidents-----E840-E845	35	23	7	3	2	11	8	3	-	-
37	Water-transport accidents-----E850-E858	64	54	6	4	-	27	23	2	2	-
38	Aircraft accidents-----E860-E866	59	50	7	2	-	32	27	5	-	-
39	Accidental poisoning by solid and liquid substances-----E870-E888	80	39	29	8	4	28	15	9	4	-
40	Accidental poisoning by gases and vapors-----E890-E895	73	54	16	1	2	40	25	11	3	1
41	Accidental falls-----E900-E904	1,302	641	605	41	15	777	328	426	18	5
42	Fall from one level to another-----E900-E902	483	286	161	28	8	241	134	92	13	2
43	Fall on same level-----E903	311	144	157	7	3	341	110	224	4	3
44	Unspecified falls-----E904	508	211	287	6	4	195	84	110	1	-
45	Blow from falling object-----E910	50	45	3	1	1	22	20	1	1	-
46	Accident caused by machinery-----E912	108	97	4	7	-	62	59	3	-	-
47	Accident caused by electric current-----E914	48	46	1	1	-	24	23	1	-	-
48	Accident caused by fire and explosion, etc.*-----E916	455	274	88	51	42	175	94	55	14	12
49	Accident caused by hot substance, etc.*-----E917,E918	53	27	15	7	4	24	15	5	2	2
50	Accident caused by firearm-----E919	103	81	5	12	5	60	51	7	2	-
51	Inhalation and ingestion of food or other object, etc.*-----E921,E922	52	30	20	1	1	29	15	11	1	2
52	Accidental drowning-----E929	224	170	30	22	2	106	89	12	5	-
53	Excessive heat and insolation-----E931	7	3	2	1	1	8	6	2	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-----E940-E959	34	17	13	1	3	23	10	12	1	-
55	All other accidents-----Residual[1]	270	170	66	26	8	177	111	54	7	5
56	Suicide-----E963,E970-E979	897	672	192	22	11	464	348	102	12	2
57	Suicide by poisoning-----E970-E973	136	82	50	-	4	102	63	36	2	1
58	Suicide by hanging and strangulation-----E974	281	220	54	5	2	111	73	34	3	1
59	Suicide by firearms and explosives-----E976	349	287	46	12	4	214	189	18	7	-
60	Suicide by all other means-----E963,E975,E977-E979	131	83	42	5	1	37	23	14	-	-
61	Homicide-----E964,E980-E985	377	122	48	169	38	160	59	35	41	25
62	Assault by firearms and explosives-----E981	190	55	27	89	19	79	24	24	16	15
63	Assault by cutting and piercing instruments-----E982	91	19	4	54	14	33	8	3	16	6
64	Assault by other means-----E964,E980,E983	76	39	17	15	5	40	22	8	6	4
65	Injury by intervention of police-----E984	20	9	-	11	-	6	4	-	2	-
66	Execution-----E985	-	-	-	-	-	2	1	-	1	-
67	Injury resulting from operations of war-----E965,E990-E999	6	5	-	1	-	2	2	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
33	16	16	1	-	25	13	10	-	2	22	9	9	3	1	31	9	6	8	8	1
6	4	2	-	-	10	6	2	-	2	8	5	2	-	1	10	4	2	1	3	2
27	12	14	1	-	15	7	8	-	-	14	4	7	3	-	21	5	4	7	5	3
67	28	39	-	-	50	17	30	1	2	97	39	52	4	2	48	14	13	9	12	4
43	17	26	-	-	33	11	19	1	2	60	19	36	4	1	24	7	8	4	5	5
1	1	-	-	-	1	-	1	-	-	5	2	3	-	-	3	-	1	1	1	6
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	7
2	-	2	-	-	1	-	1	-	-	2	1	1	-	-	3	-	1	-	2	8
19	9	10	-	-	15	6	9	-	-	27	15	11	-	1	17	6	3	4	4	9
372	202	169	1	-	257	153	90	8	6	417	217	184	7	9	337	110	100	75	52	10
35	15	20	-	-	13	7	6	-	-	38	14	24	-	-	21	7	7	5	2	11
38	15	23	-	-	46	25	18	1	2	36	14	20	-	2	56	17	13	20	6	12
181	110	71	-	-	115	73	34	5	3	193	110	74	5	4	149	46	45	35	23	13
118	62	55	1	-	83	48	32	2	1	150	79	66	2	3	111	40	35	15	21	14
1,061	622	420	13	6	685	385	253	35	12	1,383	760	507	67	49	1,593	456	306	460	371	15
246	163	81	1	1	158	98	53	6	1	224	131	76	11	6	262	87	63	58	54	16
227	137	85	3	2	193	111	65	10	7	354	192	139	14	9	317	119	83	55	60	17
69	45	21	1	2	39	17	14	6	2	102	53	38	8	3	114	11	19	50	34	18
49	26	23	-	-	40	22	15	2	1	48	29	19	-	-	52	23	20	6	3	19
45	29	16	-	-	19	11	7	1	-	85	45	29	7	4	85	16	7	36	26	20
425	222	194	8	1	236	126	99	10	1	570	310	206	27	27	763	200	114	255	194	21
205	94	111	-	-	334	208	110	12	4	482	220	221	25	16	480	129	60	147	144	22
124	50	74	-	-	90	35	47	6	2	205	71	119	8	7	118	36	26	19	37	23
81	44	37	-	-	244	173	63	6	2	277	149	102	17	9	362	93	34	128	107	24
2,087	1,401	650	22	14	1,742	1,124	519	69	30	2,622	1,767	609	177	69	2,173	974	344	592	263	25
1,700	1,119	554	17	10	1,453	915	460	51	27	2,106	1,413	527	110	56	1,781	838	301	427	215	26
35	27	7	1	-	28	23	1	4	-	64	56	4	3	1	55	32	-	18	5	27
620	449	161	9	1	602	389	192	15	6	768	590	129	39	10	634	354	99	136	45	28
597	430	157	9	1	586	378	187	15	6	749	575	125	39	10	619	345	96	133	45	29
51	36	15	-	-	43	25	17	1	-	21	17	4	-	-	31	15	1	9	6	30
80	58	22	-	-	61	34	24	3	-	175	127	35	10	3	139	63	20	40	16	31
211	143	63	4	1	198	125	64	6	3	168	143	22	3	-	204	123	41	33	7	32
134	102	31	1	-	136	97	36	3	-	139	108	20	10	1	137	78	21	29	9	33
121	91	26	4	-	148	97	46	2	3	246	180	44	16	6	108	66	13	22	7	34
23	19	4	-	-	16	11	5	-	-	19	15	4	-	-	15	9	3	3	-	35
8	8	-	-	-	7	6	1	-	-	14	11	2	1	-	6	3	1	2	-	36
18	17	1	-	-	9	8	1	-	-	29	27	2	-	-	104	81	5	18	-	37
26	24	2	-	-	37	34	3	-	-	19	18	-	1	-	22	21	1	-	-	38
20	13	4	-	3	13	6	5	1	1	25	16	6	1	2	28	5	7	7	9	39
26	22	4	-	-	30	21	8	1	-	33	20	12	1	-	18	13	2	2	1	40
484	223	259	1	1	323	145	170	3	5	425	173	236	7	9	235	86	96	23	30	41
120	76	43	1	-	90	56	31	2	1	96	60	32	3	1	73	38	14	14	7	42
93	37	56	-	-	101	36	64	-	1	46	17	27	1	1	23	5	16	-	2	43
271	110	160	-	1	132	53	75	1	3	283	96	177	3	7	139	43	66	9	21	44
18	16	2	-	-	10	8	2	-	-	96	90	1	5	-	31	17	1	13	-	45
57	54	3	-	-	46	44	2	-	-	47	45	1	1	-	32	24	-	8	-	46
24	22	2	-	-	11	9	2	-	-	20	18	-	2	-	29	21	2	6	-	47
92	50	39	2	1	101	47	25	18	11	154	64	52	16	22	198	39	38	60	61	48
22	13	9	-	-	13	7	5	1	-	30	11	14	-	5	36	7	7	9	13	49
30	27	3	-	-	32	29	3	-	-	76	53	10	10	3	55	26	2	22	5	50
17	8	9	-	-	18	8	8	1	1	42	23	17	2	-	35	7	8	10	10	51
67	60	6	-	1	61	53	5	2	1	91	76	7	8	-	115	58	10	43	4	52
3	3	-	-	-	4	3	1	-	-	1	1	-	-	-	10	6	2	1	1	53
17	6	11	-	-	6	3	3	-	-	7	2	4	1	-	14	5	1	4	4	54
116	77	32	4	3	102	72	23	5	2	165	119	30	12	4	124	33	19	45	27	55
346	263	80	2	1	241	187	52	1	1	289	222	61	4	2	151	102	29	16	4	56
66	40	26	-	-	45	24	20	-	1	33	20	13	-	-	23	14	7	1	1	57
100	68	31	-	1	39	25	14	-	-	55	41	13	1	-	13	10	-	2	1	58
139	123	14	2	-	132	121	10	1	-	152	134	15	2	1	96	69	18	9	-	59
41	32	9	-	-	25	17	8	-	-	49	27	20	1	1	19	9	4	4	2	60
40	18	16	3	3	48	22	7	17	2	226	131	21	63	11	240	33	14	149	44	61
19	8	6	2	3	29	12	6	10	1	161	102	16	40	3	121	19	6	74	22	62
2	-	2	-	-	7	3	1	2	1	34	11	2	14	7	74	5	1	56	12	63
15	6	8	1	-	10	6	-	4	-	27	17	3	6	1	34	5	7	12	10	64
4	4	-	-	-	1	-	-	1	-	3	1	-	2	-	5	1	-	4	-	65
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	6	3	-	3	-	66
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	67

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	10,037	5,609	4,404	18	6	21,353	9,369	7,594	2,493	1,897
2	I. Infective and parasitic diseases	223	143	79	1	-	903	313	135	279	176
3	Tuberculosis, all forms-001-019	142	92	50	-	-	698	241	103	212	142
4	Tuberculosis of respiratory system-001-008	123	78	45	-	-	650	232	96	191	131
5	Tuberculosis of meninges and central nervous system-010	5	3	2	-	-	18	3	2	10	3
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	1	-	1	-	-	2	-	1	-	1
7	Tuberculosis of vertebral column-012.0,013.0	2	2	-	-	-	3	-	-	-	3
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	1	1	-	-	-	1	-	-	1	-
9	Tuberculosis of genito-urinary system-016	2	1	1	-	-	3	1	1	1	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	2	2	-	-	-	4	1	-	3	-
11	Disseminated tuberculosis-019	6	5	1	-	-	17	4	3	6	4
12	Syphilis and its sequelae-020-029	26	21	4	1	-	123	37	13	51	22
13	Congenital syphilis-020	1	-	1	-	-	3	-	1	2	-
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	6	6	-	-	-	25	10	4	6	5
16	Other cardiovascular syphilis-023	9	8	-	1	-	60	18	6	22	14
17	Tabes dorsalis-024	1	-	1	-	-	1	-	1	-	-
18	General paralysis of insane-025	6	5	1	-	-	21	4	-	14	3
19	Other syphilis of central nervous system-026	1	1	-	-	-	11	3	1	7	-
20	Other syphilis-027-029	2	1	1	-	-	2	2	-	-	-
21	Gonococcal infection-030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever-040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever-041	1	-	1	-	-	-	-	-	-	-
24	Other Salmonella infections-042	1	1	-	-	-	-	-	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	1	-	1	-	-	2	1	-	1	-
27	Dysentery, all forms-045-048	1	1	-	-	-	5	2	-	2	1
28	Food poisoning (infection and intoxication)-049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever-050	-	-	-	-	-	-	-	-	-	-
30	Streptococcal sore throat-051	2	1	1	-	-	1	1	-	-	-
31	Erysipelas-052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia-053	4	3	1	-	-	13	3	2	4	4
33	Diphtheria-055	1	-	1	-	-	4	2	1	1	-
34	Whooping cough-056	7	3	4	-	-	1	-	-	-	1
35	Meningococcal infections-057	6	2	4	-	-	13	6	3	3	1
36	Plague-058	-	-	-	-	-	-	-	-	-	-
37	Tularemia-059	-	-	-	-	-	1	1	-	-	-
38	Leprosy-060	-	-	-	-	-	-	-	-	-	-
39	Tetanus-061	1	1	-	-	-	7	4	-	1	2
40	Anthrax-062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis-080	3	1	2	-	-	5	1	3	1	-
42	Late effects of acute poliomyelitis-081	3	2	1	-	-	1	-	1	-	-
43	Acute infectious encephalitis-082	4	2	2	-	-	1	-	-	-	1
44	Late effects of acute infectious encephalitis-083	2	-	2	-	-	1	-	1	-	-
45	Smallpox-084	-	-	-	-	-	-	-	-	-	-
46	Measles-085	7	5	2	-	-	4	2	-	1	1
47	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis-092	5	3	2	-	-	8	4	3	-	1
49	Rabies-094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus-104	-	-	-	-	-	2	2	-	-	-
51	Rocky Mountain spotted fever-104A	-	-	-	-	-	2	2	-	-	-
52	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria-110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis-123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
57	Filariasis-127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths-124,126,128,130	1	1	-	-	-	2	-	2	-	-
60	All other infective and parasitic diseases-Residual[1]	5	4	1	-	-	11	6	3	2	-
61	II. Neoplasms	1,562	757	801	2	2	3,134	1,310	1,369	238	217
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	1,527	746	777	2	2	3,055	1,283	1,335	230	207
63	Malignant neoplasm of buccal cavity and pharynx-140-148	33	27	6	-	-	79	54	15	6	4
64	Of lip-140	6	6	-	-	-	3	2	-	1	-
65	Of tongue-141	7	5	2	-	-	19	16	3	-	-
66	Of other and unspecified parts of buccal cavity-142-144	6	6	-	-	-	24	15	5	3	1
67	Of pharynx-145-148	14	10	4	-	-	33	21	7	2	3
68	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	651	350	299	1	1	1,090	455	475	100	60
69	Of esophagus-150	26	16	10	-	-	58	30	8	17	3
70	Of stomach-151	153	98	55	-	-	292	136	97	37	22
71	Of intestine, except rectum-152,153	228	90	137	-	1	316	109	180	13	14
72	Of rectum-154	92	56	35	1	-	140	67	56	11	6
73	Of biliary passages and of liver (stated to be primary site)-155	45	19	26	-	-	81	26	45	6	4
74	Of liver not specified whether primary or secondary-156A	36	19	17	-	-	70	29	34	4	3
75	Of pancreas-157	66	50	16	-	-	109	51	44	9	5
76	Of peritoneum and of unspecified digestive organs-158,159	5	2	3	-	-	24	7	11	3	3
77	Malignant neoplasm of respiratory system-160-164	109	85	22	1	1	360	262	50	41	7
78	Of larynx-161	3	2	1	-	-	22	18	2	1	1
79	Of trachea, and of bronchus and lung specified as primary-162	21	17	4	-	-	128	96	14	15	3
80	Of lung and bronchus, unspecified as primary or secondary-163	81	64	15	1	1	192	138	28	23	3
81	Of other parts of respiratory system-160,164	4	2	2	-	-	18	10	6	2	-
82	Malignant neoplasm of breast-170	123	-	123	-	-	283	3	244	-	36

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
53,883	28,161	24,737	536	449	59,396	32,057	22,914	2,444	1,981	27,690	16,046	11,299	185	160	21,076	5,696	3,973	5,915	5,492	1
1,205	787	342	53	23	1,787	937	402	283	165	483	297	158	11	17	907	177	105	351	274	2
898	601	239	43	15	1,171	625	208	205	133	253	166	67	8	12	487	104	56	170	157	3
839	576	212	38	13	1,064	597	177	178	112	226	155	60	5	6	447	99	52	150	146	4
17	6	10	-	1	30	8	7	7	8	6	2	2	-	2	15	2	2	6	5	5
6	3	3	-	-	5	-	2	1	2	1	-	-	-	1	4	1	-	1	2	6
3	1	-	2	-	6	2	3	1	-	1	-	1	-	-	3	-	1	2	-	7
1	-	1	-	-	5	2	1	1	1	-	-	-	-	-	1	-	-	1	-	8
13	8	5	-	-	12	6	5	1	-	4	2	1	1	-	2	-	-	2	-	9
4	1	2	1	-	6	2	1	3	-	4	1	-	1	2	1	-	-	-	1	10
15	6	6	2	1	43	8	12	13	10	11	6	3	1	1	14	2	1	8	3	11
154	111	29	8	6	286	164	49	56	17	86	58	25	-	3	104	19	5	53	27	12
2	-	2	-	-	4	1	2	-	1	-	-	-	-	-	3	-	-	2	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
65	50	13	1	1	101	59	19	19	4	24	15	8	-	1	19	7	1	5	6	15
48	36	7	3	2	102	58	14	23	7	40	30	9	-	1	38	5	1	22	10	16
3	1	2	-	-	2	2	-	-	-	1	-	1	-	-	1	-	-	1	-	17
20	14	2	3	1	41	24	7	8	2	7	5	2	-	-	10	2	1	5	2	18
13	8	2	1	2	28	17	5	5	1	12	7	4	-	1	22	4	1	14	3	19
3	2	1	-	-	8	3	2	1	2	2	1	1	-	-	11	1	1	4	5	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	2	22
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	3	2	-	1	-	1	1	-	-	-	-	-	-	-	-	26
10	3	6	1	-	20	13	6	1	-	4	1	3	-	-	66	7	3	35	21	27
-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	4	2	1	1	-	28
3	2	1	-	-	5	2	3	-	-	1	-	1	-	-	-	-	-	-	-	29
3	2	1	-	-	8	4	3	-	1	8	3	5	-	-	8	-	2	5	1	30
-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	31
17	8	9	-	-	33	12	18	1	2	15	8	6	1	-	16	2	6	4	4	32
9	4	5	-	-	5	2	3	-	-	9	6	3	-	-	8	1	2	2	3	33
3	2	1	-	-	22	10	6	4	2	4	1	3	-	-	73	6	5	30	32	34
14	5	9	-	-	45	20	18	5	2	20	12	7	1	-	21	5	2	8	6	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
5	1	3	-	1	9	4	3	2	-	6	5	1	-	-	19	6	3	8	2	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
10	5	5	-	-	64	23	37	3	1	30	21	8	1	-	40	9	6	18	7	41
5	2	3	-	-	9	2	6	-	1	4	2	2	-	-	-	-	-	-	-	42
3	1	2	-	-	18	11	7	-	-	6	2	4	-	-	5	-	2	3	-	43
5	4	1	-	-	8	4	4	-	-	5	-	5	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
6	3	2	1	-	11	8	2	1	-	5	1	3	-	1	15	2	4	4	5	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
30	15	14	-	1	23	8	13	1	1	9	3	5	-	1	9	3	3	1	2	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	53
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	2	2	59
27	16	11	-	-	40	19	13	4	4	13	5	8	-	-	18	7	3	5	3	60
9,087	4,320	4,616	86	65	9,450	4,659	4,267	230	294	4,519	2,334	2,146	21	18	2,240	691	646	391	512	61
8,881	4,219	4,518	84	60	9,236	4,571	4,163	225	277	4,419	2,299	2,081	21	18	2,167	677	628	380	482	62
209	165	41	3	-	223	171	40	10	2	90	65	23	2	-	53	31	8	9	5	63
11	9	2	-	-	18	17	1	-	-	14	12	2	-	-	5	5	-	-	-	64
54	44	8	2	-	58	49	6	3	-	22	14	8	-	-	10	5	1	1	3	65
63	45	18	-	-	53	36	15	2	-	25	17	7	1	-	18	11	6	1	-	66
81	67	13	1	-	94	69	18	5	2	29	22	6	1	-	20	10	1	7	2	67
3,646	1,856	1,737	35	18	3,492	1,858	1,458	86	90	1,769	1,007	750	10	2	720	237	189	166	128	68
172	139	30	3	-	155	114	26	12	3	67	50	14	3	-	33	12	8	10	3	69
959	560	382	14	3	1,056	654	346	28	28	628	407	216	4	1	262	87	55	80	40	70
1,207	492	705	4	6	1,035	454	531	19	31	470	212	256	1	1	181	52	68	28	33	71
495	266	223	3	3	414	210	189	7	8	192	127	64	1	-	54	17	13	10	14	72
162	62	98	1	1	168	65	97	3	3	117	38	79	-	-	17	8	5	1	3	73
196	93	96	4	3	244	126	112	3	3	77	37	40	-	-	86	21	18	25	22	74
380	215	160	4	1	359	206	131	12	10	187	122	65	-	-	72	34	19	9	10	75
75	29	43	2	1	61	29	26	2	4	31	14	16	1	-	15	6	3	3	3	76
800	629	157	12	2	946	773	131	33	9	326	250	73	1	2	184	102	35	32	15	77
58	51	6	1	-	73	69	3	1	-	19	14	4	-	1	16	12	2	2	-	78
182	149	29	4	-	303	262	25	12	4	105	83	21	1	-	52	32	9	8	3	79
528	410	109	7	2	541	427	92	17	5	182	139	42	-	1	107	53	22	21	11	80
32	19	13	-	-	29	15	11	3	-	20	14	6	-	-	9	5	2	1	1	81
910	12	889	-	9	831	5	788	-	38	403	5	395	-	3	161	3	100	-	58	82

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	258	101	157	-	-	496	139	273	32	52
2	Of cervix uteri----------171	69	...	69	...	-	126	...	102	...	24
3	Of other and unspecified parts of uterus----------172-174	55	...	55	...	-	109	...	91	...	18
4	Of ovary, fallopian tube, and broad ligament----------175	31	...	31	...	-	80	...	71	...	9
5	Of other and unspecified female genital organs----------176	2	...	2	...	-	10	...	9	...	1
6	Of prostate----------177	92	92	...	-	...	149	121	...	28	...
7	Of testis, and of other and unspecified male genital organs----178,179	9	9	...	-	...	22	18	...	4	...
8	Malignant neoplasm of urinary organs----------180,181	71	44	27	-	-	178	95	62	16	5
9	Of kidney----------180	31	18	13	-	-	52	21	25	5	1
10	Of bladder and other urinary organs----------181	40	26	14	-	-	126	74	37	11	4
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	168	74	94	-	-	342	160	140	15	27
12	Of skin----------190,191	18	12	6	-	-	46	25	17	1	3
13	Of eye----------192	-	-	-	-	-	6	1	5	-	-
14	Of brain and other parts of nervous system----------193	25	11	14	-	-	52	25	21	2	4
15	Of thyroid gland----------194	7	3	4	-	-	12	2	9	1	-
16	Of bone (including jaw bone)----------196	15	10	5	-	-	32	18	11	-	3
17	Of connective tissue----------197	7	5	2	-	-	5	1	4	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	36	13	23	-	-	51	25	20	2	4
19	Of unspecified sites----------156B,165,198B,199B-M	60	20	40	-	-	138	63	53	9	13
20	Leukemia and aleukemia----------204	50	30	20	-	-	106	49	40	9	8
21	Lymphosarcoma, etc.*----------200-203,205	64	35	29	-	-	121	66	36	11	8
22	Lymphosarcoma and reticulosarcoma----------200	35	17	18	-	-	52	36	13	1	2
23	Hodgkin's disease----------201	16	11	5	-	-	35	18	12	5	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	13	7	6	-	-	34	12	11	5	6
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	35	11	24	-	-	79	27	34	8	10
26	Benign neoplasms of female genital organs----------214-217	10	...	10	...	-	16	...	9	...	7
27	Benign neoplasm of brain and other parts of nervous system---------223	7	2	5	-	-	12	2	3	5	2
28	Other benign neoplasms----------210-213,218-222,224-229	4	2	2	-	-	15	6	8	1	-
29	Neoplasm of unspecified nature of female genital organs---------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	11	7	4	-	-	28	16	10	1	1
31	Other neoplasms of unspecified nature----------230-232,236,238,239	3	-	3	-	-	8	3	4	1	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	252	131	120	1	-	584	188	303	32	61
33	Asthma----------241	52	36	16	-	-	98	56	27	7	8
34	Nontoxic goiter----------250,251	-	-	-	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	5	1	4	-	-	20	-	14	-	6
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	4	1	3	-	-	4	-	3	-	1
37	Diabetes mellitus----------260	176	83	93	-	-	436	123	248	25	40
38	Diseases of thymus gland----------273	6	4	2	-	-	3	2	-	-	1
39	Diseases of adrenal glands----------274	2	1	1	-	-	6	1	4	-	1
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	3	1	1	1	-	7	3	2	-	2
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	4	4	-	-	-	10	3	5	-	2
43	IV. Diseases of the blood and blood-forming organs----------	37	16	21	-	-	66	24	27	7	8
44	Anemias----------290-293	27	13	14	-	-	46	16	18	5	7
45	Pernicious and other hyperchromic anemias----------290	16	6	10	-	-	16	6	8	-	2
46	Anemias of other and unspecified type----------291-293	11	7	4	-	-	30	10	10	5	5
47	Purpura and other hemorrhagic conditions----------296	5	2	3	-	-	8	3	4	1	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	5	1	4	-	-	12	5	5	1	1
49	V. Mental, psychoneurotic, and personality disorders----------	31	25	6	-	-	40	22	6	10	2
50	Senile psychosis----------304	5	2	3	-	-	-	-	-	-	-
51	Alcoholic psychosis----------307	1	1	-	-	-	4	3	-	1	-
52	Other psychoses----------300-303,305,306,308,309	2	2	-	-	-	4	-	1	2	1
53	Alcoholism----------322	23	20	3	-	-	26	15	4	6	1
54	Mental deficiency----------325	-	-	-	-	-	6	4	1	1	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	1,326	643	682	1	-	2,050	812	821	208	209
57	Vascular lesions affecting central nervous system----------330-334	1,207	576	631	-	-	1,832	722	754	172	184
58	Subarachnoid hemorrhage----------330	17	8	9	-	-	79	29	20	17	13
59	Cerebral hemorrhage----------331	858	410	448	-	-	1,279	486	540	115	138
60	Cerebral embolism and thrombosis----------332	222	108	114	-	-	288	138	114	18	18
61	Other vascular lesions affecting central nervous system---------333,334	110	50	60	-	-	186	69	80	22	15
62	Meningitis, except meningococcal and tuberculous----------340	14	8	6	-	-	32	9	6	9	8
63	Multiple sclerosis----------345	14	8	6	-	-	18	7	8	2	1
64	Paralysis agitans----------350	23	14	9	-	-	24	9	13	2	-
65	Cerebral spastic infantile paralysis----------351	5	3	2	-	-	6	4	-	1	1
66	Epilepsy----------353	22	13	9	-	-	32	19	5	6	2
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	5	3	1	1	-
69	Glaucoma----------387	-	-	-	-	-	1	-	1	-	-
70	Otitis media and mastoiditis----------391-393	10	7	2	1	-	10	3	2	3	2
71	Other diseases of nervous system and sense organs----------Residual[1]	31	14	17	-	-	90	36	31	12	11
72	VII. Diseases of the circulatory system----------	4,160	2,414	1,739	6	1	9,449	4,394	3,468	859	728
73	Rheumatic fever----------400-402	12	7	5	-	-	23	9	7	3	4
74	Diseases of heart----------410-443	3,702	2,179	1,518	5	-	8,706	4,098	3,168	778	662
75	Chronic rheumatic heart disease----------410-416	129	71	58	-	-	264	108	115	25	16
76	Diseases of mitral valve----------410	57	27	30	-	-	94	40	39	7	8
77	Diseases of aortic valve specified as rheumatic----------411	2	1	1	-	-	11	7	2	2	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	9	7	2	-	-	15	7	6	1	1
80	Other diseases of heart specified as rheumatic----------415,416	61	36	25	-	-	144	54	68	15	7

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,162	408	730	7	17	1,452	478	849	34	91	669	312	349	3	5	461	74	117	85	185	1
229	...	220	...	9	370	...	319	...	51	113	...	110	...	3	130	...	52	...	78	2
237	...	233	...	4	299	...	265	...	34	103	...	102	...	1	128	...	40	...	88	3
258	...	255	...	3	248	...	242	...	6	123	...	122	...	1	31	...	18	...	13	4
23	...	22	...	1	23	...	23	...	-	15	...	15	...	-	13	...	7	...	6	5
389	382	...	7	...	473	440	...	33	...	295	292	...	3	...	148	67	...	81	...	6
26	26	...	-	...	39	38	...	1	...	20	20	...	-	...	11	7	...	4	...	7
431	275	148	6	2	436	301	119	7	9	228	148	77	2	1	91	36	22	20	13	8
152	101	49	1	1	157	100	52	2	3	121	77	43	-	1	30	13	6	5	6	9
279	174	99	5	1	279	201	67	5	6	107	71	34	2	-	61	23	16	15	7	10
1,049	507	523	11	8	1,092	528	507	27	30	489	254	233	1	1	317	106	112	41	58	11
102	53	48	-	1	107	63	39	2	3	56	30	25	-	1	49	24	18	2	5	12
12	6	6	-	-	11	8	3	-	-	4	3	1	-	-	4	2	1	1	-	13
166	98	66	2	-	208	122	76	7	3	116	58	58	-	-	40	20	14	4	2	14
39	15	23	-	1	30	6	24	-	-	23	8	15	-	-	1	-	1	-	-	15
70	42	27	1	-	89	45	42	2	-	40	22	18	-	-	26	8	9	6	3	16
29	12	16	1	-	21	12	6	-	3	9	4	5	-	-	5	3	1	-	1	17
145	58	83	2	2	161	64	87	6	4	80	42	38	-	-	64	16	19	14	15	18
486	223	254	5	4	465	208	230	10	17	161	87	73	1	-	128	33	49	14	32	19
324	170	152	2	-	380	223	138	16	3	257	148	103	2	4	106	51	24	17	14	20
350	197	141	8	4	384	234	133	12	5	188	110	78	-	-	74	37	21	10	6	21
131	73	54	2	2	137	75	57	5	-	46	27	19	-	-	32	20	7	2	3	22
134	84	47	2	1	116	77	35	3	1	61	31	30	-	-	27	14	6	5	2	23
85	40	40	4	1	131	82	41	4	4	81	52	29	-	-	15	3	8	3	1	24
206	101	98	2	5	214	88	104	5	17	100	35	65	-	-	73	14	18	11	30	25
22	...	18	...	4	42	...	30	...	12	22	...	22	...	-	24	...	5	...	19	26
18	10	7	-	1	26	13	11	1	1	22	7	15	-	-	4	-	3	-	1	27
29	15	14	-	-	24	12	11	-	1	14	8	6	-	-	8	4	2	2	-	28
1	...	1	...	-	3	...	3	...	-	-	...	-	...	-	3	...	1	...	2	29
100	59	39	2	-	78	40	31	4	3	31	17	14	-	-	24	7	6	7	4	30
36	17	19	-	-	41	23	18	-	-	11	3	8	-	-	10	3	1	2	4	31
1,514	637	852	13	12	1,965	832	1,016	44	73	697	307	386	1	3	401	79	106	71	145	32
276	180	91	4	1	365	245	102	9	9	134	82	51	-	1	62	19	12	15	16	33
2	1	1	-	-	8	1	7	-	-	1	-	1	-	-	3	-	-	-	3	34
20	4	16	-	-	60	11	45	1	3	31	2	29	-	-	28	2	5	-	21	35
10	2	8	-	-	7	2	4	-	1	2	-	2	-	-	2	-	1	-	1	36
1,142	413	710	9	10	1,382	497	807	24	54	495	205	288	1	1	267	51	76	49	91	37
8	7	1	-	-	71	41	21	6	3	1	-	1	-	-	3	-	2	1	-	38
11	4	7	-	-	18	10	6	2	-	8	3	5	-	-	2	1	-	1	-	39
1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	12	-	5	3	4	40
19	13	5	-	1	27	17	7	1	2	14	10	3	-	1	16	4	2	2	8	41
25	13	12	-	-	26	8	16	1	1	10	5	5	-	-	6	2	3	-	1	42
225	90	129	5	1	272	120	141	5	6	118	59	59	-	-	71	18	16	17	20	43
169	60	103	5	1	207	98	104	2	3	89	46	43	-	-	54	10	12	15	17	44
97	29	67	1	-	107	51	56	-	-	52	27	25	-	-	12	3	3	5	1	45
72	31	36	4	1	100	47	48	2	3	37	19	18	-	-	42	7	9	10	16	46
21	10	11	-	-	29	10	18	-	1	11	3	8	-	-	4	1	1	1	1	47
35	20	15	-	-	36	12	19	3	2	18	10	8	-	-	13	7	3	1	2	48
119	88	25	3	3	138	90	36	8	4	137	80	54	-	3	67	18	8	20	21	49
4	1	3	-	-	35	21	12	2	-	65	33	32	-	-	16	1	2	3	10	50
6	6	-	-	-	7	6	-	1	-	5	5	-	-	-	3	2	1	-	-	51
17	12	3	-	2	26	9	14	-	3	16	9	7	-	-	14	1	4	2	7	52
87	68	15	3	1	57	47	4	5	1	43	30	10	-	3	28	12	1	12	3	53
3	1	2	-	-	7	2	5	-	-	6	3	3	-	-	4	1	-	2	1	54
2	-	2	-	-	6	5	1	-	-	2	-	2	-	-	2	1	-	1	-	55
6,290	2,762	3,411	63	54	7,170	3,391	3,297	235	247	4,065	2,051	1,970	20	24	2,590	616	587	618	769	56
5,804	2,499	3,200	54	51	6,600	3,085	3,085	201	229	3,763	1,884	1,843	19	17	2,364	561	534	555	714	57
129	72	51	3	3	142	62	65	6	9	76	33	42	-	1	36	14	8	4	10	58
3,915	1,664	2,185	39	27	4,517	2,074	2,142	132	169	2,642	1,332	1,285	15	10	1,681	390	384	389	518	59
1,366	599	742	7	18	1,092	554	473	32	33	578	283	287	3	5	164	70	49	27	18	60
394	164	222	5	3	849	395	405	31	18	467	236	229	1	1	483	87	93	135	168	61
40	29	9	2	-	82	45	21	12	4	22	15	5	-	2	45	9	6	19	11	62
61	27	33	1	-	66	24	39	1	2	35	13	22	-	-	17	6	4	5	2	63
112	52	59	-	1	86	50	35	1	-	59	37	21	1	-	20	8	10	1	1	64
11	5	6	-	-	23	11	9	1	2	24	12	11	-	1	15	3	3	5	4	65
107	65	37	3	2	89	44	34	8	3	52	31	20	-	1	31	4	4	12	11	66
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	67
4	2	2	-	-	10	6	4	-	-	1	-	1	-	-	-	-	-	-	-	68
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	69
20	11	8	1	-	11	6	3	-	2	7	5	2	-	-	5	3	1	-	1	70
130	72	56	2	-	202	119	67	11	5	101	53	45	-	3	92	22	24	21	25	71
24,452	13,128	10,993	155	176	23,161	13,274	8,608	689	590	11,037	6,801	4,142	54	40	6,172	2,116	1,320	1,376	1,360	72
45	23	20	-	2	63	34	25	1	3	20	12	8	-	-	29	15	1	7	6	73
22,158	12,069	9,798	136	155	20,965	12,214	7,620	611	520	9,834	6,177	3,573	49	35	5,593	1,936	1,176	1,241	1,240	74
815	328	471	4	12	887	439	397	26	25	417	239	174	2	2	237	56	59	49	73	75
272	105	162	2	3	297	140	141	11	5	229	125	102	1	1	175	42	35	44	54	76
26	19	7	-	-	44	36	8	-	-	36	27	9	-	-	3	1	2	-	-	77
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
39	17	21	-	1	56	28	26	1	1	33	16	17	-	-	10	-	4	2	4	79
477	186	281	2	8	490	235	222	14	19	119	71	46	1	1	49	13	18	3	15	80

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	2,332	1,489	840	3	-	4,219	2,445	1,386	245	143
2	Arteriosclerotic heart disease so described----------420.0	617	340	275	2	-	1,020	470	425	78	47
3	Heart disease specified as involving coronary arteries----------420.1	1,691	1,130	560	1	-	3,178	1,964	954	166	94
4	Angina pectoris without mention of coronary disease----------420.2	24	19	5	-	-	21	11	7	1	2
5	Chronic endocarditis not specified as rheumatic----------421	119	63	54	2	-	147	61	55	15	16
6	Of mitral valve, specified as nonrheumatic----------421.0	8	3	5	-	-	14	3	6	4	1
7	Of aortic valve, not specified as rheumatic----------421.1	13	8	5	-	-	24	12	6	4	2
8	Of other valves, not specified as rheumatic----------421.2-421.4	98	52	44	2	-	109	46	43	7	13
9	Other myocardial degeneration----------422	528	277	251	-	-	1,751	729	705	188	129
10	With arteriosclerosis----------422.1	258	132	126	-	-	1,375	574	565	145	91
11	Without mention of arteriosclerosis----------422.0,422.2	270	145	125	-	-	376	155	140	43	38
12	Other diseases of heart----------430-434	111	53	58	-	-	236	94	64	40	38
13	Acute and subacute endocarditis----------430	3	-	3	-	-	9	3	4	2	-
14	Acute myocarditis not specified as rheumatic----------431	13	7	6	-	-	36	5	12	8	11
15	Acute pericarditis specified as nonrheumatic----------432	1	1	-	-	-	2	-	1	1	-
16	Functional disease of heart----------433	19	4	15	-	-	23	14	4	2	3
17	Other and unspecified diseases of heart----------434	75	41	34	-	-	166	72	43	27	24
18	Hypertension with heart disease----------440-443	483	226	257	-	-	2,088	661	843	265	320
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	133	75	58	-	-	653	220	238	86	109
20	Essential hypertension with heart disease, etc.*----------440,441,443	350	151	199	-	-	1,436	441	605	179	211
21	Hypertension without mention of heart----------444-447	107	55	52	-	-	215	65	84	31	35
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	66	39	27	-	-	118	42	37	22	17
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	41	16	25	-	-	97	23	47	9	18
24	Diseases of arteries----------450-456	310	153	155	1	1	455	204	192	38	21
25	General arteriosclerosis----------450	284	136	146	1	1	398	178	172	34	14
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	15	13	2	-	-	35	17	12	3	3
27	Gangrene of unspecified cause----------455	-	-	-	-	-	2	1	-	-	1
28	Other arterial diseases----------452-454,456	11	4	7	-	-	20	8	8	1	3
29	Diseases of veins and other diseases of circulatory system-------460-468	29	20	9	-	-	50	18	17	9	6
30	VIII. Diseases of the respiratory system----------	445	249	194	1	1	751	302	214	133	102
31	Acute upper respiratory infections----------470-475	4	2	2	-	-	11	3	3	3	2
32	Influenza----------480-483	102	64	38	-	-	44	15	24	3	2
33	Pneumonia, except pneumonia of newborn----------490-493	267	140	125	1	1	502	178	141	97	86
34	Lobar pneumonia----------490	82	48	33	-	1	194	73	38	44	39
35	Bronchopneumonia----------491	128	62	65	1	-	213	76	69	35	33
36	Primary atypical pneumonia----------492	39	20	19	-	-	41	12	22	4	3
37	Pneumonia, other and unspecified----------493	18	10	8	-	-	54	17	12	14	11
38	Acute bronchitis----------500	9	4	5	-	-	19	9	2	5	3
39	Bronchitis, chronic and unqualified----------501,502	12	8	4	-	-	35	18	13	4	-
40	Hypertrophy of tonsils and adenoids----------510	1	-	1	-	-	3	1	2	-	-
41	Empyema and abscess of lung----------518,521	4	4	-	-	-	13	5	2	4	2
42	Pleurisy----------519	-	-	-	-	-	2	1	1	-	-
43	All other respiratory diseases----------Residual[1]	46	27	19	-	-	122	72	26	17	7
44	IX. Diseases of the digestive system----------	343	199	142	2	-	800	375	294	77	54
45	Diseases of teeth and supporting structures----------530-535	-	-	-	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	22	12	10	-	-	54	30	14	8	2
47	Ulcer of duodenum----------541	26	20	6	-	-	38	30	4	4	-
48	Gastritis and duodenitis----------543	1	1	-	-	-	5	3	1	1	-
49	Appendicitis----------550-553	27	21	6	-	-	34	12	12	3	7
50	Hernia and intestinal obstruction----------560,561,570	64	38	26	-	-	150	59	69	12	10
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	37	18	19	-	-	81	24	26	20	11
52	Cirrhosis of liver----------581	68	42	24	2	-	258	156	71	20	11
53	Without mention of alcoholism----------581.0	53	34	18	1	-	202	116	58	18	10
54	With alcoholism----------581.1	15	8	6	1	-	56	40	13	2	1
55	Cholelithiasis and cholecystitis----------584,585	41	15	26	-	-	67	15	49	1	2
56	Other diseases of digestive system----------Residual[1]	57	32	25	-	-	113	46	48	8	11
57	X. Diseases of the genito-urinary system----------	326	178	148	-	-	556	238	164	88	66
58	Nephritis and nephrosis----------590-594	224	97	127	-	-	402	147	133	66	56
59	Acute nephritis----------590	18	8	10	-	-	26	9	8	7	2
60	Nephritis with edema, including nephrosis----------591	15	6	9	-	-	26	9	7	8	2
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	191	83	108	-	-	350	129	118	51	52
62	Infections of kidney----------600	24	13	11	-	-	43	19	14	4	6
63	Calculi of urinary system----------602,604	6	3	3	-	-	20	12	6	2	-
64	Other diseases of urinary system----------601,603,605-609	8	4	4	-	-	22	14	3	3	2
65	Hyperplasia of prostate----------610	56	56	...	-	...	54	41	...	13	...
66	Other diseases of male genital organs----------611-617	5	5	...	-	...	5	5	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	3	...	3	...	-	10	...	8	...	2
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	18	...	18	...	-	23	...	11	...	12
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	3	...	3	...	-	2	...	2	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	4	...	4	...	-	4	...	2	...	2
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	3	...	3	...	-	3	...	1	...	2
73	Ectopic pregnancy----------645	1	...	1	...	-	3	...	-	...	3
74	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	2	...	1	...	1
75	Abortion with sepsis----------651	-	...	-	...	-	1	...	-	...	1
76	Abortion with toxemia, without mention of sepsis----------652	1	...	1	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	5	...	5	...	-	8	...	5	...	3

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
15,343	9,126	6,030	96	91	13,521	8,739	4,281	293	208	6,563	4,416	2,100	27	20	2,324	1,151	558	350	265	1
6,430	3,251	3,092	44	43	3,787	2,035	1,602	85	65	1,143	671	465	5	2	624	239	174	119	92	2
8,856	5,846	2,910	52	48	9,661	6,663	2,650	206	142	5,404	3,733	1,631	22	18	1,671	897	375	227	172	3
57	29	28	-	-	73	41	29	2	1	16	12	4	-	-	29	15	9	4	1	4
310	137	170	1	2	427	244	166	9	8	180	99	81	-	-	197	55	28	61	53	5
39	19	20	-	-	36	20	14	1	1	23	9	14	-	-	19	2	2	6	9	6
88	48	39	-	1	81	57	16	4	4	60	42	18	-	-	44	8	8	15	13	7
183	70	111	1	1	310	167	136	4	3	97	48	49	-	-	134	45	18	40	31	8
2,291	1,038	1,231	8	14	2,664	1,320	1,210	73	61	966	533	425	3	5	770	219	140	219	192	9
1,310	568	731	4	7	1,066	525	501	20	20	511	287	220	2	2	258	70	61	67	60	10
981	470	500	4	7	1,598	795	709	53	41	455	246	205	1	3	512	149	79	152	132	11
599	320	271	3	5	792	426	321	25	20	409	239	166	4	-	500	147	79	130	144	12
28	15	13	-	-	33	23	9	-	1	17	9	8	-	-	19	3	1	5	10	13
60	30	30	-	-	113	47	55	6	5	24	19	5	-	-	26	2	4	11	9	14
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
70	41	28	1	-	110	63	43	2	2	68	28	40	-	-	26	8	8	4	6	16
440	233	200	2	5	536	293	214	17	12	300	183	113	4	-	429	134	66	110	119	17
2,800	1,120	1,625	24	31	2,674	1,046	1,245	185	198	1,299	651	627	13	8	1,565	308	312	432	513	18
450	226	212	5	7	698	327	306	28	37	245	141	101	1	2	541	111	86	170	174	19
2,350	894	1,413	19	24	1,976	719	939	157	161	1,054	510	526	12	6	1,024	197	226	262	339	20
412	177	227	5	3	471	194	220	29	28	301	132	167	2	-	227	45	51	65	66	21
203	95	103	3	2	222	102	89	17	14	76	43	32	1	-	87	16	23	26	22	22
209	82	124	2	1	249	92	131	12	14	225	89	135	1	-	140	29	28	39	44	23
1,652	765	861	11	15	1,505	747	684	43	31	805	447	350	3	5	285	109	79	54	43	24
1,479	668	789	10	12	1,313	625	629	33	26	717	388	323	2	4	251	90	76	47	38	25
107	71	36	-	-	105	69	27	5	4	45	34	10	1	-	12	9	1	1	1	26
8	2	5	1	-	19	12	6	-	1	6	4	2	-	-	6	-	1	3	2	27
58	24	31	-	3	68	41	22	5	-	37	21	15	-	1	16	10	1	3	2	28
185	94	87	3	1	157	85	59	5	8	77	33	44	-	-	38	11	13	9	5	29
1,986	1,172	749	27	18	2,443	1,371	801	174	97	959	544	386	15	14	1,042	235	199	336	272	30
30	20	10	-	-	23	10	11	1	1	24	17	7	-	-	25	2	4	9	10	31
111	45	64	1	1	272	149	108	11	4	50	22	25	1	2	248	44	45	81	78	32
1,335	765	535	21	14	1,594	872	521	130	71	672	373	276	12	11	635	129	118	220	168	33
386	255	125	2	4	599	335	167	65	32	195	121	67	3	4	233	55	41	79	58	34
713	377	311	15	10	652	348	229	50	25	318	156	151	6	5	228	45	45	79	59	35
150	83	67	-	-	156	79	63	7	7	51	27	23	-	1	49	10	6	16	17	36
86	50	32	4	-	187	110	62	8	7	108	69	35	3	1	125	19	26	46	34	37
35	24	11	-	-	32	16	13	-	3	10	6	3	1	-	7	2	-	2	3	38
72	49	22	1	-	99	59	28	9	3	33	21	12	-	-	30	11	7	8	4	39
8	2	6	-	-	12	6	3	2	1	5	3	2	-	-	3	-	1	1	1	40
28	22	6	-	-	28	17	7	2	2	8	7	1	-	-	9	4	2	2	1	41
13	9	4	-	-	16	9	3	4	-	2	2	-	-	-	-	-	-	-	-	42
334	236	91	4	3	367	233	107	15	12	155	93	60	1	1	85	43	22	13	7	43
2,214	1,298	879	23	14	2,218	1,225	840	86	67	953	550	388	10	5	634	160	139	192	143	44
7	5	2	-	-	8	3	3	2	-	3	2	1	-	-	15	3	1	7	4	45
215	174	37	3	1	166	128	30	5	3	85	61	23	1	-	50	23	4	15	8	46
207	165	38	3	1	172	143	20	8	1	80	64	16	-	-	20	13	2	5	-	47
11	8	3	-	-	18	11	4	3	-	5	4	1	-	-	5	-	2	3	-	48
105	58	46	-	1	112	59	42	7	4	45	28	16	1	-	42	3	6	19	14	49
302	146	148	4	4	342	169	152	13	8	157	83	73	-	1	98	25	22	27	24	50
172	72	98	2	-	214	103	94	10	7	94	49	40	2	3	171	23	30	63	55	51
680	435	236	5	4	615	356	210	27	22	190	123	64	3	-	103	41	28	22	12	52
475	304	167	2	2	540	305	189	24	22	156	99	55	2	-	94	35	25	22	12	53
205	131	69	3	2	75	51	21	3	-	34	24	9	1	-	9	6	3	-	-	54
229	83	145	-	1	267	100	161	1	5	159	61	98	-	-	40	8	23	2	7	55
286	152	126	6	2	304	153	124	10	17	135	75	56	3	1	90	21	21	29	19	56
1,125	653	441	19	12	1,477	829	492	88	68	585	385	190	5	5	899	191	127	309	272	57
669	340	317	5	7	943	456	386	50	51	322	174	142	2	4	669	114	98	216	241	58
49	28	21	-	-	76	39	30	3	4	23	15	8	-	-	95	12	13	29	41	59
41	22	15	3	1	52	26	20	1	5	15	9	5	-	1	35	-	3	13	19	60
579	290	281	2	6	815	391	336	46	42	284	150	129	2	3	539	102	82	174	181	61
160	76	76	6	2	118	58	43	10	7	60	31	28	-	1	38	9	13	8	8	62
28	17	11	-	-	39	21	17	-	1	18	14	4	-	-	9	3	3	1	2	63
59	40	15	3	1	75	45	22	7	1	31	25	5	1	-	29	9	6	10	4	64
173	168	...	5	...	241	222	...	19	...	130	128	...	2	...	107	42	...	65	...	65
12	12	...	-	...	29	27	...	2	...	13	13	...	-	...	23	14	...	9	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
24	...	22	...	2	32	...	24	...	8	11	...	11	...	-	24	...	7	...	17	68
34	...	32	...	2	95	...	69	...	26	24	...	23	...	1	137	...	25	...	112	69
6	...	6	...	-	11	...	9	...	2	1	...	1	...	-	11	...	3	...	8	70
8	...	8	...	-	28	...	19	...	9	6	...	6	...	-	62	...	13	...	49	71
5	...	5	...	-	17	...	14	...	3	11	...	10	...	1	23	...	3	...	20	72
2	...	2	...	-	6	...	4	...	2	1	...	1	...	-	9	...	2	...	7	73
1	...	1	...	-	2	...	1	...	1	1	...	1	...	-	5	...	-	...	5	74
-	...	-	...	-	5	...	5	...	-	-	...	-	...	-	1	...	-	...	1	75
3	...	2	...	1	4	...	4	...	-	-	...	-	...	-	1	...	-	...	1	76
9	...	8	...	1	22	...	13	...	9	4	...	4	...	-	25	...	4	...	21	77

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue----------	12	4	8	-	-	14	3	4	3	4
2	Infections of skin and subcutaneous tissue----------690-698	3	-	3	-	-	7	2	-	3	2
3	Other diseases of skin and subcutaneous tissue----------700-716	9	4	5	-	-	7	1	4	-	2
4	XIII. Diseases of the bones and organs of movement----------	19	10	9	-	-	44	11	24	1	8
5	Arthritis and spondylitis----------720-725	13	5	8	-	-	26	5	16	-	5
6	Muscular rheumatism and rheumatism, unspecified----------726,727	-	-	-	-	-	1	1	-	-	-
7	Osteomyelitis and periostitis----------730	-	-	-	-	-	3	1	1	1	-
8	Ankylosis and acquired musculoskeletal deformities----------737,745-749	1	1	-	-	-	2	1	1	-	-
9	All other diseases of musculoskeletal system----------731-736,738-744	5	4	1	-	-	12	3	6	-	3
10	XIV. Congenital malformations----------	141	65	76	-	-	275	123	96	33	23
11	Spina bifida and meningocele----------751	18	2	16	-	-	24	8	14	1	1
12	Congenital hydrocephalus, etc.*----------752,753	18	4	14	-	-	43	17	14	7	5
13	Congenital malformations of circulatory system----------754	55	30	25	-	-	112	49	37	15	11
14	Other congenital malformations----------750,755-759	50	29	21	-	-	96	49	31	10	6
15	XV. Certain diseases of early infancy----------	357	223	132	2	-	901	354	256	179	112
16	Birth injuries----------760,761	82	45	37	-	-	194	89	54	35	16
17	Postnatal asphyxia and atelectasis----------762	72	46	26	-	-	192	79	62	32	19
18	Infections of newborn----------763-768	14	9	5	-	-	60	25	15	14	6
19	Hemolytic disease of newborn (erythroblastosis)----------770	13	7	6	-	-	28	12	9	7	-
20	All other defined diseases of early infancy----------769,771,772	14	11	3	-	-	22	8	6	6	2
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified----------773-776	162	105	55	2	-	405	141	110	85	69
22	XVI. Symptoms, senility, and ill-defined conditions----------	98	49	48	-	1	74	26	28	12	8
23	Senility without mention of psychosis----------794	46	22	24	-	-	12	2	9	1	-
24	Symptoms, ill-defined and unknown causes----------780-793,795	52	27	24	-	1	62	24	19	11	8
25	XVII. Accidents, poisonings, and violence----------	687	503	181	2	1	1,689	874	374	334	107
26	Accidents----------E800-E962	532	380	149	2	1	1,309	672	317	232	88
27	Railway accidents----------E800-E802	4	4	-	-	-	28	22	1	3	2
28	Motor-vehicle accidents----------E810-E835	175	137	37	1	-	476	282	82	90	22
29	Motor-vehicle traffic accidents----------E810-E825	164	128	35	1	-	468	276	81	89	22
30	Motor-vehicle traffic accident with railway train*----------E810	10	7	3	-	-	12	8	3	-	1
31	Motor-vehicle traffic accident to pedestrian----------E812	46	37	8	1	-	152	85	26	35	6
32	Other motor-vehicle traffic accidents, etc.*----------E811,E813-E819	43	35	8	-	-	141	90	27	18	6
33	Motor-vehicle noncollision traffic accidents----------E820-E824	56	42	14	-	-	84	54	11	17	2
34	Motor-vehicle traffic accident of unspecified nature----------E825	9	7	2	-	-	79	39	14	19	7
35	Motor-vehicle nontraffic accidents----------E830-E835	11	9	2	-	-	8	6	1	1	-
36	Other road-vehicle accidents----------E840-E845	2	2	-	-	-	2	1	-	1	-
37	Water-transport accidents----------E850-E858	20	18	2	-	-	28	19	1	8	-
38	Aircraft accidents----------E860-E866	4	3	1	-	-	17	15	2	-	-
39	Accidental poisoning by solid and liquid substances----------E870-E888	6	4	2	-	-	36	18	7	4	7
40	Accidental poisoning by gases and vapors----------E890-E895	6	4	2	-	-	11	8	2	1	-
41	Accidental falls----------E900-E904	133	62	70	1	-	278	113	138	19	8
42	Fall from one level to another----------E900-E902	46	26	19	1	-	121	63	37	16	5
43	Fall on same level----------E903	23	12	11	-	-	38	9	29	-	-
44	Unspecified falls----------E904	64	24	40	-	-	119	41	72	3	3
45	Blow from falling object----------E910	13	13	-	-	-	17	8	1	7	1
46	Accident caused by machinery----------E912	13	13	-	-	-	18	12	1	5	-
47	Accident caused by electric current----------E914	10	10	-	-	-	9	8	1	-	-
48	Accident caused by fire and explosion, etc.*----------E916	35	23	12	-	-	103	35	30	22	16
49	Accident caused by hot substance, etc.*----------E917,E918	4	3	-	-	1	7	3	3	1	-
50	Accident caused by firearm----------E919	17	15	2	-	-	21	16	2	2	1
51	Inhalation and ingestion of food or other object, etc.*----------E921,E922	19	12	7	-	-	52	13	9	12	18
52	Accidental drowning----------E929	40	35	5	-	-	104	56	12	34	2
53	Excessive heat and insolation----------E931	2	1	1	-	-	3	1	1	1	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	2	1	1	-	-	12	3	5	2	2
55	All other accidents----------Residual[1]	27	20	7	-	-	87	39	19	20	9
56	Suicide----------E963,E970-E979	134	111	23	-	-	237	173	45	18	1
57	Suicide by poisoning----------E970-E973	26	17	9	-	-	63	39	22	2	-
58	Suicide by hanging and strangulation----------E974	22	20	2	-	-	46	36	6	4	-
59	Suicide by firearms and explosives----------E976	71	63	8	-	-	111	90	11	9	1
60	Suicide by all other means----------E963,E975,E977-E979	15	11	4	-	-	17	8	6	3	-
61	Homicide----------E964,E980-E985	21	12	9	-	-	142	28	12	84	18
62	Assault by firearms and explosives----------E981	8	4	4	-	-	63	14	7	34	8
63	Assault by cutting and piercing instruments----------E982	2	1	1	-	-	50	2	1	41	6
64	Assault by other means----------E964,E980,E983	10	6	4	-	-	27	10	4	9	4
65	Injury by intervention of police----------E984	1	1	-	-	-	2	2	-	-	-
66	Execution----------E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war----------E965,E990-E999	-	-	-	-	-	1	1	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
56	22	32	-	2	46	23	17	2	4	41	20	21	-	-	14	5	5	2	2	1
12	8	4	-	-	11	5	6	-	-	8	5	3	-	-	3	1	-	2	-	2
44	14	28	-	2	35	18	11	2	4	33	15	18	-	-	11	4	5	-	2	3
122	48	70	2	2	112	53	55	2	2	71	30	40	-	1	36	10	16	7	3	4
56	12	42	1	1	58	25	33	-	-	44	19	25	-	-	27	6	16	2	3	5
3	1	2	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	6
9	4	5	-	-	8	3	3	2	-	2	2	-	-	-	4	2	-	2	-	7
4	-	4	-	-	4	4	-	-	-	3	2	1	-	-	-	-	-	-	-	8
50	31	17	1	1	42	21	19	-	2	20	7	13	-	-	5	2	-	3	-	9
548	273	266	5	4	910	459	375	48	28	481	254	220	6	1	223	84	65	46	28	10
69	34	35	-	-	113	42	66	4	1	54	18	36	-	-	12	4	4	2	2	11
77	35	41	1	-	107	49	50	5	3	71	36	32	3	-	32	10	13	6	3	12
225	126	94	3	2	381	202	135	28	16	200	108	89	2	1	101	47	25	19	10	13
177	78	96	1	2	309	166	124	11	8	156	92	63	1	-	78	23	23	19	13	14
1,428	813	556	26	33	2,786	1,433	962	219	172	1,158	692	443	12	11	1,239	327	203	409	300	15
251	163	78	8	2	521	272	181	34	34	251	158	86	3	4	180	54	31	62	33	16
418	224	170	8	16	592	328	185	49	30	219	136	77	5	1	222	76	41	67	38	17
52	29	20	1	2	122	57	47	13	5	45	32	13	-	-	99	13	10	42	34	18
55	32	23	-	-	153	89	58	5	1	56	39	17	-	-	34	17	9	8	-	19
35	22	13	-	-	80	40	25	9	6	25	13	12	-	-	74	18	9	29	18	20
617	343	252	9	13	1,318	647	466	109	96	562	314	238	4	6	630	149	103	201	177	21
238	125	102	5	6	504	262	213	17	12	215	132	77	3	3	2,590	294	179	1,127	990	22
28	5	21	-	2	191	95	90	3	3	95	47	43	2	3	236	39	51	63	83	23
210	120	81	5	4	313	167	123	14	9	120	85	34	1	-	2,354	255	128	1,064	907	24
3,260	1,945	1,242	51	22	4,862	3,099	1,323	314	126	2,147	1,510	596	27	14	1,814	675	227	643	269	25
2,760	1,582	1,118	43	17	3,990	2,552	1,158	193	87	1,817	1,255	527	23	12	1,413	543	196	455	219	26
29	24	3	2	-	54	42	7	5	-	32	30	2	-	-	25	9	1	14	1	27
606	453	140	10	3	1,831	1,243	454	93	41	647	479	152	12	4	529	245	64	167	53	28
589	440	137	9	3	1,797	1,217	447	93	40	623	464	143	12	4	505	231	63	162	49	29
15	11	4	-	-	77	58	16	2	1	55	36	19	-	-	19	8	-	7	4	30
232	176	52	3	1	452	328	85	27	12	128	91	32	5	-	109	35	11	45	18	31
105	75	28	2	-	721	462	213	32	14	239	166	70	2	1	189	105	22	46	16	32
136	102	30	3	1	339	236	68	25	10	173	146	19	5	3	127	57	17	45	8	33
101	76	23	1	1	208	133	65	7	3	28	25	3	-	-	61	26	13	19	3	34
17	13	3	1	-	34	26	7	-	1	24	15	9	-	-	24	14	1	5	4	35
4	2	1	-	1	22	16	6	-	-	14	6	8	-	-	10	4	-	6	-	36
69	65	3	1	-	72	61	7	3	1	52	45	5	-	2	20	15	1	4	-	37
46	43	3	-	-	43	38	5	-	-	29	28	1	-	-	8	7	1	-	-	38
66	34	29	2	1	47	26	12	5	4	29	15	10	4	-	19	9	2	4	4	39
72	49	23	-	-	58	43	12	3	-	29	25	2	1	1	5	3	1	1	-	40
1,275	495	769	7	4	874	417	429	19	9	475	227	245	1	2	139	44	51	19	25	41
311	165	143	3	-	247	161	72	10	4	180	117	61	1	1	39	16	8	7	8	42
191	63	124	3	1	126	51	71	2	2	163	55	107	-	1	20	10	4	2	4	43
773	267	502	1	3	501	205	286	7	3	132	55	77	-	-	80	18	39	10	13	44
11	11	-	-	-	45	41	3	1	-	33	28	3	2	-	41	26	-	14	1	45
32	29	2	1	-	81	71	6	4	-	60	59	1	-	-	41	20	3	16	2	46
13	12	1	-	-	21	20	1	-	-	25	24	1	-	-	24	16	1	7	-	47
112	66	36	6	4	226	127	69	19	11	103	67	33	-	3	170	28	24	56	62	48
21	15	4	1	1	38	24	11	2	1	13	8	5	-	-	40	5	6	12	17	49
24	23	1	-	-	61	52	5	3	1	34	28	4	2	-	82	35	9	33	5	50
30	17	13	-	-	59	35	15	4	5	15	10	5	-	-	19	5	3	7	4	51
158	121	27	10	-	200	150	34	15	1	89	72	16	1	-	68	29	4	31	4	52
7	5	1	1	-	3	-	-	2	1	5	4	1	-	-	10	2	2	4	2	53
43	17	23	1	2	30	11	13	2	4	7	4	3	-	-	12	6	-	-	6	54
142	101	39	1	1	225	135	69	13	8	126	96	30	-	-	151	35	23	60	33	55
451	337	106	6	2	629	470	131	25	3	290	234	56	-	-	133	95	22	12	4	56
169	113	54	1	1	148	90	50	7	1	54	38	16	-	-	11	6	4	-	1	57
114	89	22	3	-	141	102	32	6	1	82	61	21	-	-	6	3	3	-	-	58
95	83	10	1	1	259	225	26	8	-	111	106	5	-	-	105	78	14	11	2	59
73	52	20	1	-	81	53	23	4	1	43	29	14	-	-	11	8	1	1	1	60
47	24	18	2	3	243	77	34	96	36	40	21	13	4	2	267	36	9	176	46	61
14	9	4	-	1	114	32	23	44	15	15	8	4	2	1	157	24	4	107	22	62
9	3	4	-	2	70	12	4	38	16	5	1	2	2	-	60	2	3	42	13	63
21	10	10	1	-	56	30	7	14	5	20	12	7	-	1	36	7	2	17	10	64
3	2	-	1	-	3	3	-	-	-	-	-	-	-	-	6	1	-	4	1	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2	-	6	-	66
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	67

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	44,123	22,565	17,068	2,447	2,043	5,914	3,615	2,027	154	118
2	I. Infective and parasitic diseases	1,389	746	346	191	106	151	88	30	11	22
3	Tuberculosis, all forms-001-019	827	453	180	128	66	83	47	10	9	17
4	Tuberculosis of respiratory system-001-008	758	424	162	110	62	69	42	8	7	12
5	Tuberculosis of meninges and central nervous system-010	21	9	7	4	1	5	1	-	2	2
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	6	3	1	1	1	3	-	-	-	3
7	Tuberculosis of vertebral column-012.0,013.0	9	6	1	2	-	1	1	-	-	-
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system-016	7	2	2	2	1	1	-	1	-	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	9	4	4	-	1	-	-	-	-	-
11	Disseminated tuberculosis-019	17	5	3	9	-	4	3	1	-	-
12	Syphilis and its sequelae-020-029	258	128	51	51	28	23	18	5	-	-
13	Congenital syphilis-020	7	2	2	1	2	-	-	-	-	-
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	67	35	9	15	8	12	9	3	-	-
16	Other cardiovascular syphilis-023	92	41	17	22	12	5	4	1	-	-
17	Tabes dorsalis-024	10	7	3	-	-	1	1	-	-	-
18	General paralysis of insane-025	40	22	8	7	3	-	-	-	-	-
19	Other syphilis of central nervous system-026	34	17	9	5	3	3	3	-	-	-
20	Other syphilis-027-029	8	4	3	1	-	2	1	1	-	-
21	Gonococcal infection-030-035	1	1	-	-	-	-	-	-	-	-
22	Typhoid fever-040	2	1	1	-	-	1	1	-	-	-
23	Paratyphoid fever-041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections-042	1	-	1	-	-	-	-	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	1	1	-	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	23	15	7	1	-	-	-	-	-	-
28	Food poisoning (infection and intoxication)-049	9	4	4	-	1	2	1	1	-	-
29	Scarlet fever-050	4	2	2	-	-	-	-	-	-	-
30	Streptococcal sore throat-051	11	6	4	1	-	1	1	-	-	-
31	Erysipelas-052	-	-	-	-	-	1	1	-	-	-
32	Septicemia and pyemia-053	15	9	4	2	-	5	2	3	-	-
33	Diphtheria-055	10	4	4	1	1	-	-	-	-	-
34	Whooping cough-056	17	9	6	1	1	1	1	-	-	-
35	Meningococcal infections-057	29	11	12	1	5	5	2	2	1	-
36	Plague-058	-	-	-	-	-	-	-	-	-	-
37	Tularemia-059	-	-	-	-	-	-	-	-	-	-
38	Leprosy-060	-	-	-	-	-	-	-	-	-	-
39	Tetanus-061	11	6	2	2	1	1	-	1	-	-
40	Anthrax-062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis-080	54	36	18	-	-	6	3	3	-	-
42	Late effects of acute poliomyelitis-081	2	2	-	-	-	-	-	-	-	-
43	Acute infectious encephalitis-082	13	5	6	-	2	5	2	3	-	-
44	Late effects of acute infectious encephalitis-083	8	4	4	-	-	-	-	-	-	-
45	Smallpox-084	-	-	-	-	-	-	-	-	-	-
46	Measles-085	30	19	10	1	-	9	3	-	1	5
47	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis-092	30	14	16	-	-	2	2	-	-	-
49	Rabies-094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus-104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever-104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria-110-117	1	1	-	-	-	-	-	-	-	-
55	Schistosomiasis-123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
57	Filariasis-127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths-124,126,128,130	1	-	-	1	-	-	-	-	-	-
60	All other infective and parasitic diseases-Residual[1]	31	15	14	1	1	6	4	2	-	-
61	II. Neoplasms	6,553	3,067	2,927	271	288	809	431	357	16	5
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	6,435	3,027	2,871	267	270	789	421	348	15	5
63	Malignant neoplasm of buccal cavity and pharynx-140-149	165	126	23	13	3	16	13	3	-	-
64	Of lip-140	14	12	2	-	-	4	3	1	-	-
65	Of tongue-141	36	30	4	1	1	2	2	-	-	-
66	Of other and unspecified parts of buccal cavity-142-144	45	32	9	4	-	3	1	2	-	-
67	Of pharynx-145-148	70	52	8	8	2	7	7	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	2,508	1,238	1,081	110	79	289	150	130	7	2
69	Of esophagus-150	102	67	19	12	4	5	4	1	-	-
70	Of stomach-151	676	366	238	47	25	105	65	35	4	1
71	Of intestine, except rectum-152,153	730	312	386	16	16	81	33	47	1	-
72	Of rectum-154	282	149	113	8	12	25	12	13	-	-
73	Of biliary passages and of liver (stated to be primary site)-155	178	75	94	6	3	21	8	12	-	1
74	Of liver not specified whether primary or secondary-156A	212	97	109	3	3	14	6	6	2	-
75	Of pancreas-157	282	153	106	11	12	34	19	15	-	-
76	Of peritoneum and of unspecified digestive organs-158,159	46	19	16	7	4	4	3	1	-	-
77	Malignant neoplasm of respiratory system-160-164	617	445	111	49	12	89	78	10	1	-
78	Of larynx-161	45	39	2	4	-	7	6	1	-	-
79	Of trachea, and of bronchus and lung specified as primary-162	249	186	39	22	2	29	28	-	1	-
80	Of lung and bronchus, unspecified as primary or secondary-163	298	210	59	20	9	46	39	7	-	-
81	Of other parts of respiratory system-160,164	25	10	11	3	1	7	5	2	-	-
82	Malignant neoplasm of breast-170	557	6	499	1	51	58	1	56	-	1

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,909	7,451	5,154	167	137	1,673	1,031	463	109	70	6,204	3,426	2,763	6	9	50,443	25,836	20,867	2,090	1,650	1
218	134	61	14	9	91	51	17	18	5	105	64	39	1	1	1,361	708	312	224	117	2
113	72	24	10	7	56	34	6	12	4	64	47	17	-	-	1,025	558	209	174	84	3
104	66	23	8	7	47	32	6	7	2	60	46	14	-	-	944	534	192	153	65	4
2	2	-	-	-	2	-	-	2	-	-	-	-	-	-	22	5	3	7	7	5
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	2	2	6
1	1	-	-	-	2	2	-	-	-	1	-	1	-	-	6	1	2	1	2	7
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	3	2	1	-	-	8
1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	6	3	3	-	-	9
1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	7	3	1	2	1	10
3	2	-	1	-	3	-	-	2	1	2	1	1	-	-	31	10	5	9	7	11
28	24	2	1	1	14	7	3	3	1	16	9	7	-	-	142	62	26	33	21	12
1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	4	2	-	-	2	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
3	2	-	1	-	3	2	1	-	-	8	5	3	-	-	24	12	4	5	3	15
3	3	-	-	-	4	1	-	2	1	3	2	1	-	-	61	25	11	17	8	16
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	8	4	3	1	-	17
11	9	1	-	1	3	2	1	-	-	3	1	2	-	-	21	8	5	5	3	18
9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	20	9	3	5	3	19
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	4	2	-	-	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
3	2	1	-	-	3	2	1	-	-	-	-	-	-	-	7	2	2	1	2	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	28
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	29
7	5	2	-	-	-	-	-	-	-	1	-	1	-	-	4	2	2	-	-	30
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	31
6	2	4	-	-	2	1	-	1	-	3	-	3	-	-	10	6	2	1	1	32
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	33
5	2	1	1	1	2	-	1	1	-	1	1	-	-	-	3	2	-	1	-	34
13	6	5	2	-	2	1	1	-	-	7	1	5	1	-	22	11	8	2	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	40
14	9	5	-	-	3	3	-	-	-	-	-	-	-	-	40	24	13	2	1	41
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4	1	3	-	-	1	-	1	-	-	-	-	-	-	-	16	8	4	3	1	43
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
4	2	2	-	-	3	2	-	1	-	2	2	-	-	-	8	3	4	-	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
4	1	3	-	-	1	-	1	-	-	4	1	2	-	1	31	13	16	2	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	50
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	59
7	4	3	-	-	3	1	2	-	-	7	3	4	-	-	32	6	18	4	4	60
2,057	1,080	930	24	23	209	112	81	9	7	1,019	514	502	-	3	9,010	4,364	4,153	246	247	61
2,007	1,066	894	24	23	204	108	80	9	7	998	505	489	-	2	8,830	4,302	4,055	239	234	62
46	30	14	2	-	10	9	1	-	-	22	18	4	-	-	200	155	32	10	3	63
8	7	1	-	-	1	1	-	-	-	1	1	-	-	-	10	8	1	-	1	64
4	2	1	1	-	7	6	1	-	-	7	5	2	-	-	49	39	9	-	1	65
19	13	6	-	-	1	1	-	-	-	8	7	1	-	-	66	44	16	5	1	66
15	8	6	1	-	1	1	-	-	-	6	5	1	-	-	75	64	6	5	-	67
831	457	355	13	6	76	41	27	6	2	381	210	170	-	1	3,607	1,841	1,586	112	68	68
32	24	5	3	-	3	2	-	1	-	15	11	4	-	-	203	154	30	18	1	69
252	165	80	5	2	19	11	6	2	-	105	65	40	-	-	1,026	581	365	56	24	70
261	117	140	1	3	23	11	11	1	-	119	54	64	-	1	1,101	478	589	16	18	71
91	54	35	2	-	9	4	4	1	-	57	35	22	-	-	478	252	207	9	10	72
51	14	37	-	-	4	2	1	-	1	15	5	10	-	-	188	67	116	3	2	73
48	25	22	1	-	3	2	1	-	-	15	8	7	-	-	175	73	93	3	6	74
83	49	33	1	-	13	9	3	1	-	44	25	19	-	-	363	205	148	6	4	75
13	9	3	-	1	2	-	1	-	1	11	7	4	-	-	73	31	38	1	3	76
191	148	40	3	-	29	21	6	2	-	82	67	15	-	-	1,085	871	155	50	9	77
14	14	-	-	-	1	1	-	-	-	9	8	1	-	-	105	90	9	5	1	78
63	55	8	-	-	14	11	2	1	-	25	21	4	-	-	330	271	39	17	3	79
104	73	28	3	-	13	9	4	-	-	46	36	10	-	-	612	486	96	25	5	80
10	6	4	-	-	1	-	-	1	-	2	2	-	-	-	38	24	11	3	-	81
150	5	141	-	4	17	-	16	-	1	95	-	94	-	1	851	14	803	-	34	82

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	1,087	391	569	41	86	124	50	69	3	2
2	Of cervix uteri----171	238	...	192	...	46	30	...	29	...	1
3	Of other and unspecified parts of uterus----172-174	224	...	200	...	24	17	...	16	...	1
4	Of ovary, fallopian tube, and broad ligament----175	182	...	167	...	15	22	...	22	...	-
5	Of other and unspecified female genital organs----176	11	...	10	...	1	2	...	2	...	-
6	Of prostate----177	407	369	...	38	...	49	47	...	2	...
7	Of testis, and of other and unspecified male genital organs----178,179	25	22	...	3	...	4	3	...	1	...
8	Malignant neoplasm of urinary organs----180,181	285	180	85	13	7	36	27	7	2	-
9	Of kidney----180	96	59	32	3	2	13	7	5	1	-
10	Of bladder and other urinary organs----181	189	121	53	10	5	23	20	2	1	-
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	759	382	323	26	26	95	48	46	1	-
12	Of skin----190,191	88	50	37	1	-	17	10	7	-	-
13	Of eye----192	13	10	2	1	-	2	1	1	-	-
14	Of brain and other parts of nervous system----193	108	68	38	1	1	14	8	6	-	-
15	Of thyroid gland----194	26	9	14	1	2	4	1	3	-	-
16	Of bone (including jaw bone)----196	49	21	25	3	-	3	2	1	-	-
17	Of connective tissue----197	24	10	13	1	-	1	-	1	-	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	130	64	55	4	7	13	7	6	-	-
19	Of unspecified sites----156B,165,196B,199B-M	321	150	139	16	16	41	19	21	1	-
20	Leukemia and aleukemia----204	236	131	100	4	1	39	29	10	-	-
21	Lymphosarcoma, etc.*----200-203,205	221	128	80	8	5	43	25	17	1	-
22	Lymphosarcoma and reticulosarcoma----200	109	63	42	3	1	19	12	6	1	-
23	Hodgkin's disease----201	61	34	24	1	2	11	6	5	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	51	31	14	4	2	13	7	6	-	-
25	Benign neoplasms and neoplasms of unspecified nature----210-239	118	40	56	4	18	20	10	9	1	-
26	Benign neoplasms of female genital organs----214-217	34	...	24	...	10	4	...	4	...	-
27	Benign neoplasm of brain and other parts of nervous system----223	16	10	4	1	1	1	1	-	-	-
28	Other benign neoplasms----210-213,218-222,224-229	21	6	12	1	2	2	1	-	1	-
29	Neoplasm of unspecified nature of female genital organs----233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	28	13	12	1	2	9	4	5	-	-
31	Other neoplasms of unspecified nature----230-232,236,238,239	19	11	4	1	3	4	4	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----	1,041	440	511	29	61	146	62	77	2	5
33	Asthma----241	190	120	56	10	4	40	26	14	-	-
34	Nontoxic goiter----250,251	3	-	1	-	2	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----252	49	9	34	2	4	10	1	7	-	2
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	8	5	2	-	1	1	-	1	-	-
37	Diabetes mellitus----260	699	261	384	10	44	79	24	51	1	3
38	Diseases of thymus gland----273	33	15	11	3	4	4	3	-	1	-
39	Diseases of adrenal glands----274	16	8	7	1	-	3	1	2	-	-
40	Pellagra----281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	27	15	7	3	2	5	3	2	-	-
42	Other allergic, endocrine, and metabolic diseases----Residual[1]	16	7	9	-	-	4	4	-	-	-
43	IV. Diseases of the blood and blood-forming organs----	183	83	85	10	5	15	11	3	-	1
44	Anemias----290-293	143	59	71	8	5	8	7	1	-	-
45	Pernicious and other hyperchromic anemias----290	84	38	42	4	-	5	5	-	-	-
46	Anemias of other and unspecified type----291-293	59	21	29	4	5	3	2	1	-	-
47	Purpura and other hemorrhagic conditions----296	16	8	8	-	-	3	-	2	-	1
48	All other diseases of blood and blood-forming organs----294,295,297-299	24	16	6	2	-	4	4	-	-	-
49	V. Mental, psychoneurotic, and personality disorders----	137	83	36	10	8	19	14	3	2	-
50	Senile psychosis----304	40	18	17	1	4	3	1	2	-	-
51	Alcoholic psychosis----307	4	4	-	-	-	2	2	-	-	-
52	Other psychoses----300-303,305,306,308,309	18	7	9	1	1	-	-	-	-	-
53	Alcoholism----322	69	50	8	8	3	13	10	1	2	-
54	Mental deficiency----325	2	2	-	-	-	1	1	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	4	2	2	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----	5,710	2,596	2,591	256	267	655	347	288	10	10
57	Vascular lesions affecting central nervous system----330-334	5,299	2,388	2,424	235	252	599	318	267	6	8
58	Subarachnoid hemorrhage----330	107	54	46	6	1	13	7	5	-	1
59	Cerebral hemorrhage----331	3,439	1,555	1,613	119	152	440	233	196	4	7
60	Cerebral embolism and thrombosis----332	832	382	352	58	40	75	39	35	1	-
61	Other vascular lesions affecting central nervous system----333,334	921	397	413	52	59	71	39	31	1	-
62	Meningitis, except meningococcal and tuberculous----340	43	20	11	10	2	7	2	2	1	2
63	Multiple sclerosis----345	36	19	15	1	1	11	8	3	-	-
64	Paralysis agitans----350	75	46	29	-	-	11	9	2	-	-
65	Cerebral spastic infantile paralysis----351	19	9	8	1	1	2	1	1	-	-
66	Epilepsy----353	73	36	33	1	3	10	6	4	-	-
67	Inflammatory diseases of eye----370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----385	2	1	1	-	-	1	-	1	-	-
69	Glaucoma----387	1	-	1	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----391-393	13	7	4	1	1	4	1	2	1	-
71	Other diseases of nervous system and sense organs----Residual[1]	149	70	65	7	7	10	2	6	2	-
72	VII. Diseases of the circulatory system----	17,863	9,498	6,820	791	754	2,264	1,477	731	36	20
73	Rheumatic fever----400-402	44	20	19	2	3	3	2	1	-	-
74	Diseases of heart----410-443	16,180	8,707	6,097	711	665	2,045	1,358	636	32	19
75	Chronic rheumatic heart disease----410-416	636	302	259	35	40	98	51	44	2	1
76	Diseases of mitral valve----410	350	164	142	21	23	42	20	21	-	1
77	Diseases of aortic valve specified as rheumatic----411	21	14	4	2	1	4	4	-	-	-
78	Diseases of tricuspid valve----412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	34	17	16	1	-	12	6	5	1	-
80	Other diseases of heart specified as rheumatic----415,416	231	107	97	11	16	40	21	18	1	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
316	145	164	1	6	19	3	14	-	2	177	72	105	-	-	1,260	376	775	30	79	1
34	...	32	...	2	8	...	7	...	1	36	...	36	...	-	230	...	197	...	33	2
65	...	62	...	3	5	...	4	...	1	30	...	30	...	-	311	...	283	...	28	3
64	...	63	...	1	3	...	3	...	-	33	...	33	...	-	278	...	261	...	17	4
7	...	7	...	-	-	...	-	...	-	6	...	6	...	-	35	...	34	...	1	5
134	133	...	1	...	3	3	...	-	...	68	68	...	-	...	371	344	...	27	...	6
12	12	...	-	...	-	-	...	-	...	4	4	...	-	...	35	32	...	3	...	7
101	64	33	3	1	9	7	1	1	-	47	37	10	-	-	430	297	122	2	9	8
39	25	13	1	-	2	1	1	-	-	14	10	4	-	-	143	96	45	-	2	9
62	39	20	2	1	7	6	-	1	-	33	27	6	-	-	287	201	77	2	7	10
192	104	81	2	5	32	20	10	-	2	109	52	57	-	-	749	371	337	21	20	11
33	20	13	-	-	4	3	1	-	-	5	2	3	-	-	100	57	40	2	1	12
5	-	5	-	-	-	-	-	-	-	1	-	1	-	-	14	6	7	-	1	13
48	32	15	1	-	2	2	-	-	-	16	11	5	-	-	147	68	74	3	2	14
5	2	3	-	-	2	1	1	-	-	3	1	2	-	-	37	15	19	1	2	15
20	14	5	-	1	2	1	-	-	1	15	9	6	-	-	73	41	24	4	4	16
11	6	5	-	-	2	-	1	-	1	6	2	4	-	-	15	10	5	-	-	17
24	11	12	-	1	7	6	1	-	-	15	7	8	-	-	101	53	44	2	2	18
46	19	23	1	3	13	7	6	-	-	48	20	28	-	-	262	121	124	9	8	19
105	64	40	-	1	7	2	5	-	-	40	19	21	-	-	326	187	131	3	5	20
75	49	26	-	-	5	5	-	-	-	43	30	13	-	-	322	190	114	11	7	21
31	18	13	-	-	2	2	-	-	-	12	7	5	-	-	159	98	55	4	2	22
29	22	7	-	-	2	2	-	-	-	18	12	6	-	-	90	50	39	1	-	23
15	9	6	-	-	1	1	-	-	-	13	11	2	-	-	73	42	20	6	5	24
50	14	36	-	-	5	4	1	-	-	23	9	13	-	1	180	62	98	7	13	25
10	...	10	...	-	1	...	1	...	-	6	...	6	...	-	38	...	30	...	8	26
12	3	9	-	-	1	1	-	-	-	2	1	1	-	-	35	15	16	2	2	27
9	5	4	-	-	-	-	-	-	-	3	1	1	-	1	24	10	13	1	-	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	29
11	4	7	-	-	3	3	-	-	-	8	5	3	-	-	54	24	27	1	2	30
8	2	6	-	-	-	-	-	-	-	4	2	2	-	-	28	13	11	3	1	31
362	168	191	1	2	43	26	15	2	-	168	79	89	-	-	1,370	487	806	27	50	32
77	48	29	-	-	13	10	2	1	-	33	24	9	-	-	192	116	67	4	5	33
4	-	4	-	-	-	-	-	-	-	1	-	1	-	-	3	1	1	-	1	34
8	-	8	-	-	-	-	-	-	-	5	-	5	-	-	25	5	17	-	3	35
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	8	2	6	-	-	36
248	107	138	1	2	23	12	11	-	-	117	47	70	-	-	1,071	334	680	19	38	37
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	24	10	9	3	2	38
2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	10	6	4	-	-	39
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
8	4	4	-	-	1	-	1	-	-	5	4	1	-	-	13	4	8	1	-	41
11	5	6	-	-	5	3	1	1	-	5	2	3	-	-	24	9	14	-	1	42
72	47	25	-	-	3	2	-	-	1	21	9	12	-	-	151	71	74	1	5	43
53	38	15	-	-	1	1	-	-	-	18	7	11	-	-	110	48	58	1	3	44
29	19	10	-	-	1	1	-	-	-	7	3	4	-	-	56	25	31	-	-	45
24	19	5	-	-	-	-	-	-	-	11	4	7	-	-	54	23	27	1	3	46
8	4	4	-	-	1	-	-	-	1	2	1	1	-	-	20	10	8	-	2	47
11	5	6	-	-	1	1	-	-	-	1	1	-	-	-	21	13	8	-	-	48
51	36	15	-	-	14	7	4	3	-	15	10	5	-	-	191	101	66	14	10	49
19	9	10	-	-	-	-	-	-	-	2	-	2	-	-	54	17	34	1	2	50
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	27	20	3	4	-	51
6	5	1	-	-	-	-	-	-	-	1	-	1	-	-	26	10	13	-	3	52
20	19	1	-	-	13	7	4	2	-	12	10	2	-	-	70	48	8	9	5	53
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	8	3	5	-	-	54
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	6	3	3	-	-	55
1,774	890	837	22	25	158	93	53	6	6	727	344	381	-	2	5,370	2,261	2,720	178	211	56
1,637	814	778	20	25	144	85	48	5	6	687	324	362	-	1	4,983	2,056	2,579	156	192	57
21	10	10	-	1	6	2	3	-	1	13	5	8	-	-	96	32	53	6	5	58
1,067	520	514	11	22	101	61	34	4	2	488	234	254	-	-	3,184	1,291	1,661	104	128	59
261	136	118	7	-	18	10	6	1	1	134	64	69	-	1	1,136	519	554	27	36	60
288	148	136	2	2	19	12	5	-	2	52	21	31	-	-	567	214	311	19	23	61
10	5	4	1	-	1	-	-	1	-	-	-	-	-	-	49	19	15	10	5	62
19	10	9	-	-	1	1	-	-	-	6	2	4	-	-	57	26	27	2	2	63
35	22	13	-	-	2	2	-	-	-	8	3	5	-	-	84	51	29	2	2	64
7	2	5	-	-	2	2	-	-	-	3	2	-	-	1	9	4	4	-	1	65
15	12	3	-	-	3	1	2	-	-	7	4	3	-	-	55	24	20	4	7	66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	69
1	1	-	-	-	-	-	-	-	-	7	4	3	-	-	11	10	1	-	-	70
50	24	25	1	-	4	1	3	-	-	9	5	4	-	-	118	70	43	4	1	71
5,082	3,046	1,943	53	40	542	366	149	18	9	2,854	1,643	1,206	4	1	22,861	12,266	9,315	705	575	72
14	5	9	-	-	3	3	-	-	-	4	3	1	-	-	62	30	27	1	4	73
4,574	2,805	1,684	50	35	490	333	132	16	9	2,551	1,481	1,065	4	1	21,134	11,501	8,444	661	528	74
181	86	92	2	1	17	9	6	1	1	92	49	43	-	-	795	334	410	26	25	75
96	44	51	-	1	8	3	4	1	-	31	15	16	-	-	251	106	131	5	9	76
5	3	2	-	-	-	-	-	-	-	6	4	2	-	-	23	13	9	1	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
13	5	8	-	-	2	2	-	-	-	8	6	2	-	-	58	24	34	-	-	79
67	34	31	2	-	7	4	2	-	1	47	24	23	-	-	463	191	236	20	16	80

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	8,900	5,458	2,949	294	199	1,160	819	320	14	7
2	Arteriosclerotic heart disease so described----420.0	2,467	1,251	1,030	98	88	179	105	72	1	1
3	Heart disease specified as involving coronary arteries----420.1	6,350	4,156	1,893	190	111	973	706	248	13	6
4	Angina pectoris without mention of coronary disease----420.2	83	51	26	6	-	8	8	-	-	-
5	Chronic endocarditis not specified as rheumatic----421	442	216	171	27	28	43	34	8	1	-
6	Of mitral valve, specified as nonrheumatic----421.0	41	18	18	1	4	6	2	3	1	-
7	Of aortic valve, not specified as rheumatic----421.1	88	53	19	8	8	5	4	1	-	-
8	Of other valves, not specified as rheumatic----421.2-421.4	313	145	134	18	16	32	28	4	-	-
9	Other myocardial degeneration----422	2,817	1,353	1,298	81	85	366	232	121	8	5
10	With arteriosclerosis----422.1	1,128	536	551	21	20	157	108	45	2	2
11	Without mention of arteriosclerosis----422.0,422.2	1,689	817	747	60	65	209	124	76	6	3
12	Other diseases of heart----430-434	694	362	229	53	50	185	132	46	4	3
13	Acute and subacute endocarditis----430	29	15	11	2	1	5	1	4	-	-
14	Acute myocarditis not specified as rheumatic----431	87	39	37	3	8	12	8	4	-	-
15	Acute pericarditis specified as nonrheumatic----432	2	-	1	-	1	1	1	-	-	-
16	Functional disease of heart----433	78	38	40	-	-	9	6	3	-	-
17	Other and unspecified diseases of heart----434	498	270	140	48	40	158	116	35	4	3
18	Hypertension with heart disease----440-443	2,691	1,016	1,191	221	263	193	90	97	3	3
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	828	381	389	24	34	70	39	29	1	1
20	Essential hypertension with heart disease, etc.*----440,441,443	1,863	635	802	197	229	123	51	68	2	2
21	Hypertension without mention of heart----444-447	450	184	190	39	37	41	16	23	1	1
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	245	109	95	26	15	16	7	8	-	1
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	205	75	95	13	22	25	9	15	1	-
24	Diseases of arteries----450-456	1,076	544	464	32	36	154	90	61	3	-
25	General arteriosclerosis----450	935	456	424	25	30	131	75	53	3	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	75	52	15	4	4	9	5	4	-	-
27	Gangrene of unspecified cause----455	11	6	4	-	1	1	1	-	-	-
28	Other arterial diseases----452-454,456	55	30	21	3	1	13	9	4	-	-
29	Diseases of veins and other diseases of circulatory system----460-468	113	43	50	7	13	21	11	10	-	-
30	VIII. Diseases of the respiratory system----	2,004	989	707	185	123	250	146	78	14	12
31	Acute upper respiratory infections----470-475	17	9	7	1	-	5	2	2	-	1
32	Influenza----480-483	193	90	85	3	15	29	13	13	2	1
33	Pneumonia, except pneumonia of newborn----490-493	1,442	692	504	151	95	138	72	47	11	8
34	Lobar pneumonia----490	563	257	196	66	44	43	26	14	2	1
35	Bronchopneumonia----491	623	300	215	66	42	44	26	11	6	1
36	Primary atypical pneumonia----492	153	82	57	9	5	12	5	6	-	1
37	Pneumonia, other and unspecified----493	103	53	36	10	4	39	15	16	3	5
38	Acute bronchitis----500	22	10	10	1	1	4	3	-	-	1
39	Bronchitis, chronic and unqualified----501,502	67	40	24	1	2	5	3	1	-	1
40	Hypertrophy of tonsils and adenoids----510	7	2	2	2	1	2	2	-	-	-
41	Empyema and abscess of lung----518,521	27	14	4	7	2	2	1	1	-	-
42	Pleurisy----519	7	3	2	1	1	-	-	-	-	-
43	All other respiratory diseases----Residual[1]	222	129	69	18	6	65	50	14	1	-
44	IX. Diseases of the digestive system----	1,671	912	585	99	75	231	141	76	6	8
45	Diseases of teeth and supporting structures----530-535	5	2	2	-	1	2	2	-	-	-
46	Ulcer of stomach----540	147	111	22	9	5	21	19	2	-	-
47	Ulcer of duodenum----541	115	93	16	5	1	17	13	3	1	-
48	Gastritis and duodenitis----543	5	4	-	-	1	1	1	-	-	-
49	Appendicitis----550-553	113	60	37	8	8	19	14	4	-	1
50	Hernia and intestinal obstruction----560,561,570	270	134	102	19	15	29	19	9	1	-
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	190	76	77	24	13	17	9	3	2	3
52	Cirrhosis of liver----581	430	261	131	22	16	55	30	22	-	3
53	Without mention of alcoholism----581.0	358	206	119	20	13	43	21	19	-	3
54	With alcoholism----581.1	72	55	12	2	3	12	9	3	-	-
55	Cholelithiasis and cholecystitis----584,585	181	61	115	3	2	28	15	13	-	-
56	Other diseases of digestive system----Residual[1]	215	110	83	9	13	42	19	20	2	1
57	X. Diseases of the genito-urinary system----	1,464	793	479	114	78	144	94	42	6	2
58	Nephritis and nephrosis----590-594	999	478	394	63	64	91	51	33	5	2
59	Acute nephritis----590	59	29	21	4	5	8	5	1	1	1
60	Nephritis with edema, including nephrosis----591	43	21	15	3	4	5	3	2	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	897	428	358	56	55	78	43	30	4	1
62	Infections of kidney----600	102	51	37	11	3	13	8	5	-	-
63	Calculi of urinary system----602,604	36	18	15	-	3	3	3	-	-	-
64	Other diseases of urinary system----601,603,605-609	42	15	17	9	1	9	7	2	-	-
65	Hyperplasia of prostate----610	232	204	...	28	...	22	21	...	1	...
66	Other diseases of male genital organs----611-617	30	27	...	3	...	4	4	...	-	...
67	Diseases of breast----620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	23	...	16	...	7	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	67	...	53	...	14	8	...	8	...	-
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	13	...	8	...	5	2	...	2	...	-
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	21	...	18	...	3	2	...	2	...	-
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	14	...	14	...	-	-	...	-	...	-
73	Ectopic pregnancy----645	5	...	3	...	2	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----650	2	...	1	...	1	1	...	1	...	-
75	Abortion with sepsis----651	4	...	3	...	1	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----652	1	...	-	...	1	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	7	...	6	...	1	3	...	3	...	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,656	1,796	819	26	15	328	240	77	8	3	1,745	1,088	653	3	1	13,014	7,795	4,624	372	223	1
437	244	174	10	9	76	47	25	2	2	700	375	323	2	-	5,372	2,737	2,359	154	122	2
2,195	1,534	639	16	6	248	189	52	6	1	1,033	709	322	1	1	7,617	5,046	2,252	218	101	3
24	18	6	-	-	4	4	-	-	-	12	4	8	-	-	25	12	13	-	-	4
111	62	46	2	1	10	3	5	1	1	47	20	26	1	-	263	129	114	6	14	5
9	4	5	-	-	-	-	-	-	-	14	6	8	-	-	23	15	6	1	1	6
16	11	5	-	-	2	2	-	-	-	5	4	1	-	-	52	23	21	3	5	7
86	47	36	2	1	8	1	5	1	1	28	10	17	1	-	188	91	87	2	8	8
711	365	329	11	6	66	39	24	2	1	235	116	119	-	-	3,800	1,909	1,692	119	80	9
238	122	113	1	2	26	16	10	-	-	130	67	63	-	-	1,907	898	902	66	41	10
473	243	216	10	4	40	23	14	2	1	105	49	56	-	-	1,893	1,011	790	53	39	11
319	206	103	5	5	29	18	6	4	1	70	41	29	-	-	464	237	200	13	14	12
11	8	3	-	-	1	-	1	-	-	3	2	1	-	-	26	14	11	1	-	13
28	16	12	-	-	1	1	-	-	-	3	2	1	-	-	69	36	29	1	3	14
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	15
47	27	19	1	-	3	1	1	1	-	7	3	4	-	-	74	32	38	2	2	16
233	155	69	4	5	24	16	4	3	1	56	34	22	-	-	292	153	121	9	9	17
596	290	295	4	7	40	24	14	-	2	362	167	195	-	-	2,798	1,097	1,404	125	172	18
274	147	123	2	2	15	10	3	-	2	92	47	45	-	-	887	371	411	46	59	19
322	143	172	2	5	25	14	11	-	-	270	120	150	-	-	1,911	726	993	79	113	20
90	41	48	-	1	7	4	3	-	-	41	28	13	-	-	401	164	192	20	25	21
41	19	21	-	1	5	3	2	-	-	28	19	9	-	-	231	104	104	11	12	22
49	22	27	-	-	2	1	1	-	-	13	9	4	-	-	170	60	88	9	13	23
373	185	181	3	4	35	22	11	2	-	243	124	119	-	-	1,149	525	591	20	13	24
325	153	167	2	3	27	16	9	2	-	224	115	109	-	-	1,005	438	543	16	8	25
23	21	2	-	-	3	3	-	-	-	14	7	7	-	-	99	75	17	4	3	26
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	27
19	7	10	1	1	5	3	2	-	-	5	2	3	-	-	41	11	28	-	2	28
31	10	21	-	-	7	4	3	-	-	15	7	8	-	-	115	46	61	3	5	29
545	291	239	9	6	75	40	18	9	8	231	126	105	-	-	1,638	830	599	132	77	30
10	3	7	-	-	2	2	-	-	-	3	3	-	-	-	15	4	9	2	-	31
68	39	28	1	-	7	3	2	1	1	36	14	22	-	-	104	38	58	2	6	32
357	185	162	5	5	51	24	12	8	7	144	74	70	-	-	1,146	539	443	105	59	33
65	34	30	1	-	21	9	6	2	4	50	30	20	-	-	372	185	121	41	25	34
183	91	86	3	3	20	9	5	4	2	49	20	29	-	-	596	262	261	47	26	35
66	40	25	-	1	3	3	-	-	-	32	16	16	-	-	160	84	56	13	7	36
43	20	21	1	1	7	3	1	2	1	13	8	5	-	-	18	8	5	4	1	37
11	5	6	-	-	-	-	-	-	-	3	1	2	-	-	48	26	17	3	2	38
12	7	4	-	1	2	2	-	-	-	4	3	1	-	-	41	27	12	-	2	39
5	2	2	1	-	-	-	-	-	-	4	3	1	-	-	10	5	3	1	1	40
7	5	1	1	-	-	-	-	-	-	1	1	-	-	-	25	10	6	7	2	41
6	5	1	-	-	-	-	-	-	-	1	-	1	-	-	10	7	2	1	-	42
69	40	28	1	-	13	9	4	-	-	35	27	8	-	-	239	174	49	11	5	43
458	277	165	7	9	73	41	17	7	8	216	121	95	-	-	1,921	1,101	684	77	59	44
7	3	3	1	-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	1	45
41	31	9	-	1	7	6	-	-	1	15	13	2	-	-	189	146	33	8	2	46
28	23	3	2	-	4	4	-	-	-	16	12	4	-	-	148	118	21	8	1	47
4	2	2	-	-	-	-	-	-	-	1	1	-	-	-	10	3	5	2	-	48
31	21	10	-	-	4	3	-	1	-	8	3	5	-	-	93	53	26	5	9	49
84	42	37	1	4	11	4	4	2	1	45	28	17	-	-	306	151	129	14	12	50
37	18	16	3	-	9	1	3	2	3	27	11	16	-	-	164	74	69	10	11	51
90	62	26	-	2	30	19	7	2	2	52	29	23	-	-	635	406	198	17	14	52
56	36	18	-	2	23	15	5	2	1	43	23	20	-	-	518	331	165	12	10	53
34	26	8	-	-	7	4	2	-	1	9	6	3	-	-	117	75	33	5	4	54
71	36	34	-	1	2	1	-	-	1	35	15	20	-	-	195	72	116	4	3	55
65	39	25	-	1	6	3	3	-	-	17	9	8	-	-	177	75	87	9	6	56
360	232	117	8	3	30	20	6	2	2	159	100	58	1	-	1,106	604	375	63	64	57
209	116	86	5	2	20	13	3	2	2	92	41	50	1	-	749	354	297	46	52	58
27	13	12	2	-	-	-	-	-	-	7	2	5	-	-	45	21	18	2	4	59
12	8	4	-	-	1	1	-	-	-	-	-	-	-	-	32	11	12	5	4	60
170	95	70	3	2	19	12	3	2	2	85	39	45	1	-	672	322	267	39	44	61
22	9	13	-	-	1	-	1	-	-	15	9	6	-	-	66	28	33	1	4	62
10	6	4	-	-	1	1	-	-	-	3	3	-	-	-	32	16	13	1	2	63
12	9	2	1	-	2	-	2	-	-	5	5	-	-	-	28	14	12	1	1	64
88	86	...	2	...	6	6	...	-	...	40	40	...	-	...	193	180	...	13	...	65
6	6	...	-	...	-	-	...	-	...	2	2	...	-	...	13	12	...	1	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	67
13	...	12	...	1	-	...	-	...	-	2	...	2	...	-	24	...	20	...	4	68
24	...	24	...	-	4	...	3	...	1	6	...	6	...	-	69	...	54	...	15	69
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	12	...	10	...	2	70
9	...	9	...	-	-	...	-	...	-	2	...	2	...	-	20	...	18	...	2	71
2	...	2	...	-	1	...	-	...	1	1	...	1	...	-	5	...	4	...	1	72
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	73
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	74
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	6	...	4	...	2	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	76
9	...	9	...	-	2	...	2	...	-	3	...	3	...	-	19	...	14	...	5	77

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	34	13	16	1	4	12	7	3	1	1
2	Infections of skin and subcutaneous tissue-690-698	8	4	3	-	1	4	3	1	-	-
3	Other diseases of skin and subcutaneous tissue-700-716	26	9	13	1	3	8	4	2	1	1
4	XIII. Diseases of the bones and organs of movement	113	44	59	4	6	12	6	5	1	-
5	Arthritis and spondylitis-720-725	73	24	40	4	5	8	3	4	1	-
6	Muscular rheumatism and rheumatism, unspecified-726,727	3	1	1	-	1	-	-	-	-	-
7	Osteomyelitis and periostitis-730	2	1	1	-	-	1	1	-	-	-
8	Ankylosis and acquired musculoskeletal deformities-737,745-749	2	-	2	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system-731-736,738-744	33	18	15	-	-	2	2	-	-	-
10	XIV. Congenital malformations	504	226	236	23	19	86	50	34	2	-
11	Spina bifida and meningocele-751	36	11	23	2	-	6	3	3	-	-
12	Congenital hydrocephalus, etc.*-752,753	55	20	30	2	3	9	6	2	1	-
13	Congenital malformations of circulatory system-754	241	115	106	12	8	44	25	18	1	-
14	Other congenital malformations-750,755-759	172	80	77	7	8	27	16	11	-	-
15	XV. Certain diseases of early infancy	1,431	700	496	132	103	263	154	85	10	14
16	Birth injuries-760,761	278	172	71	24	11	44	26	16	-	2
17	Postnatal asphyxia and atelectasis-762	328	173	113	25	17	65	36	22	4	3
18	Infections of newborn-763-768	118	43	39	16	20	15	9	5	1	-
19	Hemolytic disease of newborn (erythroblastosis)-770	61	34	25	1	1	17	10	6	1	-
20	All other defined diseases of early infancy-769,771,772	58	28	19	9	2	10	7	1	2	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-773-776	588	250	229	57	52	112	66	35	2	9
22	XVI. Symptoms, senility, and ill-defined conditions	593	335	186	46	26	209	141	53	10	5
23	Senility without mention of psychosis-794	176	73	88	6	9	75	38	28	5	4
24	Symptoms, ill-defined and unknown causes-780-793,795	417	262	98	40	17	134	103	25	5	1
25	XVII. Accidents, poisonings, and violence	3,366	2,040	935	285	106	640	446	154	27	13
26	Accidents-E800-E962	2,747	1,660	811	198	78	545	371	137	26	11
27	Railway accidents-E800-E802	55	39	7	8	1	19	15	2	2	-
28	Motor-vehicle accidents-E810-E835	1,010	692	229	70	19	187	126	42	11	8
29	Motor-vehicle traffic accidents-E810-E825	989	675	227	70	17	179	119	41	11	8
30	Motor-vehicle traffic accident with railway train*-E810	31	24	7	-	-	7	6	1	-	-
31	Motor-vehicle traffic accident to pedestrian-E812	218	146	44	23	5	15	11	3	-	1
32	Other motor-vehicle traffic accidents, etc.*-E811,E813-E819	351	232	90	24	5	63	43	14	3	3
33	Motor-vehicle noncollision traffic accidents-E820-E824	224	161	42	17	4	85	56	18	7	4
34	Motor-vehicle traffic accident of unspecified nature-E825	165	112	44	6	3	9	3	5	1	-
35	Motor-vehicle nontraffic accidents-E830-E835	21	17	2	-	2	8	7	1	-	-
36	Other road-vehicle accidents-E840-E845	11	8	2	1	-	6	5	1	-	-
37	Water-transport accidents-E850-E858	20	17	-	1	2	14	13	1	-	-
38	Aircraft accidents-E860-E866	21	20	1	-	-	12	12	-	-	-
39	Accidental poisoning by solid and liquid substances-E870-E888	39	19	16	3	1	6	3	2	1	-
40	Accidental poisoning by gases and vapors-E890-E895	32	20	9	2	1	9	8	1	-	-
41	Accidental falls-E900-E904	718	303	372	25	18	101	49	50	1	1
42	Fall from one level to another-E900-E902	203	114	75	8	6	32	21	9	1	1
43	Fall on same level-E903	154	62	86	3	3	26	12	14	-	-
44	Unspecified falls-E904	361	127	211	14	9	43	16	27	-	-
45	Blow from falling object-E910	28	26	1	1	-	20	19	1	-	-
46	Accident caused by machinery-E912	67	60	3	4	-	18	17	1	-	-
47	Accident caused by electric current-E914	38	35	3	-	-	4	3	1	-	-
48	Accident caused by fire and explosion, etc.*-E916	227	102	62	38	25	45	22	17	5	1
49	Accident caused by hot substance, etc.*-E917,E918	28	14	9	4	1	2	2	-	-	-
50	Accident caused by firearm-E919	74	62	7	5	-	28	27	1	-	-
51	Inhalation and ingestion of food or other object, etc.*-E921,E922	29	12	13	2	2	7	5	2	-	-
52	Accidental drowning-E929	126	102	17	7	-	27	22	2	3	-
53	Excessive heat and insolation-E931	19	14	2	2	1	3	1	2	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-E940-E959	20	6	13	1	-	2	-	2	-	-
55	All other accidents-Residual[1]	185	109	45	24	7	35	22	9	3	1
56	Suicide-E963,E970-E979	420	316	92	8	4	82	67	15	-	-
57	Suicide by poisoning-E970-E973	79	41	32	3	3	12	10	2	-	-
58	Suicide by hanging and strangulation-E974	75	54	21	-	-	12	11	1	-	-
59	Suicide by firearms and explosives-E976	210	181	25	4	-	47	37	10	-	-
60	Suicide by all other means-E963,E975,E977-E979	56	40	14	1	1	11	9	2	-	-
61	Homicide-E964,E980-E985	199	64	32	79	24	13	8	2	1	2
62	Assault by firearms and explosives-E981	116	31	22	50	13	8	5	-	1	2
63	Assault by cutting and piercing instruments-E982	37	6	1	19	11	-	-	-	-	-
64	Assault by other means-E964,E980,E983	36	21	9	6	-	5	3	2	-	-
65	Injury by intervention of police-E984	9	5	-	4	-	-	-	-	-	-
66	Execution-E985	1	1	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13	7	6	-	-	1	1	-	-	-	6	2	4	-	-	43	23	14	3	3	1
4	1	3	-	-	1	1	-	-	-	-	-	-	-	-	11	7	3	-	1	2
9	6	3	-	-	-	-	-	-	-	6	2	4	-	-	32	16	11	3	2	3
32	10	21	-	1	3	-	3	-	-	13	4	9	-	-	81	32	47	2	-	4
17	3	14	-	-	3	-	3	-	-	6	1	5	-	-	39	12	27	-	-	5
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	3	1	-	7
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	8
12	6	5	-	1	-	-	-	-	-	7	3	4	-	-	32	15	16	1	-	9
158	92	63	1	2	22	12	7	2	1	62	36	25	-	1	555	279	236	21	19	10
11	6	5	-	-	3	1	2	-	-	5	3	2	-	-	64	26	36	2	-	11
15	7	7	-	1	1	1	-	-	-	4	1	3	-	-	84	30	47	4	3	12
74	45	29	-	-	11	5	4	1	1	30	18	11	-	1	218	123	79	8	8	13
58	34	22	1	1	7	5	1	1	-	23	14	9	-	-	189	100	74	7	8	14
509	306	188	7	8	81	51	23	4	3	170	109	61	-	-	1,630	832	533	158	107	15
94	52	42	-	-	15	8	6	-	1	47	33	14	-	-	325	183	108	22	12	16
103	62	37	1	3	24	18	4	2	-	38	28	10	-	-	487	244	162	54	27	17
27	18	7	1	1	5	1	4	-	-	5	2	3	-	-	83	44	20	13	6	18
27	17	10	-	-	1	1	-	-	-	11	5	6	-	-	90	57	31	2	-	19
16	9	7	-	-	6	6	-	-	-	1	1	-	-	-	57	27	23	4	3	20
242	148	85	5	4	30	17	9	2	2	68	40	28	-	-	588	277	189	63	59	21
123	73	47	1	2	55	34	11	5	5	46	25	20	-	1	125	66	49	9	1	22
69	35	34	-	-	20	10	6	1	3	9	1	8	-	-	58	25	32	1	-	23
54	38	13	1	2	35	24	5	4	2	37	24	12	-	1	67	41	17	8	1	24
1,071	762	282	20	7	269	175	56	24	14	386	240	146	-	-	2,961	1,811	830	230	90	25
907	630	255	16	6	202	128	40	23	11	290	172	118	-	-	2,322	1,409	665	179	69	26
16	15	1	-	-	9	9	-	-	-	7	7	-	-	-	133	108	20	5	-	27
358	268	84	4	2	94	51	22	14	7	76	55	21	-	-	740	514	142	65	19	28
348	262	80	4	2	93	50	22	14	7	76	55	21	-	-	726	501	142	64	19	29
29	21	7	1	-	-	-	-	-	-	2	2	-	-	-	16	7	5	3	1	30
38	27	8	2	1	12	8	3	1	-	22	17	5	-	-	280	192	59	23	6	31
130	92	38	-	-	29	9	10	8	2	13	8	5	-	-	252	172	52	20	8	32
85	68	16	-	1	24	13	6	3	2	28	21	7	-	-	149	109	19	17	4	33
66	54	11	1	-	28	20	3	2	3	11	7	4	-	-	29	21	7	1	-	34
10	6	4	-	-	1	1	-	-	-	-	-	-	-	-	14	13	-	1	-	35
9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	5	3	1	1	-	36
5	5	-	-	-	1	1	-	-	-	4	4	-	-	-	38	29	3	6	-	37
6	6	-	-	-	2	2	-	-	-	5	5	-	-	-	36	34	2	-	-	38
6	4	1	1	-	3	2	1	-	-	4	3	1	-	-	34	20	9	4	1	39
20	16	3	-	1	1	1	-	-	-	7	3	4	-	-	42	28	13	1	-	40
217	101	114	2	-	13	9	3	1	-	111	41	70	-	-	732	328	367	24	13	41
62	37	23	2	-	3	2	-	1	-	38	18	20	-	-	322	179	127	8	8	42
64	19	45	-	-	6	6	-	-	-	42	13	29	-	-	169	61	100	6	2	43
91	45	46	-	-	4	1	3	-	-	31	10	21	-	-	241	88	140	10	3	44
7	6	1	-	-	2	2	-	-	-	3	3	-	-	-	19	17	-	2	-	45
42	41	1	-	-	9	7	1	1	-	2	1	1	-	-	24	21	1	2	-	46
13	10	3	-	-	3	3	-	-	-	1	1	-	-	-	16	16	-	-	-	47
53	36	13	2	2	20	13	4	1	2	17	9	8	-	-	137	54	43	20	20	48
8	5	2	1	-	1	1	-	-	-	1	1	-	-	-	14	9	3	2	-	49
26	23	3	-	-	10	6	2	2	-	9	9	-	-	-	33	29	2	2	-	50
5	2	1	2	-	5	1	3	-	1	7	-	7	-	-	33	21	6	3	3	51
57	47	7	2	1	15	12	1	2	-	16	15	1	-	-	148	99	21	25	3	52
2	1	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	53
6	3	3	-	-	1	1	-	-	-	3	1	2	-	-	19	7	10	1	1	54
51	33	16	2	-	12	7	3	1	1	17	14	3	-	-	118	72	22	15	9	55
151	127	22	2	-	51	38	11	1	1	93	67	26	-	-	511	354	138	15	4	56
21	14	6	1	-	10	5	5	-	-	23	16	7	-	-	167	100	65	1	1	57
38	31	6	1	-	6	5	1	-	-	16	10	6	-	-	144	102	35	6	1	58
79	70	9	-	-	29	24	3	1	1	38	32	6	-	-	111	94	13	3	1	59
13	12	1	-	-	6	4	2	-	-	16	9	7	-	-	89	58	25	5	1	60
13	5	5	2	1	16	9	5	-	2	3	1	2	-	-	128	48	27	36	17	61
4	3	-	-	1	2	1	1	-	-	-	-	-	-	-	51	17	15	11	8	62
4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	29	8	3	14	4	63
4	-	3	1	-	10	4	4	-	2	3	1	2	-	-	38	18	9	6	5	64
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	8	3	-	5	-	65
-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	2	2	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	5,614	2,918	1,976	376	344	158,488	81,892	66,868	5,313	4,415
2	I. Infective and parasitic diseases	354	148	116	41	49	4,499	2,457	1,023	651	368
3	Tuberculosis, all forms---001-019	208	84	63	26	35	3,488	1,912	742	531	303
4	Tuberculosis of respiratory system---001-008	180	79	55	20	26	3,236	1,817	672	486	261
5	Tuberculosis of meninges and central nervous system---010	14	1	5	4	4	93	31	29	17	16
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	1	-	-	-	1	6	1	2	2	1
7	Tuberculosis of vertebral column---012.0,013.0	-	-	-	-	-	24	10	7	6	1
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	1	1	-	-	-	3	2	1	-	-
9	Tuberculosis of genito-urinary system---016	4	1	2	1	-	30	17	9	1	3
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	-	-	-	-	-	12	7	4	1	-
11	Disseminated tuberculosis---019	8	2	1	1	4	84	27	18	18	21
12	Syphilis and its sequelae---020-029	28	18	6	3	1	542	318	102	89	33
13	Congenital syphilis---020	3	3	-	-	-	1	-	-	1	-
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	4	3	1	-	-	123	76	32	11	4
16	Other cardiovascular syphilis---023	9	4	2	2	1	222	134	29	43	16
17	Tabes dorsalis---024	3	2	1	-	-	18	12	4	2	-
18	General paralysis of insane---025	3	2	1	-	-	106	56	24	18	8
19	Other syphilis of central nervous system---026	3	2	-	1	-	53	31	10	10	2
20	Other syphilis---027-029	3	2	1	-	-	19	9	3	4	3
21	Gonococcal infection---030-035	-	-	-	-	-	5	2	1	2	-
22	Typhoid fever---040	-	-	-	-	-	3	-	-	3	-
23	Paratyphoid fever---041	-	-	-	-	-	1	-	1	-	-
24	Other Salmonella infections---042	-	-	-	-	-	2	1	-	1	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	1	1	-	-	-
27	Dysentery, all forms---045-048	29	8	16	3	2	5	3	2	-	-
28	Food poisoning (infection and intoxication)---049	1	-	-	1	-	1	1	-	-	-
29	Scarlet fever---050	-	-	-	-	-	6	3	3	-	-
30	Streptococcal sore throat---051	6	4	1	1	-	20	12	6	1	1
31	Erysipelas---052	-	-	-	-	-	6	4	1	1	-
32	Septicemia and pyemia---053	4	2	-	-	2	41	20	16	2	3
33	Diphtheria---055	2	1	1	-	-	1	-	-	-	1
34	Whooping cough---056	27	11	8	2	6	10	3	5	1	1
35	Meningococcal infections---057	3	-	2	1	-	60	29	17	6	8
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	-	-	-	-	-
39	Tetanus---061	-	-	-	-	-	7	7	-	-	-
40	Anthrax---062	1	1	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	12	6	6	-	-	64	38	23	2	1
42	Late effects of acute poliomyelitis---081	-	-	-	-	-	7	3	3	1	-
43	Acute infectious encephalitis---082	3	1	1	-	1	40	19	13	2	6
44	Late effects of acute infectious encephalitis---083	1	1	-	-	-	29	17	12	-	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	16	5	8	1	2	23	10	11	-	2
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	1	1	-	-	-	69	29	34	3	3
49	Rabies---094	-	-	-	-	-	1	1	-	-	-
50	Tick-borne typhus---104	1	1	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	1	1	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria---110-117	-	-	-	-	-	2	1	1	-	-
55	Schistosomiasis---123	-	-	-	-	-	1	1	-	-	-
56	Hydatid disease---125	-	-	-	-	-	4	2	2	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	1	-	1	-	-	6	2	3	-	1
60	All other infective and parasitic diseases---Residual[1]	10	4	3	3	-	54	18	25	6	5
61	II. Neoplasms	564	266	267	18	13	27,807	13,690	12,772	624	721
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	542	260	254	17	11	27,263	13,483	12,486	608	686
63	Malignant neoplasm of buccal cavity and pharynx---140-148	14	10	3	1	-	632	478	124	23	7
64	Of lip---140	1	1	-	-	-	39	36	3	-	-
65	Of tongue---141	2	1	1	-	-	190	146	36	6	2
66	Of other and unspecified parts of buccal cavity---142-144	8	6	2	-	-	166	121	38	3	4
67	Of pharynx---145-148	3	2	-	1	-	237	175	47	14	1
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	201	108	85	5	3	10,894	5,716	4,701	262	215
69	Of esophagus---150	4	3	1	-	-	604	416	140	38	10
70	Of stomach---151	69	46	22	-	1	2,942	1,703	1,081	100	58
71	Of intestine, except rectum---152,153	47	20	26	1	-	3,141	1,399	1,657	28	57
72	Of rectum---154	12	4	8	-	-	1,684	948	676	36	24
73	Of biliary passages and of liver (stated to be primary site)---155	15	4	10	1	-	576	209	343	9	15
74	Of liver not specified whether primary or secondary---156A	22	14	7	1	-	466	221	215	18	12
75	Of pancreas---157	29	16	10	2	1	1,240	706	484	23	27
76	Of peritoneum and of unspecified digestive organs---158,159	3	1	1	-	1	241	114	105	10	12
77	Malignant neoplasm of respiratory system---160-164	42	29	12	1	-	3,332	2,719	467	117	29
78	Of larynx---161	3	3	-	-	-	294	262	20	12	-
79	Of trachea, and of bronchus and lung specified as primary---162	13	7	6	-	-	1,255	1,060	138	49	8
80	Of lung and bronchus, unspecified as primary or secondary---163	22	16	5	1	-	1,674	1,333	268	55	18
81	Of other parts of respiratory system---160,164	4	3	1	-	-	109	64	41	1	3
82	Malignant neoplasm of breast---170	32	-	31	-	1	2,746	32	2,601	1	112

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
31,371	12,338	8,591	5,733	4,709	5,111	3,061	1,918	74	58	81,931	42,896	32,946	3,439	2,650	20,118	10,679	7,050	1,311	1,078	1
1,040	269	183	354	234	104	60	28	8	8	2,316	1,213	606	344	153	743	356	193	122	72	2
627	159	106	205	157	61	37	15	4	5	1,467	773	351	232	111	438	211	105	72	50	3
577	148	94	184	151	54	33	14	3	4	1,323	709	312	206	96	401	198	95	64	44	4
13	2	4	7	-	3	1	-	1	1	49	18	14	11	6	14	4	5	4	1	5
6	1	1	2	2	-	-	-	-	-	11	4	2	3	2	3	2	-	1	-	6
10	2	3	3	2	-	-	-	-	-	15	7	6	2	-	1	1	-	-	-	7
4	3	1	-	-	1	1	-	-	-	4	3	-	-	1	2	1	-	-	1	8
1	-	1	-	-	1	1	-	-	-	22	14	7	1	-	3	1	2	-	-	9
5	2	1	2	-	2	1	1	-	-	8	4	-	2	2	4	-	2	1	1	10
11	1	1	7	2	-	-	-	-	-	35	14	10	7	4	10	4	1	2	3	11
122	25	12	63	22	7	3	3	1	-	425	216	90	91	28	90	49	20	18	3	12
8	1	-	3	4	1	-	-	1	-	4	2	-	-	2	5	-	3	1	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
38	9	7	15	7	3	2	1	-	-	104	67	23	8	6	17	14	2	1	-	15
35	8	3	20	4	1	-	1	-	-	150	66	27	44	13	16	8	5	3	-	16
4	1	-	2	1	-	-	-	-	-	15	10	5	-	-	6	4	1	1	-	17
24	3	1	16	4	2	1	1	-	-	86	39	18	24	5	27	15	6	4	2	18
11	3	1	5	2	-	-	-	-	-	52	25	13	12	2	13	5	3	5	-	19
2	-	-	2	-	-	-	-	-	-	14	7	4	3	-	6	3	-	3	-	20
6	-	1	2	3	-	-	-	-	-	4	1	1	1	1	2	-	-	2	-	21
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	2	1	1	-	-	22
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
2	-	1	1	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	26
22	5	4	4	9	-	-	-	-	-	10	3	6	1	-	17	4	4	8	1	27
8	2	2	3	1	-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	28
1	1	-	-	-	-	-	-	-	-	6	3	3	-	-	3	1	2	-	-	29
9	4	3	1	1	1	-	1	-	-	14	6	5	3	-	9	3	1	2	3	30
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	31
16	5	6	2	3	5	4	-	-	1	32	17	11	1	3	8	2	3	1	2	32
19	4	3	11	1	-	-	-	-	-	5	2	3	-	-	7	4	3	-	-	33
53	6	4	27	16	3	-	1	2	-	17	12	4	1	-	19	3	6	7	3	34
41	16	12	7	6	1	-	1	-	-	96	50	40	4	2	17	9	7	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
17	5	5	6	1	-	-	-	-	-	10	3	4	1	2	11	7	2	1	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
10	3	5	2	-	6	3	2	-	1	55	29	24	1	1	39	27	10	1	1	41
1	-	-	1	-	-	-	-	-	-	8	4	3	1	-	2	-	2	-	-	42
5	1	2	-	2	2	2	-	-	-	17	10	7	-	-	11	3	4	2	2	43
6	5	1	-	-	1	1	-	-	-	14	7	7	-	-	3	2	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
6	3	1	1	1	7	4	2	-	1	40	24	12	1	3	24	10	6	4	4	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
13	9	3	1	-	4	2	1	1	-	25	12	12	-	1	13	8	5	-	-	48
2	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	49
6	3	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	50
6	3	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
6	2	1	1	2	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	59
32	8	6	10	8	6	4	2	-	-	64	36	21	6	1	16	6	7	1	2	60
3,431	1,272	1,352	326	481	707	387	312	3	5	12,520	5,913	5,828	407	372	2,922	1,397	1,256	110	159	61
3,305	1,236	1,313	315	441	683	378	298	3	4	12,298	5,844	5,705	395	354	2,841	1,372	1,218	105	146	62
95	50	30	11	4	9	6	3	-	-	242	177	47	14	4	52	42	7	1	2	63
5	4	1	-	-	-	-	-	-	-	16	15	-	-	1	8	8	-	-	-	64
21	12	7	2	-	2	2	-	-	-	55	38	9	6	2	10	6	3	-	1	65
37	17	14	5	1	3	3	-	-	-	66	46	18	1	1	17	14	2	1	-	66
32	17	8	4	3	4	1	3	-	-	105	78	20	7	-	17	14	2	-	1	67
1,007	404	352	145	106	279	164	111	2	2	4,706	2,393	2,046	162	105	1,016	542	364	55	55	68
44	21	8	10	5	8	7	-	1	-	227	162	39	22	4	25	15	5	3	2	69
310	124	82	74	30	116	73	42	-	1	1,303	739	474	63	28	321	194	88	23	16	70
255	90	115	23	27	67	31	35	1	-	1,433	624	739	33	37	254	95	132	12	15	71
100	31	49	7	13	23	12	10	-	1	603	341	239	14	9	92	54	27	4	7	72
101	39	42	11	9	18	11	7	-	-	285	81	191	7	6	54	25	23	4	2	73
15	5	3	3	4	14	6	8	-	-	324	160	148	10	6	114	57	43	7	7	74
145	82	39	11	13	26	19	7	-	-	460	254	181	12	13	131	88	35	2	6	75
37	12	14	6	5	7	5	2	-	-	71	33	35	1	2	25	14	11	-	-	76
277	190	52	25	10	50	36	13	1	-	1,302	1,000	206	74	22	231	181	38	9	3	77
23	17	4	2	-	4	4	-	-	-	117	105	5	4	3	14	13	-	1	-	78
191	131	36	17	7	11	7	3	1	-	456	361	58	30	7	54	45	4	5	-	79
39	29	4	5	1	35	25	10	-	-	679	506	124	39	10	147	110	32	3	2	80
24	13	8	1	2	-	-	-	-	-	50	28	19	1	2	16	13	2	-	1	81
307	4	222	1	80	51	1	50	-	-	1,081	5	1,018	1	57	211	4	188	1	18	82

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	105	40	58	4	3	3,511	1,113	2,147	63	188
2	Of cervix uteri----171	25	...	25	...	-	809	...	692	...	117
3	Of other and unspecified parts of uterus----172-174	21	...	19	...	2	670	...	632	...	38
4	Of ovary, fallopian tube, and broad ligament----175	13	...	12	...	1	769	...	742	...	27
5	Of other and unspecified female genital organs----176	2	...	2	...	-	87	...	81	...	6
6	Of prostate----177	35	33	...	2	...	1,068	1,012	...	56	...
7	Of testis, and of other and unspecified male genital organs----178,179	9	7	...	2	...	108	101	...	7	...
8	Malignant neoplasm of urinary organs----180,181	20	9	9	1	1	1,337	871	423	26	17
9	Of kidney----180	7	3	3	1	-	478	294	168	7	9
10	Of bladder and other urinary organs----181	13	6	6	-	1	859	577	255	19	8
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	78	42	30	3	3	2,670	1,333	1,185	71	83
12	Of skin----190,191	10	7	3	-	-	295	162	126	1	6
13	Of eye----192	1	1	-	-	-	38	18	19	-	1
14	Of brain and other parts of nervous system----193	14	8	6	-	-	539	316	197	11	15
15	Of thyroid gland----194	-	-	-	-	-	151	44	101	4	2
16	Of bone (including jaw bone)----196	12	5	6	-	1	206	114	81	4	7
17	Of connective tissue----197	-	-	-	-	-	73	40	29	4	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	8	3	4	-	1	303	149	140	5	9
19	Of unspecified sites----156B,165,198B,199B-M	33	18	11	3	1	1,065	490	490	42	43
20	Leukemia and aleukemia----204	31	14	17	-	-	1,091	608	446	21	16
21	Lymphosarcoma, etc.*----200-203,205	19	8	9	2	-	1,050	613	394	24	19
22	Lymphosarcoma and reticulosarcoma----200	8	5	3	-	-	467	271	183	9	4
23	Hodgkin's disease----201	4	1	2	1	-	361	221	127	8	5
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	7	2	4	1	-	222	121	84	7	10
25	Benign neoplasms and neoplasms of unspecified nature----210-239	22	6	13	1	2	544	207	286	16	35
26	Benign neoplasms of female genital organs----214-217	7	...	6	...	1	118	...	95	...	23
27	Benign neoplasm of brain and other parts of nervous system----223	-	-	-	-	-	87	42	40	4	1
28	Other benign neoplasms----210-213,218-222,224-229	2	2	-	-	-	90	45	38	5	2
29	Neoplasm of unspecified nature of female genital organs----233-235	-	...	-	...	-	3	...	3	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	7	2	5	-	-	145	76	63	3	3
31	Other neoplasms of unspecified nature----230-232,236,238,239	6	2	2	1	1	101	44	47	4	6
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----	115	61	51	1	2	3,832	1,506	2,129	69	128
33	Asthma----241	30	20	10	-	-	570	366	176	14	14
34	Nontoxic goiter----250,251	-	-	-	-	-	23	4	18	-	1
35	Thyrotoxicosis with or without goiter----252	6	-	6	-	-	117	22	85	2	8
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	1	1	-	-	-	15	1	14	-	-
37	Diabetes mellitus----260	55	26	27	-	2	2,927	1,016	1,766	48	97
38	Diseases of thymus gland----273	7	5	2	-	-	38	24	12	1	1
39	Diseases of adrenal glands----274	1	1	-	-	-	35	16	16	1	2
40	Pellagra----281	2	1	1	-	-	1	1	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	9	5	3	1	-	34	19	12	1	2
42	Other allergic, endocrine, and metabolic diseases----Residual[1]	4	2	2	-	-	72	37	30	2	3
43	IV. Diseases of the blood and blood-forming organs----	17	4	12	1	-	470	199	249	10	12
44	Anemias----290-293	13	2	11	-	-	337	136	182	8	11
45	Pernicious and other hyperchromic anemias----290	6	1	5	-	-	165	52	106	1	6
46	Anemias of other and unspecified type----291-293	7	1	6	-	-	172	84	76	7	5
47	Purpura and other hemorrhagic conditions----296	2	1	-	1	-	56	22	32	1	1
48	All other diseases of blood and blood-forming organs----294,295,297-299	2	1	1	-	-	77	41	35	1	-
49	V. Mental, psychoneurotic, and personality disorders----	18	12	3	1	2	391	245	84	51	11
50	Senile psychosis----304	4	1	1	1	1	13	3	10	-	-
51	Alcoholic psychosis----307	-	-	-	-	-	56	41	3	11	1
52	Other psychoses----300-303,305,306,308,309	1	1	-	-	-	92	42	37	7	6
53	Alcoholism----322	12	10	1	-	1	202	147	26	25	4
54	Mental deficiency----325	1	-	1	-	-	13	8	5	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	15	4	3	8	-
56	VI. Diseases of the nervous system and sense organs----	337	178	142	10	7	15,306	6,642	8,028	283	353
57	Vascular lesions affecting central nervous system----330-334	285	155	120	5	5	14,082	5,989	7,549	233	311
58	Subarachnoid hemorrhage----330	8	5	3	-	-	452	183	227	20	22
59	Cerebral hemorrhage----331	186	94	82	5	5	8,735	3,664	4,738	132	201
60	Cerebral embolism and thrombosis----332	46	32	14	-	-	3,318	1,485	1,744	53	56
61	Other vascular lesions affecting central nervous system----333,334	45	24	21	-	-	1,577	677	840	28	32
62	Meningitis, except meningococcal and tuberculous----340	12	5	4	2	1	169	91	44	18	16
63	Multiple sclerosis----345	4	2	2	-	-	156	63	86	2	5
64	Paralysis agitans----350	2	2	-	-	-	245	130	111	3	1
65	Cerebral spastic infantile paralysis----351	4	2	2	-	-	44	27	16	-	1
66	Epilepsy----353	7	2	5	-	-	202	111	66	18	7
67	Inflammatory diseases of eye----370-379	-	-	-	-	-	2	-	2	-	-
68	Cataract----385	-	-	-	-	-	7	3	4	-	-
69	Glaucoma----387	-	-	-	-	-	1	-	1	-	-
70	Otitis media and mastoiditis----391-393	3	2	1	-	-	51	31	17	1	2
71	Other diseases of nervous system and sense organs----Residual[1]	20	8	8	3	1	347	197	132	8	10
72	VII. Diseases of the circulatory system----	1,210	720	433	29	28	74,226	39,621	31,266	1,682	1,657
73	Rheumatic fever----400-402	14	7	6	-	1	154	69	67	9	9
74	Diseases of heart----410-443	1,082	651	378	27	26	69,196	37,287	28,809	1,568	1,532
75	Chronic rheumatic heart disease----410-416	75	31	35	5	4	2,616	1,102	1,359	68	87
76	Diseases of mitral valve----410	38	15	18	3	2	732	304	395	13	20
77	Diseases of aortic valve specified as rheumatic----411	2	2	-	-	-	91	61	26	4	-
78	Diseases of tricuspid valve----412	-	-	-	-	-	2	2	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	3	-	3	-	-	175	77	92	2	4
80	Other diseases of heart specified as rheumatic----415,416	32	14	14	2	2	1,616	658	846	49	63

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
723	171	335	56	161	109	63	44	-	2	2,128	751	1,208	58	111	488	156	282	13	37	1
238	...	146	...	92	14	...	12	...	2	516	...	458	...	58	125	...	109	...	16	2
163	...	106	...	57	14	...	14	...	-	438	...	398	...	40	130	...	114	...	16	3
88	...	76	...	12	15	...	15	...	-	331	...	319	...	12	54	...	50	...	4	4
7	...	7	...	-	3	...	3	...	-	34	...	33	...	1	10	...	9	...	1	5
212	160	...	52	...	58	58	...	-	...	747	691	...	56	...	153	141	...	12	...	6
15	11	...	4	...	5	5	...	-	...	62	60	...	2	...	16	15	...	1	...	7
140	68	48	14	10	39	26	13	-	-	536	333	202	19	9	123	73	40	4	6	8
51	23	22	6	-	17	9	8	-	-	219	122	90	7	-	44	23	17	1	3	9
89	45	26	8	10	22	17	5	-	-	344	211	112	12	9	79	50	23	3	3	10
455	197	173	39	46	82	44	38	-	-	1,237	623	551	36	27	477	235	207	16	19	11
85	42	36	1	6	11	6	5	-	-	162	91	67	3	1	72	48	24	-	-	12
8	1	5	1	1	1	1	-	-	-	17	10	7	-	-	3	1	1	1	-	13
78	52	18	4	4	16	9	7	-	-	248	141	99	3	5	71	41	29	-	1	14
15	3	10	1	1	1	1	-	-	-	51	22	28	1	-	9	4	5	-	-	15
48	21	16	5	6	6	3	3	-	-	124	71	47	5	1	31	11	16	3	1	16
14	5	3	4	2	4	3	1	-	-	28	20	7	1	-	7	4	3	-	-	17
61	16	33	4	8	10	6	4	-	-	191	82	100	3	6	88	42	38	2	6	18
146	57	52	19	18	33	15	18	-	-	416	186	196	20	14	196	84	91	10	11	19
172	82	59	13	18	28	17	11	-	-	534	279	228	16	11	140	81	51	4	4	20
129	70	42	11	6	36	21	15	-	-	505	283	199	15	8	103	58	41	2	2	21
49	27	18	2	2	12	8	4	-	-	229	131	89	6	3	43	24	17	1	1	22
41	22	12	7	-	11	7	4	-	-	156	83	63	5	5	29	21	7	-	1	23
39	21	12	2	4	13	6	7	-	-	120	69	47	4	-	31	13	17	1	-	24
126	36	39	11	40	24	9	14	-	1	222	69	123	12	18	81	25	38	5	13	25
38	...	14	...	24	4	...	4	...	-	51	...	40	...	11	21	...	16	...	5	26
13	8	2	1	2	3	2	1	-	-	41	19	18	3	1	10	5	2	2	1	27
9	4	1	2	2	5	2	3	-	-	41	15	23	2	1	14	7	5	1	1	28
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	1	...	-	...	1	29
50	19	17	4	10	9	3	6	-	-	53	22	24	4	3	24	10	9	1	4	30
16	5	5	4	2	3	2	-	-	1	34	13	17	3	1	11	3	5	1	1	31
629	204	254	67	104	156	74	77	3	2	2,668	1,062	1,431	61	114	473	211	213	22	27	32
128	58	42	13	15	21	11	7	1	2	466	287	148	17	14	104	64	32	5	3	33
6	-	4	-	2	3	-	3	-	-	14	2	11	-	1	3	1	2	-	-	34
20	2	11	-	7	3	-	3	-	-	105	21	75	-	9	14	1	11	-	2	35
7	-	5	1	1	2	-	2	-	-	19	2	17	-	-	1	1	-	-	-	36
385	123	161	36	65	115	57	58	-	-	1,928	685	1,125	36	82	291	115	144	12	20	37
13	7	3	2	1	2	1	-	1	-	23	11	8	1	3	8	3	3	2	-	38
8	3	4	1	-	5	2	2	1	-	23	13	8	1	1	5	3	1	1	-	39
12	2	6	1	3	-	-	-	-	-	3	2	1	-	-	10	4	6	-	-	40
31	5	8	11	7	2	-	2	-	-	53	22	22	5	4	27	13	11	2	1	41
19	4	10	2	3	3	3	-	-	-	34	17	16	1	-	10	6	3	-	1	42
109	35	38	17	19	22	12	10	-	-	339	156	164	9	10	102	52	39	2	9	43
77	22	25	13	17	16	8	8	-	-	253	120	121	6	6	77	38	29	2	8	44
19	8	5	4	2	8	3	5	-	-	143	61	76	1	5	33	17	13	1	2	45
58	14	20	9	15	8	5	3	-	-	110	59	45	5	1	44	21	16	1	6	46
11	3	5	2	1	2	2	-	-	-	34	12	17	2	3	7	2	4	-	1	47
21	10	8	2	1	4	2	2	-	-	52	24	26	1	1	18	12	6	-	-	48
163	74	26	41	22	29	21	8	-	-	208	123	57	21	7	118	60	40	7	11	49
19	3	9	4	3	14	10	4	-	-	26	9	16	-	1	59	25	28	4	2	50
3	2	-	1	-	3	3	-	-	-	9	9	-	-	-	1	1	-	-	-	51
27	8	5	7	7	7	4	3	-	-	31	8	21	2	-	13	4	7	1	1	52
103	57	9	27	10	3	3	-	-	-	127	90	14	18	5	33	23	1	2	7	53
9	2	3	2	2	-	-	-	-	-	6	2	4	-	-	5	4	1	-	-	54
2	2	-	1	-	2	1	1	-	-	9	5	2	1	1	7	3	3	-	1	55
4,438	1,545	1,384	750	759	773	435	332	5	1	10,312	4,765	4,897	309	341	2,726	1,303	1,128	140	155	56
4,152	1,444	1,315	676	717	707	394	311	2	-	9,529	4,352	4,599	264	314	2,516	1,200	1,054	118	144	57
85	39	27	9	10	12	7	4	1	-	230	85	111	17	17	32	12	15	2	3	58
2,819	966	903	452	498	489	269	219	1	-	6,608	2,981	3,251	165	211	1,741	842	743	62	94	59
540	246	181	63	50	84	42	42	-	-	1,563	744	726	45	48	271	135	110	15	11	60
708	193	204	152	159	122	76	46	-	-	1,128	542	511	37	38	472	211	186	39	36	61
46	8	9	18	11	5	1	1	3	-	118	56	35	14	13	24	11	4	6	3	62
10	5	3	2	-	7	4	3	-	-	89	50	36	2	1	16	10	5	-	1	63
26	14	8	2	2	13	6	7	-	-	150	70	77	1	2	30	17	12	1	-	64
20	5	7	7	1	3	3	-	-	-	35	18	15	1	1	3	1	2	-	-	65
65	23	11	19	12	19	15	4	-	-	119	67	40	7	5	23	11	9	3	-	66
1	-	-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	67
1	1	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
16	4	3	6	3	1	-	1	-	-	17	11	4	2	-	3	1	1	1	-	70
101	41	28	19	13	18	12	5	-	1	249	137	89	18	5	111	52	41	11	7	71
11,349	5,013	3,087	1,778	1,471	1,870	1,189	660	10	11	33,814	18,750	13,122	1,078	864	7,022	4,163	2,275	344	240	72
59	13	21	14	11	5	4	1	-	-	76	42	21	3	10	21	8	8	2	3	73
10,338	4,648	2,763	1,592	1,335	1,663	1,071	571	10	11	30,342	17,131	11,523	951	737	6,248	3,760	1,966	312	210	74
348	135	121	49	43	81	38	41	2	-	1,196	561	567	44	24	208	108	81	11	8	75
141	55	54	21	11	36	16	19	1	-	553	241	277	22	13	98	50	37	5	6	76
9	5	2	1	1	1	1	-	-	-	48	31	15	2	-	8	5	3	-	-	77
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	-	1	1	-	78
19	7	3	4	5	7	3	3	1	-	55	18	35	1	1	15	8	6	1	-	79
179	68	62	23	26	37	18	19	-	-	538	270	239	19	10	85	45	34	4	2	80

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	612	408	178	13	13	49,084	28,791	18,688	876	729
2	Arteriosclerotic heart disease so described----420.0	173	94	67	7	5	24,153	12,314	10,908	442	489
3	Heart disease specified as involving coronary arteries----420.1	430	310	106	6	8	24,860	16,435	7,751	434	240
4	Angina pectoris without mention of coronary disease----420.2	9	4	5	-	-	71	42	29	-	-
5	Chronic endocarditis not specified as rheumatic----421	32	18	14	-	-	770	371	373	12	14
6	Of mitral valve, specified as nonrheumatic----421.0	-	-	-	-	-	67	25	42	-	-
7	Of aortic valve, not specified as rheumatic----421.1	3	3	-	-	-	113	77	30	4	2
8	Of other valves, not specified as rheumatic----421.2-421.4	29	15	14	-	-	590	269	301	8	12
9	Other myocardial degeneration----422	143	84	52	5	2	6,731	3,023	3,420	155	133
10	With arteriosclerosis----422.1	45	28	16	1	-	4,675	2,013	2,431	124	107
11	Without mention of arteriosclerosis----422.0,422.2	98	56	36	4	2	2,056	1,010	989	31	26
12	Other diseases of heart----430-434	84	44	36	2	2	871	482	342	29	18
13	Acute and subacute endocarditis----430	1	1	-	-	-	53	27	22	1	3
14	Acute myocarditis not specified as rheumatic----431	3	2	1	-	-	142	71	65	4	2
15	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	4	3	1	-	-
16	Functional disease of heart----433	11	4	4	2	1	117	54	63	-	-
17	Other and unspecified diseases of heart----434	69	37	31	-	1	555	327	191	24	13
18	Hypertension with heart disease----440-443	136	66	63	2	5	9,124	3,518	4,627	428	551
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	39	20	18	-	1	1,486	652	725	46	63
20	Essential hypertension with heart disease, etc.*----440,441,443	97	46	45	2	4	7,638	2,866	3,902	382	488
21	Hypertension without mention of heart----444-447	28	14	14	-	-	1,188	521	553	45	69
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	13	10	3	-	-	842	390	376	31	45
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	15	4	11	-	-	346	131	177	14	24
24	Diseases of arteries----450-456	74	41	30	2	1	3,426	1,621	1,714	50	41
25	General arteriosclerosis----450	61	33	26	1	1	2,990	1,344	1,585	35	26
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	7	6	-	1	-	265	192	56	9	8
27	Gangrene of unspecified cause----455	-	-	-	-	-	13	10	2	-	1
28	Other arterial diseases----452-454,456	6	2	4	-	-	158	75	71	6	6
29	Diseases of veins and other diseases of circulatory system----460-468	12	7	5	-	-	262	123	123	10	6
30	VIII. Diseases of the respiratory system----	380	169	136	35	40	5,596	3,005	2,059	338	194
31	Acute upper respiratory infections----470-475	7	4	2	1	-	73	37	32	2	2
32	Influenza----480-483	23	7	12	2	2	380	192	172	9	7
33	Pneumonia, except pneumonia of newborn----490-493	283	111	109	30	33	4,061	2,047	1,566	285	163
34	Lobar pneumonia----490	80	34	30	10	6	1,381	760	448	119	54
35	Bronchopneumonia----491	134	47	53	15	19	2,343	1,109	981	150	103
36	Primary atypical pneumonia----492	21	10	8	1	2	228	121	94	11	2
37	Pneumonia, other and unspecified----493	48	20	18	4	6	109	57	43	5	4
38	Acute bronchitis----500	7	4	-	-	3	100	53	35	6	6
39	Bronchitis, chronic and unqualified----501,502	12	8	3	-	1	151	103	40	6	2
40	Hypertrophy of tonsils and adenoids----510	2	2	-	-	-	17	4	11	1	1
41	Empyema and abscess of lung----518,521	2	2	-	-	-	78	40	26	9	3
42	Pleurisy----519	-	-	-	-	-	11	6	3	2	-
43	All other respiratory diseases----Residual[1]	44	31	10	2	1	725	523	174	18	10
44	IX. Diseases of the digestive system----	397	168	153	39	37	6,103	3,439	2,286	229	149
45	Diseases of teeth and supporting structures----530-535	1	1	-	-	-	10	3	5	2	-
46	Ulcer of stomach----540	9	5	4	-	-	627	465	133	21	8
47	Ulcer of duodenum----541	14	11	3	-	-	486	397	73	12	4
48	Gastritis and duodenitis----543	3	3	-	-	-	24	14	9	-	1
49	Appendicitis----550-553	17	14	3	-	-	282	157	99	16	10
50	Hernia and intestinal obstruction----560,561,570	34	15	18	-	1	837	439	341	37	20
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	208	61	78	39	30	476	218	237	13	8
52	Cirrhosis of liver----581	38	28	8	-	2	2,101	1,208	734	86	73
53	Without mention of alcoholism----581.0	30	21	8	-	1	1,489	801	586	53	49
54	With alcoholism----581.1	8	7	-	-	1	612	407	148	33	24
55	Cholelithiasis and cholecystitis----584,585	29	9	19	-	1	647	222	414	6	5
56	Other diseases of digestive system----Residual[1]	44	21	20	-	3	613	316	241	36	20
57	X. Diseases of the genito-urinary system----	124	73	41	5	5	2,955	1,730	999	126	100
58	Nephritis and nephrosis----590-594	82	42	34	2	4	1,681	826	715	78	62
59	Acute nephritis----590	11	4	5	1	1	81	39	33	5	4
60	Nephritis with edema, including nephrosis----591	6	2	4	-	-	88	49	34	2	3
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	65	36	25	1	3	1,512	738	648	71	55
62	Infections of kidney----600	3	-	2	-	1	306	142	133	13	18
63	Calculi of urinary system----602,604	4	2	2	-	-	137	79	49	5	4
64	Other diseases of urinary system----601,603,605-609	6	5	1	-	-	121	68	42	6	5
65	Hyperplasia of prostate----610	26	23	...	3	...	606	585	...	21	...
66	Other diseases of male genital organs----611-617	1	1	...	-	...	33	30	...	3	...
67	Diseases of breast----620,621	-	-	-	-	-	3	-	3	-	-
68	Diseases of female genital organs----622-637	2	...	2	...	-	68	...	57	...	11
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	31	...	24	...	7	165	...	124	...	41
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	1	...	1	...	-	19	...	17	...	2
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	11	...	8	...	3	47	...	41	...	6
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	7	...	5	...	2	24	...	22	...	2
73	Ectopic pregnancy----645	3	...	2	...	1	10	...	1	...	9
74	Abortion without mention of sepsis or toxemia----650	2	...	2	...	-	6	...	3	...	3
75	Abortion with sepsis----651	3	...	2	...	1	16	...	8	...	8
76	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	4	...	4	...	-	43	...	32	...	11

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5,092	2,847	1,323	536	386	1,041	727	303	6	5	19,164	12,028	6,287	548	301	3,825	2,528	1,082	123	92	1
956	457	318	110	91	289	181	103	3	2	5,995	3,178	2,499	186	132	862	487	324	31	20	2
4,080	2,368	981	420	291	745	540	199	3	3	13,072	8,792	3,753	360	167	2,926	2,015	750	91	70	3
76	42	24	6	4	7	6	1	-	-	97	58	35	2	2	37	26	8	1	2	4
219	77	49	50	43	35	19	16	-	-	491	254	210	15	12	109	59	35	11	4	5
21	5	6	5	5	2	2	-	-	-	59	32	22	3	2	11	3	7	-	1	6
54	21	6	17	10	6	4	2	-	-	84	48	32	3	1	27	20	1	5	1	7
144	51	37	28	28	27	13	14	-	-	348	174	156	9	9	71	36	27	6	2	8
1,135	436	381	166	152	191	114	76	1	-	3,823	1,882	1,774	85	82	638	328	247	35	28	9
554	216	187	77	74	75	43	32	-	-	1,932	939	936	33	24	196	118	69	7	2	10
581	220	194	89	78	116	71	44	1	-	1,891	943	838	52	58	442	210	178	28	26	11
898	366	186	195	151	119	80	33	1	5	1,091	581	433	38	39	589	349	166	53	21	12
17	9	3	1	4	3	2	1	-	-	57	31	19	4	3	4	2	1	-	1	13
34	11	8	5	10	10	9	1	-	-	124	67	42	8	7	34	21	9	3	1	14
1	1	-	-	-	2	1	1	-	-	1	1	-	-	-	1	1	-	-	-	15
52	26	17	7	2	16	10	6	-	-	191	97	84	4	6	50	29	18	3	-	16
794	319	158	182	135	88	58	24	1	5	718	385	288	22	23	500	296	138	47	19	17
2,646	787	703	596	560	196	93	102	-	1	4,577	1,825	2,252	221	279	879	388	355	79	57	18
1,046	327	273	237	209	34	21	12	-	1	1,601	730	729	71	71	279	137	107	23	12	19
1,600	460	430	359	351	162	72	90	-	-	2,976	1,095	1,523	150	208	600	251	248	56	45	20
327	98	87	80	62	50	26	24	-	-	801	333	353	56	59	211	101	78	16	16	21
127	50	35	27	15	19	13	6	-	-	465	206	194	35	30	64	30	24	4	6	22
200	48	52	53	47	31	13	18	-	-	336	127	159	21	29	147	71	54	12	10	23
548	220	198	77	53	140	79	61	-	-	2,370	1,158	1,114	52	46	474	262	195	9	8	24
475	185	180	65	45	125	68	57	-	-	2,165	1,042	1,044	39	40	415	226	177	6	6	25
37	21	4	8	4	8	7	1	-	-	119	80	32	6	1	22	15	6	-	1	26
2	1	-	1	-	2	1	1	-	-	7	3	2	2	-	12	9	-	2	1	27
34	13	14	3	4	5	3	2	-	-	79	33	36	5	5	25	12	12	1	-	28
77	34	18	15	10	12	9	3	-	-	225	86	111	16	12	68	32	28	5	3	29
1,561	462	430	343	326	215	117	74	13	11	3,031	1,586	1,114	209	122	892	424	318	90	60	30
40	11	13	10	6	1	1	-	-	-	39	21	18	-	-	19	10	4	3	2	31
179	46	56	43	34	18	10	8	-	-	362	181	165	8	8	122	57	47	14	4	32
1,067	293	276	244	254	150	79	52	10	9	1,849	895	698	164	92	564	254	204	59	47	33
287	74	73	69	71	47	25	17	2	3	630	318	216	65	31	175	90	56	17	12	34
467	127	119	111	110	55	29	21	3	2	922	429	357	84	52	191	82	65	21	23	35
123	53	34	18	18	22	13	8	1	-	182	92	77	10	3	67	33	26	3	5	36
190	39	50	46	55	26	12	6	4	4	115	56	48	5	6	131	49	57	18	7	37
23	4	6	6	7	7	2	2	2	1	63	35	22	3	3	6	4	2	-	-	38
42	16	14	9	3	7	5	2	-	-	109	64	36	4	5	27	14	7	4	2	39
10	-	6	1	3	3	2	-	-	1	17	8	8	-	1	12	5	6	1	-	40
17	6	-	7	4	4	4	-	-	-	30	18	8	3	1	19	11	4	3	1	41
4	-	-	4	-	-	-	-	-	-	8	5	2	1	-	-	-	-	-	-	42
179	86	59	19	15	25	14	10	1	-	554	359	157	26	12	123	69	44	6	4	43
1,053	416	243	233	161	162	85	72	-	5	3,052	1,667	1,163	134	88	710	339	249	62	60	44
11	4	2	1	4	-	-	-	-	-	13	4	8	-	1	6	2	2	2	-	45
69	42	7	18	2	17	10	6	-	1	218	159	40	14	5	49	31	7	5	6	46
48	30	9	7	2	9	4	5	-	-	201	147	39	11	4	47	42	4	-	1	47
7	2	2	2	1	2	1	1	-	-	10	6	1	2	1	11	4	2	1	4	48
65	19	12	18	16	12	8	4	-	-	153	91	42	12	8	51	26	13	6	6	49
174	59	45	40	30	34	20	13	-	1	502	221	239	24	18	137	51	59	17	10	50
271	64	37	98	72	11	5	5	-	1	301	136	139	12	14	78	31	28	7	12	51
202	113	51	26	12	27	13	14	-	-	890	556	284	30	20	144	84	44	14	2	52
170	91	44	23	12	25	12	13	-	-	695	424	233	22	16	121	67	42	11	1	53
32	22	7	3	-	2	1	1	-	-	195	132	51	8	4	23	17	2	3	1	54
77	25	45	4	3	26	11	15	-	-	385	140	238	2	5	89	26	49	3	11	55
129	58	33	19	19	24	13	9	-	2	379	207	133	27	12	98	42	41	7	8	56
977	336	230	237	174	120	82	33	3	2	2,048	1,146	670	121	111	704	378	193	72	61	57
705	213	174	164	154	74	47	23	2	2	1,194	563	507	57	67	451	198	150	47	56	58
55	13	15	14	13	7	3	2	1	1	77	41	31	4	1	46	25	8	8	5	59
29	8	6	9	6	4	3	1	-	-	71	26	33	6	6	25	11	9	2	3	60
621	192	153	141	135	63	41	20	1	1	1,046	496	443	47	60	380	162	133	37	48	61
63	16	27	13	7	6	2	4	-	-	226	97	83	23	23	46	24	20	-	2	62
33	13	14	4	2	2	1	1	-	-	51	22	21	4	4	16	9	7	-	-	63
28	11	4	11	2	4	1	2	1	-	86	50	22	9	5	34	20	9	5	-	64
113	77	...	36	...	30	30	...	-	...	388	365	...	23	...	126	108	...	18	...	65
15	6	...	9	...	1	1	...	-	...	54	49	...	5	...	21	19	...	2	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
20	...	11	...	9	3	...	3	...	-	49	...	37	...	12	10	...	7	...	3	68
123	...	36	...	87	5	...	5	...	-	102	...	82	...	20	51	...	27	...	24	69
11	...	5	...	6	-	...	-	...	-	15	...	10	...	5	8	...	4	...	4	70
43	...	13	...	30	2	...	2	...	-	27	...	23	...	4	17	...	8	...	9	71
22	...	9	...	13	1	...	1	...	-	19	...	17	...	2	10	...	6	...	4	72
10	...	1	...	9	-	...	-	...	-	4	...	2	...	2	4	...	2	...	2	73
3	...	-	...	3	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	74
9	...	2	...	7	-	...	-	...	-	7	...	3	...	4	-	...	-	...	-	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	76
25	...	6	...	19	2	...	2	...	-	30	...	27	...	3	11	...	7	...	4	77

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	9	3	3	1	2	137	54	69	4	10
2	Infections of skin and subcutaneous tissue-690-698	3	-	1	1	1	36	18	17	-	1
3	Other diseases of skin and subcutaneous tissue-700-716	6	3	2	-	1	101	36	52	4	9
4	XIII. Diseases of the bones and organs of movement	11	5	4	-	2	231	100	120	4	7
5	Arthritis and spondylitis-720-725	7	2	3	-	2	101	32	68	-	1
6	Muscular rheumatism and rheumatism, unspecified-726,727	1	1	-	-	-	5	3	2	-	-
7	Osteomyelitis and periostitis-730	-	-	-	-	-	15	10	5	-	-
8	Ankylosis and acquired musculoskeletal deformities-737,745-749	1	-	1	-	-	11	5	5	-	1
9	All other diseases of musculoskeletal system-731-736,738-744	2	2	-	-	-	99	50	40	4	5
10	XIV. Congenital malformations	126	64	49	7	6	1,660	796	735	66	63
11	Spina bifida and meningocele-751	11	6	4	1	-	156	69	81	5	1
12	Congenital hydrocephalus, etc.*-752,753	8	2	5	1	-	245	95	125	15	10
13	Congenital malformations of circulatory system-754	64	34	27	1	2	691	336	287	32	36
14	Other congenital malformations-750,755-759	43	22	13	4	4	568	296	242	14	16
15	XV. Certain diseases of early infancy	590	293	226	41	30	4,888	2,365	1,746	439	338
16	Birth injuries-760,761	84	52	21	8	3	892	476	305	67	44
17	Postnatal asphyxia and atelectasis-762	94	44	42	7	1	1,467	717	514	137	99
18	Infections of newborn-763-768	77	30	23	12	12	292	135	102	37	18
19	Hemolytic disease of newborn (erythroblastosis)-770	23	9	10	3	1	206	105	94	3	4
20	All other defined diseases of early infancy-769,771,772	36	20	13	1	2	101	56	36	5	4
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-773-776	276	138	117	10	11	1,930	876	695	190	169
22	XVI. Symptoms, senility, and ill-defined conditions	588	272	154	80	82	972	468	352	104	48
23	Senility without mention of psychosis-794	36	19	11	4	2	120	48	71	1	-
24	Symptoms, ill-defined and unknown causes-780-793,795	552	253	143	76	80	852	420	281	103	48
25	XVII. Accidents, poisonings, and violence	743	482	162	67	32	9,250	5,575	2,827	633	215
26	Accidents-E800-E962	636	411	141	54	30	7,444	4,453	2,388	448	155
27	Railway accidents-E800-E802	9	5	1	3	-	159	111	25	19	4
28	Motor-vehicle accidents-E810-E835	322	226	56	29	11	2,244	1,575	521	111	37
29	Motor-vehicle traffic accidents-E810-E825	307	217	56	25	9	2,200	1,544	508	111	37
30	Motor-vehicle traffic accident with railway train*-E810	11	9	1	1	-	50	39	11	-	-
31	Motor-vehicle traffic accident to pedestrian-E812	56	41	4	8	3	825	568	199	46	12
32	Other motor-vehicle traffic accidents, etc.*-E811,E813-E819	95	67	26	2	-	581	387	160	24	10
33	Motor-vehicle noncollision traffic accidents-E820-E824	112	78	21	8	5	533	403	88	30	12
34	Motor-vehicle traffic accident of unspecified nature-E825	33	22	4	6	1	211	147	50	11	3
35	Motor-vehicle nontraffic accidents-E830-E835	15	9	-	4	2	44	31	13	-	-
36	Other road-vehicle accidents-E840-E845	9	6	-	1	2	27	20	6	1	-
37	Water-transport accidents-E850-E858	2	2	-	-	-	136	121	4	11	-
38	Aircraft accidents-E860-E866	16	15	1	-	-	101	76	24	1	-
39	Accidental poisoning by solid and liquid substances-E870-E888	9	1	5	1	2	99	49	36	8	6
40	Accidental poisoning by gases and vapors-E890-E895	15	7	3	3	2	249	146	83	16	4
41	Accidental falls-E900-E904	65	31	28	4	2	2,712	1,273	1,291	114	34
42	Fall from one level to another-E900-E902	21	11	6	2	2	1,057	605	377	60	15
43	Fall on same level-E903	12	4	7	1	-	835	316	495	10	14
44	Unspecified falls-E904	32	16	15	1	-	820	352	419	44	5
45	Blow from falling object-E910	9	8	-	1	-	50	42	5	3	-
46	Accident caused by machinery-E912	15	14	1	-	-	99	86	6	7	-
47	Accident caused by electric current-E914	5	4	1	-	-	42	36	1	4	1
48	Accident caused by fire and explosion, etc.*-E916	42	20	14	3	5	390	187	141	30	32
49	Accident caused by hot substance, etc.*-E917,E918	4	1	3	-	-	70	31	27	7	5
50	Accident caused by firearm-E919	21	15	4	2	-	77	67	4	5	1
51	Inhalation and ingestion of food or other object, etc.*-E921,E922	13	4	7	1	1	92	47	33	5	7
52	Accidental drowning-E929	25	17	6	1	1	452	331	56	59	6
53	Excessive heat and insolation-E931	1	-	1	-	-	5	4	1	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-E940-E959	3	2	1	-	-	61	27	29	3	2
55	All other accidents-Residual[1]	51	33	9	5	4	379	224	95	44	16
56	Suicide-E963,E970-E979	67	51	11	5	-	1,430	993	370	47	20
57	Suicide by poisoning-E970-E973	19	13	6	-	-	457	259	171	16	11
58	Suicide by hanging and strangulation-E974	6	4	-	2	-	449	337	96	14	2
59	Suicide by firearms and explosives-E976	40	32	5	3	-	290	256	27	7	-
60	Suicide by all other means-E963,E975,E977-E979	2	2	-	-	-	234	141	76	10	7
61	Homicide-E964,E980-E985	40	20	10	8	2	375	128	69	138	40
62	Assault by firearms and explosives-E981	20	11	6	3	-	105	36	27	34	8
63	Assault by cutting and piercing instruments-E982	8	4	1	2	1	127	24	13	70	20
64	Assault by other means-E964,E980,E983	12	5	3	3	1	112	51	28	21	12
65	Injury by intervention of police-E984	-	-	-	-	-	24	13	-	11	-
66	Execution-E985	-	-	-	-	-	7	4	1	2	-
67	Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	1	1	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
34	9	11	8	6	3	1	2	-	-	62	27	25	4	6	22	7	12	2	1	1
11	3	2	4	2	2	1	1	-	-	14	7	7	-	-	7	1	3	2	1	2
23	6	9	4	4	1	-	1	-	-	48	20	18	4	6	15	6	9	-	-	3
91	35	31	12	13	13	5	6	2	-	187	73	102	6	6	48	20	23	3	2	4
61	22	23	6	10	7	1	5	1	-	100	30	65	2	3	29	11	15	3	-	5
5	1	2	2	-	1	-	-	1	-	6	1	4	-	1	5	2	1	-	2	6
3	-	-	3	-	1	1	-	-	-	13	7	3	1	2	2	1	1	-	-	7
2	-	2	-	-	-	-	-	-	-	8	4	4	-	-	3	-	3	-	-	8
20	12	4	1	3	4	3	1	-	-	60	31	26	3	-	9	6	3	-	-	9
519	213	186	72	48	91	48	42	-	1	1,106	527	505	39	35	278	114	130	22	12	10
51	27	21	2	1	15	9	6	-	-	118	44	70	3	1	36	12	23	-	1	11
62	25	21	9	7	13	7	6	-	-	153	64	77	5	7	26	10	12	3	1	12
237	96	88	30	23	26	14	12	-	-	522	255	229	21	17	115	49	51	10	5	13
169	65	56	31	17	37	18	18	-	1	313	164	129	10	10	101	43	44	9	5	14
1,955	677	422	486	370	282	157	111	9	5	3,152	1,622	1,160	205	165	917	464	306	87	60	15
353	145	98	72	38	68	43	23	-	2	634	345	228	39	22	177	91	65	9	12	16
300	127	66	73	34	59	33	21	3	2	817	447	289	49	32	208	108	70	18	12	17
134	32	21	44	37	22	12	6	4	-	168	84	59	12	13	44	17	11	10	6	18
58	30	14	10	4	12	6	6	-	-	146	75	63	3	5	33	22	10	1	-	19
110	26	19	38	27	13	9	3	1	-	108	68	28	5	7	31	11	10	7	3	20
1,000	317	204	249	230	108	54	52	1	1	1,279	603	493	97	86	424	215	140	42	27	21
771	206	165	226	174	110	61	40	4	5	695	311	229	82	73	558	274	182	51	51	22
113	27	44	17	25	62	29	28	2	3	159	58	87	7	7	222	102	92	8	20	23
658	179	121	209	149	48	32	12	2	2	536	253	142	75	66	336	172	90	43	31	24
3,128	1,572	513	783	260	449	327	106	14	2	6,319	3,955	1,791	410	163	1,832	1,117	466	175	74	25
2,495	1,281	444	562	208	385	276	93	14	2	5,047	3,127	1,542	263	115	1,548	944	413	125	66	26
50	24	2	21	3	3	2	-	1	-	130	102	10	17	1	37	26	3	8	-	27
1,159	690	179	241	49	161	119	36	5	1	1,915	1,549	421	112	33	551	361	136	42	12	28
1,132	677	169	238	48	154	115	33	5	1	1,877	1,322	416	107	32	536	354	129	41	12	29
24	14	3	6	1	7	5	2	-	-	134	93	32	5	4	30	24	6	-	-	30
258	119	45	70	24	15	12	3	-	-	458	326	93	28	11	79	51	16	10	2	31
395	248	70	69	8	79	55	20	4	-	693	486	163	36	8	114	78	28	6	2	32
386	254	41	80	11	46	38	6	1	1	367	271	65	27	4	89	64	17	8	-	33
69	42	10	13	4	7	5	2	-	-	225	146	63	11	5	224	137	62	17	8	34
27	13	10	3	1	7	4	3	-	-	38	27	5	5	1	15	7	7	1	-	35
10	6	1	3	-	3	3	-	-	-	13	13	-	-	-	6	4	2	-	-	36
74	50	2	20	2	5	5	-	-	-	48	39	4	4	1	13	10	2	1	-	37
38	34	1	3	-	7	7	-	-	-	81	73	8	-	-	25	25	-	-	-	38
38	16	9	7	6	9	4	2	3	-	61	33	21	4	3	21	14	5	2	-	39
7	2	2	1	2	3	1	2	-	-	109	66	29	8	6	17	14	-	2	1	40
271	94	132	26	19	72	36	36	-	-	1,484	636	791	37	20	297	131	145	10	11	41
96	35	40	13	8	22	15	7	-	-	491	277	181	22	11	62	28	24	4	6	42
82	29	42	3	8	18	6	12	-	-	315	114	196	3	2	30	15	13	2	-	43
93	30	50	10	3	32	15	17	-	-	678	245	414	12	7	205	88	108	4	5	44
37	19	1	17	-	7	7	-	-	-	52	46	2	4	-	14	12	-	2	-	45
40	25	1	14	-	27	27	-	-	-	117	112	1	4	-	50	45	2	3	-	46
23	20	1	1	1	4	4	-	-	-	49	42	3	4	-	28	25	1	2	-	47
242	78	43	61	60	27	16	10	1	-	322	150	114	29	29	130	49	45	16	20	48
26	9	3	9	5	3	1	1	1	-	47	26	12	6	3	27	10	12	2	3	49
85	52	6	20	7	7	6	-	1	-	72	62	7	3	-	56	41	6	7	2	50
43	14	7	13	9	6	5	1	-	-	53	25	20	3	5	19	13	2	2	2	51
131	74	16	37	4	8	7	1	-	-	178	137	27	12	2	92	60	18	9	5	52
2	1	-	1	-	-	-	-	-	-	9	7	2	-	-	29	21	5	-	3	53
17	4	4	3	6	3	3	-	-	-	35	18	14	1	2	6	1	5	-	-	54
202	69	34	64	35	30	23	4	2	1	272	191	56	15	10	130	82	24	17	7	55
292	219	40	26	7	61	50	11	-	-	965	732	200	24	9	176	132	38	5	1	56
33	20	13	-	-	5	3	2	-	-	156	98	49	5	4	30	19	9	1	1	57
36	21	7	6	2	19	14	5	-	-	266	197	65	3	1	17	8	8	1	-	58
199	162	17	17	3	29	26	3	-	-	421	360	46	12	3	117	97	17	3	-	59
24	16	3	3	2	8	7	1	-	-	122	77	40	4	1	12	8	4	-	-	60
336	68	29	194	45	3	1	2	-	-	305	94	49	123	39	108	41	15	45	7	61
195	46	10	106	33	3	1	2	-	-	169	50	27	70	22	65	22	10	28	5	62
65	6	3	51	5	-	-	-	-	-	58	13	3	35	7	18	2	2	12	2	63
65	11	16	31	7	-	-	-	-	-	71	27	19	15	10	17	11	3	3	-	64
9	4	-	5	-	-	-	-	-	-	4	1	-	3	-	5	3	-	2	-	65
2	1	-	1	-	-	-	-	-	-	3	3	-	-	-	3	3	-	-	-	66
5	4	-	1	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	67

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	14,549	8,751	5,543	142	113	111,426	57,862	45,899	4,231	3,434
2	I. Infective and parasitic diseases	346	220	100	14	12	3,244	1,828	727	469	220
3	Tuberculosis, all forms---001-019	206	126	62	11	7	2,352	1,357	464	367	164
4	Tuberculosis of respiratory system---001-008	187	116	55	11	5	2,177	1,286	427	326	138
5	Tuberculosis of meninges and central nervous system---010	7	3	3	-	1	57	24	8	13	12
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	1	1	-	-	-	8	2	4	-	2
7	Tuberculosis of vertebral column---012.0,013.0	-	-	-	-	-	13	6	3	2	2
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	-	-	-	-	-	4	1	3	-	-
9	Tuberculosis of genito-urinary system---016	6	5	1	-	-	19	12	5	1	1
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	2	-	1	-	1	11	4	6	1	-
11	Disseminated tuberculosis---019	3	1	2	-	-	63	22	8	24	9
12	Syphilis and its sequelae---020-029	55	43	7	3	2	430	241	74	76	39
13	Congenital syphilis---020	3	2	-	1	-	8	4	2	1	1
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	11	8	3	-	-	146	100	21	17	8
16	Other cardiovascular syphilis---023	30	24	2	2	2	136	68	19	34	15
17	Tabes dorsalis---024	1	1	-	-	-	11	7	3	1	-
18	General paralysis of insane---025	6	6	-	-	-	71	36	12	16	7
19	Other syphilis of central nervous system---026	4	2	2	-	-	43	20	11	5	7
20	Other syphilis---027-029	-	-	-	-	-	15	6	6	2	1
21	Gonococcal infection---030-035	-	-	-	-	-	3	1	-	2	-
22	Typhoid fever---040	2	1	1	-	-	8	4	3	-	1
23	Paratyphoid fever---041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections---042	-	-	-	-	-	1	-	1	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	1	1	-	-	-	-	-	-	-	-
27	Dysentery, all forms---045-048	1	1	-	-	-	6	6	-	-	-
28	Food poisoning (infection and intoxication)---049	1	-	1	-	-	5	2	1	1	1
29	Scarlet fever---050	-	-	-	-	-	6	1	5	-	-
30	Streptococcal sore throat---051	7	3	4	-	-	9	6	3	-	-
31	Erysipelas---052	1	1	-	-	-	5	1	4	-	-
32	Septicemia and pyemia---053	6	4	1	-	1	56	36	14	4	2
33	Diphtheria---055	11	10	1	-	-	14	5	7	2	-
34	Whooping cough---056	1	-	1	-	-	27	15	10	1	1
35	Meningococcal infections---057	12	6	6	-	-	61	28	28	3	2
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	-	-	-	-	-
39	Tetanus---061	1	1	-	-	-	9	6	2	1	-
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	12	7	5	-	-	42	26	14	1	1
42	Late effects of acute poliomyelitis---081	1	-	1	-	-	-	-	-	-	-
43	Acute infectious encephalitis---082	7	5	2	-	-	43	27	12	2	2
44	Late effects of acute infectious encephalitis---083	-	-	-	-	-	17	4	12	1	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	7	3	3	-	1	27	12	14	-	1
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	9	4	4	-	1	44	12	28	1	3
49	Rabies---094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus---104	1	1	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	1	1	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	2	2	-	-	-
54	Malaria---110-117	1	1	-	-	-	2	2	-	-	-
55	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease---125	-	-	-	-	-	1	1	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	4	1	2	1	-
60	All other infective and parasitic diseases---Residual[1]	3	2	1	-	-	70	32	29	6	3
61	II. Neoplasms	2,134	1,118	986	16	14	17,083	8,093	7,998	499	493
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	2,085	1,102	954	15	14	16,675	7,936	7,791	486	462
63	Malignant neoplasm of buccal cavity and pharynx---140-148	25	20	5	-	-	356	269	55	25	7
64	Of lip---140	4	4	-	-	-	23	20	3	-	-
65	Of tongue---141	6	5	1	-	-	110	82	15	8	5
66	Of other and unspecified parts of buccal cavity---142-144	8	5	3	-	-	108	77	23	7	1
67	Of pharynx---145-148	7	6	1	-	-	115	90	14	10	1
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	756	437	304	7	8	6,882	3,511	3,022	220	129
69	Of esophagus---150	30	19	9	2	-	303	218	52	32	1
70	Of stomach---151	227	151	72	2	2	1,924	1,113	694	85	32
71	Of intestine, except rectum---152,153	201	87	112	1	1	2,141	915	1,141	34	51
72	Of rectum---154	106	65	37	2	2	915	485	390	23	17
73	Of biliary passages and of liver (stated to be primary site)---155	36	17	19	-	-	336	114	216	5	1
74	Of liver not specified whether primary or secondary---156A	40	21	18	-	1	400	204	177	12	7
75	Of pancreas---157	102	69	31	-	2	715	397	276	26	16
76	Of peritoneum and of unspecified digestive organs---158,159	14	8	6	-	-	148	65	76	3	4
77	Malignant neoplasm of respiratory system---160-164	204	159	40	4	1	1,723	1,340	286	81	16
78	Of larynx---161	14	13	1	-	-	172	147	17	6	2
79	Of trachea, and of bronchus and lung specified as primary---162	98	85	11	1	1	610	499	75	34	2
80	Of lung and bronchus, unspecified as primary or secondary---163	78	54	21	3	-	881	654	178	40	9
81	Of other parts of respiratory system---160,164	14	7	7	-	-	60	40	16	1	3
82	Malignant neoplasm of breast---170	176	-	176	-	-	1,485	16	1,380	-	89

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,156	4,242	3,705	111	98	17,854	5,704	3,775	4,479	3,896	5,838	3,343	2,209	175	111	29,584	12,939	9,827	3,632	3,186	1
203	127	61	8	7	634	143	72	238	181	129	53	19	38	19	1,454	577	417	270	190	2
143	97	35	7	4	372	82	32	137	121	88	34	8	30	16	1,021	405	313	181	122	3
135	93	31	7	4	333	80	27	125	101	78	32	8	23	15	935	379	288	162	106	4
3	2	1	-	-	13	-	2	5	6	6	-	-	5	1	24	8	10	5	1	5
1	-	1	-	-	6	-	-	-	6	-	-	-	-	-	11	2	2	5	2	6
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	10	5	4	-	1	7
-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	1	-	-	-	1	8
1	1	-	-	-	2	-	1	1	-	1	1	-	-	-	4	-	2	2	-	9
-	-	-	-	-	4	-	-	2	2	1	-	-	1	-	6	2	2	2	-	10
3	1	2	-	-	10	2	1	2	5	2	1	-	1	-	30	9	5	5	11	11
26	12	12	-	2	84	22	1	46	15	11	8	1	2	-	133	44	17	50	22	12
1	-	1	-	-	10	1	-	6	3	-	-	-	-	-	7	2	3	2	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
8	5	3	-	-	18	6	-	9	3	3	3	-	-	-	20	11	4	3	2	15
11	6	4	-	1	24	3	1	18	2	5	4	-	1	-	50	9	4	28	9	16
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	17
3	1	2	-	-	21	8	-	10	3	-	-	-	-	-	29	11	3	9	6	18
1	-	1	-	-	6	3	-	1	2	1	-	-	1	-	20	8	3	7	2	19
1	-	1	-	-	5	1	-	2	2	2	1	1	-	-	5	1	-	1	3	20
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	4	1	1	-	2	21
-	-	-	-	-	5	-	-	2	3	-	-	-	-	-	4	1	2	-	1	22
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	2	-	-	-	26
2	1	1	-	-	12	2	2	6	2	-	-	-	-	-	28	10	6	5	7	27
-	-	-	-	-	6	1	1	2	2	-	-	-	-	-	8	1	4	2	1	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29
-	-	-	-	-	6	2	1	2	1	4	1	3	-	-	7	2	4	1	-	30
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	31
5	3	1	-	1	8	1	3	1	3	2	1	1	-	-	15	8	4	2	1	32
-	-	-	-	-	11	6	1	2	2	-	-	-	-	-	13	7	3	2	1	33
-	-	-	-	-	37	4	3	17	13	3	-	-	2	1	38	14	7	9	8	34
5	5	-	-	-	20	7	7	4	2	-	-	-	-	-	32	16	13	1	2	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	14	2	1	4	7	1	1	-	-	-	22	3	5	9	5	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	1	1	-	-	5	2	1	1	1	8	4	3	1	-	33	18	11	1	3	41
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	3	3	-	-	-	42
2	2	-	-	-	2	-	2	-	-	3	-	1	1	1	8	4	1	-	3	43
3	1	2	-	-	1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	1	-	-	-	2	1	1	-	-	4	-	1	2	1	17	8	6	1	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
6	1	4	1	-	7	-	2	3	2	2	1	1	-	-	18	7	8	1	2	48
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	1	1	-	-	-	49
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	50
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	2	1	-	-	1	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	4	1	1	-	2	59
7	3	4	-	-	24	6	8	7	3	2	2	-	-	-	36	16	10	5	5	60
1,309	639	641	13	16	1,820	583	580	290	367	871	467	383	9	12	3,737	1,514	1,587	298	338	61
1,275	622	625	13	15	1,772	570	569	286	347	848	458	370	9	11	3,621	1,475	1,542	290	314	62
34	24	8	1	1	56	32	8	11	5	7	5	2	-	-	102	64	25	10	3	63
4	2	2	-	-	1	1	-	-	-	-	-	-	-	-	10	9	1	-	-	64
8	5	2	1	-	11	6	1	4	-	2	2	-	-	-	26	13	9	4	-	65
9	7	1	-	1	19	11	3	3	2	2	-	2	-	-	29	16	9	3	1	66
13	10	3	-	-	25	14	4	4	3	3	3	-	-	-	37	26	6	3	2	67
507	278	218	7	4	567	181	153	134	99	323	179	136	6	2	1,261	525	490	143	103	68
20	16	1	3	-	52	14	8	20	10	14	9	5	-	-	54	29	12	11	2	69
140	83	56	1	-	186	46	36	66	38	114	68	42	3	1	364	170	103	55	36	70
178	85	90	2	1	123	35	50	17	21	90	48	41	-	1	344	131	167	22	24	71
84	49	33	1	1	27	14	4	4	5	31	17	14	-	-	121	46	50	11	14	72
16	4	11	-	1	30	11	15	2	2	19	10	8	1	-	68	25	36	4	3	73
17	8	8	-	1	70	22	17	13	18	18	9	9	-	-	123	44	50	17	12	74
47	30	17	-	-	61	36	12	9	4	32	17	14	1	-	158	72	59	19	8	75
5	3	2	-	-	18	3	11	3	1	5	1	3	1	-	29	8	13	4	4	76
121	101	18	1	1	172	107	29	28	8	66	52	13	1	-	352	237	76	31	8	77
15	14	1	-	-	11	9	1	1	-	4	3	1	-	-	29	22	4	3	-	78
32	26	5	1	-	58	38	11	9	-	17	16	1	-	-	118	80	19	17	2	79
73	60	12	-	1	94	57	15	15	7	41	33	7	1	-	182	124	45	9	4	80
1	1	-	-	-	9	3	2	3	1	4	-	4	-	-	23	11	8	2	2	81
115	-	109	-	6	155	1	99	-	55	68	-	67	-	1	265	2	219	2	42	82

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	356	148	203	-	5	2,542	820	1,520	61	141
2	Of cervix uteri----------171	80	...	77	...	3	539	...	474	...	65
3	Of other and unspecified parts of uterus----------172-174	62	...	61	...	1	613	...	557	...	56
4	Of ovary, fallopian tube, and broad ligament----------175	62	...	61	...	1	451	...	436	...	15
5	Of other and unspecified female genital organs----------176	4	...	4	...	-	58	...	53	...	5
6	Of prostate----------177	134	134	...	-	...	806	750	...	56	...
7	Of testis, and of other and unspecified male genital organs----178,179	14	14	...	-	...	75	70	...	5	...
8	Malignant neoplasm of urinary organs----------180,181	98	66	32	-	-	830	495	294	23	18
9	Of kidney----------180	33	22	11	-	-	266	150	100	9	7
10	Of bladder and other urinary organs----------181	65	44	21	-	-	564	345	194	14	11
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	280	147	130	3	-	1,632	845	713	35	39
12	Of skin----------190,191	33	21	12	-	-	219	127	86	3	3
13	Of eye----------192	6	4	2	-	-	18	11	7	-	-
14	Of brain and other parts of nervous system----------193	79	49	29	1	-	311	178	123	5	5
15	Of thyroid gland----------194	13	2	10	1	-	72	22	48	1	1
16	Of bone (including jaw bone)----------196	19	9	10	-	-	148	93	46	5	4
17	Of connective tissue----------197	7	3	4	-	-	29	16	12	-	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	33	16	17	-	-	311	154	148	4	5
19	Of unspecified sites----------156B,165,198B,199B-M	90	43	46	1	-	524	244	243	17	20
20	Leukemia and aleukemia----------204	111	75	36	-	-	640	319	286	26	9
21	Lymphosarcoma, etc.*----------200-203,205	79	50	28	1	-	585	321	235	15	14
22	Lymphosarcoma and reticulosarcoma----------200	31	18	12	1	-	277	144	126	4	3
23	Hodgkin's disease----------201	24	16	8	-	-	150	86	54	5	5
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	24	16	8	-	-	158	91	55	6	6
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	49	16	32	1	-	408	157	207	13	31
26	Benign neoplasms of female genital organs----------214-217	12	...	12	...	-	77	...	62	...	15
27	Benign neoplasm of brain and other parts of nervous system---------223	6	2	3	1	-	47	24	20	2	1
28	Other benign neoplasms----------210-213,218-222,224-229	12	4	8	-	-	55	29	22	1	3
29	Neoplasm of unspecified nature of female genital organs--------233-235	2	...	2	...	-	4	...	3	...	1
30	Neoplasm of unspecified nature of brain, etc.*----------237	9	6	3	-	-	149	70	65	6	8
31	Other neoplasms of unspecified nature----------230-232,236,238,239	8	4	4	-	-	76	34	35	4	3
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	311	156	150	2	3	3,224	1,178	1,859	76	111
33	Asthma----------241	74	56	18	-	-	532	344	167	10	11
34	Nontoxic goiter----------250,251	2	1	1	-	-	19	3	14	1	1
35	Thyrotoxicosis with or without goiter----------252	13	2	10	1	-	82	13	65	-	4
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	6	3	3	-	-	19	1	16	1	1
37	Diabetes mellitus----------260	182	77	101	1	3	2,368	721	1,508	52	87
38	Diseases of thymus gland----------273	9	6	3	-	-	60	29	23	5	3
39	Diseases of adrenal glands----------274	7	4	3	-	-	36	20	12	3	1
40	Pellagra----------281	1	-	1	-	-	3	1	2	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	10	5	5	-	-	54	23	26	3	2
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	7	2	5	-	-	51	23	26	1	1
43	IV. Diseases of the blood and blood-forming organs----------	53	29	23	1	-	397	171	208	13	5
44	Anemias----------290-293	36	18	17	1	-	282	117	150	13	2
45	Pernicious and other hyperchromic anemias----------290	19	10	9	-	-	133	48	84	-	1
46	Anemias of other and unspecified type----------291-293	17	8	8	1	-	149	69	66	13	1
47	Purpura and other hemorrhagic conditions----------296	8	4	4	-	-	43	20	22	-	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	9	7	2	-	-	72	34	36	-	2
49	V. Mental, psychoneurotic, and personality disorders----------	47	30	15	2	-	249	157	64	16	12
50	Senile psychosis----------304	3	3	-	-	-	43	19	22	-	2
51	Alcoholic psychosis----------307	3	2	-	1	-	15	11	2	2	-
52	Other psychoses----------300-303,305,306,308,309	7	2	5	-	-	37	18	15	-	4
53	Alcoholism----------322	25	19	6	-	-	125	93	12	14	6
54	Mental deficiency----------325	5	2	3	-	-	21	13	8	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	4	2	1	1	-	8	3	5	-	-
56	VI. Diseases of the nervous system and sense organs----------	1,750	896	829	13	12	12,455	5,586	6,117	339	413
57	Vascular lesions affecting central nervous system----------330-334	1,605	806	777	10	12	11,511	5,101	5,732	310	368
58	Subarachnoid hemorrhage----------330	44	25	19	-	-	265	102	128	9	26
59	Cerebral hemorrhage----------331	1,091	555	522	4	10	7,545	3,337	3,790	201	217
60	Cerebral embolism and thrombosis----------332	319	155	156	5	1	2,251	1,048	1,080	50	73
61	Other vascular lesions affecting central nervous system--------333,334	151	71	76	1	1	1,450	614	734	50	52
62	Meningitis, except meningococcal and tuberculous----------340	22	11	9	2	-	132	71	39	9	13
63	Multiple sclerosis----------345	18	11	7	-	-	122	63	52	-	7
64	Paralysis agitans----------350	22	17	5	-	-	173	82	88	3	-
65	Cerebral spastic infantile paralysis----------351	4	2	2	-	-	38	19	18	-	1
66	Epilepsy----------353	28	21	6	1	-	171	98	63	6	4
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	1	-	1	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	3	1	2	-	-	25	14	9	1	1
71	Other diseases of nervous system and sense organs----------Residual[1]	48	27	21	-	-	282	138	115	10	19
72	VII. Diseases of the circulatory system----------	5,993	3,758	2,174	34	27	48,946	26,201	20,191	1,370	1,184
73	Rheumatic fever----------400-402	16	8	7	-	1	143	59	67	6	11
74	Diseases of heart----------410-443	5,324	3,370	1,902	31	21	44,443	24,070	18,101	1,228	1,044
75	Chronic rheumatic heart disease----------410-416	238	127	104	3	4	1,726	795	832	45	54
76	Diseases of mitral valve----------410	90	49	37	3	1	643	299	308	14	22
77	Diseases of aortic valve specified as rheumatic----------411	21	16	5	-	-	50	43	7	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	2	2	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	22	10	11	-	1	144	60	74	2	8
80	Other diseases of heart specified as rheumatic----------415,416	105	52	51	-	2	887	391	443	29	24

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
180	63	116	-	1	362	64	133	41	124	136	76	55	-	5	667	188	339	34	106	1
34	...	34	...	-	116	...	56	...	60	19	...	18	...	1	202	...	147	...	55	2
48	...	47	...	1	100	...	51	...	49	26	...	23	...	3	149	...	109	...	40	3
28	...	28	...	-	34	...	21	...	13	14	...	13	...	1	84	...	74	...	10	4
7	...	7	...	-	7	...	5	...	2	1	...	1	...	-	10	...	9	...	1	5
56	56	...	-	...	89	55	...	34	...	69	69	...	-	...	203	172	...	31	...	6
7	7	...	-	...	16	9	...	7	...	7	7	...	-	...	19	16	...	3	...	7
58	32	22	2	2	60	29	13	14	4	35	24	11	-	-	143	74	50	12	7	8
14	6	8	-	-	24	11	7	3	3	12	8	4	-	-	63	39	19	1	4	9
44	26	14	2	2	36	18	6	11	1	23	16	7	-	-	80	35	31	11	3	10
157	68	88	1	-	265	88	96	42	39	128	73	50	2	3	506	218	223	32	33	11
9	6	3	-	-	34	17	15	1	1	16	13	3	-	-	84	39	40	2	3	12
2	1	1	-	-	3	2	-	1	-	2	-	2	-	-	6	4	1	1	-	13
17	9	8	-	-	56	23	18	6	9	23	16	7	-	-	107	60	43	1	3	14
4	2	2	-	-	7	1	4	2	-	8	2	5	1	-	12	1	9	-	2	15
7	3	4	-	-	23	9	5	7	2	5	4	-	-	1	47	16	25	3	3	16
2	1	1	-	-	3	3	-	-	-	1	-	1	-	-	8	2	3	1	2	17
31	14	17	-	-	56	14	19	12	11	22	10	10	1	1	96	32	45	11	8	18
65	32	32	1	-	83	19	35	13	16	51	28	22	-	1	146	64	57	13	12	19
38	20	18	-	-	79	35	26	11	7	46	29	17	-	-	197	101	73	16	7	20
65	36	28	1	-	56	33	12	5	6	39	20	19	-	-	128	66	47	10	5	21
30	23	7	-	-	28	16	7	3	2	11	6	5	-	-	63	28	32	1	2	22
23	9	13	1	-	23	13	5	1	4	19	12	7	-	-	37	25	7	5	-	23
12	4	8	-	-	5	4	-	1	-	9	2	7	-	-	28	13	8	4	3	24
34	17	16	-	1	48	13	11	4	20	23	9	13	-	1	116	39	45	8	24	25
8	...	8	...	-	19	...	4	...	15	2	...	1	...	1	27	...	17	...	10	26
-	-	-	-	-	8	3	2	2	1	7	2	5	-	-	21	9	5	3	4	27
4	3	1	-	-	3	2	1	-	-	-	-	-	-	-	15	6	5	1	3	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	29
15	9	5	-	1	13	4	3	2	4	12	6	6	-	-	37	19	12	4	2	30
7	5	2	-	-	5	4	1	-	-	2	1	1	-	-	16	5	6	-	5	31
307	122	182	2	1	395	110	118	77	90	149	78	69	-	2	517	182	211	44	80	32
42	21	20	-	1	76	36	14	14	12	40	31	8	-	1	118	54	38	13	13	33
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	4	-	3	-	1	34
8	-	8	-	-	10	-	3	-	7	5	-	5	-	-	20	2	9	-	9	35
2	-	2	-	-	2	-	2	-	-	2	1	1	-	-	1	-	1	-	-	36
243	96	145	2	-	257	62	87	50	58	95	45	49	-	1	300	100	128	24	48	37
1	1	-	-	-	12	5	1	3	3	2	-	2	-	-	4	2	2	-	-	38
-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	13	5	5	-	3	39
-	-	-	-	-	12	-	8	1	3	-	-	-	-	-	11	3	3	-	5	40
7	3	4	-	-	18	5	-	8	5	2	-	2	-	-	28	9	14	5	-	41
4	1	3	-	-	3	2	1	-	-	3	1	2	-	-	18	7	8	2	1	42
22	12	9	-	1	51	12	11	14	14	28	20	7	1	-	79	31	30	9	9	43
14	6	7	-	1	36	7	8	9	12	21	13	7	1	-	65	21	27	8	9	44
6	3	3	-	-	4	1	2	-	1	15	8	6	1	-	23	11	9	1	2	45
8	3	4	-	1	32	6	6	9	11	6	5	1	-	-	42	10	18	7	7	46
5	4	1	-	-	6	-	1	3	2	2	2	-	-	-	7	4	2	1	-	47
3	2	1	-	-	9	5	2	2	-	5	5	-	-	-	7	6	1	-	-	48
22	14	8	-	-	63	18	7	25	13	9	6	2	1	-	119	53	36	20	10	49
1	-	1	-	-	6	-	-	2	4	1	-	1	-	-	34	11	20	-	3	50
3	2	1	-	-	2	1	-	1	-	-	-	-	-	-	1	-	-	1	-	51
2	-	2	-	-	14	1	1	5	7	1	-	1	-	-	24	9	8	3	4	52
13	12	1	-	-	37	16	3	17	1	6	5	-	1	-	52	31	4	15	2	53
3	-	3	-	-	2	-	1	-	1	1	1	-	-	-	4	1	2	-	1	54
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	4	1	2	1	-	55
902	393	487	11	11	2,518	658	590	618	652	761	390	358	6	7	4,061	1,621	1,525	461	454	56
831	359	453	10	9	2,350	611	570	564	605	704	365	331	3	5	3,806	1,504	1,445	433	424	57
19	6	13	-	-	53	16	16	8	13	7	5	2	-	-	96	35	37	12	12	58
508	210	289	4	5	1,568	400	372	380	416	489	254	229	2	4	2,641	1,047	1,027	298	269	59
210	102	104	2	2	366	110	109	80	67	108	55	52	-	1	537	232	208	56	41	60
94	41	47	4	2	363	85	73	96	109	100	51	48	1	-	532	190	173	67	102	61
8	5	2	1	-	39	8	2	17	12	6	3	1	1	1	42	14	16	5	7	62
12	7	4	-	1	11	5	3	2	1	9	5	4	-	-	19	9	6	3	1	63
17	8	9	-	-	12	4	4	3	1	5	2	3	-	-	40	24	7	5	4	64
-	-	-	-	-	4	2	-	1	1	6	2	4	-	-	10	6	3	1	-	65
8	5	3	-	-	38	7	5	15	11	7	3	3	1	-	42	20	13	5	4	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	69
1	1	-	-	-	3	1	-	1	1	1	-	-	-	1	5	3	1	1	-	70
25	8	16	-	1	61	20	6	15	20	21	9	11	1	-	94	39	33	8	14	71
3,768	1,992	1,688	41	47	6,147	2,270	1,326	1,311	1,240	2,259	1,410	809	26	14	9,678	4,511	3,104	1,039	1,024	72
13	8	5	-	-	32	3	10	9	10	9	4	4	-	1	36	12	10	6	8	73
3,435	1,840	1,519	38	38	5,472	2,056	1,175	1,141	1,100	1,992	1,269	688	23	12	8,835	4,195	2,841	910	889	74
110	51	57	1	1	138	41	18	31	48	62	29	30	3	-	327	141	119	29	38	75
36	13	22	-	1	69	17	9	20	23	29	12	15	2	-	183	70	71	21	21	76
3	2	1	-	-	3	1	-	-	2	3	3	-	-	-	8	8	-	-	-	77
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	78
8	6	2	-	-	9	5	1	1	2	10	2	8	-	-	15	8	5	1	1	79
61	30	30	1	-	57	18	8	10	21	20	12	7	1	-	120	54	43	7	16	80

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	3,429	2,370	1,036	18	5	26,300	16,030	9,295	581	394
2	Arteriosclerotic heart disease so described----------420.0	912	530	370	10	2	8,473	4,278	3,835	190	170
3	Heart disease specified as involving coronary arteries----------420.1	2,502	1,827	664	8	3	17,705	11,675	5,416	390	224
4	Angina pectoris without mention of coronary disease----------420.2	15	13	2	-	-	122	77	44	1	-
5	Chronic endocarditis not specified as rheumatic----------421	83	50	33	-	-	919	444	392	41	42
6	Of mitral valve, specified as nonrheumatic----------421.0	8	6	2	-	-	65	20	38	5	2
7	Of aortic valve, not specified as rheumatic----------421.1	33	20	13	-	-	147	90	37	10	10
8	Of other valves, not specified as rheumatic----------421.2-421.4	42	24	18	-	-	707	334	317	26	30
9	Other myocardial degeneration----------422	342	186	151	2	3	7,014	3,305	3,357	189	163
10	With arteriosclerosis----------422.1	154	74	78	1	1	3,509	1,633	1,782	47	47
11	Without mention of arteriosclerosis----------422.0,422.2	188	112	73	1	2	3,505	1,672	1,575	142	116
12	Other diseases of heart----------430-434	280	192	81	3	4	1,653	806	711	84	52
13	Acute and subacute endocarditis----------430	6	4	2	-	-	73	37	27	3	6
14	Acute myocarditis not specified as rheumatic----------431	15	8	7	-	-	243	111	120	9	3
15	Acute pericarditis specified as nonrheumatic----------432	2	2	-	-	-	4	2	2	-	-
16	Functional disease of heart----------433	36	25	10	1	-	192	86	105	-	1
17	Other and unspecified diseases of heart----------434	221	153	62	2	4	1,141	570	457	72	42
18	Hypertension with heart disease----------440-443	952	445	497	5	5	6,831	2,690	3,514	288	339
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	405	212	191	1	1	2,414	1,101	1,149	81	83
20	Essential hypertension with heart disease, etc.*----------440,441,443	547	233	306	4	4	4,417	1,589	2,365	207	256
21	Hypertension without mention of heart----------444-447	90	49	40	1	-	1,013	416	451	72	74
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	43	27	15	1	-	581	261	243	41	36
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	47	22	25	-	-	432	155	208	31	38
24	Diseases of arteries----------450-456	523	310	208	2	3	3,073	1,523	1,454	50	46
25	General arteriosclerosis----------450	455	259	191	2	3	2,726	1,315	1,338	37	36
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	52	43	9	-	-	202	135	57	7	3
27	Gangrene of unspecified cause----------455	3	2	1	-	-	23	9	8	4	2
28	Other arterial diseases----------452-454,456	13	6	7	-	-	122	64	51	2	5
29	Diseases of veins and other diseases of circulatory system-------460-468	40	21	17	-	2	274	133	118	14	9
30	VIII. Diseases of the respiratory system----------	634	389	223	10	12	5,119	3,007	1,616	289	207
31	Acute upper respiratory infections----------470-475	12	8	3	1	-	50	29	17	1	3
32	Influenza----------480-483	49	31	18	-	-	654	328	288	21	17
33	Pneumonia, except pneumonia of newborn----------490-493	426	247	163	6	10	2,768	1,363	1,044	205	156
34	Lobar pneumonia----------490	99	58	38	2	1	993	542	309	89	53
35	Bronchopneumonia----------491	282	161	109	4	8	1,190	541	484	87	78
36	Primary atypical pneumonia----------492	26	17	8	-	1	319	150	146	9	14
37	Pneumonia, other and unspecified----------493	19	11	8	-	-	266	130	105	20	11
38	Acute bronchitis----------500	14	10	3	1	-	113	55	43	9	6
39	Bronchitis, chronic and unqualified----------501,502	21	12	9	-	-	161	98	51	10	2
40	Hypertrophy of tonsils and adenoids----------510	7	5	2	-	-	14	8	3	1	2
41	Empyema and abscess of lung----------518,521	3	2	1	-	-	51	37	7	7	-
42	Pleurisy----------519	8	5	2	1	-	23	12	6	2	3
43	All other respiratory diseases----------Residual[1]	94	69	22	1	2	1,285	1,077	157	33	18
44	IX. Diseases of the digestive system----------	471	281	176	9	5	3,980	2,162	1,564	137	117
45	Diseases of teeth and supporting structures----------530-535	2	2	-	-	-	16	2	12	1	1
46	Ulcer of stomach----------540	43	34	9	-	-	336	256	65	12	3
47	Ulcer of duodenum----------541	39	34	4	1	-	266	212	44	6	4
48	Gastritis and duodenitis----------543	3	1	2	-	-	30	21	8	1	-
49	Appendicitis----------550-553	19	11	7	1	-	184	109	63	8	4
50	Hernia and intestinal obstruction----------560,561,570	76	34	38	3	1	705	334	312	29	30
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	41	19	20	1	1	336	149	149	16	22
52	Cirrhosis of liver----------581	131	84	42	2	3	1,114	675	369	40	30
53	Without mention of alcoholism----------581.0	100	63	35	1	1	971	580	337	30	24
54	With alcoholism----------581.1	31	21	7	1	2	143	95	32	10	6
55	Cholelithiasis and cholecystitis----------584,585	54	18	35	1	-	509	172	320	7	10
56	Other diseases of digestive system----------Residual[1]	63	44	19	-	-	484	232	222	17	13
57	X. Diseases of the genito-urinary system----------	306	195	107	3	1	3,017	1,635	1,042	178	162
58	Nephritis and nephrosis----------590-594	161	85	74	1	1	2,147	1,018	861	137	131
59	Acute nephritis----------590	9	7	2	-	-	140	64	63	5	8
60	Nephritis with edema, including nephrosis----------591	14	6	7	-	1	104	55	40	5	4
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	138	72	65	1	-	1,903	899	758	127	119
62	Infections of kidney----------600	38	17	21	-	-	205	103	80	6	16
63	Calculi of urinary system----------602,604	6	3	3	-	-	64	31	25	4	4
64	Other diseases of urinary system----------601,603,605-609	22	15	6	1	-	109	62	34	9	4
65	Hyperplasia of prostate----------610	70	69	...	1	...	417	397	...	20	...
66	Other diseases of male genital organs----------611-617	6	6	...	-	...	25	23	...	2	...
67	Diseases of breast----------620,621	-	-	-	-	-	1	1	-	-	-
68	Diseases of female genital organs----------622-637	3	...	3	...	-	49	...	42	...	7
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	4	...	4	...	-	151	...	127	...	24
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	1	...	-	17	...	16	...	1
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	1	...	1	...	-	50	...	45	...	5
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	1	...	1	...	-	27	...	24	...	3
73	Ectopic pregnancy----------645	-	...	-	...	-	9	...	6	...	3
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	3	...	3	...	-
75	Abortion with sepsis----------651	-	...	-	...	-	13	...	7	...	6
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	5	...	3	...	2
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	1	...	1	...	-	27	...	23	...	4

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,455	1,417	993	23	22	2,564	1,299	586	378	301	1,264	883	363	14	4	4,404	2,552	1,363	263	226	1
1,202	585	599	9	9	437	180	126	79	52	212	124	87	1	-	1,128	532	433	88	75	2
1,248	829	392	14	13	2,070	1,089	448	291	242	1,042	751	274	13	4	3,200	1,970	913	171	146	3
5	3	2	-	-	57	30	12	8	7	10	8	2	-	-	76	50	17	4	5	4
31	22	9	-	-	141	48	17	38	38	41	22	19	-	-	223	64	69	45	45	5
7	6	1	-	-	10	3	-	4	3	6	4	2	-	-	22	3	7	4	8	6
8	8	-	-	-	30	14	-	5	11	8	6	2	-	-	48	16	13	10	9	7
16	8	8	-	-	101	31	17	29	24	27	12	15	-	-	153	45	49	31	28	8
277	107	167	3	-	613	188	157	134	134	269	147	117	4	1	1,165	444	443	137	141	9
153	60	91	2	-	305	89	84	67	65	88	49	39	-	-	442	159	190	46	47	10
124	47	76	1	-	308	99	73	67	69	181	98	78	4	1	723	285	253	91	94	11
80	44	27	2	7	355	96	61	103	95	147	83	59	2	3	719	316	181	118	104	12
7	6	1	-	-	11	3	3	2	3	5	3	1	-	1	19	10	4	-	5	13
15	7	6	1	1	35	7	7	8	13	7	4	2	-	1	82	26	17	18	21	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	15
10	4	5	-	1	21	9	5	1	6	22	10	12	-	-	48	17	15	8	8	16
48	27	15	1	5	288	77	46	92	73	113	66	44	2	1	569	263	144	92	70	17
482	199	266	9	8	1,661	384	336	457	484	209	105	100	-	4	1,997	678	666	318	335	18
126	63	60	3	-	618	144	120	170	184	99	62	35	-	2	513	200	157	82	74	19
356	136	206	6	8	1,043	240	216	287	300	110	43	65	-	2	1,484	478	509	236	261	20
61	30	27	2	2	196	53	42	52	49	51	31	19	1	-	328	97	87	73	71	21
42	20	19	1	2	75	23	19	20	11	21	13	7	1	-	150	45	34	38	33	22
19	10	8	1	-	123	30	23	32	38	30	18	12	-	-	178	52	53	35	38	23
242	101	134	1	6	405	138	95	100	72	180	91	88	1	-	378	163	139	33	43	24
221	91	123	1	6	349	114	85	83	67	165	82	82	1	-	306	124	120	25	37	25
16	7	9	-	-	34	16	7	10	1	6	4	2	-	-	33	21	6	4	2	26
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	8	5	1	2	-	27
5	3	2	-	-	21	7	3	7	4	8	5	3	-	-	31	13	12	2	4	28
17	13	3	-	1	42	20	4	9	9	27	15	10	1	1	101	44	27	17	13	29
202	117	77	6	2	938	206	190	290	252	256	131	89	21	15	1,502	570	518	209	205	30
5	3	1	1	-	30	5	5	9	11	5	3	2	-	-	40	7	18	7	8	31
16	8	8	-	-	145	28	26	42	49	33	15	14	3	1	224	61	83	42	38	32
127	68	53	5	1	604	113	114	208	169	167	83	54	17	13	1,013	394	354	132	133	33
44	24	20	-	-	206	41	29	88	48	48	32	12	3	1	389	152	116	59	62	34
55	31	21	3	-	278	45	57	80	96	68	26	22	9	11	471	183	177	51	60	35
16	7	9	-	-	52	16	12	11	13	13	7	6	-	-	89	33	45	8	3	36
12	6	3	2	1	68	11	16	29	12	38	18	14	5	1	64	26	16	14	8	37
3	2	1	-	-	16	5	5	3	3	3	3	-	-	-	13	4	4	4	1	38
6	4	2	-	-	25	11	6	5	3	8	4	2	1	1	43	14	13	9	7	39
-	-	-	-	-	5	1	2	1	1	1	1	-	-	-	6	3	2	1	-	40
3	1	2	-	-	11	3	3	4	1	2	1	1	-	-	9	5	-	2	2	41
3	2	1	-	-	2	1	1	-	-	-	-	-	-	-	3	1	-	1	1	42
39	29	9	-	1	100	39	28	18	15	37	21	16	-	-	151	81	44	11	15	43
342	200	140	1	1	603	198	105	158	142	186	96	78	9	3	955	468	287	122	78	44
-	-	-	-	-	3	1	-	1	1	3	2	1	-	-	7	2	2	2	1	45
27	22	5	-	-	49	23	3	17	6	10	7	3	-	-	60	34	11	9	6	46
36	30	6	-	-	27	14	4	6	3	7	7	-	-	-	60	44	10	6	-	47
1	-	1	-	-	4	1	-	1	2	1	1	-	-	-	9	3	1	1	4	48
9	6	3	-	-	29	11	9	7	2	15	13	1	1	-	64	25	19	14	6	49
51	29	21	1	-	110	35	21	28	26	37	21	14	-	2	161	72	54	21	14	50
35	16	19	-	-	178	24	23	62	69	23	9	10	4	-	181	67	68	31	15	51
110	63	46	-	1	89	49	15	14	11	32	15	17	-	-	188	126	38	14	10	52
72	34	37	-	1	79	43	13	12	11	26	10	16	-	-	146	91	35	11	9	53
38	29	9	-	-	10	6	2	2	-	6	5	1	-	-	42	35	3	3	1	54
35	15	20	-	-	34	7	19	3	5	27	6	21	-	-	75	30	39	3	3	55
38	19	19	-	-	80	33	11	19	17	31	15	11	4	1	150	65	45	21	19	56
208	127	79	1	1	653	185	116	200	152	162	112	43	2	5	1,017	447	282	154	134	57
131	69	60	1	1	476	108	91	142	135	88	49	33	1	5	681	248	222	102	109	58
9	3	6	-	-	33	6	5	11	11	6	5	1	-	-	52	16	15	9	12	59
7	3	4	-	-	14	2	2	4	6	3	2	1	-	-	23	5	6	5	7	60
115	63	50	1	1	429	100	84	127	118	79	42	31	1	5	606	227	201	88	90	61
19	11	8	-	-	48	12	14	12	10	8	5	3	-	-	63	21	26	4	12	62
6	3	3	-	-	15	12	1	1	1	9	8	1	-	-	24	11	8	2	3	63
9	8	1	-	-	25	3	3	18	1	9	6	3	-	-	39	14	8	13	4	64
33	33	...	-	...	68	45	...	23	...	40	39	...	1	...	162	134	...	28	...	65
3	3	...	-	...	9	5	...	4	...	5	5	...	-	...	24	19	...	5	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	67
7	...	7	...	-	12	...	7	...	5	3	...	3	...	-	23	...	18	...	5	68
7	...	7	...	-	86	...	24	...	62	20	...	17	...	3	92	...	63	...	29	69
1	...	1	...	-	8	...	-	...	8	3	...	3	...	-	11	...	10	...	1	70
2	...	2	...	-	28	...	10	...	18	2	...	2	...	-	40	...	29	...	11	71
2	...	2	...	-	18	...	7	...	11	5	...	4	...	1	20	...	9	...	11	72
-	...	-	...	-	2	...	1	...	1	1	...	1	...	-	2	...	2	...	-	73
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	1	...	-	...	1	74
-	...	-	...	-	10	...	3	...	7	2	...	2	...	-	3	...	2	...	1	75
-	...	-	...	-	3	...	-	...	3	-	...	-	...	-	1	...	-	...	1	76
2	...	2	...	-	15	...	3	...	12	7	...	5	...	2	14	...	11	...	3	77

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	7	2	5	-	-	94	43	39	4	8
2	Infections of skin and subcutaneous tissue-690-698	-	-	-	-	-	25	14	7	3	1
3	Other diseases of skin and subcutaneous tissue-700-716	7	2	5	-	-	69	29	32	1	7
4	XIII. Diseases of the bones and organs of movement	32	13	18	1	-	235	99	121	3	12
5	Arthritis and spondylitis-720-725	19	7	11	1	-	144	65	73	-	6
6	Muscular rheumatism and rheumatism, unspecified-726,727	-	-	-	-	-	5	1	3	-	1
7	Osteomyelitis and periostitis-730	2	2	-	-	-	15	9	5	-	1
8	Ankylosis and acquired musculoskeletal deformities-737,745-749	1	-	1	-	-	9	3	6	-	-
9	All other diseases of musculoskeletal system-731-736,738-744	10	4	6	-	-	62	21	34	3	4
10	XIV. Congenital malformations	183	102	74	2	5	1,282	641	561	35	45
11	Spina bifida and meningocele-751	7	3	4	-	-	137	58	77	1	1
12	Congenital hydrocephalus, etc.*-752,753	19	10	9	-	-	181	91	78	4	8
13	Congenital malformations of circulatory system-754	87	51	33	1	2	538	271	236	13	18
14	Other congenital malformations-750,755-759	70	38	28	1	3	426	221	170	17	18
15	XV. Certain diseases of early infancy	530	312	203	9	6	3,824	1,950	1,357	295	222
16	Birth injuries-760,761	136	87	49	-	-	749	404	261	53	31
17	Postnatal asphyxia and atelectasis-762	132	75	50	2	5	857	466	301	47	43
18	Infections of newborn-763-768	21	14	7	-	-	205	110	63	18	14
19	Hemolytic disease of newborn (erythroblastosis)-770	27	17	10	-	-	167	90	66	6	5
20	All other defined diseases of early infancy-769,771,772	19	6	10	3	-	134	69	43	11	11
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-773-776	195	113	77	4	1	1,712	811	623	160	118
22	XVI. Symptoms, senility, and ill-defined conditions	234	130	97	4	3	910	494	318	61	37
23	Senility without mention of psychosis-794	134	57	75	1	1	213	87	114	5	7
24	Symptoms, ill-defined and unknown causes-780-793,795	100	73	22	3	2	697	407	204	56	30
25	XVII. Accidents, poisonings, and violence	1,514	1,120	359	22	13	7,216	4,617	1,990	447	162
26	Accidents-E800-E962	1,252	923	306	13	10	5,851	3,727	1,693	297	114
27	Railway accidents-E800-E802	12	12	-	-	-	135	119	6	9	1
28	Motor-vehicle accidents-E810-E835	467	341	117	6	3	1,794	1,343	359	79	13
29	Motor-vehicle traffic accidents-E810-E825	439	317	113	6	3	1,751	1,313	350	75	13
30	Motor-vehicle traffic accident with railway train*-E810	20	11	9	-	-	42	32	8	2	-
31	Motor-vehicle traffic accident to pedestrian-E812	92	70	19	2	1	566	406	121	30	9
32	Other motor-vehicle traffic accidents, etc.*-E811,E813-E819	162	110	51	-	1	550	418	106	24	2
33	Motor-vehicle noncollision traffic accidents-E820-E824	152	117	31	3	1	364	288	66	9	1
34	Motor-vehicle traffic accident of unspecified nature-E825	13	9	3	1	-	229	169	49	10	1
35	Motor-vehicle nontraffic accidents-E830-E835	28	24	4	-	-	43	30	9	4	-
36	Other road-vehicle accidents-E840-E845	1	1	-	-	-	42	28	11	3	-
37	Water-transport accidents-E850-E858	60	48	12	-	-	59	57	-	2	-
38	Aircraft accidents-E860-E866	28	25	3	-	-	54	47	7	-	-
39	Accidental poisoning by solid and liquid substances-E870-E888	9	4	5	-	-	65	32	26	4	3
40	Accidental poisoning by gases and vapors-E890-E895	23	19	4	-	-	156	94	45	10	7
41	Accidental falls-E900-E904	189	107	78	3	1	1,849	882	900	45	22
42	Fall from one level to another-E900-E902	86	58	24	3	1	754	455	266	23	10
43	Fall on same level-E903	44	19	25	-	-	352	151	192	5	4
44	Unspecified falls-E904	59	30	29	-	-	743	276	442	17	8
45	Blow from falling object-E910	70	70	-	-	-	154	145	2	6	1
46	Accident caused by machinery-E912	46	45	1	-	-	134	119	6	9	-
47	Accident caused by electric current-E914	17	17	-	-	-	56	51	1	4	-
48	Accident caused by fire and explosion, etc.*-E916	67	37	30	-	-	358	178	119	26	35
49	Accident caused by hot substance, etc.*-E917,E918	5	2	3	-	-	39	22	10	4	3
50	Accident caused by firearm-E919	29	24	4	-	1	77	67	4	6	-
51	Inhalation and ingestion of food or other object, etc.*-E921,E922	24	14	9	-	1	138	62	42	18	16
52	Accidental drowning-E929	92	71	17	3	1	264	203	32	29	-
53	Excessive heat and insolation-E931	4	3	1	-	-	4	2	2	-	
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-E940-E959	5	4	1	-	-	41	11	27	3	-
55	All other accidents-Residual[1]	104	79	21	1	3	412	265	94	40	13
56	Suicide-E963,E970-E979	235	183	46	4	2	1,083	803	243	33	4
57	Suicide by poisoning-E970-E973	61	46	13	1	1	216	125	82	8	1
58	Suicide by hanging and strangulation-E974	30	20	8	2	-	317	240	70	6	1
59	Suicide by firearms and explosives-E976	110	94	16	-	-	386	341	37	7	1
60	Suicide by all other means-E963,E975,E977-E979	34	23	9	1	1	164	97	54	12	1
61	Homicide-E964,E980-E985	27	14	7	5	1	296	81	54	117	44
62	Assault by firearms and explosives-E981	17	8	5	4	-	111	31	26	39	15
63	Assault by cutting and piercing instruments-E982	3	2	-	1	-	83	3	6	56	18
64	Assault by other means-E964,E980,E983	6	3	2	-	1	90	39	22	18	11
65	Injury by intervention of police-E984	1	1	-	-	-	10	6	-	4	-
66	Execution-E985	-	-	-	-	-	2	2	-	-	-
67	Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	6	6	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
10	4	6	-	-	22	4	4	6	8	6	3	2	-	1	29	10	9	3	7	1
2	1	1	-	-	6	1	1	3	1	1	-	-	-	1	11	5	4	1	1	2
8	3	5	-	-	16	3	3	3	7	5	3	2	-	-	18	5	5	2	6	3
13	5	8	-	-	37	9	13	8	7	14	6	8	-	-	102	32	49	7	14	4
8	3	5	-	-	28	7	11	6	4	8	5	3	-	-	65	17	35	2	11	5
1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	5	1	1	1	2	6
-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	4	-	3	-	1	7
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	3	1	1	1	-	8
3	2	1	-	-	5	2	2	-	1	5	1	4	-	-	25	13	9	3	-	9
113	58	50	2	3	220	81	63	43	33	92	45	43	2	2	405	179	184	28	14	10
16	5	10	1	-	25	11	13	1	-	12	5	6	1	-	27	6	21	-	-	11
16	9	7	-	-	30	10	9	5	6	13	5	7	-	1	61	24	30	4	3	12
31	16	13	-	2	99	35	29	21	14	37	19	17	-	1	182	86	80	10	6	13
50	28	20	1	1	66	25	12	16	13	30	16	13	1	-	135	63	53	14	5	14
276	155	103	13	5	1,166	369	227	334	236	273	154	104	8	7	1,606	688	538	228	152	15
55	34	17	3	1	203	71	43	53	36	49	32	14	2	1	237	113	85	20	19	16
72	42	23	6	1	182	66	46	41	29	51	30	19	-	2	327	166	121	27	13	17
8	4	4	-	-	89	17	9	35	28	14	7	4	-	3	104	38	39	16	11	18
14	5	8	-	1	38	18	11	5	4	22	9	13	-	-	61	33	23	2	3	19
6	6	-	-	-	101	21	22	35	23	11	5	2	3	1	68	27	24	11	6	20
121	64	51	4	2	553	176	96	165	116	126	71	52	3	-	809	311	246	152	100	21
33	16	17	-	-	688	90	46	321	231	114	41	39	20	14	1,702	631	415	355	301	22
12	4	8	-	-	58	11	13	10	24	45	16	28	1	-	168	55	82	6	25	23
21	12	9	-	-	630	79	33	311	207	69	25	11	19	14	1,534	576	333	349	276	24
419	261	142	13	3	1,813	768	283	546	216	509	331	139	32	7	2,529	1,425	572	385	147	25
340	208	118	11	3	1,457	621	237	420	179	436	273	127	30	6	1,985	1,149	501	226	109	26
-	-	-	-	-	33	17	2	13	1	4	3	-	1	-	53	43	4	6	-	27
87	68	17	2	-	660	334	100	177	49	168	105	45	16	2	807	540	167	70	30	28
85	66	17	2	-	649	328	100	173	48	159	100	44	14	1	786	525	161	70	30	29
-	-	-	-	-	21	12	7	2	-	8	6	1	1	-	20	12	6	1	1	30
32	25	7	-	-	138	53	18	49	18	19	11	5	3	-	186	118	36	24	8	31
17	12	4	1	-	84	54	15	13	2	52	32	17	3	-	244	166	58	14	6	32
21	18	3	-	-	107	58	7	34	8	34	23	8	3	-	229	161	32	23	13	33
15	11	3	1	-	299	151	53	75	20	46	28	13	4	1	107	68	29	8	2	34
2	2	-	-	-	11	6	-	4	1	9	5	1	2	1	21	15	6	-	-	35
-	-	-	-	-	11	1	1	9	-	1	1	-	-	-	5	2	-	3	-	36
7	7	-	-	-	35	22	1	12	-	1	1	-	-	-	38	34	4	-	-	37
1	1	-	-	-	16	15	1	-	-	19	16	3	-	-	20	18	2	-	-	38
6	5	1	-	-	38	15	4	13	6	4	2	1	1	-	35	15	9	7	4	39
29	18	11	-	-	7	4	2	1	-	8	6	2	-	-	14	7	2	3	2	40
126	54	72	-	-	135	44	59	18	14	98	53	43	2	-	317	120	169	16	12	41
38	23	15	-	-	45	20	13	9	3	28	21	7	-	-	95	56	29	7	3	42
61	17	44	-	-	11	3	5	-	3	26	8	17	1	-	66	20	40	4	2	43
27	14	13	-	-	79	21	41	9	8	44	24	19	1	-	156	44	100	5	7	44
2	2	-	-	-	16	6	1	9	-	6	6	-	-	-	36	32	1	3	-	45
3	3	-	-	-	17	10	-	7	-	24	21	3	-	-	34	29	2	3	-	46
1	1	-	-	-	20	15	2	2	1	2	2	-	-	-	29	25	2	2	-	47
20	6	6	6	2	156	31	26	37	62	29	12	13	4	-	181	57	61	35	28	48
3	2	1	-	-	21	3	5	5	8	4	3	1	-	-	30	6	11	7	6	49
1	1	-	-	-	60	30	3	22	5	14	10	1	1	2	73	51	8	10	4	50
3	3	-	-	-	16	3	5	7	1	5	1	4	-	-	23	6	7	5	5	51
24	18	4	2	-	87	33	9	42	3	19	16	1	1	1	114	72	20	20	2	52
1	1	-	-	-	2	-	-	1	1	2	2	-	-	-	12	6	1	5	-	53
1	-	1	-	-	6	5	-	1	-	2	1	-	1	-	10	5	2	2	1	54
25	18	5	1	1	121	33	16	44	28	26	12	10	3	1	154	81	29	29	15	55
72	51	20	1	-	130	94	24	12	-	67	56	11	-	-	240	168	50	17	5	56
33	20	13	-	-	21	14	6	1	-	10	7	3	-	-	32	16	13	2	1	57
18	14	4	-	-	6	6	-	-	-	19	16	3	-	-	29	22	6	1	-	58
14	12	1	1	-	98	72	15	11	-	29	27	2	-	-	138	102	21	11	4	59
7	5	2	-	-	5	2	3	-	-	9	6	3	-	-	41	28	10	3	-	60
7	2	4	1	-	225	53	22	113	37	6	2	1	2	1	304	108	21	142	33	61
2	1	1	-	-	158	41	17	76	24	2	1	1	-	-	170	63	13	73	21	62
1	-	-	1	-	34	2	2	21	9	-	-	-	-	-	83	23	-	51	9	63
4	1	3	-	-	27	8	3	12	4	4	1	-	2	1	42	18	8	13	3	64
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	9	4	-	5	-	65
-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	67

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	67,238	33,251	22,653	6,156	5,178	5,111	2,962	2,013	84	52
2	I. Infective and parasitic diseases	3,584	1,717	1,146	438	283	158	96	45	10	7
3	Tuberculosis, all forms-001-019	1,939	951	624	224	140	61	39	11	5	6
4	Tuberculosis of respiratory system-001-008	1,747	872	548	194	133	51	34	9	3	5
5	Tuberculosis of meninges and central nervous system-010	86	36	36	9	5	5	2	1	1	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	9	1	8	-	-	1	-	-	1	-
7	Tuberculosis of vertebral column-012.0,013.0	8	3	3	2	-	-	-	-	-	-
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	2	2	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system-016	5	2	2	1	-	1	1	-	-	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	6	2	2	2	-	-	-	-	-	-
11	Disseminated tuberculosis-019	76	33	25	16	2	3	2	1	-	-
12	Syphilis and its sequelae-020-029	380	183	45	107	45	20	18	1	1	-
13	Congenital syphilis-020	18	4	4	5	5	-	-	-	-	-
14	Early syphilis-021	1	-	-	1	-	-	-	-	-	-
15	Aneurysm of aorta-022	114	73	18	16	7	7	6	1	-	-
16	Other cardiovascular syphilis-023	104	38	6	42	18	5	5	-	-	-
17	Tabes dorsalis-024	4	3	-	1	-	-	-	-	-	-
18	General paralysis of insane-025	74	38	5	24	7	6	6	-	-	-
19	Other syphilis of central nervous system-026	50	20	10	14	6	1	-	-	1	-
20	Other syphilis-027-029	15	7	2	4	2	1	1	-	-	-
21	Gonococcal infection-030-035	1	-	-	-	1	-	-	-	-	-
22	Typhoid fever-040	13	5	7	-	1	-	-	-	-	-
23	Paratyphoid fever-041	1	1	-	-	-	-	-	-	-	-
24	Other Salmonella infections-042	1	-	1	-	-	-	-	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	2	1	1	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	434	206	176	25	27	1	-	-	1	-
28	Food poisoning (infection and intoxication)-049	20	7	2	5	6	-	-	-	-	-
29	Scarlet fever-050	1	-	1	-	-	-	-	-	-	-
30	Streptococcal sore throat-051	20	6	9	3	2	1	-	1	-	-
31	Erysipelas-052	1	1	-	-	-	1	1	-	-	-
32	Septicemia and pyemia-053	58	28	18	11	1	4	2	1	1	-
33	Diphtheria-055	31	14	12	4	1	1	1	-	-	-
34	Whooping cough-056	111	36	30	18	27	3	1	1	-	1
35	Meningococcal infections-057	53	31	13	4	5	7	3	3	1	-
36	Plague-058	-	-	-	-	-	-	-	-	-	-
37	Tularemia-059	2	1	-	1	-	-	-	-	-	-
38	Leprosy-060	2	1	1	-	-	-	-	-	-	-
39	Tetanus-061	59	31	17	6	5	1	1	-	-	-
40	Anthrax-062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis-080	183	101	73	6	3	43	25	18	-	-
42	Late effects of acute poliomyelitis-081	5	1	3	-	1	-	-	-	-	-
43	Acute infectious encephalitis-082	24	11	9	3	1	4	1	3	-	-
44	Late effects of acute infectious encephalitis-083	6	4	2	-	-	-	-	-	-	-
45	Smallpox-084	1	-	-	1	-	-	-	-	-	-
46	Measles-085	101	41	48	7	5	2	1	-	1	-
47	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis-092	27	7	14	1	5	3	2	1	-	-
49	Rabies-094	2	1	1	-	-	-	-	-	-	-
50	Tick-borne typhus-104	1	1	-	-	-	1	-	1	-	-
51	Rocky Mountain spotted fever-104A	1	1	-	-	-	1	-	1	-	-
52	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases-100-103,105-108	4	3	1	-	-	-	-	-	-	-
54	Malaria-110-117	12	6	3	3	-	-	-	-	-	-
55	Schistosomiasis-123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
57	Filariasis-127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis-129	1	-	1	-	-	-	-	-	-	-
59	Other diseases due to helminths-124,126,128,130	2	2	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases-Residual[1]	86	36	34	9	7	5	1	4	-	-
61	II. Neoplasms	8,688	3,837	3,755	505	591	614	331	265	12	6
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	8,363	3,695	3,625	488	555	595	324	253	12	6
63	Malignant neoplasm of buccal cavity and pharynx-140-148	185	107	53	16	9	11	10	1	-	-
64	Of lip-140	8	5	3	-	-	1	1	-	-	-
65	Of tongue-141	24	12	6	6	-	2	1	1	-	-
66	Of other and unspecified parts of buccal cavity-142-144	64	32	23	3	6	3	3	-	-	-
67	Of pharynx-145-148	89	58	21	7	3	5	5	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	2,734	1,303	1,073	201	157	213	119	84	7	3
69	Of esophagus-150	144	71	41	22	10	4	3	1	-	-
70	Of stomach-151	807	432	239	81	55	85	49	30	5	1
71	Of intestine, except rectum-152,153	712	277	373	27	35	43	21	21	1	-
72	Of rectum-154	251	108	103	21	19	17	11	6	-	-
73	Of biliary passages and of liver (stated to be primary site)-155	132	49	74	7	2	16	7	9	-	-
74	Of liver not specified whether primary or secondary-156A	261	123	100	21	17	14	6	7	-	1
75	Of pancreas-157	377	220	126	20	11	30	20	8	1	1
76	Of peritoneum and of unspecified digestive organs-158,159	50	23	17	2	8	4	2	2	-	-
77	Malignant neoplasm of respiratory system-160-164	942	668	182	72	20	55	45	8	2	-
78	Of larynx-161	61	43	9	9	-	4	3	1	-	-
79	Of trachea, and of bronchus and lung specified as primary-162	282	226	37	16	3	20	19	1	-	-
80	Of lung and bronchus, unspecified as primary or secondary-163	557	376	123	44	14	29	23	4	2	-
81	Of other parts of respiratory system-160,164	42	23	13	3	3	2	-	2	-	-
82	Malignant neoplasm of breast-170	654	5	568	2	79	50	-	49	-	1

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,284	2,339	1,941	2	2	29,512	11,910	8,511	5,111	3,980	23,323	13,712	8,965	409	237	17,029	9,296	6,405	796	532	1
104	72	32	-	-	1,269	387	227	381	274	547	354	128	37	28	658	355	206	70	27	2
74	53	21	-	-	835	259	147	242	187	326	217	67	27	15	418	238	121	43	16	3
73	52	21	-	-	755	237	129	217	172	303	206	61	23	13	374	216	111	33	14	4
-	-	-	-	-	37	6	11	13	7	5	2	1	1	1	17	8	2	5	2	5
-	-	-	-	-	6	2	-	2	2	1	-	-	-	1	3	2	-	1	-	6
-	-	-	-	-	2	1	-	1	-	2	1	1	-	-	4	2	2	-	-	7
-	-	-	-	-	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	3	2	1	-	-	5	4	1	-	-	5	2	2	1	-	9
-	-	-	-	-	5	2	2	1	-	4	1	1	2	-	2	2	-	-	-	10
1	1	-	-	-	23	7	4	7	5	6	3	2	1	-	13	6	4	3	-	11
11	8	3	-	-	195	54	15	87	39	98	68	19	5	6	89	46	12	22	9	12
-	-	-	-	-	9	2	4	2	1	2	-	-	1	1	1	1	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
3	3	-	-	-	47	17	3	18	9	22	17	3	1	1	8	7	1	-	-	15
3	2	1	-	-	56	15	2	28	11	35	26	8	-	1	34	12	4	11	7	16
1	-	1	-	-	3	1	-	1	1	2	2	-	-	-	2	2	-	-	-	17
3	2	1	-	-	48	13	3	22	10	13	8	2	1	2	22	10	4	7	1	18
1	1	-	-	-	22	4	1	13	4	19	12	4	2	1	21	13	3	4	1	19
-	-	-	-	-	10	2	2	3	3	5	3	2	-	-	1	1	-	-	-	20
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	3	2	1	-	-	21
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	2	2	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	2	-	-	-	19	2	3	7	7	7	3	2	2	-	9	5	4	-	-	27
-	-	-	-	-	5	-	2	2	1	4	1	2	-	1	3	1	1	1	-	28
-	-	-	-	-	1	-	1	-	-	3	1	2	-	-	-	-	-	-	-	29
-	-	-	-	-	9	3	4	1	1	4	1	2	-	1	8	5	3	-	-	30
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	2	-	2	-	-	31
4	2	2	-	-	16	4	5	3	4	12	10	2	-	-	11	7	4	-	-	32
-	-	-	-	-	9	5	1	3	-	4	3	1	-	-	6	1	4	-	1	33
1	-	1	-	-	47	5	12	13	17	6	2	2	-	2	28	10	17	1	-	34
7	3	4	-	-	37	18	14	2	3	17	11	4	1	1	23	16	6	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	3	1	1	-	1	2	2	-	-	-	5	2	2	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1	1	-	-	-	11	4	6	1	-	17	10	7	-	-	12	6	6	-	-	41
-	-	-	-	-	2	1	-	1	-	5	3	2	-	-	1	-	1	-	-	42
1	1	-	-	-	9	5	3	-	1	8	3	5	-	-	7	2	4	1	-	43
1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	1	1	-	-	22	7	5	4	6	13	3	6	2	2	5	1	4	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	14	8	3	2	1	8	5	3	-	-	10	3	6	-	1	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	59
-	-	-	-	-	29	11	5	9	4	9	7	2	-	-	11	4	7	-	-	60
586	274	310	1	1	3,622	1,394	1,420	408	400	3,412	1,726	1,608	48	30	2,201	1,003	1,047	74	77	61
577	270	305	1	1	3,522	1,369	1,379	401	373	3,350	1,706	1,570	45	29	2,144	983	1,016	72	73	62
2	1	1	-	-	79	43	18	16	2	67	51	15	-	1	52	36	13	1	2	63
-	-	-	-	-	7	6	-	1	-	11	10	1	-	-	8	7	1	-	-	64
1	1	-	-	-	13	5	5	2	1	19	10	8	-	1	12	8	3	-	1	65
-	-	-	-	-	22	11	6	4	1	15	11	4	-	-	13	9	3	-	1	66
1	-	1	-	-	37	21	7	9	-	22	20	2	-	-	19	12	6	1	-	67
224	107	116	1	-	1,150	438	418	179	115	1,246	718	500	18	10	795	379	361	31	24	68
5	3	2	-	-	65	31	15	19	-	42	34	7	1	-	20	13	4	2	1	69
53	31	21	1	-	357	147	103	78	29	401	259	132	6	4	237	143	74	17	3	70
79	33	46	-	-	302	95	145	26	36	328	170	151	4	3	211	76	125	4	6	71
36	18	18	-	-	111	40	40	13	18	165	96	65	3	1	68	37	27	2	2	72
7	-	7	-	-	51	18	30	2	1	82	33	47	1	1	70	19	44	3	4	73
11	5	6	-	-	104	35	38	12	19	44	20	23	1	-	68	30	33	2	3	74
30	16	14	-	-	139	64	43	23	9	162	97	63	1	1	106	50	50	1	5	75
3	1	2	-	-	21	8	4	6	3	22	9	12	1	-	15	11	4	-	-	76
43	37	6	-	-	395	265	57	53	20	329	250	67	9	3	208	161	33	13	1	77
4	3	1	-	-	26	25	-	1	-	13	10	1	1	1	14	8	3	3	-	78
14	13	1	-	-	110	80	13	12	5	143	120	20	2	1	113	91	15	7	-	79
24	20	4	-	-	238	153	39	31	15	152	108	39	4	1	73	56	13	3	1	80
1	1	-	-	-	21	7	5	9	-	21	12	7	2	-	8	6	2	-	-	81
47	-	47	-	-	295	2	231	1	61	324	3	320	-	1	166	2	151	-	13	82

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,375	417	740	59	159	88	45	41	1	1
2	Of cervix uteri----------171	368	...	300	...	68	9	...	9	...	-
3	Of other and unspecified parts of uterus----------172-174	321	...	255	...	66	19	...	18	...	1
4	Of ovary, fallopian tube, and broad ligament----------175	195	...	173	...	22	11	...	11	...	-
5	Of other and unspecified female genital organs----------176	15	...	12	...	3	3	...	3	...	-
6	Of prostate----------177	446	390	...	56	...	41	40	...	1	...
7	Of testis, and of other and unspecified male genital organs----178,179	30	27	...	3	...	5	5	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	324	162	127	15	20	23	16	6	1	-
9	Of kidney----------180	148	62	65	9	12	11	7	3	1	-
10	Of bladder and other urinary organs----------181	176	100	62	6	8	12	9	3	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,397	630	606	77	84	88	54	32	1	1
12	Of skin----------190,191	211	123	75	6	7	6	6	-	-	-
13	Of eye----------192	15	6	5	2	2	1	-	1	-	-
14	Of brain and other parts of nervous system----------193	166	95	58	5	8	15	13	2	-	-
15	Of thyroid gland----------194	34	13	19	-	2	7	5	2	-	-
16	Of bone (including jaw bone)----------196	88	38	42	3	5	10	5	5	-	-
17	Of connective tissue----------197	22	14	7	1	-	2	1	1	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	221	88	107	13	13	11	6	5	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	640	253	293	47	47	36	18	16	1	1
20	Leukemia and aleukemia----------204	447	232	177	23	15	40	21	19	-	-
21	Lymphosarcoma, etc.*----------200-203,205	305	171	99	23	12	27	14	13	-	-
22	Lymphosarcoma and reticulosarcoma----------200	127	66	44	13	4	13	7	6	-	-
23	Hodgkin's disease----------201	90	53	31	1	5	8	4	4	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	88	52	24	9	3	6	3	3	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	325	142	130	17	36	19	7	12	-	-
26	Benign neoplasms of female genital organs----------214-217	48	...	25	...	23	2	...	2	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	33	14	18	-	1	3	1	2	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	26	13	9	2	2	1	1	-	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	4	...	3	...	1	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	137	76	46	9	6	10	3	7	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	77	39	29	6	3	3	2	1	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,441	561	657	85	138	125	52	71	1	1
33	Asthma----------241	267	168	72	14	13	24	16	7	1	-
34	Nontoxic goiter----------250,251	9	2	6	1	-	1	-	1	-	-
35	Thyrotoxicosis with or without goiter----------252	43	1	25	5	12	5	1	4	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	8	-	8	-	-	1	-	1	-	-
37	Diabetes mellitus----------260	886	298	455	45	88	86	33	52	-	1
38	Diseases of thymus gland----------273	28	13	10	3	2	1	-	1	-	-
39	Diseases of adrenal glands----------274	13	5	7	1	-	4	-	4	-	-
40	Pellagra----------281	33	9	18	3	3	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	114	48	42	10	14	2	1	1	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	40	17	14	3	6	1	1	-	-	-
43	IV. Diseases of the blood and blood-forming organs----------	283	113	112	24	34	10	3	7	-	-
44	Anemias----------290-293	195	70	73	19	33	8	2	6	-	-
45	Pernicious and other hyperchromic anemias----------290	64	33	26	2	3	3	1	2	-	-
46	Anemias of other and unspecified type----------291-293	131	37	47	17	30	5	1	4	-	-
47	Purpura and other hemorrhagic conditions----------296	37	16	18	2	1	-	-	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	51	27	21	3	-	2	1	1	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	171	103	42	18	8	15	12	3	-	-
50	Senile psychosis----------304	41	21	17	1	2	1	1	-	-	-
51	Alcoholic psychosis----------307	6	4	1	1	-	2	2	-	-	-
52	Other psychoses----------300-303,305,306,308,309	31	10	8	10	3	-	-	-	-	-
53	Alcoholism----------322	76	57	11	5	3	9	6	3	-	-
54	Mental deficiency----------325	6	4	1	1	-	2	2	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	11	7	4	-	-	1	1	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	7,499	3,127	2,919	676	777	495	243	242	7	3
57	Vascular lesions affecting central nervous system----------330-334	6,669	2,759	2,628	576	706	430	210	211	6	3
58	Subarachnoid hemorrhage----------330	154	67	60	16	11	10	3	5	1	1
59	Cerebral hemorrhage----------331	4,561	1,894	1,835	376	456	300	145	152	3	-
60	Cerebral embolism and thrombosis----------332	865	392	363	52	58	71	42	26	1	2
61	Other vascular lesions affecting central nervous system--------333,334	1,089	406	370	132	181	49	20	28	1	-
62	Meningitis, except meningococcal and tuberculous----------340	159	76	41	26	16	5	1	4	-	-
63	Multiple sclerosis----------345	45	23	22	-	-	4	2	2	-	-
64	Paralysis agitans----------350	78	43	30	4	1	8	3	5	-	-
65	Cerebral spastic infantile paralysis----------351	40	16	16	3	5	6	3	3	-	-
66	Epilepsy----------353	125	65	38	16	6	12	6	6	-	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	1	-	1	-	-
68	Cataract----------385	2	1	1	-	-	1	-	1	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	29	15	8	4	2	2	1	1	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	352	129	135	47	41	26	17	8	1	-
72	VII. Diseases of the circulatory system----------	21,777	11,722	6,708	1,805	1,542	1,866	1,093	744	18	11
73	Rheumatic fever----------400-402	71	27	28	5	11	24	14	10	-	-
74	Diseases of heart----------410-443	19,746	10,806	5,952	1,628	1,360	1,684	996	660	18	10
75	Chronic rheumatic heart disease----------410-416	511	235	207	35	34	135	62	72	-	1
76	Diseases of mitral valve----------410	235	108	91	16	20	24	10	14	-	-
77	Diseases of aortic valve specified as rheumatic----------411	22	20	2	-	-	5	4	1	-	-
78	Diseases of tricuspid valve----------412	1	-	-	-	1	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	23	7	10	4	2	12	7	5	-	-
80	Other diseases of heart specified as rheumatic----------415,416	230	100	104	15	11	94	41	52	-	1

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
112	53	58	-	1	660	181	315	57	107	546	214	322	2	8	373	123	217	11	22	1
24	...	23	...	1	185	...	138	...	47	120	...	116	...	4	97	...	89	...	8	2
20	...	20	...	-	117	...	76	...	41	100	...	96	...	4	82	...	71	...	11	3
12	...	12	...	-	108	...	92	...	16	104	...	104	...	-	54	...	51	...	3	4
3	...	3	...	-	12	...	9	...	3	6	...	6	...	-	6	...	6	...	-	5
49	49	...	-	...	219	163	...	56	...	198	196	...	2	...	122	111	...	11	...	6
4	4	...	-	...	19	18	...	1	...	18	18	...	-	...	12	12	...	-	...	7
31	17	14	-	-	138	70	42	18	8	171	119	48	4	-	97	53	39	4	1	8
8	7	1	-	-	52	22	19	8	3	66	41	23	2	-	40	17	22	1	-	9
23	10	13	-	-	86	48	23	10	5	105	78	25	2	-	57	36	17	3	1	10
53	21	32	-	-	487	192	205	45	45	375	181	183	9	2	239	110	118	4	7	11
12	6	6	-	-	67	31	27	6	3	43	27	16	-	-	40	22	17	-	1	12
1	-	1	-	-	3	1	2	-	-	12	7	4	1	-	6	4	2	-	-	13
8	3	5	-	-	87	45	31	7	4	78	44	33	1	-	32	20	11	1	-	14
1	-	1	-	-	14	3	9	-	2	13	4	9	-	-	8	1	5	-	2	15
5	1	4	-	-	50	23	16	5	6	27	15	12	-	-	32	18	14	-	-	16
-	-	-	-	-	10	4	5	-	1	11	5	5	1	-	14	9	4	1	-	17
4	1	3	-	-	92	30	42	8	12	55	25	29	1	-	27	10	14	1	2	18
22	10	12	-	-	164	55	73	19	17	136	54	75	5	2	80	26	51	1	2	19
38	21	17	-	-	158	82	51	15	10	157	89	65	1	2	119	67	44	5	3	20
27	13	14	-	-	160	96	42	17	5	135	81	50	2	2	95	52	40	3	-	21
8	1	7	-	-	74	46	20	7	1	62	37	23	1	1	51	26	22	3	-	22
14	10	4	-	-	47	32	9	5	1	45	27	17	-	1	26	16	10	-	-	23
5	2	3	-	-	39	18	13	5	3	28	17	10	1	-	18	10	8	-	-	24
9	4	5	-	-	100	25	41	7	27	62	20	38	3	1	57	20	31	2	4	25
1	...	1	...	-	29	...	12	...	17	7	...	6	...	1	17	...	13	...	4	26
1	1	-	-	-	16	7	6	1	2	18	6	11	1	-	5	2	3	-	-	27
1	-	1	-	-	15	6	6	3	-	12	4	6	2	-	8	3	4	1	-	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	29
2	1	1	-	-	26	7	13	3	3	19	7	12	-	-	20	10	10	-	-	30
4	2	2	-	-	14	5	4	-	5	6	3	3	-	-	7	5	1	1	-	31
106	51	55	-	-	558	185	211	64	98	571	288	271	8	4	364	145	197	4	18	32
31	20	11	-	-	128	61	33	25	9	118	81	36	1	-	87	54	27	3	3	33
-	-	-	-	-	5	2	1	-	2	4	1	3	-	-	1	-	1	-	-	34
7	1	6	-	-	22	2	12	-	8	18	6	12	-	-	24	5	17	1	1	35
1	1	-	-	-	4	2	1	-	1	5	2	3	-	-	4	-	4	-	-	36
62	27	35	-	-	347	96	153	33	65	386	172	204	6	4	212	69	134	-	9	37
-	-	-	-	-	8	5	2	1	-	15	9	6	-	-	6	2	3	-	1	38
2	1	1	-	-	3	1	2	-	-	4	2	2	-	-	5	1	2	-	2	39
-	-	-	-	-	5	1	-	-	4	2	2	-	-	-	-	-	-	-	-	40
1	-	1	-	-	19	8	3	1	7	7	5	2	-	-	14	6	6	-	2	41
2	1	1	-	-	17	7	4	4	2	12	8	3	1	-	11	8	3	-	-	42
19	7	12	-	-	105	39	34	17	15	76	41	33	-	2	66	35	30	1	-	43
13	5	8	-	-	75	25	22	15	13	60	31	28	-	1	49	25	23	1	-	44
3	-	3	-	-	17	5	10	2	-	43	22	20	-	1	27	13	14	-	-	45
10	5	5	-	-	58	20	12	13	13	17	9	8	-	-	22	12	9	1	-	46
3	-	3	-	-	12	4	6	-	2	6	2	4	-	-	10	5	5	-	-	47
3	2	1	-	-	18	10	6	2	-	10	8	1	-	1	7	5	2	-	-	48
7	6	1	-	-	170	77	23	49	21	93	71	17	4	1	72	46	15	6	5	49
-	-	-	-	-	14	3	8	2	1	5	1	4	-	-	15	11	3	-	1	50
1	1	-	-	-	13	11	-	2	-	3	3	-	-	-	3	3	-	-	-	51
1	1	-	-	-	15	4	3	5	3	7	3	4	-	-	8	1	7	-	-	52
4	4	-	-	-	110	56	8	34	12	75	62	8	4	1	39	26	4	6	3	53
-	-	-	-	-	14	3	1	5	5	-	-	-	-	-	3	3	-	-	-	54
1	-	1	-	-	4	-	3	1	-	3	2	1	-	-	4	2	1	-	1	55
565	257	308	-	-	3,976	1,305	1,304	686	681	3,176	1,639	1,475	36	26	2,120	1,093	899	69	59	56
532	239	293	-	-	3,652	1,182	1,213	609	648	2,956	1,516	1,386	33	21	1,946	991	837	65	53	57
12	7	5	-	-	127	48	48	16	15	79	35	42	1	1	51	25	20	6	-	58
340	143	197	-	-	2,536	775	847	439	475	1,899	950	915	20	14	1,417	705	621	46	45	59
117	56	61	-	-	449	185	163	44	57	588	319	256	9	4	227	119	97	7	4	60
63	33	30	-	-	540	174	155	110	101	390	212	173	3	2	251	142	99	6	4	61
4	2	2	-	-	58	24	10	13	11	33	21	11	1	-	21	10	8	1	2	62
3	1	2	-	-	24	12	9	3	-	29	12	16	-	1	20	9	9	1	1	63
7	2	5	-	-	35	13	15	4	3	35	19	15	1	-	24	14	10	-	-	64
2	2	-	-	-	18	7	8	2	1	7	6	1	-	-	9	6	3	-	-	65
3	2	1	-	-	63	20	10	26	7	36	21	14	-	1	22	12	9	1	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	1	-	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	68
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	69
2	1	1	-	-	14	5	2	3	4	10	5	4	-	1	12	7	5	-	-	70
11	8	3	-	-	110	42	35	26	7	68	37	28	1	2	66	44	18	1	3	71
1,891	1,071	818	1	1	11,048	4,849	3,231	1,633	1,335	9,463	5,874	3,442	97	50	6,027	3,398	2,135	288	206	72
4	1	3	-	-	28	5	8	8	7	25	13	10	2	-	31	14	16	1	-	73
1,672	950	720	1	1	9,940	4,475	2,886	1,456	1,123	8,555	5,391	3,036	83	45	5,422	3,087	1,889	259	187	74
49	25	24	-	-	334	130	125	35	44	305	166	133	3	3	228	125	91	7	5	75
27	14	13	-	-	146	54	51	20	21	129	60	66	2	1	100	53	42	3	2	76
1	-	1	-	-	10	7	2	-	1	19	18	1	-	-	7	5	2	-	-	77
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	-	-	-	-	-	78
4	3	1	-	-	16	11	4	-	1	20	10	9	1	-	12	6	4	2	-	79
17	8	9	-	-	161	57	68	15	21	134	76	56	-	2	109	61	43	2	3	80

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	11,666	7,256	3,207	670	533	970	644	312	11	3
2	Arteriosclerotic heart disease so described----420.0	2,274	1,194	838	127	115	309	169	135	3	2
3	Heart disease specified as involving coronary arteries----420.1	9,267	6,006	2,339	521	401	659	473	177	8	1
4	Angina pectoris without mention of coronary disease----420.2	125	56	30	22	17	2	2	-	-	-
5	Chronic endocarditis not specified as rheumatic----421	264	99	79	43	43	40	22	18	-	-
6	Of mitral valve, specified as nonrheumatic----421.0	24	6	14	3	1	2	2	-	-	-
7	Of aortic valve, not specified as rheumatic----421.1	43	21	14	3	5	4	4	-	-	-
8	Of other valves, not specified as rheumatic----421.2-421.4	197	72	51	37	37	34	16	18	-	-
9	Other myocardial degeneration----422	2,199	1,028	815	202	154	223	127	92	4	-
10	With arteriosclerosis----422.1	611	288	236	49	38	106	61	43	2	-
11	Without mention of arteriosclerosis----422.0,422.2	1,588	740	579	153	116	117	66	49	2	-
12	Other diseases of heart----430-434	2,130	1,060	539	313	218	60	39	18	2	1
13	Acute and subacute endocarditis----430	53	21	13	10	9	7	3	3	1	-
14	Acute myocarditis not specified as rheumatic----431	142	51	49	17	25	10	8	2	-	-
15	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----433	143	67	63	7	6	5	2	3	-	-
17	Other and unspecified diseases of heart----434	1,792	921	414	279	178	38	26	10	1	1
18	Hypertension with heart disease----440-443	2,976	1,128	1,105	365	378	256	102	148	1	5
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	759	329	238	102	90	69	28	38	1	2
20	Essential hypertension with heart disease, etc.*----440,441,443	2,217	799	867	263	288	187	74	110	-	3
21	Hypertension without mention of heart----444-447	607	237	207	79	84	27	10	16	-	1
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	179	86	51	20	22	12	4	8	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	428	151	156	59	62	15	6	8	-	1
24	Diseases of arteries----450-456	1,181	566	463	80	72	115	59	56	-	-
25	General arteriosclerosis----450	968	442	407	65	54	88	43	45	-	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	95	66	19	7	3	13	11	2	-	-
27	Gangrene of unspecified cause----455	18	8	4	3	3	2	-	2	-	-
28	Other arterial diseases----452-454,456	100	50	33	5	12	12	5	7	-	-
29	Diseases of veins and other diseases of circulatory system----460-468	172	86	58	13	15	16	14	2	-	-
30	VIII. Diseases of the respiratory system----	3,502	1,560	1,283	350	309	214	120	77	12	5
31	Acute upper respiratory infections----470-475	51	25	14	6	6	6	3	3	-	-
32	Influenza----480-483	509	194	202	48	65	13	6	7	-	-
33	Pneumonia, except pneumonia of newborn----490-493	2,274	970	838	253	213	131	68	46	12	5
34	Lobar pneumonia----490	558	246	181	72	59	32	16	10	5	1
35	Bronchopneumonia----491	769	338	304	68	59	66	37	24	3	2
36	Primary atypical pneumonia----492	204	101	75	17	11	9	6	3	-	-
37	Pneumonia, other and unspecified----493	743	285	278	96	84	24	9	9	4	2
38	Acute bronchitis----500	45	19	18	6	2	3	2	1	-	-
39	Bronchitis, chronic and unqualified----501,502	106	58	41	5	2	10	5	5	-	-
40	Hypertrophy of tonsils and adenoids----510	12	6	5	1	-	1	1	-	-	-
41	Empyema and abscess of lung----518,521	40	19	11	6	4	1	-	1	-	-
42	Pleurisy----519	9	3	2	1	3	-	-	-	-	-
43	All other respiratory diseases----Residual[1]	456	266	152	24	14	49	35	14	-	-
44	IX. Diseases of the digestive system----	3,318	1,631	1,215	237	235	202	110	81	5	6
45	Diseases of teeth and supporting structures----530-535	11	5	2	1	3	2	2	-	-	-
46	Ulcer of stomach----540	159	111	26	15	7	17	13	2	1	1
47	Ulcer of duodenum----541	125	97	18	9	1	20	17	3	-	-
48	Gastritis and duodenitis----543	32	13	7	4	8	-	-	-	-	-
49	Appendicitis----550-553	131	63	33	17	18	12	8	3	1	-
50	Hernia and intestinal obstruction----560,561,570	390	158	150	37	45	35	14	21	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	1,270	583	541	74	72	21	8	6	3	4
52	Cirrhosis of liver----581	512	321	141	28	22	39	18	20	-	1
53	Without mention of alcoholism----581.0	439	271	125	26	17	27	11	16	-	-
54	With alcoholism----581.1	73	50	16	2	5	12	7	4	-	1
55	Cholelithiasis and cholecystitis----584,585	226	75	134	5	12	25	8	17	-	-
56	Other diseases of digestive system----Residual[1]	462	205	163	47	47	31	22	9	-	-
57	X. Diseases of the genito-urinary system----	2,045	895	599	307	244	121	81	40	-	-
58	Nephritis and nephrosis----590-594	1,400	501	464	223	212	65	38	27	-	-
59	Acute nephritis----590	167	55	54	21	37	11	5	6	-	-
60	Nephritis with edema, including nephrosis----591	47	16	16	8	7	4	3	1	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,186	430	394	194	168	50	30	20	-	-
62	Infections of kidney----600	155	60	67	15	13	10	5	5	-	-
63	Calculi of urinary system----602,604	42	21	17	1	3	4	1	3	-	-
64	Other diseases of urinary system----601,603,605-609	79	41	23	9	6	7	4	3	-	-
65	Hyperplasia of prostate----610	268	223	...	45	...	30	30	...	-	...
66	Other diseases of male genital organs----611-617	63	49	...	14	...	3	3	...	-	...
67	Diseases of breast----620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	38	...	28	...	10	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	206	...	147	...	59	11	...	11	...	-
70	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	29	...	22	...	7	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	76	...	51	...	25	3	...	3	...	-
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	37	...	30	...	7	1	...	1	...	-
73	Ectopic pregnancy----645	13	...	8	...	5	2	...	2	...	-
74	Abortion without mention of sepsis or toxemia----650	9	...	7	...	2	1	...	1	...	-
75	Abortion with sepsis----651	9	...	5	...	4	2	...	2	...	-
76	Abortion with toxemia, without mention of sepsis----652	2	...	2	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	31	...	22	...	9	1	...	1	...	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,126	712	412	1	1	5,440	2,989	1,427	636	388	5,780	3,979	1,725	53	23	3,054	1,917	943	126	68	1
436	245	189	1	1	1,532	661	512	217	142	1,473	879	583	7	4	890	473	340	48	29	2
672	457	215	-	-	3,863	2,301	903	415	244	4,287	3,087	1,136	45	19	2,140	1,426	597	78	39	3
18	10	8	-	-	45	27	12	4	2	20	13	6	1	-	24	18	6	-	-	4
42	19	23	-	-	231	72	46	61	52	231	121	106	3	1	171	99	54	14	4	5
3	1	2	-	-	8	5	2	1	-	9	6	3	-	-	7	3	2	1	1	6
6	5	1	-	-	47	16	9	15	7	29	16	12	1	-	23	14	5	4	-	7
33	13	20	-	-	176	51	35	45	45	193	99	91	2	1	141	82	47	9	3	8
237	110	127	-	-	1,382	487	500	223	172	810	422	376	6	6	746	377	317	32	20	9
127	59	68	-	-	607	219	235	89	64	346	185	159	1	1	317	166	130	13	8	10
110	51	59	-	-	775	268	265	134	108	464	237	217	5	5	429	211	187	19	12	11
41	20	21	-	-	443	157	137	93	56	409	266	131	9	3	319	184	105	15	15	12
2	-	2	-	-	14	8	3	3	-	9	8	1	-	-	8	5	2	-	1	13
5	2	3	-	-	38	9	10	11	8	17	11	6	-	-	19	7	10	-	2	14
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	1	1	-	-	-	15
5	-	5	-	-	37	14	19	2	2	65	43	21	1	-	27	15	9	2	1	16
29	18	11	-	-	352	128	104	76	46	318	204	103	8	3	264	156	84	13	11	17
177	64	113	-	-	2,110	640	651	408	411	1,020	437	565	9	9	904	385	379	65	75	18
52	26	26	-	-	824	303	233	149	139	393	181	204	5	3	285	132	110	22	21	19
125	38	87	-	-	1,286	337	418	259	272	627	256	361	4	6	619	253	269	43	54	20
44	30	14	-	-	294	88	69	61	76	187	89	91	5	2	166	72	74	10	10	21
27	20	7	-	-	114	41	18	30	25	90	48	35	5	2	83	37	32	7	7	22
17	10	7	-	-	180	47	51	31	51	97	41	56	-	-	83	35	42	3	3	23
160	84	76	-	-	702	248	247	94	113	625	341	276	5	3	355	196	135	16	8	24
150	76	74	-	-	587	195	207	84	101	543	286	250	4	3	318	171	125	15	7	25
8	7	1	-	-	62	35	20	5	2	56	42	14	-	-	15	10	4	-	1	26
1	-	1	-	-	7	3	1	1	2	1	1	-	-	-	2	1	1	-	-	27
1	1	-	-	-	46	15	19	4	8	25	12	12	1	-	20	14	5	1	-	28
11	6	5	-	-	84	33	21	14	16	71	40	29	2	-	53	29	21	2	1	29
209	109	100	-	-	1,399	470	351	335	243	952	558	344	27	23	948	501	383	38	26	30
1	1	-	-	-	28	10	10	6	2	18	10	7	-	1	13	3	10	-	-	31
45	16	29	-	-	175	43	46	42	44	128	74	50	4	-	148	69	71	2	6	32
121	61	60	-	-	944	275	242	255	172	593	336	219	18	20	610	312	249	31	18	33
32	20	12	-	-	234	66	59	65	44	161	102	46	6	7	207	114	72	16	5	34
62	27	35	-	-	417	129	100	110	78	327	175	132	11	9	300	152	128	11	9	35
20	10	10	-	-	108	34	34	25	15	57	32	23	1	1	45	21	20	2	2	36
7	4	3	-	-	185	46	49	55	35	48	27	18	-	3	58	25	29	2	2	37
1	1	-	-	-	14	4	4	3	3	16	10	5	-	1	17	6	11	-	-	38
8	5	3	-	-	44	24	9	4	7	31	17	13	1	-	31	14	17	-	-	39
1	-	1	-	-	5	3	1	-	1	8	2	5	-	1	7	2	4	-	1	40
-	-	-	-	-	20	7	4	6	3	14	10	4	-	-	7	5	2	-	-	41
-	-	-	-	-	4	1	2	-	1	2	1	1	-	-	2	2	-	-	-	42
32	25	7	-	-	165	103	33	19	10	142	98	40	4	-	113	88	19	5	1	43
145	79	66	-	-	994	436	272	162	124	771	463	271	22	15	611	324	233	36	18	44
-	-	-	-	-	8	4	-	-	4	2	1	1	-	-	4	3	1	-	-	45
12	8	4	-	-	74	45	7	16	6	66	57	8	1	-	39	31	5	3	-	46
13	12	1	-	-	46	26	7	10	3	62	50	11	1	-	39	30	9	-	-	47
-	-	-	-	-	14	5	5	3	1	1	1	-	-	-	3	1	2	-	-	48
6	4	2	-	-	52	19	13	7	13	35	19	12	2	2	33	11	17	2	3	49
30	11	19	-	-	174	70	46	33	25	141	76	62	3	-	113	60	45	4	4	50
14	9	5	-	-	186	60	51	44	31	60	28	19	6	7	114	54	43	13	4	51
33	19	14	-	-	212	119	59	19	15	201	123	71	5	2	130	86	33	7	4	52
29	16	13	-	-	170	93	49	15	13	162	95	65	2	-	113	71	31	7	4	53
4	3	1	-	-	42	26	10	4	2	39	28	6	3	2	17	15	2	-	-	54
16	7	9	-	-	64	22	34	2	6	87	34	50	2	1	60	12	46	-	2	55
21	9	12	-	-	164	66	50	28	20	116	74	37	2	3	76	36	32	7	1	56
111	65	46	-	-	865	324	207	169	165	498	327	165	5	1	492	261	169	39	23	57
65	26	39	-	-	620	203	164	118	135	292	169	119	3	1	326	146	136	25	19	58
4	1	3	-	-	39	9	11	11	8	20	13	6	-	1	27	8	14	2	3	59
3	2	1	-	-	26	11	4	2	9	8	5	2	1	-	18	7	9	1	1	60
58	23	35	-	-	555	183	149	105	118	264	151	111	2	-	281	131	113	22	15	61
6	4	2	-	-	59	21	17	11	10	63	36	26	1	-	32	13	15	3	1	62
2	2	-	-	-	18	6	8	2	2	8	5	3	-	-	6	3	2	1	-	63
1	-	1	-	-	27	9	7	6	5	21	14	7	-	-	16	11	2	3	-	64
28	28	...	-	...	104	78	...	26	...	94	93	...	1	...	85	78	...	7	...	65
5	5	...	-	...	13	7	...	6	...	10	10	...	-	...	10	10	...	-	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
4	...	4	...	-	24	...	11	...	13	10	...	10	...	-	17	...	14	...	3	68
4	...	4	...	-	91	...	48	...	43	21	...	17	...	4	51	...	47	...	4	69
-	...	-	...	-	15	...	8	...	7	1	...	1	...	-	4	...	4	...	-	70
2	...	2	...	-	26	...	11	...	15	6	...	5	...	1	16	...	14	...	2	71
-	...	-	...	-	19	...	12	...	7	2	...	2	...	-	13	...	11	...	2	72
-	...	-	...	-	7	...	3	...	4	1	...	-	...	1	4	...	4	...	-	73
-	...	-	...	-	5	...	3	...	2	-	...	-	...	-	1	...	1	...	-	74
1	...	1	...	-	3	...	1	...	2	2	...	1	...	1	1	...	1	...	-	75
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	76
1	...	1	...	-	15	...	9	...	6	9	...	8	...	1	12	...	12	...	-	77

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue----------	80	28	33	12	7	10	4	6	-	-
2	Infections of skin and subcutaneous tissue----------690-698	25	12	7	4	2	3	2	1	-	-
3	Other diseases of skin and subcutaneous tissue----------700-716	55	16	26	8	5	7	2	5	-	-
4	XIII. Diseases of the bones and organs of movement----------	159	52	83	11	13	12	4	8	-	-
5	Arthritis and spondylitis----------720-725	115	34	69	3	9	7	1	6	-	-
6	Muscular rheumatism and rheumatism, unspecified----------726,727	2	1	-	-	1	-	-	-	-	-
7	Osteomyelitis and periostitis----------730	7	1	2	3	1	2	2	-	-	-
8	Ankylosis and acquired musculoskeletal deformities----------737,745-749	4	2	2	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system----------731-736,738-744	31	14	10	5	2	3	1	2	-	-
10	XIV. Congenital malformations----------	985	491	400	51	43	112	71	40	-	1
11	Spina bifida and meningocele----------751	84	32	47	2	3	5	2	*3	-	-
12	Congenital hydrocephalus, etc.*----------752,753	137	54	65	8	10	10	6	4	-	-
13	Congenital malformations of circulatory system----------754	406	211	158	14	23	64	44	19	-	1
14	Other congenital malformations----------750,755-759	358	194	130	27	7	33	19	14	-	-
15	XV. Certain diseases of early infancy----------	4,324	2,149	1,424	432	319	329	192	130	6	1
16	Birth injuries----------760,761	648	349	198	58	43	58	31	26	1	-
17	Postnatal asphyxia and atelectasis----------762	708	404	217	57	30	84	51	33	-	-
18	Infections of newborn----------763-768	424	180	152	53	39	11	5	5	1	-
19	Hemolytic disease of newborn (erythroblastosis)----------770	128	68	52	5	3	35	21	14	-	-
20	All other defined diseases of early infancy----------769,771,772	267	113	91	39	24	16	9	6	1	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified----------773-776	2,149	1,035	714	220	180	125	75	46	3	1
22	XVI. Symptoms, senility, and ill-defined conditions----------	1,827	812	544	245	226	242	144	87	4	7
23	Senility without mention of psychosis----------794	579	221	247	44	67	62	21	40	-	1
24	Symptoms, ill-defined and unknown causes----------780-793,795	1,248	591	297	201	159	180	123	47	4	6
25	XVII. Accidents, poisonings, and violence----------	7,349	4,453	1,586	960	350	575	406	156	9	4
26	Accidents----------E800-E962	5,904	3,620	1,393	614	277	512	358	143	8	3
27	Railway accidents----------E800-E802	82	60	7	12	3	7	6	-	1	-
28	Motor-vehicle accidents----------E810-E835	2,659	1,754	563	255	87	205	143	57	4	1
29	Motor-vehicle traffic accidents----------E810-E825	2,551	1,685	539	246	81	199	137	57	4	1
30	Motor-vehicle traffic accident with railway train*----------E810	95	66	17	8	4	8	6	2	-	-
31	Motor-vehicle traffic accident to pedestrian----------E812	423	270	85	50	18	42	29	13	-	-
32	Other motor-vehicle traffic accidents, etc.*----------E811,E813-E819	1,226	777	312	107	30	88	57	27	3	1
33	Motor-vehicle noncollision traffic accidents----------E820-E824	659	471	100	67	21	48	39	8	1	-
34	Motor-vehicle traffic accident of unspecified nature----------E825	148	101	25	14	8	13	6	7	-	-
35	Motor-vehicle nontraffic accidents----------E830-E835	108	69	24	9	6	6	6	-	-	-
36	Other road-vehicle accidents----------E840-E845	29	21	2	5	1	4	4	-	-	-
37	Water-transport accidents----------E850-E858	67	61	2	4	-	6	6	-	-	-
38	Aircraft accidents----------E860-E866	183	177	5	1	-	7	7	-	-	-
39	Accidental poisoning by solid and liquid substances----------E870-E888	80	38	30	8	4	10	8	2	-	-
40	Accidental poisoning by gases and vapors----------E890-E895	51	38	6	6	1	9	6	3	-	-
41	Accidental falls----------E900-E904	727	309	369	26	23	90	38	50	2	-
42	Fall from one level to another----------E900-E902	219	122	79	13	5	34	18	15	1	-
43	Fall on same level----------E903	173	52	110	7	4	23	8	15	-	-
44	Unspecified falls----------E904	335	135	180	6	14	33	12	20	1	-
45	Blow from falling object----------E910	73	49	9	14	1	17	17	-	-	-
46	Accident caused by machinery----------E912	149	128	7	14	-	10	10	-	-	-
47	Accident caused by electric current----------E914	93	84	6	3	-	7	6	1	-	-
48	Accident caused by fire and explosion, etc.*----------E916	518	198	158	86	76	28	14	14	-	-
49	Accident caused by hot substance, etc.*----------E917,E918	60	20	15	14	11	3	2	1	-	-
50	Accident caused by firearm----------E919	183	132	20	24	7	21	20	1	-	-
51	Inhalation and ingestion of food or other object, etc.*--------E921,E922	82	43	28	7	4	15	12	3	-	-
52	Accidental drowning----------E929	319	228	40	50	1	34	29	5	-	-
53	Excessive heat and insolation----------E931	133	81	22	22	8	3	2	1	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	36	10	16	5	5	2	1	1	-	-
55	All other accidents----------Residual[1]	380	189	88	58	45	34	27	4	1	2
56	Suicide----------E963,E970-E979	651	502	116	25	8	55	43	12	-	-
57	Suicide by poisoning----------E970-E973	108	64	39	2	3	18	13	5	-	-
58	Suicide by hanging and strangulation----------E974	75	57	13	5	-	7	5	2	-	-
59	Suicide by firearms and explosives----------E976	420	350	52	14	4	22	19	3	-	-
60	Suicide by all other means----------E963,E975,E977-E979	48	31	12	4	1	8	6	2	-	-
61	Homicide----------E964,E980-E985	792	329	77	321	65	8	5	1	1	1
62	Assault by firearms and explosives----------E981	460	214	50	163	33	5	3	-	1	1
63	Assault by cutting and piercing instruments----------E982	200	53	5	117	25	-	-	-	-	-
64	Assault by other means----------E964,E980,E983	102	46	22	27	7	1	-	1	-	-
65	Injury by intervention of police----------E984	17	10	-	7	-	-	-	-	-	-
66	Execution----------E985	13	6	-	7	-	2	2	-	-	-
67	Injury resulting from operations of war----------E965,E990-E999	2	2	-	-	-	-	-	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1	1	-	-	-	24	9	5	5	5	23	8	15	-	-	15	3	11	1	-	1
-	-	-	-	-	9	4	1	3	1	4	2	2	-	-	4	1	3	-	-	2
1	1	-	-	-	15	5	4	2	4	19	6	13	-	-	11	2	8	1	-	3
5	2	3	-	-	66	23	25	8	10	48	20	27	-	1	46	22	21	2	1	4
3	1	2	-	-	42	11	20	3	8	29	11	18	-	-	32	13	16	2	1	5
-	-	-	-	-	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	4	3	-	-	1	3	2	-	-	1	2	1	1	-	-	7
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	8
2	1	1	-	-	16	6	5	5	-	14	6	8	-	-	10	6	4	-	-	9
45	22	23	-	-	422	181	148	56	37	274	136	127	8	3	294	151	132	9	2	10
4	2	2	-	-	33	15	14	2	2	11	5	6	-	-	39	12	27	-	-	11
8	4	4	-	-	55	21	26	6	2	34	17	13	4	-	31	13	18	-	-	12
17	9	8	-	-	167	77	52	23	15	134	63	65	4	2	128	74	49	4	1	13
16	7	9	-	-	167	68	56	25	18	95	51	43	-	1	96	52	38	5	1	14
154	93	61	-	-	1,794	703	448	382	261	885	483	353	32	17	891	482	355	26	28	15
24	17	7	-	-	299	138	77	44	40	180	105	69	3	3	141	94	42	3	2	16
26	18	8	-	-	392	171	93	80	48	277	154	105	11	7	187	93	84	6	4	17
14	11	3	-	-	140	41	20	42	37	19	11	7	1	-	61	39	22	-	-	18
14	4	10	-	-	63	41	19	2	1	39	22	16	1	-	37	18	16	2	1	19
5	5	-	-	-	106	31	25	32	18	27	14	10	2	1	41	22	14	2	3	20
71	38	33	-	-	794	281	214	182	117	343	177	146	14	6	424	216	177	13	18	21
37	24	13	-	-	355	109	95	83	68	317	184	120	5	8	385	205	157	12	11	22
6	2	4	-	-	91	25	34	20	12	102	41	58	1	2	103	46	54	3	-	23
31	22	9	-	-	264	84	61	63	56	215	143	62	4	6	282	159	103	9	11	24
295	206	89	-	-	2,754	1,419	462	673	200	2,196	1,540	552	80	24	1,788	1,272	368	121	27	25
249	168	81	-	-	2,139	1,110	375	499	155	1,781	1,229	467	65	20	1,487	1,072	304	92	19	26
-	-	-	-	-	30	12	1	15	2	35	32	1	2	-	64	51	4	8	1	27
87	69	18	-	-	920	513	140	222	45	595	417	144	23	11	454	355	88	10	1	28
83	66	17	-	-	895	496	138	217	44	566	395	137	23	11	444	347	86	10	1	29
4	2	2	-	-	24	12	4	5	3	19	13	6	-	-	8	7	1	-	-	30
9	8	1	-	-	223	101	38	62	22	160	115	39	5	1	105	81	23	1	-	31
24	19	5	-	-	191	109	25	50	7	194	131	52	7	4	117	84	31	2	-	32
20	17	3	-	-	179	117	12	48	2	155	114	26	11	4	128	105	20	2	1	33
26	20	6	-	-	278	157	59	52	10	38	22	14	-	2	86	70	11	5	-	34
4	3	1	-	-	25	17	2	5	1	29	22	7	-	-	10	8	2	-	-	35
2	2	-	-	-	11	7	2	2	-	11	9	1	1	-	5	5	-	-	-	36
2	1	1	-	-	44	36	-	7	1	38	32	3	3	-	23	18	2	3	-	37
-	-	-	-	-	35	30	4	1	-	55	47	8	-	-	32	29	3	-	-	38
2	2	-	-	-	49	24	8	11	6	29	14	14	1	-	15	8	7	-	-	39
4	4	-	-	-	18	8	8	2	-	65	54	9	2	-	13	11	1	1	-	40
66	25	41	-	-	302	121	126	33	22	345	177	164	3	1	236	114	111	6	5	41
13	8	5	-	-	114	47	28	29	10	139	89	48	1	1	73	55	15	2	1	42
17	3	14	-	-	48	19	26	-	3	86	31	55	-	-	61	20	39	2	-	43
36	14	22	-	-	140	55	72	4	9	120	57	61	2	-	102	39	57	2	4	44
4	4	-	-	-	45	36	-	9	-	36	34	-	2	-	117	95	1	21	-	45
11	9	2	-	-	46	31	3	10	2	48	44	1	3	-	33	32	-	1	-	46
1	1	-	-	-	19	16	-	3	-	16	14	1	1	-	23	21	1	1	-	47
26	16	10	-	-	155	46	23	52	34	135	81	43	8	3	114	67	34	8	5	48
6	6	-	-	-	22	4	8	6	4	11	8	2	-	1	25	7	12	2	4	49
9	9	-	-	-	77	41	6	25	5	41	36	2	3	-	70	62	4	3	1	50
6	3	3	-	-	44	17	9	10	8	49	26	21	2	-	16	10	5	1	-	51
13	12	1	-	-	135	83	8	40	4	126	101	17	7	1	89	72	11	6	-	52
-	-	-	-	-	2	-	-	2	-	1	1	-	-	-	-	-	-	-	-	53
-	-	-	-	-	11	1	7	-	3	13	7	6	-	-	8	5	1	1	1	54
10	5	5	-	-	174	84	22	49	19	132	95	30	4	3	150	110	19	20	1	55
44	36	8	-	-	324	232	68	22	2	357	277	69	10	1	202	148	51	3	-	56
7	5	2	-	-	52	26	24	2	-	98	68	28	1	1	26	13	12	1	-	57
5	4	1	-	-	40	31	7	2	-	58	43	14	1	-	38	27	10	1	-	58
28	26	2	-	-	197	156	23	16	2	158	135	17	6	-	121	97	23	1	-	59
4	1	3	-	-	35	19	14	2	-	43	31	10	2	-	17	11	6	-	-	60
2	2	-	-	-	289	75	19	152	43	58	34	16	5	3	99	52	13	26	8	61
2	2	-	-	-	154	39	11	83	21	33	17	11	3	2	68	33	8	20	7	62
-	-	-	-	-	63	9	2	40	12	8	4	3	1	-	13	6	1	6	-	63
-	-	-	-	-	56	24	6	16	10	13	9	2	1	1	14	9	4	-	1	64
-	-	-	-	-	5	2	-	3	-	2	2	-	-	-	1	1	-	-	-	65
-	-	-	-	-	11	1	-	10	-	2	2	-	-	-	3	3	-	-	-	66
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	33,653	19,281	13,885	304	183	2,346	1,453	811	48	34
2	I. Infective and parasitic diseases	637	407	192	19	19	91	67	16	3	5
3	Tuberculosis, all forms-001-019	341	229	89	13	10	27	18	2	3	4
4	Tuberculosis of respiratory system-001-008	310	216	74	11	9	20	16	-	2	2
5	Tuberculosis of meninges and central nervous system-010	11	6	4	1	-	3	1	1	-	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands-011	2	-	2	-	-	1	-	-	-	1
7	Tuberculosis of vertebral column-012.0,013.0	5	3	2	-	-	1	1	-	-	-
8	Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system-016	8	2	5	-	1	1	-	1	-	-
10	Tuberculosis of lymphatic system and other organs-014,015,017,018	1	-	-	1	-	-	-	-	-	-
11	Disseminated tuberculosis-019	4	2	2	-	-	1	-	-	1	-
12	Syphilis and its sequelae-020-029	88	60	23	1	4	15	12	3	-	-
13	Congenital syphilis-020	1	-	-	-	1	-	-	-	-	-
14	Early syphilis-021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta-022	23	17	6	-	-	6	4	2	-	-
16	Other cardiovascular syphilis-023	42	27	13	1	1	6	6	-	-	-
17	Tabes dorsalis-024	3	3	-	-	-	-	-	-	-	-
18	General paralysis of insane-025	12	9	2	-	1	2	1	1	-	-
19	Other syphilis of central nervous system-026	6	4	1	-	1	-	-	-	-	-
20	Other syphilis-027-029	1	-	1	-	-	1	1	-	-	-
21	Gonococcal infection-030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever-040	1	1	-	-	-	-	-	-	-	-
23	Paratyphoid fever-041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections-042	-	-	-	-	-	-	-	-	-	-
25	Cholera-043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)-044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms-045-048	4	3	-	-	1	1	1	-	-	-
28	Food poisoning (infection and intoxication)-049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever-050	2	1	1	-	-	-	-	-	-	-
30	Streptococcal sore throat-051	3	1	2	-	-	-	-	-	-	-
31	Erysipelas-052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia-053	12	5	7	-	-	-	-	-	-	-
33	Diphtheria-055	2	-	1	1	-	1	1	-	-	-
34	Whooping cough-056	2	2	-	-	-	6	4	2	-	-
35	Meningococcal infections-057	23	11	10	1	1	1	-	1	-	-
36	Plague-058	-	-	-	-	-	-	-	-	-	-
37	Tularemia-059	-	-	-	-	-	-	-	-	-	-
38	Leprosy-060	-	-	-	-	-	-	-	-	-	-
39	Tetanus-061	7	6	1	-	-	-	-	-	-	-
40	Anthrax-062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis-080	81	48	33	-	-	34	28	6	-	-
42	Late effects of acute poliomyelitis-081	4	2	2	-	-	-	-	-	-	-
43	Acute infectious encephalitis-082	9	4	4	-	1	1	1	-	-	-
44	Late effects of acute infectious encephalitis-083	7	7	-	-	-	-	-	-	-	-
45	Smallpox-084	-	-	-	-	-	-	-	-	-	-
46	Measles-085	6	1	3	1	1	2	1	1	-	-
47	Yellow fever-091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis-092	14	5	9	-	-	-	-	-	-	-
49	Rabies-094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus-104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever-104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus-104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases-100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria-110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis-123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease-125	-	-	-	-	-	-	-	-	-	-
57	Filariasis-127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis-129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths-124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases-Residual[1]	31	21	7	2	1	3	1	1	-	1
61	II. Neoplasms	5,456	2,869	2,535	34	18	321	180	134	5	2
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	5,375	2,834	2,490	33	18	315	177	131	5	2
63	Malignant neoplasm of buccal cavity and pharynx-140-148	114	94	19	1	-	6	6	-	-	-
64	Of lip-140	16	14	1	1	-	1	1	-	-	-
65	Of tongue-141	16	12	4	-	-	1	1	-	-	-
66	Of other and unspecified parts of buccal cavity-142-144	23	19	4	-	-	2	2	-	-	-
67	Of pharynx-145-148	59	49	10	-	-	2	2	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	2,267	1,275	976	13	3	129	77	49	3	-
69	Of esophagus-150	105	85	19	1	-	2	2	-	-	-
70	Of stomach-151	729	457	268	4	-	52	38	13	1	-
71	Of intestine, except rectum-152,153	638	297	341	-	-	31	12	19	-	-
72	Of rectum-154	298	177	120	1	-	10	5	5	-	-
73	Of biliary passages and of liver (stated to be primary site)-155	138	62	75	1	-	10	5	4	1	-
74	Of liver not specified whether primary or secondary-156A	95	42	51	2	-	12	7	4	1	-
75	Of pancreas-157	233	142	85	4	2	10	8	2	-	-
76	Of peritoneum and of unspecified digestive organs-158,159	31	13	17	-	1	2	-	2	-	-
77	Malignant neoplasm of respiratory system-160-164	431	341	81	9	-	21	18	2	1	-
78	Of larynx-161	43	39	3	1	-	1	1	-	-	-
79	Of trachea, and of bronchus and lung specified as primary-162	152	132	19	1	-	13	13	-	-	-
80	Of lung and bronchus, unspecified as primary or secondary-163	210	152	51	7	-	4	1	2	1	-
81	Of other parts of respiratory system-160,164	26	18	8	-	-	3	3	-	-	-
82	Malignant neoplasm of breast-170	474	4	467	-	3	26	1	24	-	1

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	775	344	420	3	8	61	27	33	-	1
2	Of cervix uteri----171	145	...	140	...	5	10	...	9	...	1
3	Of other and unspecified parts of uterus----172-174	116	...	114	...	2	11	...	11	...	-
4	Of ovary, fallopian tube, and broad ligament----175	145	...	144	...	1	11	...	11	...	-
5	Of other and unspecified female genital organs----176	22	...	22	...	-	2	...	2	...	-
6	Of prostate----177	332	329	...	3	...	27	27	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	15	15	...	-	...	-	-	...	-	...
8	Malignant neoplasm of urinary organs----180,181	270	185	82	3	-	14	12	2	-	-
9	Of kidney----180	96	59	37	-	-	3	2	1	-	-
10	Of bladder and other urinary organs----181	174	126	45	3	-	11	10	1	-	-
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	574	299	272	-	3	33	19	14	-	-
12	Of skin----190,191	73	41	32	-	-	1	1	-	-	-
13	Of eye----192	12	5	7	-	-	-	-	-	-	-
14	Of brain and other parts of nervous system----193	137	80	57	-	-	7	3	4	-	-
15	Of thyroid gland----194	29	8	20	-	1	1	-	1	-	-
16	Of bone (including jaw bone)----196	38	21	17	-	-	4	4	-	-	-
17	Of connective tissue----197	12	8	4	-	-	2	2	-	-	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	80	37	41	-	2	7	2	5	-	-
19	Of unspecified sites----156B,165,198B,199B-M	193	99	94	-	-	11	7	4	-	-
20	Leukemia and aleukemia----204	258	163	93	2	-	13	6	6	1	-
21	Lymphosarcoma, etc.*----200-203,205	212	129	80	2	1	12	11	1	-	-
22	Lymphosarcoma and reticulosarcoma----200	101	66	32	2	1	6	6	-	-	-
23	Hodgkin's disease----201	55	30	25	-	-	3	3	-	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	56	33	23	-	-	3	2	1	-	-
25	Benign neoplasms and neoplasms of unspecified nature----210-239	81	35	45	1	-	6	3	3	-	-
26	Benign neoplasms of female genital organs----214-217	19	...	19	...	-	3	...	3	...	-
27	Benign neoplasm of brain and other parts of nervous system----223	22	12	10	-	-	-	-	-	-	-
28	Other benign neoplasms----210-213,218-222,224-229	15	9	6	-	-	-	-	-	-	-
29	Neoplasm of unspecified nature of female genital organs----233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	18	12	6	-	-	1	1	-	-	-
31	Other neoplasms of unspecified nature----230-232,236,238,239	7	2	4	1	-	2	2	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases	880	374	499	2	5	66	23	41	2	-
33	Asthma----241	155	98	55	-	2	12	8	4	-	-
34	Nontoxic goiter----250,251	1	-	1	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----252	40	4	36	-	-	1	-	1	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	7	5	2	-	-	1	1	-	-	-
37	Diabetes mellitus----260	632	243	384	2	3	48	13	34	1	-
38	Diseases of thymus gland----273	20	14	6	-	-	1	1	-	-	-
39	Diseases of adrenal glands----274	11	4	7	-	-	1	-	1	-	-
40	Pellagra----281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	5	2	3	-	-	1	-	-	1	-
42	Other allergic, endocrine, and metabolic diseases----Residual[1]	9	4	5	-	-	1	-	1	-	-
43	IV. Diseases of the blood and blood-forming organs	141	68	73	-	-	8	5	3	-	-
44	Anemias----290-293	104	46	58	-	-	6	3	3	-	-
45	Pernicious and other hyperchromic anemias----290	70	28	42	-	-	2	1	1	-	-
46	Anemias of other and unspecified type----291-293	34	18	16	-	-	4	2	2	-	-
47	Purpura and other hemorrhagic conditions----296	13	8	5	-	-	-	-	-	-	-
48	All other diseases of blood and blood-forming organs----294,295,297-299	24	14	10	-	-	2	2	-	-	-
49	V. Mental, psychoneurotic, and personality disorders	100	70	28	1	1	14	12	2	-	-
50	Senile psychosis----304	13	3	10	-	-	4	3	1	-	-
51	Alcoholic psychosis----307	16	15	1	-	-	1	1	-	-	-
52	Other psychoses----300-303,305,306,308,309	30	12	16	1	1	2	2	-	-	-
53	Alcoholism----322	35	35	-	-	-	7	6	1	-	-
54	Mental deficiency----325	5	5	-	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	1	-	1	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs	4,508	2,207	2,253	26	22	265	128	132	3	2
57	Vascular lesions affecting central nervous system----330-334	4,183	2,020	2,123	20	20	241	117	120	3	1
58	Subarachnoid hemorrhage----330	77	36	39	1	1	2	1	1	-	-
59	Cerebral hemorrhage----331	2,921	1,352	1,538	16	15	183	90	89	3	1
60	Cerebral embolism and thrombosis----332	573	312	260	-	1	34	16	18	-	-
61	Other vascular lesions affecting central nervous system----333,334	612	320	286	3	3	22	10	12	-	-
62	Meningitis, except meningococcal and tuberculous----340	39	23	15	1	-	3	-	2	-	1
63	Multiple sclerosis----345	43	22	20	-	1	3	1	2	-	-
64	Paralysis agitans----350	53	29	24	-	-	3	3	-	-	-
65	Cerebral spastic infantile paralysis----351	17	10	7	-	-	2	1	1	-	-
66	Epilepsy----353	63	36	24	3	-	3	1	2	-	-
67	Inflammatory diseases of eye----370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----385	2	1	1	-	-	-	-	-	-	-
69	Glaucoma----387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----391-393	9	6	2	-	1	3	1	2	-	-
71	Other diseases of nervous system and sense organs----Residual[1]	99	60	37	2	-	7	4	3	-	-
72	VII. Diseases of the circulatory system	14,309	8,558	5,618	81	52	782	514	252	11	5
73	Rheumatic fever----400-402	28	15	12	-	1	9	2	7	-	-
74	Diseases of heart----410-443	13,015	7,871	5,019	77	48	706	473	217	11	5
75	Chronic rheumatic heart disease----410-416	486	256	223	5	2	30	16	12	1	1
76	Diseases of mitral valve----410	168	79	86	3	-	15	6	7	1	1
77	Diseases of aortic valve specified as rheumatic----411	29	22	6	1	-	-	-	-	-	-
78	Diseases of tricuspid valve----412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	44	27	17	-	-	2	1	1	-	-
80	Other diseases of heart specified as rheumatic----415,416	245	128	114	1	2	13	9	4	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

Table 55. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	8,357	5,450	2,841	42	24	427	320	102	5	-
2	Arteriosclerotic heart disease so described----420.0	2,746	1,528	1,192	11	15	88	55	32	1	-
3	Heart disease specified as involving coronary arteries----420.1	5,598	3,912	1,646	31	9	335	263	68	4	-
4	Angina pectoris without mention of coronary disease----420.2	13	10	3	-	-	4	2	2	-	-
5	Chronic endocarditis not specified as rheumatic----421	222	133	88	-	1	17	13	3	1	-
6	Of mitral valve, specified as nonrheumatic----421.0	21	12	9	-	-	1	1	-	-	-
7	Of aortic valve, not specified as rheumatic----421.1	25	16	8	-	1	2	1	1	-	-
8	Of other valves, not specified as rheumatic----421.2-421.4	176	105	71	-	-	14	11	2	1	-
9	Other myocardial degeneration----422	2,134	1,094	1,017	19	4	127	70	53	1	3
10	With arteriosclerosis----422.1	1,158	587	560	10	1	45	22	22	-	1
11	Without mention of arteriosclerosis----422.0,422.2	976	507	457	9	3	82	48	31	1	2
12	Other diseases of heart----430-434	349	211	131	3	4	25	20	5	-	-
13	Acute and subacute endocarditis----430	18	13	5	-	-	3	3	-	-	-
14	Acute myocarditis not specified as rheumatic----431	60	31	28	-	1	3	2	1	-	-
15	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----433	55	31	24	-	-	3	3	-	-	-
17	Other and unspecified diseases of heart----434	216	136	74	3	3	16	12	4	-	-
18	Hypertension with heart disease----440-443	1,467	727	719	8	13	80	34	42	3	1
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	472	253	212	2	5	48	20	26	2	-
20	Essential hypertension with heart disease, etc.*----440,441,443	995	474	507	6	8	32	14	16	1	1
21	Hypertension without mention of heart----444-447	253	114	135	1	3	18	12	6	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	122	69	52	1	-	10	8	2	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	131	45	83	-	3	8	4	4	-	-
24	Diseases of arteries----450-456	939	513	424	2	-	43	24	19	-	-
25	General arteriosclerosis----450	853	458	393	2	-	38	20	18	-	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	48	35	13	-	-	3	3	-	-	-
27	Gangrene of unspecified cause----455	4	2	2	-	-	-	-	-	-	-
28	Other arterial diseases----452-454,456	34	18	16	-	-	2	1	1	-	-
29	Diseases of veins and other diseases of circulatory system----460-468	74	45	28	1	-	6	3	3	-	-
30	VIII. Diseases of the respiratory system----	1,014	605	370	26	13	93	60	22	6	5
31	Acute upper respiratory infections----470-475	24	12	11	1	-	3	3	-	-	-
32	Influenza----480-483	81	37	43	-	1	6	3	1	2	-
33	Pneumonia, except pneumonia of newborn----490-493	707	417	257	21	12	65	40	16	4	5
34	Lobar pneumonia----490	209	131	65	9	4	21	13	3	1	4
35	Bronchopneumonia----491	366	206	142	11	7	25	14	7	3	1
36	Primary atypical pneumonia----492	78	49	28	-	1	14	11	3	-	-
37	Pneumonia, other and unspecified----493	54	31	22	1	-	5	2	3	-	-
38	Acute bronchitis----500	23	18	5	-	-	1	1	-	-	-
39	Bronchitis, chronic and unqualified----501,502	31	18	13	-	-	1	1	-	-	-
40	Hypertrophy of tonsils and adenoids----510	8	4	4	-	-	1	1	-	-	-
41	Empyema and abscess of lung----518,521	7	5	2	-	-	2	1	1	-	-
42	Pleurisy----519	5	1	4	-	-	-	-	-	-	-
43	All other respiratory diseases----Residual[1]	128	93	31	4	-	14	10	4	-	-
44	IX. Diseases of the digestive system----	1,204	714	467	15	8	80	53	24	1	2
45	Diseases of teeth and supporting structures----530-535	7	4	2	1	-	-	-	-	-	-
46	Ulcer of stomach----540	124	96	27	-	1	11	9	2	-	-
47	Ulcer of duodenum----541	97	80	16	1	-	9	8	1	-	-
48	Gastritis and duodenitis----543	5	3	2	-	-	-	-	-	-	-
49	Appendicitis----550-553	74	44	30	-	-	5	5	-	-	-
50	Hernia and intestinal obstruction----560,561,570	185	98	86	1	-	18	10	8	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	122	65	47	7	3	6	3	3	-	-
52	Cirrhosis of liver----581	268	181	82	2	3	14	10	4	-	-
53	Without mention of alcoholism----581.0	229	154	70	2	3	11	8	3	-	-
54	With alcoholism----581.1	39	27	12	-	-	3	2	1	-	-
55	Cholelithiasis and cholecystitis----584,585	167	65	100	1	1	11	6	4	1	-
56	Other diseases of digestive system----Residual[1]	155	78	75	2	-	6	2	2	-	2
57	X. Diseases of the genito-urinary system----	742	483	246	11	2	52	30	20	2	-
58	Nephritis and nephrosis----590-594	436	243	185	6	2	33	15	16	2	-
59	Acute nephritis----590	20	12	5	2	1	3	2	-	1	-
60	Nephritis with edema, including nephrosis----591	22	10	12	-	-	2	-	2	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	394	221	168	4	1	28	13	14	1	-
62	Infections of kidney----600	64	31	30	3	-	4	2	2	-	-
63	Calculi of urinary system----602,604	21	11	10	-	-	1	1	-	-	-
64	Other diseases of urinary system----601,603,605-609	15	8	6	1	-	3	3	-	-	-
65	Hyperplasia of prostate----610	182	181	...	1	...	9	9	...	-	...
66	Other diseases of male genital organs----611-617	9	9	...	-	...	-	-	...	-	...
67	Diseases of breast----620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	15	...	15	...	-	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	44	...	42	...	2	6	...	5	...	1
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	7	...	6	...	1	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	10	...	10	...	-	3	...	2	...	1
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	10	...	9	...	1	1	...	1	...	-
73	Ectopic pregnancy----645	2	...	2	...	-	1	...	1	...	-
74	Abortion without mention of sepsis or toxemia----650	1	...	1	...	-	-	...	-	...	-
75	Abortion with sepsis----651	3	...	3	...	-	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----652	2	...	2	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	9	...	9	...	-	-	...	-	...	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

and Sex: United States and Each State, 1951—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	31	17	14	-	-	4	2	2	-	-
2	Infections of skin and subcutaneous tissue--690-698	6	3	3	-	-	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue--700-716	25	14	11	-	-	4	2	2	-	-
4	XIII. Diseases of the bones and organs of movement	87	38	49	-	-	11	6	5	-	-
5	Arthritis and spondylitis--720-725	48	19	29	-	-	7	3	4	-	-
6	Muscular rheumatism and rheumatism, unspecified--726,727	2	1	1	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis--730	5	3	2	-	-	3	2	1	-	-
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	3	1	2	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	29	14	15	-	-	1	1	-	-	-
10	XIV. Congenital malformations	477	294	175	5	3	35	22	12	-	1
11	Spina bifida and meningocele--751	50	24	26	-	-	3	-	3	-	-
12	Congenital hydrocephalus, etc.*--752,753	63	36	25	2	-	3	1	2	-	-
13	Congenital malformations of circulatory system--754	200	129	66	2	3	19	16	2	-	1
14	Other congenital malformations--750,755-759	164	105	58	1	-	10	5	5	-	-
15	XV. Certain diseases of early infancy	1,383	780	546	35	22	152	86	61	3	2
16	Birth injuries--760,761	285	182	92	7	4	26	13	12	-	1
17	Postnatal asphyxia and atelectasis--762	286	165	106	8	7	27	17	10	-	-
18	Infections of newborn--763-768	38	21	16	-	1	7	5	1	-	1
19	Hemolytic disease of newborn (erythroblastosis)--770	79	45	33	-	1	6	2	4	-	-
20	All other defined diseases of early infancy--769,771,772	44	29	12	1	2	10	5	4	1	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	651	338	287	19	7	76	44	30	2	-
22	XVI. Symptoms, senility, and ill-defined conditions	235	120	108	3	4	43	18	9	8	8
23	Senility without mention of psychosis--794	138	54	81	1	2	8	5	3	-	-
24	Symptoms, ill-defined and unknown causes--780-793,795	97	66	27	2	2	35	13	6	8	8
25	XVII. Accidents, poisonings, and violence	2,405	1,677	670	46	12	323	247	71	4	1
26	Accidents--E800-E962	2,004	1,373	588	33	10	268	205	61	1	1
27	Railway accidents--E800-E802	44	36	3	5	-	6	6	-	-	-
28	Motor-vehicle accidents--E810-E835	803	591	193	15	4	129	95	33	1	-
29	Motor-vehicle traffic accidents--E810-E825	786	580	187	15	4	127	93	33	1	-
30	Motor-vehicle traffic accident with railway train*--E810	55	39	15	1	-	2	2	-	-	-
31	Motor-vehicle traffic accident to pedestrian--E812	158	126	27	5	-	7	6	-	1	-
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	227	160	65	2	-	27	18	9	-	-
33	Motor-vehicle noncollision traffic accidents--E820-E824	167	126	33	4	4	46	32	14	-	-
34	Motor-vehicle traffic accident of unspecified nature--E825	179	129	47	3	-	45	35	10	-	-
35	Motor-vehicle nontraffic accidents--E830-E835	17	11	6	-	-	2	2	-	-	-
36	Other road-vehicle accidents--E840-E845	7	6	1	-	-	2	1	1	-	-
37	Water-transport accidents--E850-E858	44	37	6	1	-	4	4	-	-	-
38	Aircraft accidents--E860-E866	27	27	-	-	-	8	7	1	-	-
39	Accidental poisoning by solid and liquid substances--E870-E888	20	9	8	2	1	2	2	-	-	-
40	Accidental poisoning by gases and vapors--E890-E895	49	36	12	1	-	10	7	3	-	-
41	Accidental falls--E900-E904	505	242	259	3	1	29	17	12	-	-
42	Fall from one level to another--E900-E902	175	117	56	2	-	7	5	2	-	-
43	Fall on same level--E903	182	63	118	-	1	3	2	1	-	-
44	Unspecified falls--E904	148	62	85	1	-	19	10	9	-	-
45	Blow from falling object--E910	26	26	-	-	-	10	10	-	-	-
46	Accident caused by machinery--E912	60	57	3	-	-	14	13	1	-	-
47	Accident caused by electric current--E914	17	15	2	-	-	3	3	-	-	-
48	Accident caused by fire and explosion, etc.*--E916	87	54	30	1	2	12	9	3	-	-
49	Accident caused by hot substance, etc.*--E917,E918	11	6	5	-	-	7	4	2	-	1
50	Accident caused by firearm--E919	36	31	5	-	-	5	5	-	-	-
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	29	12	15	2	-	4	4	-	-	-
52	Accidental drowning--E929	100	87	11	-	2	11	8	3	-	-
53	Excessive heat and insolation--E931	2	1	1	-	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	5	3	2	-	-	-	-	-	-	-
55	All other accidents--Residual[1]	132	97	32	3	-	12	10	2	-	-
56	Suicide--E963,E970-E979	360	282	73	5	-	46	37	8	1	-
57	Suicide by poisoning--E970-E973	51	32	19	-	-	3	3	-	-	-
58	Suicide by hanging and strangulation--E974	127	95	32	-	-	6	5	1	-	-
59	Suicide by firearms and explosives--E976	134	122	9	3	-	36	29	6	1	-
60	Suicide by all other means--E963,E975,E977-E979	48	33	13	2	-	1	-	1	-	-
61	Homicide--E964,E980-E985	40	21	9	8	2	9	5	2	2	-
62	Assault by firearms and explosives--E981	18	11	4	1	2	7	3	2	2	-
63	Assault by cutting and piercing instruments--E982	5	-	1	4	-	-	-	-	-	-
64	Assault by other means--E964,E980,E983	17	10	4	3	-	-	-	-	-	-
65	Injury by intervention of police--E984	-	-	-	-	-	2	2	-	-	-
66	Execution--E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 53.

[1]For category numbers, see table 53.

Table. 56. Deaths From 64 Selected Causes, by Month: United States, 1951

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,482,099	131,467	124,455	140,324	125,339	122,518	115,633	118,134	114,628	110,277	120,481	124,661	134,182
Tuberculosis, all forms--001-019	30,863	2,655	2,573	2,999	2,772	2,816	2,514	2,645	2,459	2,206	2,453	2,301	2,470
Tuberculosis of respiratory system--001-008	28,296	2,452	2,368	2,796	2,542	2,556	2,281	2,429	2,242	2,007	2,248	2,092	2,283
Tuberculosis, other forms--010-019	2,567	203	205	203	230	260	233	216	217	199	205	209	187
Syphilis and its sequelae--020-029	6,274	572	523	620	567	521	501	539	458	436	504	515	516
Typhoid fever--040	83	4	3	4	8	8	7	11	14	8	5	6	5
Cholera--043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms--045-048	1,040	64	55	46	59	86	123	136	147	97	104	70	53
Scarlet fever and streptococcal sore throat-050,051	347	42	28	33	29	24	29	16	27	27	28	29	35
Diphtheria--055	302	29	36	31	19	12	11	19	8	20	37	41	39
Whooping cough--056	951	101	95	85	87	89	97	87	73	65	60	55	57
Meningococcal infections--057	1,124	107	128	123	105	62	78	68	73	73	89	103	115
Plague--058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis--080	1,551	47	36	31	20	31	61	162	357	341	246	147	72
Smallpox--084	1	-	1	-	-	-	-	-	-	-	-	-	-
Measles--085	683	68	63	105	122	129	80	39	16	5	7	20	29
Typhus and other rickettsial diseases--100-108	46	-	-	3	4	7	7	8	5	2	2	4	4
Malaria--110-117	64	3	-	2	4	3	6	8	7	13	6	5	7
All other infective and parasitic diseases--030-039,041,042,044,049,052-054, 059-074,081-083,086-096,120-138	4,069	352	335	356	365	338	340	367	334	299	336	320	327
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	215,525	17,935	16,788	18,539	17,474	18,215	17,522	18,286	18,167	17,465	18,315	18,187	18,632
Malignant neoplasm of buccal cavity and pharynx--140-148	4,890	410	408	438	391	415	397	415	394	402	425	408	387
Malignant neoplasm of digestive organs and peritoneum--150-156A,157-159	81,807	6,913	6,400	7,073	6,732	6,867	6,545	6,924	6,947	6,578	6,885	6,837	7,106
Malignant neoplasm of respiratory system--160-164	22,513	1,832	1,728	1,930	1,773	1,896	1,741	1,925	1,866	1,923	1,970	1,970	1,959
Malignant neoplasm of breast--170	19,179	1,693	1,536	1,689	1,548	1,584	1,577	1,556	1,541	1,531	1,674	1,576	1,674
Malignant neoplasm of genital organs--171-179	34,491	2,827	2,727	2,926	2,771	2,925	2,900	2,992	2,958	2,685	2,921	2,911	2,948
Malignant neoplasm of urinary organs--180,181	10,158	885	798	851	880	901	824	847	853	803	824	846	846
Malignant neoplasm of other and unspecified sites--156B,165,190-199	24,692	1,882	1,786	2,093	1,962	2,119	2,071	2,186	2,106	2,101	2,102	2,132	2,152
Leukemia and aleukemia--204	9,357	792	749	825	763	792	789	785	785	745	761	760	811
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues--200-203,205	8,438	701	656	714	654	716	678	656	717	697	753	747	749
Benign neoplasms and neoplasms of unspecified nature--210-239	5,166	457	393	423	441	436	428	443	452	425	448	411	409
Diabetes mellitus--260	25,047	2,257	2,163	2,504	2,121	2,065	1,967	1,967	1,887	1,854	1,917	2,091	2,254
Anemias--290-293	4,018	352	346	388	360	370	320	334	298	305	293	317	335
Meningitis, except meningococcal and tuberculous-340	1,881	208	160	211	162	158	149	141	104	109	141	150	188
Major cardiovascular-renal diseases--330-334,400-468,592-594	786,799	71,439	67,338	76,396	67,495	65,171	60,455	60,561	58,242	56,311	63,205	66,958	73,228
Diseases of cardiovascular system--330-334,400-468	764,281	69,328	65,382	74,154	65,431	63,251	58,713	58,801	56,609	54,772	61,401	65,150	71,289
Vascular lesions affecting central nervous system--330-334	163,550	14,577	13,618	15,117	13,685	13,302	12,493	13,052	12,720	12,117	13,363	14,128	15,380
Rheumatic fever--400-402	1,648	190	167	165	159	165	131	129	85	107	121	107	122
Diseases of heart--410-443	545,675	49,554	46,994	53,352	46,841	45,358	42,005	41,509	39,873	38,882	43,780	46,534	50,993
Chronic rheumatic heart disease--410-416	19,988	1,783	1,779	1,930	1,782	1,721	1,548	1,473	1,398	1,336	1,695	1,686	1,877
Arteriosclerotic heart disease, including coronary disease--420	336,619	30,162	28,312	32,138	28,304	27,921	25,802	25,809	24,949	24,523	27,492	29,441	31,966
Nonrheumatic chronic endocarditis and other myocardial degeneration--421,422	80,635	7,754	7,341	8,520	7,236	6,749	6,068	5,942	5,615	5,499	6,065	6,502	7,344
Other diseases of heart--430-434	23,176	2,099	2,067	2,300	2,028	1,843	1,779	1,863	1,679	1,657	1,877	1,855	2,129
Hypertension with heart disease--440-443	85,257	7,756	7,495	8,464	7,511	7,124	6,808	6,622	6,232	5,867	6,651	7,050	7,677
Hypertension without mention of heart--444-447	13,256	1,268	1,132	1,313	1,195	1,108	979	1,041	960	888	1,022	1,153	1,197
General arteriosclerosis--450	31,884	2,981	2,808	3,435	2,831	2,653	2,480	2,437	2,353	2,145	2,387	2,531	2,843
Other diseases of circulatory system--451-468	8,268	758	663	772	720	665	625	633	618	633	728	699	754
Chronic and unspecified nephritis and other renal sclerosis--592-594	22,518	2,111	1,956	2,242	2,064	1,920	1,742	1,760	1,633	1,539	1,804	1,808	1,939

Table 56. Deaths From 64 Selected Causes, by Month: United States, 1951—Con

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Influenza and pneumonia, except pneumonia of newborn----480-493	48,169	5,315	6,012	7,750	5,160	3,239	2,485	2,358	2,218	2,237	2,865	3,720	4,810
Influenza----480-483	6,946	673	1,052	1,972	1,265	416	180	122	136	138	201	308	483
Pneumonia, except pneumonia of newborn----490-493	41,223	4,642	4,960	5,778	3,895	2,823	2,305	2,236	2,082	2,099	2,664	3,412	4,327
Bronchitis----500-502	2,926	325	358	342	274	222	151	145	129	186	198	291	305
Ulcer of stomach and duodenum----540,541	8,487	777	723	745	682	669	650	642	694	638	775	726	766
Appendicitis----550-553	2,846	215	225	228	253	210	282	280	257	262	204	204	226
Hernia and intestinal obstruction----560,561,570	8,627	707	657	805	663	758	720	796	739	666	702	716	698
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----543,571,572	8,036	583	545	532	525	643	714	786	806	767	825	717	593
Cirrhosis of liver----581	15,075	1,267	1,238	1,283	1,236	1,239	1,126	1,237	1,176	1,267	1,313	1,280	1,413
Acute nephritis and nephritis with edema, including nephrosis----590,591	3,264	319	279	292	306	293	289	263	245	206	225	268	279
Hyperplasia of prostate----610	6,417	536	541	591	581	557	503	528	486	519	524	538	513
Deliveries and complications of pregnancy, childbirth, and the puerperium----640-689	2,812	231	236	216	227	235	230	252	290	251	236	203	205
Abortion----650-652	303	27	25	34	23	25	26	24	29	24	27	17	22
All other complications----640-649,660-689	2,509	204	211	182	204	210	204	228	261	227	209	186	183
Congenital malformations----750-759	18,865	1,618	1,490	1,598	1,460	1,496	1,511	1,582	1,608	1,488	1,696	1,601	1,717
Certain diseases of early infancy----760-776	63,096	5,230	4,575	5,214	5,125	5,411	5,427	5,569	5,460	5,260	5,506	5,167	5,152
Birth injuries, postnatal asphyxia, and atelectasis----760-762	26,962	2,236	1,849	2,235	2,179	2,343	2,386	2,402	2,313	2,238	2,381	2,157	2,243
Infections of newborn----763-768	3,927	353	343	349	281	284	246	308	335	335	380	357	356
Other diseases peculiar to early infancy, and immaturity unqualified----769-776	32,207	2,641	2,383	2,630	2,665	2,784	2,795	2,859	2,812	2,687	2,745	2,653	2,553
Symptoms, senility, and ill-defined conditions----780-795	22,647	2,129	2,117	2,179	1,899	1,743	1,623	1,778	1,754	1,659	1,742	1,922	2,102
All other diseases----Residual	65,681	5,899	5,481	6,212	5,605	5,376	5,145	5,310	5,136	4,940	5,270	5,535	5,772
Accidents----E800-E962	95,871	7,772	7,156	7,494	7,098	7,772	8,133	8,752	8,515	7,916	8,153	8,236	8,874
Motor-vehicle accidents----E810-E835	36,996	2,854	2,320	2,678	2,547	2,859	3,043	3,188	3,422	3,494	3,653	3,468	3,470
All other accidents----E800-E802,E840-E962	58,875	4,918	4,836	4,816	4,551	4,913	5,090	5,564	5,093	4,422	4,500	4,768	5,404
Suicide----E963,E970-E979	15,909	1,299	1,198	1,343	1,423	1,532	1,291	1,329	1,321	1,276	1,407	1,212	1,278
Homicide----E964,E980-E985	7,495	547	558	597	604	582	655	687	661	672	640	592	700
Injury resulting from operations of war----E965,E990-E999	42	6	2	4	4	-	3	3	5	4	4	3	4

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

	Abbreviated List number[1]	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES										
1		ALL CAUSES	1,482,099	106,702	7,987	4,713	3,494	2,912	125,808	8,396	6,464	11,309
2												
2		White--M--	747,049	48,509	3,171	2,050	1,568	1,410	56,708	4,088	3,390	6,161
3		F--	555,920	35,169	2,825	1,593	1,260	977	41,824	2,842	1,854	2,832
4		Nonwhite--M--	98,184	12,956	1,051	586	366	292	15,251	818	762	1,298
5		F--	80,946	10,068	940	484	300	233	12,025	648	458	1,018
6		Tuberculosis, all forms (001-019)	30,863	234	312	225	118	77	966	184	159	565
7		White--M--	15,480	71	83	74	39	29	296	53	34	103
8		F--	6,800	72	93	64	31	24	284	60	41	142
9		Nonwhite--M--	5,240	49	74	39	26	14	202	34	27	120
10		F--	3,343	42	62	48	22	10	184	37	57	200
11	B 1	Tuberculosis of respiratory system (001-008)	28,296	107	108	77	48	27	367	70	99	477
12		White--M--	14,576	35	29	25	13	9	111	14	14	81
13		F--	6,098	33	30	17	12	8	100	17	24	116
14		Nonwhite--M--	4,690	21	27	15	12	6	81	18	15	100
15		F--	2,932	18	22	20	11	4	75	21	46	180
16	B 2	Tuberculosis, other forms (010-019)	2,567	127	204	148	70	50	599	114	60	88
17		White--M--	904	36	54	49	26	20	185	39	20	22
18		F--	702	39	63	47	19	16	184	43	17	26
19		Nonwhite--M--	550	28	47	24	14	8	121	16	12	20
20		F--	411	24	40	28	11	6	109	16	11	20
21	B 3	Syphilis and its sequelae (020-029)	6,274	129	7	1	1	2	140	3	8	17
22		White--M--	3,148	19	-	1	-	1	21	-	2	8
23		F--	967	21	3	-	-	1	25	-	1	3
24		Nonwhite--M--	1,521	48	2	-	-	-	50	2	2	2
25		F--	638	41	2	-	1	-	44	1	3	4
26	B 4	Typhoid fever (040)	83	1	1	-	2	2	6	3	6	5
27		White--M--	34	1	-	-	1	-	2	1	2	2
28		F--	23	-	-	-	-	-	-	1	1	-
29		Nonwhite--M--	11	-	1	-	-	2	3	-	3	1
30		F--	15	-	-	-	1	-	1	1	-	2
31	B 6	Dysentery, all forms (045-048)	1,040	563	99	35	9	10	716	17	8	9
32		White--M--	411	231	32	12	2	1	278	6	4	6
33		F--	360	186	41	10	4	4	245	7	2	3
34		Nonwhite--M--	144	86	16	7	-	2	111	2	1	-
35		F--	125	60	10	6	3	3	82	2	1	-
36	B 7	Scarlet fever and streptococcal sore throat (050,051)	347	38	15	13	13	16	95	26	11	16
37		White--M--	156	23	8	6	1	6	44	13	5	6
38		F--	140	12	5	5	8	6	36	6	5	7
39		Nonwhite--M--	30	2	1	2	3	3	11	4	-	2
40		F--	21	1	1	-	1	1	4	3	1	1
41	B 8	Diphtheria (055)	302	12	37	37	44	31	161	71	8	1
42		White--M--	129	7	19	7	16	14	63	28	4	-
43		F--	99	4	12	12	13	9	50	24	4	1
44		Nonwhite--M--	50	-	4	13	11	6	34	12	-	-
45		F--	24	1	2	5	4	2	14	7	-	-
46	B 9	Whooping cough (056)	951	651	166	50	25	20	912	24	5	-
47		White--M--	226	176	21	7	7	5	216	5	1	-
48		F--	227	142	51	16	4	3	216	7	3	-
49		Nonwhite--M--	249	176	38	12	5	7	238	8	1	-
50		F--	249	157	56	15	9	5	242	4	-	-
51	B 10	Meningococcal infections (057)	1,124	303	159	119	69	50	700	96	45	61
52		White--M--	513	154	68	62	28	25	337	31	20	28
53		F--	432	100	72	43	37	14	266	42	18	20
54		Nonwhite--M--	107	26	5	11	2	8	52	14	4	11
55		F--	72	23	14	3	2	3	45	9	3	2
56	B 12	Acute poliomyelitis (080)	1,551	67	62	77	64	68	338	311	187	149
57		White--M--	870	27	30	43	27	38	165	184	117	75
58		F--	579	28	24	26	25	22	125	106	61	67
59		Nonwhite--M--	59	8	3	6	6	5	28	14	4	4
60		F--	43	4	5	2	6	3	20	7	5	3
61	B 13	Smallpox (084)	1	-	-	-	-	-	-	-	-	-
62		White--M--	-	-	-	-	-	-	-	-	-	-
63		F--	-	-	-	-	-	-	-	-	-	-
64		Nonwhite--M--	1	-	-	-	-	-	-	-	-	-
65		F--	-	-	-	-	-	-	-	-	-	-
66	B 14	Measles (085)	683	162	147	78	45	34	466	120	27	18
67		White--M--	288	73	67	28	18	12	198	54	10	7
68		F--	257	44	55	26	23	16	164	49	10	6
69		Nonwhite--M--	66	25	7	13	3	2	50	10	4	2
70		F--	72	20	18	11	1	4	54	7	3	3
71	B 15	Typhus and other rickettsial diseases (100-108)	46	2	1	1	1	3	8	7	1	-
72		White--M--	25	1	-	1	1	1	4	4	-	-
73		F--	15	-	-	-	-	2	2	3	-	-
74		Nonwhite--M--	5	-	1	-	-	-	1	-	1	-
75		F--	1	1	-	-	-	-	1	-	-	-
76	B 16	Malaria (110-117)	64	3	2	-	-	-	5	2	-	1
77		White--M--	30	1	-	-	-	-	1	-	-	1
78		F--	10	-	-	-	-	-	-	1	-	-
79		Nonwhite--M--	15	2	2	-	-	-	4	-	-	-
80		F--	9	-	-	-	-	-	-	1	-	-
81	B 17	All other infective and parasitic diseases (Residual[2])	4,089	607	179	112	74	69	1,041	189	130	104
82		White--M--	1,733	234	74	42	31	35	416	73	63	37
83		F--	1,468	185	58	38	32	22	335	74	41	42
84		Nonwhite--M--	474	101	30	19	6	5	161	21	15	12
85		F--	394	87	17	13	5	7	129	21	11	13
86	B 18	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	215,525	269	299	428	481	437	1,914	964	661	843
87		White--M--	101,605	134	152	230	249	233	998	501	349	459
88		F--	96,555	112	121	159	195	170	757	393	258	289
89		Nonwhite--M--	8,429	12	10	21	21	17	81	28	28	59
90		F--	8,936	11	16	18	16	17	78	42	26	36
91		Malignant neoplasm of buccal cavity and pharynx (140-148)	4,890	2	1	2	3	1	9	4	7	14
92		White--M--	3,560	1	1	1	2	1	6	3	4	6
93		F--	943	1	-	1	1	-	3	1	3	3
94		Nonwhite--M--	282	-	-	-	-	-	-	-	-	3
95		F--	105	-	-	-	-	-	-	-	-	2

See footnotes on p. 166.

and Sex: United States and Each State, 1951

and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16,074	19,247	22,819	31,544	45,412	61,140	88,062	115,112	141,728	170,945	178,499	175,159	141,354	80,254	32,742	7,270	1,448	1,313	1
8,443	9,142	10,489	14,541	22,254	31,625	46,204	64,666	79,587	93,310	93,067	86,897	65,637	34,768	12,763	2,390	306	613	2
3,869	5,204	6,810	9,452	13,265	17,877	25,335	34,373	46,049	60,416	71,708	77,974	69,047	41,728	18,416	4,152	525	368	3
2,114	2,703	2,924	3,918	5,140	6,198	9,086	9,174	9,047	9,668	7,574	5,668	3,577	1,868	656	320	223	197	4
1,648	2,198	2,596	3,633	4,753	5,440	7,437	6,899	7,045	7,551	6,150	4,620	3,093	1,690	907	408	394	135	5
1,309	1,937	2,089	2,357	2,579	2,723	3,029	3,058	2,929	2,641	1,964	1,372	648	259	62	8	5	20	6
243	472	623	904	1,207	1,481	1,764	1,971	1,988	1,712	1,236	809	377	157	37	2	2	9	7
363	570	627	606	564	464	428	438	440	520	507	424	219	73	21	3	2	4	8
310	396	455	482	543	549	633	488	385	294	151	105	36	20	1	3	1	5	9
393	499	384	365	265	229	204	161	116	115	70	34	16	9	3	-	-	2	10
1,188	1,785	1,952	2,213	2,409	2,577	2,880	2,887	2,791	2,491	1,859	1,304	612	243	60	8	5	19	11
224	438	586	862	1,139	1,421	1,705	1,904	1,936	1,637	1,180	775	353	146	37	2	2	9	12
340	535	595	570	537	431	397	386	394	480	470	399	208	71	19	3	2	4	13
267	350	426	446	497	520	593	453	356	267	143	97	55	17	1	3	1	4	14
357	462	345	335	236	205	185	144	105	107	66	33	16	9	3	-	-	2	15
121	152	137	144	170	146	149	171	138	150	105	68	36	16	2	-	-	1	16
19	34	37	42	68	60	59	67	52	75	56	34	24	11	-	-	-	-	17
23	35	32	36	27	33	31	52	46	40	37	25	11	2	2	-	-	-	18
43	46	29	36	46	29	40	35	29	27	8	8	1	3	-	-	-	1	19
36	37	39	30	29	24	19	17	11	8	4	1	-	-	-	-	-	-	20
27	27	96	173	337	564	815	973	938	939	590	377	175	53	13	2	-	7	21
8	6	18	39	102	213	360	518	577	571	358	227	92	21	5	1	-	1	22
4	5	19	18	47	73	86	119	115	141	131	95	55	24	4	1	-	1	23
7	11	40	71	125	199	268	248	187	164	77	41	19	2	2	-	-	4	24
8	5	19	45	63	79	101	88	59	63	24	14	9	6	2	-	-	1	25
5	2	5	2	9	6	7	4	4	9	4	1	3	2	-	-	-	-	26
2	-	1	-	6	3	3	3	1	4	3	-	-	1	-	-	-	-	27
1	-	3	1	-	2	2	-	3	5	1	1	1	1	-	-	-	-	28
-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	29
2	1	-	1	2	1	2	-	-	-	-	-	2	-	-	-	-	-	30
7	5	9	12	12	14	23	25	22	38	32	44	27	15	4	-	1	-	31
3	2	6	5	3	7	10	9	11	12	14	20	9	4	2	-	-	-	32
-	1	3	3	8	3	5	6	8	16	9	15	14	10	2	-	-	-	33
-	1	-	3	1	1	4	5	2	3	6	1	3	-	-	-	-	-	34
4	1	-	1	-	3	4	5	1	7	3	8	1	1	-	-	1	-	35
13	13	23	14	18	17	14	15	11	7	14	9	15	8	6	1	-	1	36
4	4	9	6	10	12	5	9	2	6	2	4	5	5	3	1	-	1	37
8	8	8	4	5	4	6	4	8	-	10	5	10	3	3	-	-	-	38
-	-	3	3	3	1	1	1	-	-	1	-	-	-	-	-	-	-	39
1	1	3	1	-	-	2	1	1	1	1	-	-	-	-	-	-	-	40
1	5	3	3	8	11	7	4	3	6	1	5	1	3	-	-	-	-	41
-	1	2	-	6	8	6	2	2	4	-	2	-	1	-	-	-	-	42
-	3	-	2	1	2	1	1	1	2	1	3	1	2	-	-	-	-	43
-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	45
1	2	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	47
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	50
35	12	12	23	12	34	18	14	18	19	13	5	7	-	-	-	-	-	51
16	5	5	13	4	11	13	6	7	8	6	1	2	-	-	-	-	-	52
12	5	5	6	5	12	3	4	10	10	5	4	5	-	-	-	-	-	53
6	1	2	4	2	6	1	2	1	1	-	-	-	-	-	-	-	-	54
1	1	-	-	1	5	1	2	-	-	2	-	-	-	-	-	-	-	55
159	185	108	52	27	9	14	8	-	4	-	-	-	-	-	-	-	-	56
89	97	68	34	21	4	7	7	-	2	-	-	-	-	-	-	-	-	57
64	85	38	18	5	4	4	1	-	1	-	-	-	-	-	-	-	-	58
5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	59
1	1	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
2	11	7	3	8	5	1	1	1	-	4	3	1	4	-	-	-	1	66
1	1	3	1	7	-	1	-	-	-	2	2	-	1	-	-	-	-	67
-	9	3	2	1	4	-	1	1	-	2	1	1	3	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	70
1	-	2	1	1	2	5	4	4	1	3	4	2	-	-	-	-	-	71
1	-	-	-	-	2	3	1	4	-	1	4	1	-	-	-	-	-	72
-	-	-	1	1	-	2	2	-	1	2	-	1	-	-	-	-	-	73
-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
2	2	5	5	4	3	1	6	2	6	9	4	5	1	-	1	-	-	76
1	1	3	3	3	2	-	2	2	2	4	2	1	1	-	1	-	-	77
-	-	1	-	1	-	1	1	-	1	2	1	1	-	-	-	-	-	78
1	1	1	1	-	-	-	2	-	2	1	-	2	-	-	-	-	-	79
-	-	-	1	-	1	-	1	-	1	2	1	1	-	-	-	-	-	80
115	138	162	190	194	236	233	237	252	242	215	162	114	72	31	9	-	3	81
36	39	51	80	75	100	103	107	126	121	116	89	55	30	14	2	-	-	82
37	60	70	60	55	72	87	82	88	96	85	66	52	40	17	7	-	2	83
20	12	24	26	34	35	28	30	24	13	8	4	5	1	-	-	-	1	84
22	27	17	24	30	29	15	18	14	12	6	3	2	1	-	-	-	-	85
1,153	1,795	2,901	5,056	8,363	12,486	18,495	24,425	28,648	31,157	28,736	23,822	15,019	6,656	1,946	305	40	140	86
603	781	1,019	1,583	2,680	4,577	7,555	11,373	14,428	16,154	14,742	12,145	7,459	3,169	833	132	11	54	87
427	796	1,476	2,738	4,477	6,311	8,491	10,662	11,978	12,824	12,406	10,686	7,072	3,264	1,030	147	9	64	88
61	88	124	201	353	628	1,119	1,308	1,203	1,193	933	560	269	123	37	11	8	14	89
62	130	282	534	853	970	1,330	1,082	1,039	986	655	431	219	100	46	15	12	8	90
16	19	19	67	153	265	409	587	685	755	671	604	362	171	58	12	-	3	91
7	6	10	42	82	174	267	442	527	583	507	460	271	117	34	9	-	3	92
5	10	5	13	36	54	70	83	102	140	125	131	84	50	22	3	-	-	93
1	2	3	8	25	28	48	51	42	23	27	12	4	3	2	-	-	-	94
3	1	1	4	10	9	24	11	14	9	12	1	3	1	-	-	-	-	95

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

	Abbreviated List number[1]	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)—Continued										
1		Malignant neoplasm of digestive organs and peritoneum (150-156A.157-159)	81,807	16	12	19	10	6	63	26	26	53
2		White----M--	41,162	10	6	10	7	3	36	16	17	27
3		F--	34,281	2	5	5	3	3	18	8	7	15
4		Nonwhite--M--	3,743	2	1	4	-	-	7	1	-	8
5		F--	2,621	2	-	-	-	-	2	1	2	3
6		Malignant neoplasm of respiratory system (160-164)	22,513	2	1	3	5	1	12	11	16	17
7		White----M--	17,223	1	1	1	2	-	5	5	8	12
8		F--	3,730	1	-	2	3	1	7	4	4	4
9		Nonwhite--M--	1,257	-	-	-	-	-	-	-	2	-
10		F--	303	-	-	-	-	-	-	2	2	1
11		Malignant neoplasm of breast (170)	19,179	-	-	-	-	-	-	-	1	7
12		White----M--	201	-	-	-	-	-	-	-	-	1
13		F--	17,624	-	-	-	-	-	-	-	1	6
14		Nonwhite--M--	20	-	-	-	-	-	-	-	-	-
15		F--	1,334	-	-	-	-	-	-	-	-	-
16		Malignant neoplasm of genital organs (171-179)	34,491	1	5	1	6	4	17	5	21	66
17		White----M--	11,282	-	2	-	4	1	7	3	5	23
18		F--	19,069	1	1	-	2	1	5	2	13	31
19		Nonwhite--M--	1,201	-	-	1	-	2	3	-	-	6
20		F--	2,939	-	2	-	-	-	2	-	3	6
21		Malignant neoplasm of urinary organs (180,181)	10,158	28	32	56	46	33	195	67	9	8
22		White----M--	6,293	16	21	30	17	18	102	24	7	2
23		F--	3,227	9	8	19	22	14	72	34	2	4
24		Nonwhite--M--	389	1	2	3	3	-	9	3	-	2
25		F--	249	2	1	4	4	1	12	6	-	-
26		Malignant neoplasm of other and unspecified sites (156B,165,190-199)	24,692	90	90	130	120	128	558	283	245	269
27		White----M--	11,959	44	44	67	64	61	280	148	125	144
28		F--	10,871	38	42	47	39	52	218	107	103	97
29		Nonwhite--M--	904	5	2	10	12	5	34	10	8	14
30		F--	958	3	2	6	5	10	26	18	9	14
31		Leukemia and aleukemia (204)	9,357	105	136	202	259	234	936	462	254	253
32		White----M--	5,141	54	66	114	138	130	502	241	124	146
33		F--	3,678	43	57	79	114	92	385	199	108	83
34		Nonwhite--M--	317	4	5	3	3	7	22	10	13	16
35		F--	221	4	8	6	4	5	27	12	9	8
36		Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	8,438	25	22	15	32	30	124	106	82	156
37		White----M--	4,784	8	11	7	15	19	60	61	59	98
38		F--	3,132	17	8	6	11	7	49	38	17	46
39		Nonwhite--M--	316	-	-	-	3	3	6	4	5	10
40		F--	206	-	3	2	3	1	9	3	1	2
41	B 19	Benign neoplasms and neoplasms of unspecified nature (210-239)	5,166	147	37	34	33	34	285	96	74	84
42		White----M--	1,873	63	18	17	15	13	126	40	31	31
43		F--	2,519	70	15	12	14	18	129	37	31	35
44		Nonwhite--M--	217	6	3	2	4	2	17	9	5	12
45		F--	557	8	1	3	-	1	13	10	7	8
46	B 20	Diabetes mellitus (260)	25,047	13	22	14	9	15	73	47	78	111
47		White----M--	8,711	8	9	3	5	8	33	13	18	28
48		F--	14,055	5	12	8	3	6	34	25	48	57
49		Nonwhite--M--	800	-	1	1	-	1	3	5	5	12
50		F--	1,481	-	-	2	1	-	3	4	7	14
51	B 21	Anemias (290-293)	4,018	144	77	22	17	15	275	51	41	42
52		White----M--	1,656	49	27	9	3	3	91	16	13	16
53		F--	1,896	40	23	6	3	8	80	21	11	7
54		Nonwhite--M--	209	36	14	3	8	1	62	4	10	8
55		F--	257	19	13	4	3	3	42	10	7	11
56	B 23	Meningitis, except meningococcal and tuberculous (340)	1,881	565	194	94	63	46	962	97	46	39
57		White----M--	869	225	84	49	32	23	413	64	19	13
58		F--	488	156	52	22	18	14	262	23	14	10
59		Nonwhite--M--	297	101	29	14	8	7	159	7	7	11
60		F--	227	83	29	9	5	2	128	3	6	5
61	/	Major cardiovascular-renal diseases (330-334.400-468,592-594)	786,799	526	133	114	112	122	1,007	559	689	1,092
62		White----M--	401,354	238	53	46	46	61	444	225	262	444
63		F--	305,314	180	59	47	48	34	368	196	263	398
64		Nonwhite--M--	41,510	65	12	16	10	19	122	67	75	113
65		F--	38,621	43	9	5	8	8	73	71	89	136
66		Diseases of cardiovascular system (330-334,400-468)	764,281	501	120	89	79	75	864	423	572	879
67		White----M--	391,701	226	48	36	29	36	375	159	210	350
68		F--	296,994	174	52	36	36	21	319	140	215	314
69		Nonwhite--M--	39,219	59	11	13	7	13	103	57	68	100
70		F--	36,367	42	9	4	7	5	67	67	79	115
71	B 22	Vascular lesions affecting central nervous system (330-334)	163,550	163	35	31	31	24	284	84	76	137
72		White----M--	69,984	81	15	15	12	13	136	36	27	50
73		F--	73,466	52	15	12	15	6	100	36	37	57
74		Nonwhite--M--	9,528	18	5	4	3	4	34	7	9	18
75		F--	10,572	12	-	-	1	1	14	5	3	12
76	B 24	Rheumatic fever (400-402)	1,648	17	11	11	23	23	85	217	268	117
77		White----M--	690	5	7	1	7	11	31	71	89	44
78		F--	626	7	3	7	9	5	31	69	99	40
79		Nonwhite--M--	153	3	1	2	4	6	16	35	34	13
80		F--	179	2	-	1	3	1	7	42	46	20
81		Diseases of heart (410-443)	545,675	253	61	39	20	27	400	111	198	541
82		White----M--	296,372	116	20	15	9	12	172	46	82	236
83		F--	199,703	86	28	14	8	9	145	31	68	174
84		Nonwhite--M--	26,667	30	5	7	-	3	45	14	21	64
85		F--	22,933	21	8	3	3	3	38	20	27	67
86	B 25	Chronic rheumatic heart disease (410-416)	19,988	3	1	2	2	3	11	42	104	284
87		White----M--	9,101	2	-	1	1	1	5	11	44	129
88		F--	9,104	-	-	1	-	-	1	18	37	101
89		Nonwhite--M--	861	1	-	-	-	2	3	4	11	22
90		F--	922	-	1	-	1	-	2	9	12	32

See footnotes on p. 166.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
125	234	569	1,069	1,980	3,361	5,855	8,709	11,148	13,321	13,120	10,968	7,041	3,082	869	118	15	55	1
57	91	217	442	858	1,541	2,749	4,465	5,968	7,227	6,859	5,539	3,282	1,360	334	46	4	27	2
47	101	263	452	814	1,354	2.233	3,305	4,251	5,154	5,532	4,980	3,534	1,627	500	64	3	19	3
10	24	42	79	145	267	510	605	567	554	452	259	133	53	16	2	3	6	4
11	18	47	96	163	199	363	334	362	386	277	190	92	42	19	6	5	3	5
51	68	123	344	777	1,534	2,684	3,626	4,109	3,678	2,695	1,619	766	281	80	9	2	11	6
24	37	77	223	549	1,172	2,059	2,884	3,382	2,931	2,044	1,113	480	165	41	4	2	6	7
23	20	34	74	156	208	345	428	495	533	534	446	264	108	35	4	-	4	8
3	8	5	35	47	118	234	267	195	180	95	47	13	6	1	-	-	1	9
1	3	7	12	25	36	46	47	37	34	22	13	9	2	3	1	-	-	10
9	107	340	809	1,375	1,848	2,235	2,422	2,390	2,264	1,938	1,616	1,091	500	177	35	4	11	11
-	-	4	5	6	9	16	24	36	38	27	16	11	7	1	-	-	-	12
6	91	291	695	1,223	1,663	1,990	2,237	2,209	2,097	1,832	1,546	1,050	477	166	32	2	10	13
-	-	1	1	1	3	7	3	1	1	1	1	-	-	-	-	-	-	14
3	16	44	108	145	173	222	158	144	128	78	53	30	16	10	3	2	1	15
159	351	601	1,139	1,796	2,350	3,031	3,501	3,914	4,528	4,480	4,121	2,825	1,184	309	58	7	28	16
70	126	105	88	86	105	193	482	939	1,627	2,158	2,379	1,860	780	199	40	2	5	17
72	163	373	811	1,330	1,821	2,283	2.538	2,498	2,411	1,950	1,482	825	342	90	12	1	16	18
3	5	7	7	13	39	83	131	175	224	203	156	83	40	14	3	2	4	19
14	57	116	233	367	385	472	350	302	266	169	104	57	22	6	3	2	3	20
19	34	43	98	197	418	722	1,083	1,415	1,572	1,560	1,348	821	405	122	16	1	5	21
10	17	18	49	105	248	467	712	956	1,028	931	814	503	219	68	9	-	4	22
7	11	14	31	57	115	164	287	380	454	561	496	305	178	50	4	-	1	23
2	3	4	11	18	32	52	56	50	59	45	25	7	4	3	3	1	-	24
-	3	7	7	17	23	39	28	29	31	23	13	6	4	1	-	-	-	25
350	411	552	820	1,178	1,638	2,145	2,676	2,943	2,988	2,653	2,313	1,516	790	282	54	10	18	26
194	201	254	363	521	746	998	1,346	1,465	1,510	1,281	1,111	721	389	132	22	3	5	27
129	173	255	374	519	689	906	1,101	1,265	1,280	1,230	1,114	753	376	142	27	3	10	28
15	22	17	31	50	97	123	112	106	95	83	43	24	13	1	3	1	2	29
12	15	26	52	88	106	118	117	107	103	59	45	18	12	7	2	3	1	30
209	249	302	305	432	479	601	803	943	1,024	856	700	356	154	30	3	1	5	31
114	124	147	135	201	246	336	439	546	624	511	398	203	85	14	2	-	3	32
73	103	118	145	188	195	216	313	351	358	324	287	148	65	16	1	-	2	33
13	13	18	15	26	17	30	39	25	28	14	11	2	4	-	-	1	-	34
9	9	19	10	17	21	19	12	21	14	7	4	3	-	-	-	-	-	35
215	322	352	405	475	593	813	1,018	1,101	1,027	763	533	241	89	19	-	-	4	36
127	179	187	236	272	336	470	579	609	586	424	315	128	47	10	-	-	1	37
65	124	123	143	154	212	284	370	427	397	318	204	109	41	9	-	-	2	38
14	11	27	14	28	27	32	44	42	29	13	6	3	-	-	-	-	1	39
9	8	15	12	21	18	27	25	23	15	8	8	1	1	-	-	-	-	40
115	177	254	353	470	502	534	493	457	413	304	228	180	96	38	8	2	3	41
44	57	60	90	117	123	197	212	205	204	130	93	78	26	7	1	-	1	42
49	86	125	164	240	292	254	229	197	175	161	119	92	67	29	7	1	-	43
10	12	10	15	21	18	24	17	21	15	2	6	3	1	1	-	-	-	44
12	22	59	86	92	69	59	35	34	19	11	10	7	2	1	-	1	2	45
154	268	258	352	504	794	1,397	2,277	3,558	4,394	4,310	3,411	2,115	750	162	17	2	15	46
51	118	111	146	213	309	490	796	1,185	1,442	1,472	1,185	760	274	57	5	-	5	47
72	113	104	113	162	286	611	1,175	2,085	2,627	2,607	2,087	1,291	451	92	8	-	7	48
15	17	14	37	33	59	88	110	95	128	84	57	20	11	3	2	2	-	49
16	20	29	56	96	140	208	196	193	197	147	82	44	14	10	2	-	3	50
56	63	49	81	74	91	149	194	300	420	543	679	537	278	81	9	-	5	51
13	15	12	14	22	31	54	68	129	188	249	332	245	111	32	5	-	-	52
16	23	11	37	30	45	64	94	154	205	269	331	279	163	48	4	-	4	53
7	11	12	7	4	5	15	14	7	13	11	8	6	3	1	-	-	1	54
20	14	14	23	18	10	16	18	10	14	14	8	7	1	-	-	-	-	55
38	40	50	60	73	62	83	71	74	66	59	26	22	9	2	1	-	1	56
17	14	23	29	30	30	42	41	37	35	35	15	8	2	1	1	-	-	57
7	8	10	13	17	14	20	13	22	18	12	8	11	5	1	-	-	-	58
7	11	8	11	18	10	11	11	8	9	6	2	1	-	-	-	-	-	59
7	7	9	7	8	8	10	6	7	4	6	1	2	2	-	-	-	1	60
1,742	2,831	4,817	9,193	17,286	27,130	44,402	62,352	81,622	104,761	116,659	120,536	101,185	58,560	23,698	5,141	895	642	61
669	1,141	2,108	4,372	9,098	15,148	24,753	36,732	46,818	57,399	60,474	58,999	46,153	24,833	9,102	1,691	198	291	62
628	934	1,361	2,361	3,924	6,367	10,746	16,284	24,860	36,341	47,074	54,451	50,513	31,133	13,564	3,002	354	191	63
174	341	594	1,124	2,046	2,783	4,641	5,029	5,369	5,934	4,856	3,770	2,392	1,256	428	189	119	88	64
271	415	754	1,336	2,218	2,832	4,262	4,307	4,575	5,087	4,255	3,316	2,127	1,338	604	259	224	72	65
1,415	2,420	4,259	8,526	16,362	26,014	42,929	60,611	79,474	102,291	113,978	117,761	98,784	57,135	23,091	5,018	855	620	66
517	952	1,867	4,114	8,739	14,674	24,160	35,950	45,914	56,324	59,315	57,785	45,048	24,263	8,855	1,657	190	283	67
511	802	1,197	2,150	3,671	6,041	10,341	15,726	24,124	35,473	46,043	53,280	49,470	30,437	13,269	2,940	347	184	68
151	300	536	1,054	1,901	2,638	4,411	4,833	5,107	5,645	4,591	3,543	2,246	1,168	398	176	109	84	69
236	366	659	1,208	2,051	2,661	4,017	4,102	4,329	4,849	4,029	3,153	2,020	1,267	569	245	209	69	70
242	438	702	1,468	2,779	4,581	7,854	10,993	15,265	21,689	26,370	28,359	23,608	12,681	4,753	889	139	159	71
77	164	232	491	911	1,558	2,743	4,572	6,925	9,988	12,240	12,695	10,002	5,057	1,722	272	23	63	72
89	150	231	470	918	1,645	2,812	3,993	5,724	8,708	11,732	13,800	12,499	7,035	2,806	524	58	42	73
35	55	98	215	374	601	1,087	1,154	1,290	1,500	1,137	893	574	273	81	44	18	31	74
41	69	141	292	576	777	1,212	1,274	1,326	1,493	1,261	971	533	316	144	49	40	23	75
81	91	91	118	101	86	91	90	58	54	38	32	10	14	4	1	-	1	76
33	36	42	48	53	45	47	53	28	28	17	17	2	4	2	-	-	-	77
33	37	35	50	36	33	36	29	26	20	18	15	6	9	2	1	-	1	78
3	5	5	13	9	5	2	5	3	2	1	-	2	-	-	-	-	-	79
12	13	9	7	3	3	6	3	1	4	2	-	-	1	-	-	-	-	80
918	1,641	3,038	6,306	12,522	20,146	33,318	47,188	60,947	75,776	81,057	80,613	65,292	37,159	14,449	3,117	533	405	81
363	683	1,476	3,382	7,434	12,569	20,619	30,139	37,280	43,812	43,744	40,858	30,487	15,960	5,658	1,055	122	195	82
305	518	792	1,447	2,446	4,033	7,022	11,043	17,389	25,121	31,698	35,485	32,049	19,624	8,190	1,790	213	120	83
101	206	363	720	1,351	1,839	3,080	3,396	3,530	3,792	3,112	2,322	1,462	766	252	110	72	49	84
149	234	407	757	1,291	1,705	2,597	2,610	2,748	3,051	2,503	1,948	1,294	809	349	162	126	41	85
413	650	918	1,328	1,706	1,932	2,201	2,077	2,109	1,820	1,526	1,306	899	456	155	38	8	5	86
176	272	410	566	812	862	1,024	1,013	1,008	866	719	572	359	186	56	9	-	2	87
165	286	383	623	742	904	989	919	962	830	677	642	487	231	82	20	2	3	88
26	39	55	63	72	78	95	73	80	67	65	58	21	18	6	1	4	-	89
46	53	70	76	80	88	93	72	59	57	65	34	32	21	11	8	2	-	90

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

	Abbreviated List number[1]	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		Major cardiovascular-renal diseases (330-334,400-468,592-594)—Continued										
		Diseases of cardiovascular system (330-334,400-468)—Continued										
		Diseases of heart (410-443)—Continued										
1	B 26 pt.	Arteriosclerotic heart disease, including coronary disease (420)	336,619	35	2	5	4	1	47	12	14	76
2		White—M	206,090	18	2	2	3	1	26	9	9	34
3		F	111,430	10	-	1	1	-	12	1	3	25
4		Nonwhite—M	11,258	4	-	1	-	-	5	1	2	11
5		F	7,841	3	-	1	-	-	4	1	-	6
6	B 26 pt.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	80,635	46	20	14	3	5	88	21	31	64
7		White—M	37,456	18	9	5	1	2	35	8	12	25
8		F	34,623	17	8	6	2	3	36	7	12	18
9		Nonwhite—M	4,632	7	1	1	-	-	9	4	3	14
10		F	3,924	4	2	2	-	-	8	2	4	7
11	B 27	Other diseases of heart (430-434)	23,176	169	38	18	11	18	254	35	41	95
12		White—M	11,696	78	9	7	4	8	106	17	16	42
13		F	7,311	59	20	6	5	6	96	5	14	20
14		Nonwhite—M	2,323	18	4	5	-	1	28	5	3	17
15		F	1,846	14	5	-	2	3	24	8	8	16
16	B 28	Hypertension with heart disease (440-443)	85,257	-	-	-	-	-	-	1	8	22
17		White—M	32,029	-	-	-	-	-	-	1	1	6
18		F	37,235	-	-	-	-	-	-	-	2	10
19		Nonwhite—M	7,593	-	-	-	-	-	-	-	2	-
20		F	8,400	-	-	-	-	-	-	-	3	6
21	B 29	Hypertension without mention of heart (444-447)	13,256	-	-	-	-	-	-	2	4	10
22		White—M	5,330	-	-	-	-	-	-	1	2	4
23		F	5,360	-	-	-	-	-	-	1	2	3
24		Nonwhite—M	1,262	-	-	-	-	-	-	-	-	2
25		F	1,304	-	-	-	-	-	-	-	-	1
26	B 46 pt.	General arteriosclerosis (450)	31,884	-	-	-	1	-	1	-	-	-
27		White—M	14,864	-	-	-	-	-	-	-	-	-
28		F	14,957	-	-	-	1	-	1	-	-	-
29		Nonwhite—M	1,116	-	-	-	-	-	-	-	-	-
30		F	947	-	-	-	-	-	-	-	-	-
31	B 46 pt.	Other diseases of circulatory system (451-468)	8,268	68	13	8	4	1	94	9	26	74
32		White—M	4,461	24	6	5	1	-	36	5	10	16
33		F	2,882	29	6	3	3	1	42	3	9	40
34		Nonwhite—M	493	8	-	-	-	-	8	1	4	3
35		F	432	7	1	-	-	-	8	-	3	15
36	B 38 pt.	Chronic and unspecified nephritis and other renal sclerosis (592-594)	22,518	25	13	25	33	47	143	136	117	213
37		White—M	9,653	12	5	10	17	25	69	66	52	94
38		F	8,320	6	7	11	12	13	49	56	48	85
39		Nonwhite—M	2,291	6	1	3	3	6	19	10	7	13
40		F	2,254	1	-	1	1	3	6	4	10	21
41		Influenza and pneumonia, except pneumonia of newborn (480-493)	48,169	8,313	1,482	625	310	230	10,960	535	273	347
42		White—M	21,587	3,012	504	263	116	85	3,980	220	106	130
43		F	17,058	2,395	520	185	118	70	3,288	186	95	101
44		Nonwhite—M	5,289	1,598	245	97	43	33	2,016	73	41	61
45		F	4,235	1,308	213	80	33	42	1,676	56	31	55
46	B 30	Influenza (480-483)	6,946	776	167	66	33	29	1,071	95	38	65
47		White—M	2,767	226	61	28	14	13	342	38	11	24
48		F	2,689	216	52	21	7	5	301	33	13	18
49		Nonwhite—M	723	177	26	10	5	8	226	14	10	11
50		F	767	157	28	7	7	3	202	10	4	12
51	B 31	Pneumonia, except pneumonia of newborn (490-493)	41,223	7,537	1,315	559	277	201	9,889	440	235	282
52		White—M	18,820	2,786	443	235	102	72	3,638	182	95	106
53		F	14,369	2,179	468	164	111	65	2,987	153	82	83
54		Nonwhite—M	4,566	1,421	219	87	38	25	1,790	59	31	50
55		F	3,468	1,151	185	73	26	39	1,474	46	27	43
56	B 32	Bronchitis (500-502)	2,926	582	173	78	49	30	912	53	14	8
57		White—M	1,623	255	91	38	26	16	426	25	7	5
58		F	946	188	58	25	18	10	299	25	3	2
59		Nonwhite—M	200	80	15	9	3	2	109	1	3	1
60		F	157	59	9	6	2	2	78	2	1	-
61	B 33	Ulcer of stomach and duodenum (540,541)	8,487	41	2	1	4	2	50	-	1	11
62		White—M	6,336	21	1	-	2	-	24	-	1	6
63		F	1,473	11	-	-	2	2	15	-	-	2
64		Nonwhite—M	504	6	1	1	-	-	8	-	-	2
65		F	174	3	-	-	-	-	3	-	-	1
66	B 34	Appendicitis (550-553)	2,846	16	23	35	49	40	163	127	110	105
67		White—M	1,491	8	15	18	21	23	85	54	49	52
68		F	881	4	4	13	24	14	59	48	38	34
69		Nonwhite—M	270	1	3	2	3	3	12	17	15	12
70		F	204	3	1	2	1	-	7	8	8	7
71	B 35	Hernia and intestinal obstruction (560,561,570)	8,627	966	68	34	16	13	1,097	37	29	34
72		White—M	3,973	504	31	18	11	7	571	15	17	13
73		F	3,545	321	9	10	2	2	344	15	6	10
74		Nonwhite—M	595	85	16	4	3	3	111	5	3	7
75		F	514	56	12	2	-	1	71	2	3	4
76	B 36	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	8,036	3,945	551	126	52	34	4,708	76	35	48
77		White—M	3,172	1,473	193	41	13	12	1,732	38	16	26
78		F	2,954	1,161	177	38	16	11	1,403	26	12	19
79		Nonwhite—M	1,038	733	97	21	14	8	873	9	3	3
80		F	872	578	84	26	9	3	700	3	4	-
81	B 37	Cirrhosis of liver (581)	15,075	43	10	-	3	-	56	16	20	26
82		White—M	9,145	21	3	-	3	-	27	7	8	11
83		F	4,785	14	5	-	-	-	19	7	11	12
84		Nonwhite—M	682	2	-	-	-	-	2	2	1	-
85		F	463	6	2	-	-	-	8	-	-	3
86	B 38 pt.	Acute nephritis and nephritis with edema, including nephrosis (590,591)	3,264	65	46	43	51	54	259	122	78	78
87		White—M	1,318	21	16	13	20	23	93	50	22	30
88		F	1,112	26	13	14	17	23	93	47	34	24
89		Nonwhite—M	403	9	7	7	8	5	36	11	11	8
90		F	431	9	10	9	6	3	37	14	11	16

See footnotes on p. 166.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
193	436	1,155	3,107	7,336	12,782	21,846	32,321	41,449	50,429	52,078	48,435	36,552	19,394	7,111	1,399	203	244	1
89	233	782	2,227	5,465	9,694	16,039	23,449	28,292	31,991	30,553	26,467	18,291	8,794	2,953	493	58	142	2
51	86	173	383	906	1,721	3,547	6,344	10,675	15,728	19,269	20,308	17,262	10,018	3,947	814	86	71	3
19	71	107	294	584	812	1,393	1,547	1,507	1,652	1,304	910	561	304	92	38	21	25	4
34	46	93	203	381	555	867	981	975	1,058	952	750	438	278	119	54	38	8	5
93	172	270	504	888	1,411	2,438	3,725	5,766	8,624	11,425	14,299	14,717	10,078	4,632	1,120	212	57	6
29	63	92	188	353	609	1,054	1,815	2,949	4,509	5,739	6,902	6,594	4,267	1,769	376	47	21	7
28	44	71	130	224	361	613	1,012	1,759	2,906	4,604	6,487	7,432	5,417	2,697	654	92	19	8
21	33	51	86	159	246	417	504	598	681	608	507	371	185	68	37	25	5	9
15	32	56	100	152	195	354	394	460	528	474	403	320	209	98	53	48	12	10
166	202	302	510	796	1,059	1,596	1,943	2,438	3,099	2,990	2,965	2,474	1,398	599	154	35	25	11
54	68	113	203	341	524	789	1,061	1,348	1,691	1,644	1,567	1,195	615	230	56	5	11	12
46	65	72	116	156	207	295	413	642	901	973	1,112	1,079	678	324	76	13	8	13
28	26	59	92	150	182	300	284	266	280	236	175	101	49	24	9	7	2	14
38	43	58	99	149	146	212	185	182	227	137	111	99	56	21	13	10	4	15
53	181	393	857	1,796	2,962	5,237	7,122	9,185	11,804	13,038	13,608	10,650	5,833	1,952	406	75	74	16
15	47	79	198	463	880	1,713	2,801	3,683	4,755	5,089	5,350	4,048	2,098	650	121	12	19	17
15	37	93	195	418	840	1,578	2,355	3,351	4,756	6,175	6,936	5,789	3,280	1,140	226	20	19	18
7	37	91	185	386	521	875	988	1,079	1,112	899	672	408	210	62	25	15	19	19
16	60	130	279	529	721	1,071	978	1,072	1,181	875	650	405	245	100	34	28	17	20
47	101	238	349	560	638	795	968	1,041	1,397	1,621	1,971	1,806	1,118	461	90	24	15	21
14	29	55	88	168	223	292	426	434	599	710	850	775	453	169	28	3	7	22
12	23	52	74	143	175	248	286	380	532	684	927	908	596	257	51	4	2	23
8	22	53	74	121	123	119	143	114	127	127	104	61	31	21	3	6	3	24
13	27	78	113	128	117	136	113	113	139	100	90	62	38	14	8	11	3	25
-	5	9	16	42	122	243	497	1,141	2,250	3,883	5,906	7,492	5,872	3,329	895	154	27	26
-	2	2	7	12	57	102	231	592	1,193	2,006	2,899	3,489	2,659	1,269	293	40	11	27
-	2	4	6	10	22	61	134	337	750	1,563	2,694	3,745	3,026	1,958	560	70	14	28
-	-	3	-	7	22	56	68	121	171	178	190	137	89	42	18	13	1	29
-	1	-	3	13	21	24	64	91	136	136	123	121	98	60	24	31	1	30
127	144	181	269	358	441	628	875	1,022	1,125	1,009	880	576	291	95	26	5	13	31
30	38	60	98	161	222	357	529	655	704	598	466	293	130	35	9	2	7	32
72	72	83	103	118	133	162	241	268	342	348	359	263	147	56	14	2	5	33
4	12	14	32	39	48	67	67	49	53	36	34	10	9	2	1	-	-	34
21	22	24	36	40	38	42	38	50	26	27	21	10	5	2	2	1	1	35
327	411	558	667	924	1,116	1,473	1,741	2,148	2,470	2,681	2,775	2,401	1,425	607	123	40	22	36
152	189	241	258	359	474	593	782	904	1,075	1,159	1,214	1,105	570	247	34	8	8	37
117	132	164	211	253	326	405	558	736	868	1,031	1,171	1,043	696	295	62	7	7	38
23	41	58	70	145	145	230	196	262	289	265	227	146	88	30	13	10	4	39
35	49	95	128	167	171	245	205	246	238	226	163	107	71	35	14	15	3	40
390	398	563	801	1,100	1,394	1,931	2,302	2,921	3,719	4,467	5,261	5,003	3,448	1,732	461	119	44	41
129	123	205	320	487	645	914	1,241	1,544	1,961	2,259	2,610	2,342	1,503	671	151	26	20	42
123	122	153	218	265	294	376	517	795	1,149	1,691	2,256	2,362	1,762	962	272	59	12	43
62	69	114	140	198	262	395	337	352	353	274	229	147	90	41	16	13	6	44
76	84	91	123	150	193	246	207	230	256	243	166	152	93	58	22	21	6	45
57	52	76	96	135	170	246	285	420	561	733	836	890	660	331	96	27	6	46
17	19	27	35	56	70	90	123	179	270	313	361	358	269	123	30	7	5	47
18	16	23	27	25	35	44	74	133	183	309	388	451	343	189	53	12	1	48
7	11	14	12	22	29	49	48	55	52	48	43	33	21	7	7	4	-	49
15	6	12	22	32	36	63	40	53	56	63	44	48	27	12	6	4	-	50
333	346	487	705	965	1,224	1,685	2,017	2,501	3,158	3,734	4,425	4,113	2,788	1,401	365	92	38	51
112	104	178	285	431	575	824	1,118	1,365	1,691	1,946	2,249	1,984	1,234	548	121	19	15	52
105	106	130	191	240	259	332	443	662	966	1,382	1,868	1,911	1,419	773	219	47	11	53
55	58	100	128	176	233	346	289	297	301	226	186	114	69	34	9	9	6	54
61	78	79	101	118	157	183	167	177	200	180	122	104	66	46	16	17	6	55
13	16	13	32	42	59	90	164	207	252	265	277	236	161	82	24	5	1	56
7	4	5	12	20	38	57	121	155	176	168	154	108	85	36	11	3	-	57
6	9	5	7	16	9	20	27	35	54	82	106	118	70	41	11	1	-	58
-	-	1	9	-	9	10	4	12	15	7	8	6	2	1	1	1	-	59
-	3	2	4	6	3	3	12	5	7	8	9	4	4	4	1	-	1	60
37	79	149	275	447	661	812	1,043	1,207	1,274	960	771	439	202	54	8	2	5	61
19	50	101	196	337	505	612	810	954	976	721	560	300	121	34	5	-	4	62
8	11	23	41	46	76	97	132	183	218	193	197	136	72	20	2	-	1	63
7	13	19	28	51	61	77	78	48	59	36	8	-	8	-	-	1	-	64
3	5	6	10	13	19	26	23	22	21	10	6	3	1	-	1	1	-	65
85	89	103	142	160	165	217	215	247	283	220	228	112	49	18	3	2	3	66
33	30	55	81	94	91	104	120	151	155	122	117	63	24	8	1	1	1	67
25	30	22	32	25	32	57	50	77	98	77	94	47	24	9	1	1	1	68
15	12	10	17	20	19	27	32	14	18	11	14	2	1	1	-	-	1	69
12	17	16	12	21	23	29	13	5	12	10	3	-	-	-	1	-	-	70
49	85	135	192	261	358	493	651	759	998	1,059	949	836	423	149	24	4	5	71
25	21	31	58	87	119	202	304	374	497	531	446	405	191	61	4	-	1	72
12	36	61	77	108	142	185	251	289	395	446	455	396	214	82	17	2	2	73
7	17	19	22	31	44	41	52	56	56	50	37	23	9	2	1	1	1	74
5	11	24	35	35	53	65	44	40	50	32	11	12	9	4	2	1	1	75
65	79	114	117	147	167	210	234	283	368	367	373	338	208	76	17	3	3	76
25	29	49	60	82	79	98	120	145	173	153	140	121	74	26	5	-	1	77
33	40	50	40	67	61	71	83	107	160	194	209	194	126	46	10	2	1	78
1	7	5	5	8	13	19	18	19	19	8	11	11	2	3	1	-	-	79
6	3	10	12	10	14	22	13	12	16	12	13	12	6	1	1	1	1	80
37	124	413	856	1,343	1,671	2,044	2,052	1,865	1,734	1,228	860	467	204	40	6	-	13	81
12	42	173	441	777	1,029	1,233	1,328	1,206	1,168	770	534	266	83	18	2	-	10	82
16	52	176	314	413	489	624	585	559	481	405	293	189	112	22	3	-	3	83
2	11	29	51	85	91	116	93	71	63	34	21	5	5	-	-	-	-	84
7	19	35	50	68	62	71	46	29	22	19	12	7	4	-	1	-	-	85
114	102	127	150	185	175	201	239	247	309	251	248	209	103	50	10	4	3	86
51	32	40	57	75	71	79	104	96	126	122	112	92	42	21	3	-	-	87
32	30	39	41	47	47	57	83	86	103	76	100	93	51	23	3	2	1	88
10	13	22	25	35	25	36	24	31	48	22	19	13	7	3	2	2	-	89
21	27	26	27	28	32	29	28	34	32	31	17	11	3	3	2	-	2	90

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

	Abbreviated List number[1]	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 39	Hyperplasia of prostate (610)----------	6,417	-	-	-	-	-	-	-	-	-
2		White-----M--	5,715	-	-	-	-	-	-	-	-	-
3		Nonwhite--M--	702	-	-	-	-	-	-	-	-	-
4	B 40	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)----------	2,812	...	...	...	...	...	...	...	11	268
5		White-----F--	1,778	...	...	...	...	...	...	...	4	142
6		Nonwhite--F--	1,034	...	...	...	...	...	...	...	7	126
7		Abortion (650-652)----------	303	...	...	...	...	...	...	...	1	28
8		White-----F--	170	...	...	...	...	...	...	...	1	15
9		Nonwhite--F--	133	...	...	...	...	...	...	...	-	11
10		All other complications (640-649,660-689)----------	2,509	...	...	...	...	...	...	...	10	242
11		White-----F--	1,608	...	...	...	...	...	...	...	3	127
12		Nonwhite--F--	901	...	...	...	...	...	...	...	7	115
13	B 41	Congenital malformations (750-759)----------	18,865	14,721	880	367	196	136	16,300	362	236	179
14		White-----M--	9,138	7,170	373	146	95	62	7,846	158	110	89
15		F--	7,901	6,125	405	167	83	62	6,842	157	96	77
16		Nonwhite--M--	1,042	805	54	33	12	7	911	29	22	5
17		F--	784	621	48	21	6	5	701	18	8	8
18		Certain diseases of early infancy (760-776)----------	63,096	63,044	25	8	2	1	63,080	5	1	-
19		White-----M--	30,286	30,245	9	3	-	1	30,258	3	-	-
20		F--	20,711	20,689	10	5	1	-	20,705	2	1	-
21		Nonwhite--M--	6,917	6,912	3	-	-	-	6,915	-	-	-
22		F--	5,202	5,198	3	-	1	-	5,202	-	-	-
23	B 42	Birth injuries, postnatal asphxia, and atelectasis (760-762)----------	26,962	26,956	1	-	-	-	26,957	-	-	-
24		White-----M--	14,071	14,066	1	-	-	-	14,067	-	-	-
25		F--	8,796	8,796	-	-	-	-	8,796	-	-	-
26		Nonwhite--M--	2,397	2,396	-	-	-	-	2,396	-	-	-
27		F--	1,698	1,698	-	-	-	-	1,698	-	-	-
28	B 43	Infections of newborn (763-768)----------	3,927	3,926	-	-	-	-	3,926	-	-	-
29		White-----M--	1,629	1,629	-	-	-	-	1,629	-	-	-
30		F--	1,158	1,158	-	-	-	-	1,158	-	-	-
31		Nonwhite--M--	659	658	-	-	-	-	658	-	-	-
32		F--	481	481	-	-	-	-	481	-	-	-
33	B 44	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)----------	32,207	32,162	24	8	2	1	32,197	5	1	-
34		White-----M--	14,566	14,550	8	3	-	1	14,562	3	-	-
35		F--	10,757	10,735	10	5	1	-	10,751	2	1	-
36		Nonwhite--M--	3,861	3,858	3	-	-	-	3,861	-	-	-
37		F--	3,023	3,019	3	-	1	-	3,023	-	-	-
38	B 45	Symptoms, senility, and ill-defined conditions (780-795)------	22,647	3,379	278	119	88	63	3,927	134	70	130
39		White-----M--	8,642	889	84	34	21	22	1,050	46	28	34
40		F--	5,947	590	72	37	24	13	736	34	12	22
41		Nonwhite--M--	4,446	1,079	65	28	27	19	1,218	24	17	40
42		F--	3,612	821	57	20	16	9	923	30	13	34
43	B 46	All other diseases (Residual)----------	65,681	3,299	806	458	361	313	5,237	844	565	766
44		White-----M--	33,074	1,528	354	207	175	155	2,419	392	250	356
45		F--	24,773	1,090	297	168	131	119	1,805	323	191	238
46		Nonwhite--M--	4,236	386	80	42	22	18	548	72	69	84
47		F--	3,598	295	75	41	33	21	465	57	55	88
48		Accidents (E800-E962)----------	95,871	3,711	1,673	1,348	1,104	933	8,769	3,161	2,731	5,495
49		White-----M--	58,214	1,574	746	625	532	493	3,970	1,742	1,767	3,871
50		F--	25,442	1,139	552	430	358	272	2,751	874	510	939
51		Nonwhite--M--	8,659	504	209	161	112	91	1,077	333	368	519
52		F--	3,556	494	166	132	102	77	971	212	86	166
53	BE 47	Motor-vehicle accidents (E810-E835)----------	36,996	287	448	379	375	386	1,875	1,350	950	3,288
54		White-----M--	24,797	142	225	191	211	235	1,004	735	603	2,310
55		F--	7,927	110	171	133	118	110	642	426	243	687
56		Nonwhite--M--	3,278	14	27	36	26	27	130	133	72	204
57		F--	994	21	25	19	20	14	99	56	32	87
58	BE 48	All other accidents (E800-E802,E840-E962)----------	58,875	3,424	1,225	969	729	547	6,894	1,811	1,781	2,207
59		White-----M--	33,417	1,432	521	434	321	258	2,966	1,007	1,164	1,561
60		F--	17,515	1,029	381	297	240	162	2,109	448	267	252
61		Nonwhite--M--	5,381	490	182	125	86	64	947	200	296	315
62		F--	2,562	473	141	113	82	63	872	156	54	79
63	BE 49	Suicide (E963,E970-E979)----------	15,909	-	-	-	-	-	-	1	51	270
64		White-----M--	11,784	-	-	-	-	-	-	1	37	171
65		F--	3,468	-	-	-	-	-	-	-	9	77
66		Nonwhite--M--	516	-	-	-	-	-	-	-	5	11
67		F--	141	-	-	-	-	-	-	-	-	11
68	BE 50 pt.	Homicide (E964,E980-E985)----------	7,495	141	21	17	29	12	220	56	55	382
69		White-----F--	2,421	53	6	7	12	3	81	26	18	98
70		F--	942	59	7	7	8	6	87	23	20	45
71		Nonwhite--M--	3,248	13	3	2	6	2	26	1	12	176
72		F--	884	16	5	1	3	1	26	6	5	63
73	BE 50 pt.	Injury resulting from operations of war (E965, E990-E999)-----	42	-	-	-	-	-	-	-	-	5
74		White-----M--	39	-	-	-	-	-	-	-	-	5
75		F--	-	-	-	-	-	-	-	-	-	-
76		Nonwhite--M--	3	-	-	-	-	-	-	-	-	-
77		F--	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

[2]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	1	4	5	24	58	172	427	781	1,157	1,348	1,307	781	285	52	8	7	1
-	-	1	1	2	16	32	131	332	655	1,024	1,228	1,216	746	273	48	5	5	2
-	-	-	3	3	8	26	41	95	126	133	120	91	35	12	4	3	2	3
530	654	594	486	236	23	4	3	-	-	1	1	-	1	-	-	-	-	4
338	418	376	300	173	18	4	2	-	-	1	1	-	1	-	-	-	-	5
192	236	218	186	63	5	-	1	-	-	-	-	-	-	-	-	-	-	6
73	72	59	49	21	2	-	-	-	-	-	-	-	-	-	-	-	-	7
36	36	38	28	15	1	-	-	-	-	-	-	-	-	-	-	-	-	8
37	36	21	21	6	1	-	-	-	-	-	-	-	-	-	-	-	-	9
457	582	535	437	215	24	4	3	-	-	1	1	-	1	-	-	-	-	10
302	382	338	272	158	17	4	2	-	-	1	1	-	1	-	-	-	-	11
155	200	197	165	57	4	-	1	-	-	-	-	-	-	-	-	-	-	12
196	175	156	173	187	199	182	159	111	103	63	50	23	4	3	-	-	4	13
105	87	75	90	92	93	100	81	72	54	43	31	8	2	2	-	-	-	14
74	77	68	72	79	84	73	72	32	43	16	18	14	2	1	-	-	4	15
12	8	8	3	11	12	6	4	4	4	2	1	-	-	-	-	-	-	16
5	3	5	8	5	10	3	2	3	2	2	-	1	-	-	-	-	-	17
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	9	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	19
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	34
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
224	274	317	458	662	793	1,013	1,143	1,361	1,771	1,823	2,002	2,384	1,901	1,416	529	231	84	38
81	80	87	164	265	360	421	528	593	815	813	871	947	741	501	150	28	39	39
50	52	91	90	117	110	155	189	239	319	402	610	875	819	715	250	44	16	40
48	64	78	114	146	183	252	255	295	394	340	291	300	165	86	64	58	14	41
45	78	61	90	134	140	185	171	234	243	268	230	262	176	114	65	101	15	42
964	1,324	1,748	2,244	2,941	3,642	4,535	5,739	6,574	7,575	7,015	6,090	4,279	2,263	975	241	58	62	43
360	499	698	889	1,306	1,784	2,295	3,175	3,823	4,283	3,743	3,148	2,067	1,056	416	73	16	26	44
367	488	662	827	1,033	1,270	1,478	1,914	2,222	2,716	2,802	2,632	2,017	1,087	524	138	24	15	45
128	155	176	256	301	308	421	385	306	344	287	180	104	65	15	14	4	14	46
109	182	212	272	301	280	341	265	223	232	183	130	91	55	20	16	14	7	47
6,871	6,198	5,446	5,383	5,336	4,877	4,932	4,890	4,911	5,131	5,087	5,393	5,254	3,578	1,786	388	66	188	48
5,099	4,472	3,849	3,693	3,687	3,304	3,315	3,320	3,286	3,217	2,868	2,515	2,132	1,319	579	91	16	122	49
874	796	801	796	820	830	869	1,004	1,144	1,431	1,880	2,610	2,915	2,134	1,152	265	24	23	50
718	751	633	707	644	582	586	435	357	342	210	156	110	60	18	12	9	32	51
180	179	163	187	185	161	162	131	144	141	129	112	97	65	37	20	17	11	52
4,425	3,539	2,797	2,546	2,371	2,188	2,072	2,012	2,004	1,908	1,536	1,130	659	226	54	13	-	53	53
3,311	2,501	1,910	1,710	1,573	1,431	1,322	1,311	1,322	1,267	1,026	767	460	158	38	7	-	31	54
618	531	507	440	460	473	462	507	498	482	410	298	166	53	13	4	-	7	55
397	420	307	312	265	217	224	151	141	121	78	49	29	11	2	2	-	13	56
99	87	73	84	73	67	64	43	43	38	22	16	4	4	1	-	-	2	57
2,446	2,659	2,649	2,837	2,965	2,689	2,860	2,878	2,907	3,223	3,551	4,263	4,595	3,352	1,732	375	66	135	58
1,788	1,971	1,939	1,983	2,114	1,873	1,993	2,009	1,944	1,950	1,842	1,748	1,672	1,161	541	84	16	91	59
256	265	294	356	360	357	407	497	646	949	1,470	2,312	2,749	2,081	1,139	261	24	16	60
321	331	326	395	379	365	362	284	216	221	132	107	81	49	16	10	9	19	61
81	92	90	103	112	94	98	88	101	103	107	96	93	61	36	20	17	9	62
670	967	1,074	1,310	1,576	1,655	1,651	1,621	1,541	1,380	986	572	376	153	30	5	-	20	63
451	624	708	873	1,105	1,211	1,198	1,264	1,235	1,107	835	477	307	140	24	4	-	12	64
146	252	298	352	409	391	392	310	278	245	138	85	61	12	6	1	-	6	65
51	76	49	70	46	45	50	36	25	23	10	10	6	1	-	-	-	2	66
22	15	19	15	16	8	11	11	3	5	3	-	2	-	-	-	-	-	67
882	1,165	1,013	987	801	586	457	318	219	144	90	48	35	9	3	-	1	24	68
234	290	287	285	251	218	174	157	115	83	51	25	18	5	-	-	-	5	69
77	85	121	98	103	68	66	38	33	21	21	11	12	3	2	-	-	8	70
428	600	471	482	376	241	189	112	60	35	14	9	3	1	1	-	1	10	71
143	190	134	122	71	59	28	11	11	5	4	3	2	-	-	-	-	1	72
12	5	3	4	3	-	3	4	3	-	-	-	-	-	-	-	-	-	73
11	5	3	2	3	-	3	4	3	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA																										
	ALL CAUSES	27,416	3,110	246	144	121	87	252	187	363	497	580	579	853	1,049	1,252	1,852	2,120	2,421	2,898	2,779	2,556	1,839	959	398	112	162
	White----M	9,420	911	57	46	32	27	81	67	123	151	191	195	261	306	414	558	748	871	1,085	1,092	1,034	699	316	129	25	21
	F	6,611	645	51	33	29	25	68	27	67	83	85	110	148	191	213	280	336	476	688	857	892	716	362	172	38	19
	Nonwhite--M	5,964	869	73	39	33	21	56	58	95	132	158	136	193	264	316	507	541	546	625	453	355	223	142	45	27	57
	F	5,421	685	65	26	27	14	47	35	78	131	146	138	251	288	309	507	495	528	520	377	275	201	139	52	22	65
001-019	Tuberculosis all forms	814	5	13	5	6	2	3	10	27	63	80	49	72	63	50	69	84	55	74	42	22	10	5	-	2	3
	White----M	245	-	2	2	2	-	1	2	3	5	5	13	18	17	19	24	36	29	30	21	10	2	3	-	1	-
	F	131	1	1	1	1	1	2	-	1	10	11	6	15	6	6	9	8	6	19	12	8	5	1	-	1	-
	Nonwhite--M	246	1	7	-	2	1	-	3	9	16	26	17	18	26	16	28	32	12	21	6	2	-	1	-	-	2
	F	192	3	3	2	1	-	-	5	14	32	38	13	21	14	9	8	8	8	4	3	2	3	-	-	-	1
001-008	Tuberculosis of respiratory system	749	3	4	1	1	-	1	6	25	61	78	47	68	56	48	67	81	53	69	40	20	10	5	-	2	3
	White----M	229	-	-	-	1	-	-	-	2	5	5	13	18	16	18	23	35	29	28	20	10	2	3	-	1	-
	F	115	1	-	-	-	-	1	-	1	8	10	5	13	4	6	9	8	6	18	12	6	5	1	-	1	-
	Nonwhite--M	224	1	3	-	-	-	-	1	9	16	26	16	18	23	15	27	30	10	19	5	2	-	1	-	-	2
	F	181	1	1	1	-	-	-	5	13	32	37	13	19	13	9	8	8	8	4	3	2	3	-	-	-	1
010-019	Tuberculosis, other forms	65	2	9	4	5	2	2	4	2	2	2	2	4	7	2	2	3	2	5	2	2	-	-	-	-	-
	White----M	16	-	2	2	1	-	1	2	1	-	-	-	-	1	1	1	1	-	2	1	-	-	-	-	-	-
	F	16	-	1	1	1	1	1	-	-	2	1	1	2	2	-	-	-	-	1	-	2	-	-	-	-	-
	Nonwhite--M	22	-	4	-	2	1	-	2	-	-	-	1	-	3	1	1	2	2	2	1	-	-	-	-	-	-
	F	11	2	2	1	1	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	127	13	-	-	-	-	-	1	1	2	1	3	4	8	9	20	19	14	15	7	6	2	1	-	-	1
	White----M	20	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	4	4	1	2	-	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	1	3	-	-	-	-	-
	Nonwhite--M	68	7	-	-	-	-	-	1	-	1	1	3	2	4	3	11	11	8	9	4	-	2	-	-	-	1
	F	28	6	-	-	-	-	-	-	1	1	-	-	2	1	1	7	4	1	2	1	1	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
045-048	Dysentery, all forms	29	8	3	3	1	-	1	-	1	-	-	-	1	-	1	-	-	1	2	2	3	2	-	-	-	-
	White----M	8	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-
	F	7	2	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M	8	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-
050, 051	Scarlet fever, etc.*	4	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	23	-	4	6	2	4	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	6	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	11	-	1	4	1	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	46	32	6	1	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White----M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	15	11	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	14	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
057	Meningococcal infections	30	5	6	4	2	4	4	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	8	1	1	2	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	3	2	2	2	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	37	4	2	9	1	3	7	5	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	19	1	1	6	-	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	2	-	2	1	1	3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	20	6	2	2	-	1	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	3	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	132	30	4	4	2	-	12	4	4	7	6	1	6	4	7	8	7	5	6	4	4	4	1	1	-	1
	White----M	34	2	-	2	-	-	3	2	-	2	2	-	2	1	2	3	2	3	2	1	2	2	1	-	-	-
	F	31	6	2	1	2	-	1	-	-	3	1	-	-	1	1	3	1	1	1	2	2	2	-	1	-	-
	Nonwhite--M	30	10	1	1	-	-	3	2	2	-	2	1	1	2	1	1	1	-	1	-	-	-	-	-	-	1
	F	37	12	1	-	-	-	5	-	2	2	1	-	3	-	3	1	3	1	2	1	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
140-205	Malignant neoplasms, etc.*----	2,853	3	3	7	12	4	23	18	24	22	36	55	102	168	193	309	328	363	368	337	244	150	51	18	2	13
	White-----M--	1,016	2	2	4	3	1	11	4	11	11	11	19	24	28	45	95	123	148	151	136	100	75	19	8	1	4
	F--	999	-	1	-	4	2	10	8	8	3	11	16	41	68	73	86	98	110	137	136	103	50	24	8	-	2
	Nonwhite--M--	360	1	-	-	3	-	-	2	3	3	8	5	10	19	22	48	51	47	56	37	27	11	5	1	-	1
	F--	478	-	-	3	2	1	2	4	2	5	6	15	27	53	53	80	56	58	44	28	14	14	3	1	1	6
140-148	Of buccal cavity and pharynx------	67	-	-	-	-	-	-	-	1	-	-	-	-	3	-	8	8	4	15	10	13	2	3	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	5	2	7	6	5	2	2	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	7	3	8	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	873	-	-	-	-	-	1	-	-	4	7	14	15	35	46	93	102	103	122	148	100	58	17	6	-	2
	White-----M--	330	-	-	-	-	-	1	-	-	1	-	5	6	11	15	27	44	39	42	59	38	31	7	3	-	1
	F--	266	-	-	-	-	-	-	-	-	1	1	2	1	12	11	20	18	28	39	59	41	21	8	3	-	1
	Nonwhite--M--	146	-	-	-	-	-	-	-	-	1	5	4	6	5	8	22	22	14	25	19	11	2	2	-	-	-
	F--	131	-	-	-	-	-	-	-	-	1	1	3	2	7	12	24	18	22	16	11	10	4	-	-	-	-
160-164	Of respiratory system----------	289	-	-	-	-	-	-	-	-	1	1	4	9	10	20	42	58	62	28	25	19	8	2	-	-	-
	White-----M--	185	-	-	-	-	-	-	-	-	1	1	3	6	5	13	27	34	51	18	16	5	3	2	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	8	4	4	7	10	2	-	-	-	-
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	-	2	1	2	12	12	4	5	1	4	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	4	3	1	1	-	2	-	-	-	-
170	Of breast---------	216	-	-	-	-	-	-	-	1	-	7	11	17	30	26	34	26	27	16	10	4	4	1	-	2
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	151	-	-	-	-	-	-	-	-	-	-	3	4	13	20	14	25	22	20	12	10	4	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	1	-	4	7	4	10	11	8	3	6	4	-	-	-	1	-	2
171-179	Of genital organs-	624	-	-	-	-	-	1	-	4	9	9	39	58	55	68	49	75	71	70	50	45	11	5	-	5
	White-----M--	130	-	-	-	-	-	-	-	1	2	-	1	-	-	5	8	12	18	24	27	24	3	3	-	2
	F--	232	-	-	-	-	-	-	-	1	3	2	22	30	25	27	19	28	24	27	11	8	4	1	-	-
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	1	1	-	-	4	3	5	16	13	9	9	6	2	1	-	-
	F--	192	-	-	-	-	-	1	-	2	3	6	16	28	26	33	17	19	16	10	3	7	2	-	-	3
180, 181	Of urinary organs-	87	2	-	-	1	-	-	-	1	-	1	2	3	6	7	17	9	13	10	10	3	1	1	-	-
	White-----M--	47	1	-	-	-	-	-	-	-	-	-	1	2	2	5	3	6	7	7	3	7	2	-	1	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	-	3	4	3	-	1	-	-	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	4	1	2	2	-	1	-	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	439	1	-	5	6	-	2	9	7	7	10	12	17	28	21	36	40	59	56	42	34	24	12	5	2	4
	White-----M--	166	1	-	2	2	-	-	2	1	5	4	5	5	5	5	13	19	24	22	18	15	10	5	1	1	1
	F--	179	-	-	-	-	-	1	5	3	1	4	6	10	8	9	14	14	18	26	19	18	13	5	4	-	1
	Nonwhite--M--	48	-	-	-	3	-	-	1	2	1	1	-	1	7	5	3	1	10	5	5	1	-	1	-	-	1
	F--	46	-	-	3	1	-	1	1	1	-	1	1	1	8	2	6	6	7	3	-	-	1	1	-	1	1
204	Leukemia and aleukemia----------	130	-	2	1	5	2	16	7	9	2	3	3	2	8	8	11	8	15	14	9	4	1	-	-	-	-
	White-----M--	56	-	1	1	1	-	7	1	4	2	1	1	1	2	4	7	2	7	6	6	2	-	-	-	-	-
	F--	52	-	1	-	4	2	8	3	4	-	2	2	1	3	2	1	3	7	6	2	1	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	1	1	-	-	-	-	2	1	2	3	1	2	1	1	1	-	-	-	-
	F--	6	-	-	-	-	-	1	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	128	-	1	1	-	2	4	1	7	2	6	5	7	6	7	18	12	10	22	7	4	5	1	-	-	-
	White-----M--	64	-	1	1	-	1	3	1	6	1	3	4	3	1	3	8	5	5	10	4	1	3	-	-	-	-
	F--	32	-	-	-	-	-	1	-	1	-	1	1	2	-	2	4	3	2	8	3	1	2	1	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	3	1	3	-	1	-	-	-	-	-
	F--	14	-	-	-	-	1	-	-	-	1	1	-	1	2	-	3	1	2	1	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	105	3	-	1	1	1	3	2	1	5	5	10	14	10	13	8	7	7	7	1	4	-	-	-	1	1
	White-----M--	31	1	-	1	-	-	-	1	-	-	3	1	6	4	1	2	2	3	5	-	1	-	-	-	-	-
	F--	31	-	-	-	-	1	1	-	1	2	1	6	3	2	4	2	2	1	1	-	3	-	-	-	1	-
	Nonwhite--M--	13	2	-	-	1	-	1	-	-	1	1	2	-	-	3	-	2	-	-	-	-	-	-	-	-	-
	F--	30	-	-	-	-	-	1	1	-	2	-	1	5	4	5	4	1	3	1	1	-	-	-	-	-	1
260	Diabetes mellitus-	333	-	1	-	-	-	4	3	2	5	7	6	8	16	13	23	29	45	58	52	29	21	8	1	1	1
	White-----M--	96	-	1	-	-	-	1	1	1	1	-	1	2	1	5	3	7	10	21	19	11	8	3	-	-	-
	F--	108	-	-	-	-	-	-	2	1	1	3	4	-	2	1	6	9	15	20	14	14	12	3	1	-	-
	Nonwhite--M--	48	-	-	-	-	-	2	-	-	2	1	1	3	4	1	8	3	5	8	7	2	-	1	-	-	-
	F--	81	-	-	-	-	-	1	-	-	1	3	-	3	9	6	6	10	15	9	12	2	1	1	-	1	1
290-293	Anemias----------	63	4	5	1	2	1	1	1	3	3	2	1	3	1	2	4	2	7	7	3	5	5	-	-	-	-
	White-----M--	16	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	3	2	1	3	3	-	-	-	-
	F--	19	2	2	-	-	1	-	-	-	-	-	-	-	1	1	1	1	2	3	2	1	2	-	-	-	-
	Nonwhite--M--	11	1	2	1	1	-	-	1	-	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-
	F--	17	-	-	-	1	-	1	-	2	3	2	-	1	-	-	3	1	2	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	47	10	4	2	1	1	1	-	5	1	2	4	4	1	1	3	1	1	-	4	-	-	1	-	-	-
	White-----M--	13	3	-	1	-	1	1	-	1	-	-	1	2	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	7	1	1	-	1	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	3	-	1	-	-	-	-	1	-	2	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	14	3	3	-	-	-	-	-	2	1	-	-	1	-	-	-	-	1	-	2	-	-	1	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	12,861	8	3	4	3	3	20	22	36	43	86	129	238	424	595	985	1,207	1,472	1,809	1,815	1,754	1,217	639	224	59	66
	White-----M--	4,508	5	1	2	-	1	1	5	3	7	22	38	58	116	193	279	412	507	662	722	708	465	217	66	10	8
	F--	3,197	2	2	1	-	-	5	3	14	9	12	17	32	64	80	123	150	266	403	546	596	495	247	99	21	10
	Nonwhite--M--	2,535	1	-	1	2	2	5	6	6	11	18	20	50	111	159	267	326	351	380	280	239	137	96	28	13	26
	F--	2,621	-	-	-	1	-	9	8	13	16	34	54	98	133	163	316	319	348	364	267	211	120	79	31	15	22
330-334, 400-468	Diseases of cardiovascular system-	12,211	7	3	4	2	2	19	20	34	35	75	107	226	393	559	929	1,159	1,411	1,730	1,727	1,691	1,146	603	209	56	64
	White-----M--	4,350	5	1	2	-	1	1	3	3	7	20	32	55	110	187	269	400	497	639	702	687	444	208	59	10	8
	F--	3,071	2	2	1	-	-	5	3	14	6	10	15	32	59	77	118	143	255	391	519	582	477	234	96	20	10
	Nonwhite--M--	2,367	-	-	1	2	1	5	6	6	9	16	17	49	102	145	252	314	329	356	258	227	120	92	24	11	25
	F--	2,423	-	-	-	-	-	8	8	11	13	29	43	90	122	150	290	302	330	344	248	195	105	69	30	15	21
330-334	Vascular lesions, etc.*----------	3,342	4	2	1	1	-	3	4	9	7	16	27	62	95	147	256	301	366	471	477	491	336	176	52	15	23
	White-----M--	908	4	1	-	-	-	-	-	-	1	3	10	10	16	24	34	73	84	128	148	169	131	50	14	3	5
	F--	905	-	1	-	-	-	1	2	7	2	5	3	7	21	24	24	46	69	110	156	189	137	71	23	6	1
	Nonwhite--M--	691	-	-	1	1	-	1	1	2	1	2	1	20	21	45	80	79	103	114	67	65	32	32	7	4	12
	F--	838	-	-	-	-	-	1	1	-	3	6	13	25	37	54	118	103	110	119	106	68	36	23	8	2	5
400-402	Rheumatic fever---	48	-	-	-	1	1	15	10	5	2	5	2	1	1	2	1	1	1	1	1	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	3	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	1	-	4	3	1	-	2	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	5	6	2	1	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
410-443	Diseases of heart	8,071	3	1	2	-	1	3	6	19	24	43	69	146	269	376	627	815	984	1,168	1,160	1,094	701	362	131	33	34
	White----M--	3,206	1	-	1	-	-	-	2	2	5	15	22	44	88	150	228	316	399	483	521	486	266	129	39	7	2
	F--	1,950	2	1	1	-	-	1	1	6	3	3	10	23	36	47	88	93	173	262	336	354	294	141	58	10	7
	Nonwhite--M--	1,514	-	-	-	-	1	-	2	3	7	9	14	24	70	88	156	226	209	224	174	144	79	53	14	5	12
	F--	1,401	-	-	-	-	-	2	1	8	9	16	23	55	75	91	155	180	203	199	129	110	62	39	20	11	13
410-416	Chronic rheumatic heart disease	250	-	-	-	-	1	1	5	7	3	12	9	23	10	15	22	17	25	21	29	22	12	9	4	3	-
	White----M--	95	-	-	-	-	-	-	2	1	-	7	5	6	6	3	10	11	7	9	12	4	7	3	1	1	-
	F--	60	-	-	-	-	-	-	-	1	-	-	2	7	3	5	6	4	5	6	5	8	1	4	3	-	-
	Nonwhite--M--	43	-	-	-	-	1	-	2	-	1	1	2	2	-	4	2	1	8	5	6	6	1	1	-	-	-
	F--	52	-	-	-	-	-	1	1	5	2	4	-	8	1	3	4	1	5	1	6	4	3	1	-	2	-
420	Arteriosclerotic heart dis., etc.*	3,799	-	-	-	-	-	-	-	2	8	17	21	58	130	198	323	423	516	576	551	491	293	132	43	5	12
	White----M--	1,912	-	-	-	-	-	-	-	-	2	5	8	25	54	111	154	226	277	308	300	252	126	49	13	1	1
	F--	917	-	-	-	-	-	-	-	-	1	2	3	8	16	23	42	48	95	140	160	167	125	60	21	2	4
	Nonwhite--M--	556	-	-	-	-	-	-	-	1	3	6	6	12	35	32	72	88	86	74	57	43	23	12	3	-	3
	F--	414	-	-	-	-	-	-	-	1	2	4	4	13	25	32	55	61	58	54	34	29	19	11	6	2	4
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,246	-	-	-	-	-	1	1	1	3	1	5	12	26	33	71	80	119	175	213	195	151	95	41	10	13
	White----M--	372	-	-	-	-	-	-	-	-	-	-	1	3	4	5	8	17	28	45	84	75	55	34	10	3	-
	F--	322	-	-	-	-	-	1	1	-	1	-	1	1	4	3	19	6	14	26	53	66	66	35	18	4	3
	Nonwhite--M--	273	-	-	-	-	-	-	-	-	1	-	-	3	10	16	21	28	28	63	38	26	17	12	6	1	3
	F--	279	-	-	-	-	-	-	-	1	1	1	3	5	8	9	23	29	49	41	38	28	13	14	7	2	7
430-434	Other diseases of heart	670	3	1	2	-	-	1	-	6	8	8	14	30	38	36	62	64	74	97	76	72	42	20	9	6	1
	White----M--	273	1	-	1	-	-	-	-	1	3	3	8	9	13	15	24	22	34	44	37	37	13	4	4	-	-
	F--	122	2	1	1	-	-	-	-	2	1	1	-	4	4	6	5	6	10	19	20	16	15	4	4	1	-
	Nonwhite--M--	145	-	-	-	-	-	-	-	2	2	1	3	3	7	8	18	24	15	15	14	13	10	9	-	1	-
	F--	130	-	-	-	-	-	1	-	1	2	3	3	14	14	7	15	12	15	19	5	6	4	3	1	4	1
440-443	Hypertension with heart dis.	2,106	-	-	-	-	-	-	-	3	2	5	20	23	65	94	149	231	250	299	291	314	203	106	34	9	8
	White----M--	554	-	-	-	-	-	-	-	-	-	-	-	1	11	16	32	40	53	77	88	118	65	39	11	2	1
	F--	529	-	-	-	-	-	-	-	3	-	-	4	3	9	10	16	29	49	71	98	97	87	38	12	3	-
	Nonwhite--M--	497	-	-	-	-	-	-	-	-	-	1	3	4	18	28	43	65	72	67	59	56	28	19	5	3	6
	F--	526	-	-	-	-	-	-	-	-	2	4	13	15	27	40	58	77	76	84	46	43	23	10	6	1	1
444-447	Hypertension without mention of heart	321	-	-	-	-	-	-	-	-	1	8	5	14	18	15	25	21	36	44	39	31	39	16	5	1	3
	White----M--	69	-	-	-	-	-	-	-	-	-	2	-	-	4	2	5	4	6	9	8	7	15	6	1	-	-
	F--	77	-	-	-	-	-	-	-	-	1	-	1	1	1	3	3	1	7	10	12	11	19	4	3	-	-
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	-	2	-	4	5	7	6	4	11	7	11	7	3	3	-	-	1
	F--	104	-	-	-	-	-	-	-	-	-	4	4	9	8	3	11	12	12	18	8	6	2	3	1	1	2
450	General arteriosclerosis	326	-	-	-	-	-	-	-	-	-	-	-	-	-	6	10	10	17	34	39	67	64	49	20	7	3
	White----M--	112	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	10	19	21	28	23	4	-	1
	F--	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	10	25	27	18	12	4	1
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	2	4	11	6	11	6	4	3	2	-
	F--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	4	8	4	10	5	4	1	1	1
451-468	Other diseases of circulatory sys.	103	-	-	1	-	-	-	-	1	1	3	4	3	10	13	10	11	7	12	11	8	8	-	1	-	1
	White----M--	49	-	-	1	-	-	-	-	-	-	-	-	1	2	9	2	5	4	8	6	4	6	-	1	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	4	5	3	-	-	-	-	1
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	1	1	1	5	1	4	2	1	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	1	-	2	2	-	2	1	2	2	1	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*	650	1	-	-	1	1	1	2	2	8	11	22	12	31	36	56	48	61	79	88	63	71	36	15	3	2
	White----M--	158	-	-	-	-	-	-	2	-	-	2	6	3	6	6	10	12	10	23	20	21	21	9	7	-	-
	F--	126	-	-	-	-	-	-	-	-	3	2	2	-	5	3	5	7	11	12	27	14	18	13	3	1	-
	Nonwhite--M--	168	1	-	-	-	1	-	-	-	2	2	3	1	9	14	15	12	22	24	22	12	17	4	4	2	1
	F--	198	-	-	-	1	-	1	-	2	3	5	11	8	11	13	26	17	18	20	19	16	15	10	1	-	1
480-493	Influenza and pneumonia, etc.*	1,349	304	43	22	9	9	22	7	20	24	9	20	24	28	33	68	63	74	105	104	123	107	64	45	11	11
	White----M--	366	76	4	6	2	1	3	-	2	5	2	7	5	5	7	13	16	10	26	35	53	43	17	24	4	-
	F--	325	45	9	7	1	1	6	1	5	7	-	5	3	2	2	6	8	13	21	31	51	48	31	14	6	2
	Nonwhite--M--	356	97	19	7	3	4	11	2	7	6	4	3	8	10	14	28	22	33	32	17	13	4	7	2	-	3
	F--	302	86	11	2	3	3	2	4	6	6	3	5	8	11	10	21	17	18	26	21	6	12	9	5	1	6
480-483	Influenza	310	43	2	2	5	-	4	2	6	4	3	4	1	7	4	19	14	15	35	35	36	32	23	7	7	-
	White----M--	80	3	-	-	1	-	-	-	1	1	1	1	-	2	-	1	4	2	10	10	19	13	7	2	2	-
	F--	73	7	-	-	1	-	-	-	1	1	-	1	1	-	-	3	3	2	4	8	13	13	8	3	4	-
	Nonwhite--M--	71	15	2	2	-	-	3	1	2	2	1	-	-	1	2	7	2	10	7	7	1	1	4	1	-	-
	F--	86	18	-	-	3	-	1	1	2	-	1	2	-	4	2	8	5	1	14	10	3	5	4	1	1	-
490-493	Pneumonia, etc.*	1,039	261	41	20	4	9	18	5	14	20	6	16	23	21	29	49	49	59	70	69	87	75	41	38	4	11
	White----M--	286	73	4	6	1	1	3	-	1	4	1	6	5	3	7	12	12	8	16	25	34	30	10	22	2	-
	F--	252	38	9	7	-	1	6	1	4	6	-	4	2	2	2	3	5	11	17	23	38	35	23	11	2	2
	Nonwhite--M--	285	82	17	5	3	4	8	1	5	4	3	3	8	9	12	21	20	23	25	10	12	3	3	1	-	3
	F--	216	68	11	2	-	3	1	3	4	6	2	3	8	7	8	13	12	17	12	11	3	7	5	4	-	6
500-502	Bronchitis	42	8	3	1	3	1	1	-	-	-	1	-	-	-	1	2	3	2	3	7	3	2	-	-	-	1
	White----M--	19	2	1	-	2	1	-	-	-	-	1	-	-	-	1	1	1	1	2	3	2	1	-	-	-	-
	F--	9	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-
	F--	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1
540, 541	Ulcer of stomach and duodenum	106	-	-	-	-	-	-	-	-	-	2	6	6	7	11	10	18	8	10	12	5	4	5	1	-	1
	White----M--	63	-	-	-	-	-	-	-	-	-	1	4	1	2	9	8	8	4	9	8	2	3	2	1	-	1
	F--	18	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	2	1	4	3	1	2	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	3	2	-	-	-	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	5	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	54	-	-	-	1	-	2	6	4	2	6	2	3	1	2	4	4	4	3	1	6	2	-	-	-	1
	White----M--	27	-	-	-	1	-	2	2	1	-	2	1	3	-	2	2	3	2	1	-	3	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	1	1	1	2	-	-	-	-	1
	Nonwhite--M--	10	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	2	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	132	9	1	1	-	-	1	-	3	-	1	-	4	8	11	6	11	14	20	12	9	8	6	6	1	-
	White----M--	43	3	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	7	11	4	4	3	3	3	-	-
	F--	38	2	-	-	-	-	-	-	-	-	1	-	-	3	4	1	3	2	4	6	3	3	2	3	1	-
	Nonwhite--M--	28	2	1	1	-	-	-	-	2	-	-	-	2	-	5	3	2	2	2	2	2	2	-	-	-	-
	F--	23	2	-	-	-	-	-	-	1	-	-	-	2	5	2	-	4	3	3	-	-	-	1	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
543, 571, 572	Gastritis, etc.*--	208	117	30	6	5	2	3	-	-	-	1	-	1	1	6	6	1	3	4	7	5	5	3	1	1	-
	White-----M--	38	19	5	-	-	-	2	-	-	-	-	-	-	1	-	2	-	-	1	4	1	1	1	1	-	-
	F--	44	21	7	2	1	1	-	-	-	-	1	-	-	-	1	-	-	-	2	2	3	3	-	-	-	-
	Nonwhite--M--	69	45	7	2	1	1	1	-	-	-	-	-	-	-	2	2	1	2	1	1	1	1	-	-	1	-
	F--	57	32	11	2	3	-	-	-	-	-	-	-	1	-	3	2	-	1	-	-	-	-	2	-	-	-
581	Cirrhosis of liver	152	1	-	-	-	-	1	1	-	1	1	1	8	17	19	19	11	21	22	9	15	1	3	-	-	1
	White-----M--	79	1	-	-	-	-	1	1	-	1	-	-	3	8	8	9	4	11	14	5	10	1	2	-	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	2	5	3	3	4	-	1	-	-	1
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	1	1	1	6	5	4	3	3	4	1	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	2	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	92	3	1	3	2	2	9	2	1	2	6	4	4	-	5	7	3	7	8	6	7	6	2	2	-	-
	White-----M--	27	1	-	-	-	2	2	1	-	1	1	2	-	-	1	1	1	1	3	4	3	3	-	-	-	-
	F--	20	1	-	-	-	-	3	-	-	-	2	1	-	-	-	-	1	2	1	-	4	1	2	2	-	-
	Nonwhite--M--	18	1	1	1	-	-	1	-	-	-	-	1	1	-	1	4	1	-	3	1	-	2	-	-	-	-
	F--	27	-	-	2	2	-	3	1	1	1	3	-	3	-	3	2	-	4	1	1	-	-	-	-	-	-
610	Hyperplasia of prostate----------	120	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	8	20	25	28	23	5	2	-	2
	White-----M--	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	10	19	16	4	2	-	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	8	14	15	9	7	1	-	-	2
640-689	Complications of pregnancy, etc.*-	153	...	...	...	...	...	...	-	12	31	30	27	41	11	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	52	...	...	...	...	...	...	-	2	10	11	9	18	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	101	...	...	...	...	...	...	-	10	21	19	18	23	9	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	15	...	...	...	...	...	...	-	1	5	5	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	...	...	...	...	...	...	-	1	4	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	138	...	...	...	...	...	...	-	11	26	25	27	38	10	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	47	...	...	...	...	...	...	-	2	9	9	9	16	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	91	...	...	...	...	...	...	-	9	17	16	18	22	8	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	332	256	20	6	6	1	4	5	8	7	5	-	6	3	-	2	3	-	-	-	-	-	-	-	-	-
	White-----M--	131	100	7	2	2	-	2	2	2	5	2	-	3	1	-	1	2	-	-	-	-	-	-	-	-	-
	F--	115	94	5	1	2	-	-	1	3	1	3	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	50	37	5	2	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	25	3	1	1	1	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,712	1,711	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	585	585	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	381	381	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	429	428	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	317	317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	564	564	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,024	1,023	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	312	312	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	264	263	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	1,513	361	22	4	6	3	9	3	8	5	18	18	28	31	48	80	83	96	129	111	116	146	82	54	20	32
	White-----M--	316	46	5	-	1	2	2	-	-	-	4	4	10	5	15	17	21	18	29	28	36	32	17	16	6	2
	F--	199	34	3	-	-	-	3	-	-	1	-	4	1	6	1	4	8	8	18	19	18	37	13	18	1	2
	Nonwhite--M--	529	159	6	1	3	1	1	1	3	2	2	4	9	9	13	37	27	36	48	35	37	42	25	10	9	9
	F--	469	122	8	3	2	-	3	2	5	2	12	6	8	11	19	22	27	34	34	29	25	35	27	10	4	19
Residual	All other diseases	1,329	93	27	11	11	12	27	11	16	31	38	50	59	59	74	89	113	110	134	123	104	61	44	15	5	12
	White-----M--	438	27	7	3	2	8	7	3	4	8	10	10	22	11	24	32	37	44	53	48	41	20	12	4	1	-
	F--	385	18	7	4	1	2	8	3	3	5	10	18	12	13	19	13	27	32	43	47	43	24	22	8	3	-
	Nonwhite--M--	266	22	7	2	5	-	8	4	5	9	12	8	8	15	16	22	26	17	21	22	12	10	3	2	1	9
	F--	240	26	6	2	3	2	4	1	4	9	6	14	17	20	15	22	23	17	17	6	8	7	7	1	-	3
E800-E962	Accidents----------	2,054	112	42	39	42	30	76	83	158	177	169	125	148	123	108	89	86	87	73	83	60	56	38	28	9	13
	White-----M--	985	27	17	13	17	4	32	40	87	95	107	72	77	72	55	43	44	55	38	32	19	14	14	4	2	5
	F--	357	24	6	8	12	10	19	9	24	25	9	13	13	11	10	11	12	8	10	26	28	31	13	18	4	1
	Nonwhite--M--	498	32	9	11	8	10	13	29	39	43	41	34	43	32	34	28	18	15	18	19	9	4	2	2	3	2
	F--	214	29	10	7	5	6	12	5	8	14	12	6	15	8	9	7	12	9	7	4	4	7	9	4	-	5
E810-E835	Motor-vehicle accidents--------	872	8	9	14	19	10	42	29	97	120	93	70	72	60	46	36	39	26	24	23	16	5	7	-	1	6
	White-----M--	498	4	5	5	10	3	16	14	59	67	69	38	42	39	20	17	21	18	15	17	9	1	5	-	-	4
	F--	131	3	1	5	4	5	12	5	16	17	4	12	7	8	7	5	7	4	2	2	2	3	-	-	-	-
	Nonwhite--M--	187	1	1	4	4	1	7	8	20	27	18	18	15	10	16	10	8	3	4	4	5	1	-	-	1	1
	F--	56	-	2	-	1	1	7	2	2	9	2	2	8	3	3	4	3	1	3	-	-	-	2	-	-	1
E800-E802, E840-E962	All ot. accidents-	1,182	104	33	25	23	20	34	54	61	57	76	55	76	63	62	53	47	61	49	60	44	51	31	28	8	7
	White-----M--	487	23	12	8	7	1	16	26	28	28	38	34	35	33	35	26	23	37	25	15	10	13	9	4	2	1
	F--	226	21	5	3	8	5	7	4	8	8	5	1	6	3	3	6	5	4	8	26	26	28	13	18	4	1
	Nonwhite--M--	311	31	8	7	4	9	6	21	19	16	23	16	28	22	18	18	10	12	14	15	4	3	2	2	2	1
	F--	158	29	8	7	4	5	5	3	6	5	10	4	7	5	6	3	9	8	4	4	4	7	7	4	-	4
E963, E970-E979	Suicide----------	185	-	-	-	-	-	-	1	4	10	18	15	16	25	17	17	25	4	12	9	3	5	1	-	-	1
	White-----M--	144	-	-	-	-	-	-	-	2	4	13	9	13	21	17	14	19	4	12	7	3	5	-	-	-	1
	F--	20	-	-	-	-	-	-	-	-	4	2	5	1	3	-	2	2	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	1	1	2	3	1	1	1	-	1	3	-	-	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	354	3	-	1	-	-	1	1	22	55	45	51	52	37	31	21	9	12	7	3	1	1	-	-	-	1
	White-----M--	75	2	-	1	-	-	1	-	2	5	5	12	11	11	7	5	4	6	3	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	2	2	1	3	3	1	1	5	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	204	-	-	-	-	-	-	1	14	34	32	30	29	21	18	10	5	3	4	1	-	1	-	-	-	1
	F--	54	1	-	-	-	-	-	-	4	14	7	6	9	4	5	1	-	2	-	1	-	-	-	-	-	-
E965, E980-E999	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA																										
	ALL CAUSES	7,098	1,127	145	63	43	24	70	58	93	138	156	169	208	267	335	438	519	607	652	661	540	397	231	92	22	23
	White---M	3,720	399	35	17	14	6	31	23	44	62	78	75	128	160	180	269	331	389	418	379	298	216	106	42	11	9
	F	2,152	338	32	16	8	7	21	20	22	28	38	55	53	89	104	97	140	168	188	221	198	147	104	41	11	6
	Nonwhite--M	725	216	38	15	11	6	12	12	16	25	25	26	12	26	30	45	31	36	30	38	32	22	11	5	-	5
	F	501	174	40	15	10	5	6	3	11	23	15	13	15	12	21	27	17	14	16	23	12	12	10	4	-	3
001-019	Tuberculosis all forms	440	5	14	10	5	2	8	2	9	28	27	31	36	28	33	47	35	43	27	19	13	6	8	2	1	1
	White---M	239	-	2	1	1	-	2	-	1	5	9	15	22	15	20	36	30	33	16	15	7	1	4	2	1	1
	F	73	-	2	1	-	-	1	-	1	4	8	6	7	10	8	3	2	7	7	1	1	2	2	-	-	-
	Nonwhite--M	75	2	5	4	2	-	4	2	5	10	2	8	3	2	4	6	2	2	1	2	4	3	2	-	-	-
	F	53	3	5	4	2	2	1	-	2	9	8	2	4	1	1	2	1	1	3	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	403	2	10	4	1	-	4	1	7	26	26	31	34	28	33	45	31	43	27	19	13	6	8	2	1	1
	White---M	228	-	1	-	-	-	-	-	1	5	9	15	21	15	20	35	26	33	16	15	7	1	4	2	1	1
	F	69	-	1	-	-	-	1	-	-	3	8	6	7	10	8	3	2	7	7	1	1	2	2	-	-	-
	Nonwhite--M	65	1	4	2	1	-	2	1	4	10	2	8	3	2	4	5	2	2	1	2	4	3	2	-	-	-
	F	41	1	4	2	-	-	1	-	2	8	7	2	3	1	1	2	1	1	3	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms	37	3	4	6	4	2	4	1	2	2	1	-	2	-	-	2	4	-	-	-	-	-	-	-	-	-
	White---M	11	-	1	1	1	-	2	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	-	-
	F	4	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	10	1	1	2	1	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	12	2	1	2	2	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	45	6	-	-	-	-	-	-	-	-	-	3	1	-	1	6	8	5	6	3	4	2	-	-	-	-
	White---M	20	1	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	3	4	-	2	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	2	-	2	-	-	-	-
	Nonwhite--M	11	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	1	2	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	20	15	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White---M	10	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	27	14	5	4	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White---M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	4	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	5	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	6	2	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	19	2	-	2	1	1	2	3	3	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	10	-	-	1	1	-	-	3	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	1	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	19	7	8	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	38	5	4	1	1	-	-	3	-	-	2	3	3	2	2	2	2	2	2	3	1	-	-	-	-	-
	White---M	14	2	2	-	-	-	-	-	-	-	-	2	1	-	2	-	-	1	2	1	1	-	-	-	-	-
	F	12	2	-	-	1	-	-	2	-	-	1	-	2	-	-	2	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	6	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
140-205	Malignant neoplasms, etc.*----	794	1	1	4	4	1	5	7	3	4	6	13	10	36	66	82	89	115	103	97	75	51	15	4	2	-
	White------M--	389	-	-	2	3	-	4	1	1	3	1	2	5	20	23	38	40	56	61	47	41	31	8	1	1	-
	F--	348	1	1	1	-	1	1	5	1	1	5	7	4	14	40	37	40	49	37	46	29	17	7	3	1	-
	Nonwhite--M--	38	-	-	1	-	-	-	1	1	-	-	3	-	1	1	5	4	9	3	2	5	2	-	-	-	-
	F--	19	-	-	-	1	-	-	-	-	-	-	1	1	1	2	2	5	1	2	2	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	1	1	2	-	-	-	-
	White------M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	4	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	261	-	-	-	-	-	-	1	-	1	-	4	2	6	15	26	22	44	45	37	28	23	6	1	-	-
	White------M--	135	-	-	-	-	-	-	-	-	1	-	-	1	3	4	14	11	23	32	16	17	11	2	-	-	-
	F--	98	-	-	-	-	-	-	1	-	-	-	1	1	3	9	9	7	17	8	18	9	10	4	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	3	3	1	2	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	1	2	2	-	1	-	-	-	-
160-164	Of respiratory system----------	96	-	-	-	-	-	-	-	-	-	-	1	1	5	11	12	12	25	9	9	7	1	2	1	-	-
	White------M--	76	-	-	-	-	-	-	-	-	-	-	-	-	5	9	8	11	21	8	7	4	1	2	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	2	1	2	2	-	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	64	-	-	-	-	-	-	-	-	-	-	1	-	5	9	10	8	9	4	8	6	1	1	1	1	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	64	-	-	-	-	-	-	-	-	-	-	1	-	5	9	10	8	9	4	8	6	1	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	134	-	-	-	1	-	-	-	-	-	2	2	1	2	14	8	20	11	20	23	18	8	4	-	-	-
	White------M--	48	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	4	2	8	12	8	7	3	-	-	-
	F--	81	-	-	-	-	-	-	-	-	-	2	2	1	2	13	6	15	8	12	10	8	1	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	43	1	-	-	-	1	-	-	-	-	-	-	-	3	3	1	2	7	6	6	5	7	1	-	-	-
	White------M--	28	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	5	3	3	5	6	-	-	-	-
	F--	14	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	2	3	3	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	107	-	1	1	3	-	3	2	-	1	2	2	4	4	12	16	17	12	8	6	7	5	-	-	1	-
	White------M--	49	-	-	-	2	-	3	-	-	1	-	1	4	1	6	6	9	3	3	2	4	3	-	-	1	-
	F--	47	-	1	-	-	-	-	2	-	-	2	1	-	2	5	7	5	8	5	4	3	2	-	-	-	-
	Nonwhite--M--	6	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	47	-	-	2	-	-	1	2	1	1	1	3	1	7	2	5	5	3	4	3	2	4	-	-	-	-
	White------M--	29	-	-	1	-	-	-	-	-	1	1	1	-	6	1	4	2	2	2	3	2	3	-	-	-	-
	F--	14	-	-	1	-	-	1	2	1	-	-	1	-	1	1	1	2	-	2	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	27	-	-	1	-	-	1	2	2	1	1	-	-	1	3	-	3	1	2	2	4	1	-	1	1	-
	White------M--	15	-	-	1	-	-	1	1	1	-	-	-	-	2	-	2	-	-	1	3	1	-	1	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	1	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	15	-	-	-	-	-	2	-	-	-	2	3	1	2	-	1	1	1	-	1	-	1	-	-	-	-
	White------M--	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	63	-	-	-	-	-	-	1	2	1	-	-	2	2	3	4	7	7	12	10	7	2	3	-	-	-
	White------M--	23	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	4	2	3	5	5	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	1	1	-	-	-	1	1	2	2	4	8	5	2	2	2	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	27	4	1	-	-	-	1	-	-	1	-	-	-	-	2	-	4	1	4	3	3	-	-	-	-	-
	White------M--	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	2	2	-	-	-	-	-
	F--	9	1	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	2	-	1	1	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	20	6	2	3	-	-	2	1	2	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White------M--	7	-	1	2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	2	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	2,456	12	-	1	-	-	5	3	9	14	14	14	37	77	98	149	228	274	334	379	337	239	151	61	10	10
	White------M--	1,459	3	-	-	-	-	2	3	4	5	7	6	17	47	61	90	160	184	218	231	181	135	68	28	3	6
	F--	809	3	-	-	-	-	1	-	5	4	3	5	13	23	24	35	54	73	100	127	136	92	74	28	7	2
	Nonwhite--M--	113	5	-	1	-	-	1	-	-	3	2	2	3	5	6	10	9	14	13	14	11	8	3	2	-	1
	F--	75	1	-	-	-	-	1	-	-	2	2	1	4	2	7	14	5	3	3	7	9	4	6	3	-	1
330-334, 400-468	Diseases of cardiovascular system-	2,387	11	-	1	-	-	2	3	8	11	13	11	35	72	93	145	224	266	325	375	329	233	150	60	10	10
	White------M--	1,437	3	-	-	-	-	1	3	3	4	7	5	16	45	59	89	160	179	216	230	179	134	67	28	3	6
	F--	774	3	-	-	-	-	-	-	5	3	3	4	12	21	21	35	50	70	95	124	130	88	74	27	7	2
	Nonwhite--M--	106	4	-	1	-	-	-	-	-	2	1	2	3	4	6	10	9	14	12	14	11	7	3	2	-	1
	F--	70	1	-	-	-	-	1	-	-	2	2	-	4	2	7	11	5	3	2	7	9	4	6	3	-	1
330-334	Vascular lesions, etc.*----------	440	6	-	-	-	-	-	-	-	1	1	-	4	7	11	17	30	38	52	87	70	62	31	20	1	2
	White------M--	222	1	-	-	-	-	-	-	-	-	-	-	2	5	6	5	19	19	30	45	35	30	15	10	-	-
	F--	187	1	-	-	-	-	-	-	-	-	-	-	-	2	2	8	9	17	21	37	34	31	14	9	1	1
	Nonwhite--M--	16	3	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	2	1	3	-	-	-	-	-	-	1
	F--	15	1	-	-	-	-	-	-	-	-	1	-	1	-	1	3	1	-	-	2	1	1	2	1	-	-
400-402	Rheumatic fever----	10	1	-	-	-	-	1	1	3	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	White------M--	5	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
410-443	Diseases of heart	1,742	2	-	1	-	-	1	2	3	8	10	10	28	59	76	115	184	210	255	265	239	139	88	36	5	6
	White----M	1,114	1	-	-	-	-	1	2	1	4	6	5	14	36	50	77	136	150	175	170	135	84	43	16	3	5
	F	501	1	-	-	-	-	-	-	2	2	2	3	10	17	17	22	37	47	67	81	86	48	41	16	2	-
	Nonwhite--M	82	-	-	1	-	-	-	-	-	1	1	2	2	4	4	9	7	10	11	10	11	6	1	2	-	-
	F	45	-	-	-	-	-	-	-	-	1	1	-	2	2	5	7	4	3	2	4	7	1	3	2	-	1
410-416	Chronic rheumatic heart disease	77	-	-	-	-	-	1	2	2	3	6	4	4	10	6	5	9	6	6	7	2	-	3	1	-	-
	White----M	41	-	-	-	-	-	1	2	-	1	3	3	-	7	3	4	2	4	5	4	2	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	2	1	2	1	3	2	1	1	6	2	1	3	-	-	3	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	1,007	-	-	1	-	-	-	-	-	1	2	-	12	34	47	68	120	132	168	153	130	67	44	21	4	3
	White----M	703	-	-	-	-	-	-	-	-	1	1	-	9	26	35	51	97	100	118	103	79	41	26	11	2	3
	F	252	-	-	-	-	-	-	-	-	-	-	-	3	6	9	10	20	24	44	43	43	23	17	8	2	-
	Nonwhite--M	38	-	-	1	-	-	-	-	-	-	1	-	-	2	2	4	3	7	6	5	3	3	-	1	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	2	5	-	1	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	272	-	-	-	-	-	-	-	1	2	-	1	2	4	8	10	19	23	40	33	55	43	20	9	1	1
	White----M	164	-	-	-	-	-	-	-	1	1	-	1	2	-	3	5	12	19	28	23	26	27	10	4	1	1
	F	79	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	3	4	8	7	21	13	9	5	-	-
	Nonwhite--M	21	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	3	-	3	1	7	2	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	1	-	-	-	-
430-434	Other diseases of heart	119	2	-	-	-	-	-	-	-	2	-	4	6	5	5	16	12	14	11	23	9	2	5	2	-	1
	White----M	79	1	-	-	-	-	-	-	-	1	-	1	3	3	3	11	10	11	7	16	6	2	2	1	-	1
	F	30	1	-	-	-	-	-	-	-	1	-	2	2	2	1	1	1	3	4	7	2	-	2	1	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-
440-443	Hypertension with heart dis.	267	-	-	-	-	-	-	-	-	-	2	1	4	6	10	16	24	35	30	49	43	27	16	3	-	1
	White----M	127	-	-	-	-	-	-	-	-	-	2	-	-	-	6	6	15	16	17	24	22	14	5	-	-	-
	F	112	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	8	7	14	10	21	20	12	10	2	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	3	2	4	-	1	-	1	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	1	-	1	-	1	-	-	1
444-447	Hypertension without mention of heart	50	-	-	-	-	-	-	-	-	-	-	-	1	2	3	7	2	5	5	5	6	6	8	-	-	-
	White----M	24	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	2	2	3	3	4	2	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	3	1	3	1	5	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
450	General arteriosclerosis	101	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	7	8	12	13	26	22	4	4	2
	White----M	52	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	6	7	6	16	7	2	-	1
	F	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	8	13	2	4	1
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
451-468	Other diseases of circulatory sys.	44	2	-	-	-	-	-	-	2	2	1	1	1	3	3	6	6	6	4	5	1	-	1	-	-	-
	White----M	20	1	-	-	-	-	-	-	1	-	-	-	-	2	1	3	3	3	2	4	-	-	-	-	-	-
	F	21	1	-	-	-	-	-	-	1	1	1	1	1	1	1	3	3	2	2	1	1	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	69	1	-	-	-	-	3	-	1	3	1	3	2	5	5	4	4	8	9	4	8	6	1	1	-	-
	White----M	22	-	-	-	-	-	1	-	1	1	-	1	1	2	2	1	-	5	2	1	2	1	1	-	-	-
	F	35	-	-	-	-	-	1	-	-	1	-	1	1	2	3	-	4	3	5	3	6	4	-	1	-	-
	Nonwhite--M	7	1	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	360	147	28	10	3	5	9	3	3	5	8	4	3	6	8	7	6	13	18	20	18	20	8	4	3	1
	White----M	116	30	4	3	3	1	3	-	1	2	1	1	2	5	6	6	3	5	9	8	9	8	3	1	2	-
	F	99	32	5	4	-	1	3	2	-	3	6	1	1	1	1	-	2	5	4	5	5	8	5	3	1	1
	Nonwhite--M	84	55	9	1	-	2	1	1	-	-	-	1	-	-	1	1	1	3	3	2	2	-	-	-	-	-
	F	61	30	10	2	-	1	2	-	2	-	1	1	-	-	-	-	-	2	2	4	2	2	-	-	-	-
480-483	Influenza	33	7	2	-	-	1	2	1	-	-	1	-	1	-	1	2	-	1	2	2	3	3	-	2	1	1
	White----M	14	3	1	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	1	3	-	-	1	-	-
	F	12	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	1	1	1
	Nonwhite--M	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	327	140	26	10	3	4	7	2	3	5	7	4	2	6	7	5	6	12	16	18	15	17	8	2	2	-
	White----M	102	27	3	3	3	1	3	-	1	2	1	1	1	5	5	4	3	5	8	7	6	8	3	-	2	-
	F	87	29	5	4	-	1	2	1	-	3	5	1	1	1	1	-	2	4	4	5	5	6	5	2	-	-
	Nonwhite--M	81	55	9	1	-	1	1	1	-	-	-	1	-	-	1	1	1	1	3	2	2	1	-	-	-	-
	F	57	29	9	2	-	1	1	-	2	-	1	1	-	-	-	-	-	2	1	4	2	2	-	-	-	-
500-502	Bronchitis	19	5	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	3	3	1	1	-	-	-	-
	White----M	13	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	3	1	1	1	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	30	1	-	-	-	-	-	-	-	1	-	1	2	1	2	4	2	7	2	2	3	-	1	-	1	-
	White----M	24	-	-	-	-	-	-	-	-	1	-	1	2	1	-	4	2	5	1	2	3	-	1	-	1	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	18	-	-	1	-	-	1	1	1	-	-	2	1	1	1	2	2	2	2	1	-	-	-	-	-	-
	White----M	8	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	1	2	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	41	6	-	-	-	-	-	-	-	1	-	1	5	3	2	2	3	5	1	4	2	3	2	1	-	-
	White----M	20	3	-	-	-	-	-	-	-	1	-	1	4	1	-	2	2	2	-	2	-	1	1	-	-	-
	F	16	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	2	2	2	1	1	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
543, 571, 572	Gastritis, etc.*--	236	177	31	4	2	-	2	1	1	1	1	1	-	-	-	2	-	5	3	2	1	2	-	-	-	-
	White-----M--	54	44	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-
	F--	43	31	5	-	1	-	1	1	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	68	50	12	1	1	-	1	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	71	52	11	3	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-
581	Cirrhosis of liver	63	-	-	-	-	-	-	-	-	-	-	4	3	5	6	8	8	9	7	5	7	-	1	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	1	2	3	4	7	7	5	6	4	4	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	1	3	-	1	3	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	14	1	-	-	-	-	1	1	1	-	2	1	1	3	-	-	-	1	-	2	-	-	-	-	-	-
	White-----M--	7	1	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	3	6	2	3	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	3	6	2	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	24	...	...	...	...	...	...	1	-	7	6	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	...	...	...	...	...	...	-	-	5	5	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	4	...	...	...	...	...	...	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	20	...	...	...	...	...	...	1	-	6	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	...	...	...	...	...	...	-	-	5	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	128	101	3	2	1	1	3	5	2	1	-	-	2	2	2	1	1	1	-	-	-	-	-	-	-	-
	White-----M--	58	47	1	-	1	-	1	2	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-
	F--	50	35	2	2	-	1	2	2	2	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	12	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	490	490	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	267	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	303	51	6	3	5	-	2	2	-	3	5	2	6	5	18	21	13	34	29	34	19	15	10	14	2	4
	White-----M--	140	10	1	-	-	-	-	-	-	1	5	-	3	2	10	11	8	23	19	18	9	8	3	7	2	-
	F--	59	15	2	1	-	-	1	-	-	-	-	-	-	1	2	2	4	5	8	5	4	4	1	4	-	-
	Nonwhite--M--	64	13	2	1	4	-	2	-	-	2	-	-	1	1	2	6	1	4	-	8	6	2	3	3	-	3
	F--	40	13	1	1	1	-	1	-	-	-	-	2	2	1	4	2	-	2	2	3	-	1	3	-	-	1
Residual	All other diseases	536	34	14	2	7	4	1	2	6	8	7	15	25	37	31	47	68	45	62	45	30	27	14	1	2	2
	White-----M--	301	12	3	-	1	1	1	1	2	4	4	5	12	18	13	35	36	38	48	25	20	12	9	-	1	-
	F--	158	10	5	-	2	2	-	1	3	3	1	8	10	17	13	6	22	7	11	12	8	9	5	-	1	2
	Nonwhite--M--	42	7	1	2	2	-	-	-	1	1	1	1	-	1	4	3	7	-	2	5	2	3	-	-	-	-
	F--	35	5	5	-	2	1	-	-	1	-	1	1	3	1	1	3	3	-	1	3	-	3	-	1	-	-
E800-E962	Accidents----------	659	34	23	12	12	5	22	22	47	49	62	50	45	51	42	35	27	25	28	16	14	16	15	2	1	4
	White-----M--	390	8	14	6	4	3	16	12	31	33	43	30	38	29	26	21	16	16	16	5	8	6	7	-	-	2
	F--	143	15	6	4	4	-	4	6	5	4	6	10	6	10	6	3	9	6	8	8	6	8	6	2	1	-
	Nonwhite--M--	92	7	3	1	2	1	2	4	8	5	12	6	1	9	8	9	2	3	3	2	-	2	1	-	-	1
	F--	34	4	-	1	2	1	-	-	3	7	1	4	-	3	2	2	-	-	1	1	-	-	1	-	-	1
E810-E835	Motor-vehicle accidents---------	332	4	6	5	4	1	7	11	32	35	31	28	28	38	21	18	17	19	14	3	4	1	3	-	-	2
	White-----M--	205	-	4	3	2	1	5	7	21	21	24	14	22	21	13	7	7	13	13	1	3	1	1	-	-	1
	F--	65	1	2	1	1	-	2	4	5	4	3	7	6	8	2	3	9	3	1	1	1	-	1	-	-	-
	Nonwhite--M--	40	1	-	-	1	-	-	-	3	4	3	4	-	7	4	6	1	3	-	1	-	-	1	-	-	1
	F--	22	2	-	1	-	-	-	-	3	6	1	3	-	2	2	2	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	327	30	17	7	8	4	15	11	15	14	31	22	17	13	21	17	10	6	14	13	10	15	12	2	1	2
	White-----M--	185	8	10	3	2	2	11	5	10	12	19	16	16	8	13	14	9	3	3	4	5	5	6	-	-	1
	F--	78	14	4	3	3	-	2	2	-	-	3	3	-	2	4	-	-	3	7	7	5	8	5	2	1	-
	Nonwhite--M--	52	6	3	1	1	1	2	4	5	1	9	2	1	2	4	3	1	-	3	1	-	3	-	-	-	-
	F--	12	2	-	-	2	1	-	-	-	1	-	1	-	1	-	-	-	-	1	1	-	-	1	-	-	1
E963, E970-E979	Suicide----------	109	-	-	-	-	-	-	1	7	4	11	17	14	13	9	11	6	5	5	2	3	1	-	-	-	-
	White-----M--	77	-	-	-	-	-	-	-	3	1	6	11	9	10	8	11	5	4	4	2	3	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	2	5	5	4	2	1	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	2	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	46	1	1	1	-	-	-	-	3	4	8	3	4	7	4	6	1	1	-	1	-	-	-	-	-	1
	White-----M--	21	-	-	-	-	-	-	-	1	2	4	1	3	3	1	3	1	1	-	1	-	-	-	-	-	-
	F--	5	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	18	-	-	-	-	-	-	-	2	1	4	2	1	3	2	3	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS																										
	ALL CAUSES--------	15,776	1,274	133	78	61	55	131	115	195	239	237	279	354	488	653	905	1,179	1,383	1,758	1,849	1,863	1,405	707	325	66	44
	White-----M--	6,870	503	32	30	23	19	55	60	76	96	97	106	149	171	274	397	544	645	797	836	901	603	301	125	20	10
	F--	4,506	367	35	19	17	19	37	25	39	48	50	70	74	126	163	189	239	333	439	586	635	545	267	142	34	8
	Nonwhite--M--	2,355	224	42	15	10	9	25	20	54	49	56	49	57	85	94	144	216	229	300	242	178	153	67	25	4	6
	F--	2,045	180	24	14	11	8	14	10	26	46	34	54	74	106	122	175	178	176	222	185	149	104	72	33	8	20
001-019	Tuberculosis all forms--------	566	7	4	6	3	-	4	4	23	24	35	26	27	38	52	55	54	45	61	42	38	13	3	1	-	1
	White-----M--	227	4	1	3	-	-	-	-	1	1	4	5	11	17	21	27	28	23	30	25	18	5	3	-	-	-
	F--	136	-	-	1	1	-	1	-	5	6	10	9	3	6	11	11	9	10	16	12	18	7	-	-	-	-
	Nonwhite--M--	123	2	3	1	1	-	3	2	7	9	13	8	5	10	10	12	9	8	12	4	2	1	-	1	-	-
	F--	80	1	-	1	1	-	-	2	10	8	8	4	8	5	10	5	8	4	3	1	-	-	-	-	-	1
001-008	Tuberculosis of respiratory system----------	529	4	1	3	-	-	3	3	20	24	33	24	25	34	48	54	54	43	61	40	37	13	3	1	-	1
	White-----M--	215	2	-	1	-	-	-	-	-	1	4	5	11	15	20	27	28	21	30	24	18	5	3	-	-	-
	F--	127	-	-	-	-	-	-	-	4	6	10	9	3	6	8	11	9	10	16	11	17	7	-	-	-	-
	Nonwhite--M--	111	1	1	1	-	-	3	1	6	9	11	6	5	9	10	11	9	8	12	4	2	1	-	1	-	-
	F--	76	1	-	1	-	-	-	2	10	8	8	4	6	4	10	5	8	4	3	1	-	-	-	-	-	1
010-019	Tuberculosis, other forms------	37	3	3	3	3	-	1	1	3	-	2	2	2	4	4	1	-	2	-	2	1	-	-	-	-	-
	White-----M--	12	2	1	2	-	-	-	-	1	-	-	-	-	2	1	-	-	2	-	1	-	-	-	-	-	-
	F--	9	-	-	1	1	-	1	-	1	-	-	-	-	-	3	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	12	1	2	-	1	-	-	1	1	-	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	83	3	-	-	-	-	-	-	1	1	-	1	1	8	11	12	11	12	10	3	5	2	2	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	4	4	2	3	1	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	32	3	-	-	-	-	-	-	-	1	-	1	-	3	4	4	4	4	6	-	1	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	-	-	-	-	4	2	3	2	2	-	1	1	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	30	16	3	2	-	1	-	-	-	1	-	-	-	-	-	1	-	1	1	1	1	2	-	-	-	-
	White-----M--	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	14	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	8	2	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	White-----M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
055	Diphtheria--------	16	2	3	3	1	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	2	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	30	17	6	2	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	9	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	5	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	9	2	1	1	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	19	1	-	3	-	-	5	5	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	3	-	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	16	1	5	1	1	2	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	10	1	2	1	-	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	8	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	2	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	80	24	5	3	2	3	4	1	1	1	3	-	2	1	3	4	4	6	3	4	2	3	-	1	-	-
	White-----M--	30	6	1	1	1	1	3	-	-	1	2	-	-	-	2	1	2	4	1	1	1	1	-	1	-	-
	F--	19	7	-	-	-	1	-	1	-	-	1	-	-	-	1	3	-	1	-	2	1	1	-	-	-	-
	Nonwhite--M--	17	5	4	2	1	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	F--	14	6	-	-	-	1	-	-	-	-	-	-	2	1	-	-	1	1	1	1	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
140-205	Malignant neoplasms, etc.*----	1,907	1	3	5	5	5	10	10	13	9	21	32	46	99	110	173	210	225	254	263	214	121	53	20	2	3
	White-----M--	787	1	2	1	2	2	6	6	7	6	11	12	20	27	24	62	79	105	111	115	103	50	24	10	1	-
	F--	746	-	1	3	2	2	2	2	5	3	7	17	16	47	60	75	74	73	84	102	85	54	21	9	1	1
	Nonwhite--M--	160	-	-	1	-	1	1	-	1	-	-	1	2	7	6	9	25	21	24	32	16	9	4	-	-	-
	F--	214	-	-	-	1	-	1	2	-	-	3	2	8	18	20	27	32	26	35	14	10	8	4	1	-	2
140-148	Of buccal cavity and pharynx------	36	-	-	-	-	-	-	1	1	-	-	-	-	6	2	1	7	2	3	3	3	5	1	1	-	-
	White-----M--	20	-	-	-	-	-	-	1	-	-	-	-	-	5	1	-	3	2	-	2	2	3	-	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	2	1	1	2	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	640	-	-	-	-	-	-	-	2	1	5	7	13	21	23	47	74	87	89	113	88	44	20	5	-	1
	White-----M--	281	-	-	-	-	-	-	-	1	-	-	3	7	8	8	21	32	42	44	47	42	16	8	2	-	-
	F--	230	-	-	-	-	-	-	-	1	1	3	4	3	8	10	16	19	24	25	49	34	21	9	3	-	-
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	12	11	10	12	7	4	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	2	-	2	2	1	6	11	10	10	5	5	3	3	-	-	1
160-164	Of respiratory system----------	158	-	-	1	-	-	-	1	-	-	1	1	4	5	5	20	20	29	24	21	13	7	5	1	-	-
	White-----M--	111	-	-	-	-	-	-	1	-	-	1	1	3	4	3	16	14	22	20	13	7	3	3	-	-	-
	F--	32	-	-	1	-	-	-	-	-	-	-	-	-	-	2	4	2	5	3	4	4	4	2	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	2	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-
170	Of breast---------	138	-	-	-	-	-	-	-	1	-	-	3	4	8	17	19	16	14	18	10	14	9	3	1	-	1
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	113	-	-	-	-	-	-	-	1	-	-	3	3	7	15	16	11	11	12	9	13	8	2	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	3	5	1	1	1	1	-	-	-
171-179	Of genital organs-	426	-	-	-	-	-	-	-	1	1	1	9	11	33	33	45	38	34	61	63	50	27	15	3	1	-
	White-----M--	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	6	16	30	28	17	10	2	1	-
	F--	186	-	-	-	-	-	-	-	1	1	-	6	8	22	22	25	20	18	21	17	16	5	3	1	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	10	12	4	3	2	-	-	-
	F--	84	-	-	-	-	-	-	-	-	-	1	2	3	11	10	14	12	9	14	4	2	2	-	-	-	-
180, 181	Of urinary organs-	75	1	-	1	-	-	-	-	-	-	-	-	-	2	3	3	4	11	13	16	12	4	4	1	-	-
	White-----M--	36	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	6	7	7	2	1	1	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	3	5	4	1	3	-	-	-
	Nonwhite--M--	14	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	4	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	277	-	-	-	1	-	3	2	6	5	7	7	5	13	16	26	34	31	34	29	25	19	4	8	1	1
	White-----M--	126	-	-	-	-	-	2	1	4	4	5	4	2	6	8	10	11	17	16	12	11	7	2	4	-	-
	F--	106	-	-	-	1	-	-	1	2	1	2	3	2	4	3	11	14	9	14	13	12	9	1	3	1	-
	Nonwhite--M--	21	-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	5	3	2	2	1	1	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	4	2	2	2	1	2	-	1	-	1
204	Leukemia and aleukemia----------	93	-	3	3	3	4	6	4	2	2	4	3	4	8	6	5	9	9	5	2	6	4	1	-	-	-
	White-----M--	56	-	2	1	2	3	2	2	2	2	3	3	4	2	1	3	5	6	5	2	5	1	-	-	-	-
	F--	27	-	1	2	1	1	2	1	-	-	1	-	-	4	3	2	3	2	-	-	1	3	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	1	1	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	64	-	-	-	1	1	1	2	-	-	3	2	5	3	5	7	8	8	7	6	3	2	-	-	-	-
	White-----M--	36	-	-	-	-	-	1	1	-	-	2	1	4	2	2	7	5	4	3	2	1	1	-	-	-	-
	F--	19	-	-	-	-	1	-	-	-	-	1	1	-	1	2	-	2	2	4	4	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
	F--	5	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	75	2	-	1	-	1	-	3	2	2	3	2	7	8	11	9	4	1	5	5	3	3	1	1	-	1
	White-----M--	17	-	-	1	-	-	-	2	-	1	-	-	1	-	2	3	3	-	-	2	1	1	-	-	-	-
	F--	33	1	-	-	-	1	-	1	1	1	2	1	3	4	9	-	-	-	2	2	2	2	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-
	F--	21	1	-	-	-	-	-	-	1	-	1	1	3	3	-	4	1	1	2	1	-	1	-	-	-	1
260	Diabetes mellitus-	186	-	-	1	1	-	-	1	5	5	4	2	3	6	8	11	18	21	25	37	19	14	3	2	-	-
	White-----M--	57	-	-	-	1	-	-	-	1	1	2	-	1	1	2	4	3	8	7	8	13	3	1	1	-	-
	F--	80	-	-	1	-	-	-	1	2	3	-	2	1	-	2	1	9	10	11	21	4	10	1	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	-	1	-	1	1	1	2	1	1	4	2	1	-	-	-	-	-
	F--	33	-	-	-	-	-	-	1	1	1	-	-	-	4	3	4	5	2	3	6	1	1	1	-	-	-
280-283	Anemias----------	38	1	-	-	-	1	1	-	2	1	-	1	-	1	1	2	3	3	1	9	6	3	2	-	-	-
	White-----M--	14	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	1	-	2	3	3	-	-	-	-
	F--	17	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	2	1	5	3	-	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	26	11	4	-	2	1	2	1	-	1	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
	White-----M--	9	2	-	-	2	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	9	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	7,736	5	1	3	-	1	4	9	14	32	21	53	97	160	286	425	653	815	1,068	1,178	1,258	930	467	194	37	25
	White-----M--	3,519	1	-	3	-	-	2	2	3	10	4	17	35	61	143	195	318	376	482	548	618	410	199	73	11	8
	F--	2,179	1	-	-	-	-	1	2	4	7	6	16	14	35	48	67	110	191	271	363	418	353	171	81	18	2
	Nonwhite--M--	1,043	3	1	-	-	1	1	4	6	4	4	10	19	25	34	73	119	142	172	146	113	96	44	20	2	4
	F--	995	-	-	-	-	-	-	1	1	11	7	10	29	39	61	90	106	106	143	121	109	71	53	20	6	11
330-334, 400-468	Diseases of cardiovascular system-	7,262	5	1	3	-	-	4	8	13	27	20	44	86	148	262	395	626	770	1,009	1,121	1,184	870	430	178	35	23
	White-----M--	3,350	1	-	3	-	-	2	2	3	8	3	16	30	60	134	184	312	365	458	530	577	389	189	66	10	8
	F--	2,051	1	-	-	-	-	1	1	3	5	6	14	12	32	45	62	105	180	261	343	401	330	155	74	18	2
	Nonwhite--M--	950	3	1	-	-	-	1	4	6	4	4	8	18	24	27	67	113	130	159	135	101	84	39	18	2	2
	F--	911	-	-	-	-	-	-	1	1	10	7	6	26	32	56	82	96	95	131	113	105	67	47	20	5	11
330-334	Vascular lesions, etc.*----------	1,803	3	1	1	-	-	1	1	1	3	2	10	13	27	56	95	150	168	241	308	298	245	112	48	11	8
	White-----M--	670	1	-	1	-	-	-	-	-	2	-	1	3	6	24	28	46	62	84	114	131	100	47	13	4	3
	F--	579	1	-	-	-	-	1	-	-	-	1	6	3	9	12	22	30	39	72	109	100	101	43	25	4	1
	Nonwhite--M--	257	1	1	-	-	-	-	1	1	-	-	2	1	6	9	15	42	34	42	36	30	23	9	3	1	-
	F--	297	-	-	-	-	-	-	-	-	1	1	1	6	6	11	30	32	33	43	49	37	21	13	7	2	4
400-402	Rheumatic fever----	17	-	-	-	-	-	3	5	1	2	-	-	1	1	-	1	1	1	-	-	-	-	1	-	-	-
	White-----M--	6	-	-	-	-	-	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
410-443	Diseases of heart	4,949	2	-	2	-	-	-	2	11	20	18	30	63	116	193	286	448	565	712	743	789	543	264	110	21	11
	White----M	2,448	-	-	2	-	-	-	1	3	5	3	15	24	52	104	152	252	289	349	378	399	253	113	46	5	3
	F	1,324	-	-	-	-	-	-	-	3	3	5	7	8	21	30	38	68	130	179	214	269	198	98	39	13	1
	Nonwhite--M	629	2	-	-	-	-	-	1	5	3	4	5	14	18	17	51	67	91	104	92	59	53	25	15	1	2
	F	548	-	-	-	-	-	-	-	-	9	6	3	17	25	42	45	61	55	80	59	62	39	28	10	2	5
410-416	Chronic rheumatic heart disease	163	-	-	1	-	-	-	-	4	7	3	7	8	8	4	14	17	14	10	20	21	16	6	3	-	-
	White----M	58	-	-	1	-	-	-	-	2	3	-	5	4	4	1	3	6	4	1	7	7	8	2	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	1	2	3	1	2	3	4	6	1	6	7	6	1	1	-	-
	Nonwhite--M	30	-	-	-	-	-	-	-	2	-	1	-	-	3	-	5	4	2	4	2	4	1	1	1	-	-
	F	31	-	-	-	-	-	-	-	-	4	1	-	1	-	1	3	3	2	4	5	3	1	2	1	-	-
420	Arteriosclerotic heart dis., etc.	2,696	1	-	-	-	-	-	-	1	6	4	13	35	65	113	171	278	326	397	415	428	263	116	51	9	4
	White----M	1,560	-	-	-	-	-	-	-	-	1	-	6	15	37	71	116	190	198	238	246	236	138	45	19	2	2
	F	695	-	-	-	-	-	-	-	1	2	1	4	3	13	11	22	35	79	95	117	146	95	46	19	5	1
	Nonwhite--M	258	1	-	-	-	-	-	-	-	1	1	1	11	7	12	14	33	30	42	40	25	18	14	7	1	-
	F	183	-	-	-	-	-	-	-	-	2	2	2	6	8	19	19	20	19	22	12	21	12	11	6	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	600	-	-	1	-	-	-	1	2	2	3	1	8	7	11	18	34	47	89	87	105	85	58	29	7	5
	White----M	249	-	-	1	-	-	-	1	-	-	2	1	2	3	7	6	9	15	33	39	54	34	30	10	2	-
	F	169	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	7	12	21	20	38	29	21	11	4	-
	Nonwhite--M	101	-	-	-	-	-	-	-	1	-	-	-	1	-	-	7	9	12	21	21	6	13	3	5	-	2
	F	81	-	-	-	-	-	-	-	-	2	1	-	3	3	3	4	9	8	14	7	7	9	4	3	1	3
430-434	Other diseases of heart	437	1	-	-	-	-	-	1	4	4	3	3	4	11	27	33	38	48	65	53	52	49	25	11	4	1
	White----M	187	-	-	-	-	-	-	-	1	-	1	1	1	3	12	11	19	25	26	20	24	24	11	7	-	1
	F	105	-	-	-	-	-	-	-	1	1	2	1	-	1	5	5	9	5	15	13	15	14	10	4	4	-
	Nonwhite--M	83	1	-	-	-	-	-	1	2	2	-	1	1	4	3	11	3	15	13	10	8	7	1	-	-	-
	F	62	-	-	-	-	-	-	-	-	1	-	-	2	3	7	6	7	3	11	10	5	4	3	-	-	-
440-443	Hypertension with heart dis.	1,053	-	-	-	-	-	-	-	-	1	5	6	8	25	38	50	81	130	151	168	183	130	59	16	1	1
	White----M	394	-	-	-	-	-	-	-	-	1	-	2	2	5	13	16	28	47	51	66	78	49	25	10	1	-
	F	311	-	-	-	-	-	-	-	-	-	1	-	-	5	11	7	13	28	47	58	63	54	20	4	-	-
	Nonwhite--M	157	-	-	-	-	-	-	-	-	-	2	3	1	4	2	14	18	32	24	19	16	14	6	2	-	-
	F	191	-	-	-	-	-	-	-	-	-	2	1	5	11	12	13	22	23	29	25	26	13	8	-	-	1
444-447	Hypertension without mention of heart	187	-	-	-	-	-	-	-	-	2	-	2	6	2	5	8	13	9	23	27	36	37	14	2	-	1
	White----M	69	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	5	3	8	12	17	14	4	1	-	1
	F	52	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	4	3	1	9	10	16	4	1	-	-
	Nonwhite--M	35	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	3	2	8	4	5	4	3	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	1	1	-	3	6	1	1	6	2	4	3	3	-	-	-
450	General arteriosclerosis	245	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	7	19	27	35	53	40	37	15	2	3
	White----M	124	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	7	13	21	27	19	22	6	1	1
	F	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	10	20	14	10	6	1	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	5	3	2	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	5	2	3	1	4	3	3	-	2
451-468	Other diseases of circulatory sys.	61	-	-	-	-	-	-	-	-	-	-	2	1	1	6	3	7	8	6	8	8	5	2	3	1	-
	White----M	33	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	6	4	4	5	3	3	2	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	3	-	1	2	1	-	3	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	1	-
592-594	Chronic nephritis, etc.*	474	-	-	-	-	1	-	1	1	5	1	9	11	12	24	30	27	45	59	57	74	60	37	16	2	2
	White----M	169	-	-	-	-	-	-	-	-	2	1	1	5	1	9	11	6	11	24	18	41	21	10	7	1	-
	F	128	-	-	-	-	-	-	1	1	2	-	2	2	3	3	5	5	11	10	20	17	23	16	7	-	-
	Nonwhite--M	93	-	-	-	-	1	-	-	-	-	-	2	1	1	7	6	6	12	13	11	12	12	5	2	-	2
	F	84	-	-	-	-	-	-	-	-	1	-	4	3	7	5	8	10	11	12	8	4	4	6	-	1	-
480-493	Influenza and pneumonia, etc.*	702	132	24	14	4	7	7	7	13	2	7	3	7	12	15	26	34	28	59	61	81	79	40	29	7	4
	White----M	235	38	5	4	1	2	1	1	5	1	1	1	2	2	3	7	12	14	21	24	34	28	16	10	2	-
	F	210	31	7	3	2	1	2	1	4	-	2	-	2	-	5	1	3	6	15	16	29	40	20	15	4	1
	Nonwhite--M	136	36	6	5	1	2	2	3	3	1	4	1	1	2	6	7	10	3	11	12	10	5	3	1	-	1
	F	121	27	6	2	-	2	2	2	1	-	-	1	2	8	1	11	9	5	12	9	8	6	1	3	1	2
480-483	Influenza	131	21	7	3	1	1	1	2	3	-	-	1	-	2	2	4	8	1	12	12	17	14	6	9	3	1
	White----M	37	8	1	1	-	-	-	-	1	-	-	-	-	-	1	-	3	1	3	2	6	3	3	3	1	-
	F	32	3	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	3	5	8	2	5	1	-
	Nonwhite--M	35	5	2	1	1	1	1	2	-	-	-	1	-	-	1	-	2	-	6	4	5	2	-	1	-	-
	F	27	5	1	1	-	-	-	-	1	-	-	-	-	2	-	4	2	-	3	3	1	1	1	-	1	1
490-493	Pneumonia, etc.*	571	111	17	11	3	6	6	5	10	2	7	2	7	10	13	22	26	27	47	49	64	65	34	20	4	3
	White----M	198	30	4	3	1	2	1	1	4	1	1	1	2	2	2	7	9	13	18	22	28	25	13	7	1	-
	F	178	28	4	3	2	1	2	1	3	-	2	-	2	-	5	1	2	6	15	13	24	32	18	10	3	1
	Nonwhite--M	101	31	4	4	-	1	1	1	3	1	4	-	1	2	5	7	8	3	5	8	5	3	3	-	-	1
	F	94	22	5	1	-	2	2	2	-	-	-	1	2	6	1	7	7	5	9	6	7	5	-	3	-	1
500-502	Bronchitis	33	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	3	1	4	6	6	1	1	1	1
	White----M	17	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	2	1	2	2	3	-	1	-	-
	F	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	-	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	66	-	-	-	-	-	-	-	-	1	2	2	2	4	9	7	8	5	10	3	8	3	1	1	-	-
	White----M	47	-	-	-	-	-	-	-	-	1	2	2	2	2	6	4	6	4	7	2	6	2	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	1	-	1	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	-	3	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	47	-	-	-	1	-	2	2	4	4	1	-	3	6	2	7	3	2	6	3	1	-	-	-	-	-
	White----M	27	-	-	-	1	-	1	1	2	2	1	-	2	3	-	3	2	1	4	3	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	1	1	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	1	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	90	12	1	-	1	-	2	-	1	1	1	1	2	3	3	5	6	10	12	9	9	7	4	-	-	-
	White----M	29	3	-	-	1	-	1	-	-	1	-	-	-	-	1	-	1	4	4	2	6	3	2	-	-	-
	F	26	5	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	1	3	6	-	3	2	-	-	-
	Nonwhite--M	23	2	-	-	-	-	-	-	1	-	1	-	1	-	-	1	2	5	5	1	3	1	-	-	-	-
	F	12	2	1	-	-	-	1	-	-	-	-	1	1	-	1	4	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
543,	Gastritis, etc.*--	119	59	9	3	-	1	1	-	-	-	2	2	1	1	1	6	4	-	6	4	5	9	3	2	-	-
571,	White-----M--	37	17	1	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	3	2	3	3	2	1	-	-
572	F--	26	11	1	1	-	-	1	-	-	-	-	1	-	-	-	2	-	-	1	2	1	4	-	1	-	-
	Nonwhite--M--	23	14	4	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	F--	33	17	3	2	-	-	-	-	-	-	-	1	1	-	1	3	1	-	1	-	1	1	1	-	-	-
581	Cirrhosis of liver	96	-	-	-	-	-	-	-	-	-	-	4	7	9	4	12	16	9	10	11	6	5	3	-	-	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	-	1	6	4	2	7	7	4	10	8	3	2	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	1	1	4	-	1	7	4	-	3	2	3	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	73	-	-	-	1	1	2	1	1	3	1	1	3	3	5	-	8	4	10	10	11	4	3	1	-	-
	White-----M--	25	-	-	-	-	1	2	-	-	-	-	-	1	1	-	-	2	1	5	2	6	3	-	1	-	-
	F--	20	-	-	-	1	-	-	-	-	2	-	-	2	-	2	-	4	1	1	2	2	-	3	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	1	2	2	2	1	1	-	-	-	-
	F--	14	-	-	-	-	-	1	-	1	1	-	-	1	1	-	1	1	-	2	4	2	-	-	-	-	-
610	Hyperplasia of prostate--------	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	17	10	19	23	12	1	2	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	10	6	13	14	10	1	1	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	4	6	9	2	-	1	-
640-	Complications of																										
689	pregnancy, etc.*	56	...	...	...	...	...	...	-	4	10	11	13	8	9	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	...	...	...	...	...	...	-	2	3	6	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	36	...	...	...	...	...	...	-	2	7	5	12	4	5	1	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	7	...	...	...	...	...	...	-	-	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	49	...	...	...	...	...	...	-	4	9	11	11	6	8	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	18	...	...	...	...	...	...	-	2	2	6	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	31	...	...	...	...	...	...	-	2	7	5	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	187	143	12	8	4	2	3	3	-	1	1	2	1	1	3	2	-	1	-	-	-	-	-	-	-	-
	White-----M--	86	72	2	3	1	2	-	1	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	69	51	7	1	1	-	2	1	-	-	1	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	9	3	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	11	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	641	641	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	281	281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied-------------	332	332	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	588	87	6	4	4	4	3	1	2	7	4	4	5	9	18	32	26	47	54	59	44	58	56	38	11	5
795	White-----M--	175	24	1	2	-	1	1	1	1	-	-	1	1	1	5	11	9	11	19	16	14	17	23	12	3	1
	F--	126	22	2	-	-	1	-	-	-	2	-	-	1	1	1	4	-	6	3	8	15	16	19	18	6	1
	Nonwhite--M--	164	26	2	-	3	2	1	-	1	3	3	1	2	2	8	6	12	14	20	19	9	19	8	2	1	-
	F--	123	15	1	2	1	-	1	-	-	2	1	2	1	5	4	11	5	16	12	16	6	6	6	6	1	3
Re-	All other diseases	701	33	11	1	5	6	9	8	11	14	11	28	27	28	37	35	47	58	88	70	65	56	32	16	2	3
sid-	White-----M--	312	15	3	-	3	4	6	2	4	4	3	9	9	8	18	16	23	27	48	31	29	28	13	8	-	1
ual	F--	218	11	-	1	1	1	2	5	2	7	5	6	7	7	8	12	12	15	19	26	24	24	11	8	2	2
	Nonwhite--M--	92	3	1	-	-	-	1	1	2	2	3	2	4	9	3	4	9	9	16	9	7	3	4	-	-	-
	F--	79	4	7	-	1	1	-	-	3	1	-	11	7	4	8	3	3	7	5	4	5	1	4	-	-	-
E800-	Accidents----------	1,191	67	32	17	21	17	60	56	87	96	79	70	80	61	46	58	51	57	39	43	55	57	20	17	4	1
E962	White-----M--	621	25	12	4	8	4	21	40	50	57	56	44	50	35	21	30	34	35	17	24	21	22	3	6	2	-
	F--	262	25	8	7	8	8	21	8	11	10	9	14	11	8	8	6	5	8	9	9	24	21	14	7	2	1
	Nonwhite--M--	213	7	9	3	1	2	12	7	22	19	9	11	14	12	13	16	10	10	12	8	7	6	2	1	-	-
	F--	95	10	3	3	4	3	6	1	4	10	5	1	5	6	4	6	2	4	1	2	3	8	1	3	-	-
E810-	Motor-vehicle																										
E835	accidents---------	454	3	7	3	5	6	27	14	35	55	44	37	37	29	22	23	25	26	17	17	12	8	1	1	-	-
	White-----M--	268	2	4	1	1	1	10	11	24	37	33	23	23	15	11	13	19	12	9	8	8	3	-	-	-	-
	F--	86	-	3	2	2	3	11	2	4	5	5	9	6	4	3	4	2	6	5	4	2	3	1	-	-	-
	Nonwhite--M--	75	-	-	-	1	1	5	1	5	9	3	4	6	7	5	6	4	6	3	5	2	2	-	-	-	-
	F--	25	1	-	-	1	1	1	-	2	4	3	1	2	3	3	-	-	2	-	-	-	-	-	1	-	-
E800-	All ot. accidents-	737	64	25	14	16	11	33	42	52	41	35	33	43	32	24	35	26	31	22	26	43	49	19	16	4	1
E802,	White-----M--	353	23	8	3	7	3	11	29	26	20	23	21	27	20	10	17	15	23	8	16	13	19	3	6	2	-
E840-	F--	176	25	5	5	6	5	10	6	7	5	4	5	5	4	5	2	3	2	4	5	22	18	13	7	2	1
E962	Nonwhite--M--	138	7	9	3	-	1	7	6	17	10	6	7	8	5	8	10	6	4	9	3	5	4	2	1	-	-
	F--	70	9	3	3	3	2	5	1	2	6	2	-	3	3	1	6	2	2	1	2	3	8	1	2	-	-
E963,	Suicide----------	113	-	-	-	-	-	-	-	1	6	6	5	11	6	13	13	5	12	13	13	5	4	-	-	-	-
E970-	White-----M--	88	-	-	-	-	-	-	1	3	4	4	6	3	13	12	2	12	12	11	2	3	-	-	-	-	-
E979	F--	16	-	-	-	-	-	-	-	-	2	1	1	4	2	-	1	1	-	1	1	2	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
E964,	Homicide----------	145	1	-	-	1	-	-	-	7	16	21	24	13	14	11	10	10	7	4	3	2	1	-	-	-	-
E980-	White-----M--	43	-	-	-	-	-	-	-	-	4	5	7	-	4	6	8	4	3	-	-	1	1	-	-	-	-
E985	F--	8	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	76	1	-	-	1	-	-	-	6	8	15	12	7	9	2	2	5	4	2	2	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	1	3	1	5	3	-	3	-	-	-	1	-	1	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA																										
	ALL CAUSES	104,089	6381	481	296	244	219	561	353	683	1,186	1,388	1,710	2,310	3,355	4,519	6,458	7,985	9,957	12,345	12,816	12,151	9,937	5,795	2,339	478	142
	White----M	57,574	3,326	234	159	123	115	296	214	430	769	769	905	1,257	1,892	2,718	4,042	4,995	6,172	7,531	7,156	6,189	4,678	2,477	899	167	61
	F	40,975	2,420	186	110	98	85	234	113	205	300	428	592	789	1,116	1,415	1,916	2,496	3,305	4,293	5,203	5,633	5,071	3,216	1,397	294	60
	Nonwhite--M	3,487	347	25	17	13	8	23	18	26	75	128	119	146	214	238	328	320	325	353	324	217	113	66	23	9	12
	F	2,053	288	36	10	10	11	8	8	22	42	63	94	118	133	148	172	174	155	168	133	112	75	36	20	8	9
001-019	Tuberculosis all forms	2,170	17	26	25	12	11	23	7	28	73	110	138	136	172	202	234	199	218	208	153	111	33	23	11	1	1
	White----M	1,325	7	8	13	5	4	9	2	10	20	30	50	59	101	138	175	141	159	156	110	79	23	19	7	-	-
	F	511	6	12	9	4	5	11	5	13	31	43	56	55	50	36	31	28	30	27	28	19	4	3	4	1	-
	Nonwhite--M	234	2	3	1	2	-	-	-	2	12	21	16	12	16	22	26	22	26	20	13	12	4	1	-	-	1
	F	100	2	3	2	1	2	3	-	3	10	16	16	10	5	6	2	8	3	3	2	1	2	-	-	-	-
001-008	Tuberculosis of respiratory system	1,989	13	10	12	5	5	9	2	23	62	102	130	127	159	187	222	191	210	197	148	110	31	21	11	1	1
	White----M	1,238	6	4	5	3	1	2	-	7	19	29	47	57	92	126	169	138	154	150	106	78	21	17	7	-	-
	F	452	3	4	5	2	3	4	2	12	27	40	53	51	48	35	27	25	28	25	27	19	4	3	4	1	-
	Nonwhite--M	217	2	2	1	-	-	-	-	1	8	18	15	12	15	21	25	21	25	20	13	12	4	1	-	-	1
	F	82	2	-	1	-	1	3	-	3	8	15	15	7	4	5	1	7	3	2	2	1	2	-	-	-	-
010-019	Tuberculosis, other forms	181	4	16	13	7	6	14	5	5	11	8	8	9	13	15	12	6	8	9	5	1	2	2	-	-	-
	White----M	87	1	4	8	2	3	7	2	3	1	1	3	2	9	12	6	3	5	6	4	1	2	2	-	-	-
	F	59	3	8	4	2	2	7	3	1	4	3	3	4	2	1	4	3	2	2	1	-	-	-	-	-	-
	Nonwhite--M	17	-	1	-	2	-	-	-	1	4	3	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-
	F	18	-	3	1	1	1	-	-	-	2	1	1	3	1	1	1	1	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	425	4	-	-	-	-	-	-	-	1	-	6	6	17	25	64	67	67	66	55	26	18	3	-	-	-
	White----M	287	3	-	-	-	-	-	-	-	-	-	3	2	7	15	44	44	54	49	36	16	13	1	-	-	-
	F	51	1	-	-	-	-	-	-	1	-	-	1	-	1	2	2	7	5	9	10	7	4	1	-	-	-
	Nonwhite--M	68	-	-	-	-	-	-	-	-	-	-	-	3	6	6	14	11	7	7	9	3	1	1	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	2	1	3	2	4	5	1	1	-	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	26	7	3	1	-	1	1	1	-	1	-	2	-	1	-	2	-	-	2	2	-	2	-	-	-	-
	White----M	12	4	-	1	-	-	1	1	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	12	3	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	14	2	1	1	-	2	-	-	2	1	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-
	White----M	9	2	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-
	F	3	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	15	1	1	-	-	2	2	-	-	-	1	-	1	2	1	2	-	-	1	-	1	-	-	-	-	-
	White----M	11	1	1	-	-	2	1	-	-	-	-	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	15	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	73	12	13	10	6	5	5	2	4	5	1	-	1	2	2	-	1	1	2	1	-	-	-	-	-	-
	White----M	35	7	7	5	3	3	2	-	3	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	33	5	5	4	3	2	3	1	1	-	1	-	-	2	2	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M	4	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	155	3	4	8	4	6	31	7	8	20	24	21	4	6	3	3	2	-	1	-	-	-	-	-	-	-
	White----M	89	2	1	4	2	4	20	3	3	11	13	14	1	5	2	1	2	-	1	-	-	-	-	-	-	-
	F	66	1	3	4	2	2	11	4	5	9	11	7	3	1	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	37	4	7	5	6	3	7	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	20	2	5	4	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	1	1	1	1	-	6	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	261	19	7	7	4	4	7	9	9	8	11	13	16	14	23	14	15	23	15	19	8	8	6	2	-	-
	White----M	117	6	3	4	3	2	3	7	4	3	4	3	9	5	10	9	8	11	7	9	3	2	2	-	-	-
	F	98	9	4	3	1	1	3	1	3	2	3	5	4	4	7	2	6	7	8	9	5	5	4	2	-	-
	Nonwhite--M	33	3	-	-	-	-	1	-	1	2	4	4	3	3	5	2	1	4	-	-	-	-	-	-	-	-
	F	13	1	-	-	-	1	-	1	1	1	-	1	-	2	1	1	-	1	-	1	-	1	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
140-205	Malignant neoplasms, etc.*----	15,531	21	30	42	44	32	88	54	41	86	132	215	376	582	910	1,357	1,702	2,062	2,238	2,085	1,726	1,066	474	142	20	6
	White-----M--	7,657	11	14	21	24	13	50	27	25	49	60	91	136	188	363	626	838	1,072	1,234	1,115	866	526	234	63	9	2
	F--	7,152	9	14	15	20	18	34	24	13	33	65	103	210	341	476	633	769	897	927	894	618	519	233	75	9	3
	Nonwhite--M--	429	1	1	4	-	1	4	1	3	3	2	4	14	26	43	46	58	59	45	55	32	15	7	2	2	1
	F--	293	-	1	2	-	-	-	2	-	1	5	17	16	27	28	52	37	34	32	21	10	6	-	2	-	-
140-148	Of buccal cavity and pharynx------	395	-	-	-	-	-	1	1	1	1	2	3	9	18	24	49	44	61	60	44	42	21	10	3	1	-
	White-----M--	296	-	-	-	-	-	1	1	-	-	-	1	7	10	17	33	36	46	49	36	31	19	8	1	-	-
	F--	79	-	-	-	-	-	-	-	1	1	2	1	2	3	4	9	7	12	11	8	11	2	2	2	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	1	2	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	5,566	-	-	2	-	-	4	-	1	4	11	37	81	120	248	416	570	717	896	928	759	471	218	73	6	4
	White-----M--	2,903	-	-	-	-	-	3	-	-	1	1	17	35	45	120	191	323	413	510	498	390	222	101	28	3	2
	F--	2,373	-	-	1	-	-	-	-	1	3	9	13	38	55	105	182	208	269	357	388	347	239	112	43	2	1
	Nonwhite--M--	208	-	-	1	-	-	1	-	-	-	1	2	5	13	16	26	26	29	21	34	18	7	5	1	1	1
	F--	82	-	-	-	-	-	-	-	-	-	-	5	3	7	7	17	13	6	8	8	4	3	-	1	-	-
160-164	Of respiratory system----------	1,803	-	1	1	3	-	-	-	1	5	7	8	26	53	125	221	261	300	325	240	134	66	21	4	1	-
	White-----M--	1,424	-	1	-	1	-	-	-	1	2	4	5	18	35	96	180	206	256	268	195	94	40	17	4	1	-
	F--	301	-	-	1	2	-	-	-	-	3	2	2	6	16	20	31	34	34	45	38	38	25	4	-	-	-
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	1	1	2	-	8	7	17	10	9	7	2	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	-	3	-	-	-	-	-	-	-
170	Of breast---------	1,444	-	-	-	-	-	-	-	-	-	5	28	52	114	146	152	184	203	162	152	112	82	35	13	3	1
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	4	3	1	-	-	-	-	-
	F--	1,393	-	-	-	-	-	-	-	-	-	5	26	49	109	139	144	176	197	155	148	111	82	35	13	3	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	2	3	4	7	6	5	3	3	1	-	-	-	-	-	-	-
171-179	Of genital organs-	2,336	-	-	1	1	-	-	2	6	10	26	41	69	105	144	191	260	279	319	288	282	201	85	19	6	1
	White-----M--	787	-	-	-	-	-	-	2	4	5	9	11	5	7	8	17	44	61	122	144	148	130	53	14	3	-
	F--	1,403	-	-	-	1	-	-	-	1	5	12	24	56	87	125	159	199	196	179	132	127	63	30	4	2	1
	Nonwhite--M--	43	-	-	1	-	-	-	-	1	-	-	-	-	1	-	1	5	8	8	5	4	6	2	-	1	-
	F--	103	-	-	-	-	-	-	-	-	-	5	6	8	10	11	14	12	14	10	7	3	2	-	1	-	-
180, 181	Of urinary organs-	758	3	4	2	4	5	1	-	-	1	1	2	6	14	34	52	80	96	117	112	113	65	33	12	1	-
	White-----M--	512	2	3	2	2	3	1	-	-	-	1	1	4	6	22	36	56	71	89	74	73	40	19	6	1	-
	F--	226	1	1	-	2	2	-	-	-	1	-	1	-	7	10	13	22	21	27	36	38	25	14	5	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	1	2	-	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	3	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,763	12	8	11	9	8	32	24	11	27	37	39	71	88	113	165	172	235	189	184	169	97	46	14	2	-
	White-----M--	869	7	4	5	6	1	17	13	5	16	20	19	34	43	50	98	82	129	93	91	66	40	21	8	1	-
	F--	821	4	4	5	3	7	14	10	6	10	17	18	32	42	53	59	83	98	88	84	96	56	25	6	1	-
	Nonwhite--M--	43	1	-	-	-	-	1	-	-	-	-	-	4	2	8	3	5	4	4	6	5	-	-	-	-	-
	F--	30	-	-	1	-	-	-	1	-	1	-	2	1	1	2	5	2	4	4	3	2	1	-	-	-	-
204	Leukemia and aleukemia----------	748	5	14	23	26	16	40	24	14	18	13	24	22	29	35	49	57	70	84	62	66	39	16	2	-	-
	White-----M--	415	2	4	13	14	7	22	8	9	11	6	11	8	16	22	27	38	35	52	37	39	24	9	1	-	-
	F--	302	3	8	8	12	8	17	14	4	5	7	11	12	11	11	17	17	31	31	25	27	15	7	1	-	-
	Nonwhite--M--	22	-	1	2	-	1	1	1	1	2	-	-	2	2	2	3	2	2	-	-	-	-	-	-	-	-
	F--	9	-	1	-	-	-	1	-	-	-	2	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	718	1	3	2	1	3	10	3	7	20	30	33	40	41	41	62	74	101	86	75	49	24	10	2	-	-
	White-----M--	434	-	2	1	1	2	6	3	6	14	19	26	25	25	28	42	50	58	47	37	24	11	6	1	-	-
	F--	254	1	1	-	-	1	3	-	-	5	11	7	15	11	9	19	23	39	34	35	23	12	4	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	1	-	1	1	-	-	-	5	4	1	1	3	2	2	1	1	-	-	-	-
	F--	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	333	8	2	1	-	2	5	6	5	11	10	12	23	23	33	41	32	34	30	18	15	9	8	3	2	-
	White-----M--	138	2	-	-	-	1	4	5	3	7	3	2	7	8	10	17	15	15	16	9	6	5	3	-	-	-
	F--	178	6	2	1	-	1	1	1	2	4	4	8	13	15	18	22	15	19	14	9	9	4	5	3	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	3	2	3	-	4	1	2	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	1,098	1	2	-	1	-	3	6	5	8	20	15	28	19	26	51	91	134	180	213	155	93	36	10	1	-
	White-----M--	436	-	1	-	1	-	1	1	3	4	10	8	15	10	14	26	38	53	73	75	47	43	10	2	1	-
	F--	614	1	1	-	-	-	2	5	2	3	10	7	10	9	10	19	44	76	102	129	104	48	24	8	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	4	3	6	3	1	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	3	-	1	5	5	1	2	3	1	1	1	-	-	-
290-293	Anemias----------	232	4	1	3	-	1	5	4	1	4	6	1	6	2	10	10	13	17	34	23	39	32	12	4	-	-
	White-----M--	109	1	-	2	-	-	2	2	1	1	1	-	-	1	3	5	6	9	19	12	27	12	4	1	-	-
	F--	110	1	-	1	-	1	3	1	-	2	3	1	4	1	6	5	7	7	14	11	12	19	8	3	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	9	1	1	-	-	-	-	-	-	1	1	-	2	-	1	-	-	1	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*------	123	32	11	7	-	1	10	1	2	2	6	3	3	6	6	5	5	6	8	5	2	1	-	1	-	-
	White-----M--	72	16	6	6	-	1	7	-	1	1	5	2	2	4	2	5	3	2	4	4	1	-	-	-	-	-
	F--	36	12	3	1	-	-	3	1	-	-	1	1	-	1	4	-	1	3	1	1	1	1	-	1	-	-
	Nonwhite--M--	9	1	2	-	-	-	-	-	1	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	56,003	30	8	2	8	11	27	17	48	77	157	286	566	1,109	1,814	3,054	4,259	5,682	7,648	8,534	8,596	7,355	4,483	1,803	361	68
	White-----M--	30,800	14	3	-	4	5	15	7	23	37	70	143	354	716	1,219	2,076	2,849	3,642	4,697	4,686	4,280	3,330	1,822	649	130	29
	F--	22,988	13	4	2	4	4	11	8	21	31	62	104	151	260	431	742	1,178	1,782	2,643	3,575	4,096	3,903	2,590	1,119	222	32
	Nonwhite--M--	1,347	3	-	-	-	-	1	2	2	2	16	18	30	77	86	155	141	165	200	181	131	69	40	19	5	4
	F--	868	-	1	-	-	2	-	-	2	7	9	21	31	56	78	81	91	93	108	92	89	53	31	16	4	3
330-334, 400-468	Diseases of cardiovascular system-	55,049	29	8	2	3	6	14	9	34	56	129	255	531	1,053	1,749	2,975	4,192	5,602	7,546	8,449	8,496	7,275	4,443	1,771	356	66
	White-----M--	30,339	13	3	-	2	1	9	4	17	24	59	131	334	687	1,188	2,038	2,811	3,601	4,638	4,643	4,231	3,305	1,806	637	129	28
	F--	22,581	13	4	2	1	3	5	4	13	25	50	89	140	246	405	712	1,155	1,753	2,604	3,537	4,050	3,852	2,569	1,099	218	32
	Nonwhite--M--	1,300	3	-	-	-	-	-	1	2	2	12	15	27	70	84	146	138	162	198	179	128	68	38	19	5	3
	F--	829	-	1	-	-	2	-	-	2	5	8	20	30	50	72	79	88	86	106	90	87	50	30	16	4	3
330-334	Vascular lesions, etc.*----------	11,252	11	3	-	2	1	5	-	5	10	26	35	82	133	256	448	680	956	1,431	1,816	2,074	1,790	1,028	380	67	13
	White-----M--	5,043	6	1	-	2	-	4	-	2	3	12	11	29	53	109	220	345	501	713	872	887	712	404	132	21	4
	F--	5,739	3	2	-	-	1	1	-	3	7	11	18	39	54	111	179	296	401	639	890	1,134	1,042	612	242	46	8
	Nonwhite--M--	278	2	-	-	-	-	-	-	-	-	3	4	5	12	19	25	20	30	57	36	30	20	9	5	-	1
	F--	192	-	-	-	-	-	-	-	-	-	-	2	9	14	17	24	19	24	22	18	23	16	3	1	-	-
400-402	Rheumatic fever---	99	1	1	1	-	2	5	4	5	2	6	12	11	12	8	10	4	5	3	-	3	2	1	1	-	-
	White-----M--	50	1	1	-	-	1	3	1	3	1	4	3	4	6	8	6	1	2	2	-	2	-	-	1	-	-
	F--	39	-	-	1	-	-	2	2	1	1	2	7	4	5	-	4	3	2	1	-	1	2	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA--Con.																										
410-443	Diseases of heart-	39,107	13	2	1	-	3	4	3	16	31	84	176	382	844	1,401	2,378	3,317	4,385	5,657	6,008	5,664	4,641	2,762	1,083	211	41
	White-----M--	23,016	5	-	-	-	-	2	1	8	16	40	108	282	601	1,024	1,726	2,344	2,937	3,637	3,430	2,969	2,233	1,150	399	85	19
	F--	14,649	7	1	1	-	2	2	2	6	10	32	49	74	170	274	488	803	1,272	1,811	2,390	2,549	2,342	1,567	659	119	19
	Nonwhite--M--	900	1	-	-	-	-	-	-	1	2	8	9	15	45	58	113	106	120	130	124	88	38	25	12	4	1
	F--	542	-	1	-	-	1	-	-	1	3	4	10	11	28	45	51	64	56	79	64	58	28	20	13	3	2
410-416	Chronic rheumatic heart disease----	1,481	-	-	-	-	-	1	2	8	16	35	69	87	135	156	164	158	172	155	131	99	65	21	6	1	-
	White-----M--	709	-	-	-	-	-	1	1	4	7	13	40	48	74	70	79	72	83	84	58	45	24	6	-	-	-
	F--	720	-	-	-	-	-	-	1	3	7	21	25	37	59	79	77	79	85	70	66	50	40	14	6	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	1	1	-	-	2	1	3	5	4	2	-	4	2	1	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	1	1	4	-	1	4	3	3	2	1	3	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	27,568	1	-	-	-	-	-	-	1	6	28	68	234	554	1,007	1,793	2,531	3,358	4,239	4,415	3,852	3,000	1,700	633	125	23
	White-----M--	17,685	1	-	-	-	-	-	-	-	4	19	53	207	463	838	1,441	1,935	2,381	2,879	2,675	2,162	1,554	764	245	51	13
	F--	9,099	-	-	-	-	-	-	-	1	1	2	9	18	66	113	253	499	883	1,248	1,625	1,601	1,410	917	374	70	9
	Nonwhite--M--	547	-	-	-	-	-	-	-	-	-	6	6	7	21	36	72	64	70	81	81	57	22	13	9	2	-
	F--	237	-	-	-	-	-	-	-	-	1	1	-	2	4	20	27	33	24	31	34	32	14	6	5	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	4,291	4	-	-	-	-	3	1	2	2	5	11	10	38	53	98	172	268	447	597	789	812	608	298	60	13
	White-----M--	2,107	1	-	-	-	-	1	-	1	1	4	5	6	17	35	53	96	171	273	319	389	356	243	107	24	5
	F--	2,021	2	-	-	-	-	2	1	1	1	1	3	4	12	16	33	55	76	150	260	378	446	354	186	33	7
	Nonwhite--M--	104	1	-	-	-	-	-	-	-	-	-	1	-	3	1	10	15	13	13	15	16	6	8	-	2	-
	F--	59	-	-	-	-	-	-	-	-	-	-	2	-	6	1	2	6	8	11	3	6	4	3	5	1	1
430-434	Other diseases of heart---------	706	8	2	1	-	3	-	-	4	5	8	8	18	25	27	50	57	78	88	89	81	78	43	26	6	1
	White-----M--	375	3	-	-	-	-	-	-	2	2	1	6	9	18	14	27	36	46	48	54	41	36	16	12	3	1
	F--	294	5	1	1	-	2	-	-	1	1	6	2	5	5	9	17	19	28	36	35	38	41	26	13	3	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	1	-	1	2	3	4	2	3	1	-	1	1	1	1	-	-
	F--	15	-	1	-	-	1	-	-	1	1	-	-	3	-	1	2	-	1	3	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	5,061	-	-	-	-	-	-	-	1	2	8	20	33	92	158	273	399	509	728	776	843	686	390	120	19	4
	White-----M--	2,140	-	-	-	-	-	-	-	1	2	3	4	12	29	67	126	205	256	353	324	332	263	121	35	7	-
	F--	2,515	-	-	-	-	-	-	-	-	-	2	10	10	28	57	108	151	200	307	404	482	405	256	80	12	3
	Nonwhite--M--	200	-	-	-	-	-	-	-	-	-	1	2	5	18	15	22	21	32	35	24	12	8	2	2	-	1
	F--	206	-	-	-	-	-	-	-	-	-	2	4	6	17	19	17	22	21	33	24	17	10	11	3	-	-
444-447	Hypertension without mention of heart----------	699	-	-	-	-	-	-	-	1	-	4	12	20	29	44	44	46	47	73	94	110	80	69	23	3	-
	White-----M--	314	-	-	-	-	-	-	-	1	-	1	3	5	12	23	25	31	23	38	43	48	31	25	4	1	-
	F--	319	-	-	-	-	-	-	-	-	-	1	2	7	6	9	15	13	20	31	45	57	49	43	19	2	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	3	7	4	2	1	2	2	5	1	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	2	7	5	4	8	2	1	2	2	1	4	-	1	-	-	-
450	General arteriosclerosis--------	3,069	-	-	-	1	-	-	-	-	-	-	1	2	4	6	26	50	129	263	422	549	710	544	276	75	11
	White-----M--	1,429	-	-	-	-	-	-	-	-	-	-	-	1	-	4	14	32	82	155	228	273	304	210	99	22	5
	F--	1,553	-	-	-	1	-	-	-	-	-	-	1	1	2	2	9	11	40	99	180	265	390	324	173	51	4
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	5	6	9	9	10	4	2	1	1
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	5	2	6	6	2	1	1
451-468	Other diseases of circulatory sys.-	823	4	2	-	-	-	-	2	7	13	9	19	34	31	34	69	95	80	119	109	96	52	39	8	-	1
	White-----M--	487	1	1	-	-	-	-	2	3	4	2	6	13	15	20	47	58	56	93	70	52	25	17	2	-	-
	F--	282	3	1	-	-	-	-	-	3	7	4	12	15	9	9	17	29	18	23	32	44	27	22	6	-	1
	Nonwhite--M--	32	-	-	-	-	-	-	-	1	-	1	-	2	4	3	3	6	4	3	5	-	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	2	2	1	4	3	2	2	2	2	-	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	954	1	-	-	5	5	13	8	14	21	28	31	35	56	65	79	67	80	102	95	100	80	40	32	5	2
	White-----M--	461	1	-	-	2	4	6	3	6	13	11	12	20	29	31	38	38	41	59	43	49	25	16	12	1	1
	F--	407	-	-	-	3	1	6	4	8	6	12	15	11	14	28	30	23	29	39	38	46	51	21	20	4	-
	Nonwhite--M--	47	-	-	-	-	-	1	1	-	-	4	3	3	7	2	9	3	3	2	2	3	1	2	-	-	1
	F--	39	-	-	-	-	-	-	-	-	2	1	1	1	6	6	2	3	7	2	2	2	3	1	-	-	-
480-483	Influenza and pneumonia, etc.*-	3,178	475	72	23	14	8	24	9	18	22	31	31	45	89	126	149	167	180	235	330	337	364	247	135	35	12
	White-----M--	1,709	244	24	15	5	6	8	7	9	9	11	18	18	47	79	98	102	119	144	206	177	186	110	56	6	5
	F--	1,245	170	32	8	7	2	15	2	9	8	11	9	22	32	36	40	54	48	74	106	152	167	132	76	26	7
	Nonwhite--M--	145	35	6	-	2	-	1	-	-	1	5	4	2	7	8	8	10	11	14	13	7	4	5	1	1	-
	F--	79	26	10	-	-	-	-	-	-	4	4	-	3	3	3	3	1	2	3	5	1	7	-	2	2	-
480-483	Influenza---------	256	14	4	-	-	2	3	-	-	3	3	2	2	2	12	7	7	9	28	35	27	39	26	23	6	2
	White-----M--	110	9	-	-	-	2	1	-	-	1	2	-	-	2	6	3	2	5	14	20	12	14	9	7	-	1
	F--	137	5	3	-	-	-	2	-	-	1	1	2	2	-	3	4	5	3	14	15	15	23	17	16	5	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	2	-	-	-	1	-	-
490-493	Pneumonia, etc.*--	2,822	461	68	23	14	6	21	9	18	19	28	29	43	87	114	142	160	171	207	295	310	325	221	112	29	10
	White-----M--	1,599	235	24	15	5	4	7	7	9	8	9	18	18	45	73	95	100	114	130	186	165	172	101	49	6	4
	F--	1,108	165	29	8	7	2	13	2	9	7	10	7	20	32	33	36	49	45	60	91	137	144	115	60	21	6
	Nonwhite--M--	143	35	6	-	2	-	1	-	-	1	5	4	2	7	7	8	10	10	14	13	7	4	5	1	1	-
	F--	72	26	9	-	-	-	-	-	-	3	4	-	3	3	1	3	1	2	3	5	1	5	-	2	1	-
500-502	Bronchitis--------	183	36	17	3	4	2	2	-	-	-	-	1	2	4	5	3	9	10	18	14	21	16	8	6	2	-
	White-----M--	113	21	9	2	2	2	-	-	-	-	-	1	2	3	2	-	7	7	13	10	13	9	6	3	1	-
	F--	55	9	6	-	2	-	2	-	-	-	-	-	-	-	1	2	2	2	3	3	3	7	7	2	3	1	-
	Nonwhite--M--	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	830	5	1	-	-	-	-	-	1	3	4	5	16	46	58	70	108	125	145	102	67	48	18	6	2	-
	White-----M--	609	3	1	-	-	-	-	-	-	2	3	2	13	38	41	59	80	95	103	71	47	36	13	1	1	-
	F--	177	2	-	-	-	-	-	-	-	-	-	1	2	7	11	8	21	26	31	26	20	12	4	5	1	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	1	1	2	1	1	5	3	6	3	9	5	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-
550-553	Appendicitis-------	153	-	2	1	4	3	10	7	4	4	7	7	8	13	5	7	6	16	19	10	13	4	1	1	-	1
	White-----M--	85	-	2	-	-	2	3	4	2	2	4	4	2	8	2	6	6	13	11	5	6	3	-	-	-	-
	F--	51	-	-	1	4	1	5	2	2	1	3	1	3	1	2	1	-	3	7	4	6	1	1	-	-	1
	Nonwhite--M--	11	-	-	-	-	-	1	1	-	1	-	-	1	3	1	-	-	-	1	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	548	78	6	2	-	-	2	2	1	5	3	4	8	13	17	24	44	51	61	57	68	58	36	7	1	-
	White-----M--	271	36	2	1	-	-	-	2	1	3	-	2	2	4	7	14	18	30	34	29	30	37	17	2	-	-
	F--	250	39	2	1	-	-	2	-	-	2	3	2	5	6	9	8	24	14	25	26	36	21	19	5	1	-
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	2	1	2	2	-	-	-	-
	F--	14	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	5	1	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
543, 571, 572	Gastritis, etc.*--	409	152	18	2	3	1	3	1	1	3	2	10	13	11	14	8	17	24	24	28	30	25	12	5	1	1
	White-----M--	207	81	7	1	-	-	2	-	-	2	-	4	9	7	9	2	11	18	16	11	13	7	3	3	1	-
	F--	173	57	7	1	1	1	1	1	1	1	1	6	3	4	5	6	5	5	8	16	15	17	9	1	-	1
	Nonwhite--M--	16	8	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-
	F--	13	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-
581	Cirrhosis of liver	1,955	6	2	-	-	-	1	2	3	3	25	62	142	218	282	307	243	205	210	113	63	42	17	3	2	4
	White-----M--	1,189	6	1	-	-	-	-	2	2	1	7	26	73	126	172	188	158	125	147	78	41	24	7	2	-	3
	F--	656	-	1	-	-	-	-	-	1	2	15	29	56	82	95	103	68	73	54	26	21	18	9	1	1	1
	Nonwhite--M--	72	-	-	-	-	-	1	-	-	-	2	3	8	3	8	11	14	4	9	8	-	-	1	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	1	4	5	7	7	5	3	3	-	1	1	-	-	-	1	-
590, 591	Acute nephritis, etc.*----------	153	4	2	1	2	3	5	1	1	5	4	6	9	16	8	11	9	14	15	17	5	5	5	3	1	1
	White-----M--	75	-	1	1	-	2	2	1	-	3	3	3	4	7	2	5	5	9	8	11	3	2	2	1	-	-
	F--	58	4	-	-	1	1	3	-	1	-	-	3	2	6	3	5	3	4	5	6	1	3	3	2	1	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	-	-	2	-	1	-	-	-	-	-
	F--	10	-	1	-	1	-	-	-	-	1	1	-	2	-	2	-	1	1	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	408	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	15	20	47	76	86	84	50	24	3	-
	White-----M--	390	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	12	16	45	73	84	81	49	24	3	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	3	2	3	1	-	-	-
640-689	Complications of pregnancy, etc.*-	128	...	...	...	...	...	...	-	15	29	30	22	16	15	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	93	...	...	...	...	...	...	-	9	22	22	16	12	11	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	35	...	...	...	...	...	...	-	6	7	8	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	21	...	...	...	...	...	...	-	2	7	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	...	...	...	...	...	...	-	2	6	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	107	...	...	...	...	...	...	-	13	22	25	18	13	15	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	73	...	...	...	...	...	...	-	7	16	17	12	9	11	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	34	...	...	...	...	...	...	-	6	6	8	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	1,213	889	56	22	12	12	38	14	8	20	13	19	17	15	19	16	11	12	8	3	5	3	-	1	-	-
	White-----M--	611	451	33	11	6	3	17	7	3	9	4	8	7	5	12	10	6	8	5	2	2	1	-	1	-	-
	F--	519	378	22	8	6	6	19	7	4	8	7	10	8	9	5	6	5	3	2	1	3	2	-	-	-	-
	Nonwhite--M--	44	32	1	1	-	1	1	-	1	3	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	39	28	-	2	-	2	1	-	-	-	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	4,076	4,073	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	2,148	2,147	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,512	1,511	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	225	224	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	2,261	2,261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,248	1,248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	775	775	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,627	1,624	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	804	803	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	666	665	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	82	81	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	513	32	10	5	2	1	5	3	8	24	18	17	20	24	22	24	35	37	36	29	23	42	34	36	16	10
	White-----M--	278	16	6	1	1	1	3	3	3	16	10	7	8	9	19	16	21	23	29	12	13	19	19	14	6	3
	F--	199	13	2	3	1	-	2	-	2	5	5	9	8	13	3	7	13	12	6	14	8	23	13	22	10	5
	Nonwhite--M--	27	2	1	1	-	-	-	-	2	2	2	1	4	2	-	1	-	2	1	3	1	-	2	-	-	-
	F--	9	1	1	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	2
Residual	All other diseases	4,438	232	45	30	30	27	53	28	43	61	86	112	143	211	257	320	382	427	523	443	414	319	158	68	17	9
	White-----M--	2,458	122	26	18	12	15	21	14	22	27	42	49	60	98	141	174	233	284	312	267	238	155	84	36	4	4
	F--	1,695	85	15	9	16	9	27	11	14	28	32	53	53	89	101	118	126	130	189	163	158	156	68	32	11	2
	Nonwhite--M--	172	14	2	3	1	2	3	1	4	6	6	4	18	12	8	18	14	9	15	10	12	4	3	-	1	2
	F--	113	11	2	-	1	1	2	2	3	-	6	6	12	12	7	10	9	4	7	3	6	4	3	-	1	1
E800-E962	Accidents----------	7,169	210	130	95	84	80	198	164	395	595	542	520	496	477	415	439	361	389	408	377	278	273	144	66	11	22
	White-----M--	4,803	113	71	49	48	45	123	114	295	481	399	363	358	339	295	316	251	250	277	234	140	138	55	32	4	13
	F--	1,858	70	45	38	23	29	64	36	89	82	94	99	95	97	87	88	81	119	110	128	129	126	85	34	7	3
	Nonwhite--M--	402	15	5	4	6	3	10	12	8	29	46	48	30	33	30	32	23	17	16	12	8	9	3	-	-	3
	F--	106	12	9	4	7	3	1	2	3	3	3	10	13	8	3	3	6	3	5	5	1	-	1	-	-	3
E810-E835	Motor-vehicle accidents--------	3,639	28	49	29	38	33	89	70	262	432	344	293	240	232	220	223	200	209	226	191	116	85	17	5	1	7
	White-----M--	2,479	15	32	13	22	22	54	46	199	351	243	188	163	162	151	153	129	125	144	123	66	57	12	4	1	4
	F--	908	11	15	14	11	9	32	20	61	59	73	68	55	49	53	53	52	70	72	58	46	22	4	1	-	-
	Nonwhite--M--	204	2	1	2	1	1	3	3	2	19	26	31	14	16	14	15	15	11	8	7	4	6	1	-	-	2
	F--	48	-	1	-	4	1	-	1	-	3	2	6	8	5	2	2	4	3	2	3	-	-	-	-	-	1
E800-E802, E840-E962	All ot. accidents-	3,530	182	81	66	46	47	109	94	133	163	198	227	256	245	195	216	161	180	182	186	162	188	127	61	10	15
	White-----M--	2,324	98	39	36	26	23	69	68	96	130	156	175	195	177	144	163	122	125	133	111	74	81	43	28	3	9
	F--	950	59	30	24	12	20	32	16	28	23	21	31	40	48	34	35	29	49	38	70	83	104	81	33	7	3
	Nonwhite--M--	198	13	4	2	5	2	7	9	6	10	20	17	16	17	16	17	8	6	8	5	4	3	2	-	-	1
	F--	58	12	8	4	3	2	1	1	3	-	1	4	5	3	1	1	2	-	3	-	1	-	1	-	-	2
E963, E970-E979	Suicide----------	1,801	-	-	-	-	-	-	3	18	78	85	113	160	208	203	214	160	187	156	97	60	34	18	2	2	3
	White-----M--	1,291	-	-	-	-	-	-	3	9	51	61	73	93	140	140	151	121	144	124	80	55	24	17	2	1	2
	F--	458	-	-	-	-	-	-	-	9	19	22	37	62	63	58	58	33	36	28	15	5	10	1	-	1	1
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	4	2	2	2	5	4	3	5	6	4	1	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	4	-	1	3	-	1	2	1	1	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide----------	413	10	1	-	3	1	6	2	12	35	58	68	49	39	29	27	32	15	7	10	2	2	2	-	-	3
	White-----M--	207	3	1	-	1	-	1	1	6	22	28	27	23	15	17	14	20	13	5	8	1	1	-	-	-	-
	F--	94	5	-	-	2	1	5	1	2	6	8	23	7	8	4	8	5	2	1	1	1	-	2	-	-	2
	Nonwhite--M--	86	1	-	-	-	-	-	-	2	5	18	13	14	12	7	5	5	-	1	1	-	1	-	-	-	1
	F--	26	1	-	-	-	-	-	-	2	2	4	5	5	4	1	-	2	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO																										
	ALL CAUSES	12,674	1,194	102	55	29	22	74	93	111	144	175	180	265	357	409	601	820	1,048	1,334	1,487	1,584	1,349	827	345	56	13
	White	7,160	690	57	29	15	15	41	56	64	94	110	117	151	215	249	370	529	646	800	850	828	672	390	150	17	5
	M	5,200	471	43	25	14	7	31	37	43	47	55	59	102	127	151	209	271	368	485	608	725	661	426	191	37	7
	Nonwhite	186	19	2	-	-	-	2	-	2	-	7	3	5	7	8	11	16	21	31	14	18	11	6	2	2	1
	M	128	14	-	1	-	-	-	-	2	3	3	1	7	8	3	11	4	13	18	15	13	5	5	2	-	-
001-019	Tuberculosis all forms	194	2	1	-	-	-	-	1	3	8	12	9	10	15	20	23	25	23	16	12	7	4	3	-	-	-
	White	126	-	-	-	-	-	-	1	1	3	5	4	3	6	16	14	19	17	13	12	6	3	3	-	-	-
	M	54	2	1	-	-	-	-	-	1	4	5	5	4	7	4	7	4	5	3	-	1	1	-	-	-	-
	Nonwhite	9	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	2	1	-	-	-	-	-	-	-	-
	M	5	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	185	1	-	-	-	-	-	1	3	8	11	9	10	15	20	23	22	21	15	12	7	4	3	-	-	-
	White	122	-	-	-	-	-	-	1	1	3	4	4	3	6	16	14	17	16	13	12	6	3	3	-	-	-
	M	49	1	-	-	-	-	-	-	1	4	5	5	4	7	4	7	3	4	2	-	1	1	-	-	-	-
	Nonwhite	9	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	2	1	-	-	-	-	-	-	-	-
	M	5	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	9	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-
	White	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	M	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	34	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	7	8	6	5	1	1	-	-	-	-
	White	28	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	6	4	5	1	1	-	-	-	-
	M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	9	3	1	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	5	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White	4	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	14	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	7	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
* 057	Meningococcal infections	12	4	2	1	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	8	3	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	46	1	-	3	3	2	6	11	6	6	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	23	1	-	1	-	1	2	8	3	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	23	-	-	2	3	1	4	3	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	38	3	1	-	-	-	2	2	-	3	1	-	2	-	2	2	2	1	2	6	2	2	2	3	-	-
	White	22	2	1	-	-	-	1	1	-	1	-	-	2	-	1	2	1	-	1	6	-	-	1	2	-	-
	M	16	1	-	-	-	-	1	1	-	2	1	-	-	-	1	-	1	1	1	-	2	2	1	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
140-205	Malignant neoplasms, etc.*----	1,739	2	7	8	1	2	8	8	3	6	12	20	51	63	85	114	165	219	264	234	244	136	62	23	1	1
	White-----M--	876	1	3	6	-	-	6	6	1	3	8	7	21	28	35	47	74	125	129	128	132	72	33	11	-	-
	F--	827	1	4	2	1	2	2	2	2	3	3	13	28	33	48	65	89	88	125	104	109	62	28	11	1	1
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	7	-	2	2	1	1	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	1	3	3	2	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	31	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	4	2	7	3	4	2	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	1	4	3	3	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	651	-	-	-	-	-	1	-	-	-	1	3	5	17	26	42	51	78	112	115	99	61	28	11	1	-
	White-----M--	353	-	-	-	-	-	1	-	-	-	1	1	4	8	13	23	25	50	59	66	51	32	14	5	-	-
	F--	288	-	-	-	-	-	-	-	-	-	-	2	-	8	12	19	26	27	49	49	48	28	13	6	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	-	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	157	-	-	-	-	-	-	-	-	-	1	-	2	12	8	3	26	26	35	19	12	9	2	2	-	-
	White-----M--	120	-	-	-	-	-	-	-	-	-	1	-	1	9	8	3	19	23	26	16	8	5	1	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	6	3	7	3	4	4	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	148	-	-	-	-	-	-	-	-	-	-	2	9	7	9	15	18	16	20	12	19	12	6	3	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	143	-	-	-	-	-	-	-	-	-	-	2	9	7	9	15	18	13	19	11	19	12	6	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
171-179	Of genital organs-	277	-	-	-	-	-	-	1	-	4	3	13	11	18	24	18	31	38	30	49	23	11	3	-	-
	White-----M--	110	-	-	-	-	-	-	-	-	2	-	3	-	1	3	4	10	12	15	32	16	9	3	-	-
	F--	162	-	-	-	-	-	-	1	-	1	3	9	10	17	21	14	21	25	14	17	7	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
180, 181	Of urinary organs-	93	-	2	1	-	-	-	1	-	-	1	-	1	-	1	9	11	10	15	17	12	7	4	1	-	-
	White-----M--	60	-	-	1	-	-	-	1	-	-	1	-	-	-	-	6	7	7	10	11	7	5	3	1	-	-
	F--	32	-	2	-	-	-	-	-	-	-	-	-	1	-	1	3	4	3	4	6	5	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	213	1	1	4	-	-	2	5	2	2	2	6	7	9	8	11	23	29	24	19	33	14	7	3	-	1
	White-----M--	114	-	1	4	-	-	2	3	1	1	1	4	5	5	4	4	9	18	8	9	20	9	4	2	-	-
	F--	94	1	-	-	-	-	-	2	1	1	1	2	2	4	4	6	14	11	14	10	12	4	3	1	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
204	Leukemia and aleukemia----------	89	-	3	3	1	2	5	2	-	2	3	4	4	3	7	3	5	10	11	8	11	1	1	-	-	-
	White-----M--	48	-	1	1	-	-	3	2	-	-	2	1	2	2	5	3	3	5	7	3	7	-	1	-	-	-
	F--	37	-	2	2	1	2	2	-	-	2	1	3	2	1	1	-	2	4	4	5	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	80	1	1	-	-	-	-	-	-	2	-	2	10	4	6	6	7	15	7	7	6	5	1	-	-	-
	White-----M--	48	1	1	-	-	-	-	-	-	2	-	1	6	4	3	4	2	10	5	3	4	2	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	1	4	-	3	1	4	5	2	3	2	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	40	3	-	-	1	-	-	-	3	1	2	2	3	2	2	5	4	1	2	5	1	1	2	-	-	-
	White-----M--	21	2	-	-	-	-	-	-	2	-	1	1	1	1	2	2	2	-	2	2	1	-	2	-	-	-
	F--	19	1	-	-	1	-	-	-	1	1	1	1	2	1	-	3	2	1	-	3	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	149	-	-	-	-	-	-	-	-	3	6	5	1	1	1	8	5	19	23	27	33	11	6	-	-	-
	White-----M--	64	-	-	-	-	-	-	-	-	1	4	4	1	1	1	4	3	4	12	6	15	6	2	-	-	-
	F--	82	-	-	-	-	-	-	-	-	2	2	1	-	-	-	3	2	14	11	20	18	5	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
290-293	Anemias----------	34	-	1	-	-	-	2	-	-	-	1	-	1	2	2	-	-	2	4	5	3	5	4	2	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	2	3	2	4	1	1	-	-
	F--	15	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	2	2	2	1	1	3	1	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	12	5	2	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White-----M--	5	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	7	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	6,237	5	2	-	1	2	6	9	16	16	26	37	67	107	152	279	411	576	776	930	1,024	907	600	242	39	7
	White-----M--	3,415	4	1	-	-	2	3	6	5	9	15	25	35	62	99	186	267	364	470	524	519	435	270	101	11	2
	F--	2,663	1	1	-	1	-	3	3	11	6	11	12	28	36	51	82	130	196	276	384	480	459	321	138	28	5
	Nonwhite--M--	89	-	-	-	-	-	-	-	-	-	-	-	1	5	1	5	11	8	19	11	15	8	4	1	-	-
	F--	70	-	-	-	-	-	-	-	-	1	-	-	3	4	1	6	3	8	11	11	10	5	5	2	-	-
330-334, 400-468	Diseases of cardiovascular system-	6,050	5	2	-	1	-	5	6	15	11	23	30	62	101	139	271	398	554	754	916	1,006	888	580	237	39	7
	White-----M--	3,318	4	1	-	-	-	3	3	5	6	13	19	33	59	91	181	261	355	460	520	512	426	256	97	11	2
	F--	2,578	1	1	-	1	-	2	3	10	5	10	11	26	34	46	79	123	183	264	375	470	449	315	137	28	5
	Nonwhite--M--	88	-	-	-	-	-	-	-	-	-	-	-	1	4	1	5	11	8	19	11	15	8	4	1	-	-
	F--	66	-	-	-	-	-	-	-	-	-	-	-	2	4	1	6	3	8	11	10	9	5	5	2	-	-
330-334	Vascular lesions, etc.*----------	1,191	-	1	-	1	-	1	-	-	-	3	3	11	15	18	44	66	83	154	198	218	208	119	44	2	2
	White-----M--	544	-	1	-	-	-	-	-	-	-	3	3	6	5	9	18	26	40	78	98	98	91	48	20	-	-
	F--	618	-	-	-	1	-	1	-	-	-	-	-	5	9	9	23	35	41	71	96	115	114	70	24	2	2
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	4	3	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	3	1	1	-	-	-	-	-
400-402	Rheumatic fever----	20	-	1	-	-	-	3	2	4	2	1	1	1	-	1	1	2	1	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	14	-	1	-	-	-	1	1	3	1	1	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* *For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
410-443	Diseases of heart	4,378	5	-	-	-	-	1	4	7	6	14	24	45	77	110	216	315	443	555	675	713	603	383	148	31	3
	White----M	2,540	4	-	-	-	-	1	2	3	3	10	16	27	52	79	158	224	297	357	391	378	295	171	61	10	1
	F	1,729	1	-	-	-	-	-	2	4	3	4	8	16	19	30	50	82	134	176	269	318	298	207	85	21	2
	Nonwhite--M	60	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	9	6	14	7	9	5	1	1	-	-
	F	49	-	-	-	-	-	-	-	-	-	-	-	2	3	-	4	-	6	8	8	8	5	4	1	-	-
410-416	Chronic rheumatic heart disease	256	-	-	-	-	-	-	2	5	3	10	10	18	18	22	26	18	29	26	28	15	13	10	2	1	-
	White----M	124	-	-	-	-	-	-	1	1	1	7	4	8	9	11	13	10	12	14	19	5	5	3	1	-	-
	F	132	-	-	-	-	-	-	1	4	2	3	6	10	9	11	13	8	17	12	9	10	8	7	1	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,946	1	-	-	-	-	1	-	1	2	4	10	23	42	69	150	234	325	408	478	493	378	226	87	12	2
	White----M	1,872	-	-	-	-	-	1	-	1	2	3	9	17	34	60	125	177	234	282	294	275	203	110	40	4	1
	F	1,012	1	-	-	-	-	-	-	-	-	1	1	5	7	8	21	49	82	113	178	208	172	112	45	8	1
	Nonwhite--M	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	4	11	2	5	3	1	1	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	5	2	4	5	-	3	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	543	1	-	-	-	-	-	1	-	1	-	2	2	3	8	16	20	37	39	70	96	121	79	37	10	-
	White----M	265	1	-	-	-	-	-	1	-	-	-	1	1	2	4	9	10	22	19	37	59	52	29	14	4	-
	F	266	-	-	-	-	-	-	-	-	1	-	1	-	1	4	6	10	13	18	31	35	68	49	23	6	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-
430-434	Other diseases of heart	92	3	-	-	-	-	-	1	1	-	-	1	2	2	-	6	6	9	13	9	12	14	10	2	-	1
	White----M	52	3	-	-	-	-	-	-	1	-	-	1	1	1	-	4	6	4	11	3	4	8	5	-	-	-
	F	37	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-	5	1	5	7	6	5	2	-	1
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	541	-	-	-	-	-	-	-	-	-	-	1	-	12	11	18	37	43	69	90	97	77	58	20	8	-
	White----M	227	-	-	-	-	-	-	-	-	-	-	1	-	6	4	7	21	25	31	38	35	27	24	6	2	-
	F	282	-	-	-	-	-	-	-	-	-	-	-	-	1	7	8	15	17	32	46	58	44	34	14	6	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	2	3	1	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	4	3	3	5	-	-	-	-
444-447	Hypertension without mention of heart	80	-	-	-	-	-	-	-	-	1	1	-	1	2	1	4	7	8	10	7	15	12	5	6	-	-
	White----M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	5	4	4	6	1	2	-	-
	F	46	-	-	-	-	-	-	-	-	1	1	-	1	2	1	2	3	3	5	2	11	6	4	4	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
450	General arteriosclerosis	270	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	5	20	24	48	56	70	34	5	2
	White----M	137	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	12	16	26	28	34	12	1	1
	F	126	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	7	21	28	34	21	4	1
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
451-468	Other diseases of circulatory sys.	111	-	-	-	-	-	-	-	4	2	4	2	4	7	5	4	8	14	15	12	12	9	3	5	1	-
	White----M	58	-	-	-	-	-	-	-	1	2	-	-	-	2	1	1	7	9	8	11	6	6	2	2	-	-
	F	45	-	-	-	-	-	-	-	3	-	4	2	3	4	3	3	1	3	6	1	5	3	-	3	1	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	187	-	-	-	-	2	1	3	1	5	3	7	5	6	13	8	13	22	22	14	18	19	20	5	-	-
	White----M	97	-	-	-	-	2	-	3	-	3	2	6	2	3	8	5	6	9	10	4	7	9	14	4	-	-
	F	85	-	-	-	-	-	1	-	1	1	1	1	2	2	5	3	7	13	12	9	10	10	6	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	633	113	20	7	2	3	5	6	-	3	6	3	10	10	10	13	15	33	39	60	84	101	55	28	6	1
	White----M	354	68	11	4	2	1	2	4	-	2	4	3	3	7	5	10	14	21	24	36	42	55	22	11	3	-
	F	264	44	9	2	-	2	2	2	-	1	2	-	6	3	4	3	1	11	11	21	41	46	32	17	3	1
	Nonwhite--M	12	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	3	2	1	-	1	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
480-483	Influenza	45	14	1	1	-	-	-	1	-	-	-	-	-	-	-	1	1	7	1	2	4	6	3	3	-	-
	White----M	21	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	2	1	1	-	-
	F	24	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	4	1	1	3	4	2	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	588	99	19	6	2	3	5	5	-	3	6	3	10	10	10	12	14	26	38	58	80	95	52	25	6	1
	White----M	333	59	10	4	2	1	2	4	-	2	4	3	3	7	5	9	13	18	24	35	41	53	21	10	3	-
	F	240	39	9	1	-	2	2	1	-	1	2	-	6	3	4	3	1	7	10	20	38	42	30	15	3	1
	Nonwhite--M	12	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	3	2	1	-	1	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
500-502	Bronchitis	36	10	2	3	1	-	3	-	-	-	-	-	-	-	-	1	1	4	2	4	2	3	-	-	-	-
	White----M	17	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	3	2	2	1	1	-	-	-	-
	F	19	5	1	3	1	-	2	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	106	-	-	-	-	-	-	-	-	-	-	-	2	4	10	11	15	9	19	11	16	3	5	1	-	-
	White----M	83	-	-	-	-	-	-	-	-	-	-	-	1	2	10	8	13	6	15	10	12	2	4	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	2	3	1	4	1	1	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	25	-	-	-	-	-	2	3	-	1	2	-	2	1	-	1	1	2	1	3	3	3	-	-	-	-
	White----M	16	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	1	2	1	3	2	3	-	-	-	-
	F	9	-	-	-	-	-	2	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	81	10	1	-	-	-	1	-	1	-	2	2	1	1	3	3	1	5	7	11	14	13	2	3	-	-
	White----M	43	7	1	-	-	-	-	-	1	-	1	1	1	-	2	-	1	-	3	6	8	6	2	3	-	-
	F	36	3	-	-	-	-	1	-	-	-	-	1	-	1	1	3	-	5	3	5	6	7	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
543, 571, 572	Gastritis, etc.*--	106	66	8	2	-	-	-	1	1	-	-	1	1	1	1	2	2	2	5	1	1	6	4	1	-	-
	White-----M--	55	37	3	1	-	-	-	1	-	-	-	1	-	1	1	1	1	2	2	-	1	1	3	-	-	-
	F--	43	23	4	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	1	-	5	1	1	-	-
	Nonwhite--M--	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	148	-	-	-	-	-	-	1	-	-	2	4	11	15	17	15	19	14	14	15	11	6	2	-	-	-
	White-----M--	85	-	-	-	-	-	-	1	-	-	-	3	5	8	5	10	14	8	9	10	6	5	1	-	-	-
	F--	57	-	-	-	-	-	-	-	-	-	2	1	6	6	12	5	4	4	5	5	5	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	17	-	-	1	1	-	-	2	-	-	1	-	1	1	-	1	4	-	4	-	-	1	-	-	-	-
	White-----M--	11	-	-	1	1	-	-	2	-	-	1	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	13	11	11	19	8	3	1	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	12	11	11	19	8	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	30	...	...	...	...	...	...	-	4	7	5	4	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	30	...	...	...	...	...	...	-	4	7	5	4	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	4	...	...	...	...	...	...	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	26	...	...	...	...	...	...	-	3	5	5	3	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	26	...	...	...	...	...	...	-	3	5	5	3	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	190	150	10	3	2	2	2	4	2	3	-	4	-	1	1	2	2	1	1	-	-	-	-	-	-	-
	White-----M--	110	86	7	1	1	2	1	3	1	3	-	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	77	62	3	2	1	-	-	1	1	-	-	1	-	1	1	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	733	733	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	433	433	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	279	279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	383	383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	282	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	55	6	-	-	-	-	-	-	-	-	1	2	-	2	2	2	3	1	4	4	5	5	4	9	4	1
	White-----M--	37	4	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	1	4	3	5	2	1	7	1	1
	F--	16	1	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	-	3	3	2	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	686	22	8	4	5	1	5	6	7	4	14	14	18	28	30	54	66	74	77	76	69	58	31	14	1	-
	White-----M--	404	11	3	1	4	-	3	3	2	3	5	9	10	15	20	36	45	47	49	43	35	33	19	7	1	-
	F--	273	10	5	3	1	1	2	3	4	1	8	4	8	13	10	17	21	25	28	33	33	24	12	7	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	2	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E800-E962	Accidents----------	964	42	30	21	8	9	27	36	62	70	54	45	53	67	41	46	47	41	44	51	51	60	36	16	4	3
	White-----M--	648	18	18	12	6	8	18	17	46	56	47	38	44	58	28	35	40	28	32	27	28	21	17	4	-	2
	F--	299	23	12	9	2	1	9	19	15	13	5	7	8	9	11	9	7	11	11	23	22	39	19	12	3	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	2	-	1	-	-	-	-	1	1
	F--	7	1	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	363	5	10	4	4	1	8	9	37	46	31	26	18	33	18	17	17	23	20	17	12	5	2	-	-	-
	White-----M--	259	1	6	2	4	1	4	6	23	37	27	20	13	30	10	11	14	15	13	10	9	3	-	-	-	-
	F--	95	3	4	2	-	-	4	3	13	9	2	6	5	3	7	4	3	7	6	7	3	2	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	601	37	20	17	4	8	19	27	25	24	23	19	35	34	23	29	30	18	24	34	39	55	34	16	4	3
	White-----M--	389	17	12	10	2	7	14	11	23	19	20	18	31	28	18	24	26	13	19	17	19	18	17	4	-	2
	F--	204	20	8	7	2	1	5	16	2	4	3	1	3	6	4	5	4	4	5	16	19	37	17	12	3	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	1	1
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E963, E970-E979	Suicide----------	192	-	-	-	-	-	-	1	1	9	19	16	21	26	24	12	21	11	11	15	2	2	1	-	-	-
	White-----M--	150	-	-	-	-	-	-	1	1	7	13	13	16	18	16	10	18	10	11	12	1	2	1	-	-	-
	F--	37	-	-	-	-	-	-	-	-	2	6	2	4	7	7	2	3	-	-	3	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	34	1	1	-	-	-	1	-	-	3	5	8	3	2	4	4	1	1	-	-	-	-	-	-	-	-
	White-----M--	20	-	1	-	-	-	1	-	-	3	2	5	3	-	2	1	1	1	-	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT																										
	ALL CAUSES	19,864	899	50	42	33	30	81	44	74	138	149	281	324	507	746	1,123	1,702	2,141	2,512	2,543	2,555	2,059	1,186	507	132	26
	White-----M	10,558	472	20	18	19	17	41	26	45	79	90	135	181	294	418	668	1,081	1,252	1,423	1,378	1,263	927	482	180	43	6
	F	8,734	360	24	20	12	9	35	16	23	43	47	109	115	180	281	409	576	839	1,032	1,115	1,257	1,109	694	322	89	18
	Nonwhite--M	289	29	2	3	-	4	2	1	2	9	8	10	16	13	22	31	23	26	28	29	15	12	2	2	-	-
	F	283	38	4	1	2	-	3	1	4	7	4	7	12	20	25	15	22	24	29	21	20	11	8	3	-	2
001-019	Tuberculosis all forms	295	-	1	-	-	-	2	-	1	3	7	12	21	29	28	39	33	40	30	23	20	4	2	-	-	-
	White-----M	198	-	-	-	-	-	1	-	-	-	3	5	9	19	16	29	24	30	24	19	13	4	2	-	-	-
	F	68	-	-	-	-	-	-	-	-	1	3	5	8	7	5	9	5	9	6	3	7	-	-	-	-	-
	Nonwhite--M	17	-	-	-	-	-	1	-	-	1	1	1	1	-	6	1	4	1	-	-	-	-	-	-	-	-
	F	12	-	1	-	-	-	-	-	1	1	-	1	3	3	1	-	-	-	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	272	-	-	-	-	-	-	-	1	2	5	12	19	24	27	37	33	36	30	21	19	4	2	-	-	-
	White-----M	192	-	-	-	-	-	-	-	-	-	3	5	8	17	16	28	24	30	24	18	13	4	2	-	-	-
	F	58	-	-	-	-	-	-	-	-	1	2	5	8	6	4	6	5	5	6	2	6	-	-	-	-	-
	Nonwhite--M	14	-	-	-	-	-	-	-	-	-	-	1	1	-	6	1	4	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	23	-	1	-	-	-	2	-	-	1	2	-	2	5	1	2	-	4	-	2	1	-	-	-	-	-
	White-----M	6	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	4	-	1	1	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	53	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	9	10	7	9	8	3	-	-	-	-
	White-----M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	8	7	5	4	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	3	3	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	12	6	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White-----M	6	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	6	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	11	-	-	-	-	-	2	3	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	42	7	1	-	-	1	2	1	1	1	1	3	2	2	1	2	3	2	2	3	2	1	3	1	-	-
	White-----M	25	4	-	-	-	1	1	-	-	1	-	2	2	1	-	2	1	2	1	2	2	1	2	-	-	-
	F	14	2	-	-	-	-	1	1	1	-	1	1	-	-	1	-	2	-	1	1	-	-	1	1	-	-
	Nonwhite--M	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
140-205	Malignant neoplasms, etc.*	3,418	2	4	7	6	8	14	6	9	19	13	44	67	99	198	263	439	481	522	473	365	240	94	38	7	-
	White—M	1,772	2	2	3	4	5	5	3	6	14	8	18	30	30	88	125	241	253	297	259	185	123	45	23	3	-
	F	1,579	-	1	3	2	3	8	3	3	4	5	25	36	62	100	131	191	219	221	205	176	115	48	14	4	-
	Nonwhite—M	32	-	-	1	-	-	-	-	-	-	-	1	1	2	5	4	3	5	3	5	1	1	-	-	-	-
	F	35	-	1	-	-	-	1	-	-	1	-	-	-	5	5	3	4	4	1	4	3	1	1	1	-	-
140-148	Of buccal cavity and pharynx	94	-	-	-	-	-	-	-	-	-	-	1	-	4	5	6	14	13	12	13	12	10	3	1	-	-
	White—M	81	-	-	-	-	-	-	-	-	-	-	1	-	3	5	5	12	12	12	9	9	9	3	1	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	3	3	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,346	-	-	-	-	-	4	-	-	3	1	4	19	28	48	88	175	211	211	219	171	97	48	17	2	-
	White—M	718	-	-	-	-	-	1	-	-	2	-	2	8	13	24	55	112	110	117	116	86	44	19	9	-	-
	F	598	-	-	-	-	-	3	-	-	1	1	2	10	13	20	29	61	96	92	98	82	52	28	8	2	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	2	2	2	3	1	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	2	2	-	1	-	-	-
160-164	Of respiratory system	402	-	-	-	-	-	-	-	1	1	1	1	9	8	26	40	61	81	74	58	28	10	1	2	-	-
	White—M	340	-	-	-	-	-	-	-	1	-	1	1	7	7	23	32	56	72	58	53	20	7	-	2	-	-
	F	58	-	-	-	-	-	-	-	-	1	-	-	2	1	2	7	5	7	16	5	8	3	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	299	-	-	-	-	-	-	-	-	-	-	7	12	15	32	33	51	33	30	29	29	19	7	1	1	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	294	-	-	-	-	-	-	-	-	-	-	7	12	15	32	32	49	33	30	28	29	18	7	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-
171-179	Of genital organs	485	-	-	-	-	-	-	-	-	3	2	9	6	21	22	39	49	53	75	72	59	47	20	7	1	-
	White—M	176	-	-	-	-	-	-	-	-	2	1	2	2	-	1	3	10	13	28	33	34	28	15	3	1	-
	F	297	-	-	-	-	-	-	-	-	-	1	7	4	18	20	35	39	39	45	38	24	19	5	3	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	-	-	3	1	1	-	-	-	1	-	1	-	-	1	-	-
180, 181	Of urinary organs	166	-	1	-	2	-	1	1	-	-	1	-	2	1	10	10	15	23	31	16	18	24	4	5	1	-
	White—M	118	-	1	-	1	-	-	1	-	-	1	-	1	-	7	7	11	15	27	12	11	16	1	5	1	-
	F	46	-	-	-	1	-	1	-	-	-	-	-	1	1	2	3	4	8	4	3	7	8	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	331	1	-	5	2	3	5	1	3	3	3	8	12	11	26	21	35	37	50	43	31	18	7	4	2	-
	White—M	173	1	-	1	2	1	1	-	2	3	2	5	8	4	13	10	22	17	29	21	15	8	5	2	1	-
	F	151	-	-	3	-	2	3	1	1	-	1	3	4	6	11	11	12	20	21	21	16	10	2	2	1	-
	Nonwhite—M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia	151	1	3	2	1	4	4	3	2	4	4	10	2	5	14	11	20	11	21	7	12	7	3	-	-	-
	White—M	93	1	1	2	-	3	3	1	2	3	3	6	2	1	10	6	11	6	15	4	6	5	2	-	-	-
	F	54	-	1	-	1	1	1	2	-	1	1	3	-	3	4	5	8	5	6	3	6	2	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	144	-	-	-	1	1	-	1	3	5	1	4	5	6	15	15	19	19	18	16	5	8	1	1	-	-
	White—M	72	-	-	-	1	1	-	1	1	4	-	1	2	2	5	7	7	8	11	10	4	6	-	1	-	-
	F	70	-	-	-	-	-	-	-	2	1	1	3	3	4	9	8	12	10	7	6	1	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	96	4	2	-	-	1	4	-	-	2	2	3	4	6	7	15	18	8	7	5	3	1	2	1	1	-
	White—M	45	3	1	-	-	-	3	-	-	2	1	1	1	1	2	8	9	6	2	2	2	1	-	-	-	-
	F	50	1	1	-	-	1	1	-	-	-	1	2	3	5	5	7	8	2	5	3	1	-	2	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	389	-	-	-	-	-	1	-	1	1	2	3	3	9	5	18	39	70	83	53	49	36	11	4	1	-
	White—M	122	-	-	-	-	-	-	-	-	1	-	-	1	5	1	4	13	21	26	17	15	11	5	2	-	-
	F	255	-	-	-	-	-	1	-	1	-	2	3	2	4	4	14	22	48	53	35	33	24	6	2	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	1	-	-	-	-
290-293	Anemias	44	-	1	-	-	-	1	-	-	-	-	1	1	1	1	4	2	4	3	6	6	8	4	1	-	-
	White—M	18	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	3	2	3	3	3	-	1	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	1	1	3	3	5	4	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	17	2	4	1	1	2	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	1	-	-	-	-
	White—M	10	1	3	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-
	F	6	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	11,334	6	1	2	1	-	4	8	8	27	33	62	96	196	321	544	867	1,200	1,535	1,683	1,801	1,497	929	390	102	21
	White—M	5,935	3	-	1	1	-	1	4	3	10	19	32	59	131	199	356	582	717	864	896	868	667	361	128	31	2
	F	5,141	2	1	1	-	-	3	2	4	14	12	26	27	49	108	166	262	453	631	755	906	812	559	260	71	17
	Nonwhite—M	123	-	-	-	-	-	-	1	-	2	1	3	5	6	4	13	9	17	18	19	12	10	2	1	-	-
	F	135	1	-	-	-	-	-	1	1	1	1	1	5	10	10	9	14	13	22	13	15	8	7	1	-	2
330-334, 400-468	Diseases of cardiovascular system	11,116	6	1	2	-	-	3	6	6	21	21	51	89	189	309	526	845	1,185	1,513	1,658	1,782	1,479	913	389	101	21
	White—M	5,822	3	-	1	-	-	1	3	2	8	10	28	57	127	193	346	572	712	851	883	857	656	351	128	31	2
	F	5,047	2	1	1	-	-	2	1	3	10	10	20	23	47	104	158	250	446	622	743	900	805	553	259	70	17
	Nonwhite—M	116	-	-	-	-	-	-	1	-	2	-	2	4	5	4	13	9	15	18	19	11	10	2	1	-	-
	F	131	1	-	-	-	-	-	1	1	1	1	1	5	10	8	9	14	12	22	13	14	8	7	1	-	2
330-334	Vascular lesions, etc.*	2,152	3	-	2	-	-	2	2	-	5	2	4	10	28	68	79	122	204	296	345	396	315	182	65	16	6
	White—M	961	1	-	1	-	-	1	-	-	1	1	1	6	12	31	36	61	91	146	172	181	131	62	22	4	-
	F	1,150	2	-	1	-	-	1	1	-	4	1	3	4	14	34	41	59	103	145	166	209	184	118	42	12	6
	Nonwhite—M	17	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	4	2	4	3	-	1	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	6	3	3	3	-	1	1	-	-
400-402	Rheumatic fever	20	-	1	-	-	-	-	3	1	2	1	2	2	1	-	1	5	1	-	-	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	2	-	-	-	2	1	1	-	1	3	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
410-443	Diseases of heart-	8,263	1	-	-	-	-	-	1	5	14	16	37	73	149	233	435	692	929	1,148	1,224	1,264	1,057	639	271	64	11
	White-----M--	4,543	1	-	-	-	-	-	1	2	7	9	22	48	110	158	304	490	593	668	689	624	475	251	91	18	2
	F--	3,547	-	-	-	-	-	-	-	3	5	7	14	18	28	66	111	184	319	450	533	624	568	383	179	46	9
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	1	-	1	3	4	3	12	8	11	14	13	5	8	1	1	-	-
	F--	88	-	-	-	-	-	-	-	-	1	-	-	4	7	6	8	10	6	16	9	11	6	4	-	-	-
410-416	Chronic rheumatic heart disease----	298	-	-	-	-	-	-	-	2	10	9	18	17	23	34	37	45	34	25	17	17	4	4	2	-	-
	White-----M--	132	-	-	-	-	-	-	-	1	5	4	10	8	10	15	16	20	14	9	9	10	-	-	1	-	-
	F--	158	-	-	-	-	-	-	-	1	4	5	8	8	13	19	19	23	20	14	8	7	4	4	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,844	1	-	-	-	-	-	-	2	1	3	14	38	99	149	300	506	692	841	869	835	754	447	175	39	9
	White-----M--	3,443	1	-	-	-	-	-	-	1	1	3	11	32	83	120	230	395	473	522	509	464	348	177	59	12	2
	F--	2,308	-	-	-	-	-	-	-	1	-	-	3	4	11	28	56	102	214	301	366	411	396	265	116	27	7
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	-	-	1	3	1	9	6	4	10	10	3	6	1	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	3	1	8	4	7	4	4	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	874	-	-	-	-	-	-	-	1	-	3	2	5	8	11	20	35	51	96	125	164	159	113	60	20	1
	White-----M--	441	-	-	-	-	-	-	-	-	-	2	-	5	6	8	14	20	27	58	70	77	81	44	24	5	-
	F--	424	-	-	-	-	-	-	-	1	-	1	1	-	1	2	6	15	23	37	54	86	77	69	35	15	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
430-434	Other diseases of heart---------	148	-	-	-	-	-	-	1	-	3	1	1	4	4	4	8	22	18	18	26	15	16	2	4	1	-
	White-----M--	86	-	-	-	-	-	-	1	-	1	-	-	1	3	3	6	17	12	12	14	9	4	-	2	1	-
	F--	57	-	-	-	-	-	-	-	-	1	1	1	2	-	1	2	4	6	5	12	6	12	2	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	1,099	-	-	-	-	-	-	-	-	-	-	2	9	15	35	70	84	134	168	167	183	124	73	30	4	1
	White-----M--	441	-	-	-	-	-	-	-	-	-	-	1	2	8	12	38	38	67	67	67	64	42	30	5	-	-
	F--	600	-	-	-	-	-	-	-	-	-	-	1	4	3	16	28	40	56	93	93	114	79	43	25	4	1
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	7	1	3	1	1	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	2	3	5	2	4	4	7	4	4	2	-	-	-	-
444-447	Hypertension without mention of heart----------	152	-	-	-	-	-	-	-	-	-	1	3	2	4	1	6	12	14	15	16	32	16	17	9	4	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	11	7	6	8	14	8	8	3	2	-
	F--	70	-	-	-	-	-	-	-	-	-	1	-	-	2	-	4	1	7	8	7	16	7	9	6	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-
450	General arteriosclerosis--------	378	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	9	25	48	75	83	67	42	17	2
	White-----M--	163	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	17	21	31	39	27	12	7	-
	F--	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	5	25	43	41	38	30	10	2
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-
451-468	Other diseases of circulatory sys.-	151	2	-	-	-	-	1	-	-	-	1	5	2	8	5	4	8	28	29	25	15	8	8	2	-	2
	White-----M--	71	1	-	-	-	-	-	-	-	-	-	2	1	1	1	2	4	19	14	13	7	3	3	-	-	-
	F--	72	-	-	-	-	-	1	-	-	-	1	3	1	3	4	2	2	9	14	12	8	5	5	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2
592-594	Chronic nephritis, etc.*----------	218	-	-	-	1	-	1	2	2	6	12	11	7	7	12	18	22	15	22	25	19	18	16	1	1	-
	White-----M--	113	-	-	-	1	-	-	1	1	2	9	4	2	4	6	10	10	5	13	13	11	11	10	-	-	-
	F--	94	-	-	-	-	-	1	1	1	4	2	6	4	2	4	8	12	7	9	12	6	7	6	1	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	2	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	440	39	7	5	2	3	1	1	2	2	2	4	12	14	6	11	26	41	38	36	60	64	37	19	7	1
	White-----M--	225	15	3	2	1	2	-	1	1	1	1	1	4	8	2	5	16	23	26	23	36	26	18	7	3	-
	F--	193	18	4	3	-	1	1	-	1	1	1	3	5	5	1	1	10	18	12	13	23	37	19	11	4	1
	Nonwhite--M--	17	6	-	-	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	1	1	-	1	-	-
	F--	5	-	-	-	1	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	45	1	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	3	7	4	6	10	5	2	1	-
	White-----M--	26	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	4	2	3	5	4	2	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	2	3	5	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	395	38	7	5	2	3	1	1	2	2	2	3	10	13	5	11	25	38	31	32	54	54	32	17	6	1
	White-----M--	199	14	3	2	1	2	-	1	1	1	1	1	3	7	1	5	15	22	22	21	33	21	14	5	3	-
	F--	175	18	4	3	-	1	1	-	1	1	1	2	5	5	1	1	10	16	9	11	20	32	18	11	3	1
	Nonwhite--M--	17	6	-	-	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	1	1	-	1	-	-
	F--	4	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	25	3	-	1	-	1	2	-	1	-	-	-	1	-	1	-	-	3	5	3	2	1	-	-	1	-
	White-----M--	17	1	-	-	-	1	1	-	1	-	-	-	1	-	1	-	-	2	4	3	-	1	-	-	1	-
	F--	8	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	140	2	-	-	-	-	-	-	-	-	-	-	3	7	6	16	15	14	23	23	16	9	5	1	-	-
	White-----M--	115	1	-	-	-	-	-	-	-	-	-	-	2	7	6	15	14	12	16	22	12	6	1	1	-	-
	F--	24	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	7	1	4	3	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	35	-	-	-	1	-	-	-	-	1	2	1	-	2	-	5	4	2	6	2	6	2	-	1	-	-
	White-----M--	22	-	-	-	1	-	-	-	-	-	1	1	-	-	-	4	4	1	2	2	4	1	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	3	-	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	106	7	-	1	-	-	-	-	-	-	-	1	2	4	4	5	6	8	13	11	14	19	4	5	2	-
	White-----M--	51	5	-	1	-	-	-	-	-	-	-	1	1	2	2	1	4	5	5	5	8	6	2	3	-	-
	F--	54	2	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	3	8	6	6	13	2	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
543, 571, 572	Gastritis, etc.*	51	1	2	2	1	-	2	-	1	1	-	2	1	2	1	2	2	6	6	4	6	7	2	-	-	-
	White----M	17	-	-	-	-	-	1	-	-	-	-	2	1	-	1	1	1	2	2	-	3	3	-	-	-	-
	F	29	1	2	-	-	-	1	-	1	1	-	-	-	2	-	-	1	3	4	4	3	4	2	-	-	-
	Nonwhite--M	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	292	-	1	-	-	-	-	-	-	1	1	8	17	20	31	41	48	41	45	18	12	5	2	1	-	-
	White----M	181	-	1	-	-	-	-	-	-	-	1	1	9	14	17	22	31	30	32	13	7	2	-	1	-	-
	F	106	-	-	-	-	-	-	-	-	1	-	7	7	6	12	18	17	11	13	4	5	3	2	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	33	2	-	-	1	-	1	-	1	1	1	-	-	1	2	3	1	4	4	3	4	4	-	-	-	-
	White----M	20	1	-	-	1	-	1	-	1	-	1	-	-	1	2	2	-	2	-	3	3	2	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	4	-	1	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	6	13	9	7	5	3	-
	White----M	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	5	13	9	7	5	3	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	14	...	...	...	...	...	...	-	1	2	1	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	13	...	...	...	...	...	...	-	1	1	1	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	3	...	...	...	...	...	...	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	11	...	...	...	...	...	...	-	1	-	1	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	11	...	...	...	...	...	...	-	1	-	1	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	241	166	10	4	3	1	11	4	6	3	4	3	2	4	4	6	3	4	-	-	1	2	-	-	-	-
	White----M	106	80	2	1	1	-	4	1	1	1	3	-	1	2	-	3	2	2	-	-	1	1	-	-	-	-
	F	123	80	6	3	2	1	5	3	5	2	1	3	1	2	2	3	1	2	-	-	-	1	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	5	2	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	588	587	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	317	316	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	224	224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	327	326	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	182	181	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	57	11	-	1	-	-	1	-	-	-	1	-	1	2	-	4	6	4	4	1	5	6	3	5	1	1
	White----M	34	10	-	-	-	-	1	-	-	-	-	-	1	1	-	2	3	4	2	1	3	1	1	2	1	1
	F	20	1	-	1	-	-	-	-	-	-	1	-	-	1	-	1	3	-	1	-	2	5	2	2	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Residual	All other diseases	864	22	3	6	2	3	11	6	10	6	11	29	35	36	59	61	78	107	107	90	75	52	36	17	1	1
	White----M	469	13	-	3	1	3	6	4	6	2	5	16	21	23	34	31	45	59	61	48	37	27	19	4	-	1
	F	367	8	3	3	1	-	5	2	4	3	5	10	12	11	19	29	31	44	42	41	38	25	17	13	1	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	1	1	1	1	2	3	1	1	1	3	1	-	-	-	-	-	-
	F	12	1	-	-	-	-	-	-	-	-	2	1	-	-	3	-	1	3	1	-	-	-	-	-	-	-
E800-E962	Accidents	903	29	11	12	12	9	18	13	26	53	42	42	31	39	44	47	55	64	51	77	77	83	44	16	6	2
	White----M	554	13	6	7	7	4	13	11	22	41	31	33	20	29	32	34	46	47	35	38	36	27	18	1	1	2
	F	304	13	4	4	5	2	5	2	1	8	5	7	4	10	10	9	9	13	14	37	41	55	26	15	5	-
	Nonwhite--M	31	1	1	-	-	3	-	-	2	3	5	2	6	-	2	3	-	2	-	1	-	-	-	-	-	-
	F	14	2	-	1	-	-	-	-	1	1	1	-	1	-	-	1	-	2	2	1	-	1	-	-	-	-
E810-E835	Motor-vehicle accidents	271	2	2	4	5	2	9	7	18	31	24	25	11	23	14	16	16	12	10	12	17	7	2	1	-	1
	White----M	190	1	-	2	3	1	5	6	16	23	16	21	7	16	10	10	14	8	5	9	11	3	1	1	-	1
	F	67	1	2	2	2	-	4	1	1	5	4	4	2	7	4	4	2	3	5	3	6	4	1	-	-	-
	Nonwhite--M	9	-	-	-	-	1	-	-	-	2	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	632	27	9	8	7	7	9	6	8	22	18	17	20	16	30	31	39	52	41	65	60	76	42	15	6	1
	White----M	364	12	6	5	4	3	8	5	6	18	15	12	13	13	22	24	32	39	30	29	25	24	17	-	1	1
	F	237	12	2	2	3	2	1	1	-	3	1	3	2	3	6	5	7	10	9	34	35	51	25	15	5	-
	Nonwhite--M	22	1	1	-	-	2	-	-	2	1	2	2	4	-	2	2	-	2	-	1	-	-	-	-	-	-
	F	9	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	1	-	-	-	-
E963, E970-E979	Suicide	264	-	-	-	-	-	-	-	6	9	19	28	21	28	20	26	41	22	16	11	8	6	1	2	-	-
	White----M	188	-	-	-	-	-	-	-	4	4	13	18	17	18	10	17	33	17	13	10	7	5	1	1	-	-
	F	68	-	-	-	-	-	-	-	1	3	6	8	4	9	10	8	7	5	3	1	1	1	-	1	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	41	2	1	-	2	-	2	2	-	4	5	5	1	5	3	4	2	1	-	1	1	-	-	-	-	-
	White----M	18	1	-	-	1	-	-	1	-	1	2	1	1	2	2	2	2	1	-	1	-	-	-	-	-	-
	F	12	-	1	-	1	-	1	1	-	1	1	1	-	2	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	5	1	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE																										
	ALL CAUSES	3,439	227	16	6	8	5	17	14	24	36	41	48	85	98	174	182	265	318	421	426	410	300	199	91	21	7
	White--M	1,558	85	6	3	7	-	7	8	14	15	14	24	32	45	80	82	125	148	202	194	187	149	86	38	4	3
	White--F	1,261	76	6	2	1	2	4	2	4	6	11	10	21	22	47	49	90	111	151	174	179	128	101	48	14	2
	Nonwhite--M	379	41	2	1	-	2	6	4	3	12	9	8	21	17	22	31	32	37	44	35	23	13	9	4	2	1
	Nonwhite--F	241	25	2	-	-	1	-	-	3	3	7	6	11	14	25	20	18	22	24	23	21	10	3	1	1	1
001-019	Tuberculosis all forms	71	-	1	-	-	-	-	-	1	1	7	4	12	5	6	7	3	4	10	6	2	1	-	1	-	-
	White--M	27	-	1	-	-	-	-	-	-	-	1	3	5	1	3	1	1	2	5	4	-	-	-	-	-	-
	White--F	14	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	1	1	2	2	1	-	-	1	-	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	-	2	-	3	3	1	5	1	-	2	-	-	1	-	-	-	-
	Nonwhite--F	12	-	-	-	-	-	-	-	1	1	3	1	1	1	1	-	-	1	1	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	67	-	1	-	-	-	-	-	1	1	7	4	11	5	5	6	3	4	10	5	2	1	-	1	-	-
	White--M	26	-	1	-	-	-	-	-	-	-	1	3	5	1	3	1	1	2	5	3	-	-	-	-	-	-
	White--F	14	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	1	1	2	2	1	-	-	1	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	2	-	2	3	1	4	1	-	2	-	-	1	-	-	-	-
	Nonwhite--F	11	-	-	-	-	-	-	-	1	1	3	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	14	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	3	4	-	2	-	-	-	1	-	-
	White--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	1	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	9	-	1	-	1	-	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
	White--M	5	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
140-205	Malignant neoplasms, etc.*	466	1	-	2	3	2	3	1	3	1	1	13	7	14	33	27	66	63	69	67	47	21	21	1	-	-
	White—M	189	1	-	-	3	-	1	-	3	-	-	5	2	8	10	10	31	23	24	31	19	10	8	-	-	-
	F	212	-	-	2	-	2	1	-	-	1	1	5	3	5	16	15	26	31	32	27	23	10	12	-	-	-
	Nonwhite—M	33	-	-	-	-	-	1	1	-	-	-	1	-	-	1	2	6	5	8	5	1	-	1	1	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	2	2	1	6	-	3	4	5	4	4	1	-	-	-	-
140-148	Of buccal cavity and pharynx	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	168	-	-	-	-	-	-	-	-	-	-	5	1	3	9	8	20	28	24	35	19	7	9	-	-	-
	White—M	72	-	-	-	-	-	-	-	-	-	-	3	-	2	1	3	10	13	10	14	9	4	3	-	-	-
	F	70	-	-	-	-	-	-	-	-	-	-	2	-	1	5	4	8	10	10	14	8	3	5	-	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	3	1	-	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	1	4	1	-	-	-	-	-
160-164	Of respiratory system	49	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	11	6	9	8	3	1	1	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	9	4	6	6	1	1	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	1	2	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	37	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	7	6	9	4	2	2	1	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	6	8	4	2	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	89	-	-	-	-	-	-	-	-	-	-	3	2	3	11	6	8	13	13	8	10	5	6	1	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	3	3	-	-	-
	F	56	-	-	-	-	-	-	-	-	-	-	1	1	2	8	6	7	10	7	4	6	1	3	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	1	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	1	2	1	-	2	1	-	-	-	-
180, 181	Of urinary organs	16	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	1	2	2	2	2	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	1	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	47	-	-	-	-	1	2	-	1	1	-	1	1	3	3	1	9	3	8	4	4	2	3	-	-	-
	White—M	21	-	-	-	-	-	-	-	1	-	-	1	-	2	3	1	5	-	1	3	3	-	1	-	-	-
	F	18	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	1	2	4	1	1	2	2	-	-	-
	Nonwhite—M	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
204	Leukemia and aleukemia	23	1	-	2	3	1	1	1	-	-	-	3	1	1	1	-	3	1	2	1	1	-	-	-	-	-
	White—M	12	1	-	-	3	-	1	-	-	-	-	1	1	-	1	-	2	-	1	1	-	-	-	-	-	-
	F	9	-	-	2	-	1	-	-	-	-	-	1	-	1	-	-	1	1	1	-	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	28	-	-	-	-	-	-	-	2	-	1	1	1	3	-	3	4	3	1	3	4	1	1	-	-	-
	White—M	16	-	-	-	-	-	-	-	2	-	-	-	1	3	-	2	2	2	1	1	1	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	2	2	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	11	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	2	2	1	1	-	-	-	-
	White—M	4	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus	70	-	-	-	-	-	-	-	2	-	1	1	-	-	2	4	14	8	8	14	8	4	3	-	1	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	-	4	3	-	2	-	1	-
	F	38	-	-	-	-	-	-	1	-	1	-	-	-	-	1	3	6	3	8	7	4	3	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	11	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	4	2	-	3	-	-	-	-	-	-
290-293	Anemias	8	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	3	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	1,934	-	-	-	-	-	2	3	1	5	7	7	21	37	86	102	137	187	270	293	311	232	153	59	16	5
	White—M	899	-	-	-	-	-	-	1	-	4	3	2	6	13	42	49	65	94	134	128	141	116	72	24	3	2
	F	743	-	-	-	-	-	1	2	-	1	1	4	7	10	21	24	45	58	92	124	137	97	73	34	10	2
	Nonwhite—M	170	-	-	-	-	-	1	-	-	-	1	1	5	6	11	13	17	23	29	26	17	11	5	1	2	1
	F	122	-	-	-	-	-	-	-	1	-	2	-	3	8	12	16	10	12	15	15	16	8	3	-	1	-
330-334, 400-468	Diseases of cardiovascular system	1,869	-	-	-	-	-	1	3	1	5	6	6	19	36	85	100	134	180	262	283	302	222	148	56	15	5
	White—M	873	-	-	-	-	-	-	1	-	4	2	2	6	13	42	48	65	91	134	126	134	108	71	21	3	2
	F	716	-	-	-	-	-	2	-	1	1	3	6	10	21	24	43	55	86	119	136	95	69	34	9	2
	Nonwhite—M	164	-	-	-	-	-	1	-	-	-	1	1	4	6	11	12	16	23	27	25	17	11	5	1	2	1
	F	116	-	-	-	-	-	-	-	1	-	2	-	3	7	11	16	10	11	15	13	15	8	3	-	1	-
330-334	Vascular lesions, etc.*	330	-	-	-	-	-	-	1	-	2	3	1	4	8	13	13	22	36	46	59	63	40	14	3	1	1
	White—M	131	-	-	-	-	-	-	-	-	1	1	-	-	2	2	6	10	14	19	23	27	18	6	2	-	-
	F	141	-	-	-	-	-	-	1	-	1	-	1	2	3	8	4	8	12	17	27	27	20	8	1	1	-
	Nonwhite—M	31	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	5	8	5	4	1	-	-	-	1
	F	27	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	3	5	2	4	5	1	-	-	-	-
400-402	Rheumatic fever	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
410-443	Diseases of heart	1,410	-	-	-	-	-	-	2	1	3	3	5	15	24	69	85	107	135	207	207	221	161	109	40	12	4
	White-----M--	694	-	-	-	-	-	-	1	-	3	1	2	6	10	39	41	52	74	112	97	102	82	53	15	2	2
	F--	512	-	-	-	-	-	-	1	-	-	1	2	4	5	13	20	34	39	65	82	98	66	49	24	7	2
	Nonwhite--M--	123	-	-	-	-	-	-	-	-	-	1	1	3	4	9	10	14	16	18	19	12	8	5	1	2	-
	F--	81	-	-	-	-	-	-	-	1	-	-	-	2	5	8	14	7	6	12	9	9	5	2	-	1	-
410-416	Chronic rheumatic heart disease----	44	-	-	-	-	-	-	-	-	1	-	3	3	1	11	4	9	3	2	1	3	2	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	1	-	1	1	-	4	2	2	2	1	1	1	-	1	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	1	2	1	5	1	5	1	1	-	2	2	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	780	-	-	-	-	-	-	1	-	1	2	2	10	14	36	50	70	89	118	118	119	71	53	19	5	2
	White-----M--	437	-	-	-	-	-	-	1	-	1	-	1	5	8	26	31	43	56	74	62	55	38	25	9	1	1
	F--	255	-	-	-	-	-	-	-	-	-	1	1	1	2	6	10	17	23	32	42	54	28	24	10	3	1
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	1	-	3	2	3	4	6	5	6	10	4	3	4	-	1	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	4	5	6	4	6	2	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	254	-	-	-	-	-	-	-	-	-	1	-	1	2	3	9	6	19	30	35	44	47	35	15	5	2
	White-----M--	112	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	6	11	16	23	23	18	4	1	1
	F--	98	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	6	9	14	15	19	14	10	3	1
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	8	3	6	3	1	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	-	2	2	-	1	-
430-434	Other diseases of heart---------	40	-	-	-	-	-	-	1	-	1	-	-	-	5	7	3	3	3	5	3	5	2	1	1	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	2	1	4	2	2	1	-	-	-	-
	F--	13	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	1	1	1	3	1	1	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	292	-	-	-	-	-	-	-	1	-	-	-	1	2	12	19	19	21	52	50	50	39	19	5	2	-
	White-----M--	112	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	3	9	22	16	21	20	9	2	-	-
	F--	125	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	8	22	25	24	16	10	3	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	6	2	2	-	-	1	-
	F--	28	-	-	-	-	-	-	-	1	-	-	-	1	1	4	8	2	-	4	3	3	1	-	-	-	-
444-447	Hypertension without mention of heart----------	23	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	1	3	3	1	5	1	1	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	2	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
450	General arteriosclerosis--------	84	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	6	6	9	13	12	22	11	2	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	5	4	10	3	1	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	4	6	6	11	8	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	5	4	4	1	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	4	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	65	-	-	-	-	-	1	-	-	-	1	1	2	1	1	2	3	7	8	10	9	10	5	3	1	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-	2	7	8	1	3	-	-
	F--	27	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	2	3	6	5	1	2	4	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	98	22	3	-	-	-	1	-	2	-	2	1	2	4	4	5	3	11	11	8	7	4	3	3	-	2
	White-----M--	39	3	1	-	-	-	1	-	-	-	-	-	1	2	2	1	2	5	6	5	4	3	-	2	-	1
	F--	29	11	1	-	-	-	-	-	-	-	1	-	-	1	-	2	-	4	1	2	2	1	2	1	-	-
	Nonwhite--M--	18	4	1	-	-	-	-	2	-	1	1	-	-	-	1	1	2	3	-	1	-	1	-	-	-	-
	F--	12	4	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	-	-	-	-	-	-	1
480-483	Influenza----------	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	2	-	-	1
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	88	21	2	-	-	-	1	-	2	-	2	1	2	4	4	4	2	9	10	8	7	4	1	3	-	1
	White-----M--	36	3	1	-	-	-	1	-	-	-	-	-	1	2	2	1	2	4	5	5	4	3	-	2	-	-
	F--	25	11	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	1	2	2	1	1	1	-	-
	Nonwhite--M--	16	4	1	-	-	-	-	2	-	1	1	-	-	-	1	1	-	2	3	-	1	-	-	-	-	-
	F--	11	3	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	1	1	-	-	-	-	-	1
500-502	Bronchitis--------	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	-	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	23	1	-	-	-	-	-	-	-	-	-	1	-	2	1	8	-	-	2	2	4	1	-	1	-	-
	White-----M--	19	1	-	-	-	-	-	-	-	-	-	1	-	2	1	6	-	-	1	2	4	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	15	1	-	-	-	-	-	-	-	2	-	-	1	-	-	2	1	1	2	1	1	2	-	1	-	-
	White-----M--	12	1	-	-	-	-	-	-	-	2	-	-	-	-	-	2	1	1	1	1	-	2	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
543,	Gastritis, etc.*--	14	5	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	3	-	-	1	1	-	-	-
571,	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
572	F--	6	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
	Nonwhite--M--	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	20	-	-	-	-	-	-	-	-	-	-	-	-	5	3	3	1	2	2	1	1	2	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	1	-	2	-	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	6	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	5	-	2	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	5	-	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	5	...	...	...	...	...	...	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	4	...	...	...	...	...	...	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	36	29	2	-	2	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	21	16	1	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	10	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	28	2	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	2	2	12	1	-
795	White-----M--	11	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	4	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	6	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Re-	All other diseases	136	8	3	1	-	1	1	2	-	2	4	4	8	8	12	9	18	11	22	8	6	5	1	2	-	-
sid-	White-----M--	57	3	-	1	-	-	-	2	-	1	-	1	3	2	6	3	7	7	12	3	2	2	-	2	-	-
ual	F--	50	2	3	-	-	-	1	-	-	1	2	1	1	3	3	1	8	4	9	4	3	3	1	-	-	-
	Nonwhite--M--	18	2	-	-	-	-	-	-	-	-	1	1	3	2	2	3	2	-	-	1	1	-	-	-	-	-
	F--	11	1	-	-	-	1	-	-	-	-	1	1	1	1	1	2	1	-	1	-	-	-	-	-	-	-
E800-	Accidents----------	236	3	4	3	1	1	8	6	13	19	14	9	21	16	17	11	11	11	10	7	13	16	12	7	3	-
E962	White-----M--	115	1	2	2	1	-	4	3	10	7	8	7	12	9	7	6	6	5	6	3	5	7	3	1	-	-
	F--	56	-	1	-	-	-	1	-	2	1	2	-	2	1	1	2	2	2	2	4	7	9	8	6	3	-
	Nonwhite--M--	56	2	-	1	-	1	3	3	1	10	4	2	5	5	6	3	3	3	2	-	1	-	1	-	-	-
	F--	9	-	1	-	-	-	-	-	-	1	-	-	2	1	3	-	-	1	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	83	-	2	1	-	-	5	1	9	9	4	6	10	7	5	3	3	4	4	-	3	3	4	-	-	-
	White-----M--	53	-	2	1	-	-	3	1	7	3	1	6	4	6	3	3	2	2	3	-	1	3	2	-	-	-
	F--	12	-	-	-	-	-	1	-	2	-	2	-	2	-	-	-	1	1	1	-	1	-	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	1	-	-	6	1	-	2	1	1	-	-	1	-	-	1	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	153	3	2	2	1	1	3	5	4	10	10	3	11	9	12	8	8	7	6	7	10	13	8	7	3	-
E802,	White-----M--	62	1	-	1	1	-	1	2	3	4	7	1	8	3	4	3	4	3	3	3	4	4	1	1	-	-
E840-	F--	44	-	1	-	-	-	-	-	-	1	-	-	-	1	1	2	1	1	1	4	6	9	7	6	3	-
E962	Nonwhite--M--	41	2	-	1	-	1	2	3	1	4	3	2	3	4	5	3	3	2	2	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
E963,	Suicide----------	30	-	-	-	-	-	-	-	1	2	1	4	2	-	4	1	4	3	3	4	1	-	-	-	-	-
E970-	White-----M--	26	-	-	-	-	-	-	-	1	1	1	4	1	-	3	-	4	3	3	4	1	-	-	-	-	-
E979	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	18	-	-	-	-	-	-	-	-	2	-	1	4	4	1	2	-	-	1	2	-	-	1	-	-	-
E980-	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	2	-	1	3	1	-	2	-	-	-	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA ALL CAUSES--------	8,410	608	44	27	11	11	25	21	44	91	149	198	290	402	459	671	778	881	865	876	800	645	335	137	28	16
	White-----M--	2,853	183	9	8	2	2	2	5	10	20	34	43	68	110	145	224	327	358	329	342	293	193	98	38	6	4
	F--	2,334	113	7	4	2	1	4	1	7	15	21	29	49	57	88	128	164	210	245	281	308	343	169	66	16	6
	Nonwhite--M--	1,730	161	13	5	4	3	11	11	13	37	49	80	96	124	136	184	176	181	150	131	85	44	22	11	1	2
	F--	1,493	151	15	10	3	5	8	4	14	19	45	46	77	111	90	135	111	132	141	122	114	65	46	22	3	4
001-019	Tuberculosis, all forms--------	304	2	3	-	-	-	1	1	4	8	20	30	32	36	23	38	26	34	22	10	7	5	2	-	-	-
	White-----M--	73	-	-	-	-	-	-	-	-	1	1	1	5	3	4	14	10	17	8	4	2	2	1	-	-	-
	F--	27	1	1	-	-	-	-	-	-	-	1	1	3	2	2	2	2	2	3	3	2	2	-	-	-	-
	Nonwhite--M--	133	1	1	-	-	-	1	1	-	5	6	17	11	24	13	15	12	12	8	2	2	1	1	-	-	-
	F--	71	-	1	-	-	-	-	-	4	2	12	11	13	7	4	7	2	3	3	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	279	1	2	-	-	-	-	-	4	8	16	27	32	33	22	36	25	32	19	10	6	5	1	-	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	1	1	1	5	3	4	14	9	16	7	4	2	2	1	-	-	-
	F--	24	1	-	-	-	-	-	-	-	-	1	1	3	2	2	2	2	2	2	3	1	2	-	-	-	-
	Nonwhite--M--	121	-	1	-	-	-	-	-	-	5	4	16	11	21	13	14	12	12	7	2	2	1	-	-	-	-
	F--	64	-	1	-	-	-	-	-	4	2	10	9	13	7	3	6	2	2	3	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	25	1	1	-	-	-	1	1	-	-	4	3	-	3	1	2	1	2	3	-	1	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	12	1	-	-	-	-	1	1	-	-	2	1	-	3	-	1	-	-	1	-	-	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	56	-	-	-	-	-	-	-	-	-	-	-	2	10	10	4	8	6	8	4	3	1	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	3	1	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	1	4	6	3	3	3	2	2	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	5	3	-	1	1	1	-	-	1	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	8	3	2	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	22	1	-	-	-	-	-	-	-	1	3	2	2	2	6	1	-	2	1	-	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	2	2	1	1	2	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
140-205	Malignant neoplasms, etc.*----	1,264	1	4	2	1	1	4	2	5	8	15	15	33	45	90	152	144	184	169	152	122	74	25	13	1	2
	White-----M--	412	-	3	-	1	-	1	-	1	5	5	3	9	8	24	34	42	63	60	49	53	33	12	5	-	1
	F--	440	-	-	-	-	-	2	-	1	2	4	4	10	14	29	50	53	62	57	60	44	33	10	4	1	-
	Nonwhite--M--	196	1	-	1	-	-	-	2	2	1	5	3	5	8	19	34	20	35	22	24	9	4	1	-	-	-
	F--	216	-	1	1	-	1	1	-	1	-	1	5	9	15	18	34	29	24	30	19	16	4	2	4	-	1
140-148	Of buccal cavity and pharynx------	33	-	-	-	-	-	-	-	1	-	-	-	2	-	2	7	6	4	3	2	3	2	1	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	2	-	-	5	6	3	1	2	2	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	1	2	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	481	1	1	1	1	-	-	-	-	1	-	3	7	10	25	55	46	84	65	71	67	24	13	4	1	1
	White-----M--	166	-	1	-	1	-	-	-	-	1	-	1	1	4	8	11	10	37	23	21	29	9	6	2	-	1
	F--	155	-	-	-	-	-	-	-	-	-	-	1	3	2	6	16	16	22	18	27	26	10	6	1	1	-
	Nonwhite--M--	87	1	-	1	-	-	-	-	-	-	-	1	3	1	6	18	13	17	8	14	2	2	-	-	-	-
	F--	73	-	-	-	-	-	-	-	-	-	-	-	-	3	5	10	7	8	16	9	10	3	1	1	-	-
160-164	Of respiratory system----------	133	-	-	-	-	-	-	-	-	-	3	-	3	4	15	18	18	19	24	10	9	6	1	3	-	-
	White-----M--	78	-	-	-	-	-	-	-	-	-	1	-	2	1	7	9	12	10	17	7	5	4	1	2	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	4	2	1	1	1	2	-	1	-	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	1	-	1	2	8	7	2	7	6	2	2	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
170	Of breast----------	116	-	-	-	-	-	-	-	-	-	-	1	4	7	10	13	16	15	13	17	6	10	2	2	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	-	-	-	-	-	-	-	-	-	-	-	1	3	7	9	12	10	9	13	4	9	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	1	3	4	3	4	4	5	4	4	2	1	1	1	-	-
171-179	Of genital organs-	209	-	-	-	-	-	-	-	1	2	1	5	10	13	16	26	28	29	26	18	14	17	1	1	-	1
	White-----M--	32	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	5	4	8	9	1	-	-	-
	F--	89	-	-	-	-	-	-	-	-	1	-	2	4	6	7	14	10	14	13	9	2	7	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	5	2	-	3	1	-	-	-	-
	F--	70	-	-	-	-	-	-	-	1	-	-	3	6	5	7	11	14	9	6	5	1	-	-	1	-	1
180, 181	Of urinary organs-	57	-	-	-	-	-	-	-	-	-	1	-	1	1	2	5	6	7	6	12	6	5	5	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	5	3	5	7	1	5	4	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	-	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	144	-	-	-	-	1	3	-	2	2	6	1	2	5	15	21	13	18	22	11	13	5	2	2	-	-
	White-----M--	43	-	-	-	-	-	1	-	1	1	2	1	1	1	4	4	3	6	7	3	5	3	-	-	-	-
	F--	60	-	-	-	-	-	1	-	-	1	2	-	1	2	7	6	6	11	11	4	5	1	1	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	1	-	2	-	-	2	1	5	1	-	2	3	1	1	1	-	-	-
	F--	21	-	-	-	-	1	1	-	-	-	-	-	-	-	3	6	3	1	2	1	2	-	-	1	-	-
204	Leukemia and aleukemia----------	38	-	2	1	-	-	1	1	1	1	-	2	3	1	4	3	3	3	3	4	1	3	-	1	-	-
	White-----M--	17	-	2	-	-	-	-	-	-	1	-	-	2	-	2	1	2	1	1	2	1	1	-	1	-	-
	F--	10	-	-	-	-	-	1	-	1	-	-	1	1	-	2	1	1	-	-	-	-	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	53	-	1	-	-	-	-	1	-	2	4	3	1	4	1	4	8	5	7	7	3	2	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	3	2	1	3	2	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	4	2	4	3	1	2	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	1	-	1	1	2	1	1	-	-	1	1	-	1	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	38	-	-	1	-	-	-	1	1	1	1	3	-	2	3	6	6	4	3	1	3	2	-	-	-	-
	White-----M--	8	-	-	1	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	3	1	2	1	-	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	1	-	1	1	2	1	2	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	103	-	-	-	-	-	-	1	-	-	-	-	4	4	6	13	9	14	12	8	17	10	4	1	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	4	5	2	4	2	2	1	-	-
	F--	36	-	-	-	-	-	-	1	-	-	-	-	1	-	2	4	6	3	5	6	7	1	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	2	2	-	2	-	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	1	2	2	1	5	1	-	-	-	-
280-293	Anemias----------	16	-	1	-	-	-	-	-	-	-	-	-	2	1	1	1	1	6	-	-	2	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	2	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	19	3	2	1	1	-	-	-	1	-	2	-	1	2	1	-	2	1	1	-	-	1	-	-	-	-
	White-----M--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	1	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	2	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	4,403	5	2	-	-	-	1	3	6	13	30	44	114	173	201	333	459	495	541	578	548	477	248	100	21	11
	White-----M--	1,555	-	1	-	-	-	-	-	2	-	6	8	22	48	68	123	213	211	205	227	187	134	66	26	6	2
	F--	1,309	1	1	-	-	-	-	-	1	1	3	9	13	20	34	49	77	102	150	177	216	262	127	50	11	5
	Nonwhite--M--	785	1	-	-	-	-	1	1	3	6	9	16	41	49	58	89	104	102	93	90	61	32	17	9	1	2
	F--	754	3	-	-	-	-	-	2	-	6	12	11	38	56	41	72	65	80	93	84	84	49	38	15	3	2
330-334, 400-468	Diseases of cardiovascular system-	4,323	5	2	-	-	-	-	3	6	11	28	43	111	164	196	327	450	487	530	569	542	473	245	99	21	11
	White-----M--	1,533	-	1	-	-	-	-	-	2	-	6	8	22	47	68	122	208	210	204	222	183	132	64	26	6	2
	F--	1,290	1	1	-	-	-	-	-	1	1	3	9	11	20	31	47	75	101	146	175	215	261	127	49	11	5
	Nonwhite--M--	760	1	-	-	-	-	-	1	3	5	8	15	40	42	57	87	102	100	89	90	60	31	17	9	1	2
	F--	740	3	-	-	-	-	-	2	-	5	11	11	38	55	40	71	65	76	91	82	84	49	37	15	3	2
330-334	Vascular lesions, etc.*----------	752	-	1	-	-	-	-	-	-	2	3	7	22	22	34	49	58	74	97	109	112	99	42	11	7	3
	White-----M--	206	-	1	-	-	-	-	-	-	-	1	-	2	4	4	14	22	24	29	37	27	26	10	1	3	1
	F--	246	-	-	-	-	-	-	-	-	-	-	2	2	3	6	9	11	16	24	39	48	52	24	6	3	1
	Nonwhite--M--	133	-	-	-	-	-	-	-	-	1	1	1	10	5	15	15	10	17	20	15	12	7	2	1	-	1
	F--	167	-	-	-	-	-	-	-	-	1	1	4	8	10	9	11	15	17	24	18	25	14	6	3	1	-
400-402	Rheumatic fever----	5	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA--Con.																										
410-443	Diseases of heart	3,271	1	1	-	-	-	-	2	4	5	21	34	83	131	156	265	372	392	410	425	389	327	162	74	12	5
	White--M	1,239	-	-	-	-	-	-	-	1	-	4	8	20	42	63	105	181	181	168	169	138	90	44	22	2	1
	F	951	-	1	-	-	-	-	-	1	-	3	7	9	16	24	37	62	80	116	128	155	186	78	38	7	3
	Nonwhite--M	561	-	-	-	-	-	-	2	2	6	12	27	33	38	65	84	78	62	70	42	20	14	5	1	-
	F	520	1	-	-	-	-	2	-	3	8	7	27	40	31	58	45	53	64	58	54	31	26	9	2	1
410-416	Chronic rheumatic heart disease	100	-	-	-	-	-	-	2	-	4	10	9	10	7	15	10	11	4	6	6	3	-	3	-	-
	White--M	39	-	-	-	-	-	-	-	-	-	3	3	6	1	4	5	6	4	2	2	1	-	2	-	-
	F	35	-	-	-	-	-	-	1	-	1	2	2	2	4	9	3	5	-	2	2	1	-	1	-	-
	Nonwhite--M	13	-	-	-	-	-	-	1	-	2	2	2	-	1	2	1	-	-	2	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	3	2	2	1	-	1	-	-	-	2	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,590	-	-	-	-	-	-	-	-	-	2	8	18	41	70	127	210	207	215	231	199	160	67	26	7	2
	White--M	805	-	-	-	-	-	-	-	-	-	1	4	9	26	49	79	129	120	114	111	85	54	16	6	2	-
	F	476	-	-	-	-	-	-	-	-	-	-	1	-	3	8	15	40	45	64	71	82	92	38	12	4	1
	Nonwhite--M	173	-	-	-	-	-	-	-	-	-	1	3	9	4	6	19	29	25	21	27	14	5	7	3	-	-
	F	136	-	-	-	-	-	-	-	-	-	-	-	-	8	7	14	12	17	16	22	18	9	6	5	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	625	-	1	-	-	-	-	-	-	-	6	6	17	22	33	38	56	59	90	71	75	76	53	19	2	1
	White--M	168	-	-	-	-	-	-	-	-	-	-	-	1	5	5	6	18	19	25	23	22	19	18	7	-	-
	F	172	-	1	-	-	-	-	-	-	-	2	1	2	1	6	1	6	9	24	17	26	45	19	10	1	1
	Nonwhite--M	151	-	-	-	-	-	-	-	-	-	1	3	6	6	14	17	24	19	24	17	11	2	6	-	1	-
	F	134	-	-	-	-	-	-	-	-	-	3	2	8	10	8	14	8	12	17	14	16	10	10	2	-	-
430-434	Other diseases of heart	105	1	-	-	-	-	2	2	4	2	3	12	10	8	7	7	7	11	7	7	8	4	3	-	-
	White--M	40	-	-	-	-	-	-	1	-	1	1	5	2	2	5	4	3	6	4	2	1	2	1	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	2	1	1	4	4	2	2	-	-
	Nonwhite--M	25	-	-	-	-	-	-	1	2	1	2	6	3	3	-	2	1	1	1	1	1	-	-	-	-
	F	17	1	-	-	-	-	2	-	2	-	-	1	3	-	1	-	1	3	1	-	2	-	-	-	-
440-443	Hypertension with heart dis.	851	-	-	-	-	-	-	-	1	7	7	27	48	38	78	89	108	90	110	102	80	38	23	3	2
	White--M	187	-	-	-	-	-	-	-	-	2	-	2	3	6	11	25	33	19	29	27	15	8	6	-	1
	F	245	-	-	-	-	-	-	-	-	-	3	5	8	3	11	12	19	27	37	41	44	19	13	2	1
	Nonwhite--M	199	-	-	-	-	-	-	-	-	1	2	4	20	14	27	28	33	16	23	16	12	1	2	-	-
	F	220	-	-	-	-	-	-	-	1	4	2	16	17	15	29	24	23	28	21	18	9	10	2	1	-
444-447	Hypertension without mention of heart	80	-	-	-	-	-	-	-	-	2	2	2	3	6	3	3	3	6	6	9	9	9	11	3	1	-
	White--M	14	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	4	2	3	2	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	3	6	-	1	-
	Nonwhite--M	31	-	-	-	-	-	-	-	-	2	-	2	1	4	3	2	3	3	2	3	1	2	-	3	-	-
	F	18	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	2	2	1	3	1	3	-	-	-
450	General arteriosclerosis	141	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	5	10	12	26	37	28	10	1	3
	White--M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	5	12	13	7	3	1	-
	F	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	20	18	5	-	1
	Nonwhite--M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	4	1	1	-	-	1
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	2	2	3	2	2	-	1
451-468	Other diseases of circulatory sys.	74	4	-	-	-	-	-	-	-	2	2	-	3	1	3	9	10	10	7	14	5	1	2	1	-	-
	White--M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	7	4	-	1	-	-	-
	F	16	1	-	-	-	-	-	-	-	1	-	-	-	1	-	2	3	4	3	-	-	1	-	-	-	-
	Nonwhite--M	18	1	-	-	-	-	-	-	-	-	1	-	2	-	1	4	4	1	1	1	1	1	-	-	-	-
	F	17	2	-	-	-	-	-	-	-	1	1	-	1	1	-	2	2	3	-	3	-	-	-	1	-	-
592-594	Chronic nephritis, etc.*	80	-	-	-	-	-	1	-	-	2	2	1	3	9	5	6	9	8	11	9	6	4	3	1	-	-
	White--M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	1	5	4	2	2	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	2	1	4	2	1	1	-	1	-	-
	Nonwhite--M	25	-	-	-	-	-	1	-	-	1	1	1	1	7	1	2	2	2	4	-	1	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	4	2	2	-	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*	209	19	3	1	-	1	2	2	3	2	1	8	6	11	18	12	15	20	14	24	10	18	12	6	1	-
	White--M	78	5	-	-	-	1	-	-	-	1	-	2	3	2	3	5	7	11	9	11	6	6	5	1	-	-
	F	45	4	-	-	-	-	-	1	-	-	-	1	1	3	3	1	2	4	2	6	2	7	5	2	1	-
	Nonwhite--M	48	5	2	-	-	-	-	1	1	-	-	4	2	3	7	6	4	4	2	3	1	1	-	2	-	-
	F	38	5	1	1	-	-	2	-	2	1	1	1	-	3	5	-	2	1	1	4	1	4	2	1	-	-
480-483	Influenza	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*	207	19	3	1	-	1	2	2	3	2	1	8	6	11	18	12	15	20	14	24	9	17	12	6	1	-
	White--M	77	5	-	-	-	1	-	-	-	1	-	2	3	2	3	5	7	11	9	11	5	6	5	1	-	-
	F	45	4	-	-	-	-	-	1	-	-	-	1	1	3	3	1	2	4	2	6	2	7	5	2	1	-
	Nonwhite--M	48	5	2	-	-	-	-	1	1	-	-	4	2	3	7	6	4	4	2	3	1	1	-	2	-	-
	F	37	5	1	1	-	-	2	-	2	1	1	1	-	3	5	-	2	4	1	4	1	3	2	1	-	-
500-502	Bronchitis	14	2	-	1	-	-	-	-	1	-	-	-	-	-	1	-	2	2	-	1	2	-	2	-	-	-
	White--M	7	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum	41	1	1	-	-	-	-	-	-	-	-	3	2	3	3	5	7	6	2	4	2	1	1	-	-	-
	White--M	22	1	-	-	-	-	-	-	-	-	-	2	-	2	2	1	5	3	-	2	2	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	10	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-	-	-	-
550-553	Appendicitis	24	-	-	-	1	-	2	1	1	-	-	1	1	3	-	1	4	5	1	2	1	-	-	-	-	-
	White--M	8	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-	2	-	1	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	44	6	3	1	-	-	-	-	-	-	1	-	2	4	3	1	3	4	5	6	1	-	2	2	-	-
	White--M	10	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	1	-	-	-	-	-
	F	16	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	3	-	-	2	2	-	-
	Nonwhite--M	10	3	1	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-
	F	8	-	2	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA--Con.																										
543, 571, 572	Gastritis, etc.*--	32	10	2	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	1	2	6	1	3	-	-	1
	White-----M--	8	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-
	F--	14	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	3	1	3	-	-	1
	Nonwhite--M--	8	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	131	-	-	-	-	-	-	-	-	1	3	4	8	19	15	22	22	13	16	5	2	-	-	1	-	-
	White-----M--	73	-	-	-	-	-	-	-	-	-	1	-	5	11	7	16	15	7	7	3	1	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	1	-	1	2	2	5	4	3	5	3	2	1	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	1	3	-	3	1	-	3	1	2	-	-	-	-	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	1	-	4	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	25	-	-	1	1	1	-	-	1	1	2	2	2	2	1	2	2	4	1	1	-	-	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-
	F--	11	-	-	-	-	1	-	-	-	1	1	-	2	1	1	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	3	2	1	4	3	1	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	3	3	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	1	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	10	...	...	...	...	...	...	-	1	1	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	...	...	...	-	1	1	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	3	...	...	...	...	...	...	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	7	...	...	...	...	...	...	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	87	59	6	5	-	-	1	-	-	1	3	2	1	1	-	3	1	-	2	1	-	1	-	-	-	-
	White-----M--	27	20	2	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	31	17	1	2	-	-	1	-	-	1	2	2	1	-	-	2	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	15	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	14	9	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	420	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	16	3	-	-	1	-	-	-	-	-	1	2	-	1	-	2	-	-	-	1	2	1	1	-	1	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	8	2	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Residual	All other diseases	364	14	5	2	-	1	3	1	6	6	10	17	16	23	24	30	35	38	39	39	25	13	10	7	-	-
	White-----M--	125	7	1	1	-	-	-	-	2	1	5	3	2	5	5	8	12	15	16	21	11	8	1	1	-	-
	F--	95	3	-	-	-	-	1	-	1	2	1	3	4	4	6	4	9	10	9	11	13	3	7	4	-	-
	Nonwhite--M--	72	2	3	-	-	1	1	-	1	1	3	6	7	5	6	8	13	5	8	2	-	1	-	-	-	-
	F--	72	2	1	1	-	1	1	1	2	2	1	5	3	9	7	10	1	8	6	5	1	2	1	2	-	-
E800-E962	Accidents----------	535	58	9	12	5	5	10	9	11	31	37	30	38	34	29	22	22	24	15	29	42	35	20	4	2	2
	White-----M--	159	14	-	4	1	1	1	3	2	9	10	11	10	16	14	7	7	8	7	8	15	4	5	1	-	1
	F--	126	3	3	1	1	-	-	-	3	4	5	2	7	4	3	2	6	7	5	11	17	25	12	3	2	-
	Nonwhite--M--	158	21	2	4	-	2	5	6	3	13	15	14	16	14	9	13	4	2	3	4	4	3	1	-	-	-
	F--	92	20	4	3	3	2	4	-	3	5	7	3	5	-	3	-	5	7	-	6	6	3	2	-	-	1
E810-E835	Motor-vehicle accidents---------	143	2	1	4	3	-	2	1	8	22	21	13	18	4	8	5	7	9	3	6	4	1	1	-	-	-
	White-----M--	43	1	-	2	1	-	1	-	1	5	7	5	5	1	3	2	2	2	2	2	1	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	3	3	2	2	3	2	2	-	2	4	1	3	1	-	-	-	-	-
	Nonwhite--M--	48	1	-	1	-	-	1	1	2	9	10	5	6	1	3	3	1	1	-	1	1	1	-	-	-	-
	F--	24	-	1	1	2	-	-	-	2	5	2	1	4	-	-	-	2	2	-	-	1	-	1	-	-	-
E800-E802, E840-E962	All ot. accidents-	392	56	8	8	2	5	8	8	3	9	16	17	20	30	21	17	15	15	12	23	38	34	19	4	2	2
	White-----M--	116	13	-	2	-	1	-	3	1	4	3	6	5	15	11	5	5	6	5	6	14	4	5	1	-	1
	F--	98	3	3	1	1	-	-	-	-	1	3	-	4	2	1	2	4	3	4	8	16	25	12	3	2	-
	Nonwhite--M--	110	20	2	3	-	2	4	5	1	4	5	9	10	13	6	10	3	1	3	3	3	2	1	-	-	-
	F--	68	20	3	2	1	2	4	-	1	-	5	2	1	-	3	-	3	5	-	6	5	3	1	-	-	1
E963, E970-E979	Suicide----------	108	-	-	-	-	-	-	1	1	2	4	14	11	11	16	17	5	10	7	3	3	1	1	1	-	-
	White-----M--	63	-	-	-	-	-	-	1	1	1	2	8	9	5	11	5	2	5	5	3	3	-	1	1	-	-
	F--	24	-	-	-	-	-	-	-	-	1	2	2	1	3	1	8	1	2	2	-	-	1	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	3	1	3	4	3	2	3	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	89	-	-	-	1	1	-	-	1	14	12	15	13	11	6	5	3	2	2	3	-	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	1	1	4	1	2	2	-	-	-	1	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	61	-	-	-	1	1	-	-	-	11	7	10	9	7	3	5	3	2	1	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	2	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA																										
	ALL CAUSES	27,909	2,322	156	101	70	67	150	110	244	356	455	591	794	1,114	1,408	2,013	2,324	2,571	3,135	3,142	2,857	2,112	1,165	464	129	59
	White--M	12,673	800	38	34	26	35	62	44	112	149	162	195	279	410	545	823	1,121	1,353	1,600	1,668	1,410	1,028	520	194	48	17
	F	7,980	563	51	25	24	17	37	32	43	52	86	125	176	215	272	378	477	610	902	1,036	1,148	893	519	231	57	11
	Nonwhite--M	4,103	541	34	23	8	9	26	21	56	98	102	134	175	281	314	483	396	331	383	264	186	119	67	18	15	19
	F	3,153	418	33	19	12	6	25	13	33	57	105	137	164	208	277	329	330	277	250	174	113	72	59	21	9	12
001-019	Tuberculosis all forms	530	6	2	1	-	1	-	2	5	15	35	34	55	54	53	60	55	48	43	24	25	5	5	2	-	-
	White--M	206	1	-	-	-	-	-	-	-	1	7	2	11	14	15	26	29	32	31	12	16	3	4	2	-	-
	F	84	2	-	-	-	-	-	-	-	2	6	6	10	6	6	8	9	5	6	8	7	2	1	-	-	-
	Nonwhite--M	151	-	1	-	-	1	-	-	2	4	8	15	21	24	22	20	13	9	5	4	2	-	-	-	-	-
	F	89	3	1	1	-	-	-	2	3	8	14	11	13	10	10	6	4	2	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	501	3	1	-	-	1	-	2	5	12	32	33	53	51	52	59	50	46	41	23	25	5	5	2	-	-
	White--M	201	1	-	-	-	-	-	-	-	1	7	2	10	14	14	26	29	32	29	11	16	3	4	2	-	-
	F	78	1	-	-	-	-	-	-	-	2	6	5	10	6	6	7	6	5	6	8	7	2	1	-	-	-
	Nonwhite--M	144	-	-	-	-	1	-	-	2	4	6	15	20	23	22	20	13	7	5	4	2	-	-	-	-	-
	F	78	1	1	-	-	-	-	2	3	5	13	11	13	8	10	6	2	2	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	29	3	1	1	-	-	-	-	-	3	3	1	2	3	1	1	5	2	2	1	-	-	-	-	-	-
	White--M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	1	-	-	-	-	-	-	2	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	11	2	-	1	-	-	-	-	-	3	1	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	164	7	1	-	-	-	-	-	1	-	-	6	5	13	24	23	16	17	24	11	8	4	2	2	-	-
	White--M	44	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	7	5	13	6	6	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	4	-	-	2	1	-	-	-
	Nonwhite--M	82	4	-	-	-	-	-	-	1	-	-	5	2	8	18	14	7	10	6	3	2	1	-	1	-	-
	F	24	3	1	-	-	-	-	-	-	-	-	1	3	2	3	3	1	2	1	2	-	-	1	1	-	-
040	Typhoid fever	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	24	13	2	1	-	-	1	1	-	-	-	-	-	-	1	-	-	1	2	-	-	2	-	-	-	-
	White--M	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-
	F	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	6	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	-	-	1	1	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	5	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	27	19	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	24	1	4	3	2	-	6	1	1	1	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-
	White--M	11	1	3	2	-	-	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	11	-	1	1	2	-	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
080	Acute poliomyelitis	16	-	1	2	-	1	2	3	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	9	-	1	1	-	-	2	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	5	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	124	19	6	5	5	4	-	2	6	6	6	2	6	11	3	2	9	7	7	7	6	2	2	-	1	-
	White--M	35	2	1	-	-	2	-	1	3	1	2	1	1	1	-	-	3	-	4	5	5	1	2	-	-	-
	F	29	4	2	-	2	2	-	-	-	1	1	1	2	4	-	1	2	2	3	1	-	-	-	-	1	-
	Nonwhite--M	29	6	2	2	2	-	-	1	-	1	1	-	1	3	3	1	3	2	-	-	1	-	-	-	-	-
	F	31	7	1	3	1	-	-	-	3	3	2	-	2	3	-	-	1	3	-	1	1	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA--Con.																										
140-205	Malignant neoplasms, etc.*----	3,722	5	4	4	6	5	14	12	18	17	24	60	116	168	237	375	428	459	551	469	380	240	90	30	6	4
	White-----M--	1,724	2	3	3	3	2	6	7	8	10	9	18	31	47	78	148	183	233	279	255	202	139	42	11	4	1
	F--	1,417	2	1	-	2	2	3	4	5	5	7	23	50	70	94	120	150	169	209	191	157	93	39	18	1	2
	Nonwhite--M--	279	-	-	1	-	1	2	-	2	1	1	5	7	23	21	55	54	31	37	17	12	2	4	1	1	1
	F--	302	1	-	-	1	-	3	1	3	1	7	14	28	28	44	52	41	26	26	6	9	6	5	-	-	-
140-148	Of buccal cavity and pharynx------	94	-	-	-	-	-	-	-	-	-	-	1	-	4	7	9	12	7	19	14	13	4	2	2	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	1	-	3	4	7	6	5	15	11	8	4	1	2	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	1	5	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	2	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,246	-	-	-	-	-	1	-	1	3	3	14	25	33	56	105	132	150	219	184	154	109	43	11	3	-
	White-----M--	599	-	-	-	-	-	-	-	-	2	1	2	9	14	20	45	58	74	108	101	80	60	19	4	2	-
	F--	447	-	-	-	-	-	1	-	-	1	1	6	4	9	18	23	33	48	83	76	67	47	22	7	1	-
	Nonwhite--M--	119	-	-	-	-	-	-	-	1	-	-	2	3	7	9	29	27	15	18	2	5	1	-	-	-	-
	F--	81	-	-	-	-	-	-	-	-	-	1	4	9	3	9	8	14	13	10	5	2	1	2	-	-	-
160-164	Of respiratory system----------	451	-	-	-	-	-	2	1	-	1	-	5	6	16	32	76	67	66	75	52	34	11	5	1	-	1
	White-----M--	355	-	-	-	-	-	1	1	-	-	-	3	4	11	21	58	48	61	62	46	28	5	3	-	-	1
	F--	59	-	-	-	-	-	-	-	-	-	-	2	1	4	7	8	7	4	8	4	6	5	2	1	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	1	-	-	-	1	3	9	11	1	4	2	-	1	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-
170	Of breast----------	264	-	-	-	-	-	-	-	-	-	1	5	10	18	25	33	33	33	35	35	19	9	5	2	-	1
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	222	-	-	-	-	-	-	-	-	-	1	4	9	12	19	24	24	29	31	35	18	8	5	2	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	1	1	5	6	8	8	4	3	-	1	1	-	-	-	-
171-179	Of genital organs-	671	-	-	-	-	-	-	-	1	3	7	13	35	43	48	72	72	80	76	78	69	52	11	8	2	1
	White-----M--	185	-	-	-	-	-	-	-	-	1	1	2	2	-	-	2	6	23	23	40	37	36	6	4	2	-
	F--	328	-	-	-	-	-	-	-	-	2	2	4	19	28	30	41	43	48	38	31	24	13	1	3	-	1
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	-	1	2	2	9	9	6	8	6	5	-	3	1	-	-
	F--	106	-	-	-	-	-	-	-	1	-	4	7	13	13	16	20	14	3	7	1	3	3	1	-	-	-
180, 181	Of urinary organs-	188	1	-	-	-	-	1	-	-	1	1	3	3	5	4	12	24	25	32	32	25	10	6	2	-	1
	White-----M--	110	1	-	-	-	-	1	-	-	1	-	1	-	1	2	8	14	19	20	17	15	8	2	-	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	9	3	8	13	9	2	4	2	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	1	1	1	3	-	1	1	1	3	2	1	-	-	-	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	530	1	1	2	1	-	2	3	9	5	4	11	18	29	47	47	65	68	71	46	50	31	14	4	1	-
	White-----M--	257	1	1	1	-	-	2	1	3	3	4	3	7	7	22	17	35	34	36	24	27	18	10	1	-	-
	F--	190	-	-	-	1	-	-	2	4	2	-	6	7	9	10	14	23	28	28	19	20	12	2	3	-	-
	Nonwhite--M--	35	-	-	1	-	-	-	-	-	-	-	1	1	6	6	4	3	4	4	3	1	-	-	-	1	-
	F--	48	-	-	-	-	-	-	-	2	-	-	1	3	7	9	12	4	2	3	-	2	1	2	-	-	-
204	Leukemia and aleukemia----------	154	3	3	2	5	4	5	7	5	4	5	6	11	13	11	8	9	14	8	15	6	8	2	-	-	-
	White-----M--	83	-	2	2	3	1	1	4	3	3	3	4	4	6	6	5	6	8	5	9	4	3	1	-	-	-
	F--	57	2	1	-	1	2	2	2	1	-	1	1	6	6	4	3	3	5	3	6	2	5	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	1	1	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	1	-	-	1	-	1	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	124	-	-	-	-	1	3	1	2	-	3	2	8	7	7	13	14	16	16	13	10	6	2	-	-	-
	White-----M--	67	-	-	-	-	1	1	1	2	-	-	2	5	5	3	5	9	9	9	7	3	5	-	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	2	-	2	1	4	6	4	4	7	6	6	1	2	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	116	3	-	1	-	1	4	-	2	2	1	10	14	16	13	9	7	9	4	7	7	6	-	-	-	-
	White-----M--	32	2	-	-	-	-	-	-	-	1	-	-	5	1	1	4	4	5	3	1	3	2	-	-	-	-
	F--	46	1	-	1	-	1	2	-	1	-	1	5	5	3	4	3	2	3	1	6	3	4	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	-	1	-	-	-	1	4	2	1	1	-	-	-	1	-	-	-	-	-
	F--	26	-	-	-	-	-	1	-	-	1	-	5	3	8	6	1	-	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	356	-	-	-	1	2	2	3	2	6	4	5	12	15	15	31	32	34	59	43	44	33	8	4	1	-
	White-----M--	120	-	-	-	-	1	-	1	1	1	1	4	3	1	-	7	6	15	22	18	17	19	2	1	-	-
	F--	143	-	-	-	1	1	1	1	-	2	2	-	2	4	4	3	12	14	31	20	23	13	5	3	1	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	2	-	-	4	2	3	9	2	4	2	4	3	1	1	-	-	-
	F--	56	-	-	-	-	-	1	1	1	1	1	1	3	8	8	12	12	1	4	1	1	-	-	-	-	-
290-293	Anemias----------	96	9	4	-	1	1	-	1	1	1	2	1	1	3	3	5	6	8	10	10	12	7	8	2	-	-
	White-----M--	35	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	6	3	8	2	5	1	-	-
	F--	38	1	4	-	-	-	-	1	-	-	1	-	-	1	-	1	3	4	3	7	4	5	2	1	-	-
	Nonwhite--M--	12	4	-	-	1	1	-	-	1	1	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F--	11	2	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*-------	50	16	6	5	3	3	1	1	-	2	1	2	-	2	-	2	3	-	2	1	-	-	-	-	-	-
	White-----M--	18	6	1	2	2	2	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-
	F--	8	3	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	10	5	-	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	2	3	-	1	-	-	-	-	1	1	1	-	1	-	2	2	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	13,866	10	2	3	-	3	8	8	22	34	47	115	193	404	649	1,015	1,294	1,532	1,908	2,102	1,887	1,413	801	306	80	30
	White-----M--	6,639	4	-	2	-	1	1	2	10	8	14	29	62	165	283	426	650	821	969	1,097	912	674	347	127	28	7
	F--	4,071	2	1	1	-	-	-	2	5	6	12	23	40	52	97	149	212	315	522	680	770	609	370	160	37	6
	Nonwhite--M--	1,707	2	-	-	-	-	3	1	3	14	9	28	35	97	133	251	216	199	243	195	124	80	48	7	9	10
	F--	1,449	2	1	-	-	2	4	3	4	6	12	35	56	90	136	189	216	197	174	130	81	50	36	12	6	7
330-334, 400-468	Diseases of cardiovascular system-	13,386	10	2	2	-	2	7	7	19	28	41	103	177	381	620	988	1,250	1,486	1,846	2,043	1,833	1,365	779	295	74	28
	White-----M--	6,468	4	-	2	-	-	1	2	10	8	11	28	57	158	273	418	635	799	944	1,077	894	654	336	124	27	6
	F--	3,950	2	1	-	-	-	-	1	4	3	9	19	39	47	90	145	208	307	511	666	752	591	362	154	33	6
	Nonwhite--M--	1,607	2	-	-	-	-	3	1	2	12	9	24	32	92	127	245	202	192	228	180	113	73	46	6	9	9
	F--	1,361	2	1	-	-	2	3	3	3	5	12	32	49	84	130	180	205	188	163	120	74	47	35	11	5	7
330-334	Vascular lesions, etc.*----------	3,303	3	-	-	-	-	-	1	2	5	9	23	51	80	134	221	275	341	454	532	500	379	207	65	14	7
	White-----M--	1,210	3	-	-	-	-	-	-	1	2	1	4	7	16	33	46	80	132	181	233	198	167	78	24	4	-
	F--	1,129	-	-	-	-	-	-	-	1	1	3	4	13	20	26	36	59	73	131	199	235	178	102	37	8	3
	Nonwhite--M--	479	-	-	-	-	-	-	-	-	2	3	6	9	22	37	67	61	68	80	56	29	21	10	3	2	3
	F--	485	-	-	-	-	-	-	1	-	-	2	9	22	22	38	72	75	68	62	44	38	13	17	1	-	1
400-402	Rheumatic fever---	20	-	-	-	-	-	4	3	1	-	1	1	1	1	-	1	3	1	1	-	2	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	3	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race, / / (By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA--Con.																										
410-443	Diseases of heart-	9,128	3	1	1	-	2	2	3	14	19	26	68	112	265	467	712	906	1,070	1,300	1,383	1,193	850	479	172	42	18
	White-----M--	4,864	1	-	1	-	-	1	1	8	6	8	21	45	136	236	351	532	632	721	778	638	428	219	75	20	6
	F--	2,497	2	-	-	-	-	-	1	2	-	4	12	23	26	61	100	136	221	358	427	455	349	218	88	13	1
	Nonwhite--M--	987	-	-	-	-	-	-	-	2	9	6	14	18	63	84	161	124	108	130	109	72	45	30	2	5	5
	F--	780	-	1	-	-	2	1	1	2	4	8	21	26	60	86	100	114	109	91	69	28	28	12	7	4	6
410-416	Chronic rheumatic heart disease----	303	-	-	-	-	-	-	1	7	6	12	12	19	30	33	36	30	32	29	27	16	10	3	-	-	-
	White-----M--	128	-	-	-	-	-	-	-	4	1	6	2	11	14	14	14	10	15	14	13	6	2	2	-	-	-
	F--	118	-	-	-	-	-	-	1	1	-	3	5	5	10	12	14	16	15	9	9	10	7	1	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	1	3	1	2	1	4	4	7	-	1	3	4	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	1	2	2	3	2	2	3	1	4	1	3	1	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,600	-	-	-	-	-	1	-	1	5	7	28	52	161	270	447	590	707	856	908	758	466	242	76	16	7
	White-----M--	3,486	-	-	-	-	-	1	-	1	2	2	15	24	98	171	287	414	494	544	559	451	253	119	41	8	2
	F--	1,454	-	-	-	-	-	-	-	-	-	-	3	10	6	29	59	81	129	240	262	272	196	105	35	6	1
	Nonwhite--M--	394	-	-	-	-	-	-	-	-	2	3	4	6	35	37	72	51	40	43	43	28	14	12	1	1	2
	F--	266	-	-	-	-	-	-	-	-	1	2	6	12	22	33	29	44	44	29	24	7	3	6	1	1	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,074	-	-	1	-	-	-	-	1	2	3	6	11	15	31	53	78	95	120	145	166	148	118	59	17	5
	White-----M--	418	-	-	1	-	-	-	-	-	-	-	1	3	3	4	7	31	35	52	63	69	67	49	23	8	2
	F--	357	-	-	-	-	-	-	-	-	-	-	1	1	4	-	6	6	9	23	27	43	74	64	60	35	4	-
	Nonwhite--M--	168	-	-	-	-	-	-	-	1	2	1	2	2	3	10	20	19	24	23	25	16	10	6	-	2	2
	F--	131	-	-	-	-	-	-	-	-	-	1	2	2	9	11	20	19	13	18	14	7	7	3	1	3	1
430-434	Other diseases of heart---------	749	3	1	-	-	2	1	2	5	4	2	15	15	41	49	62	67	84	103	112	76	65	29	7	3	1
	White-----M--	365	1	-	-	-	-	-	1	3	2	-	3	5	19	24	26	34	34	45	65	49	36	10	5	2	1
	F--	166	2	-	-	-	-	-	-	1	-	-	2	2	6	3	4	7	22	33	21	23	23	14	2	1	-
	Nonwhite--M--	125	-	-	-	-	-	-	-	-	2	1	4	4	8	11	20	18	15	13	19	4	1	5	-	-	-
	F--	93	-	1	-	-	2	1	1	1	-	1	6	4	8	11	12	8	13	12	7	-	5	-	-	-	-
440-443	Hypertension with heart dis.--	1,402	-	-	-	-	-	-	-	-	2	2	7	15	38	84	114	141	152	182	191	177	161	87	28	6	5
	White-----M--	467	-	-	-	-	-	-	-	-	1	-	-	2	2	23	17	43	54	66	78	63	70	39	6	2	1
	F--	408	-	-	-	-	-	-	-	-	-	-	1	2	4	11	17	23	32	49	72	76	59	38	16	2	-
	Nonwhite--M--	269	-	-	-	-	-	-	-	-	-	-	2	5	13	22	42	36	28	48	18	24	20	7	1	2	1
	F--	264	-	-	-	-	-	-	-	-	1	2	4	6	19	28	38	39	38	29	23	14	12	3	5	-	3
444-447	Hypertension without mention of heart----------	282	-	-	-	-	-	-	-	1	1	1	8	7	7	9	24	35	31	33	39	38	23	15	9	1	-
	White-----M--	105	-	-	-	-	-	-	-	1	-	-	2	3	1	3	7	11	14	11	14	15	8	9	5	1	-
	F--	77	-	-	-	-	-	-	-	-	-	-	3	1	-	1	5	5	3	9	14	17	11	5	3	-	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	1	-	2	2	5	2	7	10	8	6	8	4	3	1	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	1	1	1	1	3	5	9	6	7	3	2	1	-	1	-	-
450	General arteriosclerosis--------	478	-	-	-	-	-	-	-	-	-	-	-	-	2	5	10	15	25	35	64	78	102	76	47	16	3
	White-----M--	190	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	7	13	34	33	43	30	20	2	-
	F--	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	10	21	34	50	36	24	11	2
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	7	9	5	6	4	4	1	2	1
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	3	4	5	5	6	2	1	-
451-468	Other diseases of circulatory sys.-	175	4	1	1	-	-	1	-	1	3	4	3	6	6	5	20	16	18	23	25	22	11	2	2	1	-
	White-----M--	91	-	-	1	-	-	-	-	-	-	1	-	2	4	1	9	6	13	18	18	10	8	-	-	-	-
	F--	44	-	1	-	-	-	-	-	-	2	2	-	1	-	2	4	5	3	3	5	9	3	1	2	1	-
	Nonwhite--M--	26	2	-	-	-	-	1	-	-	-	-	2	3	1	1	4	4	1	2	2	2	-	1	-	-	-
	F--	14	2	-	-	-	-	-	-	1	1	1	1	-	1	1	3	1	1	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	480	-	-	1	-	1	1	1	3	6	6	12	16	23	29	27	44	46	62	59	54	48	22	11	6	2
	White-----M--	171	-	-	-	-	1	-	-	-	-	3	1	5	7	10	8	15	22	25	20	18	20	11	3	1	1
	F--	121	-	-	1	-	-	-	1	1	3	3	4	1	5	7	4	4	8	11	14	18	18	8	6	4	-
	Nonwhite--M--	100	-	-	-	-	-	-	-	1	2	-	4	3	5	6	6	14	7	15	15	11	7	2	1	-	1
	F--	88	-	-	-	-	-	1	-	1	1	-	3	7	6	6	9	11	9	11	10	7	3	1	1	1	-
480-493	Influenza and pneumonia, etc.*-	994	179	18	12	7	3	11	4	4	11	12	14	19	30	40	70	52	77	90	68	92	93	57	21	8	2
	White-----M--	299	26	3	4	1	-	5	1	1	1	2	5	4	8	9	17	13	30	27	29	45	36	19	9	3	1
	F--	252	28	7	2	2	-	1	1	-	1	-	2	3	5	1	8	12	17	21	20	32	48	27	8	5	1
	Nonwhite--M--	233	65	8	3	1	-	2	1	3	2	4	4	7	9	13	26	17	20	25	6	6	5	4	2	-	-
	F--	210	60	-	3	3	3	3	1	-	7	6	3	5	8	17	19	10	10	17	13	9	4	7	2	-	-
480-483	Influenza---------	211	35	5	3	-	1	4	-	2	4	2	-	5	6	7	20	14	9	17	18	21	17	14	5	2	-
	White-----M--	53	3	2	2	-	-	2	-	-	-	-	-	-	-	3	1	3	2	5	7	11	2	7	3	-	-
	F--	43	5	3	1	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	3	5	11	3	-	2	-
	Nonwhite--M--	56	14	-	-	-	-	-	-	2	2	1	-	2	5	1	7	2	4	7	2	2	3	2	-	-	-
	F--	59	13	-	-	-	1	2	-	-	2	1	-	3	1	2	11	6	1	2	6	3	1	2	2	-	-
490-493	Pneumonia, etc.*--	783	144	13	9	7	2	7	4	2	7	10	14	14	24	33	50	38	68	73	50	71	76	43	16	6	2
	White-----M--	246	23	1	2	1	-	3	1	1	1	2	5	4	8	6	16	10	28	22	22	34	34	12	6	3	1
	F--	209	23	4	1	2	-	1	1	-	1	-	2	3	5	-	7	9	15	18	17	27	37	24	8	3	1
	Nonwhite--M--	177	51	8	3	1	-	2	1	1	-	3	4	5	4	12	19	15	16	18	4	4	2	2	2	-	-
	F--	151	47	-	3	3	2	1	1	-	5	5	3	2	7	15	8	4	9	15	7	6	3	5	-	-	-
500-502	Bronchitis---------	58	9	1	1	1	1	1	-	1	-	2	-	2	-	5	1	3	3	4	4	8	7	2	1	1	-
	White-----M--	31	1	-	1	1	-	1	-	-	-	1	-	-	-	3	1	3	2	3	3	6	3	1	-	1	-
	F--	14	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	1	1	1	2	3	1	1	-	-
	Nonwhite--M--	9	5	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	154	-	-	-	-	-	-	-	1	-	3	7	5	9	17	16	13	18	23	24	8	8	1	-	1	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	4	3	3	7	8	8	13	17	13	4	7	-	-	1	-
	F--	31	-	-	-	-	-	-	-	1	-	1	-	1	1	3	2	3	3	4	6	4	1	1	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	1	2	1	4	6	5	1	1	2	4	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	-	1	-	-	-	-	-	-
550-553	Appendicitis------	62	3	1	-	2	-	3	2	2	2	-	2	7	5	5	7	7	4	1	4	2	2	-	1	-	-
	White-----M--	17	1	-	-	-	-	3	-	-	-	-	-	3	2	1	1	2	1	-	2	-	1	-	-	-	-
	F--	14	1	-	-	1	-	-	2	1	1	-	1	-	-	-	-	1	2	1	2	1	-	-	-	-	-
	Nonwhite--M--	23	-	1	-	1	-	-	-	-	1	-	-	2	2	2	6	4	1	-	-	1	1	-	1	-	-
	F--	8	1	-	-	-	-	-	-	1	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	198	22	3	-	-	-	-	1	2	2	3	8	9	8	15	16	13	14	18	30	13	12	6	2	-	1
	White-----M--	70	11	1	-	-	-	-	-	-	-	-	3	-	1	1	6	5	4	6	18	7	4	3	-	-	-
	F--	65	4	-	-	-	-	-	1	1	-	1	1	1	6	4	6	2	5	6	10	5	8	2	2	-	-
	Nonwhite--M--	34	2	1	-	-	-	-	-	1	2	-	2	4	1	4	3	2	5	4	1	1	-	-	-	-	1
	F--	29	5	1	-	-	-	-	-	-	-	2	2	4	-	6	1	4	-	2	1	-	-	1	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
543,	Gastritis, etc.*--	186	91	16	2	-	-	2	-	1	1	-	3	5	2	9	4	5	7	6	7	11	6	4	3	1	-
571,	White-----M--	38	14	1	1	-	-	-	-	-	-	-	1	3	-	2	-	2	2	1	1	5	1	2	2	-	-
572	F--	50	10	6	1	-	-	1	-	1	1	-	-	-	1	2	1	1	2	4	5	6	4	2	1	1	-
	Nonwhite--M--	59	39	6	-	-	-	1	-	-	-	-	-	-	-	5	2	2	2	1	-	-	1	-	-	-	-
	F--	39	28	3	-	-	-	-	-	-	-	-	2	2	1	-	1	-	1	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	284	2	-	-	-	-	1	-	-	2	5	6	18	21	23	42	30	29	34	37	16	14	4	-	-	-
	White-----M--	157	1	-	-	-	-	-	-	-	2	1	2	5	10	15	19	17	17	21	29	7	8	3	-	-	-
	F--	74	1	-	-	-	-	1	-	-	-	1	2	8	4	2	13	6	7	9	7	7	6	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	1	4	3	2	7	6	3	3	1	2	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	1	4	4	3	1	2	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	103	1	2	-	-	4	-	2	5	6	3	7	4	6	6	13	10	4	10	7	4	6	2	1	-	-
	White-----M--	30	-	-	-	-	1	-	1	2	-	-	1	1	3	3	3	2	1	4	4	1	2	-	1	-	-
	F--	28	-	1	-	-	2	-	1	1	2	1	-	2	1	1	2	1	2	4	2	1	3	1	-	-	-
	Nonwhite--M--	17	1	-	-	-	1	-	-	1	1	-	3	-	-	1	3	3	-	1	1	-	-	1	-	-	-
	F--	28	-	1	-	-	-	-	-	1	3	2	3	1	2	1	5	4	1	1	-	2	1	-	-	-	-
610	Hyperplasia of																										
	prostate----------	131	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	9	16	24	25	26	15	6	2	-
	White-----M--	111	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	12	19	20	25	15	6	2	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	5	5	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	86	...	...	...	...	...	...	-	5	15	20	25	10	10	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	35	...	...	...	...	...	...	-	2	2	11	8	5	6	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	51	...	...	...	...	...	...	-	3	13	9	17	5	4	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	9	...	...	...	...	...	...	-	-	4	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	-	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	77	...	...	...	...	...	...	-	5	11	18	24	8	10	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	33	...	...	...	...	...	...	-	2	2	10	8	4	6	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	44	...	...	...	...	...	...	-	3	9	8	16	4	4	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	336	271	12	10	1	2	6	3	3	-	2	2	3	3	2	2	4	2	2	4	2	-	-	-	-	-
	White-----M--	145	117	4	-	1	2	1	2	2	-	1	-	2	1	1	2	2	2	1	2	2	-	-	-	-	-
	F--	125	102	4	7	-	-	4	-	1	-	1	-	-	1	-	2	-	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	39	29	3	3	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	27	23	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,388	1,388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	529	529	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	347	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	291	291	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	585	585	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	249	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	*724	724	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	762	89	11	3	2	2	4	3	4	3	10	10	16	42	30	47	44	54	73	47	77	64	58	41	15	13
795	White-----M--	264	22	2	1	-	1	1	-	1	-	3	-	-	8	6	16	16	18	30	26	37	27	24	16	5	4
	F--	146	13	3	1	1	-	-	3	-	-	-	2	3	9	1	4	2	8	10	6	18	17	23	16	5	1
	Nonwhite--M--	219	36	2	-	-	1	1	-	1	2	3	4	10	16	15	19	18	17	21	8	15	14	5	3	4	4
	F--	133	18	4	1	1	-	2	-	2	1	4	4	3	9	8	8	8	11	12	7	7	6	6	6	1	4
Re-	All other diseases	1,358	67	17	15	11	9	17	3	27	30	34	40	53	76	81	102	126	117	134	123	136	85	34	14	4	3
sid-	White-----M--	627	20	6	5	5	7	6	2	9	13	5	10	21	33	27	37	64	65	74	75	71	45	21	4	1	1
ual	F--	373	19	6	5	4	2	5	-	5	8	8	11	11	11	16	23	29	29	36	36	57	32	11	8	1	-
	Nonwhite--M--	194	17	2	1	1	-	4	1	8	6	4	5	9	18	22	23	16	14	18	6	8	5	2	2	1	1
	F--	164	11	3	4	1	-	2	-	5	3	17	14	12	14	16	19	17	9	6	6	-	3	-	-	1	1
E800-	Accidents----------	2,031	85	35	30	24	23	64	55	114	159	165	159	157	135	112	108	119	81	83	67	86	68	63	27	9	3
E962	White-----M--	1,084	33	12	12	12	16	31	24	70	98	102	96	87	78	56	60	70	44	52	35	29	22	27	13	3	2
	F--	436	18	8	5	7	4	14	13	14	15	18	25	21	18	20	19	17	20	19	21	50	39	33	13	5	-
	Nonwhite--M--	375	18	7	9	2	3	12	14	24	40	40	29	38	28	26	24	26	9	7	7	4	5	1	1	-	1
	F--	136	16	8	4	3	-	7	4	6	6	5	9	11	11	10	5	6	8	5	4	3	2	2	-	1	-
E810-	Motor-vehicle																										
E835	accidents--------	831	7	9	12	8	7	35	22	68	88	77	65	70	69	50	46	57	36	41	25	23	11	4	1	-	-
	White-----M--	493	3	1	6	5	6	18	9	49	60	43	31	42	39	28	28	37	18	27	15	15	9	3	1	-	-
	F--	155	2	5	2	1	1	7	9	10	7	12	14	8	14	9	9	11	11	9	6	7	1	-	-	-	-
	Nonwhite--M--	138	-	2	3	1	-	6	2	7	19	20	16	15	12	8	7	8	4	4	1	1	1	1	-	-	-
	F--	45	2	1	1	1	-	4	2	2	2	2	4	5	4	5	2	1	3	1	3	-	-	-	-	-	-
E800-	All ot. accidents-	1,200	78	26	18	16	16	29	33	46	71	88	94	87	66	62	62	62	45	42	42	63	57	59	26	9	3
E802,	White-----M--	591	30	11	6	7	10	13	15	21	38	59	65	45	39	28	32	33	26	25	20	14	13	24	12	3	2
E840-	F--	281	16	3	3	6	3	7	4	4	8	6	11	13	4	11	10	6	9	10	15	43	38	33	13	5	-
E962	Nonwhite--M--	237	18	5	6	1	3	6	12	17	21	20	13	23	16	18	17	18	5	3	6	3	4	-	1	-	1
	F--	91	14	7	3	2	-	3	2	4	4	3	5	6	7	5	3	5	5	4	1	3	2	2	-	1	-
E963,	Suicide----------	324	-	-	-	-	-	-	-	2	5	25	27	39	32	31	39	32	30	26	18	7	5	3	1	-	2
E970-	White-----M--	228	-	-	-	-	-	-	-	1	1	9	15	31	18	22	28	26	28	20	14	6	4	3	1	-	1
E979	F--	82	-	-	-	-	-	-	-	1	4	12	10	7	11	8	11	6	1	5	4	1	-	-	-	-	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	2	1	-	3	1	-	-	1	1	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	318	4	-	-	-	1	1	2	11	35	48	46	44	48	31	22	8	6	5	3	1	1	-	-	-	1
E980-	White-----M--	66	1	-	-	-	-	1	-	2	11	2	4	6	11	10	8	2	4	3	1	-	1	-	-	-	-
E985	F--	27	3	-	-	-	-	-	-	-	2	2	5	3	1	4	1	3	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	181	-	-	-	-	1	-	1	8	20	28	28	28	35	13	12	2	-	2	2	-	-	-	-	-	1
	F--	44	-	-	-	-	-	-	1	1	2	16	9	7	1	4	1	1	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA																										
	ALL CAUSES	30,826	3,272	259	157	83	71	255	215	421	543	650	760	1,086	1,417	1,722	2,345	2,614	2,656	3,099	3,026	2,698	1,934	982	433	127	101
	White----M	10,764	920	56	31	16	27	78	87	158	178	209	230	309	436	536	725	912	1,014	1,237	1,262	1,136	752	313	135	20	5
	F	7,574	645	57	42	25	14	63	39	59	75	86	111	175	228	266	334	443	589	780	1,001	1,042	815	427	193	47	18
	Nonwhite--M	6,741	941	63	48	24	13	58	60	120	158	195	208	311	372	493	712	705	584	542	419	286	181	122	45	31	30
	F	5,847	766	63	36	18	17	56	49	84	132	160	211	291	379	427	574	554	469	540	344	234	186	120	60	29	48
001-019	Tuberculosis all forms	678	6	5	8	4	3	8	5	20	48	53	54	58	67	62	65	65	39	39	35	23	7	4	-	-	-
	White----M	210	3	1	1	-	1	1	-	-	5	5	10	13	18	17	23	31	21	22	22	13	2	1	-	-	-
	F	81	1	-	1	-	-	1	-	2	5	4	7	5	6	6	7	4	5	5	10	7	4	1	-	-	-
	Nonwhite--M	210	1	2	5	3	-	2	-	3	16	16	16	24	23	29	27	19	10	8	1	2	1	2	-	-	-
	F	177	1	2	1	1	2	4	5	15	22	28	21	16	20	10	8	11	3	4	2	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	623	3	1	3	3	1	6	3	19	45	49	50	57	65	59	61	63	35	37	32	21	6	4	-	-	-
	White----M	197	2	-	1	-	-	-	-	-	5	4	9	13	18	16	22	31	20	20	21	12	2	1	-	-	-
	F	72	1	-	-	-	-	-	-	2	5	4	6	5	6	6	7	4	3	5	8	6	3	1	-	-	-
	Nonwhite--M	190	-	-	2	2	-	2	-	3	14	14	15	23	22	27	25	18	9	8	1	2	1	2	-	-	-
	F	164	-	1	-	1	1	4	3	14	21	27	20	16	19	10	7	10	3	4	2	1	-	-	-	-	-
010-019	Tuberculosis, other forms	55	3	4	5	1	2	2	2	1	3	4	4	1	2	3	4	2	4	2	3	2	1	-	-	-	-
	White----M	13	1	1	-	-	1	1	-	-	-	1	1	-	-	1	1	-	1	2	1	1	-	-	-	-	-
	F	9	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	2	-	2	1	1	-	-	-	-
	Nonwhite--M	20	1	2	3	1	-	-	-	-	2	2	1	1	1	2	2	1	1	-	-	-	-	-	-	-	-
	F	13	1	1	1	-	1	-	2	1	1	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	156	3	-	-	-	-	-	-	1	1	1	5	12	16	22	29	14	19	12	10	10	1	-	-	-	-
	White----M	43	-	-	-	-	-	-	-	-	-	-	1	1	2	4	7	2	10	6	3	7	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	2	-	-	-	-	-
	Nonwhite--M	72	3	-	-	-	-	-	-	-	-	1	4	9	8	12	15	6	6	3	4	-	1	-	-	-	-
	F	33	-	-	-	-	-	-	-	1	1	-	-	2	6	5	6	4	2	2	3	1	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	44	19	3	-	-	-	-	-	1	1	1	1	-	1	2	4	1	2	2	2	-	2	1	-	1	
	White----M	9	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	1	-	-	
	F	11	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	1	-	-	-	
	Nonwhite--M	10	5	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	
	F	14	6	2	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1
050, 051	Scarlet fever, etc.*	13	2	2	-	-	-	1	3	-	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-	-	
	White----M	5	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	3	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
055	Diphtheria	11	1	3	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White----M	4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	5	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
056	Whooping cough	86	70	9	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White----M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	33	27	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	36	28	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
057	Meningococcal infections	36	13	3	1	1	1	4	2	4	3	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	
	White----M	13	5	1	-	-	1	-	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	F	8	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	Nonwhite--M	9	2	-	1	-	-	-	-	2	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
	F	6	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
080	Acute poliomyelitis	24	1	-	3	1	-	7	3	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White----M	12	-	-	1	-	-	3	3	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	7	-	-	2	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
085	Measles	24	9	2	2	2	-	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White----M	4	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	11	6	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	6	-	1	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100-108	Typhus and other rickettsial dis.	8	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	2	1	1	1	-	-	-	-	
	White----M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	
	F	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Residual[1]	All other infective and parasitic diseases	135	26	6	7	4	1	8	6	3	3	4	9	2	8	7	7	8	7	7	7	2	2	1	-	-	-
	White----M	29	2	1	1	2	-	1	3	-	1	1	1	-	-	1	2	3	2	2	2	2	1	1	-	-	-
	F	33	5	-	3	-	1	4	-	1	-	2	1	1	2	1	-	1	2	4	4	-	1	-	-	-	-
	Nonwhite--M	34	10	3	2	-	-	-	2	-	1	1	2	-	4	1	2	4	1	-	1	-	-	-	-	-	-
	F	39	9	2	1	2	-	3	1	2	1	-	5	1	2	4	3	-	2	1	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,214	5	8	9	5	7	27	23	17	27	32	66	131	171	274	350	398	368	376	335	280	184	79	30	8	4
	White-----M--	1,120	3	3	2	2	3	14	11	9	11	8	21	24	47	69	106	128	133	134	144	135	74	28	8	2	1
	F--	1,205	1	3	5	3	-	6	7	4	10	15	21	50	61	96	94	135	128	154	148	120	90	36	14	2	2
	Nonwhite--M--	378	-	1	-	-	2	2	3	4	2	3	3	12	13	41	63	79	50	36	24	15	10	10	4	-	1
	F--	511	1	1	2	-	2	5	2	-	4	6	21	45	50	68	87	56	57	52	19	10	10	5	4	4	-
140-148	Of buccal cavity and pharynx-------	63	-	-	-	-	-	-	-	-	-	-	-	-	1	4	11	9	8	7	3	7	6	3	3	1	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	4	5	2	4	3	2	-	1	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	2	3	1	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	1	-	-	-
	F--	6	-	-	-	-	-	1	-	-	2	3	1	-	-	-	3	-	2	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,064	1	-	-	-	-	2	3	3	5	15	31	38	73	108	119	133	138	149	106	87	35	14	2	2
	White-----M--	373	1	-	-	-	-	1	1	1	2	5	6	17	26	31	36	52	48	59	39	33	12	3	-	-
	F--	380	-	-	-	-	-	-	-	2	-	5	7	5	18	19	37	37	59	63	56	46	18	6	1	1
	Nonwhite--M--	171	-	-	-	-	-	-	2	-	1	2	8	7	17	32	34	23	12	14	7	5	4	2	-	1
	F--	140	-	-	-	-	-	1	-	-	2	3	10	9	12	26	12	21	19	13	4	3	1	3	1	-
160-164	Of respiratory system----------	280	-	-	-	-	-	1	-	1	1	4	7	16	21	37	58	35	40	27	18	8	4	1	-	1
	White-----M--	177	-	-	-	-	-	-	-	1	-	1	2	7	11	24	36	28	28	21	10	3	3	1	-	1
	F--	42	-	-	-	-	-	-	-	-	-	2	2	3	2	5	3	3	9	6	4	3	-	-	-	-
	Nonwhite--M--	46	-	-	-	-	-	1	-	-	1	-	1	3	7	5	18	4	2	-	3	-	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	2	3	1	3	1	-	1	-	1	2	-	-	-	-
170	Of breast----------	271	-	-	-	-	-	-	-	-	1	7	22	23	37	35	38	22	29	17	18	13	5	2	2	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	196	-	-	-	-	-	-	-	-	1	6	13	18	21	23	27	18	20	17	15	12	4	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	F--	70	-	-	-	-	-	-	-	-	-	1	9	5	16	9	10	4	9	-	2	1	1	1	2	-
171-179	Of genital organs-	693	-	2	-	-	1	-	1	1	3	8	14	30	49	66	73	93	88	81	66	59	40	12	4	2	-
	White-----M--	156	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	16	13	18	34	39	24	3	2	1	-
	F--	266	-	1	-	-	-	-	-	-	-	4	4	14	21	31	27	38	40	34	24	16	8	3	1	-	-
	Nonwhite--M--	76	-	-	-	-	1	-	-	1	1	-	-	-	-	7	7	13	16	15	3	2	5	4	1	-	-
	F--	195	-	1	-	-	-	-	1	-	1	3	10	15	26	28	38	26	19	14	5	2	3	2	-	1	-
180, 181	Of urinary organs-	133	-	1	1	2	-	2	-	-	2	-	-	2	1	8	18	16	12	12	19	21	10	3	3	-	-
	White-----M--	61	-	-	1	-	-	1	-	-	-	-	-	-	1	4	9	8	5	6	6	11	5	3	1	-	-
	F--	45	-	1	-	2	-	-	-	-	2	-	-	-	-	-	1	4	4	4	12	9	4	-	2	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	2	-	3	6	3	1	1	1	1	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	2	1	-	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	435	-	2	3	2	4	10	12	5	7	9	15	27	31	41	39	47	45	35	34	34	14	15	3	1	-
	White-----M--	187	-	1	1	1	2	5	8	3	3	4	8	9	12	16	22	18	20	14	13	18	4	4	1	-	-
	F--	160	-	1	1	1	-	2	3	1	4	4	4	11	11	11	8	16	14	15	16	15	10	9	2	1	-
	Nonwhite--M--	39	-	-	-	-	1	1	1	1	-	1	-	-	2	7	5	8	3	4	4	-	-	1	-	-	-
	F--	49	-	-	1	-	1	2	-	-	-	-	3	7	6	7	4	5	8	2	1	1	-	1	-	-	-
204	Leukemia and aleukemia----------	151	4	3	5	1	2	12	5	4	8	5	8	5	5	11	14	7	13	15	12	5	5	2	-	-	-
	White-----M--	64	2	2	-	1	1	7	1	3	3	1	5	1	2	3	6	3	5	7	5	4	1	1	-	-	-
	F--	65	1	-	4	-	-	3	3	1	2	4	-	2	2	7	6	4	8	6	6	1	4	1	-	-	-
	Nonwhite--M--	9	-	1	-	-	-	1	1	-	1	-	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-
	F--	13	1	-	1	-	1	1	-	-	2	-	2	1	1	1	-	-	-	2	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	124	-	-	-	-	-	3	2	4	3	3	3	7	7	13	15	11	12	19	8	12	1	-	-	-	1
	White-----M--	66	-	-	-	-	-	1	1	2	2	-	2	5	5	7	8	4	6	8	4	10	1	-	-	-	-
	F--	36	-	-	-	-	-	1	1	2	-	2	-	1	1	4	3	4	3	7	4	2	-	-	-	-	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	1	-	-	1	1	1	1	-	2	2	1	1	3	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	102	2	1	-	-	-	4	3	2	2	4	10	17	12	13	7	5	9	5	3	2	1	-	-	-	-
	White-----M--	20	-	1	-	-	-	1	1	-	-	-	1	3	2	1	2	2	1	2	1	1	1	-	-	-	-
	F--	34	1	-	-	-	-	2	1	1	2	1	1	8	4	5	3	1	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	-	1	-	3	1	-	-	2	1	1	3	1	-	-	-	-	-	-	-
	F--	34	1	-	-	-	-	-	1	-	-	-	7	6	6	5	1	1	4	1	1	-	-	-	-	-	-
260	Diabetes mellitus-	435	-	-	1	-	-	3	6	5	5	8	7	17	16	26	37	56	52	56	52	48	25	12	2	1	-
	White-----M--	121	-	-	-	-	-	-	-	1	1	2	-	5	5	4	8	13	16	14	18	18	12	3	1	-	-
	F--	156	-	-	-	-	-	1	3	3	1	1	1	1	4	6	9	18	20	21	26	22	10	8	-	1	-
	Nonwhite--M--	52	-	-	-	-	-	1	1	-	3	1	2	4	2	4	5	12	2	6	5	1	1	1	1	-	-
	F--	106	-	-	1	-	-	1	2	1	-	4	4	7	5	12	15	13	14	15	3	7	2	-	-	-	-
290-293	Anemias----------	65	6	3	-	-	-	1	-	2	5	2	2	3	3	2	6	4	3	9	5	7	1	1	-	-	-
	White-----M--	17	1	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	2	2	2	4	1	-	-	-	-
	F--	20	1	-	-	-	-	1	-	-	-	-	-	-	-	-	6	1	1	4	2	2	-	1	-	-	-
	Nonwhite--M--	10	3	1	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	18	1	1	-	-	-	-	-	1	3	2	-	2	3	-	-	1	-	2	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	48	17	5	2	1	2	1	1	-	-	1	1	3	2	4	3	1	1	2	-	-	1	-	-	-	-
	White-----M--	13	5	-	-	-	1	1	-	-	-	-	-	1	1	1	1	1	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	15	6	2	-	1	-	-	1	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	18	6	3	2	-	1	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	15,261	10	2	5	6	4	23	22	47	57	109	168	350	583	834	1,310	1,563	1,700	2,079	2,081	1,869	1,369	666	266	76	62
	White-----M--	5,486	2	1	-	1	2	6	4	11	11	25	28	82	157	247	382	533	648	846	873	769	534	205	84	12	3
	F--	3,815	-	-	1	3	-	8	3	4	9	18	22	42	70	95	149	221	316	465	647	713	580	293	114	32	10
	Nonwhite--M--	3,094	4	1	2	-	1	7	4	17	11	35	47	116	169	250	426	424	410	383	304	208	130	85	27	17	16
	F--	2,886	4	-	2	2	1	2	11	15	26	31	71	110	187	242	353	385	326	385	257	179	125	83	41	15	33
330-334, 400-468	Diseases of cardiovascular system-	14,499	9	2	5	6	3	16	19	37	44	95	153	328	538	797	1,253	1,520	1,616	1,995	1,988	1,777	1,293	626	247	72	60
	White-----M--	5,261	2	1	-	1	1	3	2	8	10	20	26	78	152	237	367	520	634	815	844	743	508	197	77	12	3
	F--	3,632	-	-	1	3	-	6	3	3	5	15	20	39	64	90	144	213	301	452	620	680	551	274	107	32	9
	Nonwhite--M--	2,896	3	1	2	-	1	5	4	14	10	31	41	113	153	241	404	414	376	361	277	192	120	78	25	14	16
	F--	2,710	4	-	2	2	1	2	10	12	19	29	66	98	169	229	338	373	305	367	247	162	114	77	38	14	32
330-334	Vascular lesions, etc.*----------	4,408	1	-	-	1	2	1	3	12	7	31	49	82	144	246	393	461	482	619	628	563	386	188	70	24	15
	White-----M--	1,290	-	-	-	-	-	-	2	1	2	5	9	16	16	43	67	104	133	214	236	225	148	51	15	1	2
	F--	1,121	-	-	-	1	-	-	1	1	-	6	8	9	18	35	51	72	100	143	198	200	151	86	28	12	1
	Nonwhite--M--	956	-	-	-	-	1	1	-	5	2	8	7	27	45	78	143	142	126	122	95	70	42	25	9	4	4
	F--	1,041	1	-	-	-	1	-	-	5	3	12	25	30	65	90	132	143	123	140	99	68	45	26	18	7	8
400-402	Rheumatic fever---	60	-	-	1	2	1	12	12	4	3	4	3	1	6	-	2	5	3	-	-	-	-	1	-	-	-
	White-----M--	14	-	-	-	-	1	2	-	2	1	1	-	1	2	-	-	3	1	-	-	-	-	-	-	-	-
	F--	13	-	-	-	1	-	4	1	-	1	1	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	15	-	-	1	-	-	4	4	2	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-
	F--	18	-	-	-	1	-	2	7	-	1	2	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
410-443	Diseases of heart	8,923	7	2	3	3	-	3	3	17	31	50	90	213	341	510	786	968	1,028	1,254	1,224	1,065	761	360	135	35	34
	White-----M--	3,586	2	1	-	1	-	1	-	5	6	13	17	58	124	186	276	392	466	553	547	464	303	118	45	7	1
	F--	2,192	-	-	-	1	-	2	-	2	3	6	11	24	41	47	81	128	185	284	384	417	338	153	64	17	4
	Nonwhite--M--	1,705	3	1	1	-	-	-	-	6	8	19	29	80	92	151	239	242	219	212	161	106	63	46	11	7	9
	F--	1,440	2	-	2	1	-	-	3	4	14	12	33	51	84	126	190	206	158	205	132	78	57	43	15	4	20
410-416	Chronic rheumatic heart disease----	211	-	-	-	-	-	2	1	7	8	7	11	16	18	16	21	28	21	19	8	11	10	4	2	-	1
	White-----M--	59	-	-	-	-	-	-	-	3	1	4	3	4	6	6	6	7	5	5	1	3	3	-	2	-	-
	F--	62	-	-	-	-	-	2	-	2	1	2	4	5	6	4	3	8	6	6	3	5	3	2	-	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	1	2	1	2	6	2	3	5	5	5	4	1	1	-	2	-	-	-
	F--	50	-	-	-	-	-	-	1	1	4	-	2	1	4	3	7	8	5	4	3	2	4	-	-	-	1
420	Arteriosclerotic heart dis., etc.*	4,291	-	-	1	-	-	-	-	4	7	14	27	97	182	266	398	489	520	669	626	482	318	121	45	9	6
	White-----M--	2,249	-	-	-	-	-	-	-	1	2	4	11	42	94	137	206	282	319	378	329	218	154	48	13	1	-
	F--	1,090	-	-	-	-	-	-	-	-	-	1	-	6	19	22	50	69	107	169	204	213	141	58	25	6	-
	Nonwhite--M--	551	-	-	-	-	-	-	-	1	1	5	7	32	40	61	88	76	56	76	50	31	11	9	2	2	3
	F--	401	-	-	1	-	-	-	-	2	4	4	9	17	29	46	54	62	38	46	43	20	12	6	5	-	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,233	-	1	2	1	-	1	1	1	5	3	12	22	16	48	92	108	123	142	159	178	173	81	39	13	12
	White-----M--	359	-	1	-	1	-	1	-	-	1	1	1	2	3	6	16	19	40	45	51	67	56	27	16	4	1
	F--	325	-	-	-	-	-	-	-	-	2	-	2	5	2	3	4	17	13	23	54	61	79	31	20	6	3
	Nonwhite--M--	333	-	-	1	-	-	-	-	1	2	1	4	9	5	28	37	39	52	42	35	33	25	14	1	2	2
	F--	216	-	-	1	-	-	-	1	-	-	1	5	6	6	11	35	33	18	32	19	17	13	9	2	1	6
430-434	Other diseases of heart---------	870	7	1	-	2	-	-	1	5	7	15	15	34	50	66	81	100	86	111	100	93	50	28	9	4	5
	White-----M--	298	2	-	-	-	-	-	-	1	1	2	2	7	13	19	20	30	29	40	49	50	19	12	1	1	-
	F--	148	-	-	-	1	-	-	-	-	-	3	2	4	8	6	6	10	12	17	20	27	19	6	5	1	1
	Nonwhite--M--	223	3	1	-	-	-	-	-	3	2	7	9	15	16	24	33	28	22	21	19	9	3	4	1	1	2
	F--	201	2	-	-	1	-	-	1	1	4	3	2	8	13	17	22	32	23	33	12	7	9	6	2	1	2
440-443	Hypertension with heart dis.--	2,318	-	-	-	-	-	-	-	-	4	11	25	44	75	114	194	233	278	313	331	301	210	126	40	9	10
	White-----M--	621	-	-	-	-	-	-	-	-	1	2	-	3	8	18	28	44	73	85	117	126	71	31	13	1	-
	F--	567	-	-	-	-	-	-	-	-	-	-	3	4	6	12	18	24	47	69	103	111	96	56	14	4	-
	Nonwhite--M--	558	-	-	-	-	-	-	-	-	1	5	7	18	29	35	76	94	84	69	56	32	24	17	7	2	2
	F--	572	-	-	-	-	-	-	-	-	2	4	15	19	32	49	72	71	74	90	55	32	19	22	6	2	8
444-447	Hypertension without mention of heart----------	491	-	-	-	-	-	-	-	-	1	4	7	20	33	24	38	43	48	48	60	69	57	24	8	3	4
	White-----M--	129	-	-	-	-	-	-	-	-	1	1	-	2	7	4	8	7	14	21	26	13	15	8	2	-	-
	F--	131	-	-	-	-	-	-	-	-	-	-	-	2	3	6	4	6	7	8	15	35	27	10	5	1	2
	Nonwhite--M--	115	-	-	-	-	-	-	-	-	-	2	3	3	12	8	13	20	12	9	9	10	9	3	1	-	1
	F--	116	-	-	-	-	-	-	-	-	-	1	4	13	11	6	13	10	15	10	10	11	6	3	-	2	1
450	General arteriosclerosis--------	472	-	-	-	-	-	-	-	-	-	-	2	-	5	7	18	28	34	55	68	71	84	49	34	10	7
	White-----M--	185	-	-	-	-	-	-	-	-	-	-	-	-	1	2	9	3	11	15	31	37	39	18	15	4	-
	F--	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	12	22	24	33	23	10	2	2
	Nonwhite--M--	83	-	-	-	-	-	-	-	-	-	-	2	-	1	3	6	9	11	17	11	5	6	3	4	3	2
	F--	66	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	12	8	11	4	5	6	5	5	1	3
451-468	Other diseases of circulatory sys.-	145	1	-	1	-	-	-	1	4	2	6	2	12	9	10	16	15	21	19	8	9	5	4	-	-	-
	White-----M--	57	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	11	9	12	4	4	3	2	-	-	-
	F--	37	-	-	1	-	-	-	1	-	1	2	-	4	2	2	5	2	4	5	1	4	2	1	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	1	-	2	-	3	-	1	3	1	7	1	1	1	-	1	-	-	-
	F--	29	1	-	-	-	-	-	-	3	1	2	2	4	5	5	1	1	1	1	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	762	1	-	-	-	1	7	3	10	13	14	15	22	45	37	57	43	84	84	93	92	76	40	19	4	2
	White-----M--	205	-	-	-	-	1	3	2	3	1	5	2	4	5	10	15	13	14	31	29	26	26	8	7	-	-
	F--	183	-	-	-	-	-	2	-	1	4	3	2	3	6	5	5	8	15	13	27	33	29	19	7	-	1
	Nonwhite--M--	198	1	-	-	-	-	2	-	3	1	4	6	3	16	9	22	10	34	22	27	16	10	7	2	3	-
	F--	176	-	-	-	-	-	-	1	3	7	2	5	12	18	13	15	12	21	18	10	17	11	6	3	1	1
480-493	Influenza and pneumonia, etc.*-	1,449	341	60	25	6	8	26	14	23	19	14	28	40	45	54	77	85	73	96	108	110	98	56	27	11	7
	White-----M--	326	51	15	4	-	2	3	-	8	1	5	3	6	10	8	8	16	19	23	37	46	36	16	9	-	-
	F--	320	40	10	4	-	1	4	2	3	3	2	3	3	4	5	5	10	21	24	43	46	36	30	14	4	3
	Nonwhite--M--	418	134	21	13	3	2	10	6	4	7	2	11	12	15	22	38	36	18	25	12	9	7	4	1	3	3
	F--	385	116	14	4	3	3	9	6	8	8	5	11	19	16	19	26	23	15	24	16	9	17	6	3	4	1
480-483	Influenza---------	367	59	15	2	2	2	7	1	8	3	2	2	11	13	11	21	28	25	24	35	29	30	19	7	7	4
	White-----M--	85	6	3	1	-	-	3	-	5	-	1	-	1	4	1	1	6	6	5	8	12	10	7	5	-	-
	F--	95	14	3	1	-	1	1	-	-	2	-	-	1	-	-	-	4	6	5	18	13	9	10	2	3	2
	Nonwhite--M--	87	20	5	-	-	1	3	-	2	-	-	-	1	1	5	9	12	6	7	5	3	2	-	-	3	2
	F--	100	19	4	-	2	-	-	1	1	1	1	2	8	8	5	11	6	7	7	4	1	9	2	-	1	-
490-493	Pneumonia, etc.*--	1,082	282	45	23	4	6	19	13	15	16	12	26	29	32	43	56	57	48	72	73	81	66	37	20	4	3
	White-----M--	241	45	12	3	-	2	-	-	3	1	4	3	5	6	7	7	10	13	18	29	34	26	9	4	-	-
	F--	225	26	7	3	-	-	3	2	3	1	2	3	2	4	5	5	6	15	19	25	33	27	20	12	1	1
	Nonwhite--M--	331	114	16	13	3	1	7	6	2	7	2	11	11	14	17	29	24	12	18	7	6	5	4	1	-	1
	F--	285	97	10	4	1	3	9	5	7	7	4	9	11	8	14	15	17	8	17	12	8	8	4	3	3	1
500-502	Bronchitis--------	59	9	4	2	2	2	-	-	-	-	1	-	-	3	3	2	6	5	4	6	3	2	3	2	-	-
	White-----M--	23	2	-	1	1	2	-	-	-	-	-	-	-	-	2	1	3	2	2	3	1	1	2	-	-	-
	F--	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	-	-
	Nonwhite--M--	11	5	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	F--	16	1	1	-	-	-	-	-	-	-	1	-	-	3	-	1	3	1	2	1	1	-	-	1	-	-
540, 541	Ulcer of stomach and duodenum-----	153	-	-	-	-	-	-	-	-	1	3	6	7	8	20	18	19	17	18	14	10	10	2	-	-	-
	White-----M--	84	-	-	-	-	-	-	-	-	1	-	-	5	7	11	8	7	8	11	10	7	8	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	3	3	2	3	2	-	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	2	4	1	-	6	5	8	3	2	2	-	-	1	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	1	1	2	4	4	3	2	-	-	-	-	-	-	-	-
550-553	Appendicitis------	63	-	-	-	1	1	4	2	6	1	3	1	5	3	5	6	4	4	8	3	5	1	-	-	-	-
	White-----M--	17	-	-	-	1	1	1	1	-	-	-	-	1	-	-	2	1	2	1	2	3	1	-	-	-	-
	F--	18	-	-	-	-	-	1	-	3	1	2	1	1	-	2	1	-	-	3	1	2	-	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	2	1	3	-	-	-	1	3	1	2	2	2	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	-	2	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	180	21	-	1	-	-	-	2	-	1	5	4	6	12	5	19	19	13	21	15	14	11	7	3	1	-
	White-----M--	60	9	-	-	-	-	-	-	-	-	1	-	3	4	2	6	7	3	9	6	3	4	3	-	-	-
	F--	49	3	-	-	-	-	-	-	-	1	1	1	1	2	1	4	2	3	7	3	10	5	2	3	-	-
	Nonwhite--M--	33	4	-	1	-	-	-	2	-	-	1	-	1	2	1	5	6	4	1	2	1	-	1	-	1	-
	F--	38	5	-	-	-	-	-	-	-	-	2	3	1	4	1	4	4	3	4	4	-	2	1	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
543,	Gastritis, etc.*--	268	162	35	9	3	-	-	1	1	2	3	1	2	2	6	4	6	4	9	9	3	4	2	-	-	-
571,	White-----M--	55	28	7	2	-	-	-	-	1	-	-	-	1	1	1	1	2	1	5	1	2	2	-	-	-	-
572	F--	52	26	4	2	1	-	-	1	-	1	2	-	-	-	2	1	1	-	2	5	1	1	2	-	-	-
	Nonwhite--M--	91	63	13	3	2	-	-	-	-	1	1	-	1	-	1	1	1	3	1	1	-	-	-	-	-	-
	F--	70	45	11	2	-	-	-	-	-	1	-	-	1	-	3	1	2	-	1	2	-	1	-	-	-	-
581	Cirrhosis of liver	197	1	1	-	-	-	-	-	1	1	3	8	10	18	22	24	31	20	17	18	12	6	2	2	-	-
	White-----M--	105	-	-	-	-	-	-	-	-	1	3	1	5	9	11	15	17	11	9	11	9	2	-	1	-	-
	F--	59	1	-	-	-	-	-	-	1	-	-	4	3	4	5	6	6	8	4	7	3	4	2	1	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	1	2	3	4	1	3	1	2	-	-	-	-	-	-	-
	F--	16	-	1	-	-	-	-	-	-	-	-	2	-	2	2	2	5	-	2	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	164	5	4	4	1	1	7	5	3	5	4	4	8	14	9	12	14	16	18	5	10	9	3	1	-	2
	White-----M--	39	-	1	-	-	-	5	1	-	2	1	-	1	1	1	4	6	3	5	1	4	2	1	-	-	-
	F--	26	1	1	2	-	-	-	-	-	-	-	-	1	2	-	1	3	5	4	1	3	1	1	-	-	-
	Nonwhite--M--	52	3	2	1	1	1	1	-	1	-	2	4	3	9	3	5	3	4	5	1	1	3	1	-	-	-
	F--	47	1	-	1	-	-	1	3	3	2	3	2	2	2	5	2	2	4	4	2	2	3	-	1	-	2
610	Hyperplasia of																										
	prostate---------	130	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	4	20	17	25	29	18	9	1	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	12	15	16	14	7	1	-	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	13	5	10	13	4	2	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	138	...	...	...	...	...	...	3	15	28	24	24	31	13	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	44	...	...	...	...	...	...	1	7	10	6	4	10	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	94	...	...	...	...	...	...	2	8	18	18	20	21	7	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	9	...	...	...	...	...	...	-	-	4	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	129	...	...	...	...	...	...	3	15	24	22	23	29	13	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	42	...	...	...	...	...	...	1	7	9	6	4	9	6	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	87	...	...	...	...	...	...	2	8	15	16	19	20	7	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	410	317	22	12	6	7	8	5	3	1	4	3	5	7	3	5	1	-	1	-	-	-	-	-	-	-
	White-----M--	144	116	4	2	1	3	3	-	1	-	2	2	2	2	2	3	1	-	-	-	-	-	-	-	-	-
	F--	161	115	11	6	4	3	4	4	1	1	2	1	2	5	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	61	52	5	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	44	34	2	4	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,749	1,749	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	573	573	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	367	367	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	451	451	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	358	358	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	611	611	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	976	976	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	249	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	838	221	11	5	2	5	8	2	6	3	10	17	26	35	30	39	45	29	50	51	56	43	59	52	17	16
795	White-----M--	179	35	2	2	-	3	1	1	-	-	1	5	7	7	8	7	12	5	19	9	11	12	17	13	2	-
	F--	124	20	3	-	-	1	1	-	-	1	2	4	3	-	2	4	4	3	9	9	15	6	14	20	2	1
	Nonwhite--M--	309	93	3	3	2	-	5	1	5	1	2	6	6	17	12	18	21	9	18	19	18	12	11	11	9	7
	F--	226	73	3	-	-	1	1	-	1	1	5	2	10	11	8	10	8	12	4	14	12	13	17	8	4	8
Re-	All other diseases	1,587	97	27	17	12	8	10	15	30	37	54	64	82	115	107	142	114	145	140	131	102	73	35	21	6	3
sid-	White-----M--	564	34	5	6	5	2	6	2	11	9	18	11	22	43	34	53	41	59	62	49	46	22	14	9	1	-
ual	F--	436	16	8	5	5	3	-	3	5	3	6	8	20	26	17	25	21	56	43	53	46	39	13	11	3	1
	Nonwhite--M--	317	26	7	2	1	1	2	5	5	13	16	22	19	24	34	33	34	19	18	20	7	5	3	-	1	-
	F--	270	21	7	4	1	2	2	5	9	12	14	23	21	22	22	31	18	11	17	9	3	7	5	1	1	2
E800-	Accidents----------	2,440	155	43	39	22	18	90	88	196	198	188	182	176	167	140	128	111	84	87	97	90	66	38	25	7	5
E962	White-----M--	1,137	39	11	8	3	6	26	35	108	117	106	111	91	90	71	57	64	40	34	42	32	21	13	8	3	1
	F--	404	25	11	11	5	4	20	14	18	21	8	21	17	20	12	12	7	11	18	35	40	32	22	16	3	1
	Nonwhite--M--	617	41	15	11	9	4	21	30	57	47	52	42	56	39	46	46	28	21	20	11	11	7	1	-	-	2
	F--	282	50	6	9	5	4	23	9	13	13	22	8	12	18	11	13	12	12	15	9	7	6	2	1	1	1
E810-	Motor-vehicle																										
E835	accidents---------	1,024	14	13	15	3	11	36	25	124	132	115	95	81	84	55	54	41	28	38	27	21	8	2	1	-	1
	White-----M--	574	9	5	5	1	4	9	13	78	82	66	59	45	49	29	24	26	13	21	16	12	5	2	-	-	1
	F--	132	2	3	4	1	2	12	5	11	11	5	14	5	13	8	7	4	6	6	6	5	1	-	1	-	-
	Nonwhite--M--	242	2	3	4	1	3	11	4	28	32	30	20	24	15	17	19	6	8	5	5	3	2	-	-	-	-
	F--	76	1	2	2	-	2	4	3	7	7	14	2	7	7	1	4	5	1	6	-	1	-	-	-	-	-
E800-	All ot. accidents-	1,416	141	30	24	19	7	54	63	72	66	73	87	95	83	85	74	70	56	49	70	69	58	36	24	7	4
E802,	White-----M--	563	30	6	3	2	2	17	22	30	35	40	52	46	41	42	33	38	27	13	26	20	16	11	8	3	-
E840-	F--	272	23	8	7	4	2	8	9	7	10	3	7	12	7	4	5	3	5	12	29	35	31	22	15	3	1
E962	Nonwhite--M--	375	39	12	7	8	1	10	26	29	15	22	22	32	24	29	27	22	13	15	6	8	5	1	-	-	2
	F--	206	49	4	7	5	2	19	6	6	6	8	6	5	11	10	9	7	11	9	9	6	6	2	1	1	1
E963,	Suicide----------	288	-	-	-	-	-	-	1	8	18	29	29	31	34	36	27	20	19	20	8	5	2	1	-	-	-
E970-	White-----M--	200	-	-	-	-	-	-	1	2	8	15	18	21	22	28	23	16	16	16	8	4	1	1	-	-	-
E979	F--	52	-	-	-	-	-	-	-	5	5	7	7	3	8	4	3	3	2	3	-	1	1	-	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	1	3	6	3	7	2	2	1	1	1	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	2	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	468	4	-	2	-	-	4	1	24	73	86	63	61	63	31	23	16	4	4	3	4	1	-	-	-	1
E980-	White-----M--	87	-	-	1	-	-	1	-	2	8	14	15	14	10	9	6	3	1	1	1	1	-	-	-	-	-
E985	F--	30	2	-	-	-	-	1	-	-	1	5	2	3	4	3	1	3	1	1	-	2	1	-	-	-	-
	Nonwhite--M--	275	1	-	-	-	-	-	1	16	48	52	38	35	37	17	14	10	2	2	1	-	-	-	-	-	1
	F--	76	1	-	1	-	-	2	-	6	16	15	8	9	12	2	2	-	-	-	1	1	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO																										
	ALL CAUSES	5,012	412	39	31	28	12	53	38	62	55	68	89	108	158	170	253	345	450	551	591	621	478	268	104	18	10
	White---M	3,155	225	22	18	17	6	33	21	39	39	44	57	73	103	109	184	227	320	372	358	384	284	157	53	5	5
	F	1,767	168	16	9	10	4	20	16	21	15	21	30	32	53	58	66	111	126	170	226	235	187	107	50	12	4
	Nonwhite--M	48	10	1	1	-	2	-	1	1	1	1	1	1	1	2	2	4	2	5	4	1	5	2	-	-	-
	F	42	9	-	3	1	-	-	-	1	-	2	1	2	1	1	1	3	2	4	3	1	2	2	1	1	1
001-019	Tuberculosis all forms	53	1	-	-	-	1	2	-	1	1	1	3	2	2	5	5	8	6	8	4	3	-	-	-	-	-
	White---M	40	1	-	-	-	-	2	-	1	1	-	2	1	1	2	5	6	5	7	3	3	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	2	1	1	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	42	-	-	-	-	1	1	-	-	1	1	3	2	2	3	3	6	6	7	4	2	-	-	-	-	-
	White---M	33	-	-	-	-	-	1	-	-	1	-	2	1	1	2	3	6	5	6	3	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	11	1	-	-	-	-	1	-	1	-	-	-	-	-	2	2	2	-	1	-	1	-	-	-	-	-
	White---M	7	1	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	12	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	2	1	-	2	-	-	-	-	-
	White---M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	5	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	9	-	-	-	-	-	3	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	14	1	1	-	-	-	2	-	-	-	-	1	-	1	2	2	2	-	1	-	1	-	-	-	-	-
	White---M	9	1	-	-	-	-	1	-	-	-	-	1	-	1	-	1	2	-	1	-	1	-	-	-	-	-
	F	5	-	1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
140-205	Malignant neoplasms, etc.*----	622	-	2	1	3	3	7	5	3	4	8	4	12	24	26	43	57	66	99	92	90	44	19	8	1	1
	White-----M--	376	-	2	1	3	2	5	3	1	1	6	1	4	10	8	29	28	47	62	61	53	31	12	5	1	-
	F--	238	-	-	-	-	1	2	2	2	3	2	3	8	13	17	14	29	19	36	28	37	12	6	3	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	12	-	-	-	-	-	-	-	1	-	-	-	-	2	1	3	-	2	-	2	1	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	2	-	2	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	265	-	-	-	-	-	1	-	-	1	1	3	4	10	14	21	34	52	53	39	17	13	2	-	-
	White-----M--	173	-	-	-	-	-	1	-	-	-	-	3	2	4	8	12	28	34	37	22	14	7	1	-	-
	F--	87	-	-	-	-	-	-	-	-	1	1	-	1	5	6	9	6	17	15	17	3	5	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	-	-	-
160-164	Of respiratory system----------	54	-	-	-	-	-	-	1	-	-	1	2	3	2	7	5	6	11	7	6	2	1	-	-	-
	White-----M--	45	-	-	-	-	-	-	1	-	-	1	-	2	2	7	5	6	11	3	5	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	48	-	-	-	-	-	-	-	-	-	1	1	2	4	7	3	7	5	4	3	5	4	1	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	48	-	-	-	-	-	-	-	-	-	1	1	2	4	7	3	7	5	4	3	5	4	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	87	-	-	-	-	-	-	-	1	-	1	-	1	3	2	5	9	7	17	7	19	10	2	2	-	1
	White-----M--	45	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	5	4	15	10	2	2	-	-
	F--	42	-	-	-	-	-	-	-	1	-	-	-	1	3	2	4	8	3	12	3	4	-	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	23	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	4	2	2	6	4	1	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	3	2	2	6	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	80	-	1	-	1	3	3	1	-	3	1	-	3	5	3	4	4	7	8	10	12	5	2	3	1	-
	White-----M--	52	-	1	-	1	2	3	1	-	1	1	-	1	2	1	4	4	4	6	7	7	1	2	2	1	-
	F--	27	-	-	-	-	1	-	-	-	2	-	-	2	3	2	-	-	3	2	3	5	3	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	34	-	1	1	2	-	4	2	-	1	2	1	1	2	1	1	4	-	4	2	4	1	-	-	-	-
	White-----M--	21	-	1	1	2	-	2	-	-	-	2	-	-	2	-	1	3	-	4	1	1	-	-	-	-	-
	F--	13	-	-	-	-	-	2	2	-	1	-	1	1	-	1	-	1	-	-	1	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	19	-	-	-	-	-	-	-	-	-	2	-	-	1	-	3	3	3	1	2	-	4	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	1	-	1	-	4	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	23	-	-	-	-	-	-	-	-	-	3	3	1	-	4	4	2	3	1	2	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	-	2	1	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	2	2	1	-	3	1	2	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	88	-	-	-	-	-	1	-	-	-	-	3	3	2	1	4	7	12	12	15	19	6	2	1	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	2	4	7	7	9	4	2	1	-	-
	F--	43	-	-	-	-	-	1	-	-	-	-	1	1	-	-	3	5	8	5	8	9	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
290-293	Anemias----------	12	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	3	3	-	-	-	-	-
	White-----M--	8	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	2,549	-	-	1	1	-	4	6	5	9	11	21	25	54	77	132	179	275	337	386	422	341	189	58	11	5
	White-----M--	1,626	-	-	1	-	-	2	3	2	5	4	13	17	36	55	102	119	204	224	231	262	198	112	31	2	3
	F--	905	-	-	-	1	-	2	3	3	4	6	7	7	18	22	29	57	70	108	152	160	143	76	27	8	2
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	4	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	-	-	1	-	1	-
330-334, 400-468	Diseases of cardiovascular system-	2,459	-	-	1	1	-	2	5	4	7	8	19	24	45	73	130	172	268	331	374	412	329	183	55	11	5
	White-----M--	1,575	-	-	1	-	-	1	3	1	3	3	13	16	29	51	101	115	202	220	225	258	191	109	28	2	3
	F--	866	-	-	-	1	-	1	2	3	4	4	5	7	16	22	28	54	65	106	146	154	138	73	27	8	2
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	4	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	-	-	1	-	1	-
330-334	Vascular lesions, etc.*----------	562	-	-	1	1	-	1	-	1	1	1	1	3	6	10	14	29	42	70	106	117	90	50	15	2	1
	White-----M--	289	-	-	1	-	-	-	-	-	1	-	1	-	2	5	6	12	20	34	56	62	54	27	7	-	1
	F--	267	-	-	-	1	-	1	-	1	-	1	-	2	4	5	7	16	22	34	49	55	36	23	8	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
400-402	Rheumatic fever---	9	-	-	-	-	-	1	3	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
410-443	Diseases of heart	1,734	-	-	-	-	-	-	2	2	5	5	15	21	37	57	111	135	215	250	246	261	206	116	37	9	4
	White-----M--	1,189	-	-	-	-	-	-	2	1	2	1	11	16	26	42	93	98	174	180	155	174	115	74	21	2	2
	F--	535	-	-	-	-	-	-	-	1	3	3	3	5	11	15	18	35	40	69	89	87	91	41	16	6	2
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-
410-416	Chronic rheumatic heart disease----	85	-	-	-	-	-	-	1	1	3	4	9	7	3	6	9	11	12	3	6	4	5	-	-	1	-
	White-----M--	52	-	-	-	-	-	-	1	-	1	1	6	3	1	1	9	6	10	1	4	3	5	-	-	-	-
	F--	33	-	-	-	-	-	-	-	1	2	3	3	4	2	5	-	5	2	2	2	1	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,056	-	-	-	-	-	-	-	-	1	-	3	10	27	41	78	87	153	178	153	145	115	42	17	4	2
	White-----M--	792	-	-	-	-	-	-	-	-	-	-	2	10	23	36	65	73	129	133	105	112	67	27	8	1	1
	F--	256	-	-	-	-	-	-	-	-	1	-	-	-	4	5	13	12	23	44	46	33	48	15	9	2	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	260	-	-	-	-	-	-	-	1	-	-	1	1	1	2	4	11	18	22	35	56	40	46	16	4	2
	White-----M--	161	-	-	-	-	-	-	-	1	-	-	1	1	-	2	3	4	14	17	21	33	18	34	10	1	1
	F--	99	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	4	5	14	23	22	12	6	3	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	96	-	-	-	-	-	-	1	-	-	1	2	2	2	2	11	9	11	15	15	13	7	4	1	-	-
	White-----M--	71	-	-	-	-	-	-	1	-	-	-	2	1	-	2	10	6	9	12	12	10	5	3	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	2	3	3	3	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	237	-	-	-	-	-	-	-	-	1	-	-	1	4	6	9	17	21	32	37	43	39	24	3	-	-
	White-----M--	113	-	-	-	-	-	-	-	-	1	-	-	1	2	3	6	9	12	17	13	16	20	10	3	-	-
	F--	123	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	8	9	15	24	27	19	13	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
444-447	Hypertension without mention of heart----------	42	-	-	-	-	-	-	-	-	-	1	2	-	-	1	3	5	3	3	6	7	9	2	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	2	1	4	4	5	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	2	2	3	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	87	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	6	14	24	22	14	3	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	8	15	16	7	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	6	9	6	7	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.--	25	-	-	-	-	-	-	-	1	1	-	1	-	1	2	2	1	6	2	2	3	2	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	5	2	2	3	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	1	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	90	-	-	-	-	-	2	1	1	2	3	2	1	9	4	2	7	7	6	12	10	12	6	3	-	-
	White-----M--	51	-	-	-	-	-	1	-	1	2	1	-	1	7	4	1	4	2	4	6	4	7	3	3	-	-
	F--	39	-	-	-	-	-	1	1	-	-	2	2	-	2	-	1	3	5	2	6	6	5	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	118	23	8	1	1	1	6	1	1	-	2	1	1	4	-	1	6	3	8	11	11	11	12	4	1	-
	White-----M--	68	8	5	1	-	1	6	-	1	-	2	1	1	3	-	-	6	1	6	5	4	8	7	2	-	-
	F--	44	11	3	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	2	6	7	2	5	2	1	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
480-483	Influenza---------	20	1	2	-	-	1	3	1	-	-	-	-	1	-	-	-	-	1	-	1	2	4	3	-	-	-
	White-----M--	14	1	2	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	2	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	98	22	6	1	1	-	3	-	1	-	2	1	-	4	-	1	6	2	8	10	9	7	9	4	1	-
	White-----M--	54	7	3	1	-	-	3	-	1	-	2	1	-	3	-	-	6	1	6	5	3	5	5	2	-	-
	F--	38	11	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	5	6	1	4	2	1	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
500-502	Bronchitis---------	17	2	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	5	2	1	-	-
	White-----M--	11	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	1	-	-
	F--	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	34	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	3	6	5	8	2	1	1	1	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	3	5	4	7	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	11	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	2	1	3	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	33	4	-	1	-	-	-	-	-	-	1	-	1	2	-	2	3	6	1	2	4	1	5	-	-	-
	White-----M--	20	2	-	1	-	-	-	-	-	-	1	-	1	1	-	-	3	3	1	1	2	1	3	-	-	-
	F--	13	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	2	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
543, 571, 572	Gastritis, etc.*--	28	7	1	-	-	-	1	-	-	-	-	1	-	1	-	2	2	2	3	3	2	1	2	-	-	-
	White-----M--	10	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	1	2	-	-	-	-	-
	F--	17	4	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	3	2	-	1	2	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	25	-	-	-	-	-	-	-	-	-	1	-	1	4	2	-	3	5	2	4	3	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	4	-	1	2	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	1	1	2	3	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	9	-	1	-	1	-	-	1	-	-	1	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate--------	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	7	3	1	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	7	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	5	...	...	...	...	...	...	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	5	...	...	...	...	...	...	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	90	65	6	6	2	-	2	-	2	-	1	2	-	-	-	-	2	-	1	-	-	-	1	-	-	-
	White-----M--	56	42	3	5	1	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-
	F--	33	22	3	1	1	-	2	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	267	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	56	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	102	4	-	-	-	-	-	1	-	-	-	-	-	1	-	5	7	5	8	6	14	23	13	12	2	1
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	3	6	3	8	13	6	3	2	-
	F--	34	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	5	6	5	8	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	-	-	-	-
	F--	7	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	1
Residual	All other diseases	235	10	1	-	1	1	3	3	3	3	4	9	8	6	10	16	13	29	26	24	21	24	9	9	2	-
	White-----M--	139	9	1	-	-	1	1	1	1	1	4	3	4	5	7	10	7	18	17	11	12	15	5	6	-	-
	F--	90	1	-	-	1	-	2	2	2	2	-	6	3	1	2	6	4	11	8	13	9	8	4	3	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
E800-E962	Accidents----------	528	22	16	15	17	4	21	20	40	29	22	26	44	34	30	30	37	21	25	23	12	16	10	10	1	3
	White-----M--	386	14	9	8	11	2	14	13	27	26	18	21	36	28	24	24	30	16	23	18	9	5	4	4	-	2
	F--	132	6	6	7	6	2	7	6	12	2	3	5	8	6	6	5	6	4	2	5	3	11	6	6	1	1
	Nonwhite--M--	9	1	1	-	-	-	-	1	1	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	211	-	5	3	5	1	5	6	24	18	10	8	26	9	15	11	19	13	14	11	6	1	1	-	-	-
	White-----M--	156	-	5	2	3	-	4	4	15	17	7	4	20	7	9	9	13	9	14	8	4	1	1	-	-	-
	F--	51	-	-	1	2	1	1	2	8	1	2	4	6	2	6	2	5	3	-	3	2	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	317	22	11	12	12	3	16	14	16	11	12	18	18	25	15	19	18	8	11	12	6	15	9	10	1	3
	White-----M--	230	14	4	6	8	2	10	9	12	9	11	17	16	21	15	15	17	7	9	10	5	4	3	4	-	2
	F--	81	6	6	6	4	1	6	4	4	1	1	1	2	4	-	3	1	1	2	2	1	11	6	6	1	1
	Nonwhite--M--	5	1	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	70	-	-	-	-	-	-	3	3	5	8	6	17	8	-	5	4	5	4	1	-	1	-	-	-	-
	White-----M--	57	-	-	-	-	-	-	3	3	5	6	5	13	6	-	4	2	4	4	1	-	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	2	1	4	2	-	1	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	17	-	-	-	1	-	-	1	-	3	2	1	-	4	2	1	1	1	-	-	-	-	-	-	-	-
	White-----M--	12	-	-	-	1	-	-	1	-	2	1	1	-	1	2	1	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS																										
	ALL CAUSES	93,304	5,020	349	216	156	124	376	317	546	790	1,009	1,280	1,869	2,797	3,930	5,769	7,998	9,929	11,565	11,490	10,994	9,162	5,087	2,034	436	61
	White----M	48,936	2,418	163	110	75	62	196	179	336	410	512	595	902	1,459	2,091	3,182	4,687	5,754	6,637	6,172	5,518	4,288	2,200	810	153	27
	F	36,421	1,772	124	63	60	40	136	103	112	222	263	412	607	852	1,239	1,749	2,513	3,419	4,159	4,668	5,055	4,637	2,767	1,167	263	19
	Nonwhite--M	4,410	476	34	25	13	14	28	20	54	101	131	152	181	256	327	463	494	445	433	342	224	117	46	19	10	5
	F	3,537	354	28	18	8	8	16	15	44	57	103	121	179	230	273	375	304	311	336	308	197	120	74	38	10	10
001-019	Tuberculosis all forms	1,812	16	22	13	3	6	9	6	28	60	98	128	141	158	182	187	162	185	162	112	76	37	17	4	-	-
	White----M	960	3	4	4	1	-	-	2	4	6	28	39	54	79	107	106	107	138	115	75	49	25	10	4	-	-
	F	319	3	5	1	-	3	2	-	4	11	25	39	25	30	26	22	15	24	22	24	21	12	5	-	-	-
	Nonwhite--M	324	5	6	2	2	2	2	-	11	23	17	24	33	33	37	43	35	18	18	9	4	-	-	-	-	-
	F	209	5	7	6	-	1	5	4	9	20	28	26	29	16	12	16	5	5	7	4	2	-	2	-	-	-
001-008	Tuberculosis of respiratory system	1,673	9	7	6	1	1	2	4	23	55	88	125	131	152	175	173	158	175	155	109	69	34	17	4	-	-
	White----M	923	3	1	3	-	-	-	1	4	6	24	38	50	76	105	101	106	132	114	75	45	23	10	4	-	-
	F	288	2	3	-	-	-	-	-	2	11	24	39	23	29	24	20	13	22	19	22	19	11	5	-	-	-
	Nonwhite--M	292	2	2	-	1	1	-	-	9	20	16	24	31	31	36	40	34	17	16	9	3	-	-	-	-	-
	F	170	2	1	3	-	-	2	3	8	18	24	24	27	14	10	12	5	4	6	3	2	-	2	-	-	-
010-019	Tuberculosis, other forms	139	7	15	7	2	5	7	2	5	5	10	3	10	6	7	14	4	10	7	3	7	3	-	-	-	-
	White----M	37	-	3	1	1	-	-	1	-	-	4	1	4	1	2	5	1	6	1	-	4	2	-	-	-	-
	F	31	1	2	1	-	3	2	-	2	-	1	-	2	1	2	2	2	2	3	2	2	1	-	-	-	-
	Nonwhite--M	32	3	4	2	1	1	2	-	2	3	1	-	2	2	1	3	1	1	2	-	1	-	-	-	-	-
	F	39	3	6	3	-	1	3	1	1	2	4	2	2	2	2	4	-	1	1	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	315	-	-	-	-	-	-	-	-	-	-	2	9	12	31	42	49	53	51	34	20	11	1	-	-	-
	White----M	189	-	-	-	-	-	-	-	-	-	-	-	5	4	14	22	33	30	37	21	15	7	1	-	-	-
	F	46	-	-	-	-	-	-	-	-	-	-	1	1	5	4	6	3	10	5	9	-	2	-	-	-	-
	Nonwhite--M	60	-	-	-	-	-	-	-	-	-	-	-	1	-	10	11	11	10	7	4	5	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	1	2	3	3	3	2	3	2	-	-	1	-	-	-	-
040	Typhoid fever	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	20	5	2	-	1	-	-	1	-	-	-	-	-	3	1	-	1	2	3	-	-	1	-	-	-	-
	White----M	8	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
	F	7	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	15	2	1	-	-	1	1	-	-	-	2	1	1	1	-	-	1	2	-	-	-	1	-	1	-	-
	White----M	7	2	1	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	2	-	-	-	1	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	15	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	63	19	8	7	6	1	2	2	3	2	1	2	2	1	3	1	-	1	2	-	-	-	-	-	-	-
	White----M	24	10	2	1	2	-	-	1	-	1	1	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-
	F	23	7	4	2	2	-	1	-	3	1	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	11	2	-	4	1	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	101	2	2	-	-	4	25	13	15	9	12	7	5	5	1	-	1	-	-	-	-	-	-	-	-	-
	White----M	64	-	1	-	-	2	16	10	8	5	6	7	4	3	1	-	1	-	-	-	-	-	-	-	-	-
	F	32	2	1	-	-	1	9	3	5	4	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	31	9	5	3	4	1	4	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-
	White----M	11	4	1	1	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	5	4	2	2	1	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-
	White----M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	157	17	4	1	3	-	11	2	3	5	3	8	5	8	11	13	14	11	14	8	9	4	1	-	2	-
	White----M	68	10	3	1	2	-	6	-	3	2	-	3	2	3	4	3	3	8	8	2	2	2	-	-	1	-
	F	75	5	-	-	1	-	4	2	-	1	3	4	3	5	4	8	10	3	6	6	7	1	1	-	1	-
	Nonwhite--M	12	2	1	-	-	-	1	-	-	2	-	1	-	-	1	2	1	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
140-205	Malignant neoplasms, etc.*----	14,705	10	14	30	25	21	39	46	39	78	100	177	336	555	850	1,198	1,839	2,075	2,210	1,926	1,577	1,012	417	110	20	1
	White-----M--	7,066	3	7	18	12	12	26	24	24	36	38	54	113	170	311	492	872	1,077	1,227	1,015	793	495	204	35	7	1
	F--	6,650	7	6	9	11	7	13	18	15	36	47	105	190	310	452	557	823	861	865	816	730	490	201	71	10	-
	Nonwhite--M--	484	-	1	1	1	1	-	4	-	3	5	7	8	18	32	61	83	85	68	50	34	17	4	-	1	-
	F--	505	-	-	2	1	1	-	-	-	3	10	11	25	57	55	88	61	52	50	45	20	10	8	4	2	-
140-148	Of buccal cavity and pharynx-----	316	-	-	-	-	-	1	-	-	2	1	1	8	7	13	26	49	54	45	37	38	27	5	2	-	-
	White-----M--	249	-	-	-	-	-	1	-	-	1	1	-	7	5	8	19	38	44	36	30	34	19	5	1	-	-
	F--	46	-	-	-	-	-	-	-	-	1	-	1	-	2	2	3	7	6	8	5	3	7	-	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	1	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	1	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	5,914	-	2	2	1	-	1	1	-	11	15	33	65	137	237	396	684	827	1,019	959	750	512	200	54	8	-
	White-----M--	3,063	-	-	1	1	-	1	-	-	6	5	12	29	60	117	195	349	449	593	533	376	232	87	16	1	-
	F--	2,460	-	1	1	-	-	-	1	-	4	8	17	29	56	98	149	288	315	376	373	346	269	107	36	6	-
	Nonwhite--M--	238	-	1	-	-	-	-	-	-	1	2	2	3	6	14	28	43	50	31	26	20	9	2	-	-	-
	F--	153	-	-	-	-	-	-	-	-	-	-	2	4	15	8	24	24	13	19	27	8	2	4	2	1	-
160-164	Of respiratory system----------	1,618	-	-	-	-	-	-	3	1	4	6	5	28	56	102	186	280	310	273	173	104	57	23	6	1	-
	White-----M--	1,224	-	-	-	-	-	-	2	1	2	3	3	18	34	73	143	220	253	227	126	69	37	12	1	-	-
	F--	296	-	-	-	-	-	-	1	-	2	2	1	8	17	17	24	39	43	34	41	31	19	11	5	1	-
	Nonwhite--M--	81	-	-	-	-	-	-	-	-	-	-	1	1	4	10	16	18	13	11	4	3	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	1	1	2	1	1	-	-	-	-
170	Of breast----------	1,359	-	-	-	-	-	-	2	1	9	25	53	110	129	139	193	200	146	134	111	72	23	11	1	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	3	3	2	2	-	-	-	-
	F--	1,262	-	-	-	-	-	-	2	1	8	22	48	98	119	116	185	190	134	128	108	70	22	11	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	77	-	-	-	-	-	-	-	-	-	1	3	4	11	9	20	5	9	9	3	1	-	1	-	1	-
171-179	Of genital organs-	2,285	-	-	-	1	-	-	2	2	7	22	50	72	114	162	207	227	248	314	286	294	176	80	17	4	-
	White-----M--	710	-	-	-	1	-	-	1	1	2	8	13	8	7	8	10	19	57	111	127	158	111	59	6	3	-
	F--	1,347	-	-	-	-	-	-	1	1	4	10	30	54	84	124	171	186	165	174	134	124	56	17	11	1	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	4	5	15	16	7	6	2	-	-	-
	F--	168	-	-	-	-	-	-	-	-	1	4	6	10	21	29	25	18	21	14	9	5	3	2	-	-	-
180, 181	Of urinary organs-	769	1	6	6	1	3	4	-	-	1	-	1	7	16	30	56	107	114	122	109	96	47	32	8	2	-
	White-----M--	501	1	5	4	1	3	2	-	-	1	-	1	2	10	17	39	73	79	83	69	60	32	13	5	1	-
	F--	218	-	1	-	-	-	2	-	-	-	-	-	4	3	10	6	27	29	30	38	33	14	18	3	-	-
	Nonwhite--M--	26	-	-	1	-	-	-	-	-	-	-	-	-	2	1	4	5	4	6	1	1	-	-	-	1	-
	F--	24	-	-	1	-	-	-	-	-	-	-	-	1	1	2	7	2	2	3	1	2	1	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,395	2	2	9	8	6	11	20	15	20	20	33	51	76	109	102	172	176	161	140	118	87	42	10	4	1
	White-----M--	700	-	-	5	1	2	8	10	7	7	6	13	24	34	57	41	101	94	91	69	59	45	19	4	2	1
	F--	619	2	2	3	5	2	3	7	8	12	9	20	23	35	48	51	61	71	67	67	54	40	23	4	2	-
	Nonwaite--M--	41	-	-	-	1	1	-	3	-	-	2	-	2	2	3	6	8	7	1	2	2	1	-	-	-	-
	F--	35	-	-	1	1	1	-	-	-	1	3	-	2	5	1	4	2	4	2	2	3	1	-	2	-	-
204	Leukemia and aleukemia----------	532	7	4	12	12	12	19	15	13	17	10	15	22	20	19	32	57	65	62	52	34	23	9	1	-	-
	White-----M--	326	2	2	7	7	7	11	7	11	9	7	6	12	13	11	15	32	48	43	38	17	13	7	1	-	-
	F--	191	5	2	5	5	5	8	8	2	8	2	8	10	4	8	16	20	16	17	14	17	9	2	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	1	-	4	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	-	1	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	517	-	-	1	2	-	3	5	6	15	17	14	30	19	49	54	70	81	68	36	32	11	3	1	-	-
	White-----M--	275	-	-	1	1	-	3	4	4	8	8	6	12	6	19	29	37	52	40	20	18	4	2	1	-	-
	F--	211	-	-	-	1	-	-	-	2	4	8	6	14	11	26	21	30	26	25	16	14	6	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	1	-	2	-	2	2	1	2	1	1	2	2	-	-	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	1	-	2	1	2	3	2	1	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	292	6	-	2	-	3	9	7	2	7	9	13	17	28	32	30	30	30	22	17	11	8	5	4	-	-
	White-----M--	107	4	-	1	-	2	5	4	1	3	2	4	3	9	5	11	13	10	8	11	6	3	2	-	-	-
	F--	161	1	-	1	-	1	3	3	1	3	7	7	10	15	24	16	16	20	12	5	4	5	3	4	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	1	-	-	-	-	-	4	3	3	3	1	-	-	1	1	-	-	-	-	-
260	Diabetes mellitus-	1,612	-	2	-	1	-	2	6	7	7	9	15	26	29	47	95	157	242	280	266	238	133	41	5	4	-
	White-----M--	546	-	1	-	1	-	-	1	1	3	6	9	12	14	13	25	60	74	86	96	79	46	16	1	2	-
	F--	981	-	1	-	-	-	2	5	5	3	1	4	13	12	27	60	87	150	176	164	155	86	25	4	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	1	-	1	1	-	-	-	4	5	5	5	2	1	-	-	-	1	-
	F--	59	-	-	-	-	-	-	-	-	1	1	1	1	3	7	6	5	13	13	4	3	1	-	-	-	-
290-293	Anemias----------	247	-	4	-	1	2	4	3	1	2	3	4	5	4	6	7	14	20	26	41	42	36	17	4	1	-
	White-----M--	100	-	-	-	-	-	2	2	1	1	1	-	2	1	-	2	5	9	11	17	22	17	6	1	-	-
	F--	130	-	1	-	-	1	2	1	-	1	1	2	3	3	6	3	7	10	12	23	20	19	11	3	1	-
	Nonwhite--M--	9	-	3	-	1	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	1	2	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	63	15	8	7	2	1	1	1	-	-	3	5	1	3	2	4	3	3	3	-	1	-	-	-	-	-
	White-----M--	34	6	4	5	1	-	1	1	-	-	1	1	1	2	2	4	2	2	1	-	-	-	-	-	-	-
	F--	19	7	3	1	1	-	-	-	-	-	-	3	-	1	-	-	-	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	53,022	28	5	5	7	4	22	31	57	112	164	291	586	1,140	1,805	3,107	4,418	5,911	7,258	7,709	7,675	6,756	3,946	1,603	348	34
	White-----M--	27,988	11	1	5	4	2	10	15	26	44	77	139	300	659	1,057	1,829	2,746	3,500	4,172	4,093	3,787	3,111	1,664	636	111	9
	F--	21,137	14	4	-	2	1	7	11	16	41	48	69	149	251	452	786	1,197	1,935	2,590	3,152	3,590	3,474	2,190	919	224	15
	Nonwhite--M--	2,038	3	-	-	1	1	3	2	4	16	18	43	61	119	157	272	277	267	270	238	144	77	38	18	6	3
	F--	1,859	-	-	-	-	-	2	3	11	11	21	40	76	111	159	220	198	209	226	226	154	94	54	30	7	7
330-334, 400-468	Diseases of cardiovascular system-	51,313	26	4	3	4	3	14	22	45	94	140	251	549	1,088	1,730	3,012	4,295	5,722	7,066	7,482	7,471	6,547	3,809	1,565	337	34
	White-----M--	27,190	9	1	3	2	1	6	11	19	36	67	115	283	633	997	1,782	2,692	3,413	4,079	3,997	3,691	3,016	1,606	613	109	9
	F--	20,406	14	3	-	1	1	3	7	12	35	40	62	137	234	431	754	1,147	1,857	2,505	3,042	3,500	3,365	2,120	904	217	15
	Nonwhite--M--	1,958	3	-	-	1	1	3	2	4	14	15	40	60	116	155	263	270	258	264	223	132	75	33	18	5	3
	F--	1,759	-	-	-	-	-	2	2	10	9	18	34	69	105	147	213	186	194	218	220	148	91	50	30	6	7
330-334	Vascular lesions, etc.*----------	9,682	7	1	-	2	1	3	1	5	15	24	34	68	157	277	483	676	979	1,336	1,522	1,642	1,408	705	280	51	5
	White-----M--	4,361	3	-	-	2	1	2	1	2	4	11	15	30	68	115	179	320	460	668	745	764	587	264	103	16	1
	F--	4,605	4	1	-	-	-	1	-	2	4	9	11	24	50	104	219	259	416	576	693	829	779	422	167	33	2
	Nonwhite--M--	347	-	-	-	-	-	-	-	-	4	1	5	5	14	24	39	49	58	51	43	22	20	6	4	2	-
	F--	369	-	-	-	-	-	-	-	1	3	3	3	9	25	34	46	48	45	41	41	27	22	13	6	-	2
400-402	Rheumatic fever---	72	3	-	-	1	1	7	7	6	2	3	1	12	5	5	4	5	3	2	-	5	-	-	-	-	-
	White-----M--	32	-	-	-	-	-	3	3	3	2	1	1	3	3	2	2	3	2	1	-	3	-	-	-	-	-
	F--	27	2	-	-	-	-	1	3	2	-	2	-	6	1	2	2	2	1	1	-	2	-	-	-	-	-
	Nonwhite--M--	9	1	-	-	1	1	1	1	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
410-443	Diseases of heart	38,647	11	3	1	1	-	4	13	29	66	101	194	432	869	1,388	2,429	3,484	4,566	5,431	5,603	5,378	4,610	2,695	1,077	239	23
	White	21,379	5	1	1	-	-	1	7	14	27	53	92	235	545	851	1,556	2,298	2,863	3,251	3,058	2,692	2,160	1,151	437	76	5
	M	14,492	4	2	-	1	-	1	3	6	25	23	45	100	165	311	505	842	1,368	1,821	2,204	2,472	2,333	1,484	611	155	11
	F	6,887	-	-	-	-	-	-	2	5	4	11	25	51	70	106	161	130	141	163	173	114	66	35	19	5	4
	Nonwhite	1,491	2	-	-	-	-	2	1	4	10	14	32	46	89	120	207	214	194	196	168	100	51	25	10	3	3
	M	1,285	-	-	-	-	-	-	2	5	4	11	25	51	70	106	161	130	141	163	173	114	66	35	19	5	4
410-416	Chronic rheumatic heart disease	1,318	1	-	-	-	-	3	8	17	35	38	48	74	97	121	166	127	135	136	100	97	66	35	12	1	1
	White	625	-	-	-	-	-	-	4	9	15	22	20	31	52	54	64	63	67	69	52	39	27	13	4	-	-
	M	616	-	-	-	-	-	1	3	3	14	11	18	35	38	62	74	62	64	65	44	55	38	21	6	1	1
	Nonwhite	39	1	-	-	-	-	2	-	2	4	3	6	3	2	1	2	1	3	1	3	3	1	-	1	-	-
	M	38	-	-	-	-	-	-	1	3	2	2	4	5	5	4	6	1	1	1	1	-	-	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	22,423	1	-	-	-	-	-	-	2	10	20	71	184	492	820	1,484	2,272	2,948	3,396	3,404	3,018	2,459	1,257	485	87	13
	White	13,824	1	-	-	-	-	-	-	2	5	14	48	142	375	604	1,097	1,683	2,035	2,180	1,970	1,614	1,252	554	214	30	4
	M	7,473	-	-	-	-	-	-	-	-	5	3	16	25	57	127	245	440	776	1,060	1,258	1,305	1,160	678	260	54	4
	Nonwhite	677	-	-	-	-	-	-	-	-	-	3	5	12	43	58	98	99	92	92	85	45	24	12	5	2	2
	M	449	-	-	-	-	-	-	-	-	-	-	2	5	17	31	44	50	45	64	91	54	23	13	6	1	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	8,187	4	-	-	1	-	1	2	3	11	20	43	97	135	204	342	481	712	910	1,113	1,316	1,315	931	435	106	5
	White	3,932	2	-	-	-	-	1	1	1	1	9	14	32	67	87	173	247	388	517	570	640	583	396	169	34	-
	M	3,491	1	-	-	1	-	-	-	2	4	3	6	23	30	51	72	136	224	309	465	622	693	516	258	71	4
	Nonwhite	402	1	-	-	-	-	-	1	-	4	6	11	20	22	33	54	59	55	39	43	26	18	9	1	-	-
	M	362	-	-	-	-	-	-	-	-	2	2	12	22	16	33	43	39	45	45	35	28	21	10	7	1	1
430-434	Other diseases of heart	1,507	5	3	1	-	-	-	2	5	10	13	13	25	44	79	120	156	185	218	215	156	136	79	33	8	1
	White	897	2	1	1	-	-	-	1	2	6	5	8	15	21	40	74	105	122	148	144	89	65	35	11	2	-
	M	459	3	2	-	-	-	-	-	-	2	4	1	5	11	21	21	40	45	53	60	57	64	43	21	5	1
	Nonwhite	84	-	-	-	-	-	-	-	2	2	-	2	3	4	12	13	8	14	10	4	6	4	-	-	-	-
	M	67	-	-	-	-	-	-	1	1	-	4	2	2	8	6	12	3	4	7	7	4	3	1	1	1	-
440-443	Hypertension with heart dis.	5,212	-	-	-	-	-	-	1	2	-	10	19	52	101	164	317	448	586	771	771	791	634	393	112	37	3
	White	2,101	-	-	-	-	-	-	1	-	-	3	2	15	30	66	128	200	251	337	322	310	233	153	39	10	1
	M	2,453	-	-	-	-	-	-	-	1	-	2	4	12	29	50	93	164	259	334	377	433	378	226	66	24	1
	Nonwhite	289	-	-	-	-	-	-	-	-	-	2	8	8	18	16	40	47	30	54	33	20	4	4	3	1	1
	M	369	-	-	-	-	-	-	-	1	-	3	5	17	24	32	56	37	46	46	39	28	19	10	4	2	-
444-447	Hypertension without mention of heart	793	-	-	-	-	-	-	-	-	1	4	10	22	38	29	59	50	59	88	101	111	107	70	39	5	-
	White	372	-	-	-	-	-	-	-	-	-	1	4	7	14	14	21	23	23	45	53	57	59	36	15	-	-
	M	320	-	-	-	-	-	-	-	-	-	-	3	3	9	4	20	18	31	34	43	49	47	34	20	5	-
	Nonwhite	58	-	-	-	-	-	-	-	-	-	-	-	5	8	8	12	5	2	7	4	4	-	-	3	-	-
	M	43	-	-	-	-	-	-	-	-	1	3	3	7	7	3	6	4	3	2	1	1	1	-	1	-	-
450	General arteriosclerosis	1,674	-	-	-	-	-	-	-	-	-	-	-	2	-	2	8	25	60	145	206	299	395	323	165	38	6
	White	821	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	12	33	79	116	158	193	149	56	15	3
	M	791	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	12	23	50	79	130	196	170	104	22	2
	Nonwhite	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	7	7	5	4	2	1	-	-
	M	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	4	6	2	2	4	1	1
451-468	Other diseases of circulatory sys.	445	5	-	2	-	1	-	1	5	10	8	12	13	19	29	29	55	55	64	50	36	27	16	4	4	-
	White	225	1	-	2	-	-	-	-	-	3	1	3	6	3	14	20	36	32	35	25	17	17	6	2	2	-
	M	171	4	-	-	-	1	-	1	2	6	6	3	4	9	9	6	14	18	23	23	18	10	10	2	2	-
	Nonwhite	22	-	-	-	-	-	-	-	-	-	-	3	1	4	3	3	1	2	3	1	1	-	-	-	-	-
	M	27	-	-	-	-	-	-	-	-	3	1	3	2	3	3	-	4	3	3	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	1,709	2	1	2	3	1	8	9	12	18	24	40	37	52	75	95	123	189	192	227	204	209	137	38	11	-
	White	798	2	-	2	2	1	4	4	7	8	10	24	17	26	40	47	54	87	93	96	96	95	58	23	2	-
	M	731	-	1	-	1	-	4	4	4	6	8	7	12	17	21	32	50	78	85	110	90	109	70	15	7	-
	Nonwhite	80	-	-	-	-	-	-	-	-	2	3	3	1	3	2	9	7	9	6	15	12	2	5	-	1	-
	M	100	-	-	-	-	-	-	1	1	2	3	6	7	6	12	7	12	15	8	6	6	3	4	-	1	-
480-493	Influenza and pneumonia, etc.*	2,739	377	80	46	19	13	36	11	10	18	21	49	54	78	85	150	174	178	245	240	286	295	162	61	24	7
	White	1,386	140	37	29	7	5	16	7	4	6	7	17	26	42	47	91	103	112	151	134	154	135	73	31	10	2
	M	981	135	29	11	11	4	16	3	2	8	4	14	16	24	18	26	41	45	72	86	119	149	86	48	12	2
	Nonwhite	229	64	5	4	1	-	1	1	1	4	7	10	6	9	14	21	24	14	13	13	8	6	1	-	2	-
	M	143	38	9	2	-	4	3	-	3	-	3	8	6	3	6	12	6	7	9	7	5	5	2	2	-	3
480-483	Influenza	176	13	10	2	-	1	3	-	-	1	1	2	2	2	6	9	9	8	17	11	20	29	14	8	6	2
	White	84	4	4	-	-	1	1	-	-	1	-	2	1	1	4	7	5	4	9	5	10	12	7	2	3	1
	M	79	7	5	2	-	-	2	-	-	-	-	-	1	1	2	1	3	3	6	5	8	17	7	6	3	-
	Nonwhite	8	2	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	1
490-493	Pneumonia, etc.*	2,563	364	70	44	19	12	33	11	10	17	20	47	52	76	79	141	165	170	228	229	266	266	148	73	18	5
	White	1,302	136	33	29	7	4	15	7	4	5	7	15	25	41	43	84	98	108	142	129	144	123	66	29	7	1
	M	902	128	24	9	11	4	14	3	2	8	4	14	15	23	16	25	38	42	66	81	111	132	79	42	9	2
	Nonwhite	221	62	4	4	1	-	1	1	1	4	6	10	6	9	14	20	24	13	13	12	7	6	1	-	2	-
	M	138	36	9	2	-	4	3	-	3	-	3	8	6	3	6	12	5	7	7	7	4	5	2	2	-	2
500-502	Bronchitis	197	39	15	7	2	1	4	-	-	1	3	1	2	5	4	6	7	10	18	24	22	13	7	4	-	2
	White	110	15	12	3	1	1	2	-	-	-	-	-	1	2	4	5	5	8	11	16	13	5	3	1	-	2
	M	69	15	-	3	1	-	2	-	-	1	3	-	1	2	-	1	2	1	7	7	8	8	4	3	-	-
	Nonwhite	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	13	7	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	570	3	-	-	-	-	-	-	1	1	6	7	18	30	50	48	72	98	80	66	45	27	10	7	1	-
	White	441	1	-	-	-	-	-	-	1	-	6	4	12	25	41	36	61	83	61	50	33	17	6	4	-	-
	M	90	-	-	-	-	-	-	-	-	-	-	2	4	1	4	7	7	11	13	13	12	9	4	3	-	-
	Nonwhite	28	2	-	-	-	-	-	-	-	1	-	1	1	4	2	3	4	3	4	3	-	-	-	-	-	-
	M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	1	2	-	-	1	-	-	1	-
550-553	Appendicitis	194	-	-	2	1	3	6	4	-	4	7	6	11	12	14	19	19	23	27	11	14	7	4	-	-	-
	White	112	-	-	-	-	2	3	1	-	1	5	3	5	8	8	10	13	17	13	8	9	4	2	-	-	-
	M	59	-	-	-	1	1	3	2	-	3	1	1	4	3	1	8	2	4	12	3	5	3	2	-	-	-
	Nonwhite	10	-	-	1	-	-	-	1	-	-	-	1	2	-	1	-	1	2	1	-	-	-	-	-	-	-
	M	13	-	-	1	-	-	-	-	-	-	1	1	-	1	4	1	3	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	515	69	2	2	-	-	1	1	1	4	2	6	12	12	22	25	49	50	66	60	47	44	33	6	1	-
	White	237	39	1	2	-	-	1	-	1	3	-	3	5	5	7	11	20	21	32	30	23	17	13	3	-	-
	M	239	22	1	-	-	-	-	1	-	1	1	2	4	7	10	9	24	26	31	29	21	26	20	3	1	-
	Nonwhite	20	3	-	-	-	-	-	-	-	-	1	-	-	-	3	2	2	2	2	1	3	1	-	-	-	-
	M	19	5	-	-	-	-	-	-	-	-	-	1	3	-	2	3	3	1	1	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
543,	Gastritis, etc.*--	291	84	15	5	-	1	6	3	2	1	9	10	7	4	15	8	11	20	22	22	17	16	11	1	1	-
571,	White-----M--	141	36	8	3	-	-	3	1	2	-	3	5	2	3	8	5	6	14	11	12	6	6	6	-	1	-
572	F--	120	25	5	1	-	1	3	2	-	1	6	5	5	1	7	3	4	5	10	10	11	9	5	1	-	-
	Nonwhite--M--	12	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	18	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	999	2	-	-	-	-	-	-	1	1	10	25	63	95	104	137	147	132	110	78	48	32	11	3	-	-
	White-----M--	645	-	-	-	-	-	-	-	1	-	5	15	33	55	68	88	101	94	79	51	30	20	4	1	-	-
	F--	293	2	-	-	-	-	-	-	-	-	4	8	22	28	30	42	37	34	25	24	17	11	7	2	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	1	1	1	7	8	5	5	7	4	4	1	1	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	1	4	1	2	2	-	2	2	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	182	-	1	1	2	2	5	7	5	7	6	6	8	12	12	13	19	16	12	13	21	10	3	1	-	-
	White-----M--	83	-	-	-	-	1	3	-	2	6	1	1	3	4	10	7	11	5	4	7	9	8	1	-	-	-
	F--	77	-	1	-	1	1	1	3	2	1	2	5	3	5	1	6	5	10	7	6	12	2	2	1	-	-
	Nonwhite--M--	13	-	-	1	1	-	-	2	-	-	3	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	455	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	14	33	75	72	109	92	30	18	5	-
	White-----M--	421	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	13	27	69	67	101	91	29	17	5	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	6	6	5	8	1	1	1	-	-
640-689	Complications of pregnancy, etc.*-	108	...	...	...	...	...	...	1	8	22	25	25	18	9	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	78	...	...	...	...	...	...	-	6	16	16	22	10	8	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	30	...	...	...	...	...	...	1	2	6	9	3	8	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	15	...	...	...	...	...	...	-	-	4	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	-	3	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	93	...	...	...	...	...	...	1	8	18	19	22	18	7	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	71	...	...	...	...	...	...	-	6	15	14	19	10	7	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	22	...	...	...	...	...	...	1	2	3	5	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	1,046	813	51	18	12	8	17	15	5	13	15	12	10	6	9	13	7	6	6	6	2	1	-	1	-	-
	White-----M--	520	399	26	8	5	4	10	9	4	9	7	6	3	2	7	7	2	1	3	6	2	-	-	-	-	-
	F--	455	356	21	9	5	2	6	5	1	4	7	6	7	4	2	6	5	4	3	-	-	1	-	1	-	-
	Nonwhite--M--	48	40	2	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	18	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	3,175	3,174	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,572	1,571	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,053	1,053	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	308	308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	242	242	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,847	1,847	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	940	940	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	603	603	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,152	1,151	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	562	561	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	395	395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	450	17	3	2	1	1	1	5	7	15	6	15	9	11	12	10	13	16	31	36	58	64	59	48	6	4
	White-----M--	214	6	1	-	-	-	1	3	5	9	4	6	5	10	6	6	7	8	21	16	28	25	20	20	5	2
	F--	198	5	1	1	1	1	-	2	1	5	1	8	4	1	4	3	5	5	5	17	27	35	38	27	1	-
	Nonwhite--M--	21	2	-	1	-	-	-	-	-	-	-	1	-	-	2	1	-	2	4	1	2	3	-	-	-	2
	F--	17	4	1	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	1	2	1	1	1	1	-	-
Residual	All other diseases	3,462	142	33	15	21	12	31	32	43	45	75	92	105	155	210	254	351	365	421	383	310	217	100	36	13	1
	White-----M--	1,774	74	17	6	12	9	14	12	26	20	28	40	46	74	99	127	203	204	224	204	158	105	52	12	7	1
	F--	1,453	48	15	9	7	2	14	16	11	22	32	33	48	58	93	104	126	147	175	166	143	107	47	24	6	-
	Nonwhite--M--	127	13	1	-	-	-	2	3	4	1	4	11	6	7	13	10	17	8	12	6	5	3	1	-	-	-
	F--	108	7	-	-	2	1	1	1	2	2	11	8	5	16	5	13	5	6	10	7	4	2	-	-	-	-
E800-E962	Accidents----------	5,161	156	69	48	43	37	130	115	273	304	315	272	286	304	311	270	322	324	321	299	327	315	202	96	10	12
	White-----M--	3,301	78	35	23	23	21	68	83	209	225	247	199	202	209	219	204	220	217	206	180	173	124	79	43	4	10
	F--	1,397	53	19	11	13	11	43	23	35	51	37	42	56	46	50	48	76	85	95	104	142	182	115	52	6	2
	Nonwhite--M--	331	16	10	10	3	5	16	7	20	23	24	21	20	39	34	16	21	14	13	8	6	4	1	-	-	-
	F--	132	9	5	4	4	-	3	2	9	5	7	10	8	10	8	2	5	8	7	7	6	5	7	1	-	-
E810-E835	Motor-vehicle accidents--------	1,994	15	12	8	15	26	66	45	156	203	182	148	119	129	144	112	123	138	120	102	74	38	8	4	2	5
	White-----M--	1,373	8	8	5	8	15	31	28	117	148	136	102	81	85	100	83	82	92	80	74	51	23	7	4	2	3
	F--	460	6	3	2	4	7	28	15	28	41	30	33	29	23	28	23	32	41	32	22	17	13	1	-	-	2
	Nonwhite--M--	122	1	-	-	2	4	6	1	7	12	12	8	8	17	13	5	7	3	6	5	3	2	-	-	-	-
	F--	39	-	1	1	1	-	1	1	4	2	4	5	1	4	3	1	2	2	2	1	3	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	3,167	141	57	40	28	11	64	70	117	101	133	124	167	175	167	158	199	186	201	197	253	277	194	92	8	7
	White-----M--	1,928	70	27	18	15	6	37	55	92	77	111	97	121	124	119	121	138	125	126	106	122	101	72	39	2	7
	F--	937	47	16	9	9	4	15	8	7	10	7	9	27	23	22	25	44	44	63	82	125	169	114	52	6	-
	Nonwhite--M--	209	15	10	10	1	1	10	6	13	11	12	13	12	22	21	11	14	11	7	3	3	2	1	-	-	-
	F--	93	9	4	3	3	-	2	1	5	3	3	5	7	6	5	1	3	6	5	6	3	5	7	1	-	-
E963, E970-E979	Suicide----------	897	-	-	-	-	-	-	2	16	26	41	56	71	81	80	103	90	108	89	62	34	28	9	1	-	-
	White-----M--	672	-	-	-	-	-	-	1	11	19	25	30	42	58	59	77	73	86	77	57	23	25	9	1	-	-
	F--	192	-	-	-	-	-	-	1	3	5	10	21	22	22	22	24	17	20	11	4	8	2	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	1	-	4	4	5	-	-	2	-	2	-	-	3	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	2	2	1	2	1	-	-	-	-	1	1	-	-	-	-	-	-
E964, E980-E985	Homicide----------	377	4	1	1	1	2	9	2	19	44	63	43	59	32	28	25	12	13	9	5	3	2	-	-	-	-
	White-----M--	122	1	-	-	1	-	5	2	2	10	13	6	20	13	11	11	6	8	7	4	2	-	-	-	-	-
	F--	48	2	1	1	-	2	4	-	2	3	1	8	4	6	2	4	2	3	-	-	1	2	-	-	-	-
	Nonwhite--M--	169	1	-	-	-	-	-	-	11	25	41	23	27	13	13	7	3	2	2	1	-	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	4	6	8	6	8	-	2	3	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	6	-	-	-	-	-	-	-	-	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA																										
	ALL CAUSES	41 154	2,730	179	100	98	70	246	178	291	413	491	528	752	1,093	1,466	2,052	2,895	3,712	4,624	5,068	5,475	4,644	2,689	1,093	203	64
	White----M	22,145	1,440	91	52	46	35	128	105	192	258	273	276	401	590	841	1,178	1,667	2,121	2,703	2,746	2,898	2,252	1,299	447	82	24
	F	16,654	1,033	76	43	44	28	100	62	78	110	169	191	249	369	476	653	984	1,352	1,690	2,125	2,424	2,296	1,330	629	114	29
	Nonwhite--M	1,289	154	6	1	4	5	9	4	10	29	18	27	50	76	72	119	134	144	136	117	84	45	28	11	3	3
	F	1,066	103	6	4	4	2	9	7	11	16	31	34	52	58	77	102	110	95	95	80	69	51	32	6	4	8
001-019	Tuberculosis all forms	595	5	5	4	-	2	7	5	10	20	53	32	42	44	60	53	65	45	49	42	30	18	2	2	-	-
	White----M	341	2	2	2	-	2	3	2	3	6	22	8	21	23	40	32	47	29	39	27	19	9	2	1	-	-
	F	168	2	2	2	-	-	3	3	2	3	22	15	16	14	11	8	12	10	9	14	11	8	-	1	-	-
	Nonwhite--M	55	1	-	-	-	-	-	-	1	5	3	5	5	6	7	11	4	5	1	1	-	-	-	-	-	-
	F	31	-	1	-	-	-	1	-	4	6	6	4	-	1	2	2	2	1	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	537	3	1	2	-	1	3	1	7	19	48	28	38	41	56	53	57	43	45	41	29	17	2	2	-	-
	White----M	318	1	1	2	-	1	1	-	2	6	20	7	19	21	37	32	45	29	37	27	18	9	2	1	-	-
	F	147	2	-	-	-	-	1	1	2	3	21	14	15	13	10	8	10	8	7	13	11	7	-	1	-	-
	Nonwhite--M	48	-	-	-	-	-	-	-	1	5	1	5	4	6	7	11	1	5	1	1	-	-	-	-	-	-
	F	24	-	-	-	-	-	1	-	2	5	6	2	-	1	2	2	1	1	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms	58	2	4	2	-	1	4	4	3	1	5	4	4	3	4	-	8	2	4	1	1	1	-	-	-	-
	White----M	23	1	1	-	-	1	2	2	1	-	2	1	2	2	3	-	2	-	2	-	1	-	-	-	-	-
	F	21	-	2	2	-	-	2	2	-	-	1	1	1	1	1	-	2	2	2	1	-	1	-	-	-	-
	Nonwhite--M	7	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	2	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	196	2	-	-	-	-	-	-	-	1	-	1	6	9	23	31	31	34	24	18	9	5	1	1	-	-
	White----M	117	-	-	-	-	-	-	-	-	-	-	1	3	5	16	18	20	23	15	7	5	3	1	-	-	-
	F	47	1	-	-	-	-	-	-	-	1	-	-	-	3	4	4	6	8	7	7	4	1	-	1	-	-
	Nonwhite--M	24	1	-	-	-	-	-	-	-	-	-	-	3	-	3	4	4	3	2	3	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	-	-	1	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	2	1	1	-	-
	White----M	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	14	3	-	-	2	-	1	-	1	-	-	1	1	2	-	-	-	-	1	-	2	-	-	-	-	-
	White----M	8	3	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	15	9	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	29	10	9	2	2	-	1	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White----M	13	4	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	15	5	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	49	1	2	4	3	2	13	2	7	3	6	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	White----M	29	1	2	2	1	-	10	2	4	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	2	-	2	-	-	2	2	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	10	2	-	2	1	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	4	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	132	20	7	1	1	2	10	5	3	8	3	2	4	1	8	6	9	4	10	8	11	6	-	3	-	-
	White----M	62	11	4	-	1	1	5	2	-	4	1	1	2	1	4	1	4	1	4	3	8	2	-	2	-	-
	F	59	7	3	1	-	1	5	2	3	3	2	1	1	-	1	3	5	2	6	5	3	4	-	1	-	-
	Nonwhite--M	6	1	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
140-205	Malignant neoplasms, etc.*----	5,820	10	8	10	18	6	33	16	11	30	47	75	146	210	294	414	603	810	842	772	726	454	211	64	8	2
	White-----M--	2,721	4	5	4	7	2	18	8	7	12	24	25	44	67	112	164	269	389	435	383	357	238	108	33	5	1
	F--	2,821	5	3	5	10	4	15	7	4	14	20	46	88	119	165	225	286	376	372	360	354	212	100	27	3	1
	Nonwhite--M--	148	-	-	1	1	-	-	-	-	2	1	-	3	11	6	13	29	27	18	18	11	2	2	3	-	-
	F--	130	1	-	-	-	-	-	1	-	2	2	4	11	13	11	12	19	18	17	11	4	2	1	1	-	-
140-148	Of buccal cavity and pharynx------	111	-	-	-	1	-	-	-	1	2	-	1	2	3	4	8	13	16	13	17	15	5	5	5	-	-
	White-----M--	85	-	-	-	-	-	-	1	1	-	1	2	3	4	4	12	13	10	15	7	4	4	4	-	-	-
	F--	22	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	2	3	2	8	1	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	2,227	-	-	-	-	-	1	1	1	5	6	14	24	44	82	113	219	298	370	353	334	237	94	27	4	-
	White-----M--	1,103	-	-	-	-	-	1	1	-	1	4	3	8	18	41	48	114	141	203	177	156	131	43	12	1	-
	F--	1,017	-	-	-	-	-	-	-	1	2	1	11	13	17	38	59	86	137	150	161	171	104	51	12	3	-
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	1	1	-	1	5	1	5	12	13	12	10	5	1	-	3	-	-
	F--	37	-	-	-	-	-	-	-	-	1	-	-	2	4	2	1	7	7	5	5	2	1	-	-	-	-
160-164	Of respiratory system----------	583	-	-	-	-	-	1	1	-	-	2	1	8	18	34	63	94	127	86	59	50	23	15	1	-	-
	White-----M--	436	-	-	-	-	-	1	-	-	-	2	1	5	12	24	53	71	105	65	44	32	12	9	-	-	-
	F--	118	-	-	-	-	-	-	-	-	-	-	-	2	4	6	7	15	18	16	15	18	11	6	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	7	4	3	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-
170	Of breast----------	519	-	-	-	-	-	-	-	-	-	1	5	16	35	47	58	61	62	75	63	51	25	14	6	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	F--	490	-	-	-	-	-	-	-	-	-	1	4	14	33	44	56	57	58	70	58	51	25	13	6	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	4	2	3	4	-	1	-	-	-	-
171-179	Of genital organs-	1,024	-	-	-	-	-	-	-	1	4	16	22	55	45	59	81	91	146	114	123	128	81	45	10	3	-
	White-----M--	355	-	-	-	-	-	-	-	-	-	6	5	4	3	4	5	11	41	45	58	79	51	32	8	3	-
	F--	609	-	-	-	-	-	-	-	1	4	9	16	44	39	50	70	73	93	65	57	44	29	13	2	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	6	4	1	-	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	1	1	7	3	5	6	6	7	4	2	1	-	-	-	-	-
180, 181	Of urinary organs-	277	1	1	2	1	-	2	-	1	-	-	4	3	8	14	15	22	30	51	41	39	24	17	1	-	-
	White-----M--	167	1	-	-	-	-	1	-	1	-	-	1	2	4	9	9	15	18	32	31	24	11	7	1	-	-
	F--	99	-	1	2	1	-	1	-	-	-	-	3	1	3	4	6	6	11	16	10	13	13	8	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	631	2	3	1	5	2	13	7	2	7	9	12	17	33	30	43	62	75	82	79	78	40	15	13	1	-
	White-----M--	320	1	1	1	2	1	8	4	2	4	4	5	9	16	16	23	24	43	44	33	41	19	10	8	1	-
	F--	285	-	2	-	2	1	5	3	-	3	5	7	7	13	13	17	32	29	35	45	36	20	5	5	-	-
	Nonwhite--M--	16	-	-	-	1	-	-	-	-	-	-	-	-	2	-	2	6	2	1	1	1	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	2	-	-	1	-	-	-	-
204	Leukemia and aleukemia----------	233	4	4	6	7	4	13	5	3	5	6	5	8	13	10	10	24	22	30	16	17	16	4	-	-	1
	White-----M--	133	2	4	3	2	1	7	3	1	1	4	4	5	5	5	6	16	10	21	13	10	8	2	-	-	-
	F--	96	2	-	2	5	3	6	2	2	3	2	-	3	7	5	4	8	12	9	3	7	8	2	-	-	1
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	215	3	-	1	4	-	3	2	2	7	7	11	13	11	14	23	17	34	21	21	14	3	2	1	-	1
	White-----M--	118	-	-	-	3	-	-	-	2	5	4	5	9	6	9	16	6	17	13	11	8	2	1	-	-	1
	F--	85	3	-	1	1	-	3	2	-	2	2	5	4	3	5	4	8	16	8	9	6	1	1	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	131	5	1	-	3	2	1	-	5	5	3	7	8	9	17	12	13	11	13	9	3	2	1	1	-	-
	White-----M--	49	3	-	-	2	1	1	-	3	2	-	3	5	4	2	6	3	4	8	2	-	-	-	-	-	-
	F--	69	1	1	-	1	-	-	-	1	3	2	4	2	4	11	5	9	6	5	7	3	2	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	1	-	1	-	4	1	1	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	699	1	-	1	-	1	2	3	3	7	6	5	6	8	19	35	60	97	116	141	100	62	18	8	-	-
	White-----M--	264	-	-	-	-	1	1	-	2	2	3	3	3	2	9	16	21	36	42	52	37	25	7	2	-	-
	F--	411	1	-	1	-	-	1	3	1	4	3	2	1	5	5	14	39	57	71	87	62	37	11	6	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	-	2	1	2	1	-	-	-	-	-
290-293	Anemias----------	136	5	3	-	-	-	-	1	-	1	-	-	4	-	2	5	3	9	17	15	24	30	12	4	1	-
	White-----M--	54	3	-	-	-	-	-	1	-	-	-	-	1	-	1	3	-	4	7	5	11	10	5	2	1	-
	F--	72	1	1	-	-	-	-	-	-	-	-	-	2	-	1	1	3	4	9	8	13	20	7	2	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	37	14	4	3	2	1	2	1	-	2	-	1	-	1	-	2	1	-	-	2	-	-	1	-	-	-
	White-----M--	17	4	2	1	1	-	1	-	-	2	-	1	-	-	-	2	1	-	-	2	-	-	-	-	-	-
	F--	15	6	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	22,823	15	6	-	1	5	17	22	20	47	87	121	209	437	648	1,060	1,611	2,097	2,821	3,385	3,834	3,399	2,001	796	146	38
	White-----M--	12,393	8	4	-	-	3	3	7	10	26	45	57	114	252	402	654	997	1,244	1,679	1,859	2,045	1,623	965	320	63	13
	F--	9,279	6	2	-	1	2	14	13	9	18	36	51	64	122	169	286	469	715	988	1,390	1,677	1,699	989	466	76	17
	Nonwhite--M--	601	1	-	-	-	-	-	1	1	2	1	6	15	33	36	60	71	77	89	80	59	36	21	7	3	2
	F--	550	-	-	-	-	-	-	1	-	1	5	7	16	30	41	60	74	61	65	56	53	41	26	3	4	6
330-334, 400-468	Diseases of cardiovascular system-	28,189	13	6	-	1	4	15	19	15	36	74	103	199	417	620	1,027	1,557	2,046	2,754	3,300	3,748	3,334	1,947	773	143	38
	White-----M--	12,075	7	4	-	-	2	3	5	8	21	37	49	109	243	391	643	968	1,221	1,641	1,812	1,994	1,595	941	307	61	13
	F--	9,005	5	2	-	1	2	12	12	6	14	33	42	59	115	156	270	451	690	964	1,357	1,643	1,662	961	456	75	17
	Nonwhite--M--	583	1	-	-	-	-	-	1	1	1	1	6	15	30	34	57	68	77	86	79	58	36	20	7	3	2
	F--	526	-	-	-	-	-	-	1	-	-	3	6	16	29	39	57	70	58	63	52	53	41	25	3	4	6
330-334	Vascular lesions, etc.*----------	5,073	6	3	-	-	1	1	1	3	5	10	18	36	68	101	194	300	428	622	803	982	850	452	158	26	5
	White-----M--	2,436	3	2	-	-	1	1	1	1	1	5	7	16	33	41	74	131	205	323	419	498	388	217	56	12	1
	F--	2,364	2	1	-	-	-	-	1	1	4	3	9	13	27	44	83	134	190	255	359	451	446	227	101	12	2
	Nonwhite--M--	136	1	-	-	-	-	-	-	1	-	1	1	3	4	8	21	14	20	22	11	17	6	3	-	2	1
	F--	137	-	-	-	-	-	-	-	-	-	1	1	4	4	8	16	21	13	22	14	16	10	5	1	-	1
400-402	Rheumatic fever----	49	-	1	-	1	1	10	8	4	3	2	1	2	4	1	3	1	1	3	1	2	-	-	-	-	-
	White-----M--	20	-	1	-	-	-	1	2	2	2	2	-	1	2	-	2	1	-	2	1	1	-	-	-	-	-
	F--	26	-	-	-	1	1	9	5	2	1	-	1	-	2	-	1	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
410-443	Diseases of heart	15,288	6	2	-	-	2	3	8	7	26	51	75	148	312	493	798	1,185	1,536	2,020	2,314	2,455	2,082	1,206	438	86	25
	White----M	8,748	4	1	-	-	1	-	1	5	18	25	40	87	195	336	552	803	968	1,255	1,294	1,346	1,015	576	175	40	11
	F	5,800	2	1	-	-	1	3	6	2	7	25	27	41	79	107	176	298	474	667	923	1,043	1,012	597	255	42	12
	Nonwhite--M	393	-	-	-	-	-	-	-	-	1	-	4	10	18	21	35	48	53	61	61	35	26	14	6	-	-
	F	347	-	-	-	-	-	-	1	-	-	1	4	10	20	29	35	46	41	37	36	31	29	19	2	4	2
410-416	Chronic rheumatic heart disease	580	-	-	-	-	-	2	5	5	15	24	26	32	43	51	40	59	65	57	44	61	26	21	3	1	-
	White----M	283	-	-	-	-	-	-	1	3	10	9	12	17	22	19	21	26	34	38	20	29	15	6	1	-	-
	F	272	-	-	-	-	-	2	3	2	5	14	12	12	19	27	18	31	30	16	23	30	11	14	2	1	-
	Nonwhite--M	14	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	2	1	1	1	2	-	-	-	-	-
	F	11	-	-	-	-	-	1	-	-	-	1	2	1	-	2	1	-	-	2	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	8,979	-	-	-	-	-	-	-	1	6	12	35	81	202	331	565	837	1,010	1,347	1,429	1,346	1,039	521	177	33	7
	White----M	5,736	-	-	-	-	-	-	-	1	5	8	25	51	155	272	434	642	706	885	850	814	543	254	77	12	2
	F	2,877	-	-	-	-	-	-	-	-	1	4	8	19	29	40	95	148	261	415	530	494	465	248	96	19	5
	Nonwhite--M	216	-	-	-	-	-	-	-	-	-	-	2	6	10	10	21	22	28	33	33	22	17	9	3	-	-
	F	150	-	-	-	-	-	-	-	-	-	-	-	5	8	9	15	25	15	14	16	16	14	10	1	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,502	1	1	-	-	-	-	2	-	2	6	3	6	26	34	49	85	170	240	358	472	495	360	147	34	11
	White----M	1,279	1	1	-	-	-	-	-	-	2	4	1	5	9	12	32	55	91	144	200	241	233	175	51	17	5
	F	1,126	-	-	-	-	-	-	2	-	-	2	2	1	12	14	10	26	66	79	143	221	252	182	94	15	5
	Nonwhite--M	54	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	6	11	10	5	6	3	1	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	2	7	6	5	5	4	-	1	2	1
430-434	Other diseases of heart	653	5	1	-	-	2	1	-	1	2	7	5	9	11	22	33	50	64	84	95	94	87	52	19	7	2
	White----M	356	3	-	-	-	1	-	-	1	-	3	1	8	2	15	23	26	32	55	56	48	41	25	11	4	1
	F	262	2	1	-	-	1	1	-	-	1	4	3	1	8	6	5	19	26	23	36	43	45	25	8	3	1
	Nonwhite--M	22	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	5	5	3	3	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	3	-	2	1	2	-	-	-
440-443	Hypertension with heart dis.	2,574	-	-	-	-	-	-	1	-	1	2	6	20	30	55	111	164	227	292	388	482	435	252	92	11	5
	White----M	1,094	-	-	-	-	-	-	-	-	1	1	1	6	7	18	42	54	105	133	168	214	183	116	35	7	3
	F	1,263	-	-	-	-	-	-	1	-	-	1	2	8	11	20	48	74	91	134	191	255	239	128	55	4	1
	Nonwhite--M	87	-	-	-	-	-	-	-	-	-	-	2	2	3	4	7	17	13	13	14	5	3	2	2	-	-
	F	130	-	-	-	-	-	-	-	-	-	-	1	4	9	13	14	19	18	12	15	8	10	6	-	-	1
444-447	Hypertension without mention of heart	396	-	-	-	-	-	1	-	-	-	-	7	7	20	14	19	27	32	27	43	82	61	37	15	3	1
	White----M	174	-	-	-	-	-	1	-	-	-	-	2	2	6	8	7	7	18	14	25	30	31	16	6	1	-
	F	180	-	-	-	-	-	-	-	-	-	-	3	3	4	2	7	13	10	11	17	49	30	20	9	2	-
	Nonwhite--M	20	-	-	-	-	-	-	-	-	-	-	1	-	5	3	1	5	3	-	-	2	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	1	2	5	1	4	2	1	2	1	1	-	1	-	-	1
450	General arteriosclerosis	1,203	-	-	-	-	-	-	-	-	-	-	-	1	2	4	8	15	21	56	121	206	327	246	161	28	7
	White----M	588	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	11	11	33	61	106	153	129	69	8	1
	F	574	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	7	19	52	92	168	114	91	19	3
	Nonwhite--M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	3	4	3	1	1	1
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	5	2	-	-	-	2
451-468	Other diseases of circulatory sys.	180	1	-	-	-	-	-	2	1	2	11	2	5	11	7	5	19	28	26	18	21	14	6	1	-	-
	White----M	109	-	-	-	-	-	-	1	-	-	5	-	2	6	5	5	15	19	14	12	13	8	3	1	-	-
	F	61	1	-	-	-	-	-	1	1	2	5	2	2	2	1	-	3	8	11	6	7	6	3	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	634	2	-	-	-	1	2	3	5	11	13	18	10	20	28	33	54	51	67	85	86	65	54	23	3	-
	White----M	318	1	-	-	-	-	1	-	2	2	5	8	8	5	9	11	11	29	23	38	47	51	28	24	13	2	-
	F	274	1	-	-	-	-	-	2	1	3	4	3	9	5	7	13	16	18	25	24	33	34	37	28	10	1	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	1	-	-	-	3	2	3	3	-	3	1	1	-	1	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	1	2	1	-	1	2	3	4	3	2	4	-	-	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*	1,198	219	30	16	12	10	14	10	9	9	10	11	14	23	31	43	51	55	85	103	143	147	93	50	5	5
	White----M	600	108	12	9	5	5	8	7	5	2	3	7	7	10	13	18	25	33	54	59	71	69	43	23	1	3
	F	466	73	15	6	5	4	4	2	2	4	2	3	4	6	9	14	15	17	22	40	66	73	48	26	4	2
	Nonwhite--M	64	19	2	-	1	-	-	-	1	3	1	-	1	6	3	6	4	3	5	2	3	3	-	1	-	-
	F	68	19	1	1	1	1	2	1	1	-	4	1	2	1	6	5	7	2	4	2	3	2	2	-	-	-
480-483	Influenza	208	20	6	5	1	2	5	1	2	3	-	3	1	7	4	6	5	10	15	20	31	25	24	11	-	1
	White----M	102	9	4	3	-	2	4	1	2	1	-	1	1	7	-	1	3	3	9	11	14	12	10	3	-	1
	F	90	10	2	2	1	-	1	-	-	2	-	2	-	-	2	2	-	5	5	9	15	12	12	8	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	1	2	-	-	-
490-493	Pneumonia, etc.*	990	199	24	11	11	8	9	9	7	6	10	8	13	16	27	37	46	45	70	83	112	122	69	39	5	4
	White----M	498	99	8	6	5	3	4	6	3	1	3	6	6	3	13	17	22	30	45	48	57	57	33	20	1	2
	F	376	63	13	4	4	4	3	2	2	2	2	1	4	6	7	12	15	12	17	31	51	61	36	18	4	2
	Nonwhite--M	58	19	2	-	1	-	-	-	1	3	1	-	1	6	2	5	3	2	4	2	2	3	-	1	-	-
	F	58	18	1	1	1	1	2	1	1	-	4	1	2	1	5	3	6	1	4	2	2	1	-	-	-	-
500-502	Bronchitis	63	18	5	4	1	-	2	1	-	1	-	-	-	-	1	2	1	6	2	4	7	1	3	2	2	-
	White----M	38	10	4	3	-	-	-	1	-	1	-	-	-	-	1	2	-	4	2	3	3	-	2	1	1	-
	F	21	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	1	1	1	1	-
	Nonwhite--M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	213	-	-	-	-	-	-	-	-	-	1	2	5	10	16	12	27	35	39	27	20	15	3	-	-	1
	White----M	169	-	-	-	-	-	-	-	-	-	1	1	4	10	12	9	21	29	31	18	18	12	2	-	-	1
	F	36	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	3	4	7	8	2	3	1	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis	84	1	-	2	1	1	4	6	2	5	2	1	3	2	4	3	6	11	4	10	8	6	-	2	-	-
	White----M	42	-	-	1	1	1	2	3	1	1	1	-	2	2	1	1	4	3	2	6	6	3	-	1	-	-
	F	33	-	-	-	-	-	2	3	1	1	1	1	1	-	2	1	2	7	2	4	1	3	-	1	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	5	1	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	236	24	2	-	-	1	-	1	-	1	2	8	4	6	9	19	15	17	22	25	29	30	16	4	1	-
	White----M	104	15	1	-	-	-	1	-	1	-	1	2	3	2	6	8	5	7	12	13	16	10	1	-	-	-
	F	115	9	1	-	-	-	-	-	-	-	2	5	2	3	6	9	7	10	12	10	16	14	6	2	1	-
	Nonwhite--M	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	2	-	-	1	4	-	-	-	1	-	-	-	1	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
543, 571, 572	Gastritis, etc.*--	206	81	9	1	1	1	2	3	2	3	2	2	3	7	5	5	8	9	12	8	14	11	11	5	1	-
	White-----M--	105	41	6	1	1	-	-	1	-	3	1	1	2	5	3	2	4	6	7	4	4	5	5	2	1	-
	F--	86	32	3	-	-	1	1	1	2	-	1	1	1	2	2	2	2	3	3	4	10	6	6	3	-	-
	Nonwhite--M--	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	345	2	-	-	-	-	-	-	-	-	2	10	14	32	34	36	49	35	47	35	21	19	5	4	-	-
	White-----M--	225	1	-	-	-	-	-	-	-	-	-	5	7	19	26	27	36	21	35	23	11	11	3	-	-	-
	F--	108	1	-	-	-	-	-	-	-	-	1	5	6	12	8	8	11	12	12	11	7	8	2	4	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	92	3	-	1	3	1	2	2	2	2	1	1	7	7	8	5	5	8	10	5	7	8	3	-	1	-
	White-----M--	44	2	-	-	-	-	-	-	2	1	1	1	5	4	3	1	1	4	6	3	4	5	-	-	1	-
	F--	39	1	-	1	3	1	2	2	-	1	-	-	1	1	3	2	4	3	4	1	3	3	3	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate--------	206	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	18	22	38	40	45	28	9	1	-
	White-----M--	195	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	15	19	36	39	43	28	9	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	2	-	-	-	-
640-689	Complications of pregnancy, etc.*	59	...	...	...	...	...	...	1	4	12	12	13	11	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	52	...	...	...	...	...	...	1	3	11	10	12	9	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	8	...	...	...	...	...	...	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	...	...	...	...	...	...	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	51	...	...	...	...	...	...	-	3	9	10	12	11	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	44	...	...	...	...	...	...	-	2	8	8	11	9	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	502	416	18	7	3	1	6	3	3	3	4	1	6	6	6	2	3	4	3	2	1	-	-	-	-	2
	White-----M--	252	211	8	2	2	-	2	-	1	3	3	-	5	1	3	1	1	4	3	1	1	-	-	-	-	-
	F--	212	172	9	4	-	1	6	3	2	-	1	1	1	4	2	1	2	-	-	1	-	-	-	-	-	2
	Nonwhite--M--	22	19	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	14	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,663	1,662	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	888	888	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	628	627	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	635	635	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	360	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	929	928	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	480	480	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	355	354	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	235	20	1	1	1	-	-	-	1	-	1	2	1	5	4	7	13	13	19	25	36	36	34	11	4	
	White-----M--	114	13	1	-	1	-	-	-	-	-	1	1	-	2	2	5	8	7	12	13	19	18	8	3	-	
	F--	111	5	-	1	-	-	-	-	1	-	-	1	-	2	1	2	4	5	7	11	17	18	26	8	2	
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	2	
Residual	All other diseases	1,794	74	22	9	8	14	20	20	11	32	41	44	45	67	95	111	141	180	223	216	186	128	70	29	6	2
	White-----M--	1,012	43	11	6	4	8	13	9	8	18	23	23	22	34	54	71	77	114	133	118	106	67	33	14	2	1
	F--	690	27	10	3	4	4	7	9	3	12	14	17	13	27	35	32	56	55	83	93	74	57	35	15	4	1
	Nonwhite--M--	42	1	-	-	-	1	-	-	-	1	1	1	5	3	3	6	5	6	3	2	3	-	1	-	-	-
	F--	50	3	1	-	-	1	-	2	-	1	3	3	5	3	3	2	3	5	4	3	3	4	1	-	-	-
E800-E962	Accidents----------	2,926	99	42	28	32	18	99	72	175	185	156	139	152	145	123	138	131	162	190	161	212	201	168	71	19	8
	White-----M--	1,864	56	22	18	16	10	57	58	133	150	120	112	115	107	95	103	85	112	127	91	106	76	65	26	2	4
	F--	920	36	16	9	15	6	33	11	37	28	31	19	22	30	22	23	36	40	55	64	101	123	99	44	17	3
	Nonwhite--M--	97	3	3	-	1	2	6	3	3	4	2	5	10	7	4	10	8	7	7	3	3	1	4	-	-	1
	F--	45	4	1	1	-	-	3	-	2	3	3	3	5	1	2	2	2	3	1	3	2	1	2	1	-	-
E810-E835	Motor-vehicle accidents--------	1,239	13	12	8	13	10	42	31	114	137	105	77	96	72	63	73	63	63	87	66	48	26	16	2	-	2
	White-----M--	891	10	7	6	8	4	25	22	81	109	77	61	72	51	48	55	41	43	61	38	37	20	12	2	-	1
	F--	297	3	5	2	5	5	16	7	29	23	24	13	16	19	12	13	21	18	21	25	10	6	3	-	-	1
	Nonwhite--M--	34	-	-	-	-	1	1	2	2	3	2	2	4	2	2	4	-	2	4	2	-	-	1	-	-	-
	F--	17	-	-	-	-	-	-	-	2	2	2	1	4	-	1	1	1	-	1	1	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,687	86	30	20	19	8	57	41	61	48	51	62	56	73	60	65	68	99	103	95	164	175	152	69	19	6
	White-----M--	973	46	15	12	8	6	32	36	52	41	43	51	43	56	47	48	44	69	66	53	69	56	51	24	2	3
	F--	623	33	11	7	10	1	17	4	8	5	7	6	6	11	10	10	15	22	34	39	91	117	96	44	17	2
	Nonwhite--M--	63	3	3	-	1	1	5	1	1	1	-	3	6	5	2	6	8	5	3	1	3	1	3	-	-	1
	F--	28	4	1	1	-	-	3	-	-	1	1	2	1	1	1	1	1	3	-	2	1	1	2	1	-	-
E963, E970-E979	Suicide----------	464	-	-	-	-	-	-	2	9	25	31	17	34	45	44	41	50	47	53	17	22	17	5	3	1	1
	White-----M--	348	-	-	-	-	-	-	2	7	19	18	15	23	34	34	33	35	31	39	16	20	15	4	2	1	-
	F--	102	-	-	-	-	-	-	-	2	1	12	2	9	10	9	8	14	15	13	1	1	2	1	1	-	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	5	-	-	2	1	1	-	-	1	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	160	6	-	1	2	-	4	1	11	9	22	32	23	13	11	9	2	3	4	4	2	-	-	-	-	1
	White-----M--	59	4	-	-	1	-	2	-	5	3	5	8	10	4	5	3	1	1	2	3	1	-	-	-	-	1
	F--	35	2	-	1	1	-	2	1	1	3	5	5	3	1	4	2	-	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	3	3	9	10	3	4	2	4	1	1	-	-	1	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	2	-	3	9	7	4	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA																										
	ALL CAUSES	26,410	1,655	110	57	43	52	118	104	156	220	252	243	372	506	784	1,161	1,597	2,187	2,820	3,365	3,766	3,586	2,145	880	207	24
	White----M	14,823	954	65	32	22	35	79	71	103	147	155	147	201	313	470	733	1,050	1,390	1,662	1,885	2,011	1,808	1,022	387	70	11
	F	11,295	674	44	25	21	16	37	32	52	68	87	91	161	167	297	411	522	775	1,119	1,441	1,727	1,760	1,110	490	136	12
	Nonwhite--M	156	17	-	-	-	-	1	-	-	3	3	2	5	1	11	9	12	10	20	26	14	11	7	2	1	1
	F	136	10	1	-	-	1	1	1	1	2	7	3	5	5	6	8	13	12	19	13	14	7	6	1	-	-
001-019	Tuberculosis all forms	192	3	1	1	-	1	2	1	4	3	12	8	17	18	15	18	21	21	15	19	4	5	3	-	-	-
	White----M	120	1	-	1	-	1	1	-	-	2	5	3	10	9	9	13	17	16	10	15	2	4	1	-	-	-
	F	65	2	1	-	-	-	1	1	4	-	7	4	6	9	5	5	4	4	4	4	2	1	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-
001-008	Tuberculosis of respiratory system	168	1	1	-	-	-	-	1	2	1	8	8	15	17	14	18	19	21	13	17	4	5	3	-	-	-
	White----M	108	1	-	-	-	-	-	-	-	1	2	3	9	9	9	13	16	16	9	13	2	4	1	-	-	-
	F	56	-	1	-	-	-	-	1	2	-	6	4	6	8	4	5	3	4	4	4	2	1	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
010-019	Tuberculosis, other forms	24	2	-	1	-	1	2	-	2	2	4	-	2	1	1	-	2	-	2	2	-	-	-	-	-	-
	White----M	12	-	-	1	-	1	1	-	-	1	3	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-
	F	9	2	-	-	-	-	1	-	2	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	78	-	-	-	-	-	-	-	-	-	-	1	3	3	3	6	10	13	17	8	6	7	1	-	-	-
	White----M	55	-	-	-	-	-	-	-	-	-	-	-	3	3	1	5	8	12	10	5	3	5	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	5	3	3	2	1	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	6	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-
	White----M	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	11	3	2	1	-	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White----M	6	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	20	1	-	-	-	-	3	3	2	3	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	10	-	-	-	-	-	2	-	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	1	3	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	4	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	64	7	2	2	1	1	2	4	1	-	2	2	5	2	2	5	2	2	4	5	7	3	3	-	-	-
	White----M	36	3	-	1	-	-	-	3	-	-	1	2	4	-	2	3	1	-	3	3	6	3	1	-	-	-
	F	27	4	1	1	1	1	2	1	1	-	1	-	1	2	-	2	1	2	1	2	1	-	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
140-205	Malignant neoplasms, etc.*----	4,134	5	5	9	4	10	19	11	11	21	31	33	77	106	187	266	392	458	606	620	575	427	180	67	13	1
	White-----M--	2,114	2	3	3	3	9	13	7	8	11	17	13	26	42	78	123	191	245	327	328	302	238	88	32	5	-
	F--	1,985	3	2	6	1	1	6	3	3	10	14	20	51	64	107	139	197	210	273	282	270	188	92	35	8	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	9	1	1	-	-	-	1
	F--	15	-	-	-	-	-	-	1	-	-	-	-	-	-	2	3	2	-	4	1	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	92	-	-	-	-	-	-	-	1	-	-	-	1	2	5	3	8	6	16	14	17	16	2	1	-	-
	White-----M--	75	-	-	-	-	-	-	-	1	-	-	-	1	2	5	2	5	5	13	9	16	14	1	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	3	1	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,574	-	-	1	-	-	2	1	-	3	5	8	19	26	43	70	126	188	259	263	254	187	86	27	6	-
	White-----M--	854	-	-	-	-	-	2	-	-	2	3	4	10	15	25	39	70	109	151	141	124	98	44	14	3	-
	F--	710	-	-	1	-	-	-	-	-	1	2	4	9	11	18	29	56	78	103	122	129	89	42	13	3	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-
160-164	Of respiratory system----------	344	-	-	-	1	-	-	-	-	1	1	1	1	10	18	38	55	64	60	37	33	18	5	1	-	-
	White-----M--	270	-	-	-	1	-	-	-	-	1	1	1	1	7	15	33	44	55	47	28	26	10	-	-	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	11	7	13	8	7	7	5	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	379	-	-	-	-	-	-	-	-	-	3	3	14	13	38	41	39	34	51	48	39	33	12	8	3	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-
	F--	371	-	-	-	-	-	-	-	-	-	3	3	14	13	36	40	37	33	50	48	39	33	12	7	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
171-179	Of genital organs----	690	-	-	-	-	-	-	-	-	3	6	5	15	21	32	38	61	63	97	99	105	97	35	12	1	-
	White-----M--	303	-	-	-	-	-	-	-	-	1	4	-	2	-	2	2	11	12	45	52	66	73	23	9	1	-
	F--	378	-	-	-	-	-	-	-	-	2	2	5	13	21	29	36	49	51	52	41	38	24	12	3	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-
180, 181	Of urinary organs----	206	1	-	2	-	1	1	-	-	-	1	-	1	2	3	20	14	20	33	38	41	16	10	2	-	-
	White-----M--	133	1	-	-	-	1	1	-	-	-	1	-	-	2	2	14	11	15	21	25	27	8	4	-	-	-
	F--	72	-	-	2	-	-	-	-	-	-	-	-	1	-	1	6	3	5	12	13	13	8	6	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	517	2	3	2	2	2	3	5	2	7	5	6	17	22	27	35	58	52	54	78	57	38	22	14	3	1
	White-----M--	283	1	2	2	2	2	2	4	1	3	4	2	8	10	16	22	34	29	28	44	27	22	11	6	1	-
	F--	231	1	1	-	-	-	1	1	1	4	1	4	9	12	11	13	23	23	26	33	30	16	11	8	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	185	1	2	4	1	5	13	2	5	4	6	6	2	7	7	9	16	14	22	23	18	10	7	1	-	-
	White-----M--	106	-	1	1	-	4	8	-	4	3	2	3	1	4	4	5	7	8	14	16	9	7	4	1	-	-
	F--	78	1	1	3	1	1	5	2	1	1	4	3	1	3	3	4	8	6	8	7	9	3	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	147	1	-	-	-	2	-	3	3	3	4	4	7	3	14	12	15	17	14	20	11	12	1	1	-	-
	White-----M--	86	-	-	-	-	2	-	3	2	1	2	3	3	2	8	6	8	11	8	13	7	6	1	-	-	-
	F--	61	1	-	-	-	-	-	-	1	2	2	1	4	1	6	6	7	6	6	7	4	6	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	93	2	-	1	-	-	1	2	-	-	3	3	7	4	5	9	13	11	6	10	8	3	4	1	-	-
	White-----M--	50	1	-	1	-	-	1	2	-	-	1	1	5	4	1	3	8	5	3	6	4	2	1	1	-	-
	F--	42	1	-	-	-	-	-	-	-	-	2	2	2	-	4	6	5	5	3	4	4	1	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus---	457	-	-	-	1	-	-	1	-	3	1	6	8	10	11	12	28	51	85	81	78	48	27	6	-	-
	White-----M--	185	-	-	-	-	-	-	1	-	2	-	5	3	5	2	6	17	16	34	33	27	20	13	1	-	-
	F--	267	-	-	-	1	-	-	-	-	1	1	1	4	5	8	6	11	34	50	48	50	28	14	5	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
290-293	Anemias----------	121	-	-	-	-	-	-	-	-	3	-	2	2	1	-	1	6	8	12	17	31	19	14	5	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	2	3	5	8	9	10	3	1	-	-
	F--	74	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	4	5	7	9	22	9	11	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	20	6	8	-	-	-	1	1	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	13	2	5	-	-	-	1	1	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	14,663	5	4	1	-	3	8	5	6	25	34	46	85	180	373	583	834	1,253	1,663	2,140	2,548	2,536	1,556	612	147	16
	White-----M--	8,227	1	4	1	-	2	3	2	2	16	23	24	44	123	255	409	609	843	1,012	1,192	1,358	1,248	732	272	44	8
	F--	6,279	4	-	-	-	1	4	3	4	9	11	20	37	53	110	165	212	397	624	924	1,166	1,275	812	338	102	8
	Nonwhite--M--	78	-	-	-	-	-	-	-	-	-	-	-	3	1	4	5	6	5	13	12	8	7	1	1	-	-
	F--	79	-	-	-	-	-	1	-	-	-	-	2	1	3	4	4	7	8	14	12	12	5	5	1	-	-
330-334, 400-468	Diseases of cardiovascular system---	14,322	5	4	1	-	2	8	5	5	18	32	37	79	173	349	561	806	1,228	1,637	2,098	2,495	2,481	1,534	602	146	16
	White-----M--	8,039	1	4	1	-	1	3	2	1	9	22	17	42	118	241	398	592	832	994	1,165	1,333	1,221	721	269	44	8
	F--	6,143	4	-	-	-	1	4	3	4	9	10	18	35	52	104	156	202	384	616	910	1,139	1,248	803	332	101	8
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	6	4	13	11	11	7	6	1	1	-
	F--	72	-	-	-	-	-	1	-	-	-	-	2	-	2	2	4	6	8	14	12	12	5	4	-	-	-
330-334	Vascular lesions, etc.*----------	3,629	1	-	-	-	-	2	-	2	4	4	7	12	20	58	105	163	262	404	561	733	717	397	148	27	2
	White-----M--	1,791	-	-	-	-	-	2	-	1	3	4	3	3	11	30	54	89	156	222	270	365	331	177	59	11	-
	F--	1,789	1	-	-	-	-	-	-	1	1	-	4	9	9	27	49	71	99	174	283	363	377	215	88	16	2
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	3	2	5	4	1	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	5	3	4	1	-	-	-
400-402	Rheumatic fever----	25	-	1	-	-	2	5	4	-	-	1	-	2	1	1	-	2	1	2	3	-	-	-	-	-	-
	White-----M--	12	-	1	-	-	1	1	1	-	-	1	-	2	1	1	-	1	-	-	2	-	-	-	-	-	-
	F--	12	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
410-443	Diseases of heart	9,529	4	3	1	-	-	1	-	2	11	21	26	56	143	271	438	613	907	1,159	1,415	1,567	1,492	942	362	86	9
	White----M--	5,635	1	3	1	-	-	-	-	-	4	14	14	31	103	199	331	486	634	731	828	865	756	438	166	24	6
	F--	3,612	3	-	-	-	-	1	-	2	7	7	10	24	38	69	102	118	269	410	574	685	734	499	196	61	3
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	1	7	7	9	2	2	-	1	-
	F--	42	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	4	3	11	6	8	-	3	-	-	-
410-416	Chronic rheumatic heart disease	313	-	-	-	-	-	-	-	2	3	9	7	12	19	26	34	29	45	36	34	23	20	10	4	-	-
	White----M--	158	-	-	-	-	-	-	-	-	1	5	2	4	10	12	20	22	22	20	18	10	5	5	2	-	-
	F--	151	-	-	-	-	-	-	-	2	2	4	4	8	9	14	13	5	23	16	16	13	15	5	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,266	1	-	-	-	-	-	-	-	4	6	11	30	93	202	321	489	667	847	974	991	890	527	169	38	6
	White----M--	4,076	1	-	-	-	-	-	-	-	1	6	9	24	79	166	265	405	496	578	621	587	463	275	82	13	5
	F--	2,147	-	-	-	-	-	-	-	-	3	-	1	5	14	34	54	81	167	258	345	398	426	249	87	24	1
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	6	4	2	1	2	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	5	4	4	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,432	-	-	1	-	-	-	-	-	-	2	3	1	8	13	23	36	81	102	174	288	306	242	120	31	1
	White----M--	714	-	-	1	-	-	-	-	-	-	2	2	-	3	7	14	23	49	57	90	147	151	99	60	9	-
	F--	705	-	-	-	-	-	-	-	-	-	-	1	1	5	6	9	11	32	43	80	137	154	143	60	22	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
430-434	Other diseases of heart	371	3	3	-	-	-	1	-	-	4	3	3	6	8	2	18	16	27	37	48	59	58	49	20	5	1
	White----M--	199	-	3	-	-	-	-	-	-	2	-	-	1	6	2	11	11	19	22	26	29	36	22	8	-	1
	F--	166	3	-	-	-	-	1	-	-	2	3	3	5	2	-	7	4	8	14	22	26	22	27	12	5	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	1,147	-	-	-	-	-	-	-	-	-	1	2	7	15	28	42	43	87	137	185	206	218	114	49	12	1
	White----M--	488	-	-	-	-	-	-	-	-	-	1	1	2	5	12	21	25	48	54	73	92	101	37	14	2	-
	F--	643	-	-	-	-	-	-	-	-	-	-	1	5	8	15	19	17	39	79	111	111	117	75	35	10	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	-	2	-	2	-	-	-
444-447	Hypertension without mention of heart	231	-	-	-	-	-	-	-	-	1	2	1	5	6	8	8	18	17	22	24	35	50	24	6	2	2
	White----M--	108	-	-	-	-	-	-	-	-	1	1	-	4	2	2	5	10	8	9	10	19	25	8	3	-	1
	F--	118	-	-	-	-	-	-	-	-	-	1	1	-	3	6	3	8	8	12	14	15	25	16	3	2	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-
450	General arteriosclerosis	740	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	16	28	69	139	207	161	82	30	3
	White----M--	376	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	13	14	38	72	98	89	39	9	1
	F--	361	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	14	29	67	108	72	43	21	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.	168	-	-	-	-	-	1	1	2	4	3	4	3	10	7	9	25	22	26	21	15	10	4	1	-
	White----M--	117	-	-	-	-	-	1	-	1	2	-	2	1	8	6	6	21	18	17	12	11	9	2	-	-
	F--	51	-	-	-	-	-	-	1	1	2	3	2	2	2	1	3	4	4	9	9	4	1	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	341	-	-	-	-	1	-	-	1	7	2	9	6	7	24	22	28	25	26	42	53	55	22	10	1	-
	White----M--	188	-	-	-	-	1	-	-	1	7	1	7	2	5	14	11	17	11	18	27	25	27	11	3	-	-
	F--	136	-	-	-	-	-	-	-	-	-	1	2	2	1	6	9	10	13	8	14	27	27	9	6	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	1	1	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	1	1	-	-	-
480-493	Influenza and pneumonia, etc.*	655	77	12	7	2	1	4	3	4	4	6	5	7	7	14	20	19	30	49	68	91	111	64	34	12	4
	White----M--	362	45	9	1	2	1	4	1	3	3	3	4	4	3	10	14	13	13	32	41	55	56	29	9	5	2
	F--	286	31	3	6	-	-	-	2	1	1	3	1	3	4	3	5	5	17	16	27	36	53	35	25	7	2
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
480-483	Influenza	87	4	-	-	-	-	1	2	-	-	1	-	-	-	3	2	-	6	7	9	12	17	10	10	1	2
	White----M--	32	2	-	-	-	-	1	1	-	-	-	-	-	-	2	1	-	1	3	4	5	4	3	3	-	2
	F--	54	2	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	5	4	5	7	13	7	7	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	568	73	12	7	2	1	3	1	4	4	5	5	7	7	11	18	19	24	42	59	79	94	54	24	11	2
	White----M--	330	43	9	1	2	1	3	-	3	3	3	4	4	3	8	13	13	12	29	37	50	52	28	6	5	-
	F--	232	29	3	6	-	-	-	1	1	1	2	1	3	4	2	5	5	12	12	22	29	40	28	18	6	2
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	44	6	1	1	-	-	1	-	-	-	-	1	-	1	2	-	3	4	4	3	6	5	2	4	-	-
	White----M--	26	3	1	-	-	-	1	-	-	-	-	-	-	-	1	-	3	4	4	1	4	1	2	1	-	-
	F--	17	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	4	-	3	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	137	-	-	-	-	1	-	-	-	-	1	2	4	2	7	5	13	21	24	22	21	8	6	-	-	-
	White----M--	110	-	-	-	-	-	-	-	-	-	-	2	3	1	7	4	12	18	21	14	15	8	5	-	-	-
	F--	27	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	1	3	3	8	6	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	48	-	1	1	-	1	-	2	3	1	2	-	3	1	3	1	6	5	2	5	5	3	1	1	1	-
	White----M--	27	-	1	-	-	1	-	1	1	-	1	-	3	1	2	-	3	4	1	3	4	1	-	-	-	-
	F--	21	-	-	1	-	-	-	1	2	1	1	-	-	-	1	1	3	1	1	2	1	2	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	170	18	1	2	-	-	-	-	1	1	3	-	2	2	4	14	9	14	17	20	27	20	7	8	-	-
	White----M--	90	9	1	1	-	-	-	-	-	-	-	-	1	2	1	10	5	7	8	12	13	12	4	4	-	-
	F--	78	9	-	1	-	-	-	-	1	1	2	-	1	-	3	4	4	7	9	8	14	7	3	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
543, 571, 572	Gastritis, etc.*--	92	33	2	1	-	-	-	-	-	2	-	-	-	2	3	2	4	2	4	10	12	6	8	1	-	-
	White-----M--	47	23	1	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	3	5	3	3	1	-	-
	F--	42	8	1	-	-	-	-	-	-	1	-	-	-	1	2	1	2	2	2	7	7	3	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	166	1	-	-	-	-	-	-	-	-	3	3	2	7	15	22	14	27	18	18	14	10	10	1	-	1
	White-----M--	110	1	-	-	-	-	-	-	-	-	2	2	1	5	10	16	10	19	12	10	9	7	4	1	-	1
	F--	55	-	-	-	-	-	-	-	-	-	-	1	1	2	5	6	4	8	6	8	5	3	6	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	41	1	2	-	1	1	1	2	1	3	1	2	-	1	2	3	2	4	5	3	4	2	-	-	-	-
	White-----M--	20	-	1	-	1	1	-	-	1	1	1	1	-	1	1	1	1	3	3	2	1	-	-	-	-	-
	F--	21	1	1	-	-	-	1	2	-	2	-	1	-	-	1	2	1	1	2	1	3	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	7	23	22	34	22	7	1	-
	White-----M--	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	7	22	22	34	22	7	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	33	...	...	...	...	...	...	-	2	4	7	8	10	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	33	...	...	...	...	...	...	-	2	4	7	8	10	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	32	...	...	...	...	...	...	-	2	4	6	8	10	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	32	...	...	...	...	...	...	-	2	4	6	8	10	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	372	310	16	2	1	4	2	4	3	4	3	5	2	4	2	2	1	4	1	1	1	-	-	-	-	-
	White-----M--	202	167	7	2	1	2	-	4	1	3	2	3	2	3	-	-	-	3	1	1	-	-	-	-	-	-
	F--	169	142	9	-	-	2	2	-	2	1	1	2	-	1	2	2	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,061	1,059	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	622	622	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	420	418	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	473	473	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	519	517	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	277	277	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	233	231	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	205	17	1	-	-	-	-	-	-	1	-	2	1	-	1	2	5	-	7	10	15	45	47	37	13	1
	White-----M--	94	11	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	4	8	6	19	20	15	6	-
	F--	111	6	1	-	-	-	-	-	-	1	-	1	-	-	1	2	2	-	3	2	9	26	27	22	7	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	1,297	46	16	6	12	2	19	8	14	17	18	28	28	30	45	70	90	127	154	148	146	143	86	32	12	-
	White-----M--	711	33	8	6	6	2	12	5	4	5	8	20	10	15	22	38	52	75*	85	87	83	67	39	22	7	-
	F--	576	13	8	-	6	-	7	3	10	12	9	8	17	15	22	31	37	50	69	58	63	76	47	10	5	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	3	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
E800-E962	Accidents----------	1,700	51	31	22	20	25	53	53	96	109	98	64	70	88	53	75	79	88	78	110	128	144	92	64	8	1
	White-----M--	1,119	30	18	13	9	14	41	41	76	89	75	50	54	70	42	56	55	67	50	68	69	66	44	20	2	-
	F--	554	19	13	9	11	10	11	12	19	19	18	14	14	16	8	17	21	21	27	41	59	77	48	43	6	1
	Nonwhite--M--	17	1	-	-	-	1	1	-	-	1	2	-	1	-	3	2	3	-	1	1	-	-	-	1	-	-
	F--	10	1	-	-	-	1	-	-	1	-	3	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-
E810-E835	Motor-vehicle accidents---------	620	5	7	5	7	11	25	21	60	68	58	39	40	44	26	32	28	36	30	40	25	8	5	-	-	-
	White-----M--	449	3	4	1	4	8	19	12	46	53	45	31	29	35	19	21	13	26	21	28	19	7	5	-	-	-
	F--	161	2	3	4	3	3	5	9	14	15	11	8	9	9	5	10	14	10	9	11	6	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	-	-	-	2	-	1	-	2	1	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,080	46	24	17	13	14	28	32	36	41	40	25	30	44	27	43	51	52	48	70	103	136	87	64	8	1
	White-----M--	670	27	14	12	5	6	22	29	30	36	30	19	25	35	23	35	42	41	29	40	50	59	39	20	2	-
	F--	393	17	10	5	8	7	6	3	5	4	7	6	5	7	3	7	7	11	18	30	53	76	48	43	6	1
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	1	-	-	-	-	1	-	-
	F--	9	1	-	-	-	1	-	-	1	-	3	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-
E963, E970-E979	Suicide----------	346	-	-	-	-	-	-	1	6	12	16	16	33	27	33	42	38	31	38	23	14	7	9	-	-	-
	White-----M--	263	-	-	-	-	-	-	1	5	8	13	13	22	18	24	28	32	26	26	22	12	4	9	-	-	-
	F--	80	-	-	-	-	-	-	-	1	3	3	2	11	9	9	14	5	5	12	1	2	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	40	1	-	-	-	-	2	1	-	3	6	4	4	5	2	3	1	2	4	1	-	-	1	-	-	-
	White-----M--	18	-	-	-	-	-	-	1	-	2	1	-	2	4	1	2	-	1	2	1	-	-	1	-	-	-
	F--	16	1	-	-	-	-	2	-	-	-	3	3	1	1	1	1	-	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS																										
	ALL CAUSES	19,090	1,123	64	40	50	41	99	91	154	183	221	237	314	446	557	626	1,160	1,571	2,009	2,463	2,700	2,428	1,496	627	145	45
	White--M	10,541	619	24	22	26	24	57	51	103	108	136	143	177	259	326	485	699	962	1,218	1,364	1,432	1,243	699	275	54	15
	F	7,512	406	31	15	21	16	35	38	46	66	64	69	116	155	185	262	364	501	691	972	1,159	1,110	757	337	82	14
	Nonwhite--M	586	62	6	2	1	-	4	1	5	5	15	10	12	13	25	45	54	67	56	60	56	45	19	10	5	8
	F	451	36	3	1	2	1	3	1	-	4	6	15	9	19	21	34	43	41	44	47	53	30	21	5	4	8
001-019	Tuberculosis all forms	182	1	-	1	1	-	-	-	1	4	12	9	11	18	17	15	22	25	12	15	12	2	3	1	-	-
	White--M	93	-	-	-	1	-	-	-	-	-	4	2	7	8	12	8	12	14	8	7	7	2	1	-	-	-
	F	57	1	-	-	-	-	-	-	-	2	2	3	1	10	4	6	7	6	4	4	5	-	1	1	-	-
	Nonwhite--M	24	-	-	1	-	-	-	-	1	2	5	1	3	-	-	1	1	4	-	4	-	-	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	2	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	170	1	-	-	-	-	-	-	1	4	11	8	10	18	15	15	20	24	12	15	11	2	2	1	-	-
	White--M	90	-	-	-	-	-	-	-	-	-	4	2	7	8	11	8	12	13	8	7	7	2	1	-	-	-
	F	55	1	-	-	-	-	-	-	-	2	2	3	1	10	4	6	6	6	4	4	4	-	1	1	-	-
	Nonwhite--M	20	-	-	-	-	-	-	-	1	2	4	1	2	-	-	1	1	4	-	4	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	12	-	-	1	1	-	-	-	-	-	1	1	1	-	2	-	2	1	-	-	1	-	1	-	-	-
	White--M	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M	4	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	84	1	-	-	-	-	-	-	-	-	-	2	2	5	5	6	12	9	13	12	11	4	2	-	-	-
	White--M	53	-	-	-	-	-	-	-	-	-	-	1	1	4	2	2	9	3	9	10	8	3	1	-	-	-
	F	15	1	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2	1	1	2	2	1	1	-	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	3	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	4	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	52	1	1	-	3	2	9	3	9	11	7	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	35	1	-	-	3	2	8	2	4	7	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	1	-	-	-	1	1	5	4	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	16	3	1	1	3	1	3	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	7	2	-	-	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	1	1	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	52	5	-	-	-	2	3	1	-	3	2	1	6	4	3	2	5	1	1	3	5	2	3	-	-	-
	White--M	31	2	-	-	-	2	2	1	-	3	1	-	2	3	2	1	3	1	1	2	3	2	-	-	-	-
	F	16	2	-	-	-	-	1	-	-	-	1	1	3	1	-	1	-	-	-	1	2	-	3	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
140-205	Malignant neoplasms, etc.*	2,768	6	3	4	4	8	10	10	15	16	24	36	58	81	118	185	257	340	370	407	385	260	121	38	7	5
	White—M	1,359	5	2	1	2	6	6	4	11	11	15	17	15	28	48	79	121	172	186	212	196	142	61	16	2	1
	F	1,287	-	1	3	2	2	4	6	3	4	9	19	41	47	61	95	121	151	161	180	178	113	57	22	5	2
	Nonwhite—M	68	1	-	-	-	-	-	-	1	1	-	-	-	2	5	3	9	10	13	10	6	4	1	-	-	2
	F	54	-	-	-	-	-	-	-	-	-	-	-	2	4	4	8	6	7	10	5	5	1	2	-	-	-
140-148	Of buccal cavity and pharynx	71	-	-	-	-	-	-	1	-	-	1	-	2	2	3	5	11	3	9	13	7	8	6	-	-	-
	White—M	56	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	3	8	13	6	8	6	-	-	-
	F	10	-	-	-	-	-	-	1	-	-	1	-	2	-	2	1	1	-	1	-	1	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,009	-	1	-	-	-	-	1	-	2	5	7	11	16	34	44	77	114	167	181	163	107	54	19	3	3
	White—M	512	-	-	-	-	-	-	1	-	1	3	5	2	7	21	26	37	63	94	96	72	53	22	8	-	1
	F	455	-	1	-	-	-	-	-	-	1	2	2	9	8	12	14	34	42	64	79	90	51	31	11	3	1
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	7	5	-	3	1	-	-	1
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	2	1	1	-	-	-	-	-
160-164	Of respiratory system	230	-	-	-	-	-	-	-	-	-	-	2	2	4	14	21	36	42	39	27	25	13	4	-	1	-
	White—M	179	-	-	-	-	-	-	-	-	-	-	2	2	4	11	18	32	34	27	26	14	7	2	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	4	10	-	10	6	2	-	1	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-
170	Of breast	261	-	-	-	-	-	-	-	-	-	1	5	8	16	16	23	36	45	26	29	22	20	11	3	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-
	F	244	-	-	-	-	-	-	-	-	-	1	5	8	15	14	22	33	43	23	29	20	19	9	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	3	-	1	-	2	-	-	-
171-179	Of genital organs	491	-	1	-	-	-	1	1	1	2	7	10	17	16	25	36	36	50	59	75	69	60	17	8	-	-
	White—M	195	-	1	-	-	-	1	-	-	-	5	3	2	1	1	5	6	17	17	35	46	37	12	6	-	-
	F	267	-	-	-	-	-	-	1	1	2	2	7	13	14	21	27	29	31	37	36	18	21	5	2	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	2	3	1	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	1	2	2	2	1	-	-	-	-
180, 181	Of urinary organs	105	1	-	2	1	1	2	-	-	1	-	-	1	1	2	3	15	16	10	16	15	10	6	2	-	-
	White—M	62	1	-	1	-	1	1	-	-	1	-	-	1	1	2	2	9	12	7	6	7	6	4	-	-	-
	F	36	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	5	3	2	8	6	4	2	2	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	349	4	-	1	-	2	2	4	4	4	2	5	9	13	16	32	27	43	31	38	55	31	16	6	3	1
	White—M	194	3	-	-	-	2	2	1	3	4	1	4	4	6	9	14	17	25	13	20	29	22	11	2	2	-
	F	147	-	-	1	-	-	-	3	-	-	1	1	5	6	6	18	10	18	16	17	25	9	5	4	1	1
	Nonwhite—M	5	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
204	Leukemia and aleukemia	137	1	1	1	3	5	5	2	6	5	5	2	6	7	2	6	9	8	18	18	16	6	4	-	-	1
	White—M	87	1	1	-	2	3	2	1	6	3	3	-	3	5	1	1	5	6	16	11	11	3	3	-	-	-
	F	46	-	-	1	1	2	3	1	-	1	2	2	3	1	1	5	4	1	2	7	5	3	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	115	-	-	-	-	-	-	1	4	2	3	5	2	6	6	15	10	19	11	10	13	5	3	-	-	-
	White—M	70	-	-	-	-	-	-	1	2	2	3	3	1	3	2	10	8	10	4	5	10	5	1	-	-	-
	F	40	-	-	-	-	-	-	-	2	-	-	2	1	3	2	4	2	9	6	4	3	-	2	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	47	1	-	-	-	-	1	-	2	1	3	1	4	4	2	5	3	4	5	3	1	3	4	-	-	-
	White—M	16	1	-	-	-	-	1	-	1	1	1	1	-	-	-	2	2	2	3	-	-	2	-	-	-	-
	F	27	-	-	-	-	-	-	-	1	-	1	-	4	2	2	3	-	2	2	3	1	1	4	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	305	-	-	-	-	-	-	2	1	1	1	6	3	5	6	14	26	34	45	54	58	36	10	2	-	1
	White—M	135	-	-	-	-	-	-	-	-	-	1	3	2	3	4	6	11	11	25	18	25	20	4	2	-	-
	F	156	-	-	-	-	-	-	2	1	1	-	3	1	-	1	6	14	23	16	34	32	16	6	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	1	2	-	-	-	-	-	-
290-293	Anemias	85	-	3	1	-	1	-	-	1	-	-	3	1	3	3	-	4	3	8	8	19	15	9	2	1	-
	White—M	43	-	2	1	-	-	-	-	1	-	2	-	-	2	-	-	2	1	2	5	10	7	5	2	1	-
	F	36	-	1	-	-	1	-	-	-	-	1	-	1	1	3	-	1	1	4	3	9	7	3	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	White—M	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	10,431	6	2	3	-	3	6	9	15	15	15	51	63	140	224	395	606	896	1,221	1,576	1,799	1,737	1,083	450	98	18
	White—M	5,742	5	1	2	-	2	3	2	7	6	9	24	44	93	138	249	393	581	759	880	940	877	489	196	36	6
	F	4,171	1	1	1	-	1	3	6	7	9	4	16	15	35	64	101	160	246	408	625	784	816	567	240	57	4
	Nonwhite—M	265	-	-	-	-	-	-	-	1	-	-	2	2	4	11	26	26	40	29	35	37	26	12	9	3	3
	F	252	-	-	-	-	-	-	1	-	-	2	9	2	8	11	19	27	29	25	36	38	18	15	5	2	5
330-334, 400-468	Diseases of cardiovascular system	10,007	6	2	3	-	2	4	9	12	11	13	41	57	130	215	378	578	870	1,167	1,518	1,735	1,673	1,040	432	94	17
	White—M	5,538	5	1	2	-	2	2	2	7	4	7	20	40	85	135	244	376	567	733	850	911	852	469	185	33	6
	F	3,994	1	1	1	-	-	2	6	4	7	4	13	14	33	58	92	152	237	385	607	756	782	546	234	56	3
	Nonwhite—M	246	-	-	-	-	-	-	-	1	-	-	2	2	4	11	25	24	39	26	31	32	24	11	8	3	3
	F	229	-	-	-	-	-	-	1	-	-	2	6	1	8	11	17	26	27	23	30	36	15	14	5	2	5
330-334	Vascular lesions, etc.*	2,457	4	1	1	-	-	-	2	3	2	2	3	5	19	29	81	102	190	272	401	457	464	298	101	17	3
	White—M	1,178	3	1	-	-	-	-	1	2	2	1	1	5	7	8	32	47	94	150	214	222	216	126	40	6	-
	F	1,154	1	-	1	-	-	1	1	1	-	1	2	-	9	19	38	39	73	112	168	215	241	166	58	9	-
	Nonwhite—M	64	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	7	15	4	7	9	6	2	3	2	2
	F	61	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	9	8	6	12	11	1	4	-	-	1
400-402	Rheumatic fever	16	-	-	-	-	2	3	3	1	1	-	-	-	1	1	-	1	-	1	-	-	1	-	1	-	-
	White—M	6	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	F	8	-	-	-	-	-	2	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
410-443	Diseases of heart	6,671	2	1	2	-	-	1	4	6	7	9	32	47	101	173	286	454	648	834	1,005	1,133	1,006	607	251	52	10
	White----M	3,945	2	-	2	-	-	1	1	4	2	6	18	32	74	120	206	318	459	548	578	616	545	281	109	20	3
	F	2,418	-	1	-	-	-	-	3	2	5	3	8	13	19	34	50	106	151	250	390	471	434	311	135	29	3
	Nonwhite--M	160	-	-	-	-	-	-	-	-	-	-	1	1	3	10	18	15	23	20	20	22	16	6	4	1	-
	F	148	-	-	-	-	-	-	-	-	-	-	5	1	5	9	12	15	15	16	17	24	11	9	3	2	4
410-416	Chronic rheumatic heart disease	220	-	-	-	-	-	-	2	3	4	5	9	10	18	11	11	21	26	20	26	23	20	6	4	1	-
	White----M	111	-	-	-	-	-	-	1	2	-	3	3	6	12	5	6	8	16	10	14	10	12	2	1	-	-
	F	96	-	-	-	-	-	-	1	1	4	2	4	3	5	5	4	12	10	10	8	12	8	3	3	1	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	2	1	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,116	-	-	1	-	-	-	-	1	1	3	14	30	52	124	203	337	470	586	670	676	521	290	113	19	5
	White----M	2,691	-	-	1	-	-	-	-	1	-	2	10	24	46	101	161	260	352	417	401	402	307	140	55	9	2
	F	1,283	-	-	-	-	-	-	-	-	1	1	2	6	3	16	29	65	97	147	251	256	203	142	55	9	-
	Nonwhite--M	81	-	-	-	-	-	-	-	-	-	-	-	-	2	4	11	5	15	12	10	9	8	3	2	-	-
	F	61	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	7	6	10	8	9	3	5	1	1	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,079	-	1	-	-	-	-	1	1	1	-	1	1	10	11	20	27	56	82	130	218	223	189	80	25	2
	White----M	569	-	-	-	-	-	-	-	-	1	-	-	1	5	6	13	16	38	47	78	110	115	95	36	8	-
	F	458	-	1	-	-	-	-	1	1	-	-	-	-	3	3	6	7	14	31	48	92	102	90	42	16	1
	Nonwhite--M	28	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	3	3	9	1	3	1	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	7	5	1	1	1	1	
430-434	Other diseases of heart	314	2	-	1	-	-	1	1	1	1	-	6	3	5	6	14	21	21	40	41	51	50	28	17	4	-
	White----M	179	2	-	1	-	-	1	-	1	1	-	3	1	4	3	8	12	13	30	25	27	27	15	3	2	-
	F	114	-	-	-	-	-	-	1	-	-	-	2	1	1	2	3	5	7	9	13	21	22	13	13	1	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	-	1	1	1	1	-	-	1	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	2	-	-	1	-	-
440-443	Hypertension with heart dis.	942	-	-	-	-	-	-	-	-	-	1	2	3	16	21	38	48	75	106	138	165	192	94	37	3	3
	White----M	395	-	-	-	-	-	-	-	-	-	1	2	-	7	5	18	22	40	44	60	67	84	29	14	1	1
	F	467	-	-	-	-	-	-	-	-	-	-	-	3	7	8	8	17	23	53	70	90	99	63	22	2	2
	Nonwhite--M	35	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	3	5	4	4	3	6	-	1	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	6	7	5	4	5	3	2	-	-	-
444-447	Hypertension without mention of heart	201	-	-	-	-	-	-	-	1	-	1	2	2	2	7	7	7	13	20	36	33	34	21	13	1	1
	White----M	88	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	6	9	20	15	15	9	3	-	1
	F	98	-	-	-	-	-	-	-	1	-	-	1	-	1	4	3	3	4	10	15	18	18	10	9	1	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	1	-	-	1	1	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-
450	General arteriosclerosis	552	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	3	8	27	59	98	156	106	63	24	2
	White----M	256	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	15	28	49	69	47	33	7	1
	F	279	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	11	28	48	84	57	28	17	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	2	-	-	1
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	1	-	2	-	-
451-468	Other diseases of circulatory sys.	110	-	-	-	-	-	-	-	1	1	1	4	3	3	5	2	11	11	13	17	14	12	8	3	-	1
	White----M	65	-	-	-	-	-	-	-	1	-	-	1	2	2	4	1	8	4	10	10	9	6	6	-	-	1
	F	37	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	3	5	2	6	4	5	2	3	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*	424	-	-	-	-	1	2	-	3	4	2	10	6	10	9	17	28	26	54	58	64	64	43	18	4	1
	White----M	204	-	-	-	-	-	1	-	-	2	2	4	4	8	3	5	17	14	26	30	29	25	20	11	3	-
	F	177	-	-	-	-	1	1	-	3	2	-	3	1	2	6	9	8	9	23	18	28	34	21	6	1	1
	Nonwhite--M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	4	5	2	1	1	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	3	1	-	-	2	1	2	2	6	2	3	1	-	-	-
480-493	Influenza and pneumonia, etc.*	453	76	8	6	3	2	4	2	2	5	3	3	4	8	8	14	15	12	32	48	57	58	54	25	3	1
	White----M	241	34	3	4	1	-	4	1	1	2	1	2	2	5	4	6	9	7	19	28	38	30	26	13	1	-
	F	161	26	3	1	2	2	-	1	1	3	1	1	2	3	-	2	5	4	11	18	16	20	25	12	2	-
	Nonwhite--M	29	8	1	-	-	-	-	-	-	-	1	-	-	-	3	6	-	-	-	2	2	5	1	-	-	-
	F	22	8	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	3	2	-	-	1
480+ 483	Influenza	80	7	1	1	1	-	-	-	1	1	1	-	-	1	-	3	5	4	7	10	10	11	11	5	-	-
	White----M	38	5	-	1	1	-	-	-	1	1	-	-	-	1	-	1	3	3	2	5	6	4	3	-	-	-
	F	38	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	5	4	6	7	5	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
490-493	Pneumonia, etc.*	373	69	7	5	2	2	4	2	1	4	2	3	4	7	8	11	10	8	25	38	47	47	43	20	3	1
	White----M	203	29	3	3	-	2	4	1	-	1	-	2	2	4	4	5	6	4	17	23	32	26	23	13	1	-
	F	123	24	2	1	2	2	-	1	1	3	1	1	2	3	-	1	3	4	6	13	12	14	18	7	2	-
	Nonwhite--M	28	8	1	-	-	-	-	-	-	-	1	-	-	-	3	5	-	-	-	2	2	5	1	-	-	-
	F	19	8	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	2	1	-	-	1
500-502	Bronchitis	38	3	2	1	-	-	1	1	-	-	-	-	-	1	-	2	1	2	2	5	7	5	3	2	-	-
	White----M	24	1	1	1	-	-	1	1	-	-	-	-	-	-	-	2	-	2	2	4	4	3	1	1	-	-
	F	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	2	1	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	102	1	-	-	-	-	-	-	-	-	2	-	1	8	4	9	9	15	15	18	12	3	3	2	-	-
	White----M	80	-	-	-	-	-	-	-	-	-	2	-	-	4	3	7	7	14	13	15	9	3	1	2	-	-
	F	16	1	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	-	1	3	2	-	2	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	44	-	-	-	-	1	1	2	-	3	1	2	1	4	5	-	2	3	5	2	6	3	2	1	-	-
	White----M	32	-	-	-	-	1	1	1	-	3	1	1	-	4	4	-	1	1	5	2	4	2	1	-	-	-
	F	12	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	2	-	-	2	1	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	116	15	1	-	-	1	-	-	1	-	3	1	-	2	5	2	4	11	12	16	13	13	9	5	2	-
	White----M	53	7	-	-	-	1	-	-	-	-	1	-	-	-	1	1	2	9	7	9	4	6	3	1	1	-
	F	57	6	-	-	-	-	-	-	1	-	2	1	-	2	4	1	1	2	5	6	8	7	6	4	1	-
	Nonwhite--M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
543, 571, 572	Gastritis, etc.*--	69	18	2	-	-	-	-	1	3	2	5	2	1	2	1	2	4	2	2	3	6	7	4	1	1	-
	White-----M--	28	8	-	-	-	-	-	1	2	1	2	1	-	1	2	1	-	1	2	1	3	-	-	1	-	-
	F--	34	5	2	-	-	-	-	-	1	1	3	1	-	2	-	-	3	1	1	-	5	4	4	1	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	113	-	-	-	-	-	-	1	1	-	1	2	4	10	8	11	7	11	13	20	7	11	5	1	-	-
	White-----M--	68	-	-	-	-	-	-	1	1	-	-	2	2	5	5	4	4	8	10	13	3	5	5	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	2	4	2	5	3	2	3	6	2	5	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	1	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	56	-	-	-	-	-	2	4	-	1	1	-	2	1	4	3	2	5	5	7	7	6	4	2	-	-
	White-----M--	27	-	-	-	-	-	1	1	-	-	-	-	1	1	2	2	1	3	2	5	3	2	3	-	-	-
	F--	23	-	-	-	-	-	1	2	-	1	1	-	1	-	2	-	1	1	2	1	4	4	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	23	26	27	26	6	2	-
	White-----M--	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	21	26	23	26	6	2	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-
640-689	Complications of pregnancy, etc.*-	30	...	...	...	...	...	...	-	1	6	8	7	4	3	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	24	...	...	...	...	...	...	-	1	6	7	5	1	3	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	28	...	...	...	...	...	...	-	1	6	7	7	4	2	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	22	...	...	...	...	...	...	-	1	6	6	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	257	202	9	4	5	2	4	5	-	1	5	1	4	2	1	2	2	4	2	-	2	-	-	-	-	-
	White-----M--	153	118	3	2	5	1	3	3	-	-	4	1	3	2	1	1	1	3	1	-	1	-	-	-	-	-
	F--	90	73	5	2	-	1	1	2	-	-	1	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	8	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	685	684	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	385	384	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	253	253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	351	351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	295	294	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	159	158	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	334	14	2	-	-	-	1	1	1	2	-	3	6	11	6	13	23	20	39	31	35	42	35	25	17	7
	White-----M--	208	6	-	-	-	-	-	-	1	-	3	4	10	4	12	19	16	31	25	25	20	15	11	5	1
	F--	110	6	2	-	-	-	1	1	1	1	-	-	2	1	2	1	3	3	8	4	8	20	18	14	11	3
	Nonwhite--M--	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	1	-	1	2
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1
Residual	All other diseases	876	30	8	1	8	3	6	6	5	12	14	16	23	33	33	49	63	75	102	109	109	87	45	27	6	6
	White-----M--	474	16	3	1	4	1	4	-	5	3	9	8	6	12	18	29	38	45	61	59	62	47	27	12	-	4
	F--	363	10	5	-	4	2	2	6	-	9	5	6	14	18	13	18	21	29	39	48	41	36	16	15	4	2
	Nonwhite--M--	22	4	-	-	-	-	-	-	-	-	-	2	2	3	-	-	3	1	1	1	2	1	1	-	1	-	
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	1	4	3	1	-	1	-	
E800-E962	Accidents----------	1,453	44	20	16	22	14	46	43	93	88	94	68	94	65	71	69	62	71	76	76	106	98	67	36	7	7
	White-----M--	915	23	8	9	9	7	21	33	68	64	68	57	70	49	58	54	41	48	49	45	49	38	27	13	4	3
	F--	460	15	9	6	10	6	18	10	23	22	22	7	21	13	11	12	13	20	21	29	51	54	39	23	2	3
	Nonwhite--M--	51	3	1	1	1	-	4	-	2	-	4	4	3	2	2	3	8	3	3	1	3	2	1	-	-	-
	F--	27	3	2	-	2	1	3	-	-	2	-	-	-	1	-	-	-	-	3	1	3	4	-	-	1	1
E810-E835	Motor-vehicle accidents--------	602	7	6	8	14	9	15	21	65	55	47	32	57	41	38	35	33	27	29	23	22	12	2	2	1	1
	White-----M--	389	3	1	4	6	4	3	14	44	35	33	24	34	29	27	24	22	18	19	15	17	8	1	2	1	1
	F--	192	4	5	4	7	4	12	7	19	19	12	6	20	11	10	10	9	9	9	7	4	3	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	2	-	2	2	3	-	1	1	2	-	-	1	-	1	-	-	-	-
	F--	6	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	851	37	14	8	8	5	31	22	28	33	47	36	37	24	33	34	29	44	47	53	84	86	65	34	6	6
	White-----M--	526	20	7	5	3	3	18	19	24	29	35	33	36	20	31	30	19	30	30	30	32	30	26	11	3	2
	F--	268	11	4	2	3	2	6	3	4	3	10	1	1	2	1	2	4	11	12	22	47	51	38	23	2	3
	Nonwhite--M--	36	3	1	1	1	-	4	-	-	-	2	2	-	2	1	2	6	3	3	-	3	1	1	-	-	-
	F--	21	3	2	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	2	1	2	4	-	-	1	1
E963, E970-E979	Suicide----------	241	-	-	-	-	-	-	1	7	10	15	14	30	24	22	25	23	18	23	16	7	4	1	1	-	
	White-----M--	187	-	-	-	-	-	-	1	5	8	13	13	22	16	14	19	18	15	20	13	6	3	-	1	-	
	F--	52	-	-	-	-	-	-	-	1	1	2	1	8	8	8	6	5	3	3	3	1	1	1	-	-	
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E964, E980-E985	Homicide----------	48	1	-	-	-	-	-	-	2	4	6	6	5	3	7	5	2	1	3	2	1	-	-	-	-	
	White-----M--	22	1	-	-	-	-	-	-	1	1	2	3	2	2	3	3	-	-	2	1	1	-	-	-	-	
	F--	7	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-	
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	4	1	2	1	2	2	2	1	-	1	-	-	-	-	-	
	F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY																										
	ALL CAUSES	27,542	2,504	211	127	84	61	191	174	282	418	466	469	580	851	1,105	1,458	1,835	2,222	2,717	3,117	3,475	2,802	1,605	584	136	68
	White----M	14,067	1,337	102	68	41	23	100	98	188	260	259	245	297	463	589	738	1,014	1,161	1,421	1,567	1,776	1,340	687	223	49	21
	F	10,308	939	93	47	36	31	73	59	69	113	143	141	189	236	342	399	522	734	960	1,249	1,420	1,289	825	312	67	20
	Nonwhite--M	1,710	132	6	5	5	3	11	10	14	30	37	35	50	74	94	171	164	191	188	165	156	79	48	21	9	12
	F	1,457	96	10	7	2	4	7	7	11	15	27	48	44	78	80	150	135	136	148	136	123	94	45	28	11	15
001-019	Tuberculosis all forms	1,023	5	17	10	2	5	6	6	20	48	81	67	79	82	89	71	85	80	84	83	59	29	12	2	-	1
	White----M	491	3	11	6	1	2	-	2	6	13	33	29	28	46	57	36	48	45	42	36	28	13	5	1	-	-
	F	379	2	6	3	1	3	3	3	13	25	35	23	35	23	15	22	20	23	32	42	27	16	5	1	-	1
	Nonwhite--M	82	-	-	-	-	-	1	-	-	3	4	6	7	9	9	8	12	9	5	4	3	-	2	-	-	-
	F	71	-	-	1	-	-	2	1	1	7	9	9	9	4	8	5	5	3	5	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	933	1	6	3	1	3	-	3	17	46	77	62	76	73	85	69	82	77	76	79	56	27	12	1	-	1
	White----M	456	1	5	2	1	1	-	1	6	13	33	27	28	40	55	35	47	45	38	34	27	11	5	1	-	-
	F	338	-	1	1	-	2	-	1	10	25	33	22	32	20	14	21	19	22	28	40	25	16	5	-	-	1
	Nonwhite--M	78	-	-	-	-	-	-	-	-	3	4	5	7	9	9	8	12	7	5	4	3	-	2	-	-	-
	F	61	-	-	-	-	-	-	1	1	5	7	8	9	4	7	5	4	3	5	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms	90	4	11	7	1	2	6	3	3	2	4	5	3	9	4	2	3	3	8	4	3	2	-	1	-	-
	White----M	35	2	6	4	-	1	-	1	-	-	-	2	-	6	2	1	1	-	4	2	1	2	-	-	-	-
	F	41	2	5	2	1	1	3	2	3	-	2	1	3	3	1	1	1	1	4	2	2	-	-	1	-	-
	Nonwhite--M	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	10	-	-	1	-	-	2	-	-	2	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	96	2	-	-	-	-	-	-	-	-	1	4	3	4	9	10	14	13	19	4	7	2	2	2	-	-
	White----M	51	-	-	-	-	-	-	-	-	-	-	1	1	-	6	6	7	7	12	4	4	2	-	1	-	-
	F	21	1	-	-	-	-	-	-	-	-	1	2	-	1	2	2	3	2	4	-	2	-	1	-	-	-
	Nonwhite--M	15	1	-	-	-	-	-	-	-	-	-	-	2	3	1	1	4	2	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	-	1	-	1	1	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	46	26	5	-	-	-	1	-	-	-	-	-	-	-	1	1	1	2	2	3	2	1	1	-	-	-
	White----M	26	16	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-	-
	F	18	10	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*	8	1	-	-	1	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	3	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	16	1	1	1	3	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	7	-	-	-	1	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	1	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	43	32	6	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White----M	21	16	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	15	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	65	22	12	10	1	1	4	5	2	2	-	-	-	-	2	1	1	1	-	-	-	1	-	-	-	-
	White----M	32	13	5	4	-	1	2	2	1	1	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-
	F	30	8	7	5	1	-	1	3	1	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	22	1	2	2	-	-	5	3	3	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White----M	12	-	1	1	-	-	3	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	1	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	43	12	7	6	1	1	7	2	1	-	1	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-
	White----M	17	7	2	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	24	4	5	3	1	1	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	93	20	6	2	4	1	8	4	2	-	3	4	5	1	6	4	4	7	4	-	4	-	3	1	-	-
	White----M	40	10	3	1	2	-	4	2	1	-	-	1	2	-	5	1	-	2	2	-	3	-	1	-	-	-
	F	40	8	3	1	2	1	3	2	1	-	1	3	3	-	-	1	3	3	1	-	1	-	2	1	-	-
	Nonwhite--M	6	1	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
140-205	Malignant neoplasms, etc.*----	3,366	9	6	11	11	6	16	16	19	27	46	54	85	155	228	272	364	384	424	426	382	273	107	39	4	2
	White-----M--	1,542	4	2	6	5	3	8	10	14	13	13	23	27	65	87	104	166	166	199	205	213	147	44	18	-	-
	F--	1,531	5	3	5	6	3	7	6	4	12	31	23	51	74	121	122	154	180	186	188	149	115	58	21	4	1
	Nonwhite--M--	138	-	-	-	-	-	1	-	-	-	1	3	1	6	6	19	26	22	18	17	12	3	3	-	-	-
	F--	155	-	1	-	-	-	-	-	1	2	1	5	6	10	14	27	18	16	19	16	8	8	2	-	-	1
140-148	Of buccal cavity and pharynx------	77	-	-	-	-	-	-	-	-	1	-	-	1	4	4	3	8	8	14	11	11	9	1	2	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	6	4	10	7	8	7	-	1	-	-
	F--	21	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	2	4	4	2	2	1	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,208	-	1	-	-	-	1	1	-	4	6	6	17	40	54	68	116	135	194	195	175	128	51	14	1	1
	White-----M--	574	-	1	-	-	-	1	1	-	2	2	4	9	23	27	33	55	67	90	87	90	61	17	4	-	-
	F--	519	-	-	-	-	-	-	-	-	2	4	2	8	14	22	23	42	50	85	91	73	61	31	10	1	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	15	9	9	8	6	3	2	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	4	9	10	9	6	3	1	-	-	1
160-164	Of respiratory system----------	331	-	-	-	-	-	-	1	-	1	3	1	7	21	32	43	55	51	42	38	17	12	3	4	-	-
	White-----M--	237	-	-	-	-	-	-	-	-	1	1	1	6	15	26	30	44	37	29	25	12	6	1	3	-	-
	F--	63	-	-	-	-	-	-	1	-	-	2	-	-	1	5	6	7	9	9	9	5	6	2	1	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	3	1	6	4	5	4	4	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	233	-	-	-	-	-	-	-	-	-	4	1	13	12	29	26	30	31	22	22	22	13	4	3	1	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F--	206	-	-	-	-	-	-	-	-	-	4	1	12	11	23	17	27	28	21	22	21	11	4	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	1	4	9	2	3	1	-	1	2	-	-	-	-
171-179	Of genital organs----	613	-	-	-	1	-	1	-	-	3	12	18	27	35	50	58	54	61	64	66	69	64	22	7	1	-
	White-----M--	190	-	-	-	1	-	-	-	-	1	2	-	1	1	-	5	7	15	25	31	43	44	10	5	-	-
	F--	361	-	-	-	-	-	1	-	-	2	10	12	23	30	44	44	37	42	34	30	22	17	10	2	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	3	3	-	1	-	-	-
	F--	47	-	-	-	-	-	-	-	-	1	1	4	4	4	6	8	6	3	3	2	1	3	1	-	-	-
180, 181	Of urinary organs----	144	2	-	3	-	-	-	-	-	-	2	1	1	2	8	10	22	19	14	22	22	11	3	2	-	-
	White-----M--	79	1	-	1	-	-	-	-	-	-	-	-	1	2	5	7	14	9	5	11	15	7	1	-	-	-
	F--	55	1	-	2	-	-	-	-	-	-	2	1	-	-	3	1	6	9	7	8	7	4	2	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	424	1	1	1	-	1	4	6	5	9	11	14	8	24	30	38	41	46	40	43	48	26	18	7	1	1
	White-----M--	223	-	1	-	-	-	2	3	4	3	4	6	4	10	12	15	23	20	20	27	35	16	11	5	-	-
	F--	177	1	-	1	-	1	1	3	1	5	7	5	4	11	15	20	14	24	17	14	12	10	7	2	1	1
	Nonwhite--M--	12	-	-	-	-	-	1	-	-	-	-	1	-	2	1	1	1	2	1	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	-	2	1	-	-	-	-	-	-
204	Leukemia and aleukemia----------	165	5	3	6	10	3	8	3	9	4	2	6	6	8	8	12	14	10	16	14	8	7	3	-	-	-
	White-----M--	93	3	-	4	4	1	4	3	6	3	1	3	5	5	5	5	8	4	12	8	3	4	2	-	-	-
	F--	60	2	2	2	6	2	4	-	2	1	1	1	-	3	3	4	5	5	4	5	4	3	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	-	-	1	-	-	-	-	-
	F--	5	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	171	1	1	1	-	2	2	5	5	5	6	7	5	9	13	14	24	23	18	15	10	3	2	-	-	-
	White-----M--	92	1	-	1	-	2	1	3	4	4	4	5	1	6	8	7	8	10	8	9	7	2	2	-	-	-
	F--	69	1	1	-	-	-	1	2	1	1	1	1	4	3	4	7	15	11	7	5	3	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	81	8	1	-	-	-	-	2	2	1	3	2	3	6	5	13	8	5	6	6	4	2	3	-	-	1
	White-----M--	23	4	-	-	-	-	-	1	2	1	-	1	1	1	1	-	3	-	3	-	2	2	1	-	-	-
	F--	47	4	1	-	-	-	-	1	-	-	3	1	1	2	3	9	5	5	3	6	2	-	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus----	369	-	-	-	-	1	-	2	3	1	5	7	4	10	15	24	21	53	71	61	49	32	9	-	1	-
	White-----M--	139	-	-	-	-	-	-	-	2	-	2	3	3	2	8	6	4	22	27	25	21	12	2	-	-	-
	F--	178	-	-	-	-	1	-	1	-	1	3	1	1	6	4	9	11	23	37	32	22	18	7	-	1	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	5	2	1	3	-	-	-	-	-
	F--	34	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	4	3	5	3	3	2	-	-	-	-
290-293	Anemias----------	78	3	1	-	-	-	1	-	-	-	-	2	1	3	4	1	3	8	7	17	13	11	3	-	-	-
	White-----M--	30	-	1	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	5	8	4	2	1	-	-	-
	F--	39	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	3	3	2	8	9	8	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	54	19	5	1	1	1	6	1	1	-	2	1	1	3	2	3	1	1	1	1	-	2	-	-	1	-
	White-----M--	31	12	3	1	1	-	2	-	1	-	-	-	1	2	1	2	1	1	1	1	-	2	-	-	1	-
	F--	19	5	2	-	-	-	4	1	-	-	2	1	-	-	1	1	-	-	-	1	-	-	-	-	1	-
	Nonwhite--M--	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	13,692	10	1	3	2	4	9	24	14	37	52	88	146	303	432	689	984	1,289	1,666	2,060	2,369	1,923	1,091	367	81	48
	White-----M--	6,878	8	-	1	2	3	4	12	7	12	28	35	79	145	227	361	555	693	875	1,044	1,196	922	472	146	33	18
	F--	5,046	2	1	1	-	-	5	9	6	22	17	27	36	74	119	152	248	384	552	802	957	862	543	183	34	10
	Nonwhite--M--	920	-	-	1	-	1	-	1	-	1	4	11	11	37	48	97	94	117	133	113	120	63	37	18	5	8
	F--	848	-	-	-	-	-	-	2	1	2	3	15	20	47	38	79	87	95	106	101	96	76	39	20	9	12
330-334, 400-468	Diseases of cardiovascular system-	13,206	10	1	3	2	3	8	19	13	30	49	76	139	283	417	656	949	1,259	1,621	2,002	2,295	1,845	1,049	352	80	45
	White-----M--	6,684	8	-	1	2	3	4	10	7	10	27	31	76	142	221	352	536	681	858	1,019	1,163	882	459	142	32	18
	F--	4,848	2	1	1	-	-	4	9	5	17	15	23	34	66	115	138	236	373	535	777	930	829	519	175	34	10
	Nonwhite--M--	870	-	-	1	-	-	-	-	-	1	4	9	11	34	45	94	93	112	127	107	109	59	35	17	5	7
	F--	804	-	-	-	-	-	-	-	1	2	3	13	18	41	36	72	84	93	101	99	93	75	36	18	9	10
330-334	Vascular lesions, etc.*----------	3,066	2	-	2	1	2	2	2	1	2	5	13	23	57	77	129	199	296	399	495	358	454	236	83	19	9
	White-----M--	1,434	2	-	1	1	2	2	-	1	-	3	8	11	20	21	45	83	134	189	245	292	229	101	35	6	3
	F--	1,241	-	-	1	-	-	-	2	-	2	1	3	8	18	37	39	64	108	156	196	225	207	121	40	10	3
	Nonwhite--M--	176	-	-	-	-	-	-	-	-	-	-	1	2	8	9	21	21	25	32	22	18	7	6	3	-	1
	F--	215	-	-	-	-	-	-	-	-	-	1	1	2	11	10	24	31	29	22	32	23	11	8	5	3	2
400-402	Rheumatic fever----	26	-	-	-	-	1	3	9	1	1	-	-	2	4	-	-	3	-	1	-	1	-	-	-	-	-
	White-----M--	13	-	-	-	-	1	1	6	-	-	-	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-
	F--	9	-	-	-	-	-	2	3	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
410-443	Diseases of heart-	9,050	7	1	1	1	-	3	8	11	24	40	53	104	207	312	506	709	904	1,135	1,362	1,531	1,177	665	212	50	27
	White-----M--	4,731	5	-	-	1	-	1	4	6	10	23	19	56	112	184	298	436	512	627	706	770	548	296	84	22	11
	F--	3,181	2	1	-	-	-	2	4	5	12	12	18	24	44	69	93	157	253	357	529	624	525	321	106	19	4
	Nonwhite--M--	611	-	-	1	-	-	-	-	-	1	3	6	8	24	35	71	67	76	79	71	79	47	24	10	3	6
	F--	527	-	-	-	-	-	-	-	-	1	2	10	16	27	24	44	49	63	72	56	58	57	24	12	6	6
410-416	Chronic rheumatic heart disease----	339	-	-	-	1	-	1	5	7	9	17	15	16	29	33	38	23	33	27	24	30	12	11	2	6	-
	White-----M--	164	-	-	-	1	-	-	3	4	3	10	5	9	13	19	21	8	16	15	9	16	3	4	2	3	-
	F--	141	-	-	-	-	-	1	2	3	4	6	8	5	13	11	13	12	15	9	13	10	8	7	-	1	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	-	-	1	2	1	4	3	1	2	-	2	-	-	-	1	-
	F--	16	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	-	1	1	2	2	1	-	-	1	-
420	Arteriosclerotic heart dis., etc.*	4,727	1	-	-	-	-	1	2	1	5	12	18	51	115	165	283	425	516	597	731	777	598	309	92	20	8
	White-----M--	2,816	-	-	-	-	-	1	1	-	1	8	10	34	75	119	200	310	333	373	418	432	306	145	35	9	6
	F--	1,523	1	-	-	-	-	-	1	1	4	3	3	8	18	29	33	68	130	173	271	304	266	147	53	10	-
	Nonwhite--M--	225	-	-	-	-	-	-	-	-	-	-	2	1	11	11	36	27	29	28	25	27	14	9	2	1	2
	F--	163	-	-	-	-	-	-	-	-	-	1	3	8	11	6	14	20	24	23	17	14	12	8	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,313	-	-	-	-	-	-	-	1	2	3	5	7	9	17	38	61	105	144	203	265	227	156	51	11	8
	White-----M--	608	-	-	-	-	-	-	-	-	1	2	1	4	3	7	11	34	61	69	98	124	99	63	25	4	2
	F--	482	-	-	-	-	-	-	-	1	1	1	2	1	2	5	11	13	24	42	76	106	89	80	23	4	1
	Nonwhite--M--	113	-	-	-	-	-	-	-	-	-	-	1	1	2	4	8	5	14	15	14	19	19	7	1	1	2
	F--	110	-	-	-	-	-	-	-	-	-	-	1	1	2	1	8	9	6	18	15	16	20	6	2	2	3
430-434	Other diseases of heart---------	726	6	1	1	-	-	1	1	2	7	4	8	15	16	35	42	54	65	97	99	105	88	51	18	3	7
	White-----M--	382	5	-	-	-	-	-	-	2	4	1	3	6	9	23	25	28	36	56	59	49	44	22	6	2	2
	F--	227	1	1	-	-	-	1	1	-	3	1	2	6	2	4	9	11	17	26	26	46	37	22	7	1	3
	Nonwhite--M--	70	-	-	1	-	-	-	-	-	-	2	1	3	2	4	6	10	7	9	11	5	1	4	4	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	2	-	3	4	2	5	5	6	3	5	6	3	1	-	2
440-443	Hypertension with heart dis.--	1,945	-	-	-	-	-	-	-	-	1	4	7	15	38	62	105	146	185	270	305	354	252	138	49	10	4
	White-----M--	761	-	-	-	-	-	-	-	-	1	2	-	3	12	16	41	56	66	114	122	149	96	62	16	4	1
	F--	808	-	-	-	-	-	-	-	-	-	1	3	4	9	20	27	53	67	107	143	158	125	65	23	3	-
	Nonwhite--M--	185	-	-	-	-	-	-	-	-	-	1	2	2	7	15	17	22	25	25	21	26	13	4	3	-	2
	F--	191	-	-	-	-	-	-	-	-	-	-	2	6	10	11	20	15	27	24	19	21	18	7	7	3	1
444 447	Hypertension without mention of heart----------	284	-	-	-	-	-	-	-	-	-	-	4	1	9	16	12	21	21	28	49	54	38	21	6	2	2
	White-----M--	132	-	-	-	-	-	-	-	-	-	-	1	1	5	7	7	9	14	13	17	26	21	5	4	1	1
	F--	106	-	-	-	-	-	-	-	-	-	-	-	-	3	6	2	7	4	7	24	22	14	15	1	1	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	3	6	5	2	2	1	1	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	3	-	2	3	4	1	-	-	-	1
450	General arteriosclerosis--------	645	-	-	-	-	-	-	-	-	-	-	2	1	-	3	3	10	21	41	75	132	169	124	50	9	5
	White-----M--	297	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	10	19	38	63	81	55	19	3	2
	F--	270	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	4	10	24	52	79	61	27	4	2
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	6	7	8	10	3	4	3	2	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	7	6	4	1	-	1
451-468	Other diseases of circulatory sys.-	135	1	-	-	-	-	-	-	-	3	4	4	8	6	9	6	7	17	17	21	19	7	3	1	-	2
	White-----M--	77	1	-	-	-	-	-	-	-	-	1	3	6	3	7	2	3	11	10	13	11	3	2	-	-	1
	F--	41	-	-	-	-	-	-	-	-	2	2	1	1	-	2	2	4	4	5	4	7	4	1	1	-	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	2	2	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	3	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	486	-	-	-	-	1	1	5	1	7	3	12	7	20	15	33	35	30	45	58	74	78	42	15	1	3
	White-----M--	194	-	-	-	-	-	-	2	-	2	1	4	3	3	6	9	19	12	17	25	33	40	13	4	1	-
	F--	198	-	-	-	-	-	1	-	1	5	2	4	2	8	4	14	12	11	17	25	27	33	24	8	-	-
	Nonwhite--M--	50	-	-	-	-	1	-	1	-	-	-	2	-	3	3	3	1	5	6	6	11	4	2	1	-	1
	F--	44	-	-	-	-	-	-	2	-	-	-	2	2	6	2	7	3	2	5	2	3	1	3	2	-	2
480-493	Influenza and pneumonia, etc.*-	1,189	228	44	23	10	4	13	6	10	10	5	8	13	17	25	42	36	46	63	112	159	149	99	50	14	3
	White-----M--	525	93	19	13	6	2	8	4	4	3	3	2	5	8	12	21	20	22	28	48	73	65	45	16	5	-
	F--	506	83	19	10	2	1	4	2	4	6	1	3	5	2	5	8	8	14	24	49	79	81	53	32	9	2
	Nonwhite--M--	90	29	2	-	1	1	1	-	-	-	-	1	2	5	4	9	3	6	9	10	4	2	-	-	-	1
	F--	68	23	4	-	1	-	-	-	2	1	1	2	1	2	4	4	5	4	2	5	3	1	1	2	-	-
480-483	Influenza---------	183	11	2	3	-	-	2	-	2	2	1	1	3	5	2	9	3	5	13	19	34	24	21	18	2	1
	White-----M--	80	4	1	1	-	-	1	-	1	1	-	-	-	2	-	4	3	1	9	8	13	11	10	8	2	-
	F--	77	4	-	2	-	-	1	-	-	1	-	1	2	1	-	1	-	2	4	7	20	11	10	9	-	1
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	1	1	-	-	-	-
	F--	17	2	1	-	-	-	-	-	1	-	1	-	1	1	1	3	-	1	-	2	-	1	1	1	-	-
490-493	Pneumonia, etc.*--	1,006	217	42	20	10	4	11	6	8	8	4	7	10	12	23	33	33	41	50	93	125	125	78	32	12	2
	White-----M--	445	89	18	12	6	2	7	4	3	2	3	2	5	6	12	17	17	21	19	40	60	54	35	8	3	-
	F--	429	79	19	8	2	1	3	2	4	5	1	2	3	1	5	7	8	12	20	42	59	70	43	23	9	1
	Nonwhite--M--	81	28	2	-	1	1	1	-	-	-	-	1	2	4	3	8	3	5	9	8	3	1	-	-	-	1
	F--	51	21	3	-	1	-	-	-	1	1	-	2	-	1	3	1	5	3	2	3	3	-	-	1	-	-
500-502	Bronchitis--------	68	20	-	2	3	-	-	-	-	-	-	-	-	-	2	-	1	4	5	8	8	7	5	3	-	-
	White-----M--	36	12	-	2	2	-	-	-	-	-	-	-	-	-	1	-	1	4	1	4	2	2	4	1	-	-
	F--	26	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	5	1	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	140	-	-	-	-	-	-	-	3	1	2	3	9	8	11	13	24	13	23	7	11	5	7	-	-	-
	White-----M--	101	-	-	-	-	-	-	-	2	1	2	3	7	7	7	12	17	9	16	3	8	3	4	-	-	-
	F--	24	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	4	1	6	2	3	2	3	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	1	1	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
550-553	Appendicitis------	55	1	2	1	1	-	4	4	4	-	1	1	3	2	2	5	3	4	6	3	4	3	1	-	-	-
	White-----M--	31	1	2	1	1	-	3	3	-	-	1	1	2	2	2	1	1	1	5	-	2	1	1	-	-	-
	F--	16	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	3	1	3	2	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	150	11	2	-	-	1	1	2	-	1	3	2	3	4	6	7	10	11	23	20	20	18	5	-	-	-
	White-----M--	79	7	1	-	-	1	-	1	-	-	-	1	2	2	1	3	8	6	15	9	10	11	1	-	-	-
	F--	48	4	-	-	-	-	-	-	-	1	1	-	-	2	3	3	1	3	7	7	9	3	4	-	-	-
	Nonwhite--M--	16	-	1	-	-	-	1	-	-	-	1	1	-	-	2	-	1	1	1	2	1	4	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
543, 571, 572	Gastritis, etc.*--	184	119	12	4	1	1	2	-	1	-	-	1	1	-	1	2	3	5	4	6	6	5	9	1	-	-
	White-----M--	92	60	7	2	1	-	2	-	1	-	-	-	-	-	-	2	2	1	2	2	3	1	6	-	-	-
	F--	72	45	4	2	-	1	-	-	-	-	-	1	1	-	1	-	-	2	2	4	2	4	3	-	-	-
	Nonwhite--M--	13	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-
581	Cirrhosis of liver	209	-	-	-	-	-	1	-	1	-	-	5	13	17	21	29	29	26	24	15	16	8	3	1	-	-
	White-----M--	138	-	-	-	-	-	-	-	1	-	-	4	8	12	14	19	17	18	15	12	13	3	1	1	-	-
	F--	57	-	-	-	-	-	1	-	-	-	-	-	4	4	5	6	9	7	8	3	3	5	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	-	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	70	1	1	-	1	-	2	3	1	1	4	3	-	3	4	6	4	2	8	8	7	9	1	1	-	-
	White-----M--	26	-	-	-	-	-	1	2	-	-	1	1	-	-	-	1	3	-	4	5	3	4	-	1	-	-
	F--	25	-	1	-	1	-	1	1	1	-	-	2	-	2	2	1	1	1	2	1	3	5	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	2	-	-	1	-	3	-	1	2	1	1	-	1	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of prostate---------	99	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	6	11	18	21	17	17	6	-	-
	White-----M--	89	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	10	16	20	17	17	6	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	2	1	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	66	...	...	...	...	...	...	1	8	11	14	8	16	6	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	63	...	...	...	...	...	...	1	7	11	14	7	16	5	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	4	...	...	...	...	...	...	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	62	...	...	...	...	...	...	1	7	11	14	8	14	5	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	60	...	...	...	...	...	...	1	6	11	14	7	14	5	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	417	357	17	8	5	6	7	2	2	3	2	3	7	4	5	3	2	1	-	1	2	-	-	-	-	-
	White-----M--	217	179	8	4	1	3	3	-	2	2	1	-	5	2	1	1	1	1	-	1	2	-	-	-	-	-
	F--	184	147	9	3	3	3	3	1	-	1	-	3	2	2	4	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	4	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	7	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,383	1,382	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	760	760	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	507	506	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	578	578	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	323	323	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	703	702	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	384	384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	254	253	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	482	72	6	4	-	-	2	-	2	2	3	3	7	9	11	4	13	11	26	27	57	80	68	48	18	9
	White-----M--	220	37	1	2	-	-	1	-	2	1	3	3	3	4	7	2	9	5	17	18	28	35	27	11	2	2
	F--	221	28	4	2	-	-	1	-	-	1	-	-	2	3	3	2	3	4	6	8	24	41	38	35	12	4
	Nonwhite--M--	25	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	2	1	2	3	3	-	3	2
	F--	16	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	3	1	-	2	1	1
Residual	All other diseases	1,309	72	17	11	5	6	26	10	21	17	22	33	34	39	74	97	96	120	132	130	153	108	54	22	8	2
	White-----M--	641	42	11	5	3	2	14	5	10	8	9	13	14	21	36	45	56	56	68	62	74	49	23	11	4	-
	F--	542	23	5	5	2	4	12	4	9	4	10	16	14	14	27	35	27	50	55	58	70	56	28	10	3	1
	Nonwhite--M--	77	5	-	-	-	-	-	1	3	1	3	3	-	7	9	7	13	7	7	5	2	2	1	-	1	-
	F--	49	2	1	1	-	-	-	1	1	2	2	1	3	4	4	8	6	1	2	3	4	1	1	-	1	-
E800-E962	Accidents----------	2,106	87	39	27	30	18	64	75	142	219	157	119	98	122	93	108	88	95	72	84	105	111	102	40	9	2
	White-----M--	1,413	50	20	15	13	5	37	49	119	184	124	93	84	104	71	77	65	70	43	51	52	43	30	9	4	1
	F--	527	34	15	6	13	10	20	18	14	19	17	20	7	14	11	18	12	18	21	26	49	62	71	27	4	1
	Nonwhite--M--	110	3	2	2	3	-	5	7	6	15	13	1	6	4	7	9	8	3	4	5	2	2	-	2	1	-
	F--	56	-	2	4	1	3	2	1	3	1	3	5	1	-	4	4	3	4	4	2	2	4	1	2	-	-
E810-E835	Motor-vehicle accidents---------	768	7	10	5	9	6	29	20	82	147	83	51	38	42	37	40	30	41	24	29	23	11	4	-	-	-
	White-----M--	590	2	5	3	5	3	18	12	70	129	62	35	33	33	28	28	23	31	18	21	20	8	3	-	-	-
	F--	129	5	4	2	4	2	9	6	9	11	12	13	3	9	6	8	3	8	4	5	3	2	1	-	-	-
	Nonwhite--M--	39	-	1	-	-	-	2	2	2	7	9	1	2	-	2	3	4	-	1	2	-	1	-	-	-	-
	F--	10	-	-	-	-	1	-	-	1	-	-	2	-	-	1	1	-	2	1	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,338	80	29	22	21	12	35	55	60	72	74	68	60	80	56	68	58	54	48	55	82	100	98	40	9	2
	White-----M--	823	48	15	12	8	2	19	37	49	55	62	58	51	71	43	49	42	39	25	30	32	35	27	9	4	1
	F--	398	29	11	4	9	8	11	12	5	8	5	7	4	5	5	10	9	10	17	21	46	60	70	27	4	1
	Nonwhite--M--	71	3	1	2	3	-	3	5	4	8	4	-	4	4	5	6	4	3	3	3	2	1	-	2	1	-
	F--	46	-	2	4	1	2	2	1	2	1	3	3	1	-	3	3	3	2	3	1	2	4	1	2	-	-
E963, E970-E979	Suicide----------	289	-	-	-	-	-	-	1	10	12	16	21	16	31	33	33	30	26	27	10	15	5	2	1	-	-
	White-----M--	222	-	-	-	-	-	-	-	7	10	11	14	9	24	24	28	22	23	23	7	13	4	2	1	-	-
	F--	61	-	-	-	-	-	-	1	3	2	5	6	6	6	8	4	7	3	4	3	2	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	226	3	-	-	-	-	1	1	9	20	41	29	31	21	21	16	8	9	9	6	1	-	-	-	-	-
	White-----M--	131	2	-	-	-	-	1	1	4	8	26	15	16	14	16	7	4	4	7	5	1	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	5	1	3	1	1	2	2	1	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	63	-	-	-	-	-	-	5	7	10	8	12	5	3	7	3	3	-	-	-	-	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA																										
	ALL CAUSES	24,749	2,621	194	131	87	63	205	157	248	416	366	457	656	956	1,216	1,622	2,019	2,249	2,833	2,686	2,379	1,631	908	409	131	109
	White	8,541	673	40	29	31	20	63	49	96	135	127	163	242	314	430	601	777	865	970	1,010	867	576	293	118	29	23
	White--M	5,682	463	36	24	20	15	46	23	32	63	59	62	94	184	237	250	342	492	595	772	849	643	344	190	37	10
	Nonwhite	5,536	812	65	38	20	16	40	55	65	123	104	111	151	222	284	403	501	491	704	504	366	220	137	42	31	31
	Nonwhite--M	4,790	673	53	40	16	12	56	30	55	95	76	121	169	236	265	368	399	401	564	400	297	192	134	59	34	45
001-019	Tuberculosis all forms	635	9	6	3	1	-	4	1	9	33	37	48	48	58	65	76	65	49	47	35	28	6	2	3	-	2
	White--M	238	2	-	-	-	-	2	-	-	1	5	12	12	21	26	32	29	28	29	20	13	2	1	1	-	2
	F	77	1	3	-	-	-	1	-	2	3	4	4	9	9	6	4	6	4	7	3	6	3	1	1	-	-
	Nonwhite--M	204	3	2	-	1	-	1	-	2	13	15	16	14	20	25	32	23	14	6	9	7	1	-	-	-	-
	F	116	3	1	3	-	-	-	1	5	16	13	16	13	8	8	8	7	3	5	3	2	-	-	1	-	-
001-008	Tuberculosis of respiratory system	596	4	3	1	1	-	3	1	8	29	36	44	47	54	64	74	61	48	44	34	27	6	2	3	-	2
	White--M	230	1	-	-	-	-	1	-	-	1	5	10	12	21	25	31	28	28	28	20	13	2	1	1	-	2
	F	73	1	1	-	-	-	1	-	2	3	4	4	9	9	6	4	5	4	6	3	6	3	1	1	-	-
	Nonwhite--M	191	2	1	-	1	-	1	-	1	11	15	16	14	16	25	31	22	13	6	9	6	1	-	-	-	-
	F	102	-	1	1	-	-	-	1	5	14	12	14	12	8	8	8	6	3	4	2	2	-	-	1	-	-
010-019	Tuberculosis, other forms	39	5	3	2	-	-	1	-	1	4	1	4	1	4	1	2	4	1	3	1	1	-	-	-	-	-
	White--M	8	1	-	-	-	-	1	-	-	-	-	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	F	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	13	1	1	-	-	-	-	-	1	2	-	-	-	4	-	1	1	1	-	-	1	-	-	-	-	-
	F	14	3	-	2	-	-	-	-	-	2	1	2	1	-	-	-	1	-	1	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	227	10	1	-	-	-	-	-	-	3	2	2	14	15	30	38	34	30	22	11	8	5	2	-	-	-
	White--M	46	-	-	-	-	-	-	-	-	-	-	-	1	1	7	4	14	4	6	5	2	2	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	1	-	-	-	-
	Nonwhite--M	114	4	-	-	-	-	-	-	-	1	2	1	7	8	16	26	12	16	12	3	5	-	1	-	-	-
	F	58	6	1	-	-	-	-	-	-	2	-	1	6	6	7	6	8	6	4	1	1	2	1	-	-	-
040	Typhoid fever	4	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	12	4	-	-	-	-	1	-	-	-	-	-	-	-	1	-	4	-	1	1	-	-	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	5	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	15	1	2	4	2	1	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	40	26	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	21	13	6	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	21	8	3	3	1	-	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	2	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	32	2	2	-	2	1	6	3	1	7	3	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	White--M	18	1	1	-	1	1	2	2	1	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	14	5	3	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	5	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	114	25	8	8	-	2	6	13	-	1	4	9	5	7	6	3	3	4	4	4	1	1	-	-	-	-
	White--M	28	1	3	2	-	-	1	3	-	-	-	2	2	2	3	-	-	3	1	4	1	-	-	-	-	-
	F	27	7	3	2	-	1	-	5	-	-	2	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	38	11	2	1	-	-	2	4	-	1	-	4	-	3	2	2	1	1	3	-	-	1	-	-	-	-
	F	21	6	-	3	-	1	3	1	-	-	2	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
140-205	Malignant neoplasms, etc.*	3,207	5	3	13	10	7	14	9	14	21	26	44	93	159	249	295	396	409	461	406	316	155	61	30	7	4
	White—M	1,167	2	-	3	6	3	7	6	7	5	10	15	31	42	74	99	143	134	178	160	137	65	25	12	3	-
	F	985	1	3	4	2	2	5	-	3	5	7	15	30	62	94	79	98	122	103	140	106	62	26	13	3	-
	Nonwhite—M	550	1	-	4	1	1	-	-	1	5	3	3	7	15	38	61	90	85	99	65	44	17	3	4	1	2
	F	505	1	-	2	1	1	2	3	3	6	6	11	25	40	43	56	65	68	81	41	29	11	7	1	-	2
140-148	Of buccal cavity and pharynx	88	-	-	-	-	-	-	-	-	-	-	1	2	4	12	5	16	10	9	12	8	7	1	1	-	-
	White—M	50	-	-	-	-	-	-	-	-	-	-	-	1	1	5	4	8	6	4	8	8	3	1	1	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	3	-	3	-	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	1	1	6	1	5	1	2	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,097	-	-	2	-	-	1	1	1	5	2	5	16	40	64	87	129	158	179	144	147	73	30	10	2	1
	White—M	399	-	-	-	-	-	-	1	-	1	1	1	7	17	24	28	48	49	69	47	59	27	13	6	1	-
	F	312	-	-	-	-	-	-	-	-	1	-	2	3	10	21	19	21	39	37	54	53	34	13	4	1	-
	Nonwhite—M	234	-	-	2	-	-	-	-	1	1	1	-	3	5	12	22	44	45	38	32	21	6	1	-	-	-
	F	152	-	-	-	-	-	1	-	-	2	-	2	3	8	7	18	16	25	35	11	14	6	3	-	-	1
160-164	Of respiratory system	421	-	-	-	-	-	-	-	-	2	1	2	8	9	34	56	65	78	77	62	17	7	3	-	-	-
	White—M	266	-	-	-	-	-	-	-	-	-	-	1	5	4	21	30	43	53	49	42	11	6	1	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	-	4	4	3	4	6	4	7	1	1	2	-	-	-
	Nonwhite—M	108	-	-	-	-	-	-	-	-	2	1	-	2	1	6	21	16	19	23	10	5	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	-	1	3	-	-	-	-	-	-
170	Of breast	216	-	-	-	-	-	-	-	-	-	3	4	16	20	30	19	35	25	18	21	10	7	2	4	2	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	148	-	-	-	-	-	-	-	-	-	1	3	12	14	20	13	23	17	10	14	9	5	2	3	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	65	-	-	-	-	-	-	-	-	-	2	1	4	6	10	6	11	7	8	7	1	2	-	1	-	-
171-179	Of genital organs	579	-	-	-	-	-	-	1	3	1	4	11	24	36	40	48	59	71	92	77	67	25	11	7	-	2
	White—M	121	-	-	-	-	-	-	-	1	-	1	3	2	-	1	2	6	5	21	29	29	12	5	4	-	-
	F	208	-	-	-	-	-	-	-	1	1	1	3	10	18	22	24	21	33	27	26	16	3	2	-	-	-
	Nonwhite—M	83	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	12	8	21	10	14	8	2	3	-	1
	F	167	-	-	-	-	-	-	1	1	-	2	5	12	18	15	20	20	25	23	12	8	2	2	-	-	1
180, 181	Of urinary organs	161	1	-	1	-	-	2	-	-	-	-	1	1	5	9	15	21	15	28	31	18	5	3	2	3	-
	White—M	70	-	-	-	-	-	-	-	-	-	-	1	-	4	-	6	12	6	14	16	6	2	1	-	2	-
	F	37	1	-	-	-	-	1	-	-	-	-	-	-	-	3	3	3	1	4	6	10	3	1	1	-	-
	Nonwhite—M	32	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	3	4	8	5	1	-	-	1	-	-
	F	22	-	-	1	-	-	1	-	-	-	-	-	1	-	1	3	3	4	2	4	1	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	404	3	2	2	3	3	2	3	7	5	8	8	15	23	34	44	47	31	44	45	33	26	9	6	-	1
	White—M	157	2	-	-	1	1	1	3	5	2	5	3	9	10	10	20	19	8	14	13	15	13	2	1	-	-
	F	152	-	2	-	-	2	1	-	-	2	2	5	3	8	17	12	16	13	12	24	12	10	6	5	-	-
	Nonwhite—M	42	-	-	2	1	-	-	-	-	-	-	-	-	-	3	7	5	5	7	5	3	3	-	-	-	1
	F	53	1	-	-	1	-	-	-	2	1	1	-	3	5	4	5	7	5	11	3	3	-	1	-	-	-
204	Leukemia and aleukemia	134	1	-	7	7	3	7	4	2	6	6	5	6	9	8	7	15	9	11	4	10	5	2	-	-	-
	White—M	58	-	-	3	5	2	4	2	1	2	2	3	2	3	2	3	4	3	5	2	6	2	2	-	-	-
	F	43	-	-	3	2	-	3	-	1	-	2	1	2	4	3	1	5	5	5	-	3	3	-	-	-	-
	Nonwhite—M	17	1	-	-	-	-	-	-	-	2	1	-	1	2	2	2	4	1	-	1	-	-	-	-	-	-
	F	16	-	-	1	-	1	-	2	-	2	1	1	1	-	1	1	2	-	1	1	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	107	-	1	1	-	1	2	-	1	2	2	7	5	13	18	14	9	12	3	10	6	-	-	-	-	-
	White—M	45	-	-	-	-	-	2	-	-	-	1	3	5	3	11	6	3	3	2	3	3	-	-	-	-	-
	F	36	-	1	1	-	-	-	-	1	1	1	1	-	3	3	4	4	7	1	6	2	-	-	-	-	-
	Nonwhite—M	17	-	-	-	-	1	-	-	-	-	-	3	-	5	2	3	-	2	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	2	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	109	4	3	-	-	2	4	1	3	2	3	5	6	20	8	8	14	8	10	4	2	-	1	1	-	-
	White—M	25	1	1	-	-	-	1	-	1	-	1	-	-	6	1	1	5	-	5	1	-	-	-	1	-	-
	F	43	1	-	-	-	1	3	1	1	-	2	1	4	8	6	4	3	3	1	2	1	-	1	-	-	-
	Nonwhite—M	10	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	1	1	-	-	-	-	-
	F	31	2	1	-	-	1	-	-	1	2	-	4	2	5	-	1	5	3	4	-	-	-	-	-	-	-
260	Diabetes mellitus	395	-	-	1	-	-	1	-	2	-	3	3	8	10	16	35	40	48	65	64	56	22	16	3	1	1
	White—M	81	-	-	-	-	-	-	-	-	-	1	-	-	-	4	7	6	15	13	15	13	2	5	-	-	-
	F	170	-	-	-	-	-	1	-	-	-	1	1	-	3	2	11	15	16	30	34	32	13	10	1	-	-
	Nonwhite—M	51	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	6	6	11	9	4	3	-	-	1	1
	F	93	-	-	1	-	-	-	-	2	-	-	2	6	5	8	14	13	11	11	6	7	4	1	2	-	-
290-293	Anemias	54	6	3	-	-	1	2	1	4	2	5	1	1	2	1	3	3	3	5	4	4	3	-	-	-	-
	White—M	12	-	1	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	1	3	-	-	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-	3	3	-	-	-	-
	Nonwhite—M	11	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
	F	18	2	1	-	-	1	2	-	2	1	4	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	43	15	3	4	4	1	1	3	-	1	-	-	1	1	1	-	2	1	1	2	-	1	-	-	-	1
	White—M	15	5	-	1	3	1	1	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	6	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	11	4	1	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F	11	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	12,128	18	4	3	-	3	24	10	18	48	57	110	186	396	541	868	1,113	1,352	1,805	1,747	1,620	1,165	623	271	89	57
	White—M	4,245	6	1	1	-	1	4	1	5	10	16	31	60	122	197	324	433	540	598	633	582	403	182	70	18	7
	F	3,051	4	1	1	-	-	6	1	3	7	13	13	19	54	75	103	158	272	376	494	578	465	239	136	24	9
	Nonwhite—M	2,455	2	-	1	-	2	5	7	3	13	13	25	44	97	137	206	268	280	442	332	251	154	105	27	23	18
	F	2,377	6	2	-	-	-	9	1	7	18	15	41	63	123	132	235	254	260	389	288	209	143	97	38	24	23
330-334, 400-468	Diseases of cardiovascular system	11,685	16	4	2	-	2	19	6	14	36	47	98	176	380	517	838	1,082	1,316	1,745	1,682	1,569	1,130	600	263	88	55
	White—M	4,123	5	1	1	-	-	2	-	3	5	14	27	58	118	191	315	421	531	585	614	567	392	178	70	18	7
	F	2,953	4	1	-	-	-	3	-	3	5	10	11	18	52	70	101	153	265	364	484	562	455	228	132	23	9
	Nonwhite—M	2,345	1	-	1	-	2	5	5	2	10	11	20	42	93	132	198	262	274	423	313	241	146	97	26	23	18
	F	2,264	6	2	-	-	-	9	1	6	16	12	40	58	117	124	224	246	246	373	271	199	137	97	35	24	21
330-334	Vascular lesions, etc.*	2,502	5	1	1	-	2	3	1	2	10	8	20	32	78	111	168	233	253	411	346	372	247	119	56	15	8
	White—M	684	2	-	1	-	-	1	-	1	1	3	2	7	14	21	30	59	81	120	100	122	73	25	13	-	2
	F	659	1	1	-	-	-	1	-	1	2	1	3	5	19	25	28	40	52	92	90	124	93	48	28	5	-
	Nonwhite—M	538	-	-	-	-	2	1	1	-	3	4	4	6	11	27	53	49	55	102	76	68	39	24	5	6	2
	F	621	2	-	-	-	-	-	-	-	4	-	11	14	34	38	57	85	65	97	80	58	36	22	10	4	4
400-402	Rheumatic fever	30	1	-	1	-	-	12	1	3	1	4	1	2	-	2	1	-	-	-	1	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	6	-	-	1	-	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	7	1	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
410-443	Diseases of heart	8,472	9	2	-	-	-	4	3	8	18	24	64	130	273	381	641	806	1,016	1,268	1,241	1,100	784	430	168	65	37
	White—M	3,240	3	1	-	-	-	1	-	1	2	6	24	48	99	159	279	350	432	451	486	411	284	137	46	15	3
	F	2,087	1	-	-	-	-	1	-	2	2	5	7	13	28	44	70	102	206	262	367	404	313	154	63	16	7
	Nonwhite—M	1,663	1	-	-	-	-	-	3	2	7	6	13	31	75	97	136	204	206	301	217	153	95	69	17	17	13
	F	1,482	4	1	-	-	-	2	-	3	7	5	20	38	71	81	156	150	172	254	171	132	92	70	22	17	14
410-416	Chronic rheumatic heart disease	179	-	-	-	-	-	1	1	3	6	6	6	11	14	13	17	19	15	17	19	13	8	5	4	1	-
	White—M	60	-	-	-	-	-	-	-	-	-	2	1	3	5	6	7	6	9	4	7	7	2	-	1	-	-
	F	38	-	-	-	-	-	-	-	2	2	1	2	3	6	1	5	4	2	2	4	2	1	-	1	-	-
	Nonwhite—M	44	-	-	-	-	-	-	1	1	2	1	1	1	-	4	3	4	2	6	8	3	3	1	-	-	-
	F	37	-	-	-	-	-	1	-	-	2	2	2	4	3	2	2	5	2	5	-	1	2	2	1	1	-
420	Arteriosclerotic heart dis., etc.*	4,772	1	1	-	-	-	-	-	-	7	10	29	67	140	227	374	476	621	744	709	600	422	217	85	22	20
	White—M	2,294	1	1	-	-	-	-	-	-	2	3	19	32	75	132	216	255	328	325	341	258	186	81	28	8	3
	F	1,210	-	-	-	-	-	-	-	-	-	2	1	7	15	22	43	59	133	178	208	233	168	82	47	7	5
	Nonwhite—M	716	-	-	-	-	-	-	-	-	2	4	4	15	30	48	57	93	86	146	92	80	37	26	4	3	9
	F	552	-	-	-	-	-	-	-	-	3	1	5	13	20	25	58	69	74	95	68	49	31	28	6	4	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,078	1	-	-	-	-	1	1	3	2	-	4	10	21	22	55	73	113	157	146	162	136	89	42	27	13
	White—M	300	-	-	-	-	-	-	-	-	-	-	1	2	5	5	15	22	30	44	38	58	39	29	8	4	-
	F	268	-	-	-	-	-	-	-	-	-	-	1	1	2	1	7	4	19	20	41	52	62	31	19	7	1
	Nonwhite—M	258	-	-	-	-	-	-	1	-	1	-	1	2	5	6	13	28	33	47	43	26	16	16	7	9	4
	F	252	1	-	-	-	-	1	-	3	1	-	1	5	9	10	20	19	31	46	24	26	19	13	8	7	8
430-434	Other diseases of heart	503	7	1	-	-	-	2	1	2	3	6	11	10	23	19	34	43	54	73	66	57	47	31	7	5	1
	White—M	170	2	-	-	-	-	1	-	1	-	3	2	4	4	7	14	15	20	20	24	26	12	10	3	2	-
	F	89	1	-	-	-	-	1	-	-	-	2	1	-	1	1	-	4	9	12	18	11	16	8	4	-	-
	Nonwhite—M	144	1	-	-	-	-	-	1	1	2	-	3	2	10	6	13	15	17	23	17	11	12	8	-	2	-
	F	100	3	1	-	-	-	-	-	-	1	1	5	4	8	5	7	9	8	18	7	9	7	5	-	1	1
440-443	Hypertension with heart dis.	1,940	-	-	-	-	-	-	-	-	-	2	14	32	75	100	161	195	213	277	301	268	171	88	30	10	3
	White—M	416	-	-	-	-	-	-	-	-	-	-	1	7	10	9	27	52	45	58	76	62	45	17	6	1	-
	F	482	-	-	-	-	-	-	-	-	-	-	2	2	4	19	15	31	43	50	96	106	66	33	12	2	1
	Nonwhite—M	501	-	-	-	-	-	-	-	-	-	1	4	11	30	33	50	64	68	79	57	53	27	16	5	3	-
	F	541	-	-	-	-	-	-	-	-	-	1	7	12	31	39	69	48	57	90	72	47	33	22	7	4	2
444-447	Hypertension without mention of heart	241	-	-	-	-	-	-	-	-	2	6	11	8	19	18	12	21	19	28	25	28	25	8	6	1	4
	White—M	67	-	-	-	-	-	-	-	-	1	1	-	-	3	8	3	5	8	4	7	13	9	3	2	-	-
	F	46	-	-	-	-	-	-	-	-	-	2	-	-	3	-	1	4	5	5	6	4	10	4	2	-	-
	Nonwhite—M	53	-	-	-	-	-	-	-	-	-	1	3	3	6	5	4	4	2	7	4	8	2	-	1	-	3
	F	75	-	-	-	-	-	-	-	-	1	2	8	5	7	5	4	8	4	12	8	3	4	1	1	1	1
450	General arteriosclerosis	332	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	8	17	23	60	56	71	41	33	7	6
	White—M	89	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	5	5	17	14	19	13	9	3	2
	F	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	17	27	38	20	19	2	2
	Nonwhite—M	63	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	7	16	10	10	4	3	-	-
	F	46	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	8	10	5	4	4	2	2	2
451-468	Other diseases of circulatory sys.	108	1	1	-	-	-	-	1	1	5	5	2	3	9	3	10	14	11	15	9	13	3	2	-	-	-
	White—M	40	-	-	-	-	-	-	-	1	1	1	1	1	2	1	3	7	5	5	4	7	1	-	-	-	-
	F	21	1	-	-	-	-	-	-	-	1	1	-	-	2	-	2	2	1	2	3	3	1	2	-	-	-
	Nonwhite—M	22	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	3	4	6	-	2	-	-	-	-	-
	F	25	-	1	-	-	-	-	-	-	3	3	1	1	4	-	3	2	1	2	2	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*	443	2	-	1	-	1	5	4	4	12	10	12	10	16	24	30	31	36	60	65	51	35	23	8	1	2
	White—M	122	1	-	-	-	1	2	1	2	5	2	4	2	4	6	9	12	9	13	19	15	11	4	-	-	-
	F	98	-	-	1	-	-	3	1	-	2	3	2	1	2	5	2	5	7	12	10	16	10	11	4	1	-
	Nonwhite—M	110	1	-	-	-	-	-	2	1	3	2	5	2	4	5	8	6	6	19	19	10	8	8	1	-	-
	F	113	-	-	-	-	-	-	-	1	2	3	1	5	6	8	11	8	14	16	17	10	6	-	3	-	2
480-493	Influenza and pneumonia, etc.*	1,024	266	43	22	3	7	18	6	10	9	8	8	16	24	31	44	46	60	69	72	72	69	64	39	14	4
	White—M	247	29	6	2	-	1	6	2	1	1	1	2	4	5	7	16	14	19	19	22	21	22	30	13	3	1
	F	206	23	7	2	-	2	1	-	2	-	4	1	2	2	2	2	8	11	11	20	31	29	21	18	6	1
	Nonwhite—M	293	111	18	7	2	2	8	1	5	5	1	3	4	9	3	11	14	18	25	14	8	10	6	4	3	1
	F	278	103	12	11	1	2	3	3	2	3	2	2	6	8	19	15	10	12	14	16	12	8	7	4	2	1
480-483	Influenza	208	31	9	1	1	-	3	1	4	1	-	1	2	4	5	10	9	10	9	16	16	15	25	19	12	4	1
	White—M	45	2	3	-	-	-	1	1	1	-	-	1	-	1	3	2	-	3	3	4	1	5	9	3	2	-
	F	49	1	2	-	-	-	-	-	1	-	-	-	1	-	1	-	3	-	4	5	5	13	6	6	1	-
	Nonwhite—M	55	15	2	-	1	-	1	-	2	-	-	1	2	1	-	2	6	4	3	3	3	4	2	1	1	1
	F	59	13	2	1	-	-	1	-	-	1	-	-	1	3	6	5	1	2	6	4	6	3	2	2	-	-
490-493	Pneumonia, etc.*	816	235	34	21	2	7	15	5	6	8	8	6	12	19	21	35	36	51	53	56	57	44	45	27	10	3
	White—M	202	27	3	2	-	1	5	1	-	1	1	1	4	4	4	14	14	16	16	18	20	17	21	10	1	1
	F	157	22	5	2	-	2	1	-	1	-	4	1	1	2	1	2	5	11	7	15	26	16	15	12	5	1
	Nonwhite—M	238	96	16	7	1	2	7	1	3	5	1	2	2	8	3	9	8	14	22	11	5	6	4	3	2	-
	F	219	90	10	10	1	2	2	3	2	2	2	2	5	5	13	10	9	10	8	12	6	5	5	2	2	1
500-502	Bronchitis	46	8	2	-	2	2	1	-	-	1	-	1	3	-	-	-	3	5	4	3	4	3	3	1	-	-
	White—M	24	3	1	-	1	1	-	-	-	1	-	-	1	-	-	-	1	3	3	2	2	1	3	1	-	-
	F	10	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1	2	2	-	-	-	-
	Nonwhite—M	10	2	1	-	1	1	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	92	2	-	-	-	-	-	-	-	3	1	1	5	5	7	9	10	19	10	11	4	3	2	-	-	-
	White—M	51	-	-	-	-	-	-	-	-	2	-	1	4	3	2	4	6	13	4	7	2	3	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	2	-	2	-	1	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	1	-	1	-	3	4	4	4	4	4	-	-	1	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	43	1	1	1	-	-	2	-	2	2	1	1	1	3	4	1	3	1	4	7	8	-	-	-	-	-
	White—M	13	1	-	1	-	-	1	-	-	1	-	1	1	-	2	-	-	-	3	2	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	-
	Nonwhite—M	15	-	1	-	-	-	1	-	2	-	-	-	-	2	-	-	3	-	1	4	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	2	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	170	26	2	-	1	1	-	2	1	1	4	2	3	5	10	8	20	12	24	20	12	9	7	-	-	-
	White—M	56	6	-	-	-	1	-	1	-	-	2	-	-	1	2	2	11	3	7	10	3	4	3	-	-	-
	F	42	4	-	-	1	-	-	1	-	-	-	1	1	1	5	4	3	3	4	5	4	3	2	-	-	-
	Nonwhite—M	33	8	1	-	-	-	-	-	-	-	1	-	1	2	-	1	3	5	5	2	3	1	-	-	-	-
	F	39	8	1	-	-	-	-	-	1	1	1	1	1	1	3	1	3	1	8	3	2	1	2	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
543,	Gastritis, etc.*--	166	96	10	4	1	2	-	-	-	-	1	1	4	1	3	2	7	4	10	10	3	3	2	1	-	1
571,	White-----M--	32	13	1	1	-	-	-	-	-	-	-	-	2	-	1	1	5	2	-	3	1	2	-	-	-	-
572	F--	23	5	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	6	4	1	-	2	1	-	-
	Nonwhite--M--	62	46	4	1	1	1	-	-	-	-	-	-	1	-	1	1	2	1	1	1	1	-	-	-	-	-
	F--	49	32	4	2	-	1	-	-	-	-	1	-	1	-	-	-	-	1	3	2	-	1	-	-	-	1
581	Cirrhosis of liver	201	2	-	-	-	-	-	1	1	1	1	5	14	18	23	29	26	25	18	18	14	4	1	-	-	-
	White-----M--	115	1	-	-	-	-	-	-	-	-	-	3	11	8	13	20	18	15	11	7	7	1	-	-	-	-
	F--	35	-	-	-	-	-	-	1	-	-	-	-	3	3	6	4	4	4	1	4	2	3	-	-	-	-
	Nonwhite--M--	30	1	-	-	-	-	-	-	-	-	-	2	-	4	1	3	3	4	6	3	3	-	-	-	-	-
	F--	21	-	-	-	-	-	-	1	1	1	-	-	-	3	3	2	1	2	-	4	2	-	1	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	89	3	3	5	4	2	4	2	2	4	-	4	3	4	12	2	3	7	12	3	3	3	2	-	-	2
	White-----M--	17	-	-	1	3	1	-	1	-	-	-	1	1	1	-	1	2	2	2	-	-	-	1	-	-	-
	F--	18	-	-	1	-	1	2	1	-	1	-	1	1	-	3	-	-	-	3	1	2	1	-	-	-	-
	Nonwhite--M--	29	-	2	2	1	-	1	-	1	1	-	2	-	1	2	-	1	4	5	1	1	1	1	-	-	2
	F--	25	3	1	1	-	-	1	-	1	2	-	-	1	2	7	1	-	1	2	1	-	1	-	-	-	-
610	Hyperplasia of																										
	prostate---------	93	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	8	19	16	14	17	11	3	-	1
	White-----M--	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	10	10	8	11	8	2	-	1
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	9	6	6	6	3	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	87	...	...	...	...	...	...	-	11	23	19	14	12	7	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	26	...	...	...	...	...	...	-	3	7	6	4	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	61	...	...	...	...	...	...	-	8	16	13	10	10	3	-	-	1	-	-	-	-	-	-	-	-	-
650-	Abortion----------	14	...	...	...	...	...	...	-	2	3	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	5	...	...	...	...	...	...	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	...	...	...	-	1	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	73	...	...	...	...	...	...	-	9	20	14	11	11	7	-	-	1	-	-	-	-	-	-	-	-	-
660-	White-----F--	21	...	...	...	...	...	...	-	2	6	5	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	52	...	...	...	...	...	...	-	7	14	9	8	10	3	-	-	1	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	337	255	13	7	4	2	11	6	5	7	1	3	2	1	3	2	7	1	3	3	1	-	-	-	-	-
	White-----M--	110	88	5	1	1	-	4	1	2	-	-	1	-	1	-	2	3	-	1	-	-	-	-	-	-	-
	F--	100	68	7	1	2	1	2	2	1	5	1	-	1	-	2	-	1	1	2	3	-	-	-	-	-	-
	Nonwhite--M--	75	57	-	3	1	-	2	3	1	2	-	2	1	-	-	-	2	-	-	-	1	-	-	-	-	-
	F--	52	42	1	2	-	1	3	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,593	1,590	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	456	455	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	306	305	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	460	459	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	371	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	579	579	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	114	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	50	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	900	898	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	239	238	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	141	140	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	297	297	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	223	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	480	63	6	3	1	1	3	2	2	5	2	5	6	14	16	21	25	28	47	45	42	46	48	26	10	13
795	White-----M--	129	11	1	-	-	-	1	1	-	1	-	-	3	7	1	3	4	9	13	18	10	14	19	8	2	3
	F--	60	4	-	-	-	-	-	-	1	1	1	-	-	2	-	1	4	2	1	3	10	9	11	7	2	-
	Nonwhite--M--	147	27	4	3	1	-	-	-	-	1	1	2	2	1	9	8	10	7	19	15	12	11	8	3	1	2
	F--	144	21	1	-	-	1	2	1	1	2	-	2	1	4	6	9	7	10	14	9	10	12	10	8	5	8
Re-	All other diseases	1,093	80	20	6	11	4	19	21	20	26	24	32	50	50	63	75	82	86	108	116	95	55	27	14	5	4
sid-	White-----M--	366	25	10	2	2	2	6	5	5	4	5	8	11	11	16	30	26	28	39	50	43	22	9	6	1	-
ual	F--	282	12	6	1	3	1	3	2	4	3	7	5	8	14	20	19	19	28	30	31	31	22	8	4	1	-
	Nonwhite--M--	237	28	3	-	3	1	4	5	5	8	6	10	11	14	13	18	20	18	22	22	9	8	5	1	2	1
	F--	208	15	1	3	3	-	6	9	6	11	6	9	20	11	14	8	17	12	17	13	12	3	5	3	1	3
E800-	Accidents----------	1,781	87	41	39	35	21	71	72	121	166	114	117	126	103	96	73	82	72	71	75	69	57	36	15	5	17
E962	White-----M--	838	16	4	12	14	8	27	24	72	94	73	76	79	57	59	41	39	32	22	30	17	21	7	3	2	9
	F--	301	14	4	7	7	5	16	8	10	19	6	7	7	14	7	10	16	17	13	22	35	25	22	9	1	-
	Nonwhite--M--	427	27	16	11	6	5	10	33	31	47	31	22	32	25	23	15	23	13	25	11	8	6	4	1	-	2
	F--	215	30	17	9	8	3	18	7	8	6	4	12	8	7	7	7	4	10	11	12	9	5	3	2	2	6
E810-	Motor-vehicle																										
E835	accidents---------	634	5	7	5	10	7	29	23	48	76	56	62	52	58	38	30	40	23	19	20	16	7	2	-	1	-
	White-----M--	354	-	-	2	8	4	13	12	32	48	30	37	34	31	26	14	19	15	7	11	5	4	1	-	1	-
	F--	99	1	4	1	2	3	7	5	7	6	3	7	2	10	5	7	10	3	3	4	7	1	1	-	-	-
	Nonwhite--M--	136	1	-	2	-	-	6	3	5	19	20	13	15	13	5	6	8	2	9	5	2	2	-	-	-	-
	F--	45	3	3	-	-	-	3	3	4	3	3	5	1	4	2	3	3	3	-	-	2	-	-	-	-	-
E800-	All ot. accidents-	1,147	82	34	34	25	14	42	49	73	90	58	55	74	45	58	43	42	49	52	55	53	50	34	15	4	17
E802,	White-----M--	484	16	4	10	6	4	14	12	40	46	43	39	45	26	33	27	20	17	15	19	12	17	6	3	1	9
E840-	F--	202	13	-	6	5	2	9	3	3	13	3	-	5	4	2	3	6	14	10	18	28	24	21	9	1	-
E962	Nonwhite--M--	291	26	16	9	6	5	4	30	26	28	11	9	17	12	18	9	15	11	16	6	6	4	4	1	-	2
	F--	170	27	14	9	8	3	15	4	4	3	1	7	7	3	5	4	1	7	11	12	7	5	3	2	2	6
E963,	Suicide----------	151	-	-	-	-	-	-	2	1	9	10	11	18	26	18	16	12	10	7	7	3	-	-	-	-	1
E970-	White-----M--	102	-	-	-	-	-	-	2	1	3	5	8	12	21	9	9	11	6	6	6	3	-	-	-	-	-
E979	F--	29	-	-	-	-	-	-	-	-	3	3	3	4	2	6	5	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	1	-	2	3	2	2	1	2	1	-	-	-	-	-	-	1
	F--	4	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	240	3	1	-	1	-	1	1	20	39	39	27	28	26	11	11	14	7	6	1	-	3	-	1	-	-
E980-	White-----M--	33	-	-	-	-	-	-	-	-	6	5	2	4	5	3	2	3	1	1	-	-	1	-	-	-	-
E985	F--	14	-	-	-	-	-	1	-	1	4	1	1	-	1	1	-	1	-	-	1	-	2	-	-	-	-
	Nonwhite--M--	149	1	-	-	-	-	-	-	13	24	27	17	20	15	5	6	9	6	5	-	-	-	-	1	-	-
	F--	44	2	1	-	1	-	-	1	6	5	6	7	4	5	2	3	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE																										
	ALL CAUSES	10,037	631	55	41	24	14	41	36	67	86	86	107	118	234	301	444	613	826	1,119	1,282	1,453	1,259	780	316	77	27
	White--M	5,609	363	30	22	15	7	23	27	48	54	57	60	66	149	192	281	384	534	649	715	774	619	387	114	27	12
	F	4,404	264	24	19	9	7	18	9	19	32	29	47	52	85	109	158	226	289	467	567	677	640	391	201	50	15
	Nonwhite--M	18	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	3	-	2	-	2	-	-	-
	F	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-
001-019	Tuberculosis all forms	142	-	1	1	-	-	1	3	3	6	10	5	9	12	8	18	13	10	17	9	10	4	2	-	-	-
	White--M	92	-	1	1	-	-	-	3	2	3	4	3	4	7	6	13	10	8	12	5	7	2	1	-	-	-
	F	50	-	-	-	-	-	1	-	1	3	6	2	5	5	2	5	3	2	5	4	3	2	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	123	-	-	1	-	-	-	3	3	5	9	4	9	10	8	15	12	9	13	8	10	3	1	-	-	-
	White--M	78	-	-	1	-	-	-	3	2	2	3	3	4	5	6	12	9	7	8	5	7	1	-	-	-	-
	F	45	-	-	-	-	-	-	-	1	3	6	1	5	5	2	3	3	2	5	3	3	2	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	19	-	1	-	-	-	1	-	-	1	1	1	-	2	-	3	1	1	4	1	-	1	1	-	-	-
	White--M	14	-	1	-	-	-	-	-	-	1	1	-	-	2	-	1	1	1	4	-	-	1	1	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	26	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	3	5	3	3	3	-	-	-	-	-
	White--M	21	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	4	3	2	3	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	6	1	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	3	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	7	1	3	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	5	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	28	4	2	1	-	1	-	1	2	2	-	2	-	-	-	2	1	2	4	1	-	2	1	-	-	-
	White--M	17	2	2	-	-	-	-	-	2	1	-	1	-	-	-	2	1	2	3	-	-	1	-	-	-	-
	F	11	2	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
140-205	Malignant neoplasms, etc.*	1,527	2	-	1	1	2	6	2	4	4	8	15	26	51	72	108	128	188	211	235	233	141	65	19	3	2
	White—M	746	-	-	1	-	2	3	1	3	2	2	3	9	19	30	42	61	99	104	121	121	77	33	9	2	2
	F	777	2	-	-	1	-	3	1	1	2	6	12	17	32	42	65	66	89	106	114	111	64	32	10	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	33	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	-	5	7	4	2	2	-	1
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	6	-	5	5	3	1	1	-	1
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	651	-	-	-	-	-	-	-	-	-	1	2	5	7	25	49	47	80	92	118	119	62	37	4	2	1
	White—M	350	-	-	-	-	-	-	-	-	-	1	-	1	4	11	21	26	49	49	67	67	34	15	2	2	1
	F	299	-	-	-	-	-	-	-	-	-	-	2	4	3	14	27	21	31	43	51	51	28	22	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	109	-	-	-	-	-	-	-	-	-	1	1	2	2	10	4	13	21	25	13	9	5	2	1	-	-
	White—M	85	-	-	-	-	-	-	-	-	-	-	1	-	2	9	4	12	13	20	10	9	4	-	1	-	-
	F	22	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	8	4	3	-	1	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Of breast	123	-	-	-	-	-	-	-	-	-	-	1	3	7	8	12	13	14	20	14	17	8	2	3	1	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	123	-	-	-	-	-	-	-	-	-	-	1	3	7	8	12	13	14	20	14	17	8	2	3	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	258	-	-	-	-	-	-	-	-	-	1	5	7	19	17	17	22	21	30	37	34	34	11	3	-	-
	White—M	101	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	6	5	10	17	19	26	10	2	-	-
	F	157	-	-	-	-	-	-	-	-	-	1	5	6	17	15	16	16	16	20	20	15	8	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	71	-	-	-	-	-	-	1	-	-	1	1	2	3	3	-	3	11	9	12	12	7	5	1	-	-
	White—M	44	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	2	9	4	8	6	4	3	1	-	-
	F	27	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	2	5	4	6	3	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	168	1	-	-	1	-	3	1	1	3	1	3	1	6	7	15	15	21	21	28	16	16	3	5	-	-
	White—M	74	-	-	-	-	-	2	1	1	1	-	1	1	5	4	7	7	10	14	6	5	5	2	2	-	-
	F	94	1	-	-	1	-	1	-	-	2	1	2	-	1	3	8	8	11	7	22	11	11	1	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	50	1	-	1	-	1	2	-	-	1	1	1	3	1	-	4	4	5	5	5	11	2	2	-	-	-
	White—M	30	-	-	1	-	1	-	-	-	1	-	1	3	-	-	3	1	4	2	5	6	-	2	-	-	-
	F	20	1	-	-	-	-	2	-	-	-	1	-	-	1	-	1	3	1	3	-	5	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	64	-	-	-	-	1	1	-	3	-	2	1	3	6	-	7	7	9	9	3	8	3	1	-	-	-
	White—M	35	-	-	-	-	1	1	-	2	-	-	-	1	4	-	6	4	3	5	3	4	1	-	-	-	-
	F	29	-	-	-	-	-	-	-	1	-	2	1	2	2	-	1	3	6	4	-	4	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	35	-	-	-	-	1	-	-	-	1	1	3	-	1	4	6	7	2	4	-	1	2	2	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	1	2	-	-	1	-	-	-	-
	F	24	-	-	-	-	1	-	-	-	1	1	2	-	1	3	4	4	1	2	-	1	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	176	-	1	-	-	-	-	-	-	-	4	4	2	-	4	6	12	20	40	28	27	21	4	3	-	-
	White—M	83	-	-	-	-	-	-	-	-	-	4	-	-	-	2	1	4	11	17	15	13	12	3	1	-	-
	F	93	-	1	-	-	-	-	-	-	-	-	4	2	-	2	5	8	9	23	13	14	9	1	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	27	1	1	-	-	-	-	-	1	-	-	1	-	-	-	2	2	2	3	3	4	4	3	-	-	-
	White—M	13	1	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	2	-	1	2	-	-	-
	F	14	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	1	4	3	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	14	1	3	4	1	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-
	White—M	8	-	3	2	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	1	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	5,558	2	-	-	-	-	2	1	7	9	12	20	25	73	140	184	334	473	683	831	990	876	581	235	60	20
	White—M	3,073	1	-	-	-	-	2	1	4	6	6	12	12	51	105	136	226	322	418	455	515	414	277	83	18	9
	F	2,478	1	-	-	-	-	-	-	3	3	6	8	13	22	35	46	107	150	265	376	474	462	303	151	42	11
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
330-334, 400-468	Diseases of cardiovascular system	5,367	2	-	-	-	-	2	1	6	7	9	16	24	68	137	176	323	460	663	806	955	843	564	229	58	18
	White—M	2,990	1	-	-	-	-	2	1	4	5	6	9	12	46	103	132	221	312	409	444	500	401	274	82	18	8
	F	2,370	1	-	-	-	-	-	-	2	2	3	7	12	22	34	42	101	147	254	362	454	442	289	146	40	10
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
330-334	Vascular lesions, etc.*	1,207	1	-	-	-	-	-	-	2	1	-	1	3	17	16	36	68	83	154	184	243	189	152	40	16	1
	White—M	576	1	-	-	-	-	-	-	1	1	-	1	1	9	9	19	36	50	84	92	104	85	67	11	5	-
	F	631	-	-	-	-	-	-	-	1	-	-	-	2	8	7	17	32	33	70	92	139	104	85	29	11	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	12	-	-	-	-	-	2	-	-	1	1	-	-	1	2	1	1	-	-	2	1	-	-	-	-	-
	White—M	7	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE--Continued																										
410-443	Diseases of heart	3,702	1	-	-	-	-	-	1	4	5	7	15	19	47	107	137	237	353	479	580	645	550	339	132	33	11
	White-----M--	2,179	-	-	-	-	-	-	1	3	4	4	8	10	36	87	112	171	248	307	327	358	268	166	52	11	6
	F--	1,518	1	-	-	-	-	-	-	1	1	3	7	9	11	20	23	65	104	172	253	286	282	173	80	22	5
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	129	-	-	-	-	-	-	3	3	3	6	2	7	7	8	9	19	22	19	7	8	5	1	-	-
	White-----M--	71	-	-	-	-	-	-	2	2	2	2	-	4	2	6	5	10	15	11	4	1	4	1	-	-
	F--	58	-	-	-	-	-	-	1	1	1	4	2	3	5	2	4	9	7	8	3	7	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,332	-	-	-	-	-	-	-	2	2	7	15	33	76	102	179	251	335	376	406	297	170	61	12	8
	White-----M--	1,489	-	-	-	-	-	-	-	2	2	5	10	28	69	90	139	182	218	223	234	163	91	26	3	4
	F--	840	-	-	-	-	-	-	-	-	-	2	5	5	7	11	39	69	117	153	171	134	79	35	9	4
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	647	-	-	-	-	-	-	1	1	-	1	1	1	3	11	10	23	34	53	98	120	130	98	44	16	2
	White-----M--	340	-	-	-	-	-	-	1	1	-	-	1	-	3	9	5	13	26	31	54	69	62	44	13	7	1
	F--	305	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	10	7	22	44	51	68	54	31	9	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	111	1	-	-	-	-	-	-	-	1	-	-	1	3	1	6	9	14	13	28	16	12	6	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	3	6	6	15	6	3	5	-	-
	F--	58	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	6	8	7	13	10	9	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	483	-	-	-	-	-	-	-	-	-	-	1	1	3	10	16	20	40	55	74	84	99	54	20	5	1
	White-----M--	226	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	10	27	37	33	36	36	24	7	1	1
	F--	257	-	-	-	-	-	-	-	-	-	-	1	1	3	6	6	10	13	18	41	48	63	30	13	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	107	-	-	-	-	-	-	-	-	-	1	-	-	2	4	-	5	6	11	16	16	26	15	4	1	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	6	12	11	12	6	2	1	-
	F--	52	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	5	5	4	5	14	9	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	12	20	44	73	56	53	8	6
	White-----M--	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	8	10	22	33	34	17	1	2
	F--	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	10	22	40	21	35	7	4
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
451-468	Other diseases of circulatory sys.-	55	-	-	-	-	-	-	-	-	-	-	-	2	1	8	1	7	12	7	4	6	5	2	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-	7	10	4	2	4	3	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	2	3	2	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	191	-	-	-	-	-	-	1	2	3	4	1	5	3	8	11	13	20	25	35	33	17	6	2	2
	White-----M--	83	-	-	-	-	-	-	-	1	-	3	-	5	2	4	5	10	9	11	15	13	3	1	-	1
	F--	108	-	-	-	-	-	-	1	1	3	1	1	-	1	4	6	3	11	14	20	20	14	5	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	369	53	9	5	2	-	5	2	5	2	3	3	3	4	4	14	13	22	25	43	43	57	31	15	4	2
	White-----M--	204	24	7	3	1	-	2	2	4	2	2	2	-	3	1	11	9	14	10	26	26	29	17	6	3	-
	F--	163	28	2	2	1	-	3	-	1	-	1	1	3	1	3	3	4	8	15	17	17	28	13	9	1	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	102	14	2	2	-	-	2	-	1	1	-	2	2	2	1	3	2	6	6	14	13	16	8	3	2	-
	White-----M--	64	7	1	1	-	-	1	-	1	1	-	2	-	2	1	2	2	4	3	11	10	6	5	2	2	-
	F--	38	7	1	1	-	-	1	-	-	-	-	-	2	-	-	1	-	2	3	3	3	10	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	267	39	7	3	2	-	3	2	4	1	3	1	1	2	3	11	11	16	18	29	30	41	23	12	2	2
	White-----M--	140	17	6	2	1	-	1	2	3	1	2	-	-	1	-	9	7	10	7	15	16	23	12	4	1	-
	F--	125	21	1	1	1	-	2	-	1	-	1	1	1	1	3	2	4	6	12	14	14	18	10	8	1	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	21	5	1	1	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	3	3	-	3	1	-	-
	White-----M--	12	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	3	-	-	1	1	-	-
	F--	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	48	2	-	-	-	-	-	-	-	-	1	-	3	1	2	4	3	8	6	6	7	4	1	-	-	-
	White-----M--	32	1	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	5	5	5	3	3	1	-	-	-
	F--	16	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	3	1	1	4	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	27	1	-	2	1	-	2	1	4	-	-	-	-	-	-	-	2	3	2	4	3	1	1	-	-	-
	White-----M--	21	1	-	1	1	-	1	1	4	-	-	-	-	-	-	-	1	3	1	3	2	1	1	-	-	-
	F--	6	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	64	7	2	-	-	-	-	-	-	-	-	1	-	1	1	3	7	8	4	10	8	7	5	-	-	-
	White-----M--	38	4	2	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	1	7	6	3	3	-	-	-
	F--	26	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	2	3	3	2	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
543,	Gastritis, etc.*--	38	12	2	1	1	1	-	-	1	-	2	1	-	2	-	3	1	1	1	1	1	2	3	2	-	-
571,	White-----M--	19	9	1	-	1	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-	1	1	2	1	-	-
572	F--	19	3	1	1	-	1	-	-	1	-	1	-	-	2	-	3	1	-	1	1	-	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	68	-	-	-	-	-	-	-	-	-	2	-	2	5	5	10	11	3	11	8	4	5	1	-	1	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	1	-	2	3	3	6	5	2	9	5	3	1	1	-	1	-
	F--	24	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	5	1	2	3	1	4	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	33	1	-	-	-	-	1	1	-	-	1	-	-	2	2	1	2	2	3	3	3	8	2	1	-	-
	White-----M--	14	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	1	2	1	4	1	-	-	-
	F--	19	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	2	1	2	1	2	4	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	6	13	15	12	4	1	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	6	13	15	12	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	18	...	...	...	...	...	...	-	3	7	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	...	...	...	...	...	...	-	3	7	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	16	...	...	...	...	...	...	-	3	6	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	...	...	...	...	...	...	-	3	6	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	141	113	6	5	4	-	2	1	1	1	1	-	2	1	1	-	-	1	1	1	-	-	-	-	-	-
	White-----M--	65	51	1	2	3	-	1	-	1	-	1	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-
	F--	76	62	5	3	1	-	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	357	355	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	223	221	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	154	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	91	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	189	188	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	123	122	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	98	5	-	-	1	-	-	-	1	-	-	1	1	4	1	5	1	3	6	4	12	15	19	14	5	-
	White-----M--	49	4	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	2	3	2	7	8	11	2	2	-
	F--	48	1	-	-	1	-	-	-	1	-	-	-	1	1	-	2	-	1	3	2	5	7	8	12	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	452	24	8	6	2	2	4	3	5	8	6	16	6	18	24	30	37	33	51	43	59	42	17	5	2	1
	White-----M--	254	11	4	2	1	1	2	1	4	4	5	13	5	11	14	16	28	22	28	26	32	16	7	1	-	-
	F--	196	12	4	4	1	1	2	2	1	4	1	3	1	7	10	14	9	10	23	17	27	26	10	4	2	1
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents----------	532	34	12	13	11	6	15	20	27	36	22	21	30	35	19	29	19	24	29	26	19	43	24	16	1	1
	White-----M--	380	23	5	9	8	4	10	18	22	29	20	17	27	31	16	25	12	17	20	19	11	21	11	5	-	-
	F--	149	11	6	4	3	2	5	2	5	7	2	4	3	4	3	4	7	7	7	7	8	22	13	11	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents---------	175	1	2	4	6	-	7	9	17	17	13	8	13	19	6	10	6	9	10	8	6	4	-	-	-	-
	White-----M--	137	-	-	3	4	-	3	7	13	14	12	6	11	16	6	8	4	8	7	7	4	4	-	-	-	-
	F--	37	1	2	1	2	-	4	2	4	3	1	2	2	3	-	2	2	1	2	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	357	33	10	9	5	6	8	11	10	19	9	13	17	16	13	19	13	15	19	18	13	39	24	16	1	1
	White-----M--	243	23	5	6	4	4	7	11	9	15	8	11	16	15	10	17	8	9	13	12	7	17	11	5	-	-
	F--	112	10	4	3	1	2	1	-	1	4	1	2	1	1	3	2	5	6	5	6	6	22	13	11	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	134	-	-	-	-	-	-	-	-	5	10	8	6	13	11	13	13	12	11	10	9	9	3	1	-	-
	White-----M--	111	-	-	-	-	-	-	-	-	3	10	5	3	10	8	13	13	10	7	8	9	8	3	1	-	-
	F--	23	-	-	-	-	-	-	-	-	2	-	3	3	3	3	-	-	2	4	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	21	-	-	-	-	1	-	-	1	4	2	2	1	1	1	1	1	-	1	3	1	1	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	1	3	-	-	-	-	1	1	1	-	1	2	1	1	-	-	-	-
	F--	9	-	-	-	-	1	-	-	-	1	2	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND																										
	ALL CAUSES	21,353	1,492	109	68	47	36	133	72	152	239	308	381	532	810	1,097	1,390	1,849	2,044	2,371	2,402	2,338	1,883	1,045	421	90	44
	White---M	9,369	573	38	21	23	13	67	28	77	93	111	126	195	326	487	673	935	1,066	1,089	1,107	987	776	378	145	24	11
	F	7,594	422	27	24	12	14	37	20	33	36	77	107	132	204	274	322	500	560	867	972	1,105	954	574	242	56	23
	Nonwhite---M	2,493	295	26	13	8	3	16	14	22	60	69	85	113	168	194	226	240	230	231	174	146	89	46	16	3	6
	F	1,897	202	18	10	4	6	13	10	20	50	51	63	92	112	142	169	174	188	184	149	100	64	47	18	7	4
001-019	Tuberculosis all forms	698	3	7	6	1	1	4	5	15	34	49	60	73	66	73	63	60	59	39	36	23	14	6	1	-	-
	White---M	241	2	2	2	-	-	-	1	-	1	5	8	20	20	24	29	32	27	22	24	11	7	3	1	-	-
	F	103	-	-	1	-	1	-	-	-	2	8	13	12	10	14	3	7	7	6	5	8	5	1	-	-	-
	Nonwhite---M	212	-	4	2	-	-	2	-	4	11	15	24	24	25	28	26	15	14	6	6	3	1	2	-	-	-
	F	142	1	1	1	1	-	2	4	11	20	21	15	17	11	7	5	6	11	5	1	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system	650	-	3	-	1	-	2	5	15	33	47	56	69	64	70	58	58	55	37	36	22	13	5	1	-	-
	White---M	232	-	1	-	-	-	-	1	-	1	5	8	19	19	24	28	32	27	22	24	11	7	2	1	-	-
	F	96	-	-	-	-	-	-	-	-	2	8	12	12	10	13	3	6	7	5	5	7	5	1	-	-	-
	Nonwhite---M	191	-	2	-	-	-	1	-	4	11	15	21	21	24	27	22	15	12	5	6	3	-	2	-	-	-
	F	131	-	-	-	1	-	1	4	11	19	19	15	17	11	8	5	5	9	5	1	1	1	-	-	-	-
010-019	Tuberculosis, other forms	48	3	4	6	-	1	2	-	-	1	2	4	4	2	3	5	2	4	2	-	1	1	1	-	-	-
	White---M	9	2	1	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-
	F	7	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite---M	21	-	2	2	-	-	1	-	-	-	-	3	3	1	1	4	-	2	1	-	-	1	-	-	-	-
	F	11	1	1	1	-	-	1	-	-	1	2	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	123	3	-	-	-	-	-	-	1	1	-	5	5	14	14	15	20	10	17	12	5	1	-	-	-	-
	White---M	37	-	-	-	-	-	-	-	1	-	-	-	-	2	4	-	7	3	9	7	4	-	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	1	1	3	1	1	-	-	-	-
	Nonwhite---M	51	2	-	-	-	-	-	-	-	1	-	3	1	7	8	12	8	5	3	1	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	1	4	2	2	3	4	1	4	1	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	5	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	13	5	1	-	2	-	1	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White---M	8	3	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite---M	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	5	-	-	-	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	47	7	2	2	1	1	2	2	-	-	2	4	3	2	1	1	6	4	1	2	1	2	1	-	-	-
	White---M	19	2	1	1	-	1	1	1	-	-	-	1	1	1	-	1	2	3	1	1	-	1	-	-	-	-
	F	12	1	-	1	1	-	1	-	-	-	1	2	1	-	-	-	1	-	-	-	1	1	1	-	-	-
	Nonwhite---M	8	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	1	-	-	-	-	-	-
	F	8	2	1	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
140-205	Malignant neoplasms, etc.*----	3,055	1	4	3	7	5	15	9	9	25	24	48	83	141	209	260	384	406	447	345	318	179	93	31	1	8
	White-----M--	1,283	1	1	2	4	1	6	3	3	13	7	8	27	40	57	110	176	189	191	166	132	90	42	12	-	2
	F--	1,335	-	2	1	3	4	5	4	4	6	11	23	40	79	110	95	152	141	211	142	156	80	43	18	1	4
	Nonwhite--M--	230	-	-	-	-	-	1	2	2	4	2	7	6	6	20	32	33	38	29	21	14	7	5	-	-	1
	F--	207	-	1	-	-	-	3	-	-	2	4	10	10	16	22	23	23	38	16	16	16	2	3	1	-	1
140-148	Of buccal cavity and pharynx------	79	-	-	-	-	-	-	-	-	-	-	-	-	3	5	5	13	15	10	10	7	8	3	-	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	9	12	4	5	6	7	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	3	1	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,090	-	-	-	1	-	-	-	1	1	5	12	19	28	52	80	126	154	176	155	135	81	41	19	-	4
	White-----M--	455	-	-	-	1	-	-	-	1	-	1	-	6	15	14	33	56	68	69	79	50	37	17	8	-	-
	F--	475	-	-	-	-	-	-	-	-	1	3	8	7	11	21	30	52	56	84	60	71	39	20	10	-	2
	Nonwhite--M--	100	-	-	-	-	-	-	-	-	-	-	3	5	1	12	13	13	16	13	10	7	4	2	-	-	1
	F--	60	-	-	-	-	-	-	-	-	-	1	1	1	1	5	4	5	14	10	6	7	1	2	1	-	1
160-164	Of respiratory system----------	360	-	-	-	-	-	-	-	-	1	-	3	7	11	23	49	69	76	64	25	23	7	-	2	-	-
	White-----M--	262	-	-	-	-	-	-	-	-	1	-	2	5	6	14	31	52	61	52	23	10	4	-	1	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	2	3	4	5	7	6	5	2	12	3	-	1	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	-	-	1	-	2	4	11	9	9	5	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	1	-	-	-	-	-
170	Of breast---------	283	-	-	-	-	-	-	-	1	1	3	4	13	17	35	23	27	34	40	26	28	17	11	3	-	-
	White-----M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	244	-	-	-	-	-	-	-	-	-	2	3	8	14	32	21	25	25	38	20	25	17	11	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	1	1	1	5	3	3	2	2	9	1	5	3	-	-	-	-	-
171-179	Of genital organs-	496	-	-	-	-	-	-	1	1	3	4	10	20	41	38	38	56	42	70	61	53	38	13	4	1	2
	White-----M--	139	-	-	-	-	-	-	-	-	1	3	1	3	2	4	2	5	7	22	23	31	24	8	3	-	-
	F--	273	-	-	-	-	-	-	1	-	1	-	6	15	30	27	22	39	25	41	31	17	11	3	1	1	2
	Nonwhite--M--	32	-	-	-	-	-	-	-	1	1	-	-	-	-	2	4	2	4	6	5	3	2	2	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	1	3	2	9	5	10	10	6	1	2	2	1	-	-	-	-
180, 181	Of urinary organs-	178	-	1	-	-	-	4	-	-	1	1	-	3	4	8	12	24	25	25	27	24	11	7	1	-	-
	White-----M--	95	-	-	-	-	-	-	-	-	1	-	-	3	1	3	8	16	16	6	15	13	7	6	-	-	-
	F--	62	-	1	-	-	-	3	-	-	-	-	-	-	3	3	3	5	5	15	10	8	4	1	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	2	4	2	2	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	342	1	2	1	2	2	6	2	2	8	7	8	12	20	27	29	46	38	41	21	34	14	15	2	-	2
	White-----M--	160	1	1	1	1	-	3	1	1	3	2	2	6	6	11	17	25	14	23	10	12	10	8	-	-	2
	F--	140	-	-	-	1	2	1	1	1	2	4	4	4	12	12	8	16	16	16	9	19	3	7	2	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	2	3	1	1	2	1	-	-	-	-
	F--	27	-	1	-	-	-	2	-	-	1	1	2	1	1	4	3	3	5	1	1	1	-	-	-	-	-
204	Leukemia and aleukemia----------	106	-	-	2	4	2	3	6	4	5	-	2	3	6	14	8	8	8	11	10	6	2	2	-	-	-
	White-----M--	49	-	-	1	2	1	1	2	-	4	-	-	1	2	3	4	2	5	8	7	5	1	-	-	-	-
	F--	40	-	-	1	2	1	1	2	3	-	-	1	2	2	8	2	5	1	3	3	1	1	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	2	1	1	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	121	-	1	-	-	1	2	-	-	5	4	9	6	11	7	16	15	14	10	10	8	1	1	-	-	-
	White-----M--	66	-	-	-	-	-	2	-	-	3	1	3	3	7	5	10	11	6	6	3	5	-	1	-	-	-
	F--	36	-	1	-	-	1	-	-	-	2	2	1	2	3	2	4	2	5	4	4	2	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	1	3	-	1	-	1	1	2	-	2	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	1	-	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	79	1	-	1	1	-	3	2	1	3	2	4	4	7	6	12	6	8	10	5	2	1	-	-	-	-
	White-----M--	27	-	-	-	-	-	1	1	-	-	-	1	1	2	-	6	2	3	6	2	2	-	-	-	-	-
	F--	34	1	-	1	-	-	2	1	1	1	2	2	1	3	4	5	2	2	3	2	-	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	1	-	-	-	-	2	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	2	2	-	1	-	-	-	-	-	-
260	Diabetes mellitus-	436	-	1	-	-	-	-	1	2	2	3	2	1	11	15	21	50	73	69	79	66	30	9	1	-	-
	White-----M--	123	-	-	-	-	-	-	1	-	1	1	-	-	7	7	6	15	20	15	29	12	5	4	-	-	-
	F--	248	-	1	-	-	-	-	-	2	-	1	1	-	1	7	9	25	35	42	41	52	25	5	1	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	5	6	5	2	1	-	-	-	-	-
	F--	40	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	5	12	7	7	1	-	-	-	-	-
290-293	Anemias----------	46	3	3	1	-	-	1	-	-	1	-	5	2	2	1	5	1	3	3	4	5	2	3	1	-	-
	White-----M--	16	1	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	2	2	1	1	2	-	-	-
	F--	18	-	1	1	-	-	1	-	-	-	-	-	-	1	-	3	1	-	1	2	4	1	1	1	-	-
	Nonwhite--M--	5	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	32	8	4	4	-	-	1	1	-	1	-	3	2	3	3	-	2	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	3	-	-	-	1	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	4	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	F--	8	2	-	2	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	11,631	7	2	1	1	-	9	10	17	22	50	87	150	340	521	724	1,032	1,173	1,511	1,615	1,672	1,437	807	346	73	24
	White-----M--	5,245	2	1	-	-	-	4	4	11	4	21	29	59	149	259	362	541	646	709	719	707	588	283	120	21	6
	F--	4,340	-	-	-	-	-	3	1	3	8	16	27	28	60	95	148	248	298	525	674	786	722	447	197	43	11
	Nonwhite--M--	1,082	2	-	1	-	-	1	2	1	6	6	14	26	72	85	104	130	122	153	118	110	70	36	16	3	4
	F--	964	3	1	-	1	-	1	3	2	4	7	17	37	59	82	110	113	107	124	104	69	57	41	13	6	3
330-334, 400-468	Diseases of cardiovascular system-	11,281	7	1	-	1	-	8	8	16	19	44	76	135	323	501	701	1,004	1,143	1,468	1,575	1,632	1,403	788	332	72	24
	White-----M--	5,116	2	-	-	-	-	3	3	10	3	18	27	55	144	247	353	533	631	696	703	695	571	279	117	20	6
	F--	4,222	-	-	-	-	-	3	1	3	8	13	23	25	57	91	145	239	291	510	657	770	707	436	189	43	11
	Nonwhite--M--	1,031	2	-	-	-	-	1	2	1	5	6	14	25	68	83	99	125	119	145	113	101	69	33	13	3	4
	F--	912	3	1	-	1	-	1	2	2	3	7	12	30	54	80	104	107	102	117	102	66	56	40	13	6	3
330-334	Vascular lesions, etc.*----------	1,832	1	-	-	-	-	3	-	2	5	10	11	17	37	72	103	132	165	224	285	324	261	129	43	6	2
	White-----M--	722	-	-	-	-	-	1	-	1	-	9	3	3	14	21	36	49	79	97	106	134	107	42	16	3	1
	F--	754	-	-	-	-	-	2	-	1	1	1	4	3	6	20	30	48	48	70	127	153	136	78	23	2	1
	Nonwhite--M--	172	1	-	-	-	-	-	-	-	3	-	1	5	10	14	15	15	21	26	22	20	13	4	1	1	-
	F--	184	-	-	-	-	-	-	-	-	1	-	3	6	7	17	22	20	17	31	30	17	5	5	3	-	-
400-402	Rheumatic fever---	23	-	-	-	-	-	1	6	2	1	2	5	2	2	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	1	2	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
410-443	Diseases of heart	8,706	6	1	-	1	-	4	2	11	10	30	48	106	265	397	569	838	929	1,177	1,210	1,193	1,024	577	237	51	20
	White----M--	4,098	2	-	-	-	-	1	1	7	3	8	19	48	125	217	308	468	528	571	560	513	410	204	88	12	5
	F--	3,168	-	-	-	-	-	1	-	2	5	11	10	21	46	64	110	182	232	413	502	560	520	317	132	32	8
	Nonwhite--M--	778	1	-	-	-	-	1	-	1	2	6	12	17	51	60	77	104	90	112	83	75	49	23	9	1	4
	F--	662	3	1	-	1	-	1	1	1	-	5	7	20	43	56	74	84	79	81	65	45	45	33	8	6	3
410-416	Chronic rheumatic heart disease	264	-	-	-	1	-	-	1	5	4	10	11	12	41	35	36	27	22	21	10	12	8	4	4	-	-
	White----M--	108	-	-	-	-	-	-	1	3	2	1	3	6	15	16	17	15	12	5	4	2	5	-	1	-	-
	F--	115	-	-	-	-	-	-	-	1	2	7	3	4	18	12	18	10	10	11	4	6	3	3	3	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	1	-	1	5	2	5	3	1	2	-	2	1	2	-	-	-	-	-
	F--	16	-	-	-	1	-	-	-	-	-	1	-	-	3	4	-	-	-	3	1	2	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,219	1	-	-	-	-	-	-	2	2	7	19	46	125	213	306	470	528	642	612	533	411	189	96	11	6
	White----M--	2,445	1	-	-	-	-	-	-	2	1	4	10	38	85	163	228	321	358	355	323	260	188	68	36	2	2
	F--	1,386	-	-	-	-	-	-	-	-	1	2	4	4	14	20	40	82	115	232	250	255	199	105	53	8	2
	Nonwhite--M--	245	-	-	-	-	-	-	-	-	-	1	3	3	18	22	26	42	31	37	25	11	12	11	2	-	1
	F--	143	-	-	-	-	-	-	-	-	-	-	2	1	8	8	12	25	24	18	14	7	12	5	5	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,898	3	1	-	-	-	-	1	1	2	2	1	11	23	37	77	99	149	201	273	295	360	236	87	32	7
	White----M--	790	-	-	-	-	-	-	-	1	-	-	1	1	6	14	29	46	73	98	123	123	139	86	39	10	1
	F--	760	-	-	-	-	-	-	-	-	1	1	-	7	4	8	9	19	31	64	105	128	186	129	46	19	3
	Nonwhite--M--	203	-	-	-	-	-	-	-	-	1	1	-	1	9	11	21	20	27	26	26	33	17	6	2	1	1
	F--	145	3	1	-	-	-	-	1	-	-	-	-	2	4	4	18	14	18	13	19	11	18	15	-	2	2
430-434	Other diseases of heart	236	2	-	-	-	-	4	-	2	-	2	8	8	13	13	22	23	20	24	23	37	18	12	3	1	1
	White----M--	94	1	-	-	-	-	1	-	1	-	1	3	1	6	4	9	14	10	7	9	16	5	4	2	-	-
	F--	64	-	-	-	-	-	1	-	-	-	-	2	2	2	3	4	3	3	6	8	14	9	6	1	-	-
	Nonwhite--M--	40	1	-	-	-	-	1	-	-	-	1	2	3	2	5	3	2	4	6	3	3	2	1	-	-	1
	F--	38	-	-	-	-	-	1	-	1	-	-	1	2	3	1	6	4	3	5	3	4	2	1	-	1	-
440-443	Hypertension with heart dis.--	2,089	-	-	-	-	-	-	-	1	2	9	9	29	63	99	128	219	210	289	292	316	227	136	47	7	6
	White----M--	661	-	-	-	-	-	-	-	-	-	2	2	2	13	20	25	72	75	106	101	112	73	46	10	-	2
	F--	843	-	-	-	-	-	-	-	1	1	1	4	8	21	39	68	73	100	135	157	123	74	29	5	3	
	Nonwhite--M--	265	-	-	-	-	-	-	-	-	1	2	2	8	17	19	26	38	28	41	28	26	18	5	5	-	1
	F--	320	-	-	-	-	-	-	-	-	-	4	4	15	25	39	38	41	34	42	28	21	13	11	3	2	-
444-447	Hypertension without mention of heart	215	-	-	-	-	-	-	-	-	1	1	8	6	14	12	17	17	23	25	18	33	16	19	2	3	-
	White----M--	65	-	-	-	-	-	-	-	-	-	-	2	1	1	2	5	9	6	10	6	9	5	7	1	1	-
	F--	84	-	-	-	-	-	-	-	-	1	-	3	1	3	3	3	5	7	13	5	20	9	9	1	1	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	1	2	6	2	3	3	4	1	3	2	1	2	-	1	-
	F--	35	-	-	-	-	-	-	-	-	-	1	2	2	4	5	6	-	6	1	4	2	1	1	-	-	-
450	General arteriosclerosis	398	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	6	13	31	53	71	95	60	49	12	2
	White----M--	178	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	6	11	28	37	48	25	12	4	-
	F--	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	11	19	29	37	31	32	8	2
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	5	4	4	6	4	3	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	4	-	2	-	-
451-468	Other diseases of circulatory sys.-	107	-	-	-	-	-	-	-	1	2	1	4	4	4	16	10	11	13	11	9	10	7	3	1	-	-
	White----M--	44	-	-	-	-	-	-	-	1	-	1	1	2	2	4	4	3	12	7	3	2	1	1	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	3	-	2	4	2	4	1	3	4	7	5	1	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	6	2	2	-	1	1	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	2	-	-	1	-	2	2	2	-	-	1	1	1	1	-	-	-
592-594	Chronic nephritis, etc.*	350	-	1	1	-	-	1	2	1	3	6	11	15	17	20	23	28	30	43	40	40	34	19	14	1	-
	White----M--	129	-	1	-	-	-	1	1	1	1	3	2	4	5	12	9	8	15	13	16	12	17	4	3	1	-
	F--	118	-	-	-	-	-	-	-	-	-	3	4	3	3	4	3	9	7	15	17	16	15	11	8	-	-
	Nonwhite--M--	51	-	-	1	-	-	-	-	-	1	-	-	1	4	2	5	5	3	8	5	9	1	3	3	-	-
	F--	52	-	-	-	-	-	-	1	-	1	-	5	7	5	2	6	6	5	7	2	3	1	1	-	-	-
480-493	Influenza and pneumonia, etc.*	546	109	13	5	5	-	6	1	2	5	7	5	13	17	29	34	33	37	35	49	52	40	29	14	5	1
	White----M--	193	33	2	3	2	-	1	-	1	-	3	1	4	2	9	14	15	16	15	22	24	15	6	4	1	-
	F--	165	27	5	1	2	-	1	1	1	1	-	2	3	4	4	2	4	8	7	14	22	21	22	8	4	1
	Nonwhite--M--	100	29	5	-	1	-	2	-	-	1	2	-	6	8	9	6	8	7	4	6	4	2	-	-	-	-
	F--	88	20	1	1	-	-	2	-	-	3	2	2	-	3	7	12	6	6	9	7	2	2	1	2	-	-
480-483	Influenza	44	6	-	2	-	-	1	-	-	-	-	-	1	1	2	-	2	4	5	3	5	6	4	2	-	-
	White----M--	15	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	2	-	1	-	-
	F--	24	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	4	4	4	1	-	-	
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	502	103	13	3	5	-	5	1	2	5	7	5	12	16	27	34	31	33	30	46	47	34	25	12	5	1
	White----M--	178	30	2	1	2	-	1	-	1	-	3	1	4	2	9	14	14	15	13	20	23	13	6	3	1	-
	F--	141	25	5	1	2	-	1	1	1	1	-	2	2	3	3	2	3	6	5	13	18	17	18	7	4	1
	Nonwhite--M--	97	28	5	-	1	-	2	-	-	1	2	-	6	8	8	6	8	6	4	6	4	2	-	-	-	-
	F--	86	20	1	1	-	-	1	-	-	3	2	2	-	3	7	12	6	6	8	7	2	2	1	2	-	-
500-502	Bronchitis	54	12	2	2	1	-	3	-	-	-	-	1	1	-	4	2	2	2	2	8	3	7	-	2	-	-
	White----M--	27	6	-	-	1	-	2	-	-	-	-	-	-	-	2	-	2	1	-	5	3	4	-	1	-	-
	F--	15	3	2	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	2	-	1	-	1	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	2	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	92	1	-	-	1	-	-	-	1	-	-	2	4	8	7	10	10	13	9	11	9	4	2	-	-	-
	White----M--	60	1	-	-	-	-	-	-	1	-	-	1	4	6	6	6	8	7	6	4	6	2	2	-	-	-
	F--	18	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	2	3	-	5	3	2	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	3	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
550-553	Appendicitis	34	-	1	-	-	1	2	1	5	-	-	2	3	-	2	2	3	1	5	2	1	1	1	1	-	-
	White----M--	12	-	-	-	-	-	1	1	2	-	-	1	1	-	1	-	-	-	2	-	1	1	-	1	-	-
	F--	12	-	-	-	-	1	-	-	2	-	-	-	1	-	-	1	2	1	1	2	-	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	150	15	-	-	-	-	2	-	1	-	3	2	4	9	6	9	15	12	19	15	13	15	9	1	-	-
	White----M--	59	7	-	-	-	-	1	-	-	-	-	1	1	4	4	4	5	7	8	4	5	7	1	-	-	-
	F--	69	4	-	-	-	-	1	-	1	-	2	1	2	2	-	4	8	2	9	11	6	8	7	1	-	-
	Nonwhite--M--	12	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	1	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	1	1	-	1	-	1	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
543, 571, 572	Gastritis, etc.*--	86	38	10	-	1	1	1	1	1	2	-	1	1	1	-	4	4	5	-	4	5	5	1	-	-	-
	White-----M--	27	9	3	-	1	1	1	1	1	1	-	-	-	-	-	2	1	3	-	1	2	-	-	-	-	-
	F--	27	10	1	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	-	2	2	5	1	-	-	-
	Nonwhite--M--	21	13	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	11	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	258	1	-	-	-	-	-	-	-	1	3	13	18	20	32	45	45	27	23	17	9	4	-	-	-	-
	White-----M--	156	-	-	-	-	-	-	-	-	-	-	5	4	12	19	31	30	19	18	10	7	1	-	-	-	-
	F--	71	1	-	-	-	-	-	-	-	-	3	5	7	6	9	12	10	4	3	6	2	3	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	2	3	1	4	1	4	3	1	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	1	4	1	-	1	1	1	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	52	-	1	1	-	2	2	1	1	-	3	1	2	3	5	6	2	5	4	3	3	4	1	1	-	1
	White-----M--	18	-	-	1	-	1	2	-	1	-	-	1	1	1	1	2	1	-	1	2	1	2	-	-	-	-
	F--	15	-	1	-	-	1	-	1	-	-	2	-	-	-	-	2	1	1	1	1	1	1	-	1	-	1
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	-	4	2	-	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
610	Hyperplasia of prostate---------	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	15	10	7	11	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	13	8	5	9	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	2	2	-	-	-
640-689	Complications of pregnancy, etc.*-	23	...	...	...	...	...	...	-	1	4	4	5	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	...	...	...	-	-	1	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	...	...	...	...	...	...	-	1	3	2	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	3	...	...	...	...	...	...	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	20	...	...	...	...	...	...	-	1	4	2	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	...	...	...	-	-	1	1	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	...	...	...	...	...	...	-	1	3	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	275	201	17	5	4	4	7	7	2	7	4	3	1	3	3	-	2	1	3	1	-	-	-	-	-	-
	White-----M--	123	90	7	2	1	3	3	1	1	5	2	-	-	1	2	-	2	1	1	1	-	-	-	-	-	-
	F--	98	71	5	2	2	1	1	3	1	1	2	2	1	2	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	33	23	3	1	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	17	2	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	901	901	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	354	354	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	386	386	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	455	455	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	74	17	-	1	-	-	1	-	-	2	2	1	3	1	8	3	1	3	6	5	7	5	2	2	3	1
	White-----M--	26	8	-	-	-	-	1	-	-	1	-	-	-	-	5	2	-	2	-	2	3	-	-	1	1	-
	F--	28	4	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	1	3	1	2	5	2	1	2	1
	Nonwhite--M--	12	2	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	2	2	1	-	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-
Residual	All other diseases	883	66	11	11	4	5	13	5	8	11	15	18	34	49	62	68	75	93	88	100	65	49	26	3	1	3
	White-----M--	383	31	6	5	3	1	6	2	3	3	-	6	11	16	26	34	34	47	47	42	29	19	9	3	-	-
	F--	321	14	3	4	1	2	5	2	3	1	6	8	12	15	19	19	25	34	27	45	28	28	16	-	1	3
	Nonwhite--M--	92	13	1	1	-	-	1	1	2	5	4	-	5	7	10	9	8	8	5	8	3	1	-	-	-	-
	F--	87	8	1	1	-	2	1	-	-	2	5	4	6	11	7	6	8	4	9	5	5	1	1	-	-	-
E800-E962	Accidents----------	1,309	81	29	22	15	15	58	25	68	84	92	76	77	70	57	73	66	75	65	61	59	73	39	17	7	5
	White-----M--	672	20	10	4	8	4	34	12	45	51	60	46	44	43	29	42	38	47	26	42	24	26	12	2	1	2
	F--	317	23	6	8	1	5	14	5	12	9	11	12	12	9	7	12	6	15	21	11	28	43	27	13	5	2
	Nonwhite--M--	232	16	5	5	4	2	7	6	9	16	18	15	21	16	17	16	22	10	14	5	4	3	-	-	-	1
	F--	88	22	8	5	2	4	3	2	2	8	3	3	-	2	4	3	-	3	4	3	3	1	-	2	1	-
E810-E835	Motor-vehicle accidents--------	476	3	2	6	5	3	22	5	44	52	56	37	34	20	23	35	27	36	21	25	11	6	3	-	-	-
	White-----M--	282	2	1	-	2	1	15	2	33	31	36	24	18	9	11	17	15	24	10	18	6	5	2	-	-	-
	F--	82	1	1	2	-	1	4	2	6	7	8	7	5	3	5	8	2	6	6	4	2	1	1	-	-	-
	Nonwhite--M--	90	-	-	3	3	1	3	-	4	7	10	5	11	7	5	8	10	6	3	2	2	-	-	-	-	-
	F--	22	-	-	1	-	-	-	1	1	7	2	1	-	1	2	2	-	-	2	1	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	833	78	27	16	10	12	36	20	24	32	36	39	43	50	34	38	39	39	44	36	48	67	36	17	7	5
	White-----M--	390	18	9	4	6	3	19	10	12	20	24	22	26	34	18	25	23	23	16	24	18	21	10	2	1	2
	F--	235	22	5	6	1	4	10	3	6	2	3	5	7	6	2	4	4	9	15	7	26	42	26	13	5	2
	Nonwhite--M--	142	16	5	2	1	1	4	6	5	9	8	10	10	9	12	8	12	4	11	3	2	3	-	-	-	1
	F--	66	22	8	4	2	4	3	1	1	1	1	2	-	1	2	1	-	3	2	2	2	1	-	2	1	-
E963, E970-E979	Suicide----------	237	-	-	-	-	-	-	-	4	17	19	13	18	25	30	26	22	24	9	12	10	3	5	-	-	-
	White-----M--	173	-	-	-	-	-	-	-	4	12	10	9	12	16	27	18	18	19	7	9	5	2	5	-	-	-
	F--	45	-	-	-	-	-	-	-	-	3	6	4	5	5	2	4	2	5	2	3	3	1	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	3	-	1	4	1	4	2	-	-	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	142	6	-	1	1	-	-	-	11	16	25	18	21	16	8	7	7	3	1	1	-	-	-	-	-	-
	White-----M--	28	1	-	1	1	-	-	-	3	-	2	4	3	3	3	2	5	-	-	-	-	-	-	-	-	-
	F--	12	3	-	-	-	-	-	-	2	1	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	84	-	-	-	-	-	-	-	3	12	17	13	16	11	2	5	2	2	1	-	-	-	-	-	-	-
	F--	18	2	-	-	-	-	-	-	3	3	4	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS																										
	ALL CAUSES	53,883	2,217	140	93	89	76	201	126	220	313	427	528	808	1,291	1,901	2,896	4,261	5,410	6,504	7,244	7,387	6,063	3,610	1,422	322	334
	White-----M	28,161	1,228	69	52	52	42	127	75	145	210	247	295	458	754	1,136	1,747	2,646	3,203	3,708	3,721	3,559	2,594	1,350	484	97	162
	F	24,737	903	65	36	36	33	68	41	65	87	162	216	325	496	711	1,066	1,524	2,105	2,689	3,412	3,763	3,396	2,229	928	216	165
	Nonwhite--M	536	42	4	4	1	1	5	7	4	9	9	9	16	25	23	61	47	60	66	58	31	31	13	3	3	4
	F	449	44	2	1	-	-	1	3	6	7	9	8	9	16	31	22	44	42	41	53	34	42	18	7	6	3
001-019	Tuberculosis all forms	898	4	2	5	3	1	-	1	7	15	46	43	61	87	92	87	99	110	99	66	35	24	6	2	-	3
	White-----M	601	3	-	-	1	1	-	-	1	5	16	18	38	62	64	69	76	90	71	45	21	15	2	1	-	2
	F	239	1	2	4	2	-	-	1	5	6	24	18	21	20	24	11	22	15	22	16	12	9	3	1	-	-
	Nonwhite--M	43	-	-	-	-	-	-	-	-	1	5	4	2	3	4	6	1	5	6	3	1	-	1	-	-	1
	F	15	-	-	1	-	-	-	-	1	3	1	3	-	2	-	1	-	-	-	2	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	839	1	2	2	-	1	-	-	4	14	39	43	57	83	88	86	97	102	94	61	32	22	6	2	-	3
	White-----M	576	-	-	-	-	1	-	-	-	5	15	18	36	59	63	68	75	85	70	41	20	15	2	1	-	2
	F	212	1	2	2	-	-	-	-	3	5	20	18	20	20	22	11	21	12	18	16	10	7	3	1	-	-
	Nonwhite--M	38	-	-	-	-	-	-	-	-	1	3	4	1	3	3	6	1	5	6	2	1	-	1	-	-	1
	F	13	-	-	-	-	-	-	-	1	3	1	3	-	1	-	1	-	-	-	2	1	-	-	-	-	-
010-019	Tuberculosis, other forms	59	3	-	3	3	-	-	1	3	1	7	-	4	4	4	1	2	8	5	5	3	2	-	-	-	-
	White-----M	25	3	-	-	1	-	-	-	1	-	1	-	2	3	1	1	1	5	1	4	1	-	-	-	-	-
	F	27	-	-	2	2	-	-	1	2	1	4	-	1	-	2	-	1	3	4	-	2	2	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	154	-	-	-	-	-	-	1	-	-	1	1	-	3	5	17	29	22	34	23	13	4	1	-	-	-
	White-----M	111	-	-	-	-	-	-	-	-	-	-	1	-	1	4	16	18	19	23	17	8	3	1	-	-	-
	F	29	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	7	1	5	6	5	1	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	5	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	3	1	2	2	-	-	-
	White-----M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	6	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	9	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	-	-	-
	White-----M	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	14	2	1	-	-	2	-	-	1	-	1	-	1	-	2	-	-	-	2	1	-	1	-	-	-	-
	White-----M	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F	9	2	-	-	-	1	-	-	1	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	10	-	-	-	1	-	4	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	1	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	93	8	5	2	-	1	1	3	-	4	1	3	5	2	4	5	6	8	9	9	6	2	7	1	-	1
	White-----M	48	4	3	1	-	-	1	2	-	2	-	2	3	1	1	3	3	3	7	7	2	1	2	-	-	-
	F	43	3	2	1	-	1	-	1	-	2	1	1	2	1	3	2	3	5	1	2	4	1	5	1	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
140-205	Malignant neoplasms, etc.*----	8,881	14	6	12	18	14	39	20	32	29	61	98	155	290	455	685	951	1,193	1,311	1,228	1,041	705	357	88	14	65
	White-----M--	4,219	5	1	8	10	7	23	13	19	22	31	43	45	93	180	293	460	621	695	616	518	311	147	25	2	31
	F--	4,518	9	4	4	8	7	16	7	12	7	28	54	105	190	266	380	470	553	595	594	514	384	205	63	12	31
	Nonwhite--M--	84	-	1	-	-	-	-	-	-	-	1	1	3	3	3	8	10	11	14	11	4	8	3	-	-	3
	F--	60	-	-	-	-	-	-	-	1	-	1	-	2	4	6	4	11	8	7	7	5	2	2	-	-	-
140-148	Of buccal cavity and pharynx------	209	-	-	-	-	-	-	-	1	1	1	-	2	3	8	10	14	30	43	37	30	15	11	3	-	-
	White-----M--	165	-	-	-	-	-	-	-	1	1	-	-	1	2	7	8	11	27	35	29	22	11	9	1	-	-
	F--	41	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	3	8	7	8	4	2	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	3,646	-	-	-	-	-	-	-	1	4	14	21	34	73	138	230	383	501	555	601	499	356	161	41	7	27
	White-----M--	1,856	-	-	-	-	-	-	-	1	4	7	14	12	31	72	114	214	284	308	293	257	155	62	10	1	17
	F--	1,737	-	-	-	-	-	-	-	-	-	7	7	21	40	65	111	162	206	239	300	241	195	97	31	6	9
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	3	6	5	6	1	4	1	-	-	1
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	5	3	2	-	2	1	-	-	-
160-164	Of respiratory system----------	800	-	-	-	-	-	-	-	2	1	1	3	10	20	58	88	114	142	144	96	67	32	10	5	-	7
	White-----M--	629	-	-	-	-	-	-	-	2	1	-	2	9	13	45	75	90	119	122	72	51	17	5	3	-	3
	F--	157	-	-	-	-	-	-	-	-	-	1	1	1	6	11	10	21	21	21	24	16	15	4	2	-	3
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	-	-	-	1	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	910	-	-	-	-	-	-	-	-	-	4	17	28	56	70	92	102	108	112	105	90	68	40	9	2	7
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	4	1	-	-	-	-	-
	F--	889	-	-	-	-	-	-	-	-	-	4	17	27	55	69	90	100	105	110	99	87	68	40	9	2	7
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	2	2	-	-	-	-	-
171-179	Of genital organs-	1,162	-	-	-	-	-	-	-	2	4	7	10	23	46	74	109	123	133	148	146	146	106	61	7	4	13
	White-----M--	408	-	-	-	-	-	-	-	1	3	4	4	2	1	-	7	20	35	59	77	83	68	33	5	1	5
	F--	730	-	-	-	-	-	-	-	1	1	3	6	20	44	71	100	100	97	86	65	60	36	27	2	3	8
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	-	2	2	2	-	1	-	-	-
180, 181	Of urinary organs-	431	2	-	1	1	1	2	-	1	-	1	-	7	8	12	22	46	60	64	74	59	36	24	6	1	3
	White-----M--	275	1	-	-	1	-	1	-	1	-	-	-	4	5	7	17	35	36	42	50	36	20	15	1	-	3
	F--	148	1	-	1	-	1	1	-	-	-	1	-	2	3	5	5	11	22	20	23	22	15	9	5	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,049	3	4	4	4	2	12	6	7	7	14	21	32	52	59	89	95	136	164	117	94	70	37	15	-	5
	White-----M--	507	-	1	3	3	1	6	2	3	5	9	11	9	23	29	45	44	75	84	64	37	31	16	5	-	1
	F--	523	3	2	1	1	1	6	4	3	2	5	10	23	27	28	44	47	59	77	51	56	38	21	10	-	4
	Nonwhite--M--	11	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	1	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	1	1	1	-	-	-	-	-	-
204	Leukemia and aleukemia----------	324	7	1	7	12	10	23	8	8	4	3	8	5	14	14	18	33	36	31	27	30	11	11	1	-	2
	White-----M--	170	3	-	5	6	6	14	5	4	1	1	2	1	5	5	9	18	23	19	14	15	7	5	-	-	2
	F--	152	4	1	2	6	4	9	3	4	3	2	6	4	9	9	9	15	13	11	13	15	4	5	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	350	2	1	-	1	1	2	6	10	8	16	18	14	18	22	27	41	47	50	25	26	11	2	1	-	1
	White-----M--	197	1	-	-	-	-	2	6	6	7	10	10	7	13	15	16	27	19	25	13	16	2	2	-	-	-
	F--	141	1	1	-	1	1	-	-	4	1	4	7	7	5	7	10	11	27	23	12	9	9	-	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	2	-	1	-	-	-	-	1
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	206	4	3	1	4	1	2	-	2	2	4	7	7	16	21	18	17	24	21	25	12	8	3	2	1	1
	White-----M--	101	2	1	1	-	1	1	-	2	1	3	2	3	3	9	10	8	17	14	13	5	3	1	-	-	1
	F--	98	2	2	-	4	-	1	-	-	1	1	5	3	11	11	7	9	7	5	12	7	5	2	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-
260	Diabetes mellitus-	1,142	1	-	-	-	1	-	1	-	2	10	6	8	16	33	55	107	164	205	198	165	107	48	9	-	6
	White-----M--	413	1	-	-	-	-	-	-	-	1	6	3	6	8	17	27	43	57	78	56	57	32	14	4	-	3
	F--	710	-	-	-	-	1	-	1	-	1	4	3	2	7	14	27	59	105	125	139	105	75	34	5	-	3
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	2	1	1	-	-	-	-	-
280-283	Anemias----------	169	2	-	-	-	-	-	1	2	1	4	1	-	1	4	7	5	13	22	46	22	19	13	2	1	3
	White-----M--	60	1	-	-	-	-	-	-	2	-	1	-	-	-	3	2	2	1	9	18	10	7	3	-	1	-
	F--	103	1	-	-	-	-	-	-	-	1	3	-	-	1	1	5	2	12	13	26	12	11	10	2	-	3
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	40	7	4	1	-	2	1	1	-	-	-	1	1	2	4	3	-	7	-	2	3	1	-	-	-	-
	White-----M--	29	3	3	1	-	2	1	-	-	-	-	-	1	2	3	3	-	5	-	2	2	1	-	-	-	-
	F--	9	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	30,835	12	5	2	1	4	9	12	22	48	77	127	265	502	840	1,444	2,328	2,977	3,821	4,664	5,114	4,380	2,639	1,102	252	188
	White-----M--	15,917	8	3	-	-	2	4	7	10	21	41	72	171	334	576	947	1,540	1,826	2,186	2,406	2,418	1,829	965	382	77	92
	F--	14,474	3	2	2	1	2	5	4	11	26	33	50	86	155	239	457	748	1,098	1,577	2,198	2,652	2,498	1,654	711	167	95
	Nonwhite--M--	211	1	-	-	-	-	-	-	-	-	1	2	4	6	10	28	21	25	33	29	21	18	6	3	3	-
	F--	233	-	-	-	-	-	-	1	1	1	2	3	4	7	15	12	19	28	25	31	23	35	14	6	5	1
330-334, 400-468	Diseases of cardiovascular system-	30,256	12	4	2	1	2	5	7	13	41	65	115	244	483	820	1,413	2,280	2,919	3,758	4,596	5,032	4,325	2,599	1,089	250	181
	White-----M--	15,627	8	2	-	-	2	4	7	16	33	68	156	321	564	927	1,514	1,796	2,153	2,371	2,390	1,806	948	376	77	88
	F--	14,193	3	2	2	1	2	3	2	6	24	30	42	80	149	251	449	727	1,070	1,548	2,165	2,598	2,467	1,631	704	165	92
	Nonwhite--M--	209	1	-	-	-	-	-	-	-	-	-	2	4	6	10	28	21	25	33	29	21	17	6	3	3	-
	F--	227	-	-	-	-	-	-	1	-	1	2	3	4	7	15	9	18	28	24	31	23	35	14	6	5	1
330-334	Vascular lesions, etc.*----------	5,804	3	3	2	-	-	3	2	3	8	10	19	32	70	136	227	374	471	754	965	1,027	896	532	192	34	41
	White-----M--	2,499	3	2	-	-	-	1	2	2	2	5	10	14	36	63	90	195	247	371	455	408	322	176	69	5	21
	F--	3,200	-	1	2	-	-	2	-	1	6	5	9	15	32	64	125	173	212	363	494	608	564	354	122	28	20
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	-	-	1	-	4	11	2	7	10	9	6	3	1	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	-	2	2	5	1	4	5	10	7	5	7	1	1	1	-
400-402	Rheumatic fever---	45	1	-	-	-	-	1	3	-	6	1	2	2	2	4	9	4	3	2	1	2	1	1	-	-	-
	White-----M--	23	1	-	-	-	-	-	1	-	4	1	1	-	2	4	4	2	1	1	-	1	-	-	-	-	-
	F--	20	-	-	-	-	-	1	1	-	2	-	1	2	-	-	5	2	1	1	1	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
410-443	Diseases of heart-	22,158	7	-	-	-	2	1	2	9	21	44	87	198	389	654	1,115	1,827	2,314	2,819	3,326	3,627	3,032	1,705	704	158	117
	White-----M--	12,089	3	-	-	-	-	1	1	5	8	23	55	134	270	481	799	1,277	1,474	1,681	1,766	1,799	1,308	621	245	57	61
	F--	9,798	3	-	-	-	2	-	1	4	12	19	28	59	109	160	295	518	804	1,105	1,518	1,800	1,688	1,070	451	96	56
	Nonwhite--M--	136	1	-	-	-	-	-	-	-	-	-	1	3	6	5	13	18	17	20	18	11	13	5	3	2	-
	F--	155	-	-	-	-	-	-	-	-	1	2	3	2	4	8	8	14	19	13	24	17	23	9	5	3	-
410-416	Chronic rheumatic heart disease----	815	1	-	-	-	-	-	1	4	5	24	34	59	74	87	99	102	102	81	65	26	34	10	4	-	3
	White-----M--	328	1	-	-	-	-	-	-	4	3	9	12	22	25	41	49	43	46	26	21	8	10	3	4	-	1
	F--	471	-	-	-	-	-	-	1	-	2	13	19	36	49	45	48	57	54	54	43	17	24	7	-	-	2
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	2	3	1	-	1	1	1	2	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	15,343	-	-	-	-	-	1	1	1	6	8	35	97	246	444	831	1,341	1,655	2,060	2,378	2,529	1,987	1,077	455	105	86
	White-----M--	9,126	-	-	-	-	-	1	1	-	2	6	34	86	204	373	665	1,023	1,143	1,315	1,350	1,326	918	423	172	35	49
	F--	6,030	-	-	-	-	-	-	-	1	4	2	1	10	36	62	155	294	490	721	1,003	1,180	1,043	643	281	67	37
	Nonwhite--M--	96	-	-	-	-	-	-	-	-	-	-	-	-	4	4	8	14	14	15	11	8	11	5	1	1	-
	F--	91	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	10	8	9	14	15	15	6	1	2	-
421 422	Nonrheumatic chronic endocarditis, etc.*--	2,601	3	-	-	-	-	-	-	2	3	4	6	9	16	33	55	95	166	214	362	494	530	395	167	33	14
	White-----M--	1,175	1	-	-	-	-	-	-	1	2	3	3	7	10	21	23	57	90	119	190	232	207	140	49	14	6
	F--	1,401	1	-	-	-	-	-	-	1	1	1	3	1	6	12	32	38	74	92	165	261	318	253	116	18	8
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	3	1	-	-	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	5	2	1	1	-
430-434	Other diseases of heart---------	599	3	-	-	-	2	-	-	2	4	5	4	17	15	26	26	39	79	78	73	85	79	40	15	3	4
	White-----M--	320	1	-	-	-	-	-	-	-	1	2	2	8	9	16	18	24	47	51	35	43	42	11	7	1	2
	F--	271	2	-	-	-	2	-	-	2	2	3	2	9	5	10	6	15	30	27	37	42	37	29	8	1	2
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	2,800	-	-	-	-	-	-	-	-	3	3	8	16	38	64	104	250	312	386	448	493	402	183	63	17	10
	White-----M--	1,120	-	-	-	-	-	-	-	-	-	3	4	11	22	30	44	130	148	170	170	190	131	44	13	7	3
	F--	1,625	-	-	-	-	-	-	-	-	3	-	3	3	13	31	54	114	156	211	270	300	266	138	46	10	7
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	3	3	2	3	1	2	-	1	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	5	3	5	2	3	1	3	-	-
444-447	Hypertension without mention of heart----------	412	-	-	-	-	-	-	-	-	2	3	6	7	8	9	27	24	33	48	50	65	60	40	24	4	2
	White-----M--	177	-	-	-	-	-	-	-	-	1	2	2	6	3	5	14	12	12	19	27	27	19	20	6	1	1
	F--	227	-	-	-	-	-	-	-	-	1	1	3	1	5	2	12	12	21	27	23	37	40	20	18	3	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
450	General arteriosclerosis--------	1,479	-	-	-	-	-	-	-	-	-	3	-	-	1	2	8	13	47	85	198	275	306	307	164	54	16
	White-----M--	668	-	-	-	-	-	-	-	-	-	2	-	-	1	2	6	6	30	52	95	133	144	127	53	14	3
	F--	789	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	7	14	31	101	139	158	176	111	38	12
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	-	-	1	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	4	-	1	1
451-468	Other diseases of circulatory sys.-	358	1	1	-	1	-	-	-	1	4	4	1	5	13	15	27	38	51	50	56	36	30	14	5	-	5
	White-----M--	191	1	-	-	-	-	-	-	-	1	-	-	2	9	9	14	22	32	29	28	22	13	4	3	-	2
	F--	159	-	1	-	1	-	-	-	1	3	4	1	3	3	5	11	15	18	21	28	13	16	10	2	-	3
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*	579	-	1	-	-	2	4	5	9	7	12	12	21	19	20	31	48	58	63	68	82	55	40	13	2	7
	White-----M--	290	-	1	-	-	2	2	3	3	5	8	4	15	13	12	20	26	30	33	35	28	23	17	6	-	4
	F--	281	-	-	-	-	-	2	2	5	2	3	8	6	6	8	8	21	28	29	33	54	31	23	7	2	3
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	1,446	103	34	9	4	2	8	2	4	6	9	10	24	30	43	45	68	102	145	172	199	210	125	65	16	11
	White-----M--	810	56	17	7	2	1	4	-	3	6	4	7	16	19	28	31	53	67	94	87	110	111	54	23	7	5
	F--	599	38	15	2	1	1	4	2	1	-	5	3	7	9	15	13	13	33	48	79	88	97	68	42	9	6
	Nonwhite--M--	22	5	1	-	1	-	-	-	-	-	-	-	-	2	-	1	2	1	2	5	-	1	1	-	-	-
	F--	15	4	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	1	1	1	2	-	-	-
480-483	Influenza---------	111	1	3	2	-	-	1	-	1	-	2	1	-	1	3	3	1	2	12	10	18	21	17	10	1	1
	White-----M--	45	-	2	2	-	-	1	-	1	-	1	1	-	-	1	2	-	1	6	3	5	10	5	4	-	-
	F--	64	1	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	1	6	7	13	11	11	6	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,335	102	31	7	4	2	7	2	3	6	7	9	24	29	40	42	67	100	133	162	181	189	108	55	15	10
	White-----M--	765	56	15	5	2	1	3	-	2	6	3	6	16	19	25	29	53	66	88	84	105	101	49	19	7	5
	F--	535	37	15	2	1	1	4	2	1	-	4	3	7	8	13	12	12	32	42	72	75	86	57	36	8	5
	Nonwhite--M--	21	5	1	-	1	-	-	-	-	-	-	-	-	2	-	1	2	1	2	5	-	1	-	-	-	-
	F--	14	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	1	1	1	2	-	-	-
500-502	Bronchitis---------	107	14	4	3	1	2	3	1	-	1	-	1	-	1	2	4	8	8	8	17	14	7	6	-	1	1
	White-----M--	73	10	4	3	1	-	1	1	-	-	-	1	-	-	2	3	8	7	6	12	8	3	3	-	-	-
	F--	33	4	-	-	-	2	2	-	-	1	-	-	-	1	-	1	-	1	2	4	6	4	3	-	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	422	1	-	-	-	-	-	-	-	-	2	6	12	16	16	46	43	74	56	54	53	27	14	1	-	1
	White-----M--	339	-	-	-	-	-	-	-	-	-	2	4	10	13	11	38	42	62	48	44	40	14	9	1	-	1
	F--	75	1	-	-	-	-	-	-	-	-	-	2	1	3	5	5	1	11	7	8	13	13	5	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
550-553	Appendicitis------	105	1	-	2	3	1	5	1	1	3	2	4	-	6	8	8	3	14	14	7	15	4	3	-	-	-
	White-----M--	58	-	-	1	-	1	1	-	1	1	-	4	-	5	5	6	2	7	11	6	3	3	1	-	-	-
	F--	46	1	-	1	3	-	4	1	-	2	2	-	-	1	3	1	1	7	3	1	12	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	302	35	2	1	1	-	-	2	2	2	1	6	4	3	7	12	18	33	36	48	25	43	17	3	-	1
	White-----M--	146	20	1	1	1	-	-	2	1	1	-	1	3	1	1	5	8	16	19	26	11	21	6	1	-	-
	F--	148	15	-	-	-	-	-	-	1	1	1	5	1	2	6	5	9	16	17	21	14	22	10	2	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
543, 571, 572	Gastritis, etc.*--	183	26	6	-	-	1	1	1	-	2	6	3	7	7	4	9	13	19	12	21	18	12	12	2	-	1
	White-----M--	80	18	2	-	-	-	1	-	-	-	3	2	3	3	1	5	9	10	4	7	5	4	2	1	-	-
	F--	101	7	4	-	-	1	-	1	-	2	3	1	4	4	3	4	4	9	8	14	12	8	10	1	-	1
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	680	-	-	-	-	-	-	2	-	-	2	16	36	62	68	87	116	92	76	56	35	13	13	1	-	5
	White-----M--	435	-	-	-	-	-	-	-	-	-	1	9	19	40	46	52	85	59	52	36	20	6	5	1	-	4
	F--	236	-	-	-	-	-	-	2	-	-	1	6	17	21	22	31	31	31	24	19	15	7	8	-	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	90	1	2	-	4	2	2	2	6	1	-	1	5	6	5	10	6	5	7	6	9	6	3	-	-	1
	White-----M--	50	-	2	-	3	1	2	1	2	-	-	1	3	5	3	5	4	2	4	4	4	2	2	-	-	-
	F--	36	1	-	-	1	1	-	1	3	1	-	-	1	-	2	5	2	3	2	2	5	4	1	-	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	173	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	13	23	32	32	33	23	6	4	2
	White-----M--	168	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	12	23	32	32	31	22	6	4	2
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-
640-689	Complications of pregnancy, etc.*-	34	...	...	...	...	...	...	-	1	5	10	10	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	32	...	...	...	...	...	...	-	-	5	10	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	4	...	...	...	...	...	...	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	30	...	...	...	...	...	...	-	1	4	9	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	29	...	...	...	...	...	...	-	-	4	9	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	548	415	13	14	7	5	11	6	4	9	7	4	3	4	14	7	6	6	6	4	2	-	-	-	-	1
	White-----M--	273	204	4	8	6	2	6	1	3	6	4	1	1	1	7	5	1	5	4	3	1	-	-	-	-	-
	F--	266	203	9	6	1	3	5	5	1	3	2	3	2	3	7	2	5	1	2	1	1	-	-	-	-	1
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,428	1,422	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
	White-----M--	813	808	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
	F--	556	555	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	669	666	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
	White-----M--	387	384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
	F--	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	707	704	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	397	395	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	288	287	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	238	8	1	1	1	1	1	1	1	1	1	8	3	10	7	16	13	19	24	21	30	30	17	12	7	4
	White-----M--	125	3	1	1	-	1	-	-	1	1	1	2	2	6	2	11	9	10	19	8	20	16	5	3	1	2
	F--	102	4	-	-	1	-	1	-	-	-	-	6	1	2	4	4	4	8	5	12	10	12	12	9	5	2
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-
Residual	All other diseases	2,389	85	20	13	11	12	36	18	18	19	41	60	66	99	124	173	214	282	311	286	231	135	85	25	9	16
	White-----M--	1,320	50	10	6	9	3	18	10	11	13	19	33	36	55	69	108	121	156	180	160	122	67	44	11	1	8
	F--	1,011	31	10	5	2	8	18	5	6	5	19	27	29	40	49	60	86	120	127	121	106	67	41	14	8	7
	Nonwhite--M--	35	2	-	2	-	1	-	3	1	-	-	-	-	2	3	5	3	6	4	2	1	-	-	-	-	-
	F--	23	2	-	-	-	-	-	-	-	1	3	-	1	2	3	-	4	-	-	3	2	1	-	-	-	1
E800-E962	Accidents----------	2,760	47	30	25	26	23	70	47	107	136	107	75	90	86	105	116	142	172	222	229	281	277	214	101	17	15
	White-----M--	1,582	29	16	13	18	19	55	35	82	110	93	64	62	71	78	79	97	108	136	97	119	105	60	25	4	7
	F--	1,118	17	12	10	8	4	10	8	22	18	12	11	24	14	25	34	38	59	84	127	160	171	154	75	13	8
	Nonwhite--M--	43	1	1	2	-	-	4	3	3	7	2	-	4	1	-	3	5	4	1	1	1	-	-	-	-	-
	F--	17	-	1	-	-	-	1	1	-	1	-	-	-	-	2	-	2	1	1	4	1	1	-	1	-	-
E810-E835	Motor-vehicle accidents---------	606	1	3	4	11	9	25	7	57	75	57	31	25	19	24	35	38	40	50	38	29	20	5	2	-	1
	White-----M--	453	1	1	2	9	7	19	6	41	64	52	27	19	15	13	23	24	28	39	19	23	14	5	1	-	1
	F--	140	-	2	1	2	2	5	1	14	9	4	4	5	3	10	12	13	12	11	17	6	6	-	1	-	-
	Nonwhite--M--	10	-	-	1	-	-	1	-	2	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	2,154	46	27	21	15	14	45	40	50	61	50	44	65	67	81	81	104	132	172	191	252	257	209	99	17	14
	White-----M--	1,129	28	15	11	9	12	36	29	41	46	41	37	43	56	65	56	73	80	97	78	96	91	55	24	4	6
	F--	978	17	10	9	6	2	5	7	8	9	8	7	19	11	15	22	25	47	73	110	154	165	154	74	13	8
	Nonwhite--M--	33	1	1	1	-	-	3	3	1	5	1	-	3	-	-	3	4	4	1	1	1	-	-	-	-	-
	F--	14	-	1	-	-	-	1	1	-	1	-	-	-	-	1	-	2	1	1	2	1	1	-	1	-	-
E963, E970-E979	Suicide----------	451	-	-	-	-	-	-	1	5	20	27	33	44	37	32	38	61	49	35	24	28	12	1	-	-	4
	White-----M--	337	-	-	-	-	-	-	1	3	16	20	23	32	29	25	27	51	42	21	16	21	8	1	-	-	1
	F--	106	-	-	-	-	-	-	-	1	4	7	10	11	7	6	10	9	6	14	8	7	3	-	-	-	3
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	47	1	1	1	1	1	2	-	2	7	4	4	5	3	3	3	1	3	3	1	1	-	-	-	-	-
	White-----M--	24	1	-	-	-	-	2	-	2	4	1	2	3	2	1	2	-	1	2	1	-	-	-	-	-	-
	F--	18	-	1	1	1	1	-	-	-	1	2	2	2	1	1	1	1	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN																										
	ALL CAUSES--------	59,396	4,516	295	156	128	127	364	279	408	621	719	896	1,247	1,775	2,489	3,701	4,829	6,092	6,925	7,073	6,538	5,379	3,236	1,264	281	58
	White-----M--	32,057	2,309	140	81	67	73	180	166	238	340	358	421	559	868	1,384	2,061	2,944	3,748	4,063	3,932	3,405	2,577	1,500	507	107	29
	F--	22,914	1,605	116	57	51	45	144	91	129	162	205	307	419	591	746	1,141	1,473	1,965	2,530	2,909	2,965	2,684	1,673	724	163	19
	Nonwhite--M--	2,444	335	18	12	5	6	25	15	22	66	63	93	142	163	200	278	238	223	202	131	93	57	37	12	4	4
	F--	1,981	267	21	6	5	3	15	7	19	53	93	75	127	153	159	221	174	156	130	101	75	61	26	21	7	6
001-019	Tuberculosis all forms--------	1,171	8	5	7	6	3	6	4	13	50	67	84	80	99	102	113	126	118	106	88	53	24	7	1	1	-
	White-----M--	625	2	-	2	2	2	1	-	3	8	12	21	33	50	55	69	88	83	75	63	32	18	5	1	-	-
	F--	208	3	1	4	2	1	2	1	1	8	12	30	20	15	16	13	16	14	16	14	15	3	-	-	1	-
	Nonwhite--M--	205	1	-	1	1	-	1	2	3	13	16	19	18	16	23	26	18	19	10	10	4	2	2	-	-	-
	F--	133	2	4	-	1	-	2	1	6	21	27	14	9	18	8	5	4	2	5	1	2	1	-	-	-	-
001-008	Tuberculosis of respiratory system-----------	1,064	4	3	4	2	1	1	2	8	43	63	77	71	93	97	106	119	106	101	84	48	23	6	1	1	-
	White-----M--	597	1	-	-	-	1	1	-	2	7	11	21	32	47	55	66	86	81	73	60	30	17	5	1	-	-
	F--	177	1	1	3	1	-	-	-	-	7	11	27	16	15	15	12	14	7	16	14	13	3	-	-	1	-
	Nonwhite--M--	178	1	-	1	-	-	-	2	3	9	15	17	14	15	21	25	17	16	7	9	3	2	1	-	-	-
	F--	112	1	2	-	1	-	-	-	3	20	26	12	9	16	6	3	2	2	5	1	2	1	-	-	-	-
010-019	Tuberculosis, other forms------	107	4	2	3	4	2	5	2	5	7	4	7	9	6	5	7	7	12	5	4	5	1	1	-	-	-
	White-----M--	28	1	-	2	2	1	-	-	1	1	1	-	1	3	-	3	2	2	2	3	2	1	-	-	-	-
	F--	31	2	-	1	1	1	2	1	1	1	1	3	4	-	1	1	2	7	-	-	2	-	-	-	-	-
	Nonwhite--M--	27	-	-	-	1	-	1	-	-	4	1	2	4	1	2	1	1	3	3	1	1	-	1	-	-	-
	F--	21	1	2	-	-	-	2	1	3	1	1	2	-	2	2	2	2	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	286	2	-	-	-	-	-	-	2	1	-	-	11	15	22	33	41	47	46	40	15	4	7	-	-	-
	White-----M--	164	-	-	-	-	-	-	-	1	1	-	-	1	7	5	14	26	29	35	26	13	4	2	-	-	-
	F--	49	1	-	-	-	-	-	-	1	-	-	-	1	2	6	2	6	8	5	11	2	-	4	-	-	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	-	7	5	9	11	6	9	6	3	-	-	-	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	-	-	2	1	2	6	3	1	-	-	-	-	1	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	11	-	2	1	-	2	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	13	9	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*------------	13	-	-	1	-	-	1	-	-	1	-	-	-	2	2	1	-	-	-	1	1	1	-	2	-	-
	White-----M--	6	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	1	-	-
	F--	6	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
055	Diphtheria--------	5	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	22	13	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	45	13	10	6	2	2	4	1	2	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	20	7	6	2	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	3	4	2	2	2	2	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	5	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis------------	64	4	1	-	3	4	12	5	6	9	11	4	2	-	-	3	-	-	-	-	-	-	-	-	-	-
	White-----M--	23	-	1	-	1	3	4	2	1	4	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	37	3	-	-	2	1	7	3	5	3	9	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----------	11	4	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	3	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria-----------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	147	32	6	2	2	2	1	6	7	3	5	8	5	5	7	9	10	9	9	7	4	4	2	2	-	-
	White-----M--	64	16	5	1	-	1	-	3	2	-	1	-	1	3	3	4	3	6	5	5	2	3	-	-	-	-
	F--	66	13	1	1	2	-	1	3	3	2	3	8	2	1	2	5	5	2	3	2	2	1	2	2	-	-
	Nonwhite--M--	8	1	-	-	-	1	-	-	1	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	9	2	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
140-205	Malignant neoplasms, etc.*----	9,236	20	11	18	18	25	36	29	40	46	78	127	218	351	489	819	1,064	1,353	1,340	1,244	927	592	299	70	17	5
	White-----M--	4,571	11	5	13	12	14	21	19	21	20	39	49	60	98	195	367	545	746	728	639	478	292	156	29	10	4
	F--	4,163	9	6	4	5	7	12	8	16	23	32	65	131	214	236	373	442	550	560	571	428	284	140	39	7	1
	Nonwhite--M--	225	-	-	-	1	3	2	1	2	2	2	6	7	12	25	36	32	26	27	19	12	7	1	2	-	-
	F--	277	-	-	1	-	1	1	1	1	1	5	7	20	27	33	43	45	31	25	15	9	9	2	-	-	-
140-148	Of buccal cavity and pharynx------	223	-	-	-	-	-	-	-	-	2	2	1	-	5	20	14	21	36	42	32	24	16	5	1	1	1
	White-----M--	171	-	-	-	-	-	-	-	-	-	-	-	-	2	11	12	16	31	34	23	21	15	4	-	1	1
	F--	40	-	-	-	-	-	-	-	-	2	2	-	-	2	5	1	2	4	7	9	3	1	1	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	3,492	-	-	-	-	-	1	-	2	4	13	26	48	91	131	248	389	530	544	558	453	267	143	36	6	2
	White-----M--	1,858	-	-	-	-	-	1	-	2	1	7	12	17	39	66	130	214	310	322	300	234	116	70	12	4	1
	F--	1,458	-	-	-	-	-	-	-	-	3	4	12	22	39	47	90	141	198	203	246	210	145	72	23	2	1
	Nonwhite--M--	86	-	-	-	-	-	-	-	-	-	-	-	2	5	11	16	16	13	8	7	4	3	-	1	-	-
	F--	90	-	-	-	-	-	-	-	-	-	2	2	7	8	7	12	18	9	11	5	5	3	1	-	-	-
160-164	Of respiratory system----------	946	1	-	-	-	-	1	1	-	1	2	8	17	26	55	111	160	178	163	121	54	35	10	1	-	1
	White-----M--	773	-	-	-	-	-	1	1	-	-	-	6	12	17	45	88	142	154	134	98	42	25	6	1	-	1
	F--	131	1	-	-	-	-	-	-	-	1	2	2	2	6	6	14	11	18	23	23	10	8	4	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	3	1	3	8	4	6	6	-	2	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	2	-	-	-	-	-
170	Of breast---------	831	-	-	-	-	-	-	-	-	-	5	19	44	59	59	112	92	104	99	101	59	43	25	9	1	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
	F--	788	-	-	-	-	-	-	-	-	-	4	18	42	56	55	104	87	96	94	96	58	43	25	9	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	1	1	2	3	4	7	4	8	4	4	-	-	-	-	-	-
171-179	Of genital organs-	1,452	1	-	-	-	-	-	1	5	9	12	23	48	78	93	136	141	177	197	193	154	115	54	11	4	-
	White-----M--	478	-	-	-	-	-	-	-	1	5	5	5	3	3	7	8	22	49	70	98	81	70	40	8	3	-
	F--	849	1	-	-	-	-	-	1	3	3	5	16	38	62	73	105	106	116	114	84	67	39	13	2	1	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	2	3	6	8	3	4	1	1	-	-
	F--	91	-	-	-	-	-	-	-	-	1	2	2	7	12	12	20	11	9	7	3	3	2	-	-	-	-
180, 181	Of urinary organs-	436	1	1	4	1	2	-	-	-	-	2	2	3	13	18	38	51	85	77	61	35	27	11	3	1	-
	White-----M--	301	1	1	2	-	1	-	-	-	-	1	1	2	8	8	26	36	67	49	41	23	23	7	3	1	-
	F--	119	-	-	2	-	1	-	-	-	-	1	-	1	5	7	11	10	17	27	17	12	4	4	-	-	-
	Nonwhite--M--	7	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	1	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,092	7	5	5	3	3	14	11	12	15	17	23	31	42	71	98	119	144	128	112	106	71	43	8	4	-
	White-----M--	528	3	3	4	2	2	8	7	7	7	12	10	11	15	31	57	57	71	66	41	53	32	24	4	1	-
	F--	507	4	2	1	1	-	5	3	4	7	4	11	15	24	32	35	57	68	54	68	49	37	19	4	3	-
	Nonwhite--M--	27	-	-	-	-	-	1	-	-	1	1	1	1	2	3	4	1	3	5	1	3	-	-	-	-	-
	F--	30	-	-	-	-	1	-	1	1	-	-	1	4	1	5	2	4	2	3	2	1	2	-	-	-	-
204	Leukemia and aleukemia----------	380	8	5	8	12	18	14	8	13	7	12	10	11	16	18	24	36	42	45	37	18	10	6	1	-	1
	White-----M--	223	6	1	7	8	10	9	5	8	3	7	7	5	5	10	18	17	25	27	22	9	8	4	1	-	1
	F--	138	2	4	1	4	6	4	3	4	4	4	1	6	11	6	3	15	15	18	14	9	2	2	-	-	-
	Nonwhite--M--	16	-	-	-	-	2	1	-	1	-	1	2	-	-	1	3	4	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	384	2	-	1	2	2	6	8	8	8	13	15	16	21	24	38	55	57	45	29	24	8	2	-	-	-
	White-----M--	234	1	-	-	2	1	2	6	3	4	7	8	10	9	17	27	40	39	25	15	14	3	1	-	-	-
	F--	133	1	-	-	-	-	3	1	5	3	6	5	5	9	5	10	13	18	20	14	10	5	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	1	-	1	-	1	-	2	1	2	2	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-
210-239	Benign and unspecified neoplasms--	214	6	-	1	2	-	5	2	6	3	9	17	13	22	15	19	18	20	22	12	8	8	4	2	-	-
	White-----M--	88	4	-	-	1	-	2	-	1	1	4	6	2	5	2	9	9	11	12	8	4	6	1	-	-	-
	F--	104	1	-	1	1	-	3	1	5	2	2	9	6	11	12	9	8	8	10	4	4	2	3	2	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	1	-	-	-	3	2	4	5	1	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	1,382	1	3	1	-	1	3	5	5	8	12	12	10	25	48	81	137	203	258	242	172	104	44	7	-	-
	White-----M--	497	1	1	-	-	1	1	2	-	3	9	2	5	11	21	32	48	70	84	83	64	35	21	3	-	-
	F--	807	-	2	1	-	-	1	3	5	4	2	9	3	7	16	41	77	123	168	150	103	66	23	3	-	-
	Nonwhite--M--	24	-	-	-	-	-	1	-	-	1	1	-	1	2	2	2	7	2	3	-	2	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	1	1	5	9	6	5	8	3	9	3	3	-	1	-	-
290-293	Anemias----------	207	10	1	-	-	-	3	2	2	1	1	1	2	8	3	3	16	16	25	21	41	28	18	4	1	-
	White-----M--	98	5	1	-	-	-	2	1	1	-	1	-	-	5	1	-	7	5	13	8	21	16	9	2	-	-
	F--	104	5	-	-	-	-	1	-	-	1	-	1	2	1	2	3	8	11	12	13	20	12	9	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	82	23	7	3	3	3	5	1	1	1	3	4	3	3	3	4	5	3	4	1	1	1	-	-	-	-
	White-----M--	45	14	4	2	1	2	3	1	1	1	1	4	1	1	2	1	3	-	1	1	-	1	-	-	-	-
	F--	21	5	3	1	1	1	2	-	-	-	1	-	-	-	-	1	-	3	2	-	1	-	-	-	-	-
	Nonwhite--M--	12	2	-	-	1	-	-	-	-	-	1	-	1	1	1	2	2	-	1	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	30,576	21	6	6	2	5	25	35	24	60	103	181	405	678	1,123	1,838	2,548	3,336	4,082	4,412	4,392	3,846	2,288	924	202	34
	White-----M--	16,750	11	1	4	1	1	14	14	14	22	51	94	200	368	681	1,098	1,639	2,123	2,412	2,444	2,274	1,786	1,039	363	80	16
	F--	12,029	5	5	2	1	4	7	20	9	30	34	44	112	177	273	486	682	1,001	1,466	1,819	2,002	1,981	1,204	539	114	12
	Nonwhite--M--	936	4	-	-	-	-	2	1	1	2	7	23	47	65	89	127	132	111	115	80	59	37	24	6	3	1
	F--	861	1	-	-	-	-	2	-	-	6	11	20	46	68	80	127	95	101	89	69	57	42	21	16	5	5
330-334, 400-468	Diseases of cardiovascular system-	29,761	21	5	4	1	2	17	29	20	51	87	161	369	639	1,076	1,784	2,470	3,259	3,994	4,332	4,300	3,762	2,241	904	200	33
	White-----M--	16,359	11	1	2	-	1	8	12	11	18	42	85	185	353	658	1,076	1,604	2,081	2,366	2,403	2,228	1,745	1,020	354	79	16
	F--	11,693	5	4	2	1	1	6	16	8	25	28	36	102	162	260	469	646	971	1,432	1,786	1,960	1,940	1,179	530	113	11
	Nonwhite--M--	890	4	-	-	-	-	1	1	1	2	7	23	41	59	80	120	128	109	110	79	58	36	22	5	3	1
	F--	819	1	-	-	-	-	2	-	-	6	10	17	41	65	78	119	92	98	86	64	54	41	20	15	5	5
330-334	Vascular lesions, etc.*----------	6,600	11	1	1	-	-	1	3	6	7	18	31	68	112	163	329	456	642	840	1,100	1,072	982	532	188	31	6
	White-----M--	3,085	6	-	1	-	-	1	-	3	3	10	12	21	42	61	139	219	332	421	548	510	441	244	57	11	3
	F--	3,085	2	1	-	-	-	-	3	2	2	5	7	26	45	71	129	183	257	366	507	532	523	276	129	17	2
	Nonwhite--M--	201	2	-	-	-	-	-	-	1	-	1	8	11	5	10	27	26	28	27	22	15	7	10	-	1	-
	F--	229	1	-	-	-	-	-	-	-	2	2	4	10	20	21	34	28	25	26	23	15	11	2	2	2	1
400-402	Rheumatic fever---	63	-	-	1	1	-	13	13	2	1	3	4	4	5	4	3	1	4	1	3	-	-	-	-	-	-
	White-----M--	34	-	-	-	-	-	6	5	-	1	-	3	3	3	3	3	1	3	1	2	-	-	-	-	-	-
	F--	25	-	-	1	1	-	5	7	2	-	3	1	1	2	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
410-443	Diseases of heart	20,965	9	4	2	-	2	3	9	11	37	60	111	277	493	863	1,381	1,940	2,491	2,986	2,983	2,886	2,368	1,356	560	113	20
	White-----M--	12,214	4	1	1	-	1	1	5	8	11	30	64	154	294	571	900	1,354	1,667	1,854	1,728	1,545	1,114	618	239	42	8
	F--	7,620	3	3	1	-	1	1	4	3	21	19	26	70	108	180	320	428	680	1,005	1,172	1,271	1,205	714	309	68	8
	Nonwhite--M--	611	2	-	-	-	-	1	-	-	2	5	11	24	50	61	86	98	76	73	50	35	24	8	3	1	1
	F--	520	-	-	-	-	-	-	-	-	3	6	10	29	41	51	75	80	68	54	33	35	25	16	9	2	3
410-416	Chronic rheumatic heart disease----	887	-	-	-	-	-	1	6	9	21	27	38	73	65	77	118	102	108	67	65	48	38	12	11	1	-
	White-----M--	439	-	-	-	-	-	-	3	6	7	14	19	28	33	35	59	61	63	39	30	22	8	9	3	-	-
	F--	397	-	-	-	-	-	1	3	3	13	9	14	36	29	35	50	38	38	26	34	26	30	3	8	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	3	3	3	1	5	6	1	3	1	-	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	1	1	2	6	2	2	3	2	4	1	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	13,521	2	-	-	-	-	-	-	1	3	15	48	144	293	597	958	1,408	1,781	2,090	1,998	1,804	1,334	729	256	52	8
	White-----M--	8,739	1	-	-	-	-	-	-	1	-	9	36	107	218	460	712	1,087	1,303	1,398	1,241	1,029	676	325	112	20	4
	F--	4,281	1	-	-	-	-	-	-	-	2	5	5	21	39	92	168	254	414	635	713	745	626	390	137	31	3
	Nonwhite--M--	293	-	-	-	-	-	-	-	-	-	1	4	9	22	28	41	48	38	36	27	17	16	5	-	1	-
	F--	208	-	-	-	-	-	-	-	-	1	-	3	7	14	17	37	19	26	21	17	13	16	9	7	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,091	3	1	2	-	1	1	-	1	5	7	5	18	39	57	82	132	210	353	415	537	586	377	207	43	9
	White-----M--	1,564	-	1	1	-	-	-	-	1	2	5	3	8	12	28	45	71	121	193	242	284	259	182	87	17	2
	F--	1,376	2	-	1	-	1	-	-	-	1	1	2	5	15	19	26	38	69	138	165	235	319	192	118	24	5
	Nonwhite--M--	82	1	-	-	-	-	1	-	-	2	1	-	2	6	5	6	14	11	14	6	9	3	-	1	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	-	3	6	5	5	9	9	8	2	9	5	3	1	2	2
430-434	Other diseases of heart---------	782	4	3	-	-	1	1	3	-	7	4	9	9	15	33	42	56	89	109	111	111	91	60	29	5	-
	White-----M--	426	3	-	-	-	1	1	2	-	2	-	3	4	7	19	25	36	52	58	68	58	44	29	12	2	-
	F--	321	-	3	-	-	-	-	1	-	4	1	4	2	7	6	10	17	32	47	41	51	45	31	16	3	-
	Nonwhite--M--	25	1	-	-	-	-	-	-	-	-	-	-	1	1	3	5	2	4	3	2	1	1	-	1	-	-
	F--	20	-	-	-	-	-	-	-	-	1	3	2	2	-	5	2	1	1	1	-	1	1	-	-	-	-
440-443	Hypertension with heart dis.--	2,674	-	-	-	-	-	-	-	-	1	7	11	33	81	99	181	242	303	367	394	396	319	178	57	12	3
	White-----M--	1,046	-	-	-	-	-	-	-	-	-	2	3	7	24	29	59	99	128	166	147	152	127	73	25	3	2
	F--	1,245	-	-	-	-	-	-	-	-	1	3	1	6	18	28	66	81	127	159	219	214	185	98	30	9	-
	Nonwhite--M--	185	-	-	-	-	-	-	-	-	-	-	4	9	20	20	28	33	20	19	15	8	4	3	1	-	1
	F--	198	-	-	-	-	-	-	-	-	-	2	3	11	19	22	28	29	28	23	13	12	3	4	1	-	-
444-447	Hypertension without mention of heart----------	471	-	-	-	-	-	-	1	-	3	1	13	13	14	20	23	31	32	47	50	69	73	60	17	3	1
	White-----M--	194	-	-	-	-	-	-	1	-	2	1	4	3	6	6	7	12	17	21	25	31	35	16	7	-	-
	F--	220	-	-	-	-	-	-	-	-	-	-	2	4	2	5	7	18	13	19	22	37	35	44	9	3	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	4	5	3	5	3	-	1	3	2	1	2	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	1	-	3	1	3	4	6	1	1	4	1	-	1	-	1	-	1
450	General arteriosclerosis--------	1,313	-	-	-	-	-	-	-	-	-	-	-	-	2	6	12	14	44	72	152	240	304	277	132	53	5
	White-----M--	625	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	5	29	37	71	123	138	135	49	26	4
	F--	629	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	8	10	28	69	106	160	136	79	25	1
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	5	5	7	3	4	2	1	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	7	4	3	2	2	1	-
451-468	Other diseases of circulatory sys.-	349	1	-	-	-	-	-	3	1	3	5	2	7	13	20	36	28	46	48	44	33	35	16	7	-	1
	White-----M--	207	1	-	-	-	-	-	1	-	1	1	2	4	7	14	23	13	33	32	29	19	17	7	2	-	1
	F--	114	-	-	-	-	-	-	2	1	2	1	-	1	5	3	7	9	10	14	15	14	17	9	4	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	2	2	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	2	-	1	-	1	3	3	1	-	-	-	1	-	1	-	-
592-594	Chronic nephritis, etc.*----------	815	-	1	2	1	3	8	6	4	9	16	20	36	38	47	54	78	77	88	80	92	84	47	20	2	1
	White-----M--	391	-	-	2	1	-	6	2	3	4	9	9	15	15	23	22	35	42	46	41	46	41	19	9	1	-
	F--	336	-	1	-	-	3	1	4	1	5	6	8	10	15	13	17	36	30	34	33	42	41	25	9	1	1
	Nonwhite--M--	46	-	-	-	-	-	1	-	-	-	-	-	6	6	9	7	4	2	5	1	1	1	2	1	-	-
	F--	42	-	-	-	-	-	-	-	-	-	1	3	5	3	2	8	3	3	3	5	3	1	1	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,866	296	58	19	7	7	19	15	6	16	21	18	43	48	49	87	112	145	153	186	201	173	108	61	15	3
	White-----M--	1,021	143	30	8	5	3	8	6	4	9	6	9	19	27	28	51	74	94	95	127	105	100	41	25	3	1
	F--	629	105	19	8	2	4	10	7	1	5	9	6	9	10	6	9	21	35	44	55	89	67	62	33	12	1
	Nonwhite--M--	141	23	5	2	-	-	1	2	-	1	2	3	6	4	11	21	14	14	12	3	5	4	5	2	-	1
	F--	75	25	4	1	-	-	-	-	1	1	4	-	9	7	4	6	3	2	2	1	2	2	-	1	-	-
480-483	Influenza---------	272	19	9	2	1	2	4	4	1	3	2	4	5	6	6	8	11	22	20	24	45	33	25	11	4	1
	White-----M--	149	11	8	1	1	1	3	1	1	2	2	2	2	3	4	7	9	14	10	15	25	14	8	4	1	-
	F--	108	6	-	1	-	1	1	1	-	1	-	2	2	1	-	-	2	6	8	9	20	19	17	7	3	1
	Nonwhite--M--	11	1	1	-	-	-	-	2	-	-	-	-	-	1	1	1	-	2	2	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,594	277	49	17	6	5	15	11	5	13	19	14	38	42	43	79	101	123	133	162	156	140	83	50	11	2
	White-----M--	872	132	22	7	4	2	5	5	3	7	4	7	17	24	24	44	65	80	85	112	80	86	33	21	2	1
	F--	521	99	19	7	2	3	9	6	1	4	9	4	7	9	6	9	19	29	36	46	69	48	45	26	9	-
	Nonwhite--M--	130	22	4	2	-	-	1	-	-	1	2	3	6	3	10	20	14	12	10	3	5	4	5	2	-	1
	F--	71	24	4	1	-	-	-	-	1	1	4	-	8	6	3	6	3	2	2	1	2	2	-	1	-	-
500-502	Bronchitis--------	131	32	7	3	1	-	4	1	-	-	1	-	2	2	2	4	13	10	10	12	11	4	10	1	1	-
	White-----M--	75	14	4	2	-	-	1	-	-	-	-	-	-	1	1	1	12	7	7	11	6	2	4	1	1	-
	F--	41	11	3	-	1	-	3	-	-	-	1	-	1	1	1	-	-	2	3	1	5	2	6	-	-	-
	Nonwhite--M--	9	4	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	338	2	-	-	-	-	-	-	-	2	3	9	9	19	25	33	43	56	49	45	19	16	8	-	-	-
	White-----M--	271	1	-	-	-	-	-	-	-	-	2	7	6	11	22	27	37	48	40	40	14	11	5	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	2	4	1	4	4	7	9	5	5	5	3	-	-	-
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	2	-	-	1	4	2	2	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
550-553	Appendicitis------	112	1	1	-	2	3	8	7	3	5	3	3	8	4	7	9	8	10	9	13	5	2	1	-	-	-
	White-----M--	59	1	1	-	-	2	3	3	1	1	-	3	6	2	4	4	5	8	5	6	2	1	1	-	-	-
	F--	42	-	-	-	2	1	4	3	1	1	1	-	2	2	3	3	3	2	4	6	3	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	1	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	342	43	1	1	-	-	2	1	1	-	4	6	9	11	12	25	22	28	36	29	41	34	23	4	-	-
	White-----M--	169	20	1	-	-	-	-	1	1	-	1	-	1	3	3	13	17	17	20	19	21	18	10	3	-	-
	F--	152	18	-	1	-	-	2	-	-	-	3	5	6	4	8	10	13	9	16	9	19	15	13	1	-	-
	Nonwhite--M--	13	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	1	1	1	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
543, 571, 572	Gastritis, etc.*--	232	114	9	-	1	1	-	-	4	4	3	3	3	11	6	7	6	10	12	7	5	13	6	6	1	-
	White-----M--	114	58	3	-	1	1	-	-	2	-	2	1	2	4	4	5	2	8	8	1	3	3	4	2	-	-
	F--	98	42	6	-	-	-	-	-	2	3	1	2	1	6	2	-	4	2	3	6	2	9	2	4	1	-
	Nonwhite--M--	13	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-
	F--	7	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	615	2	1	-	-	-	1	-	-	1	4	18	34	58	70	78	83	78	73	50	28	20	15	1	-	-
	White-----M--	356	1	-	-	-	-	-	-	-	-	-	7	12	32	42	48	49	49	51	30	16	12	6	1	-	-
	F--	210	-	1	-	-	-	1	-	-	1	3	10	15	19	22	21	26	22	20	20	12	8	9	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	3	2	4	8	4	5	1	-	-	-	-	-	-	-
	F--	22	1	-	-	-	-	-	-	-	1	1	4	5	2	1	4	2	2	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	128	5	-	1	-	-	4	3	4	9	3	4	4	6	6	10	13	11	11	12	8	7	4	2	1	-
	White-----M--	65	4	-	1	-	-	2	2	3	6	1	2	2	1	3	3	4	7	7	7	3	4	2	1	-	-
	F--	50	1	-	-	-	-	2	1	1	1	-	1	1	3	3	5	8	4	3	5	5	3	2	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	2	1	1	1	-	1	1	-	-	-	-	-	-	-	1	-
610	Hyperplasia of prostate---------	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	21	25	37	52	50	39	11	1	1
	White-----M--	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	16	23	34	49	49	38	10	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	3	3	1	1	1	1	1
640-689	Complications of pregnancy, etc.*-	95	...	...	...	...	...	...	-	5	19	26	24	14	7	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	69	...	...	...	...	...	...	-	4	13	16	19	10	7	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	26	...	...	...	...	...	...	-	1	6	10	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	11	...	...	...	...	...	...	-	-	3	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	...	...	...	-	-	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	84	...	...	...	...	...	...	-	5	16	22	23	12	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	59	...	...	...	...	...	...	-	4	10	12	18	9	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	25	...	...	...	...	...	...	-	1	6	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	910	723	34	14	4	6	23	8	11	6	10	9	14	4	8	14	7	7	3	1	3	-	1	-	-	-
	White-----M--	459	355	13	7	3	3	11	5	6	3	7	3	8	3	5	9	7	6	1	1	3	-	-	-	-	-
	F--	375	308	16	5	1	3	11	3	4	2	1	5	5	1	1	5	-	1	2	-	-	-	1	-	-	-
	Nonwhite--M--	48	36	3	2	-	-	1	-	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	28	24	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	2,786	2,785	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,433	1,433	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	962	961	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,113	1,113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	600	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	366	366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,551	1,550	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	776	776	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	549	548	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	504	34	3	3	1	-	1	-	1	5	7	8	4	10	13	13	25	27	37	45	62	72	73	42	14	4
	White-----M--	262	20	2	1	1	-	1	-	-	1	2	3	2	4	8	9	9	17	22	30	29	37	35	19	8	2
	F--	213	9	1	2	-	-	-	-	1	1	4	4	1	4	4	3	14	8	13	14	31	33	38	21	5	2
	Nonwhite--M--	17	4	-	-	-	-	-	-	-	1	1	1	-	1	1	1	1	1	2	-	2	-	-	1	-	-
	F--	12	1	-	-	-	-	-	-	-	2	-	-	1	1	-	-	1	1	-	1	-	2	-	1	1	-
Residual	All other diseases	2,750	162	40	20	18	12	48	32	28	24	45	72	90	113	159	182	230	280	338	291	243	166	108	38	8	3
	White-----M--	1 466	80	22	11	9	5	19	20	15	8	17	30	34	50	80	88	135	182	217	168	137	77	44	16	1	1
	F--	1,070	54	13	8	8	6	20	9	10	11	18	28	39	44	63	73	84	83	110	113	101	84	61	21	7	2
	Nonwhite--M--	113	12	2	1	-	1	6	2	3	2	4	4	7	16	4	9	6	11	7	8	4	3	1	-	-	-
	F--	101	16	3	-	1	-	3	1	-	3	6	10	10	3	12	12	5	4	4	2	1	2	2	1	-	-
E800-E962	Accidents----------	3,990	145	79	44	51	52	145	114	225	293	230	202	184	188	220	238	214	231	217	234	219	196	159	84	19	7
	White-----M--	2,552	86	34	24	28	34	80	84	154	224	173	141	129	124	162	160	161	159	154	144	105	90	66	28	4	4
	F--	1,158	44	30	15	19	15	50	23	56	41	41	38	31	44	42	51	45	56	53	85	112	106	90	55	15	1
	Nonwhite--M--	193	7	8	3	2	1	9	5	8	21	9	17	19	15	14	19	4	14	9	4	1	-	3	-	-	1
	F--	87	8	7	2	2	2	6	2	7	7	7	6	5	5	2	8	4	2	1	1	1	-	-	1	-	1
E810-E835	Motor-vehicle accidents---------	1,831	13	24	9	17	25	63	56	155	200	146	123	108	92	128	124	113	113	112	92	60	40	13	3	-	2
	White-----M--	1,243	5	11	6	8	20	30	38	103	155	107	83	76	55	86	77	76	79	79	66	42	29	8	3	-	1
	F--	454	8	10	3	9	3	23	15	44	26	26	27	21	24	36	36	33	26	27	23	18	11	5	-	-	-
	Nonwhite--M--	93	-	-	-	-	1	7	1	4	15	7	9	10	8	5	7	2	8	5	3	-	-	-	-	-	1
	F--	41	-	3	-	-	1	3	2	4	4	6	4	1	5	1	4	2	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	2,159	132	55	35	34	27	82	58	70	93	84	79	76	96	92	114	101	118	105	142	159	156	146	81	19	5
	White-----M--	1,309	81	23	18	20	14	50	46	51	69	66	58	53	69	76	83	85	80	75	78	63	61	58	25	4	3
	F--	704	36	20	12	10	12	27	8	12	15	15	11	10	20	6	15	12	30	26	62	94	95	85	55	15	1
	Nonwhite--M--	100	7	8	3	2	-	2	4	4	6	2	8	9	7	9	12	2	6	4	1	1	-	3	-	-	-
	F--	46	8	4	2	2	1	3	-	3	3	1	2	4	-	1	4	2	2	-	1	1	-	-	1	-	1
E963, E970-E979	Suicide----------	629	-	-	-	-	-	-	4	6	30	34	53	43	57	73	61	63	61	51	41	26	13	10	2	-	1
	White-----M--	470	-	-	-	-	-	-	2	4	20	21	29	25	45	49	42	55	52	43	36	23	11	10	2	-	1
	F--	131	-	-	-	-	-	-	2	2	6	10	16	14	9	23	17	7	9	7	5	3	1	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	4	2	6	4	3	1	2	1	-	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	243	4	-	1	3	-	3	2	5	24	35	28	35	29	24	17	10	12	7	1	-	1	2	-	-	-
	White-----M--	77	2	-	1	2	-	3	-	1	8	5	7	6	11	7	6	6	5	4	1	-	1	1	-	-	-
	F--	34	1	-	-	-	-	-	2	1	3	2	4	5	5	3	4	-	3	-	-	-	-	1	-	-	-
	Nonwhite--M--	96	1	-	-	-	-	1	-	1	9	16	13	18	12	10	5	4	4	3	-	-	-	-	-	-	-
	F--	36	-	-	-	1	-	-	-	2	4	12	4	6	1	4	2	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA																										
	ALL CAUSES	27,690	1,879	113	76	63	44	169	133	203	233	244	264	390	603	912	1,324	1,808	2,537	3,213	3,493	3,701	3,221	2,048	833	161	25
	White----M	16,046	1,078	62	41	37	24	103	88	137	164	160	159	231	372	546	816	1,173	1,592	1,963	2,026	2,079	1,717	980	399	74	15
	F	11,299	754	49	32	26	18	61	41	56	62	74	97	150	221	346	481	611	922	1,224	1,433	1,591	1,487	1,047	423	84	9
	Nonwhite--M	185	26	-	1	-	1	2	-	4	6	5	2	4	7	12	13	11	16	15	17	19	9	5	8	1	1
	F	160	21	2	2	-	1	3	4	6	1	5	6	5	3	8	14	13	7	11	17	12	8	6	3	2	-
001-019	Tuberculosis all forms	253	1	1	2	-	-	3	1	2	4	9	10	11	27	33	26	26	22	20	18	24	7	5	1	-	-
	White----M	166	-	-	1	-	-	1	-	-	1	4	4	8	17	22	19	19	18	15	11	15	6	4	1	-	-
	F	67	-	-	1	-	-	-	-	1	2	5	4	2	10	9	5	5	4	5	5	7	1	1	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	-	-	-	2	-	-	-	-	-
	F	12	1	1	-	-	-	2	1	1	-	-	1	1	-	1	-	1	-	-	2	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	226	1	-	-	-	-	3	-	-	2	8	8	10	26	30	23	24	21	19	16	22	7	5	1	-	-
	White----M	155	-	-	-	-	-	1	-	-	1	4	4	8	17	20	17	17	17	14	11	13	6	4	1	-	-
	F	60	-	-	-	-	-	-	-	-	1	4	4	2	9	8	5	5	5	4	5	4	1	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	-
	F	6	1	-	-	-	-	2	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	27	-	1	2	-	-	-	1	2	2	1	2	1	1	3	3	2	1	1	2	2	-	-	-	-	-
	White----M	11	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	2	-	-	-	-	-
	F	7	-	-	1	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	86	-	-	-	-	-	-	-	-	-	-	1	1	4	5	6	10	22	17	9	7	2	-	2	-	-
	White----M	58	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	8	18	10	5	5	1	-	1	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	-	3	7	4	2	1	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	White----M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	9	-	-	-	1	-	1	-	-	1	-	1	-	1	1	-	1	-	-	-	1	-	1	-	-	-
	White----M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	9	-	-	-	-	-	1	-	-	-	1	-	-	3	1	-	1	-	1	-	1	-	-	-	-	-
	White----M	6	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	20	8	4	1	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	White----M	12	4	2	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	7	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	30	-	-	1	-	-	5	4	-	7	4	3	3	-	-	1	2	-	-	-	-	-	-	-	-	-
	White----M	21	-	-	1	-	-	4	1	-	3	4	3	2	-	-	1	2	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	3	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	5	1	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	62	12	-	-	-	1	3	2	2	2	-	1	-	3	2	4	5	9	3	1	6	2	2	2	-	-
	White----M	27	6	-	-	-	-	1	1	1	1	-	1	-	1	1	1	2	3	2	1	2	1	-	2	-	-
	F	33	5	-	-	-	1	2	1	1	1	-	-	-	2	1	3	2	6	1	-	4	1	2	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
140-205	Malignant neoplasms, etc.*----	4,419	7	11	8	13	6	26	18	16	30	31	41	74	124	223	291	402	587	629	652	575	381	206	60	8	-
	White-----M--	2,299	6	3	3	10	2	11	8	9	15	16	17	24	46	81	123	190	299	346	371	352	223	107	31	6	-
	F--	2,081	1	8	5	3	4	15	10	7	15	13	24	49	77	140	164	208	284	281	272	219	156	97	27	2	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	2	-	6	1	1	1	2	-	-
	F--	18	-	-	-	-	-	-	-	-	2	-	-	1	1	1	2	-	2	2	3	3	1	1	-	-	-
140-148	Of buccal cavity and pharynx------	90	-	-	-	-	-	-	-	-	1	-	1	1	2	4	6	4	13	13	9	15	9	10	2	-	-
	White-----M--	65	-	-	-	-	-	-	-	-	1	-	1	1	-	4	4	3	9	11	8	10	8	5	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	4	2	1	4	1	4	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,769	-	1	-	-	-	-	-	1	3	2	11	21	23	60	85	152	221	260	315	289	198	97	26	4	-
	White-----M--	1,007	-	-	-	-	-	-	-	-	2	1	5	8	12	31	46	81	122	157	179	177	121	51	11	3	-
	F--	750	-	1	-	-	-	-	-	1	1	1	6	12	11	29	39	68	97	103	133	111	76	46	14	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	-	2	-	1	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
160-164	Of respiratory system----------	326	1	-	-	-	-	-	-	1	-	1	-	2	14	18	38	48	51	51	45	29	18	8	1	-	-
	White-----M--	250	1	-	-	-	-	-	-	1	-	1	-	-	8	15	29	44	36	43	32	22	11	6	1	-	-
	F--	73	-	-	-	-	-	-	-	-	-	-	-	2	6	3	9	3	14	8	13	6	7	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
170	Of breast----------	403	-	-	-	-	-	-	-	1	1	2	5	13	16	48	38	44	58	54	45	28	26	20	4	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-
	F--	395	-	-	-	-	-	-	-	1	1	2	5	13	16	48	37	43	56	52	45	26	26	20	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
171-179	Of genital organs-	669	-	-	-	-	-	1	2	1	2	9	3	12	24	27	52	54	73	98	109	95	63	31	11	2	-
	White-----M--	312	-	-	-	-	-	1	1	1	1	4	1	2	1	-	2	3	29	49	69	67	47	24	8	2	-
	F--	349	-	-	-	-	-	-	1	-	1	4	2	10	22	27	49	51	44	49	37	28	15	7	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-
180, 181	Of urinary organs-	228	-	-	-	1	-	1	-	-	2	-	1	3	6	6	15	16	37	43	42	25	19	4	6	1	-
	White-----M--	148	-	-	-	1	-	-	-	-	2	-	-	3	5	3	9	13	24	25	29	17	11	3	3	-	-
	F--	77	-	-	-	-	-	1	-	-	-	-	1	-	1	2	4	3	13	18	13	8	8	1	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	489	2	4	1	4	4	4	6	2	14	9	11	9	21	26	32	50	67	57	50	49	30	26	10	1	-
	White-----M--	254	1	-	3	1	-	3	1	5	5	7	4	12	11	15	23	36	25	33	31	16	13	8	1	-
	F--	233	1	4	1	1	3	4	3	1	9	4	4	5	9	14	17	27	31	32	17	18	14	12	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
204	Leukemia and aleukemia----------	257	4	4	7	7	2	18	6	5	6	6	6	6	7	18	12	14	39	29	22	24	10	5	-	-	-
	White-----M--	148	4	2	3	5	1	9	3	3	3	3	2	3	3	8	9	10	25	19	12	14	5	2	-	-	-
	F--	103	-	2	4	2	1	9	3	2	3	2	4	3	4	10	3	4	14	8	7	10	5	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	188	-	2	-	1	-	2	4	5	1	2	3	7	11	16	13	20	28	24	15	21	8	5	-	-	-
	White-----M--	110	-	1	-	1	-	1	1	3	1	2	1	3	5	9	9	12	17	15	9	13	4	3	-	-	-
	F--	78	-	1	-	-	-	1	3	2	-	-	2	4	6	7	4	8	11	9	6	8	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	100	1	2	1	1	-	-	3	-	1	2	5	4	7	7	6	15	11	12	7	6	3	4	2	-	-
	White-----M--	35	1	2	-	-	-	-	1	-	-	2	1	2	-	3	5	6	5	1	2	1	1	1	-	-	-
	F--	65	-	-	1	1	-	-	2	-	1	-	3	3	5	7	3	10	5	7	6	4	2	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	495	-	-	1	-	-	1	1	2	4	8	6	5	14	4	20	40	55	89	98	68	52	19	8	-	-
	White-----M--	205	-	-	1	-	-	-	1	-	1	5	4	4	9	1	9	19	20	32	44	22	17	10	6	-	-
	F--	288	-	-	-	-	-	1	-	1	3	3	2	1	5	3	11	21	35	57	53	46	35	9	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	89	1	1	-	-	-	2	1	-	-	-	-	1	-	-	2	4	3	9	9	25	15	13	3	-	-
	White-----M--	46	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	8	5	14	8	3	1	-	-
	F--	43	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	2	2	1	4	11	7	10	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	22	8	1	-	3	-	1	-	-	-	-	-	-	-	-	2	1	2	2	1	1	-	-	-	-	-
	White-----M--	15	5	-	-	1	-	1	-	-	-	-	-	-	-	-	2	1	2	2	1	-	-	-	-	-	-
	F--	5	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	15,084	4	1	4	7	2	14	15	28	19	23	60	117	227	411	684	968	1,413	1,975	2,218	2,498	2,280	1,415	573	114	14
	White-----M--	8,835	3	1	1	5	1	7	8	14	12	11	41	78	156	279	461	689	933	1,247	1,304	1,374	1,204	675	274	51	6
	F--	6,114	1	-	3	2	1	7	7	13	6	12	16	37	66	126	207	268	466	709	901	1,103	1,065	736	294	61	7
	Nonwhite--M--	75	-	-	-	-	-	-	-	-	-	-	-	1	4	4	7	3	11	11	6	14	7	3	3	-	1
	F--	60	-	-	-	-	-	-	1	1	1	-	3	1	1	2	9	8	3	8	7	7	4	1	2	2	-
330-334, 400-468	Diseases of cardiovascular system-	14,800	4	1	2	5	2	6	12	22	14	17	50	107	213	396	670	950	1,389	1,949	2,191	2,461	2,251	1,399	563	112	14
	White-----M--	8,685	3	1	-	3	1	3	5	12	8	9	33	74	147	269	450	680	922	1,231	1,289	1,359	1,189	669	272	50	6
	F--	5,985	1	-	2	2	1	3	7	9	6	8	14	31	61	121	204	262	453	699	889	1,081	1,052	726	286	60	7
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	-	-	1	4	4	7	2	11	11	6	14	6	3	3	-	1
	F--	57	-	-	-	-	-	-	-	1	-	-	3	1	1	2	9	6	3	8	7	7	4	1	2	2	-
330-334	Vascular lesions, etc.*----------	3,763	1	-	1	3	2	1	2	2	5	4	6	17	33	75	142	199	320	459	611	689	661	369	140	16	5
	White-----M--	1,884	1	-	-	2	1	-	1	-	3	2	3	11	19	38	56	94	176	259	326	342	318	169	55	6	2
	F--	1,843	-	-	1	1	1	1	1	2	2	2	2	6	11	36	82	103	140	196	281	341	340	198	83	10	3
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	4	2	3	2	1	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	1	-	2	3	1	1	1	-	-
400-402	Rheumatic fever---	20	-	-	-	-	-	2	5	5	-	1	-	1	1	-	1	2	1	-	1	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	1	2	4	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	3	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
410-443	Diseases of heart	9,834	3	1	1	2	-	3	3	8	9	8	37	82	163	303	500	708	1,015	1,408	1,470	1,572	1,346	821	296	67	8
	White----M--	6,177	2	1	-	1	-	2	1	5	5	3	25	60	120	223	377	556	715	928	911	904	749	402	152	31	4
	F--	3,573	1	-	1	1	-	1	2	3	4	5	10	20	41	77	112	146	290	465	551	658	591	417	141	35	3
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	2	8	7	4	8	4	2	2	-	1
	F--	35	-	-	-	-	-	-	-	-	-	-	2	1	-	1	5	4	2	8	4	4	2	-	1	1	-
410-416	Chronic rheumatic heart disease----	417	-	-	-	-	-	1	1	5	4	4	13	20	25	41	46	44	46	57	30	38	27	14	-	1	-
	White----M--	239	-	-	-	-	-	-	-	3	3	2	5	16	13	24	23	27	29	34	17	18	17	8	-	-	-
	F--	174	-	-	-	-	-	1	1	2	1	2	7	4	12	17	22	17	17	23	13	19	10	5	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,563	-	-	1	1	-	1	-	-	2	3	16	46	114	217	369	506	752	991	1,029	1,035	803	476	166	28	7
	White----M--	4,416	-	-	-	-	-	1	-	-	1	1	15	37	95	171	302	419	561	688	672	634	453	263	86	13	4
	F--	2,100	-	-	1	1	-	-	-	-	1	2	1	7	18	43	61	83	186	295	352	396	346	212	78	15	2
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	4	5	2	3	3	1	1	-	1
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	1	3	3	2	1	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,146	1	1	-	-	-	-	1	1	2	-	2	4	8	13	16	45	60	104	158	205	255	165	81	24	-
	White----M--	632	1	1	-	-	-	-	1	1	-	-	2	1	5	10	9	28	37	65	90	113	144	63	47	14	-
	F--	506	-	-	-	-	-	-	-	-	2	-	-	3	3	3	6	16	22	36	67	92	111	102	34	9	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-
430-434	Other diseases of heart----------	409	2	-	-	1	-	1	1	2	-	1	4	8	6	9	19	26	42	55	51	70	61	34	9	6	1
	White----M--	239	1	-	-	1	-	1	-	1	-	-	2	5	2	5	15	21	30	27	31	40	30	19	6	2	-
	F--	166	1	-	-	-	-	-	1	1	-	1	2	3	4	4	4	4	12	28	20	28	30	15	3	4	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,299	-	-	-	-	-	-	-	-	1	-	2	4	10	23	50	87	115	201	202	224	200	132	40	8	-
	White----M--	651	-	-	-	-	-	-	-	-	1	-	1	1	5	13	28	61	58	114	101	98	105	49	13	2	-
	F--	627	-	-	-	-	-	-	-	-	-	-	-	3	4	10	19	26	53	83	99	121	94	83	26	6	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	1	3	-	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	1	1	-	-	-	-
444-447	Hypertension without mention of heart----------	301	-	-	-	-	-	-	-	2	-	1	5	3	12	9	13	18	16	35	27	51	53	40	12	4	-
	White----M--	132	-	-	-	-	-	-	-	1	-	1	3	1	6	3	6	11	10	16	11	22	19	16	4	2	-
	F--	167	-	-	-	-	-	-	-	1	-	-	2	2	6	5	7	7	6	19	16	28	34	24	8	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	717	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	10	17	29	61	129	174	160	109	25	1
	White----M--	388	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	8	12	16	30	80	93	79	58	11	-
	F--	323	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	13	30	47	80	81	51	13	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-
451-468	Other diseases of circulatory sys.-	165	-	-	-	-	-	-	2	5	-	3	2	4	4	8	13	13	20	18	21	20	17	9	6	-	-
	White----M--	92	-	-	-	-	-	-	1	2	-	3	2	1	2	4	10	9	9	12	10	11	10	3	3	-	-
	F--	71	-	-	-	-	-	-	1	2	-	-	-	3	2	3	3	4	11	6	11	9	7	6	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	284	-	-	2	2	-	8	3	6	5	6	10	10	14	15	14	18	24	26	27	37	29	16	10	2	-
	White----M--	150	-	-	1	2	-	4	3	2	4	2	8	4	9	10	11	9	11	16	15	15	15	6	2	1	-
	F--	129	-	-	1	-	-	4	-	4	-	4	2	6	5	5	3	6	13	10	12	22	13	10	8	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	722	111	19	5	3	1	10	6	5	5	4	1	1	9	10	16	24	35	46	67	94	91	93	55	9	2
	White----M--	395	60	10	2	2	1	5	3	2	5	3	-	1	5	6	9	19	22	26	40	54	45	43	27	3	2
	F--	301	39	9	2	1	-	5	3	3	-	1	-	-	4	3	5	4	12	19	25	40	44	49	27	6	-
	Nonwhite--M--	13	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	1	-	-
	F--	13	5	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	2	-	1	1	-	-	-
480-483	Influenza----------	50	9	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	2	4	1	3	10	9	3	3	1	-
	White----M--	22	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	4	4	1	1	1	-
	F--	25	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1	2	1	-	6	5	2	2	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	672	102	19	4	3	1	8	6	5	5	4	1	1	8	9	16	22	31	45	64	84	82	90	52	8	2
	White----M--	373	56	10	2	2	1	5	3	2	5	3	-	1	5	5	9	18	20	26	37	50	41	42	26	2	2
	F--	276	37	9	1	1	-	3	3	3	-	1	-	-	3	3	5	3	10	18	25	34	39	47	25	6	-
	Nonwhite--M--	12	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	1	-	-
	F--	11	3	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	2	-	1	1	-	-	-
500-502	Bronchitis--------	43	8	4	-	-	-	-	-	-	-	-	-	-	-	1	5	2	1	4	2	6	1	6	3	-	-
	White----M--	27	7	2	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	3	1	4	1	2	-	-	-
	F--	15	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	4	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	165	1	-	-	-	-	-	-	-	1	1	-	2	2	8	11	17	34	23	20	12	15	14	4	-	-
	White----M--	125	1	-	-	-	-	-	-	-	1	1	-	2	2	7	9	14	28	16	15	9	12	5	3	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	7	5	3	3	9	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	45	-	-	2	1	-	-	1	4	1	-	2	1	2	1	2	2	3	6	3	7	6	-	1	-	-
	White----M--	28	-	-	1	-	-	-	1	4	-	-	2	-	2	1	2	1	2	1	2	5	4	-	-	-	-
	F--	16	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	1	1	5	1	1	2	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	157	18	1	1	1	-	1	-	-	-	-	1	3	4	5	8	5	14	14	20	25	18	12	4	2	-
	White----M--	83	14	-	1	1	-	-	-	-	-	-	-	1	2	2	3	4	8	7	10	13	9	6	1	1	-
	F--	73	4	1	-	-	-	1	-	-	-	-	1	2	2	3	5	1	6	7	10	12	8	6	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not steted
	MINNESOTA—Con.																										
543, 571, 572	Gastritis, etc.*--	99	30	2	1	-	-	3	-	2	2	1	1	-	-	1	6	6	3	6	9	10	9	5	1	1	-
	White-----M--	53	18	1	-	-	-	2	-	2	1	-	1	-	-	1	4	4	2	5	2	4	3	3	-	-	-
	F--	41	10	1	-	-	-	-	-	-	1	1	-	-	-	-	2	2	1	1	7	5	6	2	1	1	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	190	-	-	-	-	-	-	1	-	-	2	6	5	11	20	26	28	24	23	18	10	11	4	-	1	-
	White-----M--	123	-	-	-	-	-	-	-	-	-	-	3	4	6	13	17	19	17	15	13	5	9	2	-	1	-
	F--	64	-	-	-	-	-	-	1	-	-	2	3	1	4	7	9	9	6	7	5	5	2	2	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	38	2	-	-	-	-	3	1	-	4	-	2	2	-	2	-	5	-	4	3	3	4	1	2	-	-
	White-----M--	24	2	-	-	-	-	2	-	-	4	-	1	-	-	2	-	4	-	2	-	2	2	1	2	-	-
	F--	13	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	2	3	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	130	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	7	9	25	26	30	18	10	2	-
	White-----M--	128	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	7	9	24	26	30	18	9	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
640-689	Complications of pregnancy, etc.*-	24	...	...	...	...	...	...	-	1	4	8	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	23	...	...	...	...	...	...	-	1	4	7	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	23	...	...	...	...	...	...	-	1	3	8	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	22	...	...	...	...	...	...	-	1	3	7	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	481	381	20	8	5	6	9	4	9	4	2	3	3	2	3	8	5	2	5	1	1	-	-	-	-	-
	White-----M--	254	193	13	5	3	3	3	4	5	4	1	2	3	1	1	5	3	2	2	-	1	-	-	-	-	-
	F--	220	183	7	3	2	3	5	-	4	-	1	1	-	1	2	3	2	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	6	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,158	1,155	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	692	692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	443	440	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	470	470	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	643	640	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	366	366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	267	264	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	215	14	1	2	-	1	4	1	-	1	2	3	3	3	5	8	8	10	9	10	14	34	38	30	9	5
	White-----M--	132	7	1	2	-	1	3	-	-	1	2	2	3	3	5	6	5	8	7	6	10	18	24	12	3	3
	F--	77	6	-	-	-	-	1	1	-	-	-	1	-	-	-	2	3	2	2	4	4	15	13	16	5	2
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Residual	All other diseases	1,384	56	10	10	5	9	15	12	16	18	28	26	38	44	56	70	109	135	162	169	160	121	85	26	3	1
	White-----M--	740	27	4	4	3	7	8	5	10	12	13	11	16	23	32	43	64	82	93	81	93	57	37	12	2	1
	F--	624	29	6	6	2	1	7	5	4	6	15	14	21	21	20	26	44	53	67	86	65	64	47	14	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	-	1	-	-	-
	F--	14	-	-	-	-	1	-	2	2	-	-	-	1	-	2	1	1	-	1	2	1	-	-	-	-	-
E800-E962	Accidents----------	1,817	54	33	27	20	16	66	61	106	111	98	71	81	83	82	77	82	109	119	108	114	135	103	46	12	3
	White-----M--	1,255	28	22	17	11	9	53	54	81	92	82	58	64	69	61	54	67	82	89	66	62	62	46	17	6	3
	F--	527	26	11	9	9	7	13	6	20	14	12	13	15	12	16	21	15	25	30	38	52	73	55	29	6	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	4	5	2	-	1	2	3	2	-	1	-	3	-	-	-	-	-	-
	F--	12	-	-	1	-	-	-	1	1	-	2	-	1	-	2	-	-	1	-	1	-	-	2	-	-	-
E810-E835	Motor-vehicle accidents---------	647	5	11	11	9	4	31	14	58	71	52	41	34	44	34	31	36	45	44	31	18	17	3	2	-	1
	White-----M--	479	3	6	8	5	2	23	12	43	58	43	33	25	33	22	21	28	32	31	20	15	12	2	1	-	1
	F--	152	2	5	3	4	2	8	2	13	9	6	8	8	10	11	10	8	11	13	9	3	5	1	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	4	1	-	1	1	1	-	-	1	-	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,170	48	22	16	11	12	35	47	48	40	46	30	47	39	48	46	46	64	75	77	96	118	100	44	12	2
	White-----M--	776	25	16	9	6	7	30	42	38	34	39	25	39	36	39	33	39	50	58	46	47	50	44	16	6	2
	F--	375	24	6	6	5	5	5	4	7	5	6	5	7	2	5	11	7	14	17	29	49	68	54	28	6	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	3	1	1	-	-	1	2	2	-	-	-	1	-	-	-	-	-	-
	F--	8	-	-	1	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-
E963, E970-E979	Suicide----------	290	-	-	-	-	-	-	-	7	12	15	10	23	27	27	39	36	33	26	23	5	4	3	-	-	-
	White-----M--	234	-	-	-	-	-	-	-	6	10	14	7	13	22	21	32	27	29	20	22	4	4	3	-	-	-
	F--	56	-	-	-	-	-	-	-	1	2	1	3	10	5	6	7	9	4	6	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	40	3	-	1	-	-	-	-	1	2	5	2	7	5	3	5	1	3	-	1	1	-	-	-	-	-
	White-----M--	21	1	-	1	-	-	-	-	1	1	2	-	5	2	2	4	-	2	-	-	-	-	-	-	-	-
	F--	13	2	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI																										
	ALL CAUSES	21,076	2,611	245	123	84	67	180	171	283	342	400	426	575	756	898	1,259	1,328	1,559	2,215	2,235	2,155	1,716	819	382	132	115
	White--M	5,696	502	37	28	13	10	28	50	58	89	95	100	131	183	256	343	387	510	660	694	700	520	195	86	14	7
	F	3,973	345	32	16	18	5	35	21	29	30	48	59	85	128	142	162	195	259	436	514	536	494	236	113	29	6
	Nonwhite--M	5,915	1,001	88	45	32	34	65	62	112	112	123	120	171	199	220	344	402	424	602	514	520	391	187	69	36	42
	F	5,492	763	88	34	21	18	52	38	84	111	134	147	188	246	280	410	344	366	517	513	399	311	201	114	53	60
001-019	Tuberculosis all forms	487	3	6	6	-	3	1	4	18	43	53	42	50	35	38	43	30	32	34	20	18	5	2	1	-	-
	White--M	104	-	1	1	-	1	-	-	1	3	2	3	8	7	12	13	12	14	13	7	5	-	1	-	-	-
	F	56	-	2	-	-	-	-	-	1	1	3	3	8	3	1	6	3	4	8	4	6	3	-	-	-	-
	Nonwhite--M	170	2	1	2	-	2	1	1	7	17	24	18	18	14	14	14	6	11	7	5	3	2	1	-	-	-
	F	157	1	2	3	-	-	-	3	9	22	24	18	18	11	11	10	9	3	6	4	4	-	-	1	-	-
001-008	Tuberculosis of respiratory system	447	-	2	2	-	1	1	4	16	39	49	38	48	34	34	43	27	32	32	20	18	4	2	1	-	-
	White--M	99	-	1	-	-	-	-	-	1	3	2	3	7	7	12	13	11	14	12	7	5	-	1	-	-	-
	F	52	-	-	-	-	-	-	-	1	1	3	3	8	3	1	6	3	4	7	4	6	2	-	-	-	-
	Nonwhite--M	150	-	-	-	-	1	1	1	6	13	22	17	18	13	11	14	4	11	7	5	3	2	1	-	-	-
	F	146	-	1	2	-	-	-	3	8	22	22	15	15	11	10	10	9	3	6	4	4	-	-	1	-	-
010-019	Tuberculosis, other forms	40	3	4	4	-	2	-	-	2	4	4	4	2	1	4	-	3	-	2	-	-	1	-	-	-	-
	White--M	5	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M	20	2	1	2	-	1	-	-	1	4	2	1	-	1	3	-	2	-	-	-	-	-	-	-	-	-
	F	11	1	1	1	-	-	-	-	1	-	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	104	2	-	-	-	-	-	1	2	-	-	2	4	6	14	15	13	11	11	11	6	3	1	-	-	-
	White--M	19	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	4	3	3	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-
	Nonwhite--M	53	1	-	-	-	-	-	1	1	-	-	2	2	5	6	7	10	4	6	2	3	3	-	-	-	-
	F	27	1	-	-	-	-	-	-	1	-	-	-	2	1	6	6	1	3	1	4	-	-	1	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	66	36	10	6	1	-	-	-	-	1	-	-	-	-	1	-	-	2	3	2	1	3	-	-	-	-
	White--M	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	35	23	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-
	F	21	9	3	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*	6	1	-	-	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	8	1	2	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	73	50	14	3	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	6	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	30	22	3	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	21	10	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	21	6	1	4	-	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	5	1	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	3	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	40	6	4	1	4	4	9	6	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	9	2	1	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	1	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	18	3	1	1	1	3	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	2	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	15	2	1	1	1	-	3	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	White--M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	81	12	8	9	2	1	3	9	1	2	3	2	1	3	2	3	6	2	5	2	3	1	-	1	-	-
	White--M	23	3	2	3	-	1	-	4	-	1	-	-	-	2	-	1	-	1	2	-	2	-	-	1	-	-
	F	19	2	1	1	-	-	-	2	-	-	2	1	-	1	-	1	3	1	1	2	-	1	-	-	-	-
	Nonwhite--M	26	4	3	3	2	-	3	3	1	1	-	-	1	-	1	1	2	-	1	-	-	-	-	-	-	-
	F	13	3	2	2	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
140-205	Malignant neoplasms, etc.*----	2,167	5	2	4	7	3	14	16	8	21	25	41	60	132	142	195	205	225	316	276	238	150	58	15	7	2
	White-----M--	677	4	1	1	1	2	2	7	1	7	12	6	13	21	38	44	61	84	86	102	108	48	21	7	-	-
	F--	628	-	1	1	3	-	7	6	3	3	8	13	20	46	49	42	58	63	92	79	57	56	18	1	2	-
	Nonwhite--M--	380	-	-	1	3	-	2	3	2	2	3	3	6	18	13	41	44	39	70	48	43	23	12	3	-	1
	F--	482	1	-	1	-	1	3	-	2	9	2	19	21	47	42	68	42	39	68	47	30	23	7	4	5	1
140-148	Of buccal cavity and pharynx------	53	-	-	-	-	-	-	-	-	2	-	-	2	1	7	3	3	10	6	8	5	5	-	1	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	1	-	-	-	-	5	2	3	4	5	5	2	3	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	3	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	4	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	720	2	-	-	-	-	-	1	2	1	6	5	8	30	35	67	70	76	126	106	86	65	24	6	3	1
	White-----M--	237	2	-	-	-	-	-	1	-	-	3	1	2	8	8	21	25	29	32	36	42	15	9	3	-	-
	F--	189	-	-	-	-	-	-	-	1	-	1	3	2	4	6	11	15	25	36	31	16	28	9	-	1	-
	Nonwhite--M--	166	-	-	-	-	-	-	-	-	-	1	-	3	11	9	20	19	17	32	24	14	11	2	2	-	1
	F--	128	-	-	-	-	-	-	1	1	1	1	1	1	7	12	15	11	5	26	15	14	11	4	1	2	-
160-164	Of respiratory system----------	184	-	-	-	-	-	-	-	-	1	1	1	4	9	12	21	27	26	27	22	17	12	2	1	1	-
	White-----M--	102	-	-	-	-	-	-	-	-	1	-	-	3	5	7	10	17	19	13	10	11	6	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	4	3	5	7	3	3	1	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	6	3	6	5	2	2	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	1	3	-	1	1	-	1	1	-
170	Of breast----------	161	-	-	-	-	-	-	-	-	-	-	2	9	20	18	25	17	17	12	14	12	8	4	1	1	1
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	F--	100	-	-	-	-	-	-	-	-	-	-	-	4	16	11	12	10	11	7	11	9	5	2	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	-	-	-	-	-	-	-	-	-	-	2	4	4	6	13	7	6	5	3	3	3	1	-	-	1
171-179	Of genital organs-	461	-	-	-	-	-	-	1	1	4	-	18	15	36	32	39	43	37	68	64	52	31	14	5	1	-
	White-----M--	74	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	3	8	17	21	13	5	3	-	-
	F--	117	-	-	-	-	-	-	1	-	2	-	6	3	10	16	8	15	12	20	11	6	6	1	-	-	-
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	-	-	1	-	-	-	6	9	7	17	13	17	6	8	1	-	-
	F--	185	-	-	-	-	-	-	-	-	2	-	10	12	26	16	24	18	15	23	23	8	6	-	1	1	-
180, 181	Of urinary organs-	91	2	-	1	1	1	1	-	1	-	-	1	-	-	4	7	4	11	16	18	13	5	5	-	-	-
	White-----M--	36	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	11	6	2	2	-	-	-
	F--	22	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	6	3	3	2	-	-	-	-
	Nonwhite--M--	20	-	-	-	1	-	-	-	1	-	-	-	-	-	1	3	1	4	4	2	3	-	-	-	-	-
	F--	13	1	-	-	-	1	1	-	-	-	-	1	-	-	3	2	-	-	-	2	1	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	317	-	2	2	3	-	4	4	1	7	9	5	11	23	22	22	23	28	43	33	42	22	9	1	1	-
	White-----M--	106	-	1	1	-	-	-	3	-	2	3	-	2	3	9	6	6	11	14	14	18	9	4	-	-	-
	F--	112	-	1	-	2	-	3	1	1	1	6	2	7	11	8	3	6	7	11	15	15	9	3	-	-	-
	Nonwhite--M--	41	-	-	1	1	-	1	-	-	2	-	-	-	1	1	6	5	2	9	1	6	4	1	-	-	-
	F--	58	-	-	-	-	-	-	-	-	2	-	3	2	8	4	7	6	8	9	3	3	-	1	1	1	-
204	Leukemia and aleukemia----------	106	1	-	1	3	2	7	9	1	3	6	2	7	6	5	6	10	11	9	7	9	1	-	-	-	-
	White-----M--	51	1	-	-	1	2	1	2	-	1	3	-	4	3	3	2	4	6	6	5	7	-	-	-	-	-
	F--	24	-	-	-	1	-	3	4	-	-	1	-	1	2	2	1	4	2	2	-	1	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	1	-	1	3	-	-	1	1	1	1	-	1	2	1	1	2	1	-	-	-	-	-
	F--	14	-	-	1	-	-	2	-	1	2	1	1	1	-	-	2	-	2	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	74	-	-	-	-	-	2	1	2	3	3	7	4	7	7	5	8	9	9	4	2	1	-	-	-	-
	White-----M--	37	-	-	-	-	-	1	1	-	2	3	4	1	2	5	2	3	6	2	4	1	-	-	-	-	-
	F--	21	-	-	-	-	-	1	-	1	-	-	2	1	1	2	2	3	1	5	-	1	1	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	-	1	1	3	-	-	2	1	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	73	3	2	1	-	-	2	3	3	1	3	6	4	10	8	6	3	6	6	2	-	3	-	1	-	-
	White-----M--	14	2	1	-	-	-	-	1	-	-	1	-	1	-	-	2	-	2	3	-	-	-	-	1	-	-	-
	F--	18	-	-	-	-	-	1	1	-	-	-	2	1	4	-	3	-	3	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	11	-	1	-	-	-	1	1	2	1	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-
	F--	30	1	-	1	-	-	-	-	1	-	2	4	2	6	8	1	2	1	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus-	267	-	-	1	1	1	1	2	1	2	1	5	6	10	7	22	26	24	45	47	34	20	8	3	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	2	4	7	11	7	7	2	-	-	-
	F--	76	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	6	10	15	16	14	7	2	-	-	-
	Nonwhite--M--	49	-	-	1	-	1	-	1	1	1	1	1	2	1	1	4	7	2	10	4	6	3	2	-	-	-
	F--	91	-	-	-	1	-	1	-	-	1	-	2	2	5	2	14	11	8	13	16	7	3	2	3	-	-
290-293	Anemias----------	54	3	1	-	-	-	2	4	2	4	-	1	3	2	1	1	1	3	3	8	6	7	2	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	3	1	3	-	-	-	-	-
	F--	12	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	2	1	2	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	3	1	1	-	-	-	2	-	1	-	-	1	2	3	1	-	-	-	-	-
	F--	17	3	-	-	-	-	2	1	1	2	-	1	2	-	1	-	1	1	-	-	-	2	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	45	14	6	3	1	-	1	1	5	1	-	2	1	2	-	3	-	-	2	1	-	1	-	1	-	-
	White-----M--	9	3	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-
	F--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	19	5	3	2	-	-	-	1	4	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	11	4	3	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	9,075	7	3	2	6	3	11	16	24	50	57	84	136	264	415	619	705	878	1,295	1,348	1,296	1,051	481	206	69	49
	White-----M--	2,779	3	1	1	1	-	3	5	3	13	6	20	30	65	124	163	213	292	426	441	432	353	119	51	10	4
	F--	1,936	2	1	1	1	-	2	-	4	4	8	8	11	30	57	73	90	134	245	327	353	342	145	76	16	6
	Nonwhite--M--	2,105	2	-	-	4	3	2	2	8	5	13	21	33	64	96	166	213	251	313	289	277	200	100	31	17	15
	F--	2,255	-	1	-	-	-	4	9	9	28	30	35	62	105	138	217	189	221	311	291	234	156	117	48	26	24
330-334, 400-468	Diseases of cardiovascular system-	8,536	7	3	1	4	2	10	16	21	45	49	72	124	243	390	576	679	823	1,218	1,284	1,234	995	439	193	65	43
	White-----M--	2,677	3	1	-	1	-	3	5	3	12	6	17	29	63	119	159	210	285	418	429	413	334	108	46	9	4
	F--	1,854	2	1	1	1	-	2	-	3	3	8	8	10	28	55	67	90	126	234	314	343	333	133	72	14	6
	Nonwhite--M--	1,931	2	-	-	2	2	1	2	8	5	11	19	31	58	90	153	204	207	280	266	257	185	88	30	17	13
	F--	2,074	-	1	-	-	-	4	9	7	25	24	28	54	94	126	197	175	205	286	275	221	143	110	45	25	20
330-334	Vascular lesions, etc.*----------	2,364	3	1	-	1	-	1	1	2	8	12	17	28	69	108	150	191	241	330	385	360	279	108	42	18	9
	White-----M--	561	2	-	-	-	-	-	1	1	2	-	3	5	7	17	17	40	64	80	105	109	83	18	6	-	1
	F--	534	-	1	-	-	-	1	-	-	-	2	1	3	6	20	19	31	40	62	98	98	100	28	18	5	1
	Nonwhite--M--	555	1	-	-	1	-	-	-	1	3	2	5	8	17	26	51	57	64	75	82	73	51	25	7	5	1
	F--	714	-	-	-	-	-	-	-	-	3	8	8	12	39	45	63	63	73	113	100	80	45	37	11	8	6
400-402	Rheumatic fever----	29	-	1	-	2	1	4	7	2	1	3	1	2	-	1	1	2	-	-	-	1	-	-	-	-	-
	White-----M--	15	-	1	-	1	-	2	3	1	-	2	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	1	1	-	1	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI--Continued																										
410-443	Diseases of heart-	5,593	4	1	1	1	1	5	8	16	31	33	49	85	159	260	406	453	545	819	828	789	639	271	120	39	30
	White-----M--	1,936	1	-	-	-	-	1	1	1	8	4	12	23	52	94	134	155	209	318	305	280	221	72	34	8	3
	F--	1,176	2	-	1	1	-	1	-	3	2	5	5	5	21	33	46	57	81	160	196	214	208	84	38	8	5
	Nonwhite--M--	1,241	1	-	-	-	1	1	1	5	2	9	13	17	38	59	99	135	134	182	169	163	121	50	20	10	11
	F--	1,240	-	1	-	-	-	2	6	7	19	15	19	40	48	74	127	106	121	159	158	132	89	65	28	13	11
410-416	Chronic rheumatic heart disease----	237	-	-	-	-	-	2	2	6	8	8	9	6	6	10	18	15	15	23	33	28	24	15	5	2	2
	White-----M--	56	-	-	-	-	-	-	-	3	1	1	2	2	3	3	3	3	2	7	9	7	8	4	1	-	-
	F--	59	-	-	-	-	-	1	-	1	-	2	2	1	2	2	7	2	4	4	7	13	8	2	-	1	-
	Nonwhite--M--	49	-	-	-	-	-	-	2	1	1	-	-	-	-	1	1	8	3	9	5	5	4	5	2	-	2
	F--	73	-	-	-	-	-	1	2	3	4	4	6	3	2	4	7	2	6	3	12	3	4	4	2	1	-
420	Arteriosclerotic heart dis., etc.*	2,324	-	-	-	-	-	-	-	3	9	8	19	28	69	133	184	222	280	388	358	286	217	78	40	12	10
	White-----M--	1,151	-	-	-	-	-	-	-	1	4	3	7	14	38	72	102	109	146	201	173	138	97	26	15	4	1
	F--	558	-	-	-	-	-	-	-	1	2	1	3	2	10	18	23	34	41	96	110	87	82	34	10	2	2
	Nonwhite--M--	350	-	-	-	-	-	-	-	-	-	2	7	5	9	25	28	49	45	53	48	31	27	10	6	2	3
	F--	265	-	-	-	-	-	-	-	1	3	2	2	7	12	18	31	30	28	38	27	30	11	8	9	4	4
421, 422	Nonrheumatic chronic endocarditis, etc.*--	967	-	-	-	1	-	-	1	3	3	4	6	8	21	20	44	56	74	128	143	169	156	81	31	12	6
	White-----M--	274	-	-	-	-	-	-	-	-	1	-	2	3	2	7	6	11	16	45	43	50	59	18	7	2	2
	F--	168	-	-	-	1	-	-	-	-	-	1	-	-	1	-	2	2	4	17	23	38	42	20	13	3	1
	Nonwhite--M--	280	-	-	-	-	-	-	-	2	-	2	-	1	11	8	20	19	25	39	38	49	35	20	4	4	3
	F--	245	-	-	-	-	-	-	1	1	2	1	4	4	7	5	16	24	29	27	39	32	20	23	7	3	-
430-434	Other diseases of heart---------	500	4	1	1	-	1	3	2	2	9	6	1	13	22	22	36	41	47	64	74	67	49	18	11	3	3
	White-----M--	147	1	-	-	-	-	1	1	-	-	-	-	3	7	8	6	11	18	26	24	23	9	5	4	-	-
	F--	79	2	-	1	-	-	-	-	-	-	-	-	-	1	1	6	3	6	8	11	13	18	4	3	1	1
	Nonwhite--M--	130	1	-	-	-	1	1	-	1	1	1	-	3	7	5	12	20	12	14	18	18	9	2	3	-	1
	F--	144	-	1	-	-	-	1	1	1	8	5	1	7	7	8	12	7	11	16	21	13	13	7	1	2	1
440-443	Hypertension with heart dis.--	1,565	-	-	-	-	-	-	3	2	2	7	14	30	41	75	124	119	149	216	220	239	193	79	33	10	9
	White-----M--	308	-	-	-	-	-	-	-	-	-	-	2	1	3	4	17	21	27	39	56	62	48	19	7	2	-
	F--	312	-	-	-	-	-	-	1	-	1	-	-	2	7	12	8	16	26	35	45	63	58	24	12	1	1
	Nonwhite--M--	432	-	-	-	-	-	1	-	-	3	6	8	11	20	38	39	49	67	60	60	46	13	5	4	2
	F--	513	-	-	-	-	-	2	1	2	3	6	19	20	39	61	43	47	75	59	54	41	23	9	3	6
444-447	Hypertension without mention of heart----------	227	-	-	-	-	-	-	1	3	-	2	6	8	12	13	17	16	27	28	33	25	21	12	2	1
	White-----M--	45	-	-	-	-	-	-	-	1	-	1	-	1	3	4	3	4	4	4	9	6	5	-	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	4	10	10	7	7	6	-	-	-
	Nonwhite--M--	65	-	-	-	-	-	-	1	-	-	-	3	2	2	1	9	4	12	7	9	7	4	3	-	-	1
	F--	66	-	-	-	-	-	-	-	2	-	1	2	5	5	7	4	6	7	7	5	5	5	3	2	-	-
450	General arteriosclerosis--------	251	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	16	33	36	46	48	35	17	6	3
	White-----M--	90	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	12	15	13	23	12	5	1	-
	F--	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	6	20	17	13	9	1	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	7	7	10	5	7	-	2	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	6	8	3	3	3	3	2	3
451-468	Other diseases of circulatory sys.-	72	-	-	-	-	-	-	-	-	2	1	3	3	6	6	5	10	5	9	7	5	4	4	2	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	1	-	-	-	3	4	3	8	3	4	-	1	1	1	1	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	1	1	-	4	1	1	1	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	4	1	2	1	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	2	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	539	-	-	1	2	1	1	-	3	5	8	12	12	21	25	43	28	55	77	64	62	56	42	13	4	6
	White-----M--	102	-	-	1	-	-	-	-	-	1	-	3	1	2	5	4	3	7	8	12	19	19	11	5	1	-
	F--	82	-	-	-	-	-	-	-	1	1	-	-	1	2	2	6	-	8	11	13	10	9	12	4	2	-
	Nonwhite--M--	174	-	-	-	2	1	1	-	-	-	2	2	2	6	6	13	9	24	33	23	20	15	12	1	-	2
	F--	181	-	-	-	-	-	-	-	2	3	6	7	8	11	12	20	14	16	25	16	13	13	7	3	1	4
480-493	Influenza and pneumonia, etc.*	863	215	32	19	10	8	15	9	10	10	9	9	11	15	26	25	30	58	38	77	90	74	59	26	4	4
	White-----M--	173	18	5	2	-	1	5	1	2	-	1	3	3	3	4	7	4	16	4	19	25	23	19	6	2	-
	F--	163	19	3	2	2	-	2	-	2	1	2	-	1	2	4	2	4	6	10	22	26	23	23	6	1	-
	Nonwhite--M--	301	97	12	11	6	4	5	5	5	4	1	5	2	5	12	6	15	26	12	16	25	13	8	4	1	1
	F--	246	61	12	4	2	3	3	3	1	5	5	1	5	5	6	10	7	10	12	20	14	15	9	10	-	3
480-483	Influenza---------	248	53	7	4	-	4	2	3	2	5	2	2	4	5	7	7	8	13	10	25	31	24	17	9	2	2
	White-----M--	44	4	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	3	3	6	7	5	7	3	1	-
	F--	45	2	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	3	1	8	9	8	5	3	-	-
	Nonwhite--M--	81	25	4	2	-	3	1	2	1	1	-	-	-	1	3	2	6	2	4	6	7	5	4	-	1	1
	F--	78	22	3	2	-	1	1	1	1	3	1	1	4	2	2	2	1	5	2	5	8	6	1	3	-	1
490-493	Pneumonia, etc.*--	635	162	25	15	10	4	13	6	8	5	7	7	7	10	19	18	22	45	28	52	59	50	42	17	2	2
	White-----M--	129	14	5	2	-	1	5	1	2	-	1	2	3	2	3	5	4	13	1	13	18	18	12	3	1	-
	F--	118	17	3	2	2	-	2	-	2	-	1	-	1	1	3	1	3	3	9	14	17	15	18	3	1	-
	Nonwhite--M--	220	72	8	9	6	1	4	3	4	3	1	5	2	4	9	4	9	24	8	10	18	8	4	4	-	-
	F--	168	59	9	2	2	2	2	2	-	2	4	-	1	3	4	8	6	5	10	15	6	9	8	7	-	2
500-502	Bronchitis--------	37	10	2	2	1	1	1	-	-	1	-	-	1	1	-	2	3	1	2	-	4	2	2	-	1	-
	White-----M--	13	3	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	1	1	1	-	-	-
	F--	7	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	2	1	-	-	-	-
	Nonwhite--M--	10	4	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-
	F--	7	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	70	-	-	-	-	-	-	-	-	-	3	1	5	8	4	6	7	6	11	3	9	3	3	-	-	1
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	3	4	9	2	5	2	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	2	1	2	2	2	2	2	1	2	1	2	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-	1	-	1	-	-	1
550-553	Appendicitis------	42	-	-	-	1	-	3	3	2	3	1	3	3	2	5	4	3	1	3	1	3	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	2	1	-	1	1	1	2	-	2	2	2	1	1	-	3	-	-	-	-	-
	F--	14	-	-	-	-	-	1	2	1	1	-	2	-	2	2	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	98	13	3	-	-	1	1	-	1	1	-	3	4	3	9	7	2	7	9	5	10	9	6	1	1	2
	White-----M--	25	4	1	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	4	-	3	5	3	-	-	-
	F--	22	3	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	2	2	2	3	-	2	1	-	-
	Nonwhite--M--	27	3	1	-	-	1	1	-	-	-	-	1	-	1	1	3	2	2	3	1	3	3	-	-	-	1
	F--	24	3	1	-	-	-	-	-	1	1	-	-	-	-	-	5	3	-	3	-	2	1	1	1	-	1	1

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
543, 571, 572	Gastritis, etc.*--	176	93	21	5	4	1	1	-	1	1	-	3	-	4	2	3	4	-	7	5	5	6	6	3	1	-
	White-----M--	23	8	-	2	-	-	-	-	-	1	-	1	-	-	1	-	2	-	2	2	-	2	1	1	-	-
	F--	32	7	4	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	5	1	4	1	4	1	1	-
	Nonwhite--M--	66	43	11	1	1	-	1	-	-	-	-	2	-	1	-	1	1	-	-	1	-	1	1	1	-	-
	F--	55	35	6	1	3	1	-	-	-	-	-	-	-	2	1	1	1	-	-	1	1	2	-	-	-	-
581	Cirrhosis of liver	103	-	-	-	-	-	-	-	1	-	2	1	3	8	7	16	8	11	14	14	8	8	2	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	1	1	-	4	2	6	4	6	5	4	5	2	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	3	1	2	5	1	4	3	6	1	2	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	5	4	2	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	1	-	-	1	1	3	1	-	1	-	-	2	1	-	-	-
590, 591	Acute nephritis, etc.*----------	130	1	6	3	2	1	7	1	4	3	4	13	3	3	8	3	8	8	12	16	8	5	5	6	-	-
	White-----M--	12	-	-	1	-	-	1	-	1	1	-	1	-	-	2	-	-	1	-	1	2	1	-	-	-	-
	F--	16	-	-	1	-	-	1	-	-	-	-	2	-	1	-	-	2	1	-	2	-	2	1	3	-	-
	Nonwhite--M--	42	-	1	-	2	-	2	1	1	2	2	2	2	1	2	-	5	3	5	3	4	1	1	2	-	-
	F--	60	1	5	1	-	1	3	-	2	-	2	8	1	1	4	3	1	3	7	10	2	1	3	1	-	-
610	Hyperplasia of prostate---------	107	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	7	18	16	22	20	8	8	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	4	11	9	3	5	-	-
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	3	13	12	11	11	5	3	-	-
640-689	Complications of pregnancy, etc.*	137	...	...	...	...	...	...	-	21	14	37	28	27	8	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	...	...	...	...	...	...	-	3	2	8	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	112	...	...	...	...	...	...	-	18	12	29	23	23	5	2	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	7	...	...	...	...	...	...	-	1	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	130	...	...	...	...	...	...	-	20	14	36	26	24	8	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	...	...	...	...	...	...	-	3	2	8	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	105	...	...	...	...	...	...	-	17	12	28	21	20	5	2	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	223	169	13	4	1	2	6	6	3	1	3	2	1	3	2	2	1	2	1	-	1	-	-	-	-	-
	White-----M--	84	66	3	2	-	1	-	1	1	-	1	1	1	1	2	1	1	1	-	-	1	-	-	-	-	-
	F--	65	47	4	1	1	-	3	-	1	1	2	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	46	35	3	1	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	21	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,239	1,238	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	327	327	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	409	408	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	402	402	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	738	737	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	238	237	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	2,590	575	42	11	8	9	13	7	16	19	28	27	39	71	71	109	122	156	243	242	238	249	126	85	42	42
	White-----M--	294	25	3	3	-	-	1	1	-	2	2	5	8	13	8	20	17	24	34	38	37	33	11	8	1	-
	F--	179	23	1	1	-	-	3	-	1	-	1	-	1	8	5	9	5	14	16	10	18	21	21	15	6	-
	Nonwhite--M--	1,127	296	21	4	3	7	4	4	8	8	10	12	10	22	30	39	52	72	115	99	99	108	44	22	17	21
	F--	990	231	17	3	5	2	5	2	7	9	15	10	20	28	28	41	48	46	78	95	84	87	50	40	18	21
Residual	All other diseases	839	62	21	11	9	1	14	15	22	16	20	23	46	48	36	47	59	67	70	73	87	53	23	9	2	5
	White-----M--	231	10	4	1	3	-	1	3	3	2	2	5	9	7	7	14	21	25	23	31	28	18	8	3	1	2
	F--	213	14	4	2	2	1	2	2	3	4	4	4	15	11	13	10	11	12	18	20	30	19	7	4	1	-
	Nonwhite--M--	188	22	6	2	-	-	3	3	5	6	6	4	7	12	5	14	12	12	21	15	20	7	4	1	-	1
	F--	207	16	7	6	4	-	8	7	11	4	8	10	15	18	11	9	15	18	8	7	9	9	4	1	-	2
E800-E962	Accidents----------	1,413	84	43	24	23	23	61	62	104	99	104	86	101	74	74	93	59	42	51	50	61	41	26	15	5	8
	White-----M--	543	14	12	10	5	3	11	24	40	52	57	44	37	37	38	45	26	17	20	13	20	11	4	2	-	1
	F--	196	16	6	2	5	4	10	7	7	10	8	9	10	7	7	5	6	3	14	12	18	13	10	5	2	-
	Nonwhite--M--	455	27	14	7	9	7	26	26	48	31	32	27	45	25	22	27	15	15	9	10	14	8	7	2	-	2
	F--	219	27	11	5	4	9	14	5	9	6	7	6	9	5	7	16	12	7	8	15	9	9	5	6	3	5
E810-E835	Motor-vehicle accidents--------	529	3	7	4	5	6	21	20	44	50	61	36	56	34	42	40	27	18	22	11	12	7	2	1	-	-
	White-----M--	245	-	3	3	2	2	4	6	19	29	35	19	22	17	18	21	16	8	8	5	5	3	-	-	-	-
	F--	64	3	1	-	-	2	4	4	5	7	3	4	4	2	5	4	4	2	5	3	1	1	-	-	-	-
	Nonwhite--M--	167	-	1	1	3	2	9	8	18	10	20	10	25	13	13	8	4	5	6	1	4	3	2	1	-	-
	F--	53	-	2	-	-	-	4	2	2	4	3	3	5	2	6	7	3	3	3	2	2	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	884	81	36	20	18	17	40	42	60	49	43	50	45	40	32	53	32	24	29	39	49	34	24	14	5	8
	White-----M--	298	14	9	7	3	1	7	18	21	23	22	25	15	20	20	24	10	9	12	8	15	8	4	2	-	1
	F--	132	13	5	2	5	2	6	3	2	3	5	5	6	5	2	1	2	1	9	9	17	12	10	5	2	-
	Nonwhite--M--	288	27	13	6	6	5	17	18	30	21	12	17	20	12	9	19	11	10	3	9	10	5	5	1	-	2
	F--	166	27	9	5	4	9	10	3	7	2	4	3	4	3	1	9	9	4	5	13	7	9	5	6	3	5
E963, E970-E979	Suicide----------	133	-	-	-	-	-	-	1	7	7	8	9	20	9	7	13	13	8	11	12	6	1	-	1	-	-
	White-----M--	95	-	-	-	-	-	-	-	3	3	6	6	14	5	7	9	10	8	8	10	5	1	-	-	-	-
	F--	22	-	-	-	-	-	-	1	1	3	1	3	3	3	-	1	2	-	2	1	-	-	-	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	1	1	-	3	1	-	1	1	-	1	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	267	-	1	1	-	-	-	-	17	38	37	32	45	32	17	18	15	2	5	4	1	1	-	-	-	1
	White-----M--	36	-	-	-	-	-	-	-	-	1	3	3	3	7	3	5	6	-	2	3	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	-	4	2	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	176	-	1	1	-	-	-	-	11	28	27	19	34	22	10	10	7	1	3	-	1	1	-	-	-	-
	F--	46	-	-	-	-	-	-	-	5	9	7	6	6	3	4	3	1	1	-	-	-	-	-	-	-	1
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI																										
	ALL CAUSES	44,123	2,499	181	125	78	77	202	175	328	344	419	525	748	1,142	1,653	2,374	3,135	3,919	5,119	5,566	5,860	4,992	3,061	1,253	266	82
	White	22,565	1,190	70	61	33	37	111	110	198	197	198	241	341	578	846	1,197	1,717	2,185	2,794	2,948	3,021	2,430	1,419	524	88	31
	M	17,068	906	76	45	37	31	63	49	89	92	122	157	228	346	478	715	973	1,298	1,821	2,215	2,545	2,385	1,525	689	159	24
	Nonwhite	2,447	225	21	8	4	5	12	9	23	32	55	66	92	105	161	226	252	260	293	230	163	98	66	17	8	16
	F	2,043	178	14	11	4	4	16	7	18	23	44	61	87	113	168	236	193	176	211	173	131	79	51	23	11	11
001-019	Tuberculosis all forms	827	4	4	11	2	1	4	3	13	28	33	42	44	59	70	91	86	80	81	68	60	30	11	1	1	-
	White	453	-	2	4	1	1	2	1	4	5	10	17	18	32	36	52	56	52	56	33	42	23	5	1	-	-
	M	180	2	-	5	1	-	1	-	2	19	10	12	11	11	11	14	11	15	11	24	10	5	5	-	-	-
	Nonwhite	128	1	2	-	-	-	1	-	2	1	4	10	9	10	18	17	16	10	11	7	7	1	-	-	1	-
	F	66	1	-	2	-	-	-	2	5	3	9	3	6	6	5	8	3	3	3	4	1	1	1	-	-	-
001-008	Tuberculosis of respiratory system	758	3	2	1	1	-	1	1	12	27	31	40	38	53	70	87	76	78	76	65	55	28	11	1	1	-
	White	424	-	1	-	1	-	-	-	4	5	9	16	16	32	36	50	53	51	53	31	39	21	5	1	-	-
	M	162	1	-	-	-	-	-	-	2	19	9	12	10	10	11	14	7	14	11	23	9	5	5	-	-	-
	Nonwhite	110	1	1	-	-	-	1	-	1	-	4	9	7	5	18	15	13	10	9	7	7	1	-	-	1	-
	F	62	1	-	1	-	-	-	1	5	3	9	3	5	6	5	8	3	3	3	4	-	1	1	-	-	-
010-019	Tuberculosis, other forms	69	1	2	10	1	1	3	2	1	1	2	2	6	6	-	4	10	2	5	3	5	2	-	-	-	-
	White	29	-	1	4	-	1	2	1	-	-	1	1	2	-	-	2	3	1	3	2	3	2	-	-	-	-
	M	18	1	-	5	1	-	1	-	-	-	1	-	1	1	-	-	4	1	-	1	1	-	-	-	-	-
	Nonwhite	18	-	1	-	-	-	-	1	1	-	1	-	2	5	-	2	3	-	2	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae	258	4	1	-	-	1	-	-	-	-	-	2	7	12	26	36	35	42	33	26	19	10	4	-	-	-
	White	128	2	-	-	-	-	-	-	-	-	-	1	1	2	11	12	17	25	19	17	13	5	3	-	-	-
	M	51	-	-	-	-	1	-	-	-	-	-	-	5	3	2	8	6	6	8	4	3	4	1	-	-	-
	Nonwhite	51	-	1	-	-	-	-	-	-	-	-	-	1	4	7	13	7	7	4	4	2	1	-	-	-	-
	F	28	2	-	-	-	-	-	-	-	-	-	1	-	3	6	3	5	4	2	1	1	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	23	8	3	1	-	-	1	-	-	-	-	-	1	-	1	1	1	-	1	-	1	3	1	-	-	-
	White	15	4	1	1	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	-	-	3	1	-	-	-
	M	7	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	15	1	1	-	-	-	1	2	-	-	-	1	-	1	2	1	-	-	1	2	-	-	1	1	-	-
	White	8	-	1	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-
	M	6	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	10	-	1	3	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	4	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	17	12	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	9	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	29	7	4	4	2	2	2	1	1	2	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-
	White	11	2	1	3	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	12	3	2	1	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	54	3	2	3	3	3	2	9	8	5	3	8	4	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	36	3	2	2	2	2	1	8	3	4	3	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	18	-	-	1	1	1	1	1	5	1	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	30	6	9	5	-	2	4	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	19	4	5	4	-	1	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	10	2	4	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	123	13	5	2	2	-	5	1	7	1	4	4	5	4	10	12	6	5	8	9	9	9	-	-	2	-
	White	61	7	1	1	1	-	2	1	2	1	2	2	4	4	7	7	2	4	1	4	4	4	-	-	-	-
	M	51	2	3	1	1	-	3	-	5	-	2	-	1	-	2	5	2	1	6	5	5	5	-	-	2	-
	Nonwhite	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
140-205	Malignant neoplasms, etc.*----	6,435	2	3	8	10	9	28	23	20	18	42	65	127	201	352	521	699	783	923	898	799	544	273	64	15	2
	White-----M--	3,027	1	1	7	2	6	15	14	13	11	15	24	34	59	140	208	320	376	438	465	434	276	138	25	5	-
	F--	2,871	1	2	1	7	3	11	9	6	6	23	29	68	115	161	242	301	346	411	374	326	258	125	37	8	1
	Nonwhite--M--	267	-	-	-	1	-	1	-	-	1	1	4	7	10	20	35	39	31	44	36	25	4	5	1	2	-
	F--	270	-	-	-	-	-	1	-	1	-	3	8	18	17	31	42	39	30	30	23	14	6	5	1	-	1
140-148	Of buccal cavity and pharynx------	165	-	-	-	-	-	-	-	-	-	1	1	5	3	5	9	15	14	32	27	22	19	9	3	-	-
	White-----M--	126	-	-	-	-	-	-	-	-	-	-	-	4	2	3	5	13	12	26	22	18	12	6	3	-	-
	F--	23	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	2	4	1	2	7	3	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	2	3	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	2,508	1	-	1	1	-	-	1	1	1	6	10	21	49	101	173	257	284	380	398	403	258	124	29	8	1
	White-----M--	1,238	1	-	1	-	-	-	1	-	-	-	3	5	20	45	90	131	141	192	217	210	112	56	11	2	-
	F--	1,081	-	-	-	1	-	-	-	-	-	4	4	11	21	41	56	98	120	162	161	178	140	61	17	5	1
	Nonwhite--M--	110	-	-	-	-	-	-	-	-	1	1	2	3	2	10	16	18	12	14	12	11	3	4	-	1	-
	F--	79	-	-	-	-	-	-	-	1	-	1	1	2	6	5	11	10	11	12	8	4	3	3	1	-	-
160-164	Of respiratory system----------	617	-	-	-	-	-	1	-	1	1	1	7	12	14	50	61	93	112	94	80	59	22	7	2	-	-
	White-----M--	445	-	-	-	-	-	-	-	1	-	1	5	8	6	42	47	73	88	68	49	38	16	3	-	-	-
	F--	111	-	-	-	-	-	-	-	-	1	-	2	2	3	4	4	8	17	16	26	18	5	3	2	-	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	-	2	5	3	8	10	5	9	5	1	-	1	-	-	-
	F--	12	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	2	1	1	2	1	-	-	-	-
170	Of breast----------	557	-	-	-	-	-	-	-	-	-	3	8	24	31	41	70	60	71	81	57	40	41	21	7	2	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-
	F--	499	-	-	-	-	-	-	-	-	-	3	7	18	28	32	62	52	63	77	52	37	38	21	7	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	1	6	2	8	8	7	7	4	4	2	2	1	-	-	-	-
171-179	Of genital organs-	1,087	-	-	-	-	-	-	-	-	1	9	17	32	44	68	91	112	119	137	175	146	75	49	10	2	-
	White-----M--	391	-	-	-	-	-	-	-	-	1	3	7	1	3	2	1	17	32	45	88	88	60	38	4	1	-
	F--	589	-	-	-	-	-	-	-	-	-	5	8	22	35	55	73	79	75	74	70	44	14	9	5	1	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	6	9	9	10	1	-	1	-	-
	F--	86	-	-	-	-	-	-	-	-	1	2	8	6	11	15	14	6	9	8	4	2	-	-	-	-	-
180, 181	Of urinary organs-	285	-	-	1	1	-	-	-	-	1	-	-	3	7	14	20	30	44	45	30	43	27	17	2	-	-
	White-----M--	180	-	-	1	-	-	-	-	-	1	-	-	1	5	9	15	21	28	31	16	26	19	7	-	-	-
	F--	85	-	-	-	1	-	-	-	-	-	-	-	1	-	2	4	5	14	12	11	15	8	10	2	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	1	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	759	-	1	2	4	3	6	11	10	6	8	9	18	33	50	74	83	88	94	81	55	78	34	8	2	1
	White-----M--	382	-	-	2	1	1	4	6	5	4	2	3	8	13	26	32	41	44	45	45	33	41	20	5	1	-
	F--	323	-	1	-	2	2	1	5	5	2	5	4	9	17	22	31	35	36	41	30	21	37	14	3	-	-
	Nonwhite--M--	28	-	-	-	1	-	1	-	-	-	-	1	-	-	-	7	2	5	5	5	-	-	-	-	1	-
	F--	26	-	-	-	-	-	-	-	-	-	1	1	1	3	2	4	5	3	3	1	1	-	-	-	-	1
204	Leukemia and aleukemia----------	236	-	2	3	3	6	15	10	4	2	3	5	6	9	13	13	19	25	28	25	20	17	5	2	1	-
	White-----M--	131	-	1	2	1	5	6	6	3	2	3	3	2	3	8	8	7	15	14	14	13	9	4	1	1	-
	F--	100	-	1	1	2	1	9	4	1	-	-	2	3	6	3	5	12	9	13	11	7	8	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	221	1	-	1	1	-	6	1	4	6	11	8	6	11	10	16	30	26	32	25	11	7	7	1	-	-
	White-----M--	128	-	-	1	-	-	5	1	4	3	6	3	5	6	5	10	16	15	17	13	7	6	4	1	-	-
	F--	80	1	-	-	1	-	1	-	-	3	5	2	1	5	2	5	12	10	12	12	4	1	3	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	3	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	118	2	-	1	-	1	2	2	3	4	-	5	5	9	11	12	11	10	13	7	10	3	6	1	-	-
	White-----M--	40	2	-	-	-	-	1	1	1	3	-	1	-	1	5	5	-	5	6	2	2	2	3	-	-	-
	F--	56	-	-	-	-	1	-	1	2	1	-	3	2	5	2	3	10	5	6	4	6	1	3	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	18	-	-	1	-	-	-	-	-	-	-	1	2	2	4	4	-	-	1	2	-	-	-	-	-	-
260	Diabetes mellitus-	699	1	1	-	-	1	2	4	1	7	5	3	7	13	18	39	52	103	106	140	104	66	21	5	-	-
	White-----M--	261	1	-	-	-	-	-	-	1	3	3	1	4	5	6	15	20	34	39	54	41	24	7	3	-	-
	F--	384	-	1	-	-	1	2	4	-	3	1	2	1	6	7	15	29	58	63	79	57	41	12	2	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	2	-	-	-	-	-
	F--	44	-	-	-	-	-	-	-	-	1	1	-	2	2	5	7	2	9	2	6	4	1	2	-	-	-
290-295	Anemias----------	143	3	1	-	-	-	2	-	1	-	1	-	1	-	4	5	7	11	9	28	26	19	17	8	-	-
	White-----M--	59	1	-	-	-	-	1	-	-	-	-	-	-	-	2	2	2	2	4	15	12	9	8	1	-	-
	F--	71	1	-	-	-	-	-	-	1	-	1	-	-	-	2	2	2	8	4	10	14	10	9	7	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	-	-	-	-	-	-
	F--	5	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	43	12	4	-	3	-	2	2	-	1	-	1	1	2	1	1	1	1	6	3	2	-	-	-	-	-
	White-----M--	20	2	2	-	1	-	2	2	-	-	-	-	-	1	1	1	1	-	5	1	1	-	-	-	-	-
	F--	11	2	2	-	2	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	10	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	24,059	15	3	6	-	2	14	20	29	43	63	125	225	431	677	1,131	1,631	2,196	3,096	3,525	3,976	3,536	2,161	918	179	57
	White-----M--	12,314	10	1	1	-	2	6	8	13	23	25	51	101	234	358	612	943	1,250	1,707	1,853	1,982	1,686	978	391	60	19
	F--	9,602	5	2	5	-	-	3	9	12	13	26	38	54	102	169	282	450	681	1,070	1,424	1,799	1,718	1,111	497	112	20
	Nonwhite--M--	1,082	-	-	-	-	-	-	2	3	5	4	17	31	35	65	101	119	153	172	128	107	72	45	11	3	9
	F--	1,061	-	-	-	-	-	5	1	1	2	8	19	39	60	85	136	119	112	147	120	88	60	27	19	4	9
330-334, 400-468	Diseases of cardiovascular system-	23,162	15	3	5	-	2	10	16	27	35	49	111	203	410	645	1,084	1,582	2,133	3,008	3,404	3,834	3,402	2,080	876	173	55
	White-----M--	11,886	10	1	1	-	2	4	7	13	17	17	42	93	225	340	590	920	1,227	1,663	1,791	1,926	1,614	940	368	57	18
	F--	9,244	5	2	4	-	-	1	7	10	12	22	34	45	96	161	271	432	651	1,038	1,378	1,730	1,662	1,074	480	109	20
	Nonwhite--M--	1,026	-	-	-	-	-	-	2	3	4	3	16	28	33	61	94	116	148	165	121	101	67	42	11	3	8
	F--	1,006	-	-	-	-	-	5	-	1	2	7	19	37	56	83	129	114	107	142	114	77	59	24	17	4	9
330-334	Vascular lesions, etc.*----------	5,299	3	1	1	-	1	3	2	4	13	8	15	44	68	139	212	291	437	688	842	978	860	465	193	24	7
	White-----M--	2,388	2	1	1	-	1	1	2	2	6	2	5	15	20	42	76	115	214	320	415	453	392	196	94	10	3
	F--	2,424	1	-	-	-	-	-	-	1	5	4	5	13	26	57	77	123	165	285	368	483	443	254	99	12	3
	Nonwhite--M--	235	-	-	-	-	-	-	1	2	1	1	6	6	18	21	26	36	36	39	21	17	11	-	-	-	1
	F--	252	-	-	-	-	-	2	-	-	-	1	4	8	16	22	38	27	22	47	30	21	8	4	-	2	-
400-402	Rheumatic fever---	44	2	-	1	-	-	6	7	1	2	1	1	2	3	2	2	4	1	2	2	1	1	3	-	-	-
	White-----M--	20	1	-	-	-	-	3	4	-	1	-	1	1	1	2	1	3	-	-	-	-	-	2	-	-	-
	F--	19	1	-	1	-	-	1	3	1	1	-	-	-	1	-	1	1	1	2	2	1	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
410-443	Diseases of heart	16,180	5	2	3	-	1	1	6	20	18	37	86	140	304	475	808	1,215	1,587	2,195	2,352	2,581	2,239	1,393	555	121	36
	White----M--	8,707	4	-	-	-	1	-	1	11	9	15	35	72	190	289	488	766	964	1,276	1,270	1,323	1,077	638	231	37	10
	F--	6,097	1	2	3	-	-	-	4	6	5	17	27	30	57	93	174	284	447	713	918	1,138	1,071	712	304	79	12
	Nonwhite--M--	711	-	-	-	-	-	-	1	2	2	2	12	15	23	39	67	83	102	120	85	70	45	25	9	3	6
	F--	665	-	-	-	-	-	1	-	1	2	3	12	23	34	54	79	82	74	86	79	50	46	18	11	2	8
410-416	Chronic rheumatic heart disease	636	-	-	-	-	-	-	5	11	10	17	26	22	45	43	54	66	59	57	71	59	49	31	9	1	1
	White----M--	302	-	-	-	-	-	-	1	7	6	7	10	8	20	17	27	31	26	32	33	29	28	15	5	-	-
	F--	259	-	-	-	-	-	-	4	3	2	10	10	9	19	20	19	26	25	17	32	29	16	15	2	1	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	1	-	3	1	2	3	6	4	4	4	3	1	1	-	1	-	1
	F--	40	-	-	-	-	-	-	-	1	1	-	3	4	4	3	2	5	4	4	3	-	4	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	8,900	3	-	-	-	-	-	-	4	5	6	32	53	176	283	475	784	1,013	1,409	1,362	1,388	1,046	581	214	54	12
	White----M--	5,458	2	-	-	-	-	-	-	2	1	1	20	40	135	222	347	579	709	871	805	775	537	294	99	16	3
	F--	2,949	1	-	-	-	-	-	-	1	3	3	9	5	26	32	84	155	234	454	486	563	477	273	105	34	4
	Nonwhite--M--	294	-	-	-	-	-	-	-	1	-	2	2	4	11	15	25	33	42	49	38	36	15	10	6	3	2
	F--	199	-	-	-	-	-	-	-	-	1	-	1	4	4	14	19	17	28	35	33	14	17	4	4	1	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	3,259	1	-	2	-	-	1	-	3	-	4	5	17	19	41	63	119	187	304	457	606	673	467	222	50	18
	White----M--	1,569	1	-	-	-	-	-	-	-	-	3	-	9	10	17	36	52	94	167	255	292	309	209	92	16	7
	F--	1,469	-	-	2	-	-	-	-	2	-	1	4	4	2	16	13	40	73	103	177	283	336	246	127	34	6
	Nonwhite--M--	108	-	-	-	-	-	-	-	1	-	-	1	2	4	3	8	12	11	19	8	17	12	7	1	-	2
	F--	113	-	-	-	-	-	1	-	-	-	-	-	2	3	5	6	15	9	15	17	14	16	5	2	-	3
430-434	Other diseases of heart	694	1	2	1	-	1	-	1	2	3	5	14	20	22	28	62	49	69	75	75	92	88	51	25	6	2
	White----M--	362	1	-	-	-	1	-	-	2	2	2	5	5	13	11	34	20	40	50	43	52	47	23	9	2	-
	F--	229	-	2	1	-	-	-	-	-	-	2	2	6	1	3	15	14	21	15	25	37	39	27	14	4	1
	Nonwhite--M--	53	-	-	-	-	-	-	1	-	1	-	5	5	1	4	5	8	4	8	5	2	2	-	1	-	1
	F--	50	-	-	-	-	-	-	-	-	-	1	2	4	7	10	8	7	4	2	2	1	-	1	1	-	-
440-443	Hypertension with heart dis.	2,691	-	-	-	-	-	-	-	-	-	5	9	28	42	80	154	197	259	350	387	436	363	263	85	10	3
	White----M--	1,016	-	-	-	-	-	-	-	-	-	2	-	10	12	22	44	84	95	156	134	175	156	97	26	3	-
	F--	1,191	-	-	-	-	-	-	-	-	-	1	2	6	9	22	43	49	94	124	198	226	203	151	56	6	1
	Nonwhite--M--	221	-	-	-	-	-	-	-	-	-	-	1	3	5	14	23	26	41	40	31	14	15	8	-	-	-
	F--	263	-	-	-	-	-	-	-	-	-	2	6	9	16	22	44	38	29	30	24	21	9	7	3	1	2
444-447	Hypertension without mention of heart	450	-	-	-	-	-	-	-	-	-	1	4	12	14	17	31	35	43	43	59	66	68	35	19	2	1
	White----M--	184	-	-	-	-	-	-	-	-	-	-	-	2	4	3	12	20	14	20	25	28	31	14	9	1	1
	F--	190	-	-	-	-	-	-	-	-	-	-	-	1	7	6	10	9	22	11	29	32	33	20	9	1	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	2	4	1	2	3	4	5	6	3	4	3	1	1	-	-
	F--	37	-	-	-	-	-	-	-	-	-	1	2	5	2	6	6	2	2	6	2	2	1	-	-	-	-
450	General arteriosclerosis	935	-	-	-	-	-	-	-	-	-	-	-	-	-	5	11	15	27	51	115	180	218	171	106	25	11
	White----M--	456	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	15	28	62	103	107	85	33	8	4
	F--	424	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	7	18	47	67	105	81	66	17	5
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	4	6	2	3	1	-	1
	F--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	2	2	4	4	2	6	-	1
451-468	Other diseases of circulatory sys.	254	5	-	-	-	-	1	2	2	2	5	5	21	7	20	22	38	29	34	28	16	13	3	1	-	
	White----M--	131	3	-	-	-	-	-	-	1	-	1	3	10	3	10	9	20	19	19	19	7	5	1	1	-	
	F--	90	2	-	-	-	-	-	-	2	1	1	2	1	5	3	5	10	9	9	14	9	9	6	2	-	
	Nonwhite--M--	14	-	-	-	-	-	1	-	-	-	-	1	-	2	1	2	1	4	-	-	-	-	2	-	-	
	F--	19	-	-	-	-	-	-	-	-	-	1	1	1	4	-	3	2	5	1	1	-	-	-	-	-	
592-594	Chronic nephritis, etc.*	897	-	-	1	-	-	4	4	2	8	14	14	22	21	32	47	49	63	88	121	142	134	81	42	6	2
	White----M--	428	-	-	-	-	-	2	1	-	6	8	9	8	9	18	22	23	23	44	62	56	72	38	23	3	1
	F--	358	-	-	1	-	-	2	2	2	1	4	4	9	6	8	11	18	30	32	46	69	56	37	17	3	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	1	1	1	3	2	4	7	3	5	7	7	6	5	3	-	-	1
	F--	55	-	-	-	-	-	-	1	-	-	1	-	2	4	2	7	5	5	5	6	11	1	3	2	-	-
480-493	Influenza and pneumonia, etc.*	1,635	223	40	15	9	8	13	9	10	9	12	9	18	30	47	70	65	100	134	159	200	227	151	64	12	1
	White----M--	782	100	12	3	4	5	8	7	1	3	3	3	7	6	19	28	30	50	72	87	112	119	78	21	4	-
	F--	589	73	18	7	4	1	4	2	7	4	6	3	3	7	11	14	10	26	35	58	80	101	63	43	8	1
	Nonwhite--M--	154	23	6	1	-	1	1	-	-	1	1	2	7	11	8	18	15	16	18	10	6	3	6	-	-	-
	F--	110	27	4	4	1	1	-	-	2	1	2	1	1	6	9	10	10	8	9	4	2	4	4	-	-	-
480-483	Influenza	193	12	6	-	2	1	2	2	3	-	1	2	-	3	3	9	3	15	15	30	26	27	18	8	3	-
	White----M--	90	5	3	-	2	1	1	2	-	-	-	1	-	2	2	3	2	8	9	14	14	10	8	1	2	-
	F--	85	5	2	-	-	-	1	-	2	-	1	1	-	-	1	1	-	4	5	15	14	15	10	7	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
	F--	15	2	1	-	-	-	-	-	1	-	-	-	-	1	-	2	1	3	1	1	-	2	-	-	-	-
490-493	Pneumonia, etc.*	1,442	211	34	15	7	7	11	7	7	9	11	7	18	27	44	61	62	85	119	129	172	200	133	56	9	1
	White----M--	692	95	9	3	2	4	7	5	1	3	3	2	7	4	17	25	28	42	63	73	98	109	70	20	2	-
	F--	504	68	16	7	4	1	3	2	5	4	5	2	3	7	10	13	10	22	30	43	66	86	53	36	7	1
	Nonwhite--M--	151	23	6	1	-	1	1	-	-	1	1	2	7	11	8	15	15	16	18	10	6	3	6	-	-	-
	F--	95	25	3	4	1	1	-	-	1	1	2	1	1	5	9	8	9	5	8	3	2	2	4	-	-	-
500-502	Bronchitis	89	16	3	-	1	1	1	-	1	-	2	-	-	1	1	-	4	9	9	6	7	14	9	3	1	-
	White----M--	50	9	2	-	1	-	-	-	1	-	1	-	-	1	1	-	1	7	6	3	4	7	4	2	-	-
	F--	34	6	1	-	-	-	1	-	-	-	1	-	-	-	-	-	3	2	3	2	2	7	4	1	1	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum	262	1	-	-	-	1	-	-	-	2	4	8	10	10	13	22	27	44	38	34	27	12	8	1	-	-
	White----M--	204	1	-	-	-	-	-	-	-	1	3	5	8	9	10	18	22	37	31	22	20	9	7	1	-	-
	F--	38	-	-	-	-	1	-	-	-	-	1	1	-	-	1	2	3	5	4	10	6	3	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	2	1	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-
550-553	Appendicitis	113	1	1	1	-	1	7	4	5	2	3	4	4	5	7	11	10	15	9	10	8	3	2	-	-	-
	White----M--	60	-	1	-	-	-	3	2	3	2	1	3	3	4	3	5	7	10	4	5	3	1	-	-	-	-
	F--	37	1	-	1	-	-	4	1	-	-	-	1	-	1	2	3	2	3	5	4	5	2	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	1	-	-	1	-	1	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	1	-	1	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	270	27	1	1	-	-	1	-	-	1	2	4	3	11	12	17	18	29	32	46	28	20	9	5	3	-
	White----M--	134	18	-	1	-	-	1	-	-	-	1	2	1	4	2	7	12	17	15	22	12	12	3	3	1	-
	F--	102	8	-	-	-	-	-	-	-	-	-	1	2	4	4	7	5	9	14	20	14	5	6	2	1	-
	Nonwhite--M--	19	-	1	-	-	-	-	-	-	-	1	-	-	2	4	-	1	3	2	2	1	2	-	-	-	-
	F--	15	1	-	-	-	-	-	-	-	1	-	1	-	1	2	3	-	-	1	2	1	1	-	-	1	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
543, 571, 572	Gastritis, etc.*--	195	84	8	2	1	3	3	1	1	1	1	4	3	5	1	4	10	8	14	9	13	8	6	3	2	-
	White-----M--	80	29	5	-	-	2	1	1	1	-	-	3	1	3	-	4	5	2	7	6	2	4	3	-	1	-
	F--	77	29	2	-	1	-	1	-	-	1	1	1	-	2	1	-	3	6	6	2	10	4	3	3	1	-
	Nonwhite--M--	24	17	1	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
	F--	14	9	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	430	1	-	-	-	-	-	2	1	-	2	6	20	27	40	53	66	44	54	36	37	23	15	3	-	-
	White-----M--	261	-	-	-	-	-	-	-	1	-	-	3	9	19	22	31	32	31	37	21	27	18	9	1	-	-
	F--	131	1	-	-	-	-	-	2	-	-	-	-	8	4	12	14	30	12	14	13	10	5	4	2	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	1	-	2	2	5	5	1	1	2	2	-	-	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	3	1	2	1	3	3	-	1	-	-	-	1	-	-	-
590, 591	Acute nephritis, etc.*----------	102	2	-	-	1	2	4	2	1	1	2	4	3	4	-	8	6	9	8	12	10	10	10	2	1	-
	White-----M--	50	-	-	-	1	1	2	-	1	-	-	2	1	2	-	2	2	8	5	7	6	3	6	1	-	-
	F--	36	1	-	-	-	1	2	2	-	-	-	1	1	-	-	2	3	1	2	5	4	6	4	1	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-
	F--	9	-	-	-	-	-	-	-	-	1	1	-	-	2	-	3	1	-	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	232	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	13	20	45	40	49	38	12	4	2
	White-----M--	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	10	16	38	37	44	36	11	4	2
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	7	3	5	2	1	-	-
640-689	Complications of pregnancy, etc.*-	67	...	...	...	...	...	...	-	6	8	13	17	12	10	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	53	...	...	...	...	...	...	-	4	6	10	14	8	10	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	...	...	...	...	...	...	-	2	2	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	7	...	...	...	...	...	...	-	1	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	60	...	...	...	...	...	...	-	5	8	11	16	9	10	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	49	...	...	...	...	...	...	-	3	6	9	13	7	10	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	...	...	...	...	...	...	-	2	2	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	504	401	25	9	5	2	7	7	2	3	4	1	4	6	4	8	2	3	6	1	2	2	-	-	-	-
	White-----M--	226	180	9	3	1	1	3	3	1	2	3	1	2	1	2	3	2	2	3	1	2	1	-	-	-	-
	F--	236	191	13	6	4	1	4	2	1	1	1	-	2	4	1	2	-	-	2	-	-	1	-	-	-	-
	Nonwhite--M--	23	16	1	-	-	-	-	1	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-
	F--	19	14	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,431	1,430	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	700	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	496	495	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	606	606	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	345	345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	707	706	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	312	312	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	273	272	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	593	43	3	3	1	-	3	2	1	4	4	3	5	25	20	27	35	36	54	67	66	57	59	49	18	8
	White-----M--	335	23	2	1	-	-	2	2	1	2	2	-	3	19	16	20	23	23	35	44	36	27	26	20	4	4
	F--	186	12	-	1	1	-	1	-	-	1	1	2	1	4	1	5	8	8	13	15	22	29	25	26	9	1
	Nonwhite--M--	46	5	1	1	-	-	-	-	-	1	1	1	1	-	2	1	2	5	5	7	4	1	3	2	1	2
	F--	26	3	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	1	1	4	-	5	1	4	1
Residual	All other diseases	1,948	85	14	11	6	10	22	9	15	25	24	50	56	81	103	132	168	185	222	222	222	137	104	36	9	-
	White-----M--	972	46	7	6	3	2	15	4	8	8	13	16	23	37	50	59	91	108	125	114	111	63	45	18	2	-
	F--	777	26	3	2	2	7	6	4	7	13	8	20	23	35	41	51	50	58	83	92	102	69	55	14	6	-
	Nonwhite--M--	111	7	4	2	1	-	-	1	-	3	1	3	5	5	4	9	21	12	11	9	4	4	3	2	-	-
	F--	88	6	-	1	-	1	1	-	-	1	2	11	5	4	8	13	6	7	5	7	5	1	1	2	1	-
E800-E962	Accidents----------	2,747	88	41	37	29	25	70	69	189	148	137	119	131	133	161	113	132	141	181	178	178	194	149	77	18	9
	White-----M--	1,660	37	13	21	12	13	40	54	141	111	94	87	92	99	111	69	82	95	113	106	106	76	52	25	6	5
	F--	811	34	19	13	13	10	15	9	31	22	18	12	24	18	32	31	33	32	52	62	65	110	92	52	11	1
	Nonwhite--M--	198	10	4	2	2	1	7	5	11	12	20	16	14	13	12	12	14	12	13	8	2	4	1	-	-	3
	F--	78	7	5	1	2	1	8	1	6	3	5	4	1	3	6	1	3	2	3	2	5	4	4	-	1	-
E810-E835	Motor-vehicle accidents--------	1,010	6	10	11	9	6	26	24	122	104	76	64	61	59	82	50	61	52	61	47	37	24	11	5	-	2
	White-----M--	692	5	5	7	6	5	14	18	88	73	51	49	46	43	55	29	29	37	35	32	31	21	8	3	-	2
	F--	229	1	4	4	3	1	8	5	24	19	14	6	10	13	17	17	25	13	19	13	6	2	3	2	-	-
	Nonwhite--M--	70	-	-	-	-	-	2	1	6	10	10	7	4	3	6	3	7	2	6	2	-	1	-	-	-	-
	F--	19	-	1	-	-	-	2	-	4	2	1	2	1	-	4	1	-	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,737	82	31	26	20	19	44	45	67	44	61	55	70	74	79	63	71	89	120	131	141	170	138	72	18	7
	White-----M--	968	32	8	14	6	8	26	36	53	38	43	38	46	56	56	40	53	58	78	74	75	55	44	22	6	3
	F--	582	33	15	9	10	9	7	4	7	3	4	6	14	5	15	14	8	19	33	49	59	108	89	50	11	1
	Nonwhite--M--	128	10	4	2	2	1	5	4	5	2	10	9	10	10	6	9	7	10	7	6	2	3	1	-	-	3
	F--	59	7	4	1	2	1	6	1	2	1	4	2	-	3	2	-	3	2	2	2	5	4	4	-	1	-
E963, E970-E979	Suicide----------	420	-	-	-	-	-	-	-	3	16	23	17	29	36	47	42	40	49	53	30	14	15	5	-	-	1
	White-----M--	316	-	-	-	-	-	-	-	1	13	13	8	23	26	33	30	32	35	44	27	12	13	5	-	-	1
	F--	92	-	-	-	-	-	-	-	2	1	8	9	4	9	12	11	8	14	8	3	2	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	2	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
E964, E980-E985	Homicide----------	199	4	-	-	-	-	1	2	9	15	33	23	22	25	22	9	15	3	8	4	1	1	-	-	-	2
	White-----M--	64	2	-	-	-	-	-	1	-	4	6	7	4	8	10	4	8	2	6	1	-	1	-	-	-	-
	F--	32	2	-	-	-	-	1	-	3	-	2	2	5	5	2	2	4	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	6	6	17	10	10	10	10	3	3	-	1	1	-	-	-	-	-	2
	F--	24	-	-	-	-	-	-	1	-	5	8	4	3	2	-	-	-	-	-	-	1	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA																										
	ALL CAUSES	5,914	424	39	20	17	11	45	28	47	57	85	109	133	169	218	291	428	574	719	742	686	557	349	127	32	7
	White--M	3,615	239	15	7	8	4	27	18	28	34	48	59	77	105	149	196	285	386	489	442	434	302	187	58	13	3
	F	2,027	134	14	7	3	6	15	9	13	14	26	38	46	56	61	80	129	176	213	278	234	241	152	64	15	3
	Nonwhite--M	154	26	4	3	6	-	2	-	3	3	4	6	6	5	6	9	6	7	10	13	11	11	7	3	2	1
	F	118	25	6	3	-	1	1	1	3	6	7	6	4	3	2	6	8	3	7	9	7	3	3	2	2	-
001-019	Tuberculosis all forms	83	1	1	-	2	-	2	-	3	5	3	8	4	4	6	10	4	11	10	3	2	3	1	-	-	-
	White--M	47	-	-	-	-	-	-	-	1	-	1	1	1	3	6	8	4	9	8	1	2	1	1	-	-	-
	F	10	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	2	1	1	-	1	-	-	-	-
	Nonwhite--M	9	1	-	-	2	-	-	-	-	-	-	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	17	-	1	-	-	-	1	-	2	4	1	3	2	1	-	-	-	-	-	1	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	69	1	-	-	-	-	1	-	2	4	3	7	2	3	6	10	4	11	7	3	1	3	1	-	-	-
	White--M	42	-	-	-	-	-	-	-	1	-	1	1	-	2	6	8	4	9	6	1	1	1	1	-	-	-
	F	8	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-
	Nonwhite--M	7	1	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	1	3	1	3	1	1	-	-	-	-	-	1	-	1	-	-	-	-
010-019	Tuberculosis, other forms	14	-	1	-	2	-	1	-	1	1	-	1	2	1	-	-	-	-	3	-	1	-	-	-	-	-
	White--M	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
020-029	Syphilis and its sequelae	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	5	1	3	1	4	-	-	-
	White--M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	5	-	3	1	2	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	5	1	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	6	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	9	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	22	5	-	-	-	1	1	2	1	1	-	1	1	-	-	-	2	1	2	1	2	-	-	-	1	-
	White--M	12	3	-	-	-	1	1	1	1	-	-	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-
	F	10	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	1	1	1	-	-	-	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see tabl. 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
140-205	Malignant neoplasms, etc.*----	769	-	1	1	2	1	4	4	5	2	3	5	15	30	40	56	100	100	107	126	97	54	28	7	1	-
	White-----M--	421	-	1	1	2	-	2	1	3	1	1	3	4	11	14	26	52	55	65	71	59	25	18	6	-	-
	F--	348	-	-	-	-	1	2	3	1	1	2	2	11	19	24	28	44	41	42	54	35	27	10	-	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	4	-	1	3	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	6	2	3	1	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	2	3	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	289	-	-	-	-	-	-	-	2	-	-	-	1	2	14	19	37	37	44	55	39	25	13	1	-	-
	White-----M--	150	-	-	-	-	-	-	-	1	-	-	-	-	1	5	8	17	21	27	32	21	10	6	1	-	-
	F--	130	-	-	-	-	-	-	-	-	-	-	-	1	1	9	10	17	15	17	23	17	13	7	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	1	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	89	-	-	-	-	-	-	-	-	-	-	-	-	3	5	10	15	19	12	13	7	2	2	1	-	-
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	-	-	2	5	10	12	18	10	10	6	2	2	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	3	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	58	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	7	4	6	10	9	5	3	2	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	6	4	6	10	9	5	3	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	124	-	-	-	-	-	-	-	-	-	-	1	1	5	11	8	7	15	11	11	20	19	10	4	1	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	8	13	13	5	4	1	-
	F--	69	-	-	-	-	-	-	-	-	-	-	1	-	4	11	7	6	11	10	3	7	4	5	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	36	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	8	4	5	3	4	2	2	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	4	3	3	2	2	2	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	95	-	-	-	-	1	1	1	3	-	1	-	3	7	4	5	14	9	10	13	12	7	2	1	1	-
	White-----M--	48	-	-	-	-	-	-	-	2	-	-	-	2	5	1	1	8	4	5	6	7	5	1	1	-	-
	F--	46	-	-	-	-	1	1	1	1	-	1	-	1	2	2	4	6	5	5	7	5	2	1	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	39	-	1	1	2	-	3	3	-	-	1	1	-	1	-	3	5	1	3	6	6	-	2	-	-	-
	White-----M--	29	-	1	1	2	-	2	1	-	-	1	-	-	1	-	3	4	1	3	4	3	-	2	-	-	-
	F--	10	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	1	-	-	2	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	43	-	-	-	-	-	-	-	-	2	-	2	3	3	3	2	6	6	7	3	3	2	1	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	1	-	2	1	1	2	1	5	2	5	1	3	-	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	1	3	2	2	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	20	-	-	-	1	-	1	-	-	-	-	-	1	-	1	3	4	3	2	2	1	1	-	-	-	-
	White-----M--	10	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	2	1	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	79	-	-	-	-	-	-	1	-	-	-	3	-	4	2	7	6	12	9	9	13	10	3	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	1	2	2	7	3	2	-	-	-
	F--	51	-	-	-	-	-	-	1	-	-	-	1	-	3	-	4	5	10	6	7	6	7	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-293	Anemias----------	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	7	2	2	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,941	2	-	1	-	-	2	1	5	8	14	22	40	67	95	125	211	320	444	458	436	362	228	77	19	4
	White-----M--	1,838	1	-	-	-	-	2	-	2	4	6	11	23	45	69	94	152	218	306	269	280	190	121	32	11	2
	F--	1,028	1	-	1	-	-	-	1	2	4	5	9	15	21	25	26	53	99	128	176	144	166	101	43	6	2
	Nonwhite--M--	46	-	-	-	-	-	-	-	1	-	1	-	2	1	1	2	4	2	3	8	7	6	5	1	2	-
	F--	29	-	-	-	-	-	-	-	-	-	2	2	-	-	-	3	2	1	7	5	5	-	1	1	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,863	1	-	1	-	-	2	1	4	5	11	20	37	62	92	122	202	314	436	450	427	355	222	76	19	4
	White-----M--	1,795	-	-	-	-	-	2	-	2	3	5	10	21	41	67	92	152	214	300	266	274	184	117	32	11	2
	F--	998	1	-	1	-	-	-	1	1	2	4	8	14	20	24	26	46	97	126	171	142	165	99	42	6	2
	Nonwhite--M--	42	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	2	2	3	8	7	6	5	1	2	-
	F--	28	-	-	-	-	-	-	-	-	-	2	2	-	-	-	3	2	1	7	5	4	-	1	1	-	-
330-334	Vascular lesions, etc.*----------	599	-	-	-	-	-	1	-	1	-	2	4	5	11	10	15	29	54	92	127	105	77	47	16	2	1
	White-----M--	318	-	-	-	-	-	1	-	-	-	1	2	2	6	5	10	12	30	52	73	58	36	23	6	1	1
	F--	267	-	-	-	-	-	-	-	1	-	-	2	3	4	5	5	15	24	37	51	43	41	24	10	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	1	2	-	-	-	-	-
400-402	Rheumatic fever---	3	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
410-443	Diseases of heart	2,045	-	-	-	-	-	-	1	2	4	9	14	30	48	77	102	164	241	319	307	291	243	137	39	15	2
	White----M--	1,358	-	-	-	-	-	-	-	1	3	4	8	17	33	60	79	136	171	233	183	196	131	72	21	10	-
	F--	636	-	-	-	-	-	-	1	-	1	4	4	11	15	16	20	27	67	79	114	89	107	60	16	3	2
	Nonwhite--M--	32	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	2	3	6	4	5	4	1	2	-
	F--	19	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	1	1	4	4	2	-	1	1	-	-
410-416	Chronic rheumatic heart disease----	98	-	-	-	-	-	-	-	1	-	5	8	9	12	5	8	9	12	7	8	6	6	-	1	-	1
	White----M--	51	-	-	-	-	-	-	-	1	-	2	4	2	6	4	4	6	4	6	5	5	2	-	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	3	4	6	6	1	3	3	8	1	2	1	4	-	1	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,160	-	-	-	-	-	-	-	-	2	-	4	15	27	41	65	114	162	203	182	148	121	56	14	5	1
	White----M--	819	-	-	-	-	-	-	-	-	2	-	2	11	21	37	54	98	117	152	112	105	68	30	7	3	-
	F--	320	-	-	-	-	-	-	-	-	-	-	-	4	6	3	9	16	43	49	64	42	52	24	6	1	1
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	4	1	1	2	1	1	-
	F--	7	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	1	2	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	409	-	-	-	-	-	-	-	-	-	1	-	3	1	17	11	18	23	51	62	67	73	55	18	9	-
	White----M--	266	-	-	-	-	-	-	-	-	-	-	-	3	1	12	9	14	19	38	35	43	43	30	12	7	-
	F--	129	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	3	12	25	21	28	23	6	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	1	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-
430-434	Other diseases of heart---------	185	-	-	-	-	-	-	-	1	2	3	2	3	6	8	9	12	23	28	26	30	17	12	2	1	-
	White----M--	132	-	-	-	-	-	-	-	-	1	2	2	1	3	4	7	12	18	26	20	23	7	6	-	-	-
	F--	46	-	-	-	-	-	-	-	-	1	1	-	1	3	4	2	-	5	1	5	7	9	5	1	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
440-443	Hypertension with heart dis.---	193	-	-	-	-	-	-	1	-	-	-	-	-	2	6	9	11	21	30	29	40	26	14	4	-	-
	White----M--	90	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	6	13	11	11	20	11	6	2	-	-
	F--	97	-	-	-	-	-	-	1	-	-	-	-	-	-	3	4	5	8	16	18	18	14	8	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
444-447	Hypertension without mention of heart----------	41	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	5	9	1	7	3	5	-	-	-
	White----M--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	5	1	5	-	3	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	5	4	-	2	3	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	10	20	28	31	21	2	1
	White----M--	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	7	7	13	15	18	5	1	1
	F--	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	12	12	16	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	44	1	-	1	-	-	-	-	-	1	-	1	1	2	1	3	4	8	6	5	4	4	2	-	-	-
	White----M--	26	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	7	3	2	2	2	1	-	-	-
	F--	18	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	2	1	3	3	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	78	1	-	-	-	-	-	-	1	3	3	2	3	5	3	3	9	6	8	8	9	7	6	1	-	-
	White----M--	43	1	-	-	-	-	-	-	-	1	1	1	2	4	2	2	-	4	6	3	6	6	4	-	-	-
	F--	30	-	-	-	-	-	-	-	1	2	1	1	1	1	1	-	7	2	2	5	2	1	2	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	167	20	7	3	2	1	5	2	-	-	2	2	3	2	2	6	4	15	15	22	22	9	16	4	1	2
	White----M--	85	8	-	1	-	-	4	1	-	-	-	1	3	1	1	2	5	12	11	10	11	4	8	3	-	1
	F--	60	5	3	1	1	-	1	1	-	-	1	-	-	1	1	3	1	3	4	10	10	5	7	1	1	-
	Nonwhite--M--	13	5	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1
	F--	9	2	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-
480-483	Influenza----------	29	2	-	1	1	-	1	-	-	-	1	-	-	1	-	-	-	3	1	7	4	2	3	1	1	-
	White----M--	13	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	1	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	4	2	1	2	-	1	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	138	18	7	2	1	1	4	2	-	-	1	2	3	1	2	6	4	12	14	15	18	7	13	3	-	2
	White----M--	72	7	-	-	-	-	3	1	-	-	-	1	3	1	1	2	3	10	10	8	9	3	7	2	-	1
	F--	47	5	3	1	1	-	1	1	-	-	-	-	-	1	1	3	1	2	4	6	8	4	5	1	-	-
	Nonwhite--M--	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1
	F--	8	2	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-
500-502	Bronchitis--------	9	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
	White----M--	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum------	38	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	4	4	8	4	4	3	1	1	-	-
	White----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	3	4	8	4	3	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	19	-	-	1	-	-	-	1	1	1	1	1	-	-	-	3	2	5	1	2	1	-	-	-	-	-
	White----M--	14	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	2	4	1	2	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	29	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	6	5	5	5	-	-	-
	White----M--	19	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	3	4	4	2	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
543, 571, 572	Gastritis, etc.*—	18	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	4	1	1	1	-	-	-	-
	White-----M--	10	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	1	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	55	1	-	-	-	-	-	-	-	-	-	1	2	3	5	4	9	8	10	6	4	1	1	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	5	4	5	2	2	1	1	-	-	-
	F--	22	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	4	5	3	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	13	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1	1	2	1	1	2	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	1	1	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	7	3	3	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	7	3	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	8	...	...	...	...	...	...	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	...	...	...	...	...	...	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	7	...	...	...	...	...	...	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	86	71	6	-	-	1	2	-	2	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	50	43	3	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	34	26	3	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	263	262	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	154	153	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	139	138	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	83	82	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	209	6	1	-	2	-	-	-	-	-	1	3	5	3	7	4	7	25	17	26	21	34	22	18	7	-
	White-----M--	141	3	-	-	1	-	-	-	-	-	1	-	5	3	7	4	4	22	12	20	16	22	10	9	2	-
	F--	53	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-	3	1	4	5	4	9	12	7	3	-
	Nonwhite--M--	10	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	-	2	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	-
Residual	All other diseases	343	21	1	2	1	2	7	-	-	-	5	8	14	7	21	19	38	26	37	37	32	36	17	12	-	-
	White-----M--	209	13	-	-	1	1	2	-	-	-	2	2	3	5	14	12	25	19	26	24	16	29	9	6	-	-
	F--	117	4	1	1	-	1	5	-	-	-	3	6	9	1	6	7	9	7	10	11	15	7	8	6	-	-
	Nonwhite--M--	11	3	-	1	-	-	-	-	-	-	-	-	2	1	1	-	1	-	1	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-
E800-E962	Accidents---------	545	15	13	10	6	5	14	18	28	32	42	42	38	36	25	29	22	31	30	29	27	25	18	6	3	1
	White-----M--	371	6	8	5	2	2	10	15	20	26	32	31	31	26	20	20	17	25	19	22	14	12	8	-	-	-
	F--	137	5	4	4	2	3	3	2	6	3	5	9	5	6	3	6	5	6	10	7	13	12	8	6	3	1
	Nonwhite--M--	26	1	1	-	2	-	1	-	1	3	2	2	1	3	2	3	-	-	1	-	-	1	2	-	-	-
	F--	11	3	-	1	-	-	-	1	1	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents---------	187	1	3	3	-	2	2	3	17	18	24	18	14	14	9	8	7	13	16	6	3	4	1	-	-	1
	White-----M--	126	-	2	2	-	2	1	1	10	13	17	13	9	8	6	5	5	11	9	6	3	3	1	-	-	-
	F--	42	-	1	-	-	2	-	1	6	2	4	4	3	3	2	2	2	2	6	-	-	1	-	-	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	1	1	3	-	1	1	2	1	1	-	-	1	-	-	-	-	-	-	-
	F--	8	1	-	1	-	-	-	1	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	358	14	10	7	6	3	12	15	11	14	18	24	24	22	16	21	15	18	14	23	24	21	17	6	3	-
	White-----M--	245	6	6	3	2	2	8	14	10	13	15	18	22	18	14	15	12	14	10	16	11	9	7	-	-	-
	F--	95	5	3	4	2	1	3	1	-	1	1	5	2	3	1	4	3	4	4	7	13	11	8	6	3	-
	Nonwhite--M--	15	1	1	-	2	-	1	-	-	-	2	1	-	1	1	2	-	-	-	-	-	1	2	-	-	-
	F--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	82	-	-	-	-	-	-	-	-	2	4	8	6	9	8	11	5	8	8	2	5	5	1	-	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	2	3	6	3	6	8	9	4	8	8	2	5	2	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	2	3	3	-	2	1	-	-	-	-	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	13	-	-	-	-	-	-	-	-	1	4	1	1	-	1	2	3	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	3	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA																										
	ALL CAUSES	12,909	794	61	38	28	27	72	54	111	131	140	149	167	256	370	606	815	1,121	1,398	1,624	1,806	1,532	1,029	458	103	19
	White----M	7,451	455	37	15	13	14	34	30	77	81	84	105	107	158	247	365	501	695	854	981	990	820	525	212	44	7
	F	5,154	305	20	19	13	11	34	23	32	45	51	37	52	89	109	213	292	383	516	621	785	692	500	244	58	10
	Nonwhite--M	167	15	2	1	2	-	1	1	1	-	2	4	2	2	6	19	12	26	18	16	22	10	2	1	1	1
	F	137	19	2	3	-	2	3	-	1	5	3	3	6	7	8	9	10	17	10	6	9	10	2	1	-	1
001-019	Tuberculosis all forms	113	1	2	3	-	-	2	-	1	3	4	6	9	7	11	11	10	11	13	9	7	3	-	-	-	-
	White----M	72	-	2	1	-	-	1	-	-	1	3	5	7	5	6	9	3	8	9	6	4	2	-	-	-	-
	F	24	1	-	1	-	-	-	-	1	-	1	1	2	2	2	1	4	1	1	3	2	1	-	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	3	-	1	-	-	-	-	-
	F	7	-	-	1	-	-	1	-	-	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	104	1	1	3	-	-	2	-	1	2	4	6	9	7	8	9	10	11	11	9	7	3	-	-	-	-
	White----M	66	-	1	1	-	-	1	-	-	-	3	5	7	5	5	7	3	8	8	6	4	2	-	-	-	-
	F	23	1	-	1	-	-	-	-	1	-	1	1	2	2	1	1	4	1	1	3	2	1	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	-	1	-	-	-	-	-
	F	7	-	-	1	-	-	1	-	-	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	9	-	1	-	-	-	-	-	-	1	-	-	-	-	3	2	-	-	2	-	-	-	-	-	-	-
	White----M	6	-	1	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	28	-	-	-	-	-	-	-	-	-	-	-	-	-	7	1	3	3	9	1	2	2	-	-	-	-
	White----M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	3	1	8	1	2	2	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White----M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	8	-	-	-	-	-	-	1	1	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-	1	-
	White----M	5	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	13	6	3	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	White----M	6	2	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	14	-	-	-	1	-	4	-	1	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	9	-	-	-	1	-	3	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	26	4	-	1	1	1	-	-	2	-	-	1	1	5	2	1	-	-	3	-	1	2	1	-	-	-
	White----M	9	2	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	1	-	1	-	-	-
	F	17	2	-	1	1	1	-	-	2	-	-	-	-	4	-	1	-	-	3	-	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
140-205	Malignant neoplasms, etc.*----	2,007	3	7	5	3	5	9	3	9	13	16	22	22	64	73	151	192	247	274	317	260	183	89	32	8	-
	White-----M--	1,066	2	5	2	2	2	3	3	4	7	9	14	5	28	34	68	86	123	158	181	153	104	47	18	6	-
	F--	894	1	2	3	1	2	6	-	5	5	7	8	15	35	37	78	102	110	111	131	103	75	42	13	2	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	8	2	4	3	2	-	-	-	-
	F--	23	-	-	-	-	1	-	-	-	1	-	-	2	1	2	2	-	6	3	1	1	2	-	1	-	-
140-148	Of buccal cavity and pharynx------	46	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	4	12	4	3	8	5	1	2	1	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	5	3	3	6	3	1	1	1	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	1	-	2	2	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	831	-	-	-	-	-	-	-	1	1	1	6	5	19	23	50	72	109	116	156	129	82	36	20	5	-
	White-----M--	457	-	-	-	-	-	-	-	1	-	-	4	1	9	12	25	37	54	72	95	69	47	15	13	3	-
	F--	355	-	-	-	-	-	-	-	-	-	1	2	4	10	11	24	33	49	42	59	57	33	21	7	2	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	2	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-
160-164	Of respiratory system----------	191	-	-	-	-	-	-	-	-	-	-	1	3	3	11	20	21	35	28	33	16	15	4	1	-	-
	White-----M--	148	-	-	-	-	-	-	-	-	-	-	1	1	3	9	18	16	30	21	24	10	12	3	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	5	3	7	9	5	3	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	150	-	-	-	-	-	-	-	-	1	-	1	3	10	12	16	21	19	20	18	11	13	4	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-
	F--	141	-	-	-	-	-	-	-	-	1	-	1	3	9	11	15	20	18	18	17	10	13	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
171-179	Of genital organs-	316	-	-	-	-	-	-	-	-	3	6	4	3	12	7	29	29	23	53	44	42	35	20	5	1	-
	White-----M--	145	-	-	-	-	-	-	-	-	2	3	2	-	3	-	2	4	5	25	25	28	24	18	3	1	-
	F--	164	-	-	-	-	-	-	-	-	1	3	2	1	9	6	26	25	17	27	19	14	10	2	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	1	-	-	-	-	-
180, 181	Of urinary organs-	101	-	-	2	1	-	-	1	-	-	-	-	-	2	4	10	7	14	8	16	15	13	8	-	-	-
	White-----M--	64	-	-	2	1	-	-	1	-	-	-	-	-	1	2	5	5	9	5	11	11	8	3	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	4	3	4	4	4	5	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	192	1	4	2	-	1	2	1	6	4	3	2	4	8	5	17	20	17	24	28	20	10	9	3	1	-
	White-----M--	104	1	3	-	-	-	-	1	2	3	3	1	1	5	1	12	12	9	17	11	13	3	4	1	1	-
	F--	81	-	1	2	-	1	2	-	4	1	-	1	3	3	3	4	8	7	6	15	7	7	5	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-
204	Leukemia and aleukemia----------	105	2	3	1	2	4	5	1	2	4	2	2	-	5	6	2	9	13	11	7	11	7	6	-	-	-
	White-----M--	64	1	2	-	1	2	2	1	1	2	1	2	-	3	5	1	5	9	8	4	7	4	3	-	-	-
	F--	40	1	1	1	1	1	3	-	1	2	1	-	-	2	1	1	4	4	3	3	4	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	75	-	-	-	-	-	2	-	-	-	4	5	4	4	3	5	9	5	10	12	8	3	1	-	-	-
	White-----M--	49	-	-	-	-	-	1	-	-	-	2	3	2	3	3	3	6	2	6	7	8	3	-	-	-	-
	F--	26	-	-	-	-	-	1	-	-	-	2	2	2	1	-	2	3	3	4	5	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	50	1	-	1	-	-	2	1	1	-	4	-	2	5	9	1	4	5	3	3	3	4	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	1	1	-	1	-	1	2	-	-	1	2	1	2	-	2	-	-	-	-
	F--	36	1	-	1	-	-	2	-	-	-	3	-	1	3	9	1	3	3	2	1	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	248	-	-	-	-	-	-	-	-	-	1	3	1	4	7	13	18	32	35	38	43	38	11	4	-	-
	White-----M--	107	-	-	-	-	-	-	-	-	-	1	3	1	2	3	3	13	13	12	16	17	19	1	3	-	-
	F--	138	-	-	-	-	-	-	-	-	-	-	-	-	2	3	9	5	19	22	22	26	19	10	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	53	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	3	4	8	13	13	3	5	-	-
	White-----M--	38	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	4	6	5	12	1	4	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	8	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	10	4	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	6,889	7	-	1	2	-	4	4	6	14	17	23	44	73	156	311	418	634	830	1,000	1,209	1,020	728	303	70	15
	White-----M--	3,955	5	-	-	-	-	1	1	2	5	6	16	29	49	117	203	286	419	508	592	657	537	363	132	25	4
	F--	2,791	1	-	1	2	-	2	3	3	8	10	4	12	19	34	92	119	195	308	394	529	470	362	170	44	9
	Nonwhite--M--	76	-	-	-	-	-	-	-	1	-	-	1	-	-	1	11	5	13	10	10	15	5	1	1	1	1
	F--	67	1	-	-	-	-	1	-	-	1	1	2	3	5	4	5	8	7	6	4	8	8	2	-	-	1
330-334, 400-468.	Diseases of cardiovascular system-	6,719	6	-	1	2	-	4	4	2	12	13	23	42	70	148	298	409	614	811	981	1,186	999	713	297	70	14
	White-----M--	3,860	5	-	-	-	-	1	1	-	3	5	16	28	46	111	198	282	411	497	582	641	523	354	128	25	3
	F--	2,721	1	-	1	2	-	2	3	1	8	7	4	11	19	32	85	114	185	298	386	522	463	356	168	44	9
	Nonwhite--M--	73	-	-	-	-	-	-	-	1	-	-	1	-	-	1	11	5	11	10	9	15	5	1	1	1	1
	F--	65	-	-	-	-	-	1	-	-	1	1	2	3	5	4	4	8	7	6	4	8	8	2	-	-	1
330-334	Vascular lesions, etc.*----------	1,637	1	-	-	1	-	-	1	-	2	2	2	6	12	23	52	79	104	196	239	343	283	206	70	13	2
	White-----M--	814	1	-	-	-	-	-	-	-	1	1	1	5	3	14	25	36	55	106	125	174	136	99	28	3	1
	F--	778	-	-	-	1	-	-	1	-	1	-	1	1	6	7	24	38	41	85	110	160	143	106	42	10	1
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	2	5	1	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	4	4	-	2	4	3	-	-	-	-
400-402	Rheumatic fever---	14	-	-	-	1	-	-	1	-	1	-	2	1	1	1	2	-	-	1	2	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-
	F--	9	-	-	-	1	-	-	1	-	1	-	1	1	1	-	1	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
410-443	Diseases of heart	4,574	4	-	1	-	-	2	2	2	6	9	18	34	50	119	229	315	489	590	694	761	609	418	171	43	8
	White----M--	2,805	4	-	-	-	-	1	1	-	1	4	14	22	40	94	167	237	345	378	436	419	336	211	78	16	1
	F--	1,684	-	-	1	-	-	-	1	1	4	5	2	9	8	22	50	70	134	202	251	330	266	205	92	26	5
	Nonwhite--M--	50	-	-	-	-	-	-	-	1	-	-	1	-	-	1	10	4	7	5	5	9	4	-	1	1	1
	F--	35	-	-	-	-	-	1	-	-	1	-	1	3	2	2	2	4	3	5	2	3	3	2	-	-	1
410-416	Chronic rheumatic heart disease	181	-	-	-	-	-	-	-	1	2	3	4	6	5	17	16	20	29	15	21	21	8	9	4	-	-
	White----M--	86	-	-	-	-	-	-	-	-	-	1	3	1	4	9	7	13	18	5	8	6	5	4	2	-	-
	F--	92	-	-	-	-	-	-	-	-	1	2	1	5	1	8	8	7	11	10	13	15	3	5	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,656	-	-	-	-	-	2	2	-	2	3	10	20	29	83	159	234	327	382	420	408	300	182	74	17	2
	White----M--	1,796	-	-	-	-	-	1	1	-	1	2	7	17	25	73	129	186	255	267	281	241	171	97	35	6	1
	F--	819	-	-	-	-	-	-	1	-	1	1	1	2	4	8	25	43	66	110	136	162	127	83	39	10	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	3	5	2	2	4	1	-	-	1	1
	F--	15	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	2	1	3	1	1	1	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	822	-	-	1	-	-	-	-	1	-	1	1	2	3	7	16	25	42	77	122	176	148	120	56	19	5
	White----M--	427	-	-	-	-	-	-	-	-	-	-	1	2	2	5	8	13	20	38	65	97	79	63	26	8	-
	F--	375	-	-	1	-	-	-	-	1	-	1	-	-	1	2	6	11	21	37	54	74	65	57	29	11	4
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	3	3	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	1
430-434	Other diseases of heart	319	4	-	-	-	-	-	-	-	-	2	3	4	5	5	18	17	33	48	36	41	48	39	13	3	-
	White----M--	206	4	-	-	-	-	-	-	-	-	1	3	1	5	3	13	12	20	34	27	25	30	20	6	2	-
	F--	103	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	4	11	13	9	15	18	19	7	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	596	-	-	-	-	-	-	-	-	2	-	-	2	8	7	20	19	58	68	95	115	105	68	24	4	1
	White----M--	290	-	-	-	-	-	-	-	-	-	-	-	1	4	4	10	13	32	34	55	50	51	27	9	-	-
	F--	295	-	-	-	-	-	-	-	-	2	-	-	-	2	3	9	5	25	32	39	64	53	41	15	4	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	1	-	-	1	-	-	-	-
444-447	Hypertension without mention of heart	90	-	-	-	-	-	1	-	-	1	-	-	-	3	3	11	3	7	5	9	14	14	13	4	2	-
	White----M--	41	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	4	2	5	7	5	8	2	1	-
	F--	48	-	-	-	-	-	1	-	-	1	-	-	-	2	2	7	2	3	2	4	7	9	5	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
450	General arteriosclerosis	325	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	8	28	59	87	69	49	12	4
	White----M--	153	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	12	35	42	32	19	5	1
	F--	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	15	22	43	37	30	7	3
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
451-468	Other diseases of circulatory sys.	79	1	-	-	-	-	1	-	-	2	2	1	1	4	1	3	9	10	11	9	8	6	7	3	-	-
	White----M--	42	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	6	7	7	2	6	4	4	1	-	-
	F--	35	1	-	-	-	-	1	-	-	1	2	-	-	2	1	2	3	3	4	6	2	2	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	170	1	-	-	-	-	-	-	4	2	4	-	2	3	8	13	9	20	19	19	23	21	15	6	-	1
	White----M--	95	-	-	-	-	-	-	-	2	2	1	-	1	3	6	5	4	8	9	10	16	14	9	4	-	1
	F--	70	-	-	-	-	-	-	-	2	-	3	-	1	-	2	7	5	10	10	8	7	7	6	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	425	48	12	4	3	5	6	4	3	3	1	1	7	1	8	7	18	19	32	38	57	56	49	36	7	-
	White----M--	224	23	7	2	2	4	4	1	2	2	-	1	2	1	5	4	11	13	19	22	29	20	28	20	4	-
	F--	190	19	4	2	1	2	2	3	1	1	1	-	5	-	3	3	6	6	13	16	28	35	20	16	3	-
	Nonwhite--M--	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
	F--	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	68	8	1	1	-	1	1	-	-	-	-	-	-	1	-	1	2	2	6	6	6	4	8	11	8	1	-
	White----M--	39	3	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	4	5	4	2	1	7	7	-	-
	F--	28	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	7	4	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	357	40	11	3	3	4	5	4	3	3	1	1	6	1	7	5	16	13	26	32	53	48	38	28	6	-
	White----M--	185	20	6	2	2	1	4	1	2	2	-	1	1	1	4	3	10	9	14	18	27	19	21	13	4	-
	F--	162	14	4	1	1	2	1	3	1	1	1	-	5	-	3	2	6	4	12	14	26	28	16	15	2	-
	Nonwhite--M--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	23	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	2	-	1	-
	White----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2	2	-	1	-
	F--	10	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	69	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	9	7	18	6	10	5	1	1	-	-
	White----M--	54	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	9	5	16	4	9	4	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	2	1	1	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis	31	-	-	1	1	1	2	-	-	1	1	-	-	1	1	6	1	1	5	3	3	1	2	-	-	-
	White----M--	21	-	-	1	1	1	-	-	-	-	-	-	-	1	1	4	1	1	3	3	2	1	1	-	-	-
	F--	10	-	-	-	-	-	2	-	-	1	1	-	-	-	-	2	-	-	2	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	84	11	-	1	-	-	-	-	-	-	1	1	2	-	4	4	6	8	6	10	9	14	2	3	1	1
	White----M--	42	3	-	-	-	-	-	-	-	-	1	-	-	-	3	2	2	3	4	6	4	12	1	1	-	-
	F--	37	7	-	-	-	-	-	-	-	-	-	1	2	-	1	2	4	3	2	3	5	2	1	2	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
543,	Gastritis, etc.*--	41	11	2	-	1	-	-	-	-	-	-	-	-	1	1	-	4	2	2	-	2	2	6	5	2	-
571,	White-----M--	20	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	1	6	1	-	-
572	F--	18	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	1	1	-	4	2	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	90	-	-	-	-	-	-	-	-	-	1	2	9	8	5	8	12	11	13	8	5	5	2	1	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	1	7	7	3	4	8	9	10	5	5	2	-	1	-	-
	F--	26	-	-	-	-	-	-	-	-	-	1	1	2	-	2	4	3	2	3	3	-	3	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	39	-	-	-	-	1	2	-	-	-	1	1	1	1	-	1	1	4	6	5	4	5	5	-	1	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	4	3	3	4	3	-	-	-
	F--	16	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	1	1	2	2	1	1	2	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	20	14	24	14	2	1	-
	White-----M--	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	20	14	23	14	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	24	...	...	...	...	...	...	1	2	5	7	4	4	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----F--	24	...	...	...	...	...	...	1	2	5	7	4	4	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	4	...	...	...	...	...	...	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	20	...	...	...	...	...	...	1	1	5	6	2	4	-	-	-	-	-	-	-	1	-	-	-	-	-
660-	White-----F--	20	...	...	...	...	...	...	1	1	5	6	2	4	-	-	-	-	-	-	-	1	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	158	129	6	1	-	-	2	4	3	4	2	-	1	-	-	1	2	-	1	-	1	1	-	-	-	-
	White-----M--	92	79	4	1	-	-	2	1	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	63	48	2	-	-	-	-	2	3	2	1	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	509	508	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	306	305	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	285	284	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	174	173	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	123	6	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	4	8	15	16	21	19	23	5	-
795	White-----M--	73	3	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	2	5	12	10	11	10	10	4	-
	F--	47	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	6	10	9	13	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	659	19	6	4	6	4	9	2	14	6	11	10	11	30	28	31	57	63	64	86	76	62	36	22	2	-
sid-	White-----M--	357	9	4	-	4	1	3	1	5	3	5	5	6	15	20	19	27	40	40	53	39	31	17	10	-	-
ual	F--	292	10	2	4	2	3	6	1	9	3	5	4	4	14	7	10	30	22	24	32	37	30	19	12	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-	Accidents----------	907	26	15	14	8	8	26	33	65	64	60	56	38	39	41	41	36	38	54	40	54	67	56	21	4	3
E962	White-----M--	630	11	10	8	3	7	14	20	59	51	48	44	34	35	31	36	27	27	40	32	22	28	28	10	2	3
	F--	255	13	3	5	4	1	10	13	5	13	9	10	3	4	9	4	7	10	14	8	30	39	28	11	2	-
	Nonwhite--M--	16	2	1	-	1	-	1	-	-	2	2	1	-	1	1	1	1	1	-	-	2	-	-	-	-	-
	F--	6	-	1	1	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	358	3	2	3	2	2	9	12	35	46	43	35	19	17	22	10	21	17	20	14	10	11	2	1	1	1
	White-----M--	268	2	2	1	1	1	3	8	30	36	36	25	17	13	17	6	15	12	15	12	6	7	1	-	1	1
	F--	84	1	-	2	1	1	6	4	5	10	5	8	2	4	5	4	4	5	5	2	4	4	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	549	23	13	11	6	6	17	21	30	18	17	21	19	22	19	31	15	21	34	26	44	56	54	20	3	2
E802,	White-----M--	362	9	8	7	2	6	11	12	29	15	12	19	17	22	14	30	12	15	25	20	16	21	27	10	1	2
E840-	F--	171	12	3	3	3	-	4	9	-	3	4	2	1	-	4	-	3	5	9	6	26	35	27	10	2	-
E962	Nonwhite--M--	12	2	1	-	1	-	1	-	-	-	1	-	1	-	1	1	-	1	-	-	2	-	-	-	-	-
	F--	4	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	151	-	-	-	-	-	-	1	3	10	5	10	11	11	11	10	19	22	7	15	12	2	2	-	-	-
E970-	White-----M--	127	-	-	-	-	-	-	1	2	7	5	8	9	7	10	8	17	19	4	15	11	2	2	-	-	-
E979	F--	22	-	-	-	-	-	-	-	1	3	-	2	1	4	1	1	2	3	3	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	13	-	-	-	-	-	-	-	-	4	2	2	-	1	1	1	-	1	-	-	1	-	-	-	-	-
E980-	White-----M--	5	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E985	F--	5	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA																										
	ALL CAUSES	1,673	137	11	6	14	5	10	9	21	32	26	32	47	58	94	139	145	156	168	202	143	120	60	22	7	9
	White-----M	1,031	72	5	4	8	1	2	6	8	12	14	20	26	33	62	84	110	108	111	140	81	80	30	8	3	3
	F	463	42	3	1	4	3	7	2	1	11	8	9	14	18	26	40	27	32	45	50	49	31	29	9	1	1
	Nonwhite--M	109	13	2	1	1	-	1	1	7	7	-	2	4	5	4	10	4	8	10	8	11	3	1	1	1	4
	F	70	10	1	-	1	1	-	-	5	2	4	1	3	2	2	5	4	8	2	4	2	6	-	4	2	1
001-019	Tuberculosis all forms	56	-	1	-	1	-	-	-	3	5	-	2	3	5	1	6	2	8	3	9	5	1	1	-	-	-
	White-----M	34	-	-	-	-	-	-	-	-	-	-	1	2	2	1	5	2	4	3	8	5	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M	12	-	1	-	-	-	-	-	3	4	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	47	-	-	-	1	-	-	-	-	4	-	2	3	4	1	5	2	8	1	9	5	1	1	-	-	-
	White-----M	32	-	-	-	-	-	-	-	-	-	-	1	2	2	1	5	2	4	1	8	5	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	9	-	1	-	-	-	-	-	3	1	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	-	1	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	14	2	-	-	-	-	-	-	-	-	-	-	2	-	-	3	2	-	3	1	1	-	-	-	-	-
	White-----M	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	7	1	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	White-----M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
140-205	Malignant neoplasms, etc.*----	204	-	1	-	1	-	1	-	1	-	1	4	2	5	10	21	25	25	34	38	15	10	8	-	2	-
	White-----M--	108	-	1	-	-	-	1	-	-	-	-	1	-	2	2	8	15	15	21	24	7	6	3	-	2	-
	F--	80	-	-	-	1	-	-	-	-	-	1	3	2	3	8	12	7	7	12	11	6	2	5	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-	-
140-148	Of buccal cavity and pharynx-------	10	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	2	-	1	-	-	-	1	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	-	1	-	-	-	1	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum--------	76	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	8	9	10	21	8	6	2	-	1	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	4	8	13	3	4	1	-	1	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	1	3	2	6	4	2	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	29	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	7	4	6	4	1	-	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	4	4	4	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	17	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	3	3	2	1	1	2	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	3	3	2	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
171-179	Of genital organs-	19	-	-	-	-	-	-	-	-	-	-	2	-	2	3	1	2	-	3	1	2	2	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-	1	-	3	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
180, 181	Of urinary organs-	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	2	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	32	-	1	-	-	-	-	-	1	-	-	1	1	-	2	3	4	3	7	6	1	1	1	-	-	-
	White-----M--	20	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	5	5	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	2	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia----------	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	23	-	-	-	-	-	-	-	-	2	-	1	-	1	-	3	1	1	5	5	2	1	1	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	2	3	2	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	1	3	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	705	1	1	-	-	-	-	1	1	4	4	6	7	16	33	58	68	84	84	108	93	77	39	14	3	3
	White-----M--	483	-	-	-	-	-	-	1	-	4	1	4	5	8	24	41	53	65	57	75	49	50	19	5	1	1
	F--	200	1	1	-	-	-	-	-	-	-	1	2	2	7	8	12	12	15	20	27	40	24	20	6	1	1
	Nonwhite--M--	25	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	2	1	6	3	3	1	-	1	1	1
	F--	17	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	1	3	1	3	1	2	-	2	-	-
330-334, 400-468	Diseases of cardiovascular system-	686	-	1	-	-	-	-	1	1	3	4	6	7	16	32	55	66	84	84	104	91	74	37	14	3	3
	White-----M--	451	-	-	-	-	-	-	1	-	3	1	4	5	8	24	40	51	65	57	73	48	47	17	5	1	1
	F--	197	-	1	-	-	-	-	-	-	-	1	2	2	7	7	12	12	15	20	27	39	24	20	6	1	1
	Nonwhite--M--	23	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	1	6	2	3	1	-	1	1	1
	F--	15	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	3	1	2	1	2	-	2	-	-
330-334	Vascular lesions, etc.*----------	144	-	-	-	-	-	-	-	-	1	1	3	-	1	6	7	13	18	17	19	25	20	9	3	1	-
	White-----M--	85	-	-	-	-	-	-	-	-	1	1	1	-	-	4	3	6	15	11	11	13	12	6	1	-	-
	F--	48	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	6	2	5	7	10	7	3	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	1	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-	-
400-402	Rheumatic fever----	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
410-443	Diseases of heart	490	-	1	-	-	-	-	-	1	2	3	1	7	13	23	44	50	63	63	80	56	50	23	8	-	2
	White	333	-	-	-	-	-	-	-	-	2	-	1	5	7	18	34	44	48	43	58	28	33	9	2	-	1
	F	132	-	1	-	-	-	-	-	-	-	1	-	2	6	5	8	5	12	14	19	26	15	14	3	-	1
	Nonwhite	16	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	5	2	2	1	-	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	1	1	-	1	-	2	-	-
410-416	Chronic rheumatic heart disease	17	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	2	1	2	1	1	1	-	-	-
	White	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	2	-	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	328	-	-	-	-	-	-	-	-	2	-	-	5	10	14	34	40	53	44	47	32	26	13	6	-	2
	White	240	-	-	-	-	-	-	-	-	2	-	-	4	6	13	28	36	42	34	34	13	19	6	2	-	1
	F	77	-	-	-	-	-	-	-	-	-	-	-	1	4	1	5	3	9	7	10	19	7	7	3	-	1
	Nonwhite	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	76	-	1	-	-	-	-	-	1	-	1	-	1	1	2	-	2	3	10	14	14	17	8	1	-	-
	White	42	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	6	9	9	12	1	-	-	-
	F	29	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	5	4	5	7	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	29	-	-	-	-	-	-	-	-	-	2	-	-	1	2	5	1	3	4	4	3	4	-	-	-	-
	White	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	2	4	2	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	2	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	40	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	2	4	13	6	2	1	1	-	-
	White	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	9	4	1	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	4	2	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
444-447	Hypertension without mention of heart	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	1	-	-	-
	White	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	7	4	4	3	2	1
	White	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	2	2	2	1	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	1	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	15	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	1	3	1	1	1	-	-	-	-	-
	White	10	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	2	1	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	19	1	-	-	-	-	-	-	-	1	-	-	-	-	1	3	2	-	-	4	2	3	2	-	-	-
	White	12	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	2	1	3	2	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	58	11	-	-	3	-	1	-	-	1	-	-	-	3	2	4	4	5	3	5	5	4	3	4	-	-
	White	27	4	-	-	1	-	1	-	-	-	-	-	-	1	1	2	4	2	1	3	-	4	2	1	-	-
	F	14	3	-	-	2	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	2	-	-	1	-	-
	Nonwhite	9	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	1	-	-	-
	F	8	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	1	-	-	2	-	-
480-483	Influenza	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	1	-	-	-
	White	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	51	9	-	-	3	-	1	-	-	1	-	-	-	3	1	4	4	3	3	4	5	4	2	4	-	-
	White	24	3	-	-	1	-	1	-	-	-	-	-	-	1	1	2	4	1	1	2	-	4	2	1	-	-
	F	12	2	-	-	2	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	2	-	-	1	-	-
	Nonwhite	8	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	2	-	-
500-502	Bronchitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	1	2	-	1	-	-	-	-
	White	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	1	2	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	11	1	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	1	2	1	-	-	-	-
	White	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA--Con.																										
543,	Gastritis, etc.*--	9	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
571,	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
572	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	30	-	-	-	-	-	-	-	-	-	-	2	1	1	6	4	2	5	3	1	3	2	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	-	4	2	-	3	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	4	...	...	...	...	...	...	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	4	...	...	...	...	...	...	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	3	...	...	...	...	...	...	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	22	16	1	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	12	8	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F--	7	5	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	55	1	-	-	-	-	-	-	-	1	-	-	2	-	4	3	3	4	4	6	3	13	3	2	2	4
795	White-----M--	34	1	-	-	-	-	-	-	-	1	-	-	1	-	2	1	3	3	3	4	3	10	-	1	-	1
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	2	3	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	2
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	1
Re-	All other diseases	80	6	-	-	1	1	1	-	1	4	-	3	2	5	2	5	17	6	10	12	2	1	1	-	-	-
sid-	White-----M--	47	3	-	-	1	-	-	-	1	1	-	-	-	3	1	3	13	3	8	7	2	-	1	-	-	-
ual	F--	26	3	-	-	-	1	-	-	-	1	-	2	2	2	1	2	4	1	1	5	-	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	202	10	1	6	7	3	5	7	11	13	11	11	15	13	18	17	10	6	12	8	7	5	2	2	-	2
E962	White-----M--	128	2	1	4	6	-	-	4	5	6	8	9	11	9	15	9	9	3	7	7	4	5	2	1	-	1
	F--	40	5	-	1	1	2	5	2	1	5	2	-	2	1	1	4	-	2	3	1	1	-	-	1	-	-
	Nonwhite--M--	23	-	-	1	-	-	-	1	2	1	-	2	2	2	2	4	-	1	2	-	2	-	-	-	-	1
	F--	11	3	-	-	-	1	-	-	3	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents-------	94	2	-	1	2	1	1	3	5	11	7	7	11	7	6	9	5	5	4	1	3	1	-	1	-	1
	White-----M--	51	-	-	1	2	-	-	2	1	5	5	5	7	3	4	3	4	2	2	1	2	1	-	1	-	-
	F--	22	1	-	-	-	1	1	1	1	5	1	-	2	1	1	3	-	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	2	2	2	1	3	-	1	-	-	1	-	-	-	-	1
	F--	7	1	-	-	-	-	-	-	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	108	8	1	5	5	2	4	4	6	2	4	4	4	6	12	8	5	1	8	7	4	4	2	1	-	1
E802,	White-----M--	77	2	1	3	4	-	-	2	4	1	3	4	4	6	11	6	5	1	5	6	2	4	2	-	-	1
E840-	F--	18	4	-	1	1	1	4	1	-	-	1	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-
E962	Nonwhite--M--	9	-	-	1	-	-	-	1	2	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-
	F--	4	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	51	-	-	-	-	-	-	-	1	-	8	1	6	2	8	6	8	4	4	2	1	-	-	-	-	-
E970-	White-----M--	38	-	-	-	-	-	-	-	1	-	3	1	3	2	7	6	6	3	3	2	1	-	-	-	-	-
E979	F--	11	-	-	-	-	-	-	-	-	-	4	-	2	-	1	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	16	-	-	-	-	1	-	-	-	1	1	2	2	5	1	-	1	1	-	-	-	-	1	-	-	-
E980-	White-----M--	9	-	-	-	-	1	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	1	-	-	-	-
E985	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE																										
	ALL CAUSES	6,204	277	24	16	8	9	32	15	26	44	41	55	85	141	180	284	404	552	683	826	899	814	512	216	47	14
	White---M	3,426	169	12	8	5	4	21	11	11	26	23	34	54	80	117	167	257	328	404	487	469	404	233	81	15	6
	F	2,763	107	12	7	3	5	11	4	15	17	17	21	31	60	63	114	146	223	278	337	428	410	279	135	32	8
	Nonwhite--M	6	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-
001-019	Tuberculosis all forms	64	-	1	-	-	-	-	-	1	2	2	3	1	5	3	5	6	8	8	9	4	5	1	-	-	-
	White---M	47	-	1	-	-	-	-	-	-	-	1	1	-	4	3	4	5	8	6	6	3	4	1	-	-	-
	F	17	-	-	-	-	-	-	-	1	2	1	2	1	1	-	1	1	-	2	3	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	60	-	1	-	-	-	-	-	1	2	1	3	1	4	3	5	5	8	8	8	4	5	1	-	-	-
	White---M	46	-	1	-	-	-	-	-	-	-	1	1	-	4	3	4	4	8	6	6	3	4	1	-	-	-
	F	14	-	-	-	-	-	-	-	1	2	-	2	1	-	-	1	1	-	2	2	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	3	-	2	-	-	-	-	1
	White---M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	7	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	14	3	-	1	-	-	-	-	-	1	-	1	1	1	-	2	-	2	-	1	1	-	-	-	-	-
	White---M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	9	1	-	1	-	-	-	-	-	-	-	1	1	1	-	2	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
140-205	Malignant neoplasms, etc.*----	996	1	1	4	1	1	4	1	1	4	7	10	18	34	39	73	97	123	130	138	143	97	53	12	3	1
	White-----M--	505	-	1	3	1	-	2	-	-	2	5	7	7	12	13	32	42	51	76	77	86	52	28	5	3	-
	F--	489	1	-	1	-	1	2	1	1	2	2	3	11	22	26	41	55	72	54	61	55	45	25	7	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	5	2	7	1	2	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	1	5	1	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	381	-	-	-	-	-	-	-	-	1	-	1	3	7	10	16	33	55	55	70	62	44	20	4	-	-
	White-----M--	210	-	-	-	-	-	-	-	-	1	-	1	-	3	6	10	16	22	38	44	35	22	10	2	-	-
	F--	170	-	-	-	-	-	-	-	-	-	-	-	3	4	4	6	17	33	17	26	26	22	10	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
160-164	Of respiratory system----------	82	-	-	-	-	-	1	-	-	-	-	-	1	4	5	8	15	7	12	12	11	1	5	-	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	-	1	4	3	7	14	6	10	11	8	1	2	-	-	-
	F--	15	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	1	2	1	3	-	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	95	-	-	-	-	-	-	-	-	-	-	1	2	9	3	12	13	10	15	14	6	7	1	2	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	94	-	-	-	-	-	-	-	-	-	-	1	2	9	3	12	13	10	15	14	5	7	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
171-179	Of genital organs-	177	-	-	-	-	-	-	-	-	-	2	-	3	7	16	11	18	21	19	12	30	22	11	3	2	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	2	6	6	7	22	17	6	1	2	-
	F--	105	-	-	-	-	-	-	-	-	-	-	-	3	7	15	11	16	15	13	5	8	5	5	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	47	-	-	-	-	-	1	-	-	-	-	-	-	1	1	5	4	8	7	4	9	5	1	1	-	-
	White-----M--	37	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	3	7	7	3	8	3	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	1	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	109	-	-	2	-	1	1	1	-	1	1	3	7	2	2	13	5	12	11	15	7	12	9	2	1	1
	White-----M--	52	-	-	2	-	-	1	-	-	1	-	2	5	1	-	7	2	3	5	8	2	6	4	2	1	-
	F--	57	-	-	-	-	1	-	1	-	-	1	1	2	1	2	6	3	9	6	7	5	6	5	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	40	1	-	2	1	-	1	-	-	1	1	2	1	1	-	4	2	5	2	5	6	3	2	-	-	-
	White-----M--	19	-	-	1	1	-	-	-	-	-	1	2	-	1	-	2	-	3	2	1	2	1	2	-	-	-
	F--	21	1	-	1	-	-	1	-	-	1	-	-	1	-	-	2	2	2	-	4	4	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	43	-	1	-	-	-	-	-	1	1	3	3	1	2	2	3	6	3	4	4	5	2	2	-	-	-
	White-----M--	30	-	1	-	-	-	-	-	-	-	2	2	1	2	2	2	4	2	4	2	4	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	2	1	-	2	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	23	1	-	-	1	1	-	-	1	-	1	-	1	3	2	3	1	3	1	-	3	1	-	-	-	-
	White-----M--	9	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	3	-	-	-	-	-
	F--	13	-	-	-	-	1	-	-	1	-	-	-	1	3	2	1	-	2	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	117	-	-	-	-	-	-	-	-	1	-	2	2	1	3	6	16	12	21	13	18	13	7	2	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	1	-	2	2	-	2	2	7	5	6	3	7	7	3	-	-	-
	F--	70	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	9	7	15	10	11	6	4	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	18	1	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	3	1	3	1	1	3	-	-	-
	White-----M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	1	-	1	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	3,626	3	1	-	-	-	3	1	2	6	8	16	27	59	86	137	207	311	423	540	624	595	376	158	35	8
	White-----M--	2,006	1	-	-	-	-	3	1	-	4	3	10	22	39	62	92	149	195	252	322	312	292	168	62	12	5
	F--	1,613	2	1	-	-	-	-	-	2	2	5	6	5	19	24	43	57	116	170	216	312	303	208	96	23	3
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	3,541	3	1	-	-	-	2	1	1	5	7	13	27	56	81	133	205	300	413	531	613	581	370	157	36	6
	White-----M--	1,967	1	-	-	-	-	2	1	-	3	3	7	22	38	59	91	148	191	248	315	309	287	165	61	12	4
	F--	1,568	2	1	-	-	-	-	-	1	2	4	6	5	17	22	40	56	109	165	214	304	294	205	96	23	2
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	687	1	1	-	-	-	-	-	-	-	2	2	4	8	12	27	38	37	87	125	124	117	67	29	6	-
	White-----M--	324	-	-	-	-	-	-	-	-	-	1	1	2	3	9	12	19	17	47	67	58	48	31	8	1	-
	F--	362	1	1	-	-	-	-	-	-	-	1	1	2	5	3	15	19	20	40	57	66	69	36	21	5	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
400-402	Rheumatic fever----	4	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
410-443	Diseases of heart	2,551	2	-	-	-	-	-	1	-	5	5	9	22	43	67	104	164	253	309	377	430	395	247	90	22	6
	White	1,481	1	-	-	-	-	-	1	-	3	2	5	19	34	50	78	127	167	188	230	221	198	107	36	10	4
	F	1,065	1	-	-	-	-	-	-	-	2	3	4	3	8	17	24	36	86	121	146	209	197	140	54	12	2
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease	92	-	-	-	-	-	-	1	-	1	2	4	3	9	8	7	8	9	14	7	7	7	4	1	-	-
	White	49	-	-	-	-	-	-	1	-	1	-	2	1	7	7	3	7	7	6	1	1	2	3	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	2	2	2	2	1	4	1	2	8	6	6	5	1	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,745	-	-	-	-	-	-	-	-	2	-	3	15	30	47	69	127	176	211	283	273	267	166	62	9	5
	White	1,088	-	-	-	-	-	-	-	-	1	-	3	14	26	37	59	100	125	144	183	145	146	73	23	5	4
	F	653	-	-	-	-	-	-	-	-	1	-	-	1	3	10	9	26	51	67	99	128	121	93	39	4	1
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	282	-	-	-	-	-	-	-	-	-	1	1	-	2	2	10	8	23	25	28	50	59	47	18	8	-
	White	136	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	13	12	15	27	25	21	8	3	-
	F	145	-	-	-	-	-	-	-	-	-	1	1	-	1	1	5	2	10	13	13	23	34	26	10	5	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	70	2	-	-	-	-	-	-	-	1	-	-	1	-	-	2	4	14	15	6	9	7	6	1	2	-
	White	41	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	3	7	8	2	4	5	6	-	2	-
	F	29	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	7	4	5	2	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	362	-	-	-	-	-	-	-	-	1	2	1	3	2	10	16	17	31	44	53	91	55	24	8	3	1
	White	167	-	-	-	-	-	-	-	-	-	2	-	3	-	5	11	11	15	18	29	44	20	4	5	-	-
	F	195	-	-	-	-	-	-	-	-	1	-	1	-	2	5	5	6	16	26	24	47	35	20	3	3	1
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	41	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	3	4	7	8	5	4	4	-	-
	White	28	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3	3	6	6	4	1	2	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	2	1	3	2	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	17	45	60	50	34	7	-
	White	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	10	21	34	26	15	1	-
	F	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	7	24	26	24	19	6	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	34	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	5	6	5	6	4	2	-	-	-
	White	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	3	3	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	2	2	3	3	1	2	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	85	-	-	-	-	-	1	-	1	1	1	3	-	3	5	4	2	11	10	9	11	14	6	1	-	2
	White	39	-	-	-	-	-	1	-	-	1	-	3	-	1	3	1	1	4	4	7	3	5	3	1	-	1
	F	45	-	-	-	-	-	-	-	1	-	1	-	-	2	2	3	1	7	5	2	8	9	3	-	-	1
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	180	18	6	1	-	1	1	-	1	-	-	1	1	3	3	3	9	8	16	21	18	29	27	8	3	2
	White	86	11	3	1	-	-	-	-	-	-	-	1	1	1	2	1	6	6	8	15	7	13	9	2	-	1
	F	92	7	3	-	-	1	1	-	1	-	-	-	-	2	1	2	3	2	8	6	11	16	18	6	3	1
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	36	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	3	2	5	8	12	1	-	2
	White	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	-	-	1
	F	22	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	1	3	3	9	1	-	1
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	144	17	6	1	-	-	1	-	-	-	-	1	1	3	3	3	9	8	13	19	13	21	15	7	3	-
	White	74	10	3	1	-	-	-	-	-	-	-	1	1	1	2	1	6	6	7	14	5	8	6	2	-	-
	F	70	7	3	-	-	-	1	-	-	-	-	-	-	2	1	2	3	2	6	5	8	13	9	5	3	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
	White	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	31	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	4	6	8	3	1	-	-	1	-	-
	White	25	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	5	6	3	1	-	-	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	-	1	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	45	2	2	-	-	-	-	-	-	1	-	-	2	1	3	-	4	3	6	7	4	5	4	1	-	-
	White	28	2	2	-	-	-	-	-	-	-	-	-	1	-	2	-	3	1	3	6	2	2	3	1	-	-
	F	17	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	2	3	1	2	3	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
543,	Gastritis, etc.*--	28	5	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	4	3	2	1	4	1	1	2	-	-
571,	White-----M--	12	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	1	1	-	-	-	-
572	F--	16	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	1	1	3	-	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	52	-	-	-	-	-	-	-	-	-	1	2	5	4	4	5	8	7	7	3	4	2	-	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	1	3	3	4	3	6	3	3	1	2	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	2	4	4	2	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																											
591	etc.*----------	7	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																											
	prostate---------	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	3	8	10	7	3	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	3	8	10	7	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																											
689	pregnancy, etc.*	6	...	...	...	...	...	...	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	...	...	...	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																											
649,	plications-------	6	...	...	...	...	...	...	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	6	...	...	...	...	...	...	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																											
759	formations-------	62	49	1	-	1	-	2	1	-	1	1	1	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	36	29	-	-	1	-	-	-	-	-	1	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	25	19	1	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																											
776	of early infancy	170	169	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	61	60	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																											
762	etc.*----------	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																											
768	newborn----------	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																											
776	infancy, and im-																											
	maturity unquali-																											
	fied-------------	80	79	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	33	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	46	3	-	1	-	-	-	-	-	-	-	-	-	-	6	3	3	3	1	9	6	2	5	1	1	2
795	White-----M--	25	1	-	-	-	-	-	-	-	-	-	-	-	-	6	2	3	2	1	7	1	1	1	-	-	-
	F--	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	5	1	4	1	1	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Re-	All other diseases	251	8	1	2	1	2	6	3	3	-	5	3	6	7	9	22	16	31	21	40	26	17	10	11	1	-	-
sid-	White-----M--	147	5	1	1	1	1	5	3	2	-	-	2	2	2	5	15	7	21	14	24	15	10	8	3	-	-	-
ual	F--	103	3	-	1	-	1	1	-	1	-	4	1	4	5	4	7	9	10	7	16	11	7	2	8	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents----------	290	11	6	5	2	3	13	7	13	22	12	8	10	9	3	11	14	13	14	24	27	30	16	13	4	-	-
E962	White-----M--	172	4	3	2	1	3	9	6	9	17	12	6	10	8	3	8	11	11	8	11	16	8	3	3	-	-	-
	F--	118	7	3	3	1	-	4	1	4	5	-	2	-	1	-	3	3	2	6	13	11	22	13	10	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																											
E835	accidents---------	76	-	2	-	-	-	5	3	8	10	5	5	5	2	-	8	3	5	4	4	4	3	-	-	-	-	-
	White-----M--	55	-	2	-	-	-	3	2	5	6	5	4	5	2	-	5	2	4	3	2	3	2	-	-	-	-	-
	F--	21	-	-	-	-	-	2	1	3	4	-	1	-	-	-	3	1	1	1	2	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	214	11	4	5	2	3	8	4	5	12	7	3	5	7	3	3	11	8	10	20	23	27	16	13	4	-	-
E802,	White-----M--	117	4	1	2	1	3	6	4	4	11	7	2	5	6	3	3	9	7	5	9	13	6	3	3	-	-	-
E840-	F--	97	7	3	3	1	-	2	-	1	1	-	1	-	1	-	-	2	1	5	11	10	21	13	10	4	-	-
E962	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	93	-	-	-	-	-	-	1	3	4	1	5	8	10	12	8	6	7	13	8	3	2	1	1	-	-	-
E970-	White-----M--	67	-	-	-	-	-	-	1	-	1	-	3	5	9	10	4	5	6	11	6	2	2	1	1	-	-	-
E979	F--	26	-	-	-	-	-	-	-	3	3	1	2	3	1	2	4	1	1	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	3	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY																										
	ALL CAUSES	50,443	2,542	155	83	67	63	198	128	241	340	511	642	948	1,537	2,128	3,301	4,682	5,708	6,371	6,319	6,095	4,622	2,536	979	205	42
	White	25,836	1,255	68	35	33	39	104	67	128	160	231	316	462	764	1,162	1,816	2,768	3,290	3,621	3,254	2,880	1,955	1,018	339	60	11
	White--M	20,867	856	64	32	25	18	72	34	74	107	169	214	336	513	664	1,120	1,583	2,057	2,408	2,799	2,981	2,521	1,449	608	137	26
	White--F	2,090	254	14	11	3	-	12	19	21	42	70	61	76	136	170	217	194	217	188	143	122	76	28	12	2	2
	Nonwhite	1,650	177	9	5	6	6	10	8	18	31	41	51	74	124	132	148	137	144	154	123	112	70	41	20	6	3
	Nonwhite--M	1,025	5	4	5	1	-	2	3	15	32	61	73	83	85	95	111	128	108	99	54	29	24	7	1	-	-
	Nonwhite--F	558	2	1	-	-	-	1	-	4	8	16	26	31	38	51	69	92	81	74	28	18	13	5	-	-	-
001-019	Tuberculosis all forms	209	-	1	1	-	-	-	-	3	7	12	24	23	16	11	16	17	18	15	22	10	11	1	1	-	-
	White	174	1	2	2	-	-	-	2	4	8	21	15	20	22	24	20	15	6	9	2	1	-	-	-	-	-
	White--M	84	2	-	2	1	-	1	1	4	9	12	8	9	9	9	6	4	3	1	2	-	-	1	-	-	-.
	White--F	944	1	1	1	-	-	1	2	13	31	51	65	77	78	92	106	118	98	96	52	29	24	7	1	-	-
	Nonwhite	534	1	-	-	-	-	-	-	4	8	16	23	28	37	50	68	87	76	73	27	18	13	5	-	-	-
	Nonwhite--M	192	-	1	-	-	-	-	-	2	7	12	22	21	16	11	15	13	14	14	21	10	11	1	1	-	-
	Nonwhite--F	153	-	-	-	-	-	-	2	3	8	15	15	20	18	22	18	15	6	8	2	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	65	-	-	1	-	-	1	-	4	8	8	5	8	7	9	5	3	2	1	2	-	-	1	-	-	-
	White	81	4	3	4	1	-	1	1	2	1	10	8	6	7	3	5	10	10	3	2	-	-	-	-	-	-
	White--M	24	1	1	-	-	-	1	-	-	-	-	3	3	1	1	1	5	5	1	1	-	-	-	-	-	-
	White--F	17	-	-	1	-	-	-	-	1	-	-	2	2	-	-	1	4	4	1	1	-	-	-	-	-	-
	Nonwhite	21	1	2	2	-	-	-	-	1	-	6	-	-	4	2	2	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	19	2	-	1	1	-	-	1	-	1	4	3	1	2	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--F	142	2	-	-	-	1	-	-	-	-	1	2	4	6	11	20	37	24	21	4	3	6	-	-	-	-
010-019	Tuberculosis, other forms	62	-	-	-	-	1	-	-	-	-	1	1	-	-	2	6	19	14	11	3	1	3	-	-	-	-
	White	26	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	8	4	2	1	1	2	-	-	-	-
	White--M	33	-	-	-	-	-	-	-	-	-	-	-	-	4	1	10	10	4	4	-	-	-	-	-	-	-
	White--F	21	2	-	-	-	-	-	-	-	-	-	-	3	2	4	2	-	2	4	-	1	1	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	7	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	1	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White--F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-
	Nonwhite--F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
050, 051	Scarlet fever, etc.*	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	22	5	1	1	2	2	1	-	4	-	-	-	-	1	1	-	-	2	-	1	-	1	-	-	-	-
057	Meningococcal infections	11	3	-	1	1	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	White	8	2	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	40	-	-	2	2	1	11	9	5	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	24	-	-	-	1	1	5	8	1	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	13	-	-	1	1	-	4	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Measles	8	-	-	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	104	9	4	3	1	2	6	1	1	6	9	6	4	4	5	5	5	13	7	5	5	1	2	-	-	-
	White	40	5	2	1	-	1	1	1	-	3	3	-	1	1	1	2	4	6	5	2	1	-	-	-	-	-
	White--M	46	2	-	1	1	-	3	-	1	3	4	4	2	1	3	2	1	7	2	3	3	1	2	-	-	-
	White--F	11	1	2	1	-	-	1	-	-	-	1	2	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite	7	1	-	-	-	1	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M																										
	Nonwhite--F																										

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
140-205	Malignant neoplasms, etc.*----	8,830	7	3	10	11	16	31	13	21	40	58	96	189	348	481	803	1,137	1,312	1,338	1,152	929	558	204	61	10	2
	White-----M--	4,302	4	2	5	3	8	13	10	11	16	20	38	64	119	183	361	563	693	757	611	442	258	95	22	4	-
	F--	4,055	3	1	5	6	8	16	3	9	21	33	46	104	189	252	378	511	550	521	508	451	290	103	39	6	2
	Nonwhite--M--	239	-	-	-	-	-	1	-	1	1	2	1	7	11	26	30	35	42	34	21	20	5	2	-	-	-
	F--	234	-	-	-	2	-	1	-	-	2	3	11	14	29	20	34	28	27	26	12	16	5	4	-	-	-
140-148	Of buccal cavity and pharynx------	200	-	-	-	-	-	-	1	-	-	-	2	2	10	7	23	29	26	28	29	28	10	4	-	1	-
	White-----M--	155	-	-	-	-	-	-	1	-	-	-	2	1	5	5	16	25	23	23	24	22	5	2	-	1	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	3	2	3	4	5	5	2	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	-	1	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	3,607	1	1	-	-	-	-	-	-	4	7	26	46	97	135	285	414	540	616	563	456	272	109	29	5	1
	White-----M--	1,841	-	1	-	-	-	-	-	-	1	3	6	22	34	62	143	219	301	353	313	208	115	50	10	-	-
	F--	1,586	1	-	-	-	-	-	-	-	2	4	18	20	49	57	120	171	209	234	236	232	152	56	19	5	1
	Nonwhite--M--	112	-	-	-	-	-	-	-	-	-	-	-	2	6	11	14	17	20	18	10	9	4	1	-	-	-
	F--	68	-	-	-	-	-	-	-	-	1	-	2	2	8	5	8	7	10	11	4	7	1	2	-	-	-
160-164	Of respiratory system----------	1,085	-	-	-	-	-	1	-	-	3	4	1	13	37	74	129	177	212	194	121	77	28	10	2	2	-
	White-----M--	871	-	-	-	-	-	-	-	-	-	1	1	7	31	60	107	150	180	166	90	52	17	6	1	2	-
	F--	155	-	-	-	-	-	1	-	-	3	2	-	2	5	7	14	17	22	19	26	21	11	4	1	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	1	-	4	-	6	7	9	9	8	3	3	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-
170	Of breast---------	851	-	-	-	-	-	-	-	1	-	5	11	50	56	77	90	106	114	105	86	71	52	17	9	1	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	2	5	1	1	2	-	-	-	-
	F--	803	-	-	-	-	-	-	-	1	-	4	8	44	52	74	83	105	106	97	83	70	49	17	9	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	1	1	5	4	3	7	1	6	3	2	-	1	-	-	-	-
171-179	Of genital organs-	1,260	-	-	-	-	-	1	1	6	7	14	32	61	91	129	169	147	162	150	147	106	33	3	1	-	
	White-----M--	376	-	-	-	-	-	-	-	4	2	2	5	2	6	9	28	33	59	64	75	66	18	2	1	-	
	F--	775	-	-	-	-	-	1	1	2	4	6	23	49	73	104	123	107	90	79	61	38	13	1	-	-	
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	4	6	5	5	1	1	-	-	-	
	F--	79	-	-	-	-	-	-	-	-	-	1	6	4	10	9	15	14	3	7	2	6	1	1	-	-	
180, 181	Of urinary organs-	430	-	-	2	2	-	2	-	-	-	3	2	5	9	11	27	39	79	70	63	57	40	13	6	-	
	White-----M--	297	-	-	2	-	-	1	-	-	-	1	2	4	5	8	20	26	57	51	44	38	26	9	3	-	
	F--	122	-	-	-	1	-	1	-	-	-	1	-	1	3	3	4	11	21	17	19	19	14	4	3	-	
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
	F--	9	-	-	-	1	-	-	-	-	-	1	-	-	1	-	2	2	-	2	-	-	-	-	-	-	
156B, 165, 190-199	Of other sites, etc.*----------	749	4	1	3	1	7	8	-	5	9	7	14	22	42	51	63	119	111	94	76	55	36	13	7	-	1
	White-----M--	371	2	-	1	-	3	1	-	3	3	-	8	13	20	24	32	66	51	56	37	25	18	6	2	-	-
	F--	337	2	1	2	1	4	6	-	2	5	6	5	7	18	19	28	50	52	37	36	27	17	6	5	-	1
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	1	1	-	-	1	6	2	2	4	-	2	2	-	-	-	-	-
	F--	20	-	-	-	-	-	1	-	-	-	-	1	2	3	2	1	1	4	1	1	1	1	1	-	-	-
204	Leukemia and aleukemia----------	326	1	1	5	7	9	16	8	12	4	7	15	9	10	15	24	34	38	39	33	26	5	3	5	-	-
	White-----M--	187	1	1	2	3	5	9	6	7	3	5	7	4	5	6	12	20	25	25	18	14	3	2	4	-	-
	F--	131	-	-	3	3	4	7	2	4	1	2	6	5	5	9	12	14	12	13	15	11	1	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-
200-203, 205	Lymphomas, etc.*---	322	1	-	-	1	-	4	3	2	14	18	11	10	26	20	33	50	45	30	31	12	9	2	-	-	-
	White-----M--	190	1	-	-	-	-	2	3	1	5	8	8	7	17	12	22	29	21	19	20	7	6	2	-	-	-
	F--	114	-	-	-	1	-	1	-	1	8	10	3	2	6	8	9	17	19	11	10	5	3	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	2	4	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	1	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	180	3	5	-	2	1	1	2	2	4	5	7	16	15	23	17	23	8	16	15	4	9	-	1	-	1
	White-----M--	62	2	3	-	2	-	-	-	1	1	1	1	5	5	6	4	10	5	8	6	-	2	-	-	-	-
	F--	98	1	2	-	-	1	-	2	1	2	3	4	8	9	12	12	11	3	7	9	3	6	-	1	-	1
	Nonwhite--M--	7	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	1	-	1	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	1	2	1	1	4	-	1	-	-	-	1	1	-	-	-	-
260	Diabetes mellitus-	1,071	1	1	-	-	-	2	-	1	1	9	5	9	20	24	50	106	179	213	181	158	82	23	6	-	-
	White-----M--	334	1	1	-	-	-	-	-	-	1	3	2	3	11	11	19	36	55	63	58	44	21	4	1	-	-
	F--	680	-	-	-	-	-	2	-	-	-	5	1	5	5	9	26	60	115	143	117	111	59	19	3	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	1	-	-	2	-	1	3	2	1	3	1	1	2	-	-	2	-	-
	F--	38	-	-	-	-	-	-	-	-	-	1	-	1	3	1	3	9	6	6	5	1	2	-	-	-	-
290-293	Anemias----------	110	2	1	2	-	-	1	1	2	1	1	1	3	-	1	3	5	10	14	16	23	13	6	4	-	-
	White-----M--	48	1	-	1	-	-	-	-	-	-	-	1	-	-	-	2	4	6	7	8	10	4	2	2	-	-
	F--	58	1	1	-	-	-	1	1	2	-	1	-	2	-	1	1	1	4	7	8	13	9	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	3	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	49	7	4	3	1	-	3	-	1	1	2	1	3	3	2	2	4	5	3	3	1	-	-	-	-	-
	White-----M--	19	2	1	1	1	-	2	-	-	-	-	1	1	-	1	-	4	1	2	2	-	-	-	-	-	-
	F--	15	1	2	1	-	-	-	-	-	-	1	-	2	1	1	-	-	3	1	1	1	-	-	-	-	-
	Nonwhite--M--	10	2	-	-	-	-	1	-	1	1	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-
	F--	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	28,516	18	4	-	4	3	18	21	36	47	82	170	299	625	996	1,712	2,525	3,283	3,848	4,224	4,265	3,367	1,986	779	169	35
	White-----M--	14,644	10	2	-	1	3	7	11	12	13	34	84	172	347	612	1,012	1,577	1,948	2,177	2,146	1,984	1,388	782	285	49	8
	F--	12,161	7	2	-	3	-	10	7	20	25	35	58	93	177	253	518	753	1,112	1,453	1,879	2,112	1,867	1,155	488	112	22
	Nonwhite--M--	900	1	-	-	-	-	-	1	1	5	7	13	14	55	67	106	106	129	115	107	84	57	19	9	2	2
	F--	811	-	-	-	-	-	1	2	3	4	6	15	20	46	64	76	89	94	103	92	85	55	30	17	6	3
330-334, 400-468	Diseases of cardiovascular system-	27,844	18	4	-	2	-	11	16	28	34	72	155	284	591	966	1,669	2,459	3,209	3,785	4,148	4,170	3,302	1,954	765	168	34
	White-----M--	14,322	10	2	-	-	-	3	9	8	11	32	76	166	332	593	993	1,536	1,905	2,149	2,113	1,942	1,359	766	261	49	7
	F--	11,894	7	2	-	2	-	7	5	16	16	30	55	88	168	247	506	734	1,088	1,424	1,843	2,067	1,836	1,141	479	111	22
	Nonwhite--M--	861	1	-	-	-	-	-	-	1	5	6	11	12	51	64	99	103	125	111	106	80	56	17	9	2	2
	F--	767	-	-	-	-	-	1	2	3	2	4	13	18	40	62	71	86	91	101	86	81	51	30	16	6	3
330-334	Vascular lesions, etc.*----------	4,983	5	-	-	-	-	3	-	5	4	10	14	30	87	140	258	390	505	699	790	866	671	367	113	22	4
	White-----M--	2,056	3	-	-	-	-	-	-	2	-	2	4	14	34	42	102	190	227	311	384	347	251	104	29	7	3
	F--	2,579	1	-	-	-	-	3	-	3	2	6	5	14	37	68	117	162	233	332	367	483	396	255	80	14	1
	Nonwhite--M--	156	1	-	-	-	-	-	-	-	2	-	2	-	7	10	20	19	21	29	19	12	11	1	2	-	-
	F--	192	-	-	-	-	-	-	-	-	-	2	3	2	9	20	19	19	24	27	20	24	13	7	2	1	-
400-402	Rheumatic fever---	62	-	1	-	1	-	2	11	5	2	1	4	6	3	6	5	4	3	5	3	-	-	-	-	-	-
	White-----M--	30	-	1	-	-	-	1	7	1	-	-	2	5	2	2	3	1	2	3	-	-	-	-	-	-	-
	F--	27	-	-	-	1	-	-	3	3	2	1	2	1	1	4	1	3	1	2	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
410-443	Diseases of heart	21,134	11	1	-	-	-	6	3	16	24	58	125	231	477	785	1,354	1,992	2,587	2,924	3,158	3,022	2,333	1,352	540	112	23
	White----M--	11,501	6	-	-	-	-	2	2	5	11	29	66	141	287	534	868	1,303	1,614	1,743	1,637	1,469	1,000	562	186	33	3
	F--	8,444	5	1	-	-	-	4	1	8	8	21	43	65	118	162	368	546	809	1,034	1,378	1,440	1,259	754	333	72	15
	Nonwhite--M--	661	-	-	-	-	-	-	-	1	3	6	8	11	43	51	73	81	100	78	78	61	41	15	7	2	2
	F--	528	-	-	-	-	-	-	-	2	2	2	8	14	29	38	45	62	64	69	65	52	33	21	14	5	3
410-416	Chronic rheumatic heart disease----	795	-	-	-	-	-	3	1	7	12	32	52	70	86	89	95	92	79	64	47	31	16	15	3	-	1
	White----M--	334	-	-	-	-	-	1	1	2	5	17	19	26	31	39	39	44	36	33	19	15	2	4	1	-	-
	F--	410	-	-	-	-	-	2	-	3	5	12	30	40	45	42	54	41	41	28	26	15	13	11	2	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	1	1	2	1	2	7	4	1	4	2	-	-	-	1	-	-	-	-
	F--	25	-	-	-	-	-	-	-	1	1	2	2	3	4	1	3	-	3	2	1	-	-	-	-	-	1
420	Arteriosclerotic heart dis., etc.*	13,014	2	-	-	-	-	-	1	5	7	17	43	107	269	510	904	1,377	1,768	1,933	2,009	1,787	1,286	665	268	52	4
	White----M--	7,795	2	-	-	-	-	-	1	2	2	8	33	85	194	394	666	983	1,185	1,223	1,109	909	590	289	100	19	1
	F--	4,624	-	-	-	-	-	-	-	3	2	6	5	12	38	66	175	313	497	636	828	818	672	363	158	31	1
	Nonwhite--M--	372	-	-	-	-	-	-	-	-	2	2	3	6	26	36	40	52	62	44	40	32	15	5	6	-	1
	F--	223	-	-	-	-	-	-	-	-	1	1	2	4	11	14	23	29	24	30	32	28	9	8	4	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	4,063	3	-	-	-	-	3	1	1	2	3	15	25	62	74	150	222	370	461	597	702	659	458	195	44	16
	White----M--	2,038	1	-	-	-	-	1	-	-	1	1	8	15	38	52	84	137	219	282	309	338	271	197	70	12	2
	F--	1,806	2	-	-	-	-	2	1	1	1	2	4	8	15	15	47	70	125	154	255	334	363	247	118	30	12
	Nonwhite--M--	125	-	-	-	-	-	-	-	-	-	-	3	-	6	3	13	5	17	12	21	19	16	7	-	2	1
	F--	94	-	-	-	-	-	-	-	-	-	-	-	2	3	4	6	10	9	13	12	11	9	7	7	-	1
430-434	Other diseases of heart---------	464	6	1	-	-	-	-	-	1	3	2	3	9	10	20	34	39	53	69	69	59	47	25	12	2	-
	White----M--	237	3	-	-	-	-	-	-	1	3	1	1	4	3	13	18	23	33	38	40	27	20	9	-	-	-
	F--	200	3	1	-	-	-	-	-	-	-	1	2	2	5	6	13	13	16	27	29	30	23	16	11	2	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	-	2	3	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	3	2	-	-	1	-	1	-	-
440-443	Hypertension with heart dis.---	2,798	-	-	-	-	-	-	-	2	-	4	12	20	50	92	171	262	317	397	436	443	325	189	62	14	2
	White----M--	1,097	-	-	-	-	-	-	-	-	-	2	5	11	21	36	61	116	141	167	160	180	117	63	15	2	-
	F--	1,404	-	-	-	-	-	-	-	1	-	-	2	3	15	33	79	109	130	189	240	243	188	117	44	9	2
	Nonwhite--M--	125	-	-	-	-	-	-	-	-	-	2	1	2	3	8	17	19	18	20	17	8	6	3	1	-	-
	F--	172	-	-	-	-	-	-	-	1	-	-	4	4	11	15	14	18	28	21	19	12	14	6	2	3	-
444-447	Hypertension without mention of heart----------	401	-	-	-	-	-	-	-	-	-	1	6	9	13	17	20	28	36	45	50	61	64	33	15	1	2
	White----M--	164	-	-	-	-	-	-	-	-	-	-	2	5	4	5	7	14	17	25	16	26	24	14	4	-	1
	F--	192	-	-	-	-	-	-	-	-	-	1	1	2	7	6	6	8	16	15	31	30	39	17	11	1	1
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	2	2	3	2	1	1	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	2	1	1	3	4	4	1	2	1	4	-	2	-	-	-
450	General arteriosclerosis--------	1,005	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	20	43	64	116	200	224	196	97	32	5
	White----M--	438	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	15	21	41	57	88	79	84	42	9	-
	F--	543	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	21	21	54	106	137	111	55	23	5
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	3	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	5	-	-	-	-
451-468	Other diseases of circulatory sys.-	259	2	2	-	1	-	-	2	2	4	2	6	8	11	15	27	25	35	48	31	21	10	6	-	1	-
	White----M--	133	1	1	-	-	-	-	-	-	-	1	2	1	5	9	12	13	24	26	19	12	5	2	-	-	-
	F--	109	1	1	-	1	-	-	1	2	4	1	4	6	5	6	10	10	8	20	11	8	5	4	-	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	-	1	1	-	2	1	2	2	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	672	-	-	-	2	3	7	5	8	13	10	15	15	34	30	43	66	74	63	76	95	65	32	14	1	1
	White----M--	322	-	-	-	1	3	4	2	4	2	2	8	6	15	19	19	41	43	28	33	42	29	16	4	-	1
	F--	267	-	-	-	1	-	3	2	4	9	5	3	5	9	6	12	19	24	29	36	45	31	14	9	1	-
	Nonwhite--M--	39	-	-	-	-	-	-	1	-	-	1	2	2	4	3	7	3	4	4	1	4	1	2	-	-	-
	F--	44	-	-	-	-	-	-	-	-	2	2	2	2	6	2	5	3	3	2	6	4	4	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,250	176	33	13	8	3	21	5	14	10	12	18	23	28	50	62	69	94	128	109	142	117	78	29	7	1
	White----M--	577	66	12	6	4	-	11	-	2	3	1	7	7	14	27	33	42	52	68	59	67	52	30	11	2	1
	F--	501	52	15	5	3	2	8	4	10	4	8	8	6	5	9	14	22	31	54	45	69	61	46	15	5	-
	Nonwhite--M--	107	35	5	2	1	-	2	-	2	2	1	2	8	7	9	9	4	7	2	4	3	1	-	1	-	-
	F--	65	23	1	-	-	1	-	1	-	1	2	1	2	2	5	6	1	4	4	1	3	3	2	2	-	-
480-483	Influenza----------	104	5	1	1	-	-	3	-	3	1	2	-	1	2	2	2	5	7	12	10	18	16	6	6	1	-
	White----M--	38	1	-	1	-	-	1	-	-	-	-	-	1	1	2	2	3	2	7	3	6	6	2	-	-	-
	F--	58	2	1	-	-	-	2	-	3	1	2	-	-	1	-	-	2	3	5	7	11	9	3	5	1	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-
490-493	Pneumonia, etc.*--	1,146	171	32	12	8	3	18	5	11	9	10	18	22	26	48	60	64	87	116	99	124	101	72	23	6	1
	White----M--	539	65	12	5	4	-	10	-	2	3	1	7	6	13	25	31	39	50	61	56	61	46	28	11	2	1
	F--	443	50	14	5	3	2	6	4	7	3	6	8	6	4	9	14	20	28	49	38	58	52	43	10	4	-
	Nonwhite--M--	105	34	5	2	1	-	2	-	2	2	1	2	8	7	9	9	4	7	2	4	2	1	-	1	-	-
	F--	59	22	1	-	-	1	-	1	-	1	2	1	2	2	5	6	1	2	4	1	3	2	1	1	-	-
500-502	Bronchitis--------	89	19	5	4	-	1	2	2	-	1	1	-	1	1	1	3	8	5	6	5	4	12	6	2	-	-
	White----M--	53	13	3	1	-	1	2	-	-	1	-	-	1	1	1	1	4	5	5	3	2	5	3	1	-	-
	F--	29	2	1	2	-	-	-	2	-	-	1	-	-	-	-	1	4	-	1	2	2	7	3	1	-	-
	Nonwhite--M--	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	337	2	-	-	-	-	-	-	-	-	4	10	11	21	31	32	38	47	56	29	35	12	8	1	-	-
	White----M--	264	-	-	-	-	-	-	-	-	-	4	8	9	14	26	23	29	39	47	26	25	9	5	-	-	-
	F--	54	1	-	-	-	-	-	-	-	-	-	1	1	2	2	7	6	7	7	3	10	3	3	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	1	1	5	2	2	3	-	2	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	93	1	1	-	2	2	2	4	1	4	3	1	6	10	4	5	10	5	11	6	4	7	3	1	-	-
	White----M--	53	-	1	-	2	2	1	2	1	3	1	-	4	4	3	2	6	2	7	3	2	5	1	1	-	-
	F--	26	-	-	-	-	-	1	1	-	-	1	-	2	2	-	2	3	3	2	3	2	2	2	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	1	1	-	4	-	1	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	306	31	1	1	-	-	1	-	2	-	1	2	8	7	4	14	30	30	45	41	33	31	16	7	1	-
	White----M--	151	20	-	-	-	-	-	-	1	-	1	1	3	3	1	6	14	17	23	23	13	12	10	3	-	-
	F--	129	5	1	1	-	-	1	-	-	-	-	-	4	1	2	5	16	12	19	17	18	18	5	3	1	-
	Nonwhite--M--	14	3	-	-	-	-	-	-	1	-	-	-	-	2	1	2	-	-	2	-	1	1	1	1	-	-
	F--	12	3	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	1	1	-	-	1	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
543,	Gastritis, etc.*--	174	37	4	1	-	-	3	-	1	4	3	2	5	7	9	10	7	12	18	12	20	13	4	2	-	-
571,	White-----M--	77	15	-	1	-	-	2	-	1	2	2	1	2	4	4	5	5	6	7	3	7	7	2	1	-	-
572	F--	74	7	3	-	-	-	1	-	-	2	1	1	3	2	3	5	2	6	9	8	13	5	2	1	-	-
	Nonwhite--M--	12	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
	F--	11	6	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-
581	Cirrhosis of liver	635	2	-	-	-	-	3	1	2	-	3	12	37	44	77	93	95	93	72	46	37	14	3	-	1	-
	White-----M--	406	-	-	-	-	-	3	-	1	-	1	5	22	25	49	50	63	64	56	34	23	8	1	-	1	-
	F--	198	-	-	-	-	-	-	1	1	-	1	6	9	13	23	39	30	26	15	12	14	6	2	-	-	-
	Nonwhite--M--	17	1	-	-	-	-	-	-	-	-	-	1	1	2	4	2	2	3	1	-	-	-	-	-	-	-
	F--	14	1	-	-	-	-	-	-	-	-	1	-	5	4	1	2	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	77	-	-	1	2	-	-	3	2	5	1	2	6	8	2	6	5	5	12	4	6	6	1	-	-	-
	White-----M--	32	-	-	-	1	-	-	1	-	3	1	1	3	2	2	5	2	-	6	2	2	1	-	-	-	-
	F--	30	-	-	1	1	-	-	-	2	1	-	-	-	3	-	1	3	4	5	2	2	4	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	2	-	-	-	-	2	1	-	-	-	-	-	-	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	1	1	-	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	15	13	20	30	50	38	17	6	1	-
	White-----M--	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	13	10	20	30	46	35	17	6	1	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	4	3	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	69	...	...	...	...	...	...	-	4	9	22	15	12	6	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	54	...	...	...	...	...	...	-	2	4	18	13	10	6	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	...	...	...	...	...	...	-	2	5	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	10	...	...	...	...	...	...	-	1	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	5	...	...	...	...	...	...	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	59	...	...	...	...	...	...	-	3	5	20	13	11	6	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	49	...	...	...	...	...	...	-	2	3	17	11	9	6	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	10	...	...	...	...	...	...	-	1	2	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	555	431	29	8	5	3	9	5	6	10	4	3	2	7	6	10	3	4	3	1	4	1	-	1	-	-
	White-----M--	279	207	11	4	3	2	6	5	5	4	2	2	2	3	3	7	3	2	1	1	4	1	-	1	-	-
	F--	236	194	17	3	2	1	1	-	1	3	2	1	-	3	2	3	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	21	16	1	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	14	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,630	1,629	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	832	831	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	533	533	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	812	812	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	427	427	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	735	734	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	361	360	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	243	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	125	10	1	1	1	-	2	-	-	1	1	-	3	1	4	8	6	7	4	12	10	17	18	14	3	1
795	White-----M--	66	5	-	1	-	-	1	-	-	-	-	-	1	-	3	6	5	4	3	8	8	9	8	2	1	1
	F--	49	2	1	-	-	-	1	-	-	-	1	-	1	1	1	1	1	3	1	4	1	7	9	12	2	-
	Nonwhite--M--	9	3	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	1,832	71	19	7	4	5	20	8	15	22	42	41	68	96	102	119	183	233	227	195	165	109	49	27	4	1
sid-	White-----M--	938	34	8	4	2	2	11	3	10	6	19	20	31	38	44	66	106	132	132	97	95	50	15	11	1	1
ual	F--	745	24	10	2	1	2	8	4	2	12	16	17	25	48	39	37	70	93	79	87	67	54	29	16	3	-
	Nonwhite--M--	78	8	-	-	-	-	-	-	-	3	6	2	5	2	10	10	3	5	12	5	2	3	2	-	-	-
	F--	71	5	1	1	1	1	1	1	3	1	1	2	7	8	9	6	4	3	4	6	1	2	3	-	-	-
E800-	Accidents----------	2,322	64	34	20	20	20	55	47	86	110	130	125	101	135	134	141	168	169	157	145	154	167	95	35	9	1
E962	White-----M--	1,409	31	21	9	11	14	36	25	67	79	95	90	74	97	85	93	116	111	97	80	76	60	31	10	1	-
	F--	665	16	6	8	6	3	12	7	10	18	10	15	16	12	25	30	41	42	56	59	74	104	61	25	8	1
	Nonwhite--M--	179	12	3	3	1	-	4	13	6	13	20	14	8	17	16	13	11	14	3	2	2	2	2	-	-	-
	F--	69	5	4	-	2	3	3	2	3	-	5	6	3	9	8	5	-	2	1	4	2	1	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	740	3	5	6	6	7	20	11	42	61	73	60	43	46	43	59	62	52	50	45	26	12	6	1	1	-
	White-----M--	514	1	2	4	2	5	16	4	30	49	57	43	34	32	27	37	41	32	33	29	19	10	5	1	1	-
	F--	142	1	1	2	3	1	3	5	7	5	4	9	4	2	12	15	17	13	16	14	5	2	1	-	-	-
	Nonwhite--M--	65	1	2	-	-	-	1	1	2	7	10	6	4	10	2	5	4	7	1	1	1	-	-	-	-	-
	F--	19	-	-	-	1	1	-	1	3	-	2	2	1	2	2	2	-	-	-	1	1	-	-	-	-	-
E800-	All ot. accidents-	1,582	61	29	14	14	13	35	36	44	49	57	65	58	89	91	82	106	117	107	100	128	155	89	34	8	1
E802,	White-----M--	895	30	19	5	9	9	20	21	37	30	38	47	40	65	58	56	75	79	64	51	57	50	26	9	-	-
E840-	F--	523	15	5	6	3	2	9	2	3	13	6	6	12	10	13	15	24	29	40	45	69	102	60	25	8	1
E962	Nonwhite--M--	114	11	1	3	1	-	3	12	4	6	10	8	4	7	14	8	7	7	2	1	1	2	2	-	-	-
	F--	50	5	4	-	1	2	3	1	-	-	3	4	2	7	6	3	-	2	1	3	1	1	1	-	-	-
E963,	Suicide----------	511	-	-	-	-	-	-	-	7	15	34	34	39	45	51	61	66	43	51	26	13	15	9	2	-	-
E970-	White-----M--	354	-	-	-	-	-	-	-	3	8	20	22	22	29	40	40	46	33	44	19	10	10	6	2	-	-
E979	F--	138	-	-	-	-	-	-	-	3	4	13	10	16	14	8	16	20	10	7	7	3	4	3	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	3	1	2	1	2	1	4	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	128	6	1	-	-	-	-	1	10	14	18	15	15	10	11	10	8	4	2	2	-	1	-	-	-	-
E980-	White-----M--	48	2	-	-	-	-	-	-	5	6	4	4	3	5	6	2	5	3	1	1	-	1	-	-	-	-
E985	F--	27	3	-	-	-	-	-	1	2	1	1	4	3	2	2	3	2	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	36	-	1	-	-	-	-	-	2	4	10	6	6	2	2	2	1	-	-	-	-	-	-	-	-	-
	F--	17	1	-	-	-	-	-	-	1	3	3	1	3	1	1	3	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO																										
	ALL CAUSES	5,614	1,310	133	66	36	26	76	53	100	123	154	162	149	181	227	259	294	365	405	384	432	337	201	112	18	11
	White---M	2,918	580	37	21	13	12	35	30	51	58	70	85	75	96	131	167	179	229	250	218	237	180	98	57	3	6
	F	1,976	485	48	22	10	9	26	12	31	39	46	47	56	70	82	67	95	112	128	139	169	132	86	48	12	3
	Nonwhite--M	376	132	26	9	4	3	7	6	8	10	18	18	10	9	3	14	12	15	15	17	11	15	8	4	1	1
	F	344	113	22	14	9	2	8	5	10	16	20	12	8	6	11	11	8	9	12	10	15	10	7	3	2	1
001-019	Tuberculosis all forms	208	9	7	4	4	2	4	2	8	14	18	12	17	15	12	24	14	11	10	7	10	3	-	-	-	1
	White---M	84	1	-	-	-	1	-	-	1	5	3	2	4	6	6	15	14	7	6	5	5	2	-	-	-	1
	F	63	3	2	-	-	-	3	-	2	3	8	8	7	6	6	4	-	4	2	1	4	-	-	-	-	-
	Nonwhite--M	28	3	1	2	-	-	-	1	4	1	2	1	3	2	-	3	-	-	2	-	1	-	-	-	-	-
	F	35	2	4	2	4	1	1	1	1	5	5	1	3	1	-	2	-	-	-	1	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	180	5	2	2	2	1	2	1	6	12	16	12	16	14	12	24	13	11	10	7	9	2	-	-	-	1
	White---M	79	1	-	-	-	-	-	-	-	5	3	2	4	6	6	15	13	7	6	5	4	1	-	-	-	1
	F	55	1	-	-	-	2	-	1	3	8	8	6	5	6	4	-	4	2	1	4	-	-	-	-	-	-
	Nonwhite--M	20	2	-	1	-	-	-	4	-	1	1	3	2	-	3	-	-	2	-	1	-	-	-	-	-	-
	F	26	1	2	1	2	1	-	1	1	4	4	1	3	1	-	2	-	-	-	1	-	1	-	-	-	-
010-019	Tuberculosis, other forms	28	4	5	2	2	1	2	1	2	2	2	-	1	1	-	-	1	-	-	-	1	1	-	-	-	-
	White---M	5	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	F	8	2	2	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	1	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	1	2	1	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	28	2	-	-	-	-	-	-	1	1	-	-	1	-	6	3	3	6	2	1	2	-	-	-	-	-
	White---M	18	2	-	-	-	-	-	-	1	-	-	-	1	-	5	1	2	5	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	29	22	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	White---M	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	16	13	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	6	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	White---M	4	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	27	18	3	3	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White---M	11	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	8	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	12	-	1	2	2	1	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	6	-	-	-	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	16	4	5	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	3	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	22	5	1	-	-	1	1	-	-	3	2	-	1	1	-	-	1	3	1	1	1	-	-	-	-	-
	White---M	10	3	-	-	-	1	1	-	-	-	2	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
140-205	Malignant neoplasms, etc.*----	542	2	1	1	-	1	7	4	5	4	10	14	14	25	31	46	59	75	75	58	45	44	15	6	-	-
	White-----M--	280	2	-	-	-	-	2	3	2	-	3	5	7	6	13	22	26	36	48	30	21	19	10	5	-	-
	F--	254	-	1	1	-	1	5	1	2	4	4	7	6	19	16	22	30	34	23	28	23	23	3	1	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	3	2	-	-	1	1	2	3	2	-	1	1	1	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	2	2	-	1	1	1	-	-	-
140-148	Of buccal cavity and pharynx------	14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	1	-	4	1	-	1	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	3	1	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	201	-	-	-	-	-	-	-	-	-	1	5	5	7	11	17	29	19	37	26	17	21	5	1	-	-
	White-----M--	108	-	-	-	-	-	-	-	-	-	1	2	3	4	6	12	13	10	26	13	5	10	2	1	-	-
	F--	85	-	-	-	-	-	-	-	-	-	-	2	2	3	5	5	14	7	10	13	11	10	3	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
160-164	Of respiratory system----------	42	-	-	-	-	-	-	-	-	-	-	-	-	4	5	4	7	7	6	6	2	1	-	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	6	4	5	2	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	32	-	-	-	-	-	-	-	-	-	-	-	2	1	-	9	3	8	3	3	2	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	1	1	-	9	3	8	3	3	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	105	-	-	-	-	-	-	-	2	1	4	5	2	8	4	5	8	14	11	13	8	10	7	3	-	-
	White-----M--	40	-	-	-	-	-	-	-	1	-	2	2	1	-	-	1	2	4	5	6	4	4	6	2	-	-
	F--	58	-	-	-	-	-	-	-	-	1	-	3	1	8	4	2	6	9	6	7	4	6	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	20	-	-	-	-	-	1	-	-	-	-	1	-	-	3	-	1	4	3	2	1	4	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	2	1	-	-	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	78	1	-	-	-	1	2	2	1	1	1	2	5	2	5	6	8	11	7	6	8	5	3	1	-	-
	White-----M--	42	1	-	-	-	-	-	1	-	-	-	1	3	-	1	4	3	9	5	3	5	3	2	1	-	-
	F--	30	-	-	-	-	1	2	1	1	1	1	-	2	2	2	2	5	2	-	3	3	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
204	Leukemia and aleukemia----------	31	1	1	1	-	-	4	2	2	1	2	-	-	2	-	2	2	4	4	-	3	-	-	-	-	-
	White-----M--	14	1	-	-	-	-	2	2	1	-	-	-	-	1	-	1	1	2	3	-	1	-	-	-	-	-
	F--	17	-	1	1	-	-	2	-	1	1	2	-	-	1	-	2	1	2	1	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	19	-	-	-	-	-	-	-	1	1	1	-	1	2	2	1	5	3	1	-	1	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	1	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	2	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	22	-	-	-	-	-	-	-	-	-	-	2	6	2	1	1	-	1	3	2	2	1	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	2	4	2	1	-	-	-	1	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	55	-	-	-	-	-	-	1	-	1	1	1	2	1	2	6	5	6	7	8	5	5	3	1	-	-
	White-----M--	26	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	3	4	6	2	2	2	1	1	-	-
	F--	27	-	-	-	-	-	-	-	-	1	-	1	2	1	1	3	2	2	1	6	3	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
290-293	Anemias----------	13	1	-	-	-	1	-	1	-	-	1	-	1	-	-	-	1	2	-	1	2	-	2	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	11	1	-	-	-	1	-	1	-	-	1	-	1	-	-	-	1	1	-	1	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	12	4	2	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	5	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	1,560	7	-	-	2	1	8	8	6	14	14	17	31	43	67	94	112	155	196	196	252	161	110	57	6	3
	White-----M--	911	2	-	-	1	1	3	5	3	3	5	8	18	25	39	70	72	107	109	119	148	92	50	28	1	2
	F--	578	2	-	-	1	-	3	3	2	9	8	4	11	13	26	18	35	39	81	70	97	66	57	27	5	1
	Nonwhite--M--	35	3	-	-	-	-	-	-	-	-	-	2	1	1	-	4	3	6	3	5	3	3	1	-	-	-
	F--	36	-	-	-	-	-	2	-	1	2	1	3	1	4	2	2	2	3	3	2	4	-	2	2	-	-
330-334, 400-468	Diseases of cardiovascular system-	1,495	6	-	-	2	1	6	7	3	13	12	15	29	39	65	91	106	154	191	190	243	155	107	54	4	2
	White-----M--	875	2	-	-	1	1	2	4	1	2	5	7	16	22	38	69	68	106	106	116	143	89	49	26	1	1
	F--	553	2	-	-	1	-	2	3	1	9	6	4	11	12	25	17	33	39	79	67	93	63	55	27	3	1
	Nonwhite--M--	34	2	-	-	-	-	-	-	-	-	-	2	1	1	-	4	3	6	3	5	3	3	1	-	-	-
	F--	33	-	-	-	-	-	2	-	1	2	1	2	1	4	2	1	2	3	3	2	4	-	2	1	-	-
330-334	Vascular lesions, etc.*----------	285	1	-	-	1	-	-	1	-	1	4	4	6	9	6	10	12	41	39	37	50	29	19	14	-	1
	White-----M--	155	-	-	-	-	-	-	1	-	-	2	-	3	6	-	6	4	28	19	22	29	21	8	6	-	-
	F--	120	1	-	-	1	-	-	-	1	2	2	3	-	5	3	7	13	20	15	20	7	11	8	-	1	
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-	-	-	-
400-402	Rheumatic fever---	14	-	-	-	1	-	4	5	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	1	-	2	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
410-443	Diseases of heart	1,082	3	-	-	-	1	2	1	3	7	7	10	22	27	58	79	86	105	143	142	169	105	74	32	3	1
	White----M--	651	-	-	-	-	1	-	1	1	1	3	6	13	14	38	62	60	73	81	86	101	58	35	16	-	1
	F--	378	1	-	-	-	-	1	-	1	4	3	2	7	11	19	13	24	25	56	49	63	45	36	15	3	-
	Nonwhite--M--	27	2	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	3	5	2	2	1	-	-	-
	F--	26	-	-	-	-	-	1	-	1	2	1	2	1	2	1	1	1	2	3	2	3	-	2	1	-	-
410-416	Chronic rheumatic heart disease----	75	-	-	-	-	-	1	1	2	6	2	4	7	5	5	9	5	5	6	6	3	3	3	2	-	-
	White----M--	31	-	-	-	-	-	-	1	1	1	-	2	3	1	2	5	3	2	2	3	2	1	2	-	-	-
	F--	35	-	-	-	-	-	1	-	-	4	2	2	2	4	3	3	2	1	4	2	1	2	1	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	612	-	-	-	-	-	-	-	-	-	1	5	8	11	41	52	60	68	80	78	96	64	33	12	2	1
	White----M--	408	-	-	-	-	-	-	-	-	-	1	3	8	8	33	44	44	52	45	55	56	38	14	6	-	1
	F--	178	-	-	-	-	-	-	-	-	-	-	-	-	2	7	6	12	13	31	21	37	25	16	6	2	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	2	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	2	1	1	-	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	175	1	-	-	-	-	-	-	1	-	3	-	1	5	5	5	12	15	24	19	29	19	23	13	-	-
	White----M--	102	-	-	-	-	-	-	-	-	-	2	-	-	2	1	5	9	10	13	13	18	9	11	9	-	-
	F--	66	-	-	-	-	-	-	-	1	-	1	-	1	3	4	-	3	5	9	3	11	9	12	4	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
430-434	Other diseases of heart---------	84	2	-	-	-	1	1	-	-	-	1	-	4	3	2	5	4	3	16	15	15	6	4	2	-	-
	White----M--	44	-	-	-	-	1	-	-	-	-	-	-	2	1	-	3	2	2	13	5	10	4	1	-	-	-
	F--	36	1	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	1	3	9	5	2	3	2	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	136	-	-	-	-	-	-	-	-	1	-	1	2	3	5	8	7	14	17	24	26	13	11	3	1	-
	White----M--	66	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	2	7	8	10	15	6	7	1	-	-
	F--	63	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	5	5	9	14	9	7	4	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-
444-447	Hypertension without mention of heart----------	28	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	3	2	1	3	5	3	6	1	-	-
	White----M--	14	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	1	3	1	3	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	2	2	2	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis---------	61	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	6	16	17	7	6	1	-
	White----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	8	8	2	4	1	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	7	9	5	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	25	2	-	-	-	-	-	-	-	3	-	-	1	2	-	1	2	2	4	2	3	1	1	1	-	-
	White----M--	15	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	2	1	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	1	-	1	-	1	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	65	1	-	-	-	-	2	1	3	1	2	2	2	4	2	3	6	1	5	6	9	6	3	3	2	1
	White----M--	36	-	-	-	-	-	1	1	2	1	-	1	2	3	1	1	4	1	3	3	5	3	1	2	-	1
	F--	25	-	-	-	-	-	1	-	1	-	2	-	-	1	1	1	2	-	2	3	4	3	2	-	2	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
480-493	Influenza and pneumonia, etc.*-	306	144	20	7	9	5	3	3	2	2	3	3	5	3	13	2	6	6	8	12	13	13	10	12	2	-
	White----M--	118	56	3	2	2	2	-	-	-	-	1	2	-	3	6	1	3	4	4	2	7	7	5	8	-	-
	F--	121	53	10	1	2	3	2	2	1	2	-	1	4	-	5	1	2	1	3	7	6	5	4	4	2	-
	Nonwhite--M--	32	16	4	3	3	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-
	F--	35	19	3	1	2	-	1	1	-	-	2	-	1	-	2	-	1	-	-	1	-	-	1	-	-	-
480-483	Influenza---------	23	12	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	1	2	2	1	-	-	-
	White----M--	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
	F--	12	5	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	283	132	20	7	9	5	3	3	2	2	3	2	5	3	10	2	6	5	8	11	11	11	9	12	2	-
	White----M--	111	53	3	2	2	2	-	-	-	-	1	2	-	3	6	1	3	3	4	2	6	6	4	8	-	-
	F--	109	48	10	1	2	3	2	2	1	2	-	-	4	-	2	1	2	1	3	6	5	4	4	4	2	-
	Nonwhite--M--	30	14	4	3	3	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-
	F--	33	17	3	1	2	-	1	1	-	-	2	-	1	-	2	-	1	-	-	1	-	-	1	-	-	-
500-502	Bronchitis---------	19	5	4	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	2	2	-	-	-	-	-
	White----M--	12	1	4	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	2	2	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	23	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	1	6	2	2	1	-	-	-	-
	White----M--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	4	2	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	17	-	1	-	1	1	2	1	1	-	-	2	-	2	2	-	1	-	1	1	1	-	-	-	-	-
	White----M--	14	-	1	-	1	-	2	1	1	-	-	1	-	2	2	-	1	-	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	34	7	-	-	-	-	1	-	-	1	-	1	-	2	1	1	7	-	1	4	3	4	1	-	-	-
	White----M--	15	3	-	-	-	-	1	-	-	1	-	1	-	-	1	1	3	-	-	2	-	2	-	-	-	-
	F--	18	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	1	1	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
543, 571, 572	Gastritis, etc.*--	211	165	23	11	1	-	2	-	-	-	-	-	1	-	-	-	-	1	1	1	1	2	1	-	-	1
	White-----M--	64	54	3	3	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	1	-	2	1	-	-	1
	F--	78	58	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	39	30	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-	-
	F--	30	23	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	38	-	-	-	-	-	-	-	-	-	2	3	-	5	3	2	6	8	2	1	2	1	3	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	2	2	-	2	3	2	4	5	1	1	2	1	3	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	17	-	1	1	-	-	2	3	-	-	2	1	-	-	3	1	1	1	-	1	-	-	-	-	-	-
	White-----M--	6	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	9	-	-	1	-	-	1	1	-	-	1	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	5	4	4	2	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	3	3	4	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	31	...	...	...	...	...	...	-	3	7	11	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	...	...	...	...	...	...	-	1	6	8	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	5	...	...	...	...	...	...	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689, 750-759	All other complications-------	26	...	...	...	...	...	...	-	2	7	11	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	...	...	...	...	...	...	-	1	6	8	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Congenital malformations-------	126	112	2	3	-	-	1	1	1	1	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	64	56	-	1	-	-	1	1	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	49	43	2	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	590	585	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	293	293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	226	223	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	28	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	335	330	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	140	137	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	588	150	20	6	5	3	4	4	7	6	6	8	9	11	23	16	23	31	38	43	48	61	35	20	8	3
	White-----M--	272	58	8	1	1	1	1	2	1	1	1	2	3	7	12	10	12	16	30	22	23	34	15	8	2	1
	F--	154	47	3	2	1	-	1	-	1	1	-	2	4	4	8	3	5	10	3	11	11	13	13	8	3	-
	Nonwhite--M--	80	23	7	-	1	2	2	1	2	1	1	2	2	-	1	-	3	2	3	6	3	8	4	4	1	1
	F--	82	22	2	3	2	-	-	1	3	3	4	2	-	-	2	3	3	3	2	4	11	6	3	-	2	1
Residual	All other diseases	287	26	11	5	2	1	7	2	8	7	7	8	10	15	16	15	22	21	30	23	21	18	7	4	1	-
	White-----M--	153	16	4	3	2	1	4	2	3	4	3	-	4	6	6	11	11	13	21	14	11	10	4	-	-	-
	F--	111	7	7	1	-	-	1	-	5	2	4	4	6	7	7	4	10	8	6	8	10	8	2	3	1	-
	Nonwhite--M--	10	3	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	1	-	4	-	1	3	-	-	-	2	1	-	-	-	-	1	-	-
E800-E962	Accidents----------	636	37	23	17	9	6	25	21	49	53	62	67	36	39	29	32	23	28	15	13	13	16	9	10	1	3
	White-----M--	411	12	12	9	4	3	14	15	34	41	44	47	28	27	23	20	17	20	9	7	8	6	5	5	-	1
	F--	141	20	4	4	4	2	6	4	12	4	8	9	5	8	5	8	4	5	2	4	4	8	3	5	1	2
	Nonwhite--M--	54	1	3	2	-	1	1	1	1	6	7	10	2	4	-	3	2	2	3	2	1	1	1	-	-	-
	F--	30	4	4	2	1	-	4	1	2	2	3	1	1	-	1	1	-	1	1	-	-	1	-	-	-	-
E810-E835	Motor-vehicle accidents---------	322	4	8	9	2	3	8	7	33	34	43	39	21	23	12	19	18	15	8	5	6	1	2	-	-	2
	White-----M--	226	-	5	5	2	2	4	3	22	26	29	31	17	15	11	12	14	14	5	3	4	1	1	-	-	-
	F--	56	3	-	2	-	1	2	3	10	3	7	3	3	6	1	4	2	1	1	1	1	-	-	-	-	2
	Nonwhite--M--	29	-	2	1	-	-	1	-	-	4	5	5	1	2	-	2	2	-	1	1	1	-	1	-	-	-
	F--	11	1	1	1	-	-	1	1	1	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	314	33	15	8	7	3	17	14	16	19	19	28	15	16	17	13	5	13	7	8	7	15	7	10	1	1
	White-----M--	185	12	7	4	2	1	10	12	12	15	15	16	11	12	12	8	3	6	4	4	4	5	4	5	-	1
	F--	85	17	4	2	4	1	4	1	2	1	1	6	2	2	4	4	2	4	1	3	3	8	3	5	1	-
	Nonwhite--M--	25	1	1	1	-	1	-	1	1	2	2	5	1	2	-	1	-	2	2	1	-	1	-	-	-	-
	F--	19	3	3	1	1	-	3	-	1	1	1	1	1	-	1	-	-	1	-	-	-	1	-	-	-	-
E963, E970-E979	Suicide----------	67	-	-	-	-	-	-	-	3	5	4	13	1	10	10	11	3	4	1	1	-	1	-	-	-	-
	White-----M--	51	-	-	-	-	-	-	-	1	2	2	9	1	8	9	9	3	4	1	1	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	2	2	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	40	2	-	-	-	-	-	1	4	2	9	5	6	2	2	1	2	2	1	-	-	1	-	-	-	-
	White-----M--	20	1	-	-	-	-	-	-	3	-	1	3	4	1	1	1	2	2	1	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	1	1	2	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK																										
	ALL CAUSES	158,498	7,444	460	338	259	229	610	416	767	1,163	1,538	1,996	2,931	4,698	6,761	10.573	14,020	17,702	20,425	20,331	18,859	14,697	8,248	3,230	660	133
	White----M	61,892	3,615	203	157	127	114	334	244	429	637	649	865	1,338	2,362	3,654	5,925	8,390	10,434	11,507	10,649	9,014	6,384	3,409	1,187	207	58
	F	66,868	2,724	180	136	100	90	214	125	213	310	504	722	1,026	1,637	2,305	3,609	4,750	6,407	8,116	9,044	9,385	8,079	4,708	1,979	443	62
	Nonwhite--M	5,313	615	35	19	18	13	34	36	67	129	197	223	323	395	452	611	501	454	450	335	226	101	48	22	3	6
	F	4,415	490	42	26	14	12	28	11	58	87	188	186	244	304	350	428	379	407	352	303	234	133	83	42	7	7
001-019	Tuberculosis all forms	3,488	14	24	11	15	8	10	12	42	113	212	242	267	330	293	386	399	377	278	225	127	71	24	7	1	-
	White----M	1,912	3	8	1	4	4	5	4	6	32	46	72	105	137	163	257	272	290	203	158	78	45	15	4	-	-
	F	742	5	9	3	7	3	3	3	10	27	66	71	67	90	63	51	61	41	45	46	38	21	9	3	-	-
	Nonwhite--M	531	4	5	-	3	-	-	3	8	29	36	59	60	74	42	61	53	42	23	15	10	3	-	-	1	-
	F	303	2	2	7	1	1	2	2	18	25	64	40	35	29	25	17	13	4	7	6	1	2	-	-	-	-
001-008	Tuberculosis of respiratory system	3,236	8	5	5	11	3	3	6	36	93	191	222	251	311	278	370	379	365	264	214	123	68	23	6	1	-
	White----M	1,817	1	2	1	3	2	3	2	4	26	40	67	102	131	154	247	261	284	197	153	76	43	14	4	-	-
	F	672	3	2	-	4	-	-	1	8	24	62	64	65	85	60	49	59	37	40	42	36	20	9	2	-	-
	Nonwhite--M	486	3	1	-	3	-	-	1	7	23	30	57	55	68	42	58	47	41	22	14	10	3	-	-	1	-
	F	261	1	-	4	1	1	-	2	17	20	59	34	29	27	22	16	12	3	5	5	1	2	-	-	-	-
010-019	Tuberculosis, other forms	252	6	19	6	4	5	7	6	6	20	21	20	16	19	15	16	20	12	14	11	4	3	1	1	-	-
	White----M	95	2	6	-	1	2	2	2	2	6	6	5	3	6	9	10	11	6	6	5	2	2	1	-	-	-
	F	70	2	7	3	3	3	3	2	2	3	4	7	2	5	3	2	2	4	5	4	2	1	-	1	-	-
	Nonwhite--M	45	1	4	-	-	-	-	2	1	6	6	2	5	6	-	3	6	1	1	1	-	-	-	-	-	-
	F	42	1	2	3	-	-	2	-	1	5	5	6	6	2	3	1	1	1	2	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	542	-	-	-	-	-	-	1	-	-	4	8	12	24	50	71	96	87	90	53	31	10	3	3	-	1
	White----M	318	-	-	-	-	-	-	1	-	-	2	1	4	5	22	42	62	66	64	28	14	4	1	1	-	1
	F	102	-	-	-	-	-	-	-	-	-	-	1	1	8	7	8	12	12	10	18	15	6	2	2	-	-
	Nonwhite--M	89	-	-	-	-	-	-	-	-	-	-	2	5	9	17	16	14	6	13	6	1	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	2	2	2	2	4	5	8	3	3	1	1	-	-	-	-	-
040	Typhoid fever	3	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	5	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	White----M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	26	5	1	1	3	-	1	-	-	-	1	1	1	2	2	2	2	2	-	-	1	1	-	-	-	-
	White----M	15	3	1	1	-	-	1	-	-	-	-	1	1	1	1	1	2	1	-	-	1	-	-	-	-	-
	F	9	2	-	-	2	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	60	7	7	3	4	4	7	-	3	1	2	2	3	2	3	4	1	2	2	2	-	1	-	-	-	-
	White----M	29	5	5	-	3	-	2	-	2	-	-	-	3	1	2	4	-	1	-	1	-	-	-	-	-	-
	F	17	2	1	2	1	1	4	-	-	1	-	1	-	-	-	-	-	1	2	-	-	1	-	-	-	-
	Nonwhite--M	6	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	1	1	-	2	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
080	Acute poliomyelitis	64	1	1	3	3	2	9	13	8	9	6	1	3	4	-	-	1	-	-	-	-	-	-	-	-	-
	White----M	38	-	1	1	2	-	7	7	4	6	3	1	1	4	-	-	1	-	-	-	-	-	-	-	-	-
	F	23	1	-	2	1	2	1	6	3	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	23	2	5	3	-	2	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	10	-	3	-	-	-	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	2	2	2	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	275	16	9	5	7	5	7	5	7	6	13	15	18	23	23	29	22	17	18	11	6	8	3	1	-	1
	White----M	128	5	7	3	4	3	1	4	1	2	3	3	8	12	8	15	13	7	9	8	4	5	3	-	-	-
	F	111	8	1	2	3	2	5	1	3	1	6	10	7	7	10	11	9	9	7	3	1	3	-	1	-	1
	Nonwhite--M	18	1	-	-	-	-	-	-	2	1	-	2	3	3	2	2	-	1	1	-	-	-	-	-	-	-
	F	18	2	1	-	-	-	1	-	1	2	4	-	-	1	3	1	-	-	1	-	1	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
140-205	Malignant neoplasms, etc.*----	27,263	17	28	30	47	56	97	52	99	101	224	319	556	1,026	1,623	2,542	3,371	3,940	4,179	3,681	2,781	1,601	670	199	20	4
	White-----M--	13,483	11	12	16	29	31	48	29	59	59	105	117	203	350	629	1,083	1,701	2,184	2,320	1,997	1,371	732	302	83	10	2
	F--	12,486	4	13	14	16	23	41	21	38	33	94	165	294	577	847	1,259	1,488	1,580	1,730	1,589	1,340	843	355	110	10	2
	Nonwhite--M--	608	1	-	-	1	1	3	2	2	7	12	9	16	36	68	99	97	84	68	52	32	13	3	2	-	-
	F--	686	1	3	-	1	1	5	-	-	2	13	28	43	63	79	101	85	92	61	43	38	13	10	4	-	-
140-148	Of buccal cavity and pharynx------	632	-	-	1	-	-	1	-	1	-	1	2	6	19	30	47	90	106	102	105	61	37	18	4	1	
	White-----M--	478	-	-	-	-	-	1	-	1	-	-	1	3	9	20	27	69	86	84	87	47	29	12	1	1	
	F--	124	-	-	1	-	-	-	-	-	-	-	1	1	4	8	16	11	18	17	17	13	8	6	3	-	
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	-	2	5	1	2	7	2	1	1	1	-	-	-	-	
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	
150-156A, 157-159	Of digestive organs and peritoneum-------	10,894	2	1	4	1	2	1	-	12	7	33	55	135	266	475	905	1,239	1,625	1,861	1,742	1,297	797	340	83	9	2
	White-----M--	5,716	2	1	3	-	2	1	-	6	4	18	18	68	114	223	457	682	919	1,071	938	649	344	158	31	5	2
	F--	4,701	-	-	1	1	-	-	-	6	1	10	31	57	123	200	373	492	630	735	751	619	439	177	51	4	-
	Nonwhite--M--	262	-	-	-	-	-	-	-	-	2	3	1	5	14	35	42	37	40	30	29	15	6	2	1	-	-
	F--	215	-	-	-	-	-	-	-	-	-	2	5	5	15	17	33	28	36	25	24	14	8	3	-	-	-
160-164	Of respiratory system----------	3,332	-	-	-	-	-	1	1	-	8	5	15	36	111	211	386	557	663	544	397	241	113	34	8	-	1
	White-----M--	2,719	-	-	-	-	-	1	1	-	4	4	8	30	84	165	294	473	576	465	333	178	77	21	5	-	-
	F--	467	-	-	-	-	-	-	-	-	4	1	7	3	16	28	59	51	65	64	57	60	36	12	3	-	1
	Nonwhite--M--	117	-	-	-	-	-	-	-	-	-	-	-	2	8	15	27	26	19	14	5	1	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	7	3	1	2	2	-	1	-	-	-
170	Of breast----------	2,746	-	-	-	-	-	-	-	-	1	15	46	102	214	267	357	370	319	319	242	245	148	66	31	3	11
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	8	5	3	2	4	1	-	-	-	-
	F--	2,601	-	-	-	-	-	-	-	-	1	13	37	94	199	251	337	355	298	308	239	235	142	61	27	3	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	112	-	-	-	-	-	-	-	-	-	2	9	8	15	13	18	10	13	6	-	8	2	4	4	-	-
171-179	Of genital organs-	3,511	-	-	-	2	-	-	2	5	15	38	44	89	159	250	324	379	433	502	491	433	236	86	20	3	-
	White-----M--	1,113	-	-	-	1	-	-	-	2	6	13	8	8	16	9	27	55	123	176	241	225	137	50	14	2	-
	F--	2,147	-	-	-	1	-	-	2	2	7	20	28	60	123	207	274	299	274	298	228	189	94	34	6	1	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	1	1	-	2	-	-	2	4	5	10	10	13	11	4	-	-	-	-
	F--	188	-	-	-	-	-	-	-	-	1	5	6	21	20	32	19	20	26	18	9	8	1	2	-	-	-
180, 181	Of urinary organs-	1,337	2	3	7	5	4	8	1	1	2	7	6	9	20	48	86	156	203	236	219	153	92	52	16	1	-
	White-----M--	871	2	3	3	2	1	4	1	-	1	3	2	2	12	36	58	102	140	168	129	100	59	28	14	1	-
	F--	423	-	-	4	2	3	3	-	1	1	3	2	5	7	10	20	48	58	60	87	51	33	24	1	-	-
	Nonwhite--M--	26	-	-	-	-	-	1	-	-	-	-	1	1	1	2	5	5	3	2	2	2	-	-	1	-	-
	F--	17	-	-	-	1	-	-	-	-	-	1	1	1	-	-	3	1	2	6	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	2,670	8	12	9	10	17	28	15	31	28	42	65	94	115	202	246	342	330	359	300	218	126	47	25	11	-
	White-----M--	1,333	5	4	4	8	11	15	5	17	19	23	33	44	56	94	111	176	176	196	157	96	51	19	13	-	-
	F--	1,183	2	7	5	1	5	10	8	13	7	13	28	42	51	86	109	141	141	154	136	114	70	27	12	11	-
	Nonwhite--M--	71	1	-	-	1	-	-	2	1	1	4	2	3	4	10	10	13	6	5	2	2	3	1	-	-	-
	F--	83	-	1	-	-	1	3	-	-	1	2	2	5	4	12	16	12	7	4	5	6	2	-	-	-	-
204	Leukemia and aleukemia----------	1,091	3	12	9	25	30	47	26	27	15	36	39	36	53	63	81	108	122	124	103	74	33	16	7	2	-
	White-----M--	608	1	4	6	16	14	22	15	18	8	20	21	17	23	33	46	64	77	76	59	41	17	7	2	1	-
	F--	446	1	6	3	9	15	21	11	9	6	12	15	16	26	29	29	41	43	47	43	33	16	9	5	1	-
	Nonwhite--M--	21	-	-	-	-	1	2	-	-	1	3	-	3	2	1	4	2	1	1	-	-	-	-	-	-	-
	F--	16	1	2	-	-	-	2	-	-	-	1	3	-	2	-	2	1	1	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	1,050	2	-	-	4	3	11	7	22	25	47	47	49	69	77	110	130	139	132	82	59	19	11	5	-	-
	White-----M--	613	1	-	-	2	3	4	7	15	17	24	26	31	36	47	61	75	79	79	50	33	14	6	3	-	-
	F--	394	1	-	-	2	-	7	-	7	6	22	16	16	28	28	42	50	53	47	31	26	5	5	2	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	2	1	3	-	2	1	5	2	3	5	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	2	2	3	1	2	3	4	1	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	544	20	3	4	4	3	6	4	3	9	20	24	30	57	49	53	64	58	44	32	20	26	8	3	-	-
	White-----M--	207	7	1	2	2	-	3	2	-	4	8	8	7	17	17	23	30	25	23	9	8	8	2	1	-	-
	F--	286	11	2	1	2	3	3	1	3	4	6	13	15	33	28	26	32	26	19	22	11	17	6	2	-	-
	Nonwhite--M--	16	1	-	1	-	-	-	1	-	1	3	-	2	-	1	-	1	3	-	1	1	-	-	-	-	-
	F--	35	1	-	-	-	-	-	-	-	-	3	3	6	7	3	4	1	4	2	-	-	1	-	-	-	-
260	Diabetes mellitus-	2,927	2	4	2	1	4	6	2	7	13	27	22	30	54	90	148	280	516	539	501	362	238	66	9	1	3
	White-----M--	1,016	1	1	1	1	3	2	-	3	11	6	12	23	39	65	107	188	197	157	109	66	21	3	-	-	-
	F--	1,766	1	3	1	-	1	4	2	3	6	13	14	11	22	35	67	150	312	330	327	246	165	43	6	1	3
	Nonwhite--M--	48	-	-	-	-	-	-	-	1	1	2	-	3	4	3	6	4	5	7	7	3	1	1	-	-	-
	F--	97	-	-	-	-	-	-	-	3	3	1	2	4	5	13	10	19	11	5	10	4	6	1	-	-	-
290-293	Anemias----------	337	9	1	3	4	2	4	6	3	4	4	4	5	8	6	16	17	33	39	45	55	46	20	3	-	-
	White-----M--	136	5	-	2	-	1	3	4	3	-	2	1	2	1	4	8	8	14	17	16	22	13	10	-	-	-
	F--	182	3	1	-	2	1	1	1	-	2	2	-	1	7	2	6	8	19	22	28	31	32	10	3	-	-
	Nonwhite--M--	8	1	-	1	1	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	F--	11	-	-	1	-	-	-	-	-	2	-	2	2	-	-	1	-	-	-	1	2	-	-	-	-	-
340	Nonmeningococcal meningitis*------	169	39	13	5	3	5	8	2	3	7	4	3	8	7	6	12	10	7	9	9	4	1	4	-	-	-
	White-----M--	91	17	7	4	2	3	7	1	3	2	2	2	2	4	3	7	5	6	4	4	4	1	1	-	-	-
	F--	44	10	3	1	1	-	1	-	-	2	2	-	3	2	1	3	4	1	3	4	-	-	3	-	-	-
	Nonwhite--M--	18	6	1	-	-	1	-	-	-	-	-	1	2	1	1	2	1	-	1	1	-	-	-	-	-	-
	F--	16	6	2	-	-	1	-	1	-	3	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	89,820	18	11	13	8	7	37	55	98	162	275	484	925	1,827	2,965	5,291	7,464	10,199	12,569	13,406	13,371	11,013	6,420	2,596	529	77
	White-----M--	46,348	9	4	4	5	2	17	25	45	72	111	226	460	1,055	1,807	3,204	4,705	6,056	6,972	6,868	6,299	4,677	2,583	946	164	32
	F--	39,463	7	5	7	2	3	16	19	36	66	103	174	306	502	824	1,594	2,316	3,652	5,071	6,121	6,749	6,162	3,733	1,600	357	38
	Nonwhite--M--	1,986	1	1	2	1	1	1	6	7	13	28	40	82	137	161	270	230	238	284	204	146	71	40	18	2	2
	F--	2,023	1	1	-	-	1	3	5	10	11	33	44	77	133	173	223	213	253	242	213	177	103	64	32	6	5
330-334, 400-468	Diseases of cardiovascular system-	88,308	17	10	8	6	4	28	45	80	128	243	442	865	1,757	2,871	5,179	7,321	10,020	12,416	13,258	13,207	10,901	6,345	2,560	522	75
	White-----M--	45,610	8	4	2	4	1	12	19	37	56	92	207	442	1,027	1,759	3,142	4,629	5,960	6,905	6,794	6,226	4,617	2,546	928	161	32
	F--	38,815	7	4	5	2	2	12	16	30	53	96	160	277	477	788	1,559	2,263	3,576	4,993	6,052	6,662	6,113	3,695	1,583	354	36
	Nonwhite--M--	1,915	1	1	1	-	1	1	5	6	11	26	36	77	127	155	257	220	234	280	202	143	70	40	17	2	2
	F--	1,968	1	1	-	-	-	3	5	7	8	29	39	69	126	169	221	209	250	238	210	176	101	64	32	5	5
330-334	Vascular lesions, etc.*----------	14,082	11	3	6	3	3	13	4	9	21	34	54	104	206	368	628	940	1,375	1,860	2,349	2,383	2,073	1,119	422	79	15
	White-----M--	5,989	3	2	1	2	1	5	1	2	6	13	20	42	80	153	260	417	669	893	1,060	990	799	409	132	25	4
	F--	7,549	6	-	4	1	2	7	3	5	8	14	27	45	92	166	312	458	637	881	1,230	1,353	1,251	699	288	53	7
	Nonwhite--M--	233	1	1	1	-	-	1	-	-	4	4	3	7	11	14	24	33	26	46	29	11	9	5	1	1	1
	F--	311	1	-	-	-	-	-	-	2	3	3	4	10	23	35	32	32	43	40	30	29	14	6	1	-	3
400-402	Rheumatic fever---	154	-	1	1	-	1	5	23	9	10	10	7	14	21	10	10	9	8	8	2	2	1	1	1	-	-
	White-----M--	69	-	1	-	-	-	-	7	3	6	6	3	2	13	3	2	7	6	7	1	1	1	-	-	-	-
	F--	67	-	-	1	-	-	3	10	4	4	3	3	10	8	6	7	1	2	1	1	1	-	1	1	-	-
	Nonwhite--M--	9	-	-	-	-	1	-	4	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	2	2	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK--Con.																										
410-443	Diseases of heart-	69,196	6	4	1	2	-	8	12	50	82	174	336	694	1,448	2,378	4,375	6,151	8,361	10,097	10,298	10,065	7,941	4,545	1,759	354	55
	White-----M--	37,287	5	-	1	2	-	5	7	31	42	63	170	380	899	1,557	2,805	4,067	5,125	5,747	5,406	4,895	3,431	1,856	650	115	28
	F--	28,809	1	3	-	-	-	2	3	12	30	72	112	203	349	575	1,169	1,734	2,835	3,938	4,564	4,912	4,370	2,600	1,066	235	24
	Nonwhite--M--	1,568	-	-	-	-	-	-	-	6	6	18	29	61	109	128	222	181	204	222	157	122	58	32	12	-	1
	F--	1,532	-	1	-	-	-	1	2	1	4	21	25	50	91	118	179	169	197	190	171	136	82	57	31	4	2
410-416	Chronic rheumatic heart disease----	2,616	-	1	-	-	-	3	9	37	62	107	145	224	292	336	375	289	268	190	112	73	63	24	4	1	1
	White-----M--	1,102	-	-	-	-	-	1	4	22	30	38	53	92	134	134	151	134	115	72	55	32	24	8	1	1	1
	F--	1,359	-	-	-	-	-	1	3	11	24	51	72	111	137	179	206	151	146	114	55	40	39	16	3	-	-
	Nonwhite--M--	68	-	-	-	-	-	-	-	3	4	6	9	6	12	10	9	2	4	2	1	-	-	-	-	-	-
	F--	87	-	1	-	-	-	1	2	1	4	12	11	15	9	13	9	2	3	2	1	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	49,084	1	-	-	1	-	1	-	3	11	21	107	318	855	1,562	3,028	4,609	6,342	7,635	7,615	7,181	5,473	2,943	1,134	209	35
	White-----M--	28,791	1	-	-	1	-	1	-	3	7	15	85	240	657	1,227	2,247	3,333	4,190	4,603	4,236	3,689	2,479	1,247	440	72	18
	F--	18,688	-	-	-	-	-	-	-	-	2	3	15	38	127	239	596	1,084	1,930	2,787	3,176	3,324	2,902	1,650	666	134	15
	Nonwhite--M--	876	-	-	-	-	-	-	-	-	2	2	4	34	43	55	114	106	115	142	99	88	43	19	9	-	1
	F--	729	-	-	-	-	-	-	-	-	-	1	3	6	28	41	71	86	107	103	104	80	49	27	19	3	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	7,501	1	1	1	-	-	2	2	3	2	14	25	28	73	108	191	299	481	783	1,083	1,375	1,428	1,034	443	109	15
	White-----M--	3,394	-	-	1	-	-	1	2	2	1	2	8	12	28	45	90	158	255	421	543	621	595	419	151	32	7
	F--	3,793	1	1	-	-	-	1	-	-	1	8	7	9	21	30	67	109	195	323	510	731	814	597	285	76	7
	Nonwhite--M--	167	-	-	-	-	-	-	-	1	-	2	8	4	17	21	18	27	18	19	14	7	5	3	3	-	-
	F--	147	-	-	-	-	-	-	-	-	-	2	2	3	7	12	16	5	13	20	16	16	14	15	4	1	1
430-434	Other diseases of heart---------	871	4	2	-	1	-	2	1	6	4	9	15	28	37	34	69	86	103	112	100	114	68	48	19	8	1
	White-----M--	482	4	-	-	1	-	2	1	3	2	3	8	10	17	19	37	55	62	71	58	64	34	21	9	1	-
	F--	342	-	2	-	-	-	-	-	1	2	3	7	13	8	12	25	27	36	38	42	48	34	27	9	7	1
	Nonwhite--M--	29	-	-	-	-	-	-	-	2	-	1	-	3	6	2	5	2	4	3	-	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	2	-	2	6	1	2	2	1	-	-	1	-	-	1	-	-
440-443	Hypertension with heart dis.--	9,124	-	-	-	-	-	-	-	1	3	23	44	96	191	338	712	868	1,167	1,377	1,388	1,322	909	496	159	27	3
	White-----M--	3,518	-	-	-	-	-	-	-	1	2	5	16	26	63	132	280	387	503	580	514	489	299	161	49	9	2
	F--	4,627	-	-	-	-	-	-	-	-	1	7	11	32	56	115	275	363	528	676	781	769	581	310	103	18	1
	Nonwhite--M--	428	-	-	-	-	-	-	-	-	-	7	8	14	31	40	76	44	63	56	43	26	10	10	-	-	-
	F--	551	-	-	-	-	-	-	-	-	-	4	9	24	41	51	81	74	73	65	50	38	19	15	7	-	-
444-447	Hypertension without mention of heart----------	1,188	-	-	-	-	-	-	-	1	4	15	25	25	52	63	83	83	97	141	149	164	145	84	47	10	-
	White-----M--	521	-	-	-	-	-	-	-	-	1	5	6	8	20	21	31	41	48	73	74	68	66	36	21	2	-
	F--	553	-	-	-	-	-	-	-	-	2	2	8	7	15	25	39	35	43	64	64	90	78	48	25	8	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	3	3	6	6	7	5	3	1	1	6	2	1	-	1	-	-
	F--	69	-	-	-	-	-	-	-	1	1	5	8	4	11	10	8	4	5	3	5	4	-	-	-	-	-
450	General arteriosclerosis--------	2,990	-	-	-	-	-	-	-	-	-	-	1	-	1	10	23	41	97	204	391	526	703	562	329	78	4
	White-----M--	1,344	-	-	-	-	-	-	-	-	-	-	1	-	-	5	16	30	55	113	205	235	302	238	125	19	-
	F--	1,585	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	9	38	80	174	277	394	340	202	57	4
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	7	8	8	2	3	2	1	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	4	4	6	5	1	-	1	-
451-468	Other diseases of circulatory sys.--	698	-	2	-	1	-	2	6	11	11	10	19	28	29	42	60	97	82	106	69	67	38	14	2	1	1
	White-----M--	400	-	1	-	-	-	2	4	1	1	5	7	10	15	20	28	67	57	72	48	37	18	7	-	-	-
	F--	252	-	1	-	1	-	-	-	9	9	5	10	12	12	14	25	26	21	29	19	29	20	7	1	1	1
	Nonwhite--M--	25	-	-	-	-	-	1	-	1	-	1	2	1	5	5	1	1	4	2	-	-	1	-	-	-	-
	F--	21	-	-	-	-	-	1	1	-	-	1	4	1	3	2	3	3	1	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	1,512	1	1	5	2	3	9	10	18	34	32	42	60	70	94	112	143	179	153	148	164	112	75	36	7	2
	White-----M--	738	1	-	2	1	1	5	6	8	16	19	19	18	28	48	62	76	96	67	74	73	60	37	18	3	-
	F--	648	-	1	2	-	1	4	3	6	13	7	14	29	25	36	35	53	76	78	69	87	49	38	17	3	2
	Nonwhite--M--	71	-	-	1	1	-	-	1	1	2	2	4	5	10	6	13	10	4	4	2	3	1	-	1	-	-
	F--	55	-	-	-	-	1	-	-	3	3	4	5	8	7	4	2	4	3	4	3	1	2	-	-	1	-
480-493	Influenza and pneumonia, etc.*-	4,441	440	97	63	34	19	44	17	30	32	33	69	102	121	162	217	267	356	430	473	513	442	318	119	34	9
	White-----M--	2,239	209	41	31	15	5	26	12	15	13	10	25	43	64	93	112	174	202	253	244	246	211	140	40	13	2
	F--	1,738	138	37	22	15	9	15	5	8	12	6	25	27	34	33	58	70	118	156	203	253	220	173	75	21	5
	Nonwhite--M--	294	52	9	5	1	4	-	-	5	6	10	14	20	16	27	39	15	21	13	17	10	7	-	1	-	2
	F--	170	41	10	5	3	1	3	-	2	1	7	5	12	7	9	8	8	15	8	9	4	4	5	3	-	-
480-483	Influenza---------	380	7	8	1	2	1	6	-	3	3	4	8	6	10	11	16	21	28	29	46	39	59	50	16	5	1
	White-----M--	192	5	5	1	1	-	4	-	3	1	2	4	2	6	7	7	13	15	15	24	20	25	25	4	3	-
	F--	172	2	1	-	1	1	1	-	-	1	1	3	4	4	1	8	7	11	14	22	19	33	24	11	2	1
	Nonwhite--M--	9	-	1	-	-	-	-	-	-	1	1	-	-	-	3	1	1	1	-	-	-	1	-	-	-	-
	F--	7	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-
490-493	Pneumonia, etc.*--	4,061	433	89	62	32	18	38	17	27	29	29	61	96	111	151	201	246	328	401	427	474	383	268	103	29	8
	White-----M--	2,047	204	36	30	14	5	22	12	12	12	8	21	41	58	86	105	161	187	238	220	226	186	115	36	10	2
	F--	1,566	136	36	22	14	8	14	5	8	11	5	22	23	30	32	50	63	107	142	181	234	187	149	64	19	4
	Nonwhite--M--	285	52	8	5	1	4	-	-	5	5	9	14	20	16	24	38	15	20	13	17	10	6	-	1	-	2
	F--	163	41	9	5	3	1	2	-	2	1	7	4	12	7	9	8	7	14	8	9	4	4	4	2	-	-
500-502	Bronchitis--------	251	39	14	6	3	3	2	2	1	2	2	1	3	4	5	12	19	17	26	28	28	19	12	2	1	-
	White-----M--	156	20	6	3	2	1	-	1	1	1	-	1	1	1	1	8	17	16	22	20	16	8	8	2	-	-
	F--	75	10	7	2	1	2	2	-	-	1	2	-	1	3	1	4	1	1	3	7	11	11	4	-	1	-
	Nonwhite--M--	12	6	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-
	F--	8	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	1,113	2	-	-	1	-	-	-	-	5	7	16	33	60	82	107	160	169	178	121	93	55	18	5	1	-
	White-----M--	862	-	-	-	1	-	-	-	-	3	7	14	24	52	69	89	122	136	132	91	65	38	14	4	1	-
	F--	206	1	-	-	-	-	-	-	-	1	-	1	7	3	11	12	27	26	41	27	27	17	4	1	-	-
	Nonwhite--M--	33	1	-	-	-	-	-	-	-	-	-	-	1	4	2	3	11	5	3	2	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	1	1	1	-	3	-	2	2	1	-	-	-	-	-	-
550-553	Appendicitis------	282	-	2	4	5	6	12	6	11	4	7	4	18	11	21	30	16	34	31	28	13	9	6	1	-	1
	White-----M--	157	-	2	2	2	1	6	3	5	3	2	1	12	8	14	15	11	22	18	13	8	4	4	-	-	1
	F--	99	-	-	2	2	4	4	3	5	1	1	2	3	2	4	8	7	12	12	14	5	5	2	1	-	-
	Nonwhite--M--	16	-	-	-	1	1	1	-	1	-	2	-	2	-	3	4	-	-	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	2	1	1	1	-	3	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	837	73	4	1	-	-	3	1	3	6	7	11	11	16	35	57	68	91	104	109	104	77	41	14	1	-
	White-----M--	439	46	2	1	-	-	1	-	1	5	3	2	4	6	16	29	38	55	63	55	49	40	16	7	-	-
	F--	341	20	-	-	-	-	1	1	1	1	3	6	4	8	15	17	22	33	38	49	53	37	24	7	1	-
	Nonwhite--M--	37	6	2	-	-	-	-	-	1	-	1	2	2	2	-	7	4	2	1	4	2	-	1	-	-	-
	F--	20	1	-	-	-	-	1	-	-	-	-	1	1	-	4	4	4	1	2	1	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
543,	Gastritis, etc.*--	500	98	9	3	3	1	3	4	7	8	16	15	16	18	22	20	30	43	54	39	39	36	10	4	2	-
571,	White-----M--	232	55	5	2	2	1	1	1	4	-	2	8	9	9	8	12	16	20	28	20	12	13	2	2	-	-
572	F--	246	27	4	1	1	-	2	2	3	8	12	6	7	9	13	8	14	23	26	19	26	23	8	2	2	-
	Nonwhite--M--	13	10	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	9	6	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	2,101	3	1	-	1	-	-	2	3	10	16	68	104	183	239	322	306	292	235	137	97	59	17	4	1	1
	White-----M--	1,208	1	-	-	1	-	-	1	1	1	5	24	45	99	137	177	200	185	152	83	59	29	5	2	-	1
	F--	734	2	1	-	-	-	-	1	2	5	6	29	42	55	76	110	98	99	75	52	37	29	12	2	1	-
	Nonwhite--M--	86	-	-	-	-	-	-	-	-	1	2	6	6	19	13	23	5	5	5	-	1	-	-	-	-	-
	F--	73	-	-	-	-	-	-	-	-	3	3	9	11	10	13	12	3	3	3	2	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	169	2	-	4	3	7	7	4	2	10	3	5	12	6	11	11	18	13	12	13	13	9	1	3	-	-
	White-----M--	88	-	-	1	1	4	3	2	1	8	-	3	6	3	6	6	9	5	9	7	6	5	1	2	-	-
	F--	67	2	-	2	2	3	3	2	1	2	2	1	1	3	5	4	7	7	2	6	7	4	-	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	7	-	-	1	-	-	-	-	-	-	1	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	606	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	19	47	86	136	116	103	63	21	2	2
	White-----M--	585	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	16	45	81	132	111	102	63	21	2	2
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	4	5	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	165	...	...	...	...	...	...	-	11	27	54	29	26	16	-	2	-	-	-	-	-	-	-	-	-	-
	White-----F--	124	...	...	...	...	...	...	-	8	22	37	20	20	15	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	41	...	...	...	...	...	...	-	3	5	17	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	22	...	...	...	...	...	...	-	2	2	7	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	11	...	...	...	...	...	...	-	1	2	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	...	...	...	...	...	...	-	1	-	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	143	...	...	...	...	...	...	-	9	25	47	23	24	13	-	2	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	113	...	...	...	...	...	...	-	7	20	36	16	19	13	-	2	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	30	...	...	...	...	...	...	-	2	5	11	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,660	1,249	69	38	23	13	35	28	16	19	17	16	14	22	24	23	19	12	10	6	3	3	-	-	-	1
	White-----M--	796	607	30	18	8	5	19	13	11	7	5	4	6	12	9	12	8	8	6	4	2	2	-	-	-	-
	F--	735	546	31	19	13	6	14	14	4	9	12	9	5	8	11	10	11	4	4	2	1	1	-	-	-	1
	Nonwhite--M--	66	47	3	-	1	2	2	1	-	2	-	2	-	1	4	1	-	-	-	-	-	-	-	-	-	-
	F--	63	49	5	1	1	-	-	-	1	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	4,888	4,886	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,365	2,364	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,746	1,745	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	439	439	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	338	338	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	2,359	2,359	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,193	1,193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	819	819	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	292	292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied-------------	2,237	2,235	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,037	1,036	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	825	824	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	972	81	17	5	3	5	8	4	27	43	52	40	76	83	81	52	68	58	54	37	36	52	36	29	17	8
795	White-----M--	468	46	6	1	1	3	5	2	11	14	17	11	24	37	47	30	42	41	33	24	17	25	14	10	5	2
	F--	352	20	7	3	2	2	2	-	3	14	12	19	30	25	27	19	22	14	18	11	17	27	21	19	12	6
	Nonwhite--M--	104	7	-	1	-	-	-	1	9	10	16	7	18	15	7	2	3	1	3	1	2	-	1	-	-	-
	F--	48	8	4	-	-	-	1	1	4	5	7	3	4	6	-	1	1	2	-	1	-	-	-	-	-	-
Re-	All other diseases	5,694	214	54	37	19	27	68	32	54	70	105	155	203	300	367	496	610	669	714	596	424	285	127	54	9	5
sid-	White-----M--	2,984	101	21	15	10	16	36	20	27	27	44	64	82	140	172	273	349	396	424	332	209	143	61	17	2	3
ual	F--	2,328	84	23	19	7	11	27	10	18	26	43	68	86	119	151	180	229	244	278	249	207	139	66	35	7	2
	Nonwhite--M--	217	12	5	1	1	-	3	2	5	10	8	16	20	23	29	24	21	19	5	9	2	1	-	1	-	-
	F--	165	17	5	2	1	-	2	-	4	7	10	7	15	18	15	19	11	10	7	6	6	2	-	1	-	-
E800-	Accidents---------	7,444	185	79	91	64	49	223	146	280	409	307	317	324	334	409	471	508	516	576	529	554	500	364	152	41	16
E962	White-----M--	4,453	88	39	48	31	31	133	104	203	329	209	207	205	232	272	327	351	355	365	291	254	189	129	42	10	9
	F--	2,388	65	27	29	20	13	61	27	51	46	47	54	54	60	84	100	123	139	193	223	293	307	230	108	30	4
	Nonwhite--M--	448	20	6	7	7	2	22	14	16	24	42	43	57	29	49	34	25	18	11	9	7	3	2	-	-	1
	F--	155	12	7	7	6	3	7	1	10	10	9	13	8	13	4	10	9	4	7	6	-	1	3	2	1	2
E810-	Motor-vehicle																										
E835	accidents---------	2,244	5	14	22	20	22	104	49	165	240	159	147	120	99	160	145	153	169	147	117	100	52	26	5	2	2
	White-----M--	1,575	3	3	15	15	16	68	38	120	198	114	105	86	67	107	103	99	113	94	82	73	35	18	2	-	1
	F--	521	2	11	6	3	5	25	10	34	28	24	28	24	20	41	31	48	52	47	32	23	16	6	3	2	-
	Nonwhite--M--	111	-	-	1	1	1	9	1	3	10	19	10	10	9	10	8	3	3	4	2	4	1	1	-	-	1
	F--	37	-	-	-	1	-	2	-	8	4	2	4	-	3	2	3	3	1	2	1	-	-	1	-	-	-
E800-	All ot. accidents-	5,200	180	65	69	44	27	119	97	115	169	148	170	204	235	249	326	355	347	429	412	454	448	338	147	39	14
E802,	White-----M--	2,878	85	36	33	16	15	65	66	83	131	95	102	119	165	165	224	252	242	271	209	181	154	111	40	10	8
E840-	F--	1,867	63	16	23	17	8	36	17	17	18	23	26	30	40	43	69	75	87	146	191	270	291	224	105	28	4
E962	Nonwhite--M--	337	20	6	6	6	1	13	13	13	14	23	33	47	20	39	26	22	15	7	7	3	2	1	-	-	-
	F--	118	12	7	7	5	3	5	1	2	6	7	9	8	10	2	7	6	3	5	5	-	1	2	2	1	2
E963,	Suicide-----------	1,430	-	-	-	-	-	-	8	29	47	71	81	88	121	165	160	163	134	142	107	66	30	16	1	-	1
E970-	White-----M--	993	-	-	-	-	-	-	6	17	32	39	50	58	79	107	110	118	100	108	82	50	23	13	-	-	1
E979	F--	370	-	-	-	-	-	-	-	9	11	19	26	26	37	53	42	37	31	30	23	15	7	3	1	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	2	2	3	10	2	1	3	5	5	5	2	4	2	1	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	1	1	3	3	3	2	-	3	3	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	375	15	2	1	1	-	4	8	20	46	48	45	43	37	24	30	19	13	5	6	2	2	1	-	-	3
E980-	White-----M--	128	8	-	-	1	-	2	1	9	14	12	13	11	10	5	8	13	10	3	4	-	1	1	-	-	2
E985	F--	69	6	1	-	-	-	1	6	4	7	6	6	6	6	2	10	1	2	1	1	2	1	-	-	-	-
	Nonwhite--M--	138	-	-	1	-	-	-	1	6	20	23	16	18	18	16	11	5	-	1	1	-	-	-	-	-	1
	F--	40	1	1	-	-	-	1	-	1	5	7	10	8	3	1	1	-	1	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA																										
	ALL CAUSES--------	31,371	3,630	267	137	123	97	300	214	382	558	651	803	1,053	1,277	1,559	2,086	2,320	2,782	3,235	3,278	2,968	1,976	1,013	471	126	65
	White-----M--	12,338	1,112	79	47	34	37	99	87	162	240	245	280	364	468	626	804	960	1,177	1,316	1,390	1,285	882	411	175	50	8
	F--	8,591	772	67	31	33	24	83	41	62	87	109	144	225	254	300	435	511	650	907	1,158	1,164	820	434	224	42	14
	Nonwhite--M--	5,733	973	68	38	31	20	67	51	89	140	160	194	243	298	347	481	480	540	547	392	282	153	83	30	14	12
	F--	4,709	773	53	21	25	16	51	35	69	91	137	185	221	257	286	366	369	415	465	338	237	121	85	42	20	31
001-019	Tuberculosis all forms--------	627	4	5	4	2	-	3	6	20	44	49	70	65	49	47	56	54	48	37	33	18	7	4	-	1	1
	White-----M--	159	1	-	2	-	-	-	-	-	3	6	9	13	12	21	17	19	19	14	14	5	4	-	-	-	-
	F--	106	-	2	1	1	-	-	-	1	8	11	8	8	7	4	5	5	8	10	12	10	3	2	-	-	-
	Nonwhite--M--	205	1	1	1	-	-	2	2	6	12	13	22	27	23	17	27	19	15	9	3	1	-	-	-	1	1
	F--	157	2	2	-	1	-	1	4	11	21	19	31	17	7	5	7	11	6	4	4	2	-	2	-	-	-
001-008	Tuberculosis of respiratory system----------	577	2	1	2	1	-	1	5	19	41	48	65	62	47	44	51	51	44	35	31	15	6	4	-	1	1
	White-----M--	148	-	-	1	-	-	-	-	-	3	6	9	13	11	19	16	19	19	13	13	3	3	-	-	-	-
	F--	94	-	-	-	-	-	-	-	1	7	11	7	8	7	3	5	5	6	9	11	9	3	2	-	-	-
	Nonwhite--M--	184	-	-	1	-	-	1	1	8	10	12	21	24	22	17	23	16	13	9	3	1	-	-	-	1	1
	F--	151	2	1	-	1	-	-	4	10	21	19	28	17	7	5	7	11	6	4	4	2	-	2	-	-	-
010-019	Tuberculosis, other forms------	50	2	4	2	1	-	2	1	1	3	1	5	3	2	3	5	3	4	2	2	3	1	-	-	-	-
	White-----M--	11	1	-	1	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	2	1	-	-	-	-
	F--	12	-	2	1	1	-	-	-	-	1	-	1	-	-	1	-	-	2	1	1	1	-	-	-	-	-
	Nonwhite--M--	21	1	1	-	-	-	1	1	-	2	1	1	3	1	-	4	3	2	-	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis, and its sequelae---------	122	7	-	-	-	-	-	-	-	1	3	5	5	11	14	17	22	12	12	7	4	-	1	-	-	1
	White-----M--	25	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	3	2	6	5	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	3	-	1	-	-	-
	Nonwhite--M--	63	3	-	-	-	-	-	-	-	1	1	5	4	8	6	10	14	7	3	-	1	-	-	-	-	-
	F--	22	4	-	-	-	-	-	-	-	-	1	-	1	2	4	2	3	2	2	-	-	-	-	-	-	1
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	22	8	1	1	-	2	-	-	1	-	-	1	-	-	-	1	2	1	2	-	1	-	1	-	-	-
	White-----M--	5	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	9	3	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*-----------	10	1	1	-	-	-	1	1	1	-	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	5	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	19	-	2	3	7	1	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	1	2	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	53	40	8	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	22	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	41	5	6	6	4	-	6	-	2	2	-	-	3	1	3	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	16	2	5	4	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	12	1	1	2	1	-	2	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	3	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis-----------	10	-	1	-	1	1	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----------	6	-	1	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	9	1	1	-	-	1	-	1	-	-	-	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria-----------	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	118	14	4	2	5	4	10	3	3	5	3	7	4	12	8	6	6	7	6	3	2	2	1	1	-	-
	White-----M--	39	3	1	1	-	1	3	1	1	1	1	3	1	5	1	3	3	4	2	2	-	1	-	1	-	-
	F--	31	5	-	-	4	-	3	2	1	-	1	-	1	1	3	1	1	2	4	-	1	-	1	-	-	-
	Nonwhite--M--	28	3	2	1	1	2	2	-	-	2	1	2	1	2	4	1	1	-	-	1	1	1	-	-	-	-
	F--	20	3	1	-	-	1	2	-	1	2	-	2	1	4	-	1	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*----	3,305	5	6	10	13	13	30	16	22	27	25	80	115	158	259	355	381	396	430	380	298	186	70	25	3	2
	White-----M--	1,236	3	2	5	9	6	19	8	7	14	11	19	25	37	76	110	131	159	177	155	140	80	32	9	1	1
	F--	1,313	1	1	4	3	4	8	4	5	7	7	33	62	76	108	144	151	142	154	153	122	79	31	12	2	-
	Nonwhite--M--	315	1	1	1	1	-	-	-	6	2	1	4	7	8	23	42	50	45	46	38	18	14	4	2	-	1
	F--	441	-	2	-	-	3	3	4	4	4	6	24	21	37	52	59	49	50	53	34	18	13	3	2	-	-
140-148	Of buccal cavity and pharynx------	95	1	-	1	-	-	-	1	-	-	1	-	5	8	2	9	12	18	9	13	4	5	3	3	-	-
	White-----M--	50	-	-	1	-	-	-	-	-	-	1	-	2	4	-	5	9	10	5	6	2	2	1	2	-	-
	F--	30	1	-	-	-	-	-	1	-	-	-	-	2	1	1	3	1	6	3	4	2	2	2	1	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	2	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,007	1	-	-	-	-	-	1	-	5	3	11	27	26	67	90	121	130	158	139	118	80	21	8	-	1
	White-----M--	404	-	-	-	-	-	-	1	-	3	2	4	8	12	23	35	37	54	68	56	56	37	8	-	-	-
	F--	352	-	-	-	-	-	-	-	-	1	1	5	13	4	20	27	47	36	50	53	47	32	11	5	-	-
	Nonwhite--M--	145	1	-	-	-	-	-	-	-	-	-	-	3	5	9	19	22	21	25	20	10	6	2	1	-	1
	F--	106	-	-	-	-	-	-	-	-	1	-	2	3	5	15	9	15	19	15	10	5	5	-	2	-	-
160-164	Of respiratory system----------	277	-	-	-	-	-	1	-	1	1	1	2	5	15	33	39	50	41	40	25	12	6	4	-	-	1
	White-----M--	190	-	-	-	-	-	-	-	1	1	1	1	4	7	23	25	37	34	25	19	7	1	3	-	-	1
	F--	52	-	-	-	-	-	1	-	-	-	-	1	1	6	7	6	6	2	9	3	4	5	1	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	6	5	2	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	4	2	-	-	-	-	-	-
170	Of breast----------	307	-	-	-	-	-	-	-	-	-	-	3	5	22	31	43	52	32	25	28	32	23	7	3	1	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
	F--	222	-	-	-	-	-	-	-	-	-	-	1	2	18	21	31	37	23	19	20	22	19	6	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	80	-	-	-	-	-	-	-	-	-	-	2	3	4	10	12	14	9	6	7	7	4	1	1	-	-
171-179	Of genital organs-	723	-	-	-	-	-	1	-	2	3	7	30	29	47	56	83	76	76	94	85	66	41	21	6	-	-
	White-----M--	171	-	-	-	-	-	-	-	1	1	1	2	2	3	3	5	4	10	25	33	39	23	15	4	-	-
	F--	335	-	-	-	-	-	1	-	-	-	2	15	16	29	36	48	45	43	39	31	16	9	4	1	-	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	11	8	13	11	4	4	-	1	-	-
	F--	161	-	-	-	-	-	-	-	1	2	4	13	11	15	16	27	16	15	17	10	7	5	2	-	-	-
180, 181	Of urinary organs-	140	-	-	1	1	-	3	-	-	1	-	-	2	4	6	20	14	15	18	23	18	9	4	1	-	-
	White-----M--	68	-	-	1	-	-	1	-	-	-	-	-	-	1	2	10	9	11	8	8	12	4	1	-	-	-
	F--	48	-	-	-	1	-	2	-	-	1	-	-	-	1	-	-	5	2	2	9	11	6	4	3	1	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	1	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-	3	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	455	2	-	5	6	7	9	6	6	6	6	15	15	13	31	42	48	59	54	38	38	27	13	6	3	-
	White-----M--	197	2	-	1	4	3	7	2	2	3	3	6	6	4	15	19	22	21	28	16	15	10	4	3	1	-
	F--	173	-	-	3	1	2	1	1	2	1	2	5	4	7	7	12	18	26	15	19	20	14	8	3	2	-
	Nonwhite--M--	39	-	-	1	1	-	-	-	2	2	1	2	2	-	5	7	2	6	2	2	2	1	1	-	-	-
	F--	46	-	-	-	2	1	3	-	-	-	2	3	2	4	4	6	6	9	1	1	2	-	-	-	-	-
204	Leukemia and aleukemia----------	172	1	6	3	8	6	11	7	7	6	2	8	5	8	7	11	11	20	17	11	9	9	1	-	-	-
	White-----M--	82	1	2	2	5	3	7	4	2	2	1	3	2	2	2	6	4	9	11	6	5	3	-	-	-	-
	F--	59	-	1	1	1	2	2	2	1	3	1	3	3	6	1	4	4	7	4	5	3	5	-	-	-	-
	Nonwhite--M--	13	-	1	-	-	-	2	-	-	-	-	-	-	-	2	-	3	1	1	-	1	1	1	-	-	-
	F--	18	-	2	-	-	1	2	1	2	1	-	2	-	-	2	1	-	3	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	129	-	-	-	-	-	5	1	6	5	2	9	5	6	14	9	17	12	12	14	10	2	-	-	-	-
	White-----M--	70	-	-	-	-	-	4	1	1	4	2	3	1	4	8	4	9	10	6	9	4	-	-	-	-	-
	F--	42	-	-	-	-	-	1	-	2	1	-	2	4	2	5	2	5	1	5	5	5	2	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	2	-	-	2	-	-	1	2	2	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	126	2	2	1	2	-	3	1	1	3	9	13	11	17	11	15	5	5	8	9	4	2	1	1	-	-
	White-----M--	36	-	-	1	1	-	1	-	-	-	3	2	1	3	4	3	3	2	4	4	3	1	-	-	-	-
	F--	39	1	1	-	-	-	1	1	-	1	5	-	1	7	3	8	1	-	3	4	1	-	1	-	-	-
	Nonwhite--M--	11	1	1	-	1	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	1	-	1	-	-
	F--	40	-	-	-	-	-	1	-	1	2	1	10	8	6	3	2	1	3	1	1	-	-	-	-	-	-
260	Diabetes mellitus-	385	-	-	-	-	1	-	-	4	5	10	6	9	11	15	28	36	48	73	55	40	28	15	1	-	-
	White-----M--	123	-	-	-	-	-	-	-	-	1	2	3	2	3	2	9	13	18	18	21	14	9	7	1	-	-
	F--	161	-	-	-	-	1	-	-	4	3	2	2	2	2	7	6	9	17	35	31	18	15	7	-	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	1	1	1	4	1	4	4	4	5	4	5	2	3	1	-	-	-	-
	F--	65	-	-	-	-	-	-	-	-	-	5	-	1	5	2	9	9	9	15	1	5	3	1	-	-	-
290-293	Anemias----------	77	6	1	1	2	1	2	3	4	5	2	2	2	2	3	2	3	4	8	7	6	9	1	-	-	1
	White-----M--	22	1	1	1	-	1	-	-	1	2	-	-	-	-	-	-	-	2	2	3	3	4	-	-	-	1
	F--	25	-	-	-	1	-	2	-	-	1	1	1	-	2	-	2	-	2	4	4	1	4	-	-	-	-
	Nonwhite--M--	13	5	-	-	-	-	-	1	1	-	1	-	1	-	1	-	1	-	1	-	-	-	1	-	-	-
	F--	17	-	-	-	1	-	-	2	2	2	-	1	1	-	2	-	2	-	1	-	2	1	-	-	-	-
340	Nonmeningococcal meningitis*------	46	18	4	-	1	2	1	4	-	1	1	-	1	1	2	3	1	1	2	2	1	-	-	-	-	-
	White-----M--	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
	F--	9	1	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	18	7	-	-	1	1	-	2	-	1	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-
	F--	11	6	2	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	16,122	16	7	3	7	5	23	21	36	56	124	180	380	591	820	1,185	1,420	1,854	2,222	2,344	2,198	1,424	759	319	91	37
	White-----M--	6,649	2	2	2	2	-	6	4	12	15	37	44	126	204	334	485	604	783	922	997	954	649	307	114	39	5
	F--	4,555	6	1	-	2	3	3	5	10	18	27	37	64	97	117	195	265	397	577	798	852	579	317	150	28	7
	Nonwhite--M--	2,595	4	3	1	1	2	6	8	7	10	28	46	92	145	192	276	301	372	382	294	210	113	66	21	8	7
	F--	2,323	4	1	-	2	-	8	4	7	13	32	53	98	145	177	229	250	302	341	255	182	83	69	34	16	18
330-334, 400-468	Diseases of cardiovascular system-	15,501	16	7	1	6	5	21	19	28	48	102	169	351	558	791	1,144	1,363	1,778	2,151	2,276	2,124	1,377	737	307	85	37
	White-----M--	6,457	2	2	-	1	-	5	4	9	13	30	39	116	196	329	472	584	758	906	974	932	627	305	112	36	5
	F--	4,402	6	1	-	2	3	3	3	7	14	23	36	60	94	113	189	258	383	563	779	818	560	307	145	28	7
	Nonwhite--M--	2,454	4	3	1	1	2	5	8	6	8	23	45	89	137	180	266	284	349	362	278	200	108	61	20	7	7
	F--	2,188	4	1	-	2	-	8	4	6	13	26	49	86	131	169	217	237	288	320	245	174	82	64	30	14	18
330-334	Vascular lesions, etc.*----------	4,152	2	2	1	1	2	1	1	5	9	21	33	76	124	196	279	343	486	631	674	601	393	169	74	20	8
	White-----M--	1,444	-	-	-	-	-	1	1	2	1	5	4	21	24	56	68	109	153	227	246	259	161	67	28	10	1
	F--	1,315	1	-	-	1	2	-	-	-	2	8	6	12	31	43	66	75	117	180	265	230	157	78	34	5	2
	Nonwhite--M--	676	1	2	1	-	-	-	-	3	1	6	14	19	33	48	75	77	108	107	74	49	46	8	2	2	-
	F--	717	-	-	-	-	-	-	-	-	5	2	9	24	36	49	70	82	108	117	89	63	29	16	10	3	5
400-402	Rheumatic fever---	59	-	1	-	3	3	15	9	4	3	3	7	3	1	1	-	1	2	1	-	1	-	1	-	-	-
	White-----M--	13	-	-	-	-	-	4	2	-	2	1	1	-	1	1	-	-	-	-	1	-	-	1	-	-	-
	F--	21	-	-	-	1	1	3	1	2	1	1	4	2	-	-	-	1	2	1	-	-	-	1	-	-	-
	Nonwhite--M--	14	-	1	-	1	2	4	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	1	-	4	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
410-443	Diseases of heart-	10,338	13	4	-	2	-	5	8	19	33	68	112	247	396	557	822	955	1,219	1,426	1,494	1,363	856	486	184	48	21
	White-----M--	4,648	2	2	-	1	-	-	1	7	9	22	31	90	165	262	385	459	576	643	685	601	414	196	72	21	4
	F--	2,763	4	1	-	-	-	-	1	5	10	12	23	41	53	67	116	170	254	361	480	526	342	200	80	14	3
	Nonwhite--M--	1,592	3	-	-	-	-	1	5	2	6	13	22	63	91	122	181	187	220	233	185	131	55	47	15	4	6
	F--	1,335	4	1	-	1	-	4	1	5	8	21	36	53	87	106	140	139	169	189	144	105	45	43	17	9	8
410-416	Chronic rheumatic heart disease----	348	-	-	-	-	-	5	6	9	11	16	15	34	29	23	33	26	35	19	26	32	10	9	7	3	-
	White-----M--	135	-	-	-	-	-	-	1	2	4	5	6	12	4	9	11	7	17	10	15	19	6	4	3	-	-
	F--	121	-	-	-	-	-	-	1	4	5	6	6	11	13	8	12	12	7	5	8	10	3	4	3	3	-
	Nonwhite--M--	49	-	-	-	-	-	1	3	-	-	1	1	8	6	2	5	5	7	4	3	3	-	-	-	-	-
	F--	43	-	-	-	-	-	4	1	3	2	4	2	3	6	4	5	2	4	-	-	-	1	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	5,092	3	-	-	1	-	-	-	2	6	21	35	107	195	309	448	542	653	748	757	617	364	199	65	15	5
	White-----M--	2,847	-	-	-	1	-	-	-	1	2	8	13	61	118	189	283	334	399	420	398	304	188	87	32	8	1
	F--	1,323	1	-	-	-	-	-	-	-	1	2	9	11	15	32	51	88	143	195	263	253	144	82	27	4	2
	Nonwhite--M--	536	-	-	-	-	-	-	-	1	2	6	4	19	37	56	72	79	66	69	47	35	22	18	2	-	1
	F--	386	2	-	-	-	-	-	-	-	1	5	9	16	25	32	42	41	45	64	49	25	10	12	4	3	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,354	-	2	-	-	-	-	1	2	3	8	13	18	21	32	54	95	116	167	189	258	192	114	52	14	3
	White-----M--	513	-	-	-	-	-	-	-	1	2	1	3	4	5	11	17	32	31	65	70	116	92	43	14	6	-
	F--	430	-	1	-	-	-	-	-	-	-	1	2	2	3	5	8	13	26	44	64	96	77	57	26	4	1
	Nonwhite--M--	216	-	-	-	-	-	-	1	1	1	2	3	6	8	10	16	24	32	34	31	23	10	8	5	1	-
	F--	195	-	1	-	-	-	-	-	-	-	4	5	6	5	6	13	26	27	24	24	23	13	6	7	3	2
430-434	Other diseases of heart---------	898	10	2	-	1	-	-	-	5	13	12	24	28	59	59	84	84	107	122	94	94	52	32	10	4	2
	White-----M--	366	2	2	-	-	-	-	-	2	1	8	6	8	26	34	31	30	46	51	36	39	27	15	1	1	-
	F--	186	3	-	-	-	-	-	-	1	4	-	3	3	7	4	15	13	22	24	20	29	18	12	7	1	-
	Nonwhite--M--	195	3	-	-	-	-	-	-	-	3	2	6	9	16	12	18	30	22	28	23	16	3	1	2	1	-
	F--	151	2	-	-	1	-	-	-	2	5	2	9	8	10	9	20	11	17	19	15	10	4	4	-	1	2
440-443	Hypertension with heart dis.---	2,646	-	-	-	-	-	-	1	1	-	11	25	60	92	134	203	208	308	370	428	362	238	132	50	12	11
	White-----M--	787	-	-	-	-	-	-	-	1	-	-	3	5	12	19	43	56	83	97	166	123	101	47	22	6	3
	F--	703	-	-	-	-	-	-	-	-	-	-	3	14	15	18	30	44	56	93	125	138	100	45	17	2	-
	Nonwhite--M--	596	-	-	-	-	-	-	1	-	-	2	8	21	24	42	70	49	93	98	81	54	20	20	6	2	5
	F--	560	-	-	-	-	-	-	-	-	-	6	11	20	41	55	60	59	76	82	56	47	17	20	5	2	3
444-447	Hypertension without mention of heart----------	327	-	-	-	-	-	-	1	-	1	5	10	18	26	27	20	34	25	28	30	42	21	20	11	3	3
	White-----M--	98	-	-	-	-	-	-	-	-	-	2	-	3	5	7	7	10	7	7	8	16	10	10	3	3	-
	F--	87	-	-	-	-	-	-	1	-	-	-	1	2	7	3	5	6	4	8	10	19	9	6	6	-	-
	Nonwhite--M--	80	-	-	-	-	-	-	-	-	1	2	6	6	10	6	6	10	11	7	8	5	-	2	-	-	-
	F--	62	-	-	-	-	-	-	-	-	-	1	3	7	6	11	2	8	3	6	4	2	2	2	2	-	3
450	General arteriosclerosis-------	475	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	15	23	48	57	105	100	58	36	14	5
	White-----M--	185	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	8	19	23	49	39	31	8	2	-
	F--	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	9	21	41	48	20	24	9	2
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	8	12	7	11	7	4	3	1	1
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	8	6	4	6	3	1	2	2
451-468	Other diseases of circulatory sys.-	150	1	-	-	-	-	-	-	-	2	5	7	7	8	5	15	15	23	17	21	12	7	3	2	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	1	-	3	2	1	1	9	5	14	10	12	6	3	1	1	-	-
	F--	36	1	-	-	-	-	-	-	-	1	2	2	3	3	-	2	3	3	4	3	2	4	2	1	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	2	2	-	2	3	1	4	2	3	4	4	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	-	2	2	1	3	3	4	-	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	621	-	-	2	1	-	2	2	8	8	22	11	29	33	29	41	57	76	71	68	74	47	22	12	6	-
	White-----M--	192	-	-	2	1	-	1	-	3	2	7	5	10	8	5	13	20	25	16	23	22	22	2	2	3	-
	F--	153	-	-	-	-	-	-	2	3	4	4	1	4	3	4	6	7	14	14	19	34	19	10	5	-	-
	Nonwhite--M--	141	-	-	-	-	-	1	-	1	2	5	1	3	8	12	10	17	23	20	16	10	5	5	1	1	-
	F--	135	-	-	-	-	-	-	-	1	-	6	4	12	14	8	12	13	14	21	10	8	1	5	4	2	-
480-493	Influenza and pneumonia, etc.*-	1,246	414	65	16	11	4	16	14	16	11	15	19	29	30	29	39	43	47	68	84	95	81	44	40	12	4
	White-----M--	339	79	13	5	1	2	4	4	6	1	4	3	7	10	2	11	14	13	19	27	38	34	21	16	5	-
	F--	332	69	15	2	5	-	7	6	2	1	1	3	10	7	6	8	8	11	18	36	36	37	17	23	3	1
	Nonwhite--M--	287	136	17	6	4	1	4	2	2	4	3	5	3	9	11	11	10	13	15	9	12	4	3	-	3	-
	F--	288	130	20	3	1	1	1	2	6	5	7	8	9	4	10	9	11	10	16	12	9	6	3	1	1	3
480-483	Influenza----------	179	38	8	3	-	1	6	2	1	4	3	6	3	4	5	7	5	8	11	12	24	16	5	6	1	-
	White-----M--	46	6	4	-	-	-	2	1	1	1	1	1	-	2	-	1	1	2	3	4	8	5	1	2	-	-
	F--	56	10	1	1	-	-	2	-	-	1	1	1	1	-	1	3	2	2	2	4	10	7	3	4	-	-
	Nonwhite--M--	43	12	1	1	-	1	2	1	-	-	1	3	2	1	2	1	1	3	3	2	4	1	-	-	1	-
	F--	34	10	2	1	-	-	-	-	-	2	-	1	-	1	2	2	1	1	3	2	2	3	1	-	-	-
490-493	Pneumonia, etc.*--	1,067	376	57	13	11	3	10	12	15	7	12	13	26	26	24	32	38	39	57	72	71	65	39	34	11	4
	White-----M--	293	73	9	5	1	2	2	3	5	-	3	2	7	8	2	10	13	11	16	23	30	29	20	14	5	-
	F--	276	59	14	1	5	-	5	6	2	-	-	2	9	7	5	5	6	9	16	32	26	30	14	19	3	1
	Nonwhite--M--	244	124	16	5	4	-	2	1	2	4	2	2	1	8	9	10	9	10	12	7	8	3	3	-	2	-
	F--	254	120	18	2	1	1	1	2	6	3	7	7	9	3	8	7	10	9	13	10	7	3	2	1	1	3
500-502	Bronchitis---------	65	24	7	5	1	-	-	1	-	1	-	-	1	1	-	1	3	5	3	4	5	3	-	-	-	-
	White-----M--	20	3	4	3	1	-	-	-	-	-	-	-	-	1	-	-	-	4	1	1	1	1	-	-	-	-
	F--	20	3	1	1	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	2	4	2	-	-	-	-
	Nonwhite--M--	15	12	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum----	117	-	-	-	-	-	-	-	1	-	1	4	8	6	12	19	19	16	9	7	10	1	2	2	-	-
	White-----M--	72	-	-	-	-	-	-	-	1	-	-	3	7	4	8	10	10	10	5	6	5	1	1	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	4	2	2	-	4	-	-	1	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	1	1	1	4	6	5	4	2	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
550-553	Appendicitis------	65	-	-	1	2	-	4	5	3	3	4	2	6	3	1	6	6	3	4	6	5	1	-	-	-	-
	White-----M--	19	-	-	-	-	-	2	2	1	1	2	-	2	1	-	1	1	-	1	3	2	-	-	-	-	-
	F--	12	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	2	-	1	1	2	1	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	3	1	1	-	-	3	2	-	3	3	-	1	-	1	-	-	-	-	-
	F--	16	-	-	-	1	-	-	-	1	1	2	2	1	-	1	1	-	3	1	2	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	174	26	2	1	-	1	1	-	3	1	2	6	10	7	13	13	10	12	19	16	11	13	6	1	-	-
	White-----M--	58	9	1	1	-	-	-	-	-	-	-	-	1	2	4	5	3	4	5	6	6	9	2	1	-	-
	F--	45	8	-	-	-	-	1	-	1	-	-	-	2	-	1	3	1	3	9	5	5	3	3	-	-	-
	Nonwhite--M--	40	4	1	-	-	1	-	-	1	1	1	5	1	3	3	5	4	2	3	3	-	1	1	-	-	-
	F--	30	5	-	-	-	-	-	-	1	-	1	1	6	2	5	-	2	3	2	2	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
543, 571, 572	Gastritis, etc.*--	278	204	21	13	1	3	2	2	2	1	-	1	1	4	2	2	2	2	8	3	2	1	1	-	-	-
	White-----M--	66	39	7	2	-	1	1	1	1	-	-	-	-	1	1	1	2	-	4	2	-	1	-	-	-	-
	F--	39	25	6	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	100	78	5	4	1	1	1	1	-	-	-	-	1	2	1	1	-	1	3	-	-	-	-	-	-	-
	F--	73	62	3	4	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	202	-	1	-	-	-	1	-	2	1	3	8	13	24	26	33	22	19	14	21	12	1	1	-	-	-
	White-----M--	113	-	-	-	-	-	-	-	-	1	1	2	6	12	18	21	13	14	10	7	6	1	1	-	-	-
	F--	51	-	1	-	-	-	-	-	1	-	1	4	5	7	5	4	4	3	1	10	5	-	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	1	-	-	-	-	1	-	½	2	7	3	2	3	2	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	2	-	-	2	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	84	-	-	1	1	1	6	-	4	1	5	4	5	4	4	5	4	7	9	8	6	4	4	1	-	-
	White-----M--	21	-	-	1	-	-	1	-	1	-	1	-	2	1	1	-	-	2	3	3	2	2	1	-	-	-
	F--	21	-	-	-	1	-	1	-	1	-	2	1	1	-	2	-	1	-	2	1	2	2	3	1	-	-
	Nonwhite--M--	23	-	-	-	-	1	2	-	1	-	-	1	2	2	1	2	1	5	2	2	1	-	-	-	-	-
	F--	19	-	-	-	-	-	2	-	1	1	2	2	-	1	-	3	2	-	2	2	1	-	-	-	-	-
610	Hyperplasia of prostate---------	113	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	9	18	21	25	15	9	10	-	1
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7	13	22	13	7	10	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	11	8	3	2	2	-	-	1
640-689	Complications of pregnancy, etc.*-	123	...	...	...	...	...	...	1	14	19	26	27	27	7	1	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	36	...	...	...	...	...	...	-	2	6	5	9	9	4	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	87	...	...	...	...	...	...	1	12	13	21	18	18	3	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	12	...	...	...	...	...	...	-	1	3	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	...	...	...	...	...	...	-	1	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	111	...	...	...	...	...	...	1	13	16	24	25	24	6	1	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	34	...	...	...	...	...	...	-	2	5	5	9	9	3	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	77	...	...	...	...	...	...	1	11	11	19	16	15	3	1	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	519	410	28	7	7	3	10	10	7	5	7	6	1	3	5	4	2	1	-	2	1	-	-	-	-	-
	White-----M--	213	162	11	2	2	2	6	5	4	3	4	4	-	1	1	2	1	1	-	2	-	-	-	-	-	-
	F--	186	145	11	5	3	1	1	2	3	2	2	2	1	2	2	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	72	61	3	-	1	-	2	2	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	48	42	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,955	1,955	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	677	677	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	422	422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	486	486	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	370	370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	653	653	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,168	1,168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	373	373	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	237	237	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	297	297	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	771	208	13	5	3	-	5	3	2	6	8	14	20	20	26	42	41	59	59	48	43	56	41	25	12	12
	White-----M--	206	46	5	1	-	-	-	2	-	1	1	1	6	12	6	11	15	18	12	18	9	19	15	7	1	-
	F--	165	33	1	1	2	-	-	-	-	1	1	-	1	2	2	5	4	11	9	12	18	22	20	11	7	2
	Nonwhite--M--	226	73	6	2	-	-	3	1	1	-	3	6	8	3	12	12	11	23	27	10	10	7	3	3	1	1
	F--	174	56	1	1	1	-	2	-	1	4	3	7	5	3	6	14	11	7	11	8	6	8	3	4	3	9
Residual	All other diseases	1,430	103	22	14	14	13	30	23	31	26	49	59	76	89	72	98	108	115	128	137	98	75	28	14	5	3
	White-----M--	541	31	6	5	5	6	7	6	9	7	10	23	23	40	37	28	48	53	51	61	37	29	12	3	3	1
	F--	448	27	6	3	-	4	8	6	8	3	16	17	21	15	12	21	35	34	52	55	44	36	13	10	1	1
	Nonwhite--M--	254	25	7	4	3	2	10	3	10	8	10	13	18	17	14	29	17	15	15	11	13	6	1	1	1	1
	F--	187	20	3	2	6	1	5	8	4	8	13	6	14	17	9	20	8	13	10	10	4	4	2	-	-	-
E800-E962	Accidents----------	2,495	154	57	40	37	39	127	95	170	271	216	202	179	157	130	103	86	81	85	67	75	65	24	31	1	3
	White-----M--	1,281	43	17	10	11	15	40	53	106	176	134	130	102	87	77	51	48	40	46	27	28	23	4	12	-	1
	F--	444	22	16	7	5	8	39	11	19	26	18	20	27	14	18	19	12	10	18	28	35	36	17	16	1	2
	Nonwhite--M--	562	44	15	13	11	8	28	23	35	60	56	42	39	45	30	27	22	25	18	9	6	3	1	2	-	-
	F--	208	45	9	10	10	8	20	8	10	9	8	10	11	11	5	6	4	6	3	3	6	3	2	1	-	-
E810-E835	Motor-vehicle accidents--------	1,159	9	19	11	10	16	70	39	96	193	138	112	94	80	64	54	40	40	32	21	15	6	-	-	-	-
	White-----M--	690	6	10	4	3	10	25	22	61	131	88	73	54	45	38	24	23	22	24	10	12	5	-	-	-	-
	F--	179	2	7	3	2	3	28	4	16	20	14	12	14	7	10	13	7	5	4	7	1	-	-	-	-	-
	Nonwhite--M--	241	-	1	3	2	2	9	8	16	40	33	23	22	24	14	14	9	11	4	3	2	1	-	-	-	-
	F--	49	1	1	1	3	1	8	5	3	2	3	4	4	4	2	3	1	2	-	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,336	145	38	29	27	23	57	56	74	78	78	90	85	77	66	49	46	41	53	46	60	59	24	31	1	3
	White-----M--	591	37	7	6	8	5	15	31	45	45	46	57	48	42	39	27	25	18	22	17	16	18	4	12	-	1
	F--	265	20	9	4	3	5	11	7	3	6	4	8	13	7	8	6	5	5	14	21	34	36	17	16	1	2
	Nonwhite--M--	321	44	14	10	9	6	19	15	19	20	23	19	17	21	16	13	13	14	14	6	4	2	1	2	-	-
	F--	159	44	8	9	7	7	12	3	7	7	5	6	7	7	3	3	3	4	3	2	6	3	2	1	-	-
E963, E970-E979	Suicide----------	292	-	-	-	-	-	-	1	9	18	28	33	33	34	27	34	24	26	7	11	6	1	-	-	-	-
	White-----M--	219	-	-	-	-	-	-	-	7	8	17	26	25	21	23	27	21	22	4	11	6	1	-	-	-	-
	F--	40	-	-	-	-	-	-	-	1	5	6	4	4	8	3	3	1	4	1	-	-	-	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	1	1	1	4	4	2	4	3	1	4	2	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	2	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	336	3	1	-	1	1	5	2	23	43	59	53	44	34	29	12	15	3	3	2	2	-	-	-	-	1
	White-----M--	68	1	-	-	-	-	2	1	3	4	10	8	12	9	6	3	6	1	1	-	1	-	-	-	-	-
	F--	29	-	-	-	1	1	2	1	1	3	1	2	4	3	4	1	1	-	1	2	-	-	-	-	-	1
	Nonwhite--M--	194	2	-	-	-	-	-	-	14	32	36	36	21	17	16	8	8	2	1	-	1	-	-	-	-	-
	F--	45	-	1	-	-	-	1	-	5	4	12	7	7	5	3	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	5	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA																										
	ALL CAUSES	5,111	471	44	16	18	6	26	20	36	65	78	82	77	123	167	231	294	412	564	658	681	540	328	132	30	12
	White--M	3,061	254	23	6	10	4	15	15	24	48	55	51	59	83	94	138	190	267	347	401	379	318	190	69	12	9
	F	1,918	177	13	7	7	2	10	5	8	15	20	27	15	35	69	87	99	139	206	252	293	217	134	62	16	3
	Nonwhite--M	74	25	4	2	-	-	-	-	1	1	3	4	1	1	2	4	2	4	6	2	3	4	3	1	1	-
	F	58	15	4	1	1	-	1	-	3	1	-	-	2	4	2	2	3	2	5	3	6	1	1	-	1	-
001-019	Tuberculosis all forms	61	1	2	2	1	-	-	1	3	-	4	5	4	4	4	3	6	3	8	3	3	3	1	-	-	-
	White--M	37	-	1	-	-	-	-	-	1	-	4	3	3	2	2	3	4	2	7	3	1	1	-	-	-	-
	F	15	-	-	-	1	-	-	1	-	-	-	2	1	2	2	-	1	-	-	-	2	2	1	-	-	-
	Nonwhite--M	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	54	-	2	1	1	-	-	1	2	-	3	5	4	3	4	3	5	3	7	3	3	3	1	-	-	-
	White--M	33	-	1	-	-	-	-	-	-	-	3	3	3	1	2	3	4	2	6	3	1	1	-	-	-	-
	F	14	-	-	-	1	-	-	1	-	-	-	2	1	2	2	-	-	-	-	-	2	2	1	-	-	-
	Nonwhite--M	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	7	1	-	1	-	-	-	-	1	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White--M	4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	7	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	6	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	7	3	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	18	4	3	-	-	1	-	1	-	-	1	2	-	-	-	4	1	-	-	-	-	1	-	-	-	-
	White--M	13	4	2	-	-	1	-	1	-	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*----	683	-	1	2	4	1	1	3	-	5	8	11	6	24	37	69	74	74	96	104	84	44	26	7	1	1
	White-----M--	378	-	1	-	3	-	1	1	-	5	7	6	2	11	14	30	43	37	55	65	47	29	17	4	-	-
	F--	298	-	-	2	1	1	-	2	-	-	1	5	3	13	23	39	28	36	41	38	37	14	9	3	1	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	2	1	-	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	279	-	-	-	1	-	-	1	-	-	1	1	1	9	8	25	30	28	45	50	47	22	8	2	-	-
	White-----M--	164	-	-	-	1	-	-	1	-	-	1	1	1	4	3	16	19	19	28	30	22	12	5	1	-	-
	F--	111	-	-	-	-	-	-	-	-	-	-	-	-	5	5	9	9	9	17	19	25	9	3	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	50	-	-	-	-	-	-	-	-	-	1	-	-	1	3	5	11	7	11	5	5	1	-	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	1	-	-	1	2	5	9	3	7	4	4	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	4	4	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	51	-	-	-	-	-	-	-	-	-	-	1	-	2	5	11	7	5	8	5	4	1	1	-	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	-	2	5	11	7	5	8	4	4	1	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	107	-	-	-	-	-	-	-	-	-	3	1	2	5	5	4	5	11	15	22	13	13	8	2	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	2	12	17	10	12	5	1	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	-	1	5	5	4	5	8	3	5	3	1	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	39	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	7	6	6	2	4	1	-	1
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	3	6	1	4	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	4	3	-	1	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	82	-	-	2	2	1	1	1	-	3	-	4	2	4	9	9	7	10	7	5	6	4	3	2	-	-
	White-----M--	44	-	-	-	2	-	1	-	-	3	-	2	-	3	5	4	5	4	4	2	2	4	2	1	-	-
	F--	38	-	-	2	-	1	-	1	-	-	-	2	2	1	4	5	2	6	3	3	4	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	28	-	1	-	1	-	-	1	-	2	2	1	-	-	3	3	2	4	-	6	-	1	1	-	-	-
	White-----M--	17	-	1	-	-	-	-	-	-	2	1	1	-	-	2	2	1	2	-	4	-	-	1	-	-	-
	F--	11	-	-	-	1	-	-	1	-	-	1	-	-	-	1	1	1	2	-	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	36	-	-	-	-	-	-	-	-	-	1	2	-	3	2	7	7	6	3	3	2	-	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	5	4	1	2	2	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	2	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	24	2	-	-	-	-	-	-	2	1	3	-	1	-	1	3	2	-	1	1	3	3	1	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	1	-	-	3	-	-	-	-
	F--	14	2	-	-	-	-	-	-	1	-	3	-	1	-	1	1	1	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus-	115	-	-	-	-	-	-	-	-	2	2	1	1	-	3	4	3	13	26	30	16	13	1	-	-	-
	White-----M--	57	-	-	-	-	-	-	-	-	1	2	-	1	-	2	-	1	6	15	15	7	7	-	-	-	-
	F--	58	-	-	-	-	-	-	-	-	1	-	1	-	-	1	4	2	7	11	15	9	6	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	16	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	3	5	3	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	5	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,640	3	-	1	-	-	-	3	3	8	14	19	32	39	75	106	152	248	343	430	453	370	227	88	18	8
	White-----M--	1,624	2	-	1	-	-	-	3	3	4	8	7	25	31	49	73	102	172	217	261	248	218	137	46	10	7
	F--	991	1	-	-	-	-	-	-	-	4	6	11	6	6	23	31	50	74	120	166	202	150	90	42	8	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	4	1	2	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	1	2	2	1	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,577	3	-	1	-	-	-	3	3	6	12	17	29	38	74	101	152	244	334	417	445	365	223	85	18	7
	White-----M--	1,583	2	-	1	-	-	-	3	3	2	7	6	23	30	49	70	102	170	210	251	245	214	135	43	10	7
	F--	971	1	-	-	-	-	-	-	-	4	5	10	5	6	22	30	50	73	118	163	197	149	88	42	8	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	4	1	2	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	2	2	1	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	707	-	-	1	-	-	-	-	1	1	2	3	3	3	9	29	36	57	97	136	134	105	54	29	5	2
	White-----M--	394	-	-	1	-	-	-	-	1	-	1	1	2	2	4	17	17	37	54	74	68	60	32	18	3	2
	F--	311	-	-	-	-	-	-	-	-	1	1	1	1	1	5	12	19	20	43	62	66	44	22	11	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever----	5	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA--Continued																										
410-443	Diseases of heart	1,663	2	-	-	-	-	-	-	2	4	8	12	24	32	64	70	112	173	219	251	277	225	129	45	10	4
	White-----M--	1,071	1	-	-	-	-	-	-	2	2	6	4	19	26	45	51	83	126	141	161	156	134	83	21	6	4
	F--	571	1	-	-	-	-	-	-	-	2	2	8	4	4	16	18	29	46	72	87	118	90	46	24	4	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	1	2	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	2	2	1	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	81	-	-	-	-	-	-	-	2	-	1	6	8	5	10	5	6	6	7	8	8	5	3	1	-	-
	White-----M--	38	-	-	-	-	-	-	-	2	-	-	2	4	2	3	3	2	3	4	3	3	3	3	1	-	-
	F--	41	-	-	-	-	-	-	-	-	-	1	4	4	3	7	2	4	3	2	5	5	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,041	-	-	-	-	-	-	-	-	1	3	2	11	22	40	51	78	129	147	167	169	123	63	23	8	4
	White-----M--	727	-	-	-	-	-	-	-	-	1	3	1	11	20	35	39	64	99	94	116	101	82	40	11	6	4
	F--	303	-	-	-	-	-	-	-	-	-	-	1	-	-	4	12	14	29	50	49	66	41	23	12	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	226	-	-	-	-	-	-	-	-	1	1	1	1	-	3	4	3	12	26	30	49	42	37	14	2	-
	White-----M--	133	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	10	18	20	26	23	24	5	-	-
	F--	92	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	2	8	10	23	19	13	9	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart----------	119	2	-	-	-	-	-	-	-	2	1	1	1	2	9	4	6	12	16	20	16	16	8	3	-	-
	White-----M--	80	1	-	-	-	-	-	-	-	1	1	1	1	2	5	4	6	6	13	14	10	8	6	1	-	-
	F--	33	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	6	1	5	5	8	2	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-
440-443	Hypertension with heart dis.---	196	-	-	-	-	-	-	-	-	-	2	2	3	3	2	6	19	14	23	26	35	39	18	4	-	-
	White-----M--	93	-	-	-	-	-	-	-	-	-	1	-	2	2	1	3	9	8	12	8	16	18	10	3	-	-
	F--	102	-	-	-	-	-	-	-	-	-	1	2	-	1	1	3	10	6	11	18	19	21	8	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	50	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	-	3	7	10	8	7	5	2	1	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	6	6	2	3	4	1	1	-
	F--	24	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	3	1	4	6	4	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	10	18	20	23	34	9	2	1
	White-----M--	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	9	13	13	15	3	-	1
	F--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	9	7	10	19	6	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	27	1	-	-	-	-	-	-	-	-	1	2	-	1	-	1	2	4	1	2	6	5	1	-	-	-
	White-----M--	20	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	6	4	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	63	-	-	-	-	-	-	-	-	2	2	2	3	1	1	5	-	4	9	13	8	5	4	3	-	1
	White-----M--	41	-	-	-	-	-	-	-	-	2	1	1	2	1	-	3	-	2	7	10	3	4	2	3	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	2	3	5	1	2	-	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	168	42	14	-	1	2	1	1	-	-	2	-	-	4	4	5	5	11	8	10	19	19	12	5	2	1
	White-----M--	89	15	4	-	-	1	-	-	-	-	2	-	-	4	2	2	3	7	6	7	14	13	6	2	-	1
	F--	60	15	6	-	1	1	1	1	-	-	-	-	-	-	2	3	2	4	2	3	4	5	6	2	2	-
	Nonwhite--M--	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F--	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-483	Influenza----------	18	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	4	1	2	-	1
	White-----M--	10	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	1	-	1
	F--	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	150	41	12	-	1	1	1	1	-	-	2	-	-	4	3	5	4	11	8	8	17	15	11	3	2	-
	White-----M--	79	15	3	-	-	-	-	-	-	-	2	-	-	4	2	2	2	7	6	6	13	11	5	1	-	-
	F--	52	14	5	-	1	1	1	1	-	-	-	-	-	-	1	3	2	4	2	2	3	3	6	1	2	-
	Nonwhite--M--	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F--	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
500-502	Bronchitis----------	14	5	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	2	1	-	1	-
	White-----M--	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-
	F--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	26	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	1	5	8	3	2	2	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	2	6	1	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis------	12	-	-	-	1	-	1	-	2	-	-	-	-	1	2	1	-	-	-	3	-	-	-	1	-	-
	White-----M--	8	-	-	-	1	-	1	-	-	-	-	-	-	1	2	1	-	-	-	1	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	34	2	-	-	1	-	1	-	-	1	-	-	1	-	-	-	4	3	8	6	2	3	1	1	-	-
	White-----M--	20	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	3	3	2	3	2	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	5	3	-	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
543, 571, 572	Gastritis, etc.*	13	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	1	-	-
	White—M	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	27	-	1	-	-	-	-	-	-	-	-	2	2	3	1	3	5	3	2	2	3	-	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	3	1	2	2	-	-	-	-	-
	F	14	-	1	-	-	-	-	-	-	-	-	1	1	2	1	2	4	-	1	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	11	-	-	-	-	-	1	-	-	2	-	-	2	1	-	1	1	1	1	-	1	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	7	10	4	1	1	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	7	10	4	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	5	...	...	...	...	...	...	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	...	...	...	...	...	...	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	5	...	...	...	...	...	...	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	...	...	...	...	...	...	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	91	78	6	-	-	1	-	1	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	48	40	4	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	37	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	282	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	110	6	1	-	-	-	-	-	-	-	2	-	1	-	1	2	1	3	9	8	20	20	21	13	1	1
	White—M	61	3	1	-	-	-	-	-	-	-	2	-	1	-	-	2	1	2	6	5	13	8	7	9	-	1
	F	40	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	5	11	11	4	1	-
	Nonwhite—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
Residual	All other diseases	252	10	2	2	1	-	5	2	4	9	6	5	7	8	15	12	12	18	27	28	31	24	14	8	2	-
	White—M	138	7	2	1	1	-	2	2	4	6	5	2	6	6	7	6	7	9	11	17	15	10	10	2	-	-
	F	101	1	-	1	-	-	2	-	-	3	-	3	1	1	8	3	5	9	15	10	14	14	4	6	1	-
	Nonwhite—M	7	2	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	1	-
E800-E962	Accidents	385	21	11	7	7	-	14	7	19	31	26	31	14	25	17	13	14	21	19	16	25	19	16	7	4	1
	White—M	276	17	7	4	4	-	9	7	13	28	21	26	13	19	10	11	12	16	13	9	14	13	6	4	-	-
	F	93	3	4	3	3	-	5	-	5	1	3	2	-	5	6	2	2	3	6	7	11	6	9	3	3	1
	Nonwhite—M	14	-	-	-	-	-	-	-	1	1	2	3	1	1	1	-	-	2	-	-	-	-	1	-	1	-
	F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents	161	1	3	3	4	-	8	1	12	22	14	20	7	14	9	6	6	10	8	5	4	3	1	-	-	-
	White—M	119	1	2	1	2	-	5	1	7	20	10	18	6	10	6	4	5	7	5	3	3	3	-	-	-	-
	F	36	-	1	2	2	-	3	-	5	1	3	1	-	3	3	2	1	2	3	2	1	-	1	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	224	20	8	4	3	-	6	6	7	9	12	11	7	11	8	7	8	11	11	11	21	16	15	7	4	1
	White—M	157	16	5	3	2	-	4	6	6	8	11	8	7	9	4	7	7	9	8	6	11	10	6	4	-	-
	F	57	3	3	1	1	-	2	-	-	-	-	1	-	2	3	-	1	1	3	5	10	6	8	3	3	1
	Nonwhite—M	9	-	-	-	-	-	-	-	1	1	1	2	-	-	1	-	-	1	-	-	-	-	1	-	1	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	61	-	-	-	-	-	-	-	-	2	3	3	5	9	6	5	8	6	6	1	5	2	-	-	-	-
	White—M	50	-	-	-	-	-	-	-	-	2	3	3	5	7	5	4	6	4	5	1	5	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO																										
	ALL CAUSES	81,931	5,112	354	230	145	140	394	296	501	737	898	1,143	1,591	2,276	3,205	4,655	6,204	7,765	9,525	10,271	10,384	8,744	4,858	2,039	390	74
	White--M	42,896	2,584	175	122	76	73	207	173	316	438	454	576	770	1,192	1,724	2,513	3,555	4,578	5,406	5,503	5,252	4,169	2,106	783	126	25
	F	32,946	1,938	139	83	55	50	150	102	131	202	274	357	513	703	1,012	1,475	2,056	2,617	3,532	4,334	4,781	4,339	2,628	1,208	236	31
	Nonwhite--M	3,439	327	25	15	5	8	20	14	31	57	103	121	164	198	279	388	365	330	336	236	182	125	69	21	11	9
	F	2,650	263	15	10	9	9	17	7	23	40	67	89	144	183	190	279	228	240	251	198	169	111	55	27	17	9
001-019	Tuberculosis all forms	1,467	9	11	9	8	2	7	7	16	53	76	89	122	139	123	131	153	136	128	94	94	41	18	1	-	-
	White--M	773	4	3	1	4	-	3	1	6	8	22	30	47	75	66	74	104	92	88	63	47	24	10	1	-	-
	F	351	2	5	3	1	-	3	4	1	22	26	34	35	28	21	15	22	21	24	23	40	15	6	-	-	-
	Nonwhite--M	232	2	3	5	2	2	1	1	2	15	14	16	18	27	27	30	22	17	13	6	6	2	1	-	-	-
	F	111	1	-	-	1	-	-	1	7	8	14	9	22	9	9	12	5	6	3	2	1	-	1	-	-	-
001-008	Tuberculosis of respiratory system	1,323	1	2	2	3	-	2	4	15	46	71	83	116	123	115	123	142	132	118	84	89	34	17	1	-	-
	White--M	709	1	1	-	1	-	-	-	6	8	21	26	44	67	62	72	98	91	83	57	42	19	9	1	-	-
	F	312	-	-	-	-	-	1	3	1	20	24	34	35	26	21	12	19	18	20	19	40	13	6	-	-	-
	Nonwhite--M	206	-	1	2	1	-	1	-	2	11	13	16	17	24	24	30	20	17	12	6	6	2	1	-	-	-
	F	96	-	-	-	1	-	-	1	6	7	13	7	20	6	8	9	5	6	3	2	1	-	1	-	-	-
010-019	Tuberculosis, other forms	144	8	9	7	5	2	5	3	1	7	5	6	6	16	8	8	11	4	10	10	5	7	1	-	-	-
	White--M	64	3	2	1	3	-	3	1	-	-	1	4	3	8	4	2	6	1	5	6	5	5	1	-	-	-
	F	39	2	5	3	1	-	2	1	-	2	2	-	-	2	-	3	3	3	4	4	-	2	-	-	-	-
	Nonwhite--M	26	2	2	3	1	2	-	1	-	4	1	-	1	3	3	-	2	-	1	-	-	-	-	-	-	-
	F	15	1	-	-	-	-	-	-	1	1	1	2	2	3	1	3	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	425	2	-	-	-	-	-	1	1	1	3	6	6	14	40	56	58	60	65	58	29	19	4	-	1	-
	White--M	216	-	-	-	-	-	-	-	1	1	-	1	1	3	16	27	32	33	39	35	13	14	-	-	-	-
	F	90	-	-	-	-	-	-	-	-	-	1	1	-	2	7	10	11	12	15	13	10	4	3	-	1	-
	Nonwhite--M	91	-	-	-	-	-	-	-	-	-	2	2	5	7	15	14	13	11	6	9	6	1	-	-	-	-
	F	28	2	-	-	-	-	-	1	-	-	-	2	-	2	2	5	3	4	5	1	-	-	1	-	-	-
040	Typhoid fever	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	10	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-	-	-	-	-
	White--M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	6	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	20	-	1	1	-	-	2	-	-	-	1	3	2	1	1	2	2	-	1	-	2	1	-	-	-	-
	White--M	9	-	1	1	-	-	-	-	-	-	1	2	1	-	-	-	1	-	1	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	1	-	-	-	1	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	5	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White--M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	17	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	12	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	96	32	16	19	4	4	9	3	1	-	-	1	1	-	1	1	-	1	1	-	-	2	-	-	-	-
	White--M	50	19	8	11	1	3	3	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	40	8	8	8	3	1	5	2	-	-	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	55	2	2	-	2	1	12	8	6	7	7	4	-	-	-	1	2	-	1	-	-	-	-	-	-	-
	White--M	29	1	1	-	-	1	6	6	1	4	4	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	24	-	1	-	1	-	6	2	5	3	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	40	11	5	5	2	4	5	2	3	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White--M	24	8	5	2	2	1	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	2	-	3	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	177	22	7	2	1	-	8	8	3	5	8	9	12	5	9	9	10	16	10	12	11	5	4	1	-	-
	White--M	92	11	6	1	-	-	6	4	2	2	3	6	5	1	4	2	5	11	6	6	7	2	2	-	-	-
	F	67	9	1	1	1	-	2	3	1	2	4	1	3	4	2	6	4	5	3	6	4	3	1	1	-	-
	Nonwhite--M	10	1	-	-	-	-	-	1	-	1	-	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	1	-	-	-	1	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
140-205	Malignant neoplasms, etc.*----	12,298	11	17	26	26	28	39	36	42	67	97	143	256	453	674	1,053	1,365	1,610	1,779	1,712	1,430	894	430	97	9	4
	White-----M--	5,844	5	9	20	13	15	19	17	26	34	44	49	82	156	243	439	630	837	941	857	724	448	195	34	5	2
	F--	5,705	5	6	6	11	12	18	19	14	27	46	84	158	236	348	501	637	679	742	777	668	423	224	60	3	1
	Nonwhite--M--	395	-	2	-	1	-	1	-	2	4	4	5	4	16	35	59	60	56	59	43	19	14	9	1	1	-
	F--	354	1	-	-	1	1	1	-	-	2	3	5	12	45	48	54	38	38	37	35	19	9	2	2	-	1
140-148	Of buccal cavity and pharynx------	242	-	-	-	1	-	-	-	-	-	-	-	3	5	15	20	33	42	45	29	24	16	6	3	-	-
	White-----M--	177	-	-	-	1	-	-	-	-	-	-	-	1	2	9	13	26	29	36	22	21	10	4	3	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	5	8	7	5	3	6	2	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	1	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	4,706	1	-	2	-	-	1	2	2	3	13	25	57	94	192	344	497	624	755	758	652	424	201	51	4	4
	White-----M--	2,393	-	-	2	-	-	-	-	1	1	7	15	24	40	92	156	254	353	418	393	342	188	89	13	3	2
	F--	2,046	-	-	-	-	-	1	2	-	2	5	8	28	38	80	142	200	237	309	334	292	224	107	35	1	1
	Nonwhite--M--	162	-	-	-	-	-	-	-	1	-	1	2	1	7	12	28	29	22	19	16	10	9	4	1	-	-
	F--	105	1	-	-	-	-	-	-	-	-	-	-	4	9	8	18	14	12	9	15	8	3	1	2	-	1
160-164	Of respiratory system----------	1,302	-	-	1	-	-	-	-	2	4	1	8	22	55	86	163	204	232	212	151	94	34	28	5	-	-
	White-----M--	1,000	-	-	1	-	-	-	-	2	-	-	4	15	43	62	127	165	205	169	104	67	20	13	3	-	-
	F--	206	-	-	-	-	-	-	-	-	4	1	4	6	8	10	17	25	18	24	35	25	13	14	2	-	-
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	-	-	1	4	9	15	10	7	16	9	1	1	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	5	4	4	2	3	3	1	-	-	-	-	-	-
170	Of breast---------	1,081	-	-	-	-	-	-	-	-	-	4	17	38	82	100	102	131	137	127	118	120	65	34	6	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	-	-	-	-	-
	F--	1,018	-	-	-	-	-	-	-	-	-	4	15	34	71	90	98	126	133	117	114	113	64	33	6	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	-	-	1	4	10	10	4	5	4	8	4	5	1	1	-	-	-
171-179	Of genital organs-	2,128	-	-	-	-	-	-	1	5	12	22	35	51	118	130	169	216	234	281	308	267	186	81	11	1	-
	White-----M--	751	-	-	-	-	-	-	-	2	8	9	3	5	5	6	10	29	61	107	153	158	138	50	6	1	-
	F--	1,208	-	-	-	-	-	-	1	2	4	12	28	43	89	109	134	171	152	155	134	101	41	27	5	-	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	1	-	-	1	-	2	1	5	6	9	9	12	5	3	4	-	-	-
	F--	111	-	-	-	-	-	-	-	-	-	1	3	3	22	14	20	10	12	10	9	3	4	-	-	-	-
180, 181	Of urinary organs-	563	1	2	3	3	4	3	-	1	-	3	1	4	13	25	50	51	87	72	96	72	43	23	6	-	-
	White-----M--	333	-	-	3	2	2	1	-	-	-	2	-	2	7	14	33	29	60	47	54	36	24	13	4	-	-
	F--	202	1	1	-	1	2	2	-	1	-	-	1	2	4	8	10	19	24	21	39	36	18	10	2	-	-
	Nonwhite--M--	19	-	1	-	-	-	-	-	-	-	-	-	-	1	2	4	3	3	4	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	-	-	-	2	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,237	3	5	8	9	9	10	15	15	22	21	26	39	44	71	108	130	147	150	137	127	84	40	13	4	-
	White-----M--	623	1	4	6	5	4	4	7	10	16	10	11	19	27	28	47	66	77	82	72	55	48	19	4	1	-
	F--	551	2	1	2	4	5	5	8	5	5	10	15	19	14	30	55	53	61	60	61	69	35	21	9	2	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	1	-	1	1	6	4	7	4	5	3	2	1	-	-	1	-
	F--	27	-	-	-	-	-	1	-	-	1	-	-	-	2	7	2	4	5	3	1	1	-	-	-	-	-
204	Leukemia and aleukemia----------	534	6	9	12	9	12	20	12	12	11	10	11	19	26	23	42	43	59	67	58	44	19	8	2	-	-
	White-----M--	279	4	4	8	5	7	12	7	7	4	5	6	5	17	12	19	22	26	44	29	24	9	2	1	-	-
	F--	228	2	4	4	3	4	8	5	5	7	4	4	14	7	9	21	18	28	18	28	18	10	6	1	-	-
	Nonwhite--M--	16	-	1	-	1	-	-	-	-	-	1	1	-	1	1	1	2	4	2	-	1	-	-	-	-	-
	F--	11	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	3	1	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	505	-	1	-	4	3	5	6	5	15	23	20	23	16	32	55	60	48	70	57	30	23	9	-	-	-
	White-----M--	283	-	1	-	-	2	2	3	4	5	11	9	11	14	20	34	39	26	37	30	19	11	5	-	-	-
	F--	199	-	-	-	3	1	2	3	1	5	10	9	10	2	9	21	20	18	31	27	11	12	4	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	1	-	-	4	1	1	1	-	1	-	1	3	2	-	-	-	-	-	-	-
	F--	8	-	-	-	1	-	-	-	-	1	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	222	6	2	3	1	-	5	3	2	3	10	13	16	21	24	19	20	19	15	6	17	9	6	2	-	-
	White-----M--	69	-	1	1	1	-	3	-	1	2	5	2	7	4	5	2	7	7	6	3	5	5	2	-	-	-
	F--	123	6	1	2	-	-	1	3	1	1	4	9	6	12	17	14	10	7	6	3	11	4	3	2	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	3	2	-	-	-	1	-	-	-
	F--	18	-	-	-	-	-	1	-	-	-	-	1	3	4	1	2	2	2	1	-	1	-	-	-	-	-
260	Diabetes mellitus-	1,928	2	1	1	1	-	2	4	7	6	18	18	23	34	63	96	170	289	360	358	260	151	54	8	1	1
	White-----M--	685	2	-	1	1	-	1	2	3	5	8	9	12	17	28	38	66	91	112	118	90	60	17	3	-	1
	F--	1,125	-	-	-	-	-	1	2	2	1	8	6	7	10	25	47	90	176	231	225	164	87	37	5	1	-
	Nonwhite--M--	36	-	1	-	-	-	-	-	2	-	2	-	2	1	4	-	7	8	4	3	1	1	-	-	-	-
	F--	82	-	-	-	-	-	-	-	-	-	-	-	3	2	6	6	11	7	14	13	12	5	3	-	-	-
280-293	Anemias----------	253	9	5	1	-	-	3	2	1	1	3	1	2	2	2	6	10	19	30	34	49	51	15	6	1	-
	White-----M--	120	5	3	1	-	-	2	1	-	-	2	-	-	1	-	3	6	9	14	15	22	25	7	3	1	-
	F--	121	3	2	-	-	-	1	1	1	1	-	-	2	1	2	1	3	10	14	18	26	25	8	2	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	118	27	14	4	5	4	4	2	2	7	1	-	4	5	4	7	3	10	4	4	2	3	2	-	-	-
	White-----M--	56	13	8	3	2	2	1	1	-	4	-	-	4	1	1	3	1	5	2	2	1	1	1	-	-	-
	F--	35	11	3	-	3	1	2	-	2	2	-	-	-	2	1	2	1	1	1	1	-	2	-	-	-	-
	Nonwhite--M--	14	-	3	-	-	1	1	-	-	1	1	-	-	2	-	2	-	2	1	-	-	-	-	-	-	-
	F--	13	3	-	1	-	-	-	1	-	-	-	-	-	-	2	-	1	2	-	1	1	-	1	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	44,389	27	9	5	3	1	20	32	48	84	142	235	471	869	1,468	2,337	3,274	4,376	5,687	6,558	7,028	6,264	3,572	1,555	278	46
	White-----M--	23,598	12	5	2	-	1	10	13	23	30	75	120	228	523	876	1,404	2,003	2,675	3,278	3,572	3,560	2,946	1,537	602	88	15
	F--	18,164	10	4	2	2	-	7	15	17	39	42	61	138	211	386	619	959	1,386	2,076	2,734	3,233	3,156	1,958	918	169	22
	Nonwhite--M--	1,389	3	-	-	-	-	1	3	4	9	17	21	53	65	119	170	179	169	183	134	115	78	40	14	8	3
	F--	1,238	2	-	1	1	-	2	1	4	6	8	33	52	70	87	144	133	146	150	118	120	83	37	21	13	6
330-334, 400-468	Diseases of cardiovascular system-	43,343	23	5	4	3	1	17	26	35	72	118	211	432	830	1,417	2,266	3,204	4,291	5,583	6,440	6,907	6,127	3,492	1,524	269	46
	White-----M--	23,102	11	2	2	-	1	8	10	15	25	58	108	213	511	851	1,369	1,971	2,636	3,224	3,513	3,498	2,875	1,505	594	87	15
	F--	17,721	8	3	1	2	-	6	12	12	33	36	57	123	197	371	594	930	1,349	2,032	2,687	3,178	3,095	1,914	895	164	22
	Nonwhite--M--	1,342	2	-	-	-	-	1	3	4	9	17	18	51	59	115	167	175	162	180	128	112	77	38	14	7	3
	F--	1,178	2	-	1	1	-	2	1	4	5	7	28	45	63	80	136	128	144	147	112	119	80	35	21	11	6
330-334	Vascular lesions, etc.*----------	9,529	7	2	1	2	1	6	9	4	11	20	31	63	135	192	368	538	855	1,208	1,533	1,767	1,536	839	345	48	8
	White-----M--	4,352	3	-	1	-	1	3	2	2	3	9	11	22	50	72	166	226	428	585	749	827	674	370	135	10	3
	F--	4,599	2	2	-	2	-	2	6	2	7	6	16	22	56	81	148	249	353	533	719	877	821	454	204	33	4
	Nonwhite--M--	264	1	-	-	-	-	-	1	-	-	4	-	8	10	18	21	27	30	46	35	29	21	8	2	2	1
	F--	314	1	-	-	-	-	1	-	-	1	1	4	11	19	21	33	36	44	44	30	34	20	7	4	3	-
400-402	Rheumatic fever---	76	-	1	-	1	-	6	5	8	4	2	8	7	3	6	7	7	3	5	1	1	-	-	1	-	-
	White-----M--	42	-	1	-	-	-	3	2	4	1	1	5	4	3	3	4	7	2	-	1	-	-	-	1	-	-
	F--	21	-	-	-	-	-	2	1	2	2	1	1	3	-	2	2	-	1	3	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	1	-	1	1	1	1	-	2	-	-	-	1	-	-	2	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
410-443	Diseases of heart	30,342	13	2	3	-	-	5	10	21	48	87	147	326	647	1,140	1,792	2,521	3,276	4,093	4,508	4,546	3,906	2,162	904	156	29
	White----M	17,131	7	1	1	-	-	2	5	9	18	44	85	179	447	749	1,156	1,666	2,114	2,493	2,554	2,385	1,882	909	355	61	9
	F	11,523	5	1	1	-	-	2	4	6	20	26	34	89	120	254	409	637	947	1,388	1,795	2,021	1,934	1,203	530	83	15
	Nonwhite--M	951	-	-	-	-	-	1	1	3	8	12	12	35	43	88	132	134	121	121	85	68	45	29	7	5	1
	F	737	1	-	1	-	-	-	-	3	2	5	16	24	37	49	95	84	94	91	74	72	45	21	12	7	4
410-416	Chronic rheumatic heart disease	1,196	-	-	-	-	-	1	5	10	20	37	46	74	105	124	124	134	129	110	91	77	64	32	11	2	-
	White----M	561	-	-	-	-	-	-	2	4	7	15	28	27	63	49	64	72	54	56	48	34	22	15	1	-	-
	F	567	-	-	-	-	-	1	2	3	11	15	17	42	36	63	53	54	68	53	41	38	42	16	10	2	-
	Nonwhite--M	44	-	-	-	-	-	-	1	1	1	6	1	3	3	7	4	7	5	1	1	3	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	2	1	1	-	2	3	5	3	1	2	-	1	2	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	19,164	1	1	-	-	-	3	-	5	13	27	56	186	412	767	1,286	1,789	2,328	2,795	2,959	2,775	2,147	1,125	409	64	16
	White----M	12,028	-	1	-	-	-	1	-	2	8	21	38	126	339	603	945	1,291	1,629	1,826	1,805	1,585	1,092	512	178	23	3
	F	6,287	1	-	-	-	-	1	-	1	3	5	9	29	39	104	222	380	580	856	1,068	1,121	1,011	592	220	33	12
	Nonwhite--M	548	-	-	-	-	-	1	-	2	2	-	6	21	23	43	85	84	78	74	48	36	22	16	5	2	-
	F	301	-	-	-	-	-	-	-	-	-	1	3	10	11	17	34	34	41	39	38	33	22	5	6	6	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	4,314	3	-	2	-	-	-	2	1	4	11	16	20	39	55	85	176	251	452	609	743	913	566	298	62	6
	White----M	2,136	2	-	-	-	-	-	1	1	-	5	7	12	21	29	44	107	141	265	328	358	450	221	118	23	3
	F	1,984	1	-	1	-	-	-	1	-	2	1	3	3	11	19	28	54	88	160	257	370	443	327	176	37	2
	Nonwhite--M	100	-	-	-	-	-	-	-	-	1	3	1	3	2	5	6	6	14	19	11	5	11	9	2	2	-
	F	94	-	-	1	-	-	-	-	-	1	2	5	2	5	2	7	9	8	8	13	10	9	9	2	-	1
430-434	Other diseases of heart	1,091	9	1	1	-	-	-	3	4	5	9	14	15	19	44	53	71	98	131	149	166	154	93	41	7	4
	White----M	581	5	-	1	-	-	-	2	2	1	2	7	4	8	26	31	36	68	78	86	92	77	40	11	3	1
	F	433	3	1	-	-	-	-	1	2	3	4	2	5	7	12	11	22	29	48	59	67	72	52	28	4	1
	Nonwhite--M	38	-	-	-	-	-	-	-	-	1	2	2	2	5	6	6	-	2	4	4	2	-	-	-	-	-
	F	39	1	-	-	-	-	-	-	-	-	1	3	4	2	1	5	7	1	3	-	3	3	1	2	-	2
440-443	Hypertension with heart dis.	4,577	-	-	-	-	-	1	-	1	6	3	15	31	72	150	244	351	470	605	700	785	628	346	145	21	3
	White----M	1,825	-	-	-	-	-	1	-	-	2	1	5	10	16	42	72	160	222	268	287	316	241	121	47	12	2
	F	2,252	-	-	-	-	-	-	-	-	-	1	1	3	9	27	56	95	127	182	271	370	425	366	216	96	7	-
	Nonwhite--M	221	-	-	-	-	-	-	-	-	3	1	2	6	13	28	31	31	24	25	21	20	10	4	-	1	1
	F	279	-	-	-	-	-	-	-	1	-	-	5	6	16	24	46	33	42	41	22	24	11	5	2	1	-
444-447	Hypertension without mention of heart	801	-	-	-	-	-	-	1	-	4	4	18	26	27	43	44	63	64	78	97	106	12	74	25	5	2
	White----M	333	-	-	-	-	-	-	1	-	2	1	5	6	7	17	16	32	31	34	46	35	51	36	11	1	1
	F	353	-	-	-	-	-	-	-	-	-	2	3	7	11	15	18	21	23	32	46	65	58	36	12	4	-
	Nonwhite--M	56	-	-	-	-	-	-	-	-	1	1	5	6	3	4	6	5	5	6	4	3	4	-	2	-	1
	F	59	-	-	-	-	-	-	-	-	1	-	5	7	6	7	4	5	5	6	1	3	7	2	-	-	-
450	General arteriosclerosis	2,165	-	-	-	-	-	-	-	-	-	-	-	2	2	7	19	27	45	140	249	433	529	403	246	56	7
	White----M	1,042	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	14	30	84	136	226	251	185	91	14	2
	F	1,044	-	-	-	-	-	-	-	-	-	-	-	2	1	3	6	8	12	50	104	189	265	213	147	41	3
	Nonwhite--M	39	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	3	3	3	10	5	-	3	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	6	8	8	5	5	1	2
451-468	Other diseases of circulatory sys.	430	3	-	-	-	-	1	2	5	5	7	8	16	29	36	48	48	59	52	54	36	14	3	4	-	
	White----M	202	1	-	-	-	-	-	-	1	3	2	2	4	8	20	26	31	28	27	25	17	5	1	1	-	
	F	181	1	-	-	-	-	1	2	4	1	3	1	9	16	11	15	13	26	23	25	17	8	2	3	-	
	Nonwhite--M	29	1	-	-	-	-	-	-	-	-	1	2	2	2	3	5	3	4	1	2	2	1	-	-	-	
	F	18	-	-	-	-	-	-	-	-	-	1	1	3	1	3	2	2	1	1	1	2	-	-	-	-	
592-594	Chronic nephritis, etc.*	1,046	4	4	1	-	-	3	6	13	12	24	24	39	39	51	71	70	85	104	118	121	137	80	31	9	-
	White----M	496	1	3	-	-	-	2	3	8	5	17	12	15	12	25	35	32	39	54	59	62	71	32	8	1	-
	F	443	2	1	1	-	-	1	3	5	6	6	4	15	14	15	25	29	37	44	47	55	61	44	23	5	-
	Nonwhite--M	47	1	-	-	-	-	-	-	-	-	-	3	2	6	4	3	4	7	3	6	3	2	2	-	1	-
	F	60	-	-	-	-	-	-	-	-	1	1	5	7	7	7	8	5	2	3	6	1	3	2	-	2	-
480-493	Influenza and pneumonia, etc.*	2,211	343	58	26	13	9	20	10	12	6	14	25	41	47	62	82	118	152	160	194	282	265	157	83	27	5
	White----M	1,076	148	29	13	5	3	6	5	9	1	5	9	26	14	31	35	70	98	93	108	140	117	76	26	9	-
	F	863	130	21	8	7	5	12	5	2	4	4	4	6	11	15	23	33	37	47	76	129	137	74	53	16	4
	Nonwhite--M	172	43	2	3	-	-	2	-	-	-	2	8	5	15	14	15	12	11	10	6	9	8	4	2	-	1
	F	100	22	6	2	1	1	-	-	1	1	3	4	4	7	2	9	3	6	10	4	4	3	3	2	2	-
480-483	Influenza	362	25	6	1	1	-	3	1	1	1	2	3	5	4	5	4	17	27	27	44	50	56	49	22	8	-
	White----M	181	13	3	1	-	-	1	1	-	-	1	1	4	-	3	3	10	15	18	25	21	28	21	9	3	-
	F	165	11	2	-	1	-	2	-	-	1	1	1	1	2	1	1	7	10	8	19	27	26	26	13	5	-
	Nonwhite--M	8	1	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	2	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	2	-	2	-	-	-
490-493	Pneumonia, etc.*	1,849	318	52	25	12	9	17	9	11	5	12	22	36	43	57	78	101	125	133	150	232	209	108	61	19	5
	White----M	895	135	26	12	5	3	5	4	9	1	4	8	22	14	28	32	60	83	75	83	119	89	55	17	6	-
	F	698	119	19	8	6	5	10	5	2	3	3	3	5	9	14	22	26	27	39	57	102	111	48	40	11	4
	Nonwhite--M	164	42	1	3	-	-	2	-	-	-	2	7	5	14	13	15	12	11	9	6	9	6	4	2	-	1
	F	92	22	6	2	1	1	-	-	-	1	3	4	4	6	2	9	3	4	10	4	2	3	1	2	2	-
500-502	Bronchitis	172	33	6	1	2	-	1	1	1	1	1	-	2	4	3	7	10	12	26	13	13	17	10	8	-	-
	White----M	99	16	3	1	2	-	1	1	-	1	1	-	-	3	3	5	8	7	21	6	8	5	4	3	-	-
	F	58	13	3	-	-	-	-	-	1	-	-	-	-	1	-	1	1	3	4	6	3	12	5	5	-	-
	Nonwhite--M	7	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	-	-	-	-	-
	F	8	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum	419	4	-	-	-	-	-	-	-	5	5	5	11	27	26	42	61	55	55	35	45	24	13	6	-	-
	White----M	306	4	-	-	-	-	-	-	-	2	3	3	8	22	20	28	47	43	41	26	31	17	7	4	-	-
	F	79	-	-	-	-	-	-	-	-	3	1	2	1	2	6	7	8	10	7	7	11	6	6	2	-	-
	Nonwhite--M	25	-	-	-	-	-	-	-	-	-	-	2	3	-	6	3	1	6	2	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	-	1	1	-	-	-	-	-
550-553	Appendicitis	153	1	1	-	-	4	4	4	2	2	5	10	8	10	6	10	18	10	12	17	17	6	5	1	-	-
	White----M	91	1	-	-	-	3	3	2	1	1	2	6	4	6	6	4	10	8	7	10	9	3	4	1	-	-
	F	42	-	1	-	-	1	-	2	1	-	2	1	3	4	-	3	3	2	4	4	7	3	1	-	-	-
	Nonwhite--M	12	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	4	-	-	2	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	-	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	502	45	2	3	2	3	1	3	2	1	2	4	10	14	19	22	45	33	54	86	59	63	17	10	2	-
	White----M	221	26	-	2	2	2	1	3	1	1	1	2	-	4	8	8	14	17	31	38	27	23	6	3	1	-
	F	239	14	-	-	-	-	-	-	1	-	1	2	6	5	9	12	26	14	19	43	31	38	10	7	1	-
	Nonwhite--M	24	4	2	1	-	-	-	-	-	-	-	-	3	-	2	1	3	-	2	4	1	-	1	-	-	-
	F	18	1	-	-	-	1	-	-	-	-	-	-	1	5	-	1	2	2	2	1	-	2	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
543, 571, 572	Gastritis, etc.*--	311	99	16	5	1	-	4	4	-	2	1	7	5	6	5	16	14	18	17	30	23	20	12	6	-	-
	White-----M--	142	49	11	2	1	-	1	2	-	-	-	4	3	3	4	7	4	10	7	16	8	4	3	3	-	-
	F--	140	37	4	2	-	-	3	2	-	1	1	3	2	2	1	6	9	5	9	14	13	15	8	3	-	-
	Nonwhite--M--	14	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-
	F--	15	4	-	1	-	-	-	-	-	1	-	-	-	1	-	2	-	2	1	-	2	-	1	-	-	-
581	Cirrhosis of liver	890	6	-	-	1	-	1	-	3	2	1	14	49	75	90	100	116	108	124	92	71	26	6	5	-	-
	White-----M--	556	4	-	-	1	-	-	-	-	1	-	7	29	47	54	58	75	79	84	57	43	14	2	1	-	-
	F--	284	1	-	-	-	-	1	-	3	1	1	5	16	24	30	33	30	26	38	33	25	10	3	4	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	2	1	3	2	7	7	3	-	2	1	1	1	-	-	-
	F--	20	1	-	-	-	-	-	-	-	-	-	-	3	1	4	2	4	-	2	-	2	1	-	-	-	-
590, 591	Acute nephritis, etc.*----------	148	1	2	3	-	6	8	2	3	3	6	4	6	4	7	8	16	17	15	11	9	10	6	1	-	-
	White-----M--	67	-	2	1	-	1	3	1	2	2	1	3	2	-	6	1	8	9	4	5	6	6	3	1	-	-
	F--	64	1	-	2	-	2	4	1	1	-	4	1	2	3	1	4	8	6	9	5	3	4	3	-	-	-
	Nonwhite--M--	10	-	-	-	-	1	1	-	-	-	-	-	1	1	-	1	-	2	2	1	-	-	-	-	-	-
	F--	7	-	-	-	-	2	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	388	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	24	47	52	90	99	42	17	3	-
	White-----M--	365	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	19	42	51	89	95	39	17	3	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	5	1	1	4	3	-	-	-
640-689	Complications of pregnancy, etc.*-	102	...	...	...	...	...	...	-	12	19	26	20	19	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	82	...	...	...	...	...	...	-	11	15	16	17	18	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	20	...	...	...	...	...	...	-	1	4	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	7	...	...	...	...	...	...	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	95	...	...	...	...	...	...	-	11	16	23	20	19	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	79	...	...	...	...	...	...	-	10	14	15	17	18	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	...	...	...	...	...	...	-	1	2	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	1,106	855	60	31	9	11	21	14	11	11	9	12	8	11	6	7	12	3	6	5	2	2	-	-	-	-
	White-----M--	527	424	25	9	5	3	7	6	4	7	2	6	2	8	3	3	5	2	3	3	-	-	-	-	-	-
	F--	505	380	28	18	4	7	11	7	6	4	5	5	5	2	3	4	6	1	3	2	2	2	-	-	-	-
	Nonwhite--M--	39	26	5	2	-	-	2	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	35	25	2	2	-	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	3,152	3,149	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,622	1,621	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,160	1,158	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,451	1,451	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	792	792	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	517	517	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,533	1,530	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	746	745	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	584	582	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	695	52	5	7	-	2	5	4	5	10	11	13	17	19	24	31	53	46	69	57	63	74	50	49	21	8
	White-----M--	311	29	2	2	-	1	2	4	3	6	2	3	3	5	8	14	26	23	36	32	25	35	22	22	5	1
	F--	229	17	3	3	-	-	2	-	1	3	5	4	4	5	6	6	10	9	13	15	28	30	22	25	15	3
	Nonwhite--M--	82	5	-	1	-	1	-	-	-	-	2	4	3	2	7	8	8	8	10	4	6	5	3	1	1	3
	F--	73	1	-	1	-	-	1	-	1	1	2	2	7	7	3	3	9	6	10	6	4	4	3	1	-	1
Residual	All other diseases	3,839	193	49	22	16	18	48	25	47	44	65	103	124	141	193	274	315	381	485	434	393	271	136	45	16	1
	White-----M--	1,973	99	22	19	9	8	23	17	27	16	25	38	48	60	101	129	175	227	287	226	201	126	60	21	8	1
	F--	1,531	73	23	3	5	9	22	8	11	22	25	47	49	56	67	94	110	133	175	184	180	136	69	23	7	-
	Nonwhite--M--	190	12	4	-	-	1	-	-	6	3	8	9	13	11	15	31	18	13	15	13	8	4	5	-	1	-
	F--	145	9	-	-	2	-	3	-	3	3	7	9	14	14	10	20	12	8	8	11	4	5	2	1	-	-
E800-E962	Accidents----------	5,047	147	58	53	47	42	163	115	237	333	281	299	247	269	233	219	248	249	281	320	359	385	288	136	31	7
	White-----M--	3,127	67	29	27	27	28	104	80	185	272	202	217	183	179	166	150	173	185	190	188	165	163	99	38	6	4
	F--	1,542	53	20	21	17	10	44	26	39	39	49	51	30	53	36	42	56	50	72	125	186	218	186	96	23	-
	Nonwhite--M--	263	8	2	3	-	2	9	7	11	16	20	26	24	30	22	21	16	13	15	4	5	4	1	2	-	2
	F--	115	19	7	2	3	2	6	2	2	6	10	5	10	7	9	6	3	1	4	3	3	-	2	-	2	1
E810-E835	Motor-vehicle accidents--------	1,915	12	15	17	16	27	65	34	152	228	182	159	130	120	112	87	102	118	118	87	60	52	20	2	-	-
	White-----M--	1,349	7	8	9	7	18	44	25	119	188	125	110	94	73	79	55	73	85	83	58	38	38	13	-	-	-
	F--	421	3	7	8	9	6	15	8	27	30	34	30	22	34	18	23	24	26	27	29	20	13	6	2	-	-
	Nonwhite--M--	112	-	-	-	-	2	4	1	5	7	18	15	10	12	10	7	4	6	7	-	2	1	1	-	-	-
	F--	33	2	-	-	-	1	2	-	1	3	5	4	4	1	5	2	1	1	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	3,132	135	43	36	31	15	98	81	85	105	99	140	117	149	121	132	146	131	163	233	299	333	268	134	31	7
	White-----M--	1,778	60	21	18	20	10	60	55	66	84	77	107	89	106	87	95	100	100	107	130	127	125	86	38	6	4
	F--	1,121	50	13	13	8	4	29	18	12	9	15	21	8	19	18	19	32	24	45	96	166	205	180	94	23	-
	Nonwhite--M--	151	8	2	3	-	-	5	6	6	9	2	11	14	18	12	14	12	7	8	4	3	3	-	2	-	2
	F--	82	17	7	2	3	1	4	2	1	3	5	1	6	6	4	4	2	-	3	3	3	-	2	-	2	1
E963, E970-E979	Suicide----------	965	-	-	-	-	-	-	3	17	39	58	60	80	72	90	94	92	108	85	83	32	39	11	1	-	1
	White-----M--	732	-	-	-	-	-	-	2	9	29	35	42	61	53	65	70	73	88	68	64	28	34	10	-	-	1
	F--	200	-	-	-	-	-	-	-	6	7	20	11	16	18	23	20	17	19	16	16	4	5	1	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	1	1	2	3	5	2	-	1	4	2	1	-	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	1	-	2	1	1	1	-	-	-	1	1	-	-	-	-	-	-
E964, E980-E985	Homicide----------	305	6	1	1	1	-	-	3	17	25	47	42	49	26	28	20	10	13	4	4	3	3	-	1	-	1
	White-----M--	94	3	-	1	-	-	-	2	9	9	11	12	13	6	7	4	4	3	4	2	2	2	-	-	-	-
	F--	49	1	1	-	-	-	-	-	3	5	6	4	5	6	4	4	-	4	-	2	1	1	-	1	-	1
	Nonwhite--M--	123	-	-	-	1	-	-	1	3	5	23	18	26	11	13	11	6	5	-	-	-	-	-	-	-	-
	F--	39	2	-	-	-	-	-	-	2	6	7	8	5	3	4	1	-	1	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA																										
	ALL CAUSES	20,118	1,561	128	100	72	39	158	116	191	252	257	304	384	546	689	965	1,310	1,550	2,136	2,429	2,637	2,268	1,265	540	153	68
	White--M	10,679	720	47	43	35	14	83	61	104	149	130	149	191	271	386	558	799	893	1,187	1,323	1,408	1,158	625	257	58	30
	F	7,050	513	48	39	25	14	53	37	52	62	73	92	109	162	192	245	345	478	733	885	1,039	956	565	248	72	13
	Nonwhite--M	1,311	196	20	12	8	7	13	10	21	18	31	30	39	47	60	84	90	100	124	126	105	100	36	11	11	12
	F	1,078	132	13	6	4	4	9	8	14	23	23	33	45	66	51	78	76	79	92	95	85	54	39	24	12	13
001-019	Tuberculosis all forms	438	7	9	2	1	2	3	-	5	19	24	30	29	35	37	36	34	41	49	29	20	18	6	-	-	2
	White--M	211	2	2	2	-	-	-	-	3	6	9	12	22	20	17	22	28	27	16	11	7	4	-	-	-	1
	F	105	2	2	-	-	1	1	-	1	5	8	13	8	4	4	7	5	4	13	9	6	9	2	-	-	1
	Nonwhite--M	72	3	2	-	-	1	1	-	3	5	3	4	3	5	9	9	7	6	5	2	2	2	-	-	-	-
	F	50	-	3	-	1	-	1	-	1	6	7	4	6	4	4	3	-	3	4	2	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	401	2	1	-	-	-	2	-	4	19	24	28	29	33	37	36	32	40	44	27	19	18	4	-	-	2
	White--M	198	2	-	-	-	-	-	-	-	3	6	9	12	22	20	17	21	27	23	14	11	7	3	-	-	1
	F	95	-	-	-	-	-	-	-	1	5	8	12	8	4	4	7	4	4	13	9	5	9	1	-	-	1
	Nonwhite--M	64	-	1	-	-	-	1	-	2	5	3	3	3	4	9	9	7	6	5	2	2	2	-	-	-	-
	F	44	-	-	-	-	-	1	-	1	6	7	4	6	3	4	3	-	3	3	2	1	-	-	-	-	-
010-019	Tuberculosis, other forms	37	5	8	2	1	2	1	-	1	-	-	2	-	2	-	-	2	1	5	2	1	-	2	-	-	-
	White--M	13	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	-	-	1	-	-	-
	F	10	2	2	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	Nonwhite--M	8	3	1	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	90	5	-	-	-	-	-	-	-	-	1	1	2	3	7	12	10	9	15	12	8	2	2	-	-	1
	White--M	49	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	9	7	9	8	4	1	-	-	-	-
	F	20	3	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	1	2	1	3	1	2	-	-	-
	Nonwhite--M	18	1	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-	1	4	2	1	-	-	-	-	1
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	17	9	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
	White--M	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	4	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	12	1	-	-	1	1	2	-	-	1	-	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-
	White--M	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	7	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	19	11	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	17	2	-	1	4	-	1	2	1	1	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-
	White--M	9	1	-	1	-	-	-	2	1	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F	7	1	-	-	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	39	4	3	4	1	2	9	6	1	2	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	27	3	1	2	-	1	6	5	1	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	2	1	1	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	24	2	5	8	3	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	10	-	4	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	4	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	75	10	3	1	1	-	4	1	1	3	2	2	3	2	2	4	8	6	4	7	3	3	3	1	1	-
	White--M	32	2	1	-	-	-	2	1	1	-	-	1	1	1	-	3	5	2	2	4	-	3	2	1	-	-
	F	27	2	1	-	-	-	1	-	-	3	2	1	1	-	1	1	3	4	1	2	2	-	1	-	1	-
	Nonwhite--M	9	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-
	F	7	2	1	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
140-205	Malignant neoplasms, etc.*----	2,841	5	3	17	12	3	15	10	16	18	24	45	76	114	155	197	299	323	363	379	373	223	126	34	6	5
	White----M--	1,372	3	3	7	7	-	10	6	8	9	9	19	23	33	62	82	148	149	186	200	196	127	63	18	3	1
	F--	1,218	2	-	7	4	1	5	4	4	9	10	18	40	61	74	92	121	154	149	151	154	90	54	12	2	-
	Nonwhite--M--	105	-	-	1	1	1	-	-	3	-	-	3	4	3	5	10	16	10	14	11	10	3	5	1	1	3
	F--	146	-	-	2	-	1	-	-	1	-	5	5	9	17	14	13	14	10	14	17	13	3	4	3	-	1
140-148	Of buccal cavity and pharynx------	52	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	5	6	7	14	5	7	-	-	-
	White----M--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	3	5	11	5	7	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,016	-	-	1	-	-	1	1	2	4	3	10	19	29	30	49	89	117	166	167	151	113	42	19	1	2
	White----M--	542	-	-	1	-	-	-	1	1	3	1	6	8	14	14	19	58	61	91	94	80	60	19	10	1	-
	F--	364	-	-	-	-	-	1	-	-	1	1	1	6	8	11	19	20	49	58	59	59	47	18	6	-	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	1	-	-	1	2	3	1	6	8	4	8	7	6	3	3	1	-	1
	F--	55	-	-	-	-	-	-	-	-	-	1	2	3	4	4	5	3	3	9	7	6	3	2	2	-	1
160-164	Of respiratory system----------	231	-	-	-	-	-	-	1	-	-	2	1	3	3	21	25	40	38	33	35	16	6	3	4	-	-
	White----M--	181	-	-	-	-	-	-	1	-	-	1	-	3	3	17	21	35	28	25	28	12	3	1	3	-	-
	F--	38	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	3	7	8	7	3	3	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
170	Of breast---------	211	-	-	-	-	-	-	-	-	-	-	3	5	19	19	19	28	25	24	18	27	12	9	3	-	-
	White----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
	F--	188	-	-	-	-	-	-	-	-	-	-	2	5	16	18	18	24	22	21	15	26	11	7	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	-	3	1	-	4	2	2	3	1	-	1	-	-	-	-
171-179	Of genital organs-	488	-	-	-	-	-	-	1	3	6	9	21	27	40	35	58	53	42	63	59	33	27	7	2	2
	White----M--	156	-	-	-	-	-	-	-	1	3	1	-	1	3	2	7	9	15	32	33	26	18	4	1	-	-
	F--	282	-	-	-	-	-	-	1	2	1	7	17	21	30	28	44	42	24	25	21	7	9	3	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	3	1	-	-	-	1	2
	F--	37	-	-	-	-	-	-	-	-	-	2	1	4	5	7	5	4	2	-	3	4	-	-	-	-	-
180, 181	Of urinary organs-	123	-	1	4	-	-	2	-	-	-	1	-	1	4	6	10	14	11	12	15	22	13	7	-	-	-
	White----M--	73	-	1	-	-	-	1	-	-	-	1	-	-	2	4	8	9	9	7	6	11	9	5	-	-	-
	F--	40	-	-	1	-	-	1	-	-	-	-	1	-	-	2	1	3	2	5	9	10	4	1	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	F--	6	-	-	2	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	477	2	-	5	5	1	4	5	6	8	5	11	21	19	22	40	46	49	55	51	60	29	28	1	3	1
	White----M--	235	-	-	2	3	-	2	3	4	3	-	5	7	7	14	20	24	23	31	23	35	14	12	1	1	1
	F--	207	2	-	3	1	-	2	2	1	5	3	6	10	11	5	18	18	21	21	24	23	15	14	-	2	-
	Nonwhite--M--	16	-	-	-	1	-	-	-	1	-	-	-	2	-	2	1	2	3	1	1	1	-	1	-	-	-
	F--	19	-	-	-	-	1	-	-	-	-	2	-	2	1	1	1	2	2	2	3	1	-	1	-	-	-
204	Leukemia and aleukemia----------	140	1	2	6	7	2	5	2	6	1	4	8	4	7	8	9	6	11	14	10	16	9	2	-	-	-
	White----M--	81	1	2	4	4	-	4	-	3	1	2	5	3	4	5	6	3	7	6	5	9	7	-	-	-	-
	F--	51	-	-	2	3	1	1	2	2	-	2	2	1	2	3	1	3	4	6	5	7	2	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	103	2	-	1	-	-	3	1	1	2	3	3	2	5	7	7	16	14	11	13	8	3	1	-	-	-
	White----M--	58	2	-	-	-	-	3	1	-	1	1	2	2	3	4	10	6	7	7	5	2	-	-	-	-	-
	F--	41	-	-	1	-	-	-	-	1	1	2	-	-	2	4	3	6	7	4	6	3	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	81	3	-	-	2	2	1	3	3	3	-	6	6	4	11	6	7	7	2	4	4	4	2	1	-	-
	White----M--	25	2	-	-	-	1	-	2	2	1	-	1	-	-	2	1	2	4	2	1	3	1	-	-	-	-
	F--	38	1	-	-	1	1	-	1	-	-	-	4	3	3	6	4	4	2	-	2	1	2	2	1	-	-
	Nonwhite--M--	5	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	1	-	1	3	1	2	1	1	-	-	1	-	1	-	-	-	-
260	Diabetes mellitus-	291	-	-	-	1	-	1	2	1	6	6	1	6	3	10	8	19	38	43	52	48	28	12	6	-	-
	White----M--	115	-	-	-	-	-	1	-	-	3	4	1	3	2	6	5	5	12	13	19	18	13	7	3	-	-
	F--	144	-	-	-	1	-	-	2	1	2	2	-	1	-	1	1	8	22	23	30	29	13	5	3	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	2	2	2	-	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	5	1	1	1	-	-	-	-
280-293	Anemias----------	77	3	-	-	-	-	1	-	-	1	-	-	3	-	1	2	3	3	12	12	15	10	10	1	-	-
	White----M--	38	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	3	7	7	8	7	1	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	7	4	8	1	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	1	-	-	-	-
340	Nonmeningococcal meningitis*------	24	6	5	5	1	-	5	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White----M--	11	3	1	2	1	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	9,918	5	2	2	1	-	9	9	23	19	31	53	85	183	275	440	675	832	1,275	1,535	1,700	1,519	820	309	88	28
	White----M--	5,525	1	-	-	1	-	4	1	13	11	14	25	44	94	175	278	464	514	745	856	924	775	404	138	31	13
	F--	3,462	3	2	2	-	-	4	4	6	7	14	17	27	46	60	87	131	221	414	546	661	644	372	147	44	3
	Nonwhite--M--	499	-	-	-	-	-	1	2	1	1	-	4	6	19	24	37	38	51	71	77	60	69	18	7	7	6
	F--	432	1	-	-	-	-	-	2	3	-	3	7	8	24	16	38	42	46	45	56	55	31	26	17	6	6
330-334, 400-468	Diseases of cardiovascular system-	9,538	4	2	-	1	-	7	7	15	15	27	50	77	171	259	424	649	800	1,237	1,472	1,650	1,466	795	298	86	26
	White----M--	5,363	1	-	-	1	-	2	1	7	10	11	24	39	90	169	271	446	503	731	838	899	746	395	136	31	12
	F--	3,329	2	2	-	-	-	4	2	5	4	13	17	25	41	55	86	126	212	400	516	642	632	357	142	43	3
	Nonwhite--M--	462	-	-	-	-	-	1	2	1	1	-	4	5	16	21	34	37	48	66	73	58	60	18	5	7	5
	F--	384	1	-	-	-	-	-	2	2	-	3	5	8	24	14	33	40	37	40	45	51	28	25	15	5	6
330-334	Vascular lesions, etc.*----------	2,516	1	1	-	-	-	2	-	2	1	8	9	15	31	40	75	111	189	336	428	498	459	206	80	19	5
	White----M--	1,200	-	-	-	-	-	-	-	1	1	6	2	7	5	20	29	62	94	165	213	242	215	91	37	7	3
	F--	1,054	-	1	-	-	-	2	-	1	-	2	5	6	15	14	27	33	66	135	173	211	218	98	38	9	-
	Nonwhite--M--	118	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	6	13	21	23	18	14	7	-	1	2
	F--	144	1	-	-	-	-	-	-	-	-	-	2	1	8	4	12	10	16	15	19	27	12	10	5	2	-
400-402	Rheumatic fever---	21	-	-	-	1	-	2	6	2	-	3	-	3	-	2	-	-	-	-	1	-	-	1	-	-	-
	White----M--	8	-	-	-	1	-	1	1	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	2	-	-	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
410-443	Diseases of heart	6,248	2	-	-	-	-	3	1	9	11	13	36	53	132	200	325	505	577	846	960	1,023	854	468	163	48	19
	White----M--	3,760	1	-	-	-	-	1	-	4	8	3	21	29	83	141	227	367	389	533	579	589	444	244	73	17	7
	F--	1,966	1	-	-	-	-	1	-	4	3	7	9	15	22	33	52	84	134	249	311	379	355	203	77	24	3
	Nonwhite--M--	312	-	-	-	-	-	1	1	-	-	-	4	4	13	17	25	28	33	43	45	36	41	10	4	4	3
	F--	210	-	-	-	-	-	-	-	1	-	3	2	5	14	9	21	26	21	21	25	19	14	11	9	3	6
410-416	Chronic rheumatic heart disease----	208	-	-	-	-	-	1	1	5	7	2	7	9	18	9	14	23	18	21	18	25	16	9	5	-	-
	White-----M--	108	-	-	-	-	-	-	-	1	6	1	4	3	7	4	9	15	7	13	11	15	4	4	4	-	-
	F--	81	-	-	-	-	-	1	-	4	1	1	3	5	9	5	4	6	9	6	3	9	10	5	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	1	3	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	1	-	1	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	3,825	1	-	-	-	-	-	-	2	1	6	20	30	76	134	228	358	400	574	605	603	441	238	79	19	10
	White-----M--	2,528	1	-	-	-	-	-	-	1	1	1	12	20	58	102	178	279	299	391	394	370	248	124	34	9	6
	F--	1,082	-	-	-	-	-	-	-	-	-	3	2	6	9	19	31	53	83	152	183	214	170	107	40	9	1
	Nonwhite--M--	123	-	-	-	-	-	-	-	-	-	-	4	1	5	7	9	15	11	20	20	9	16	3	2	1	-
	F--	92	-	-	-	-	-	-	-	1	-	2	2	3	4	6	10	11	7	11	8	10	7	4	3	-	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	747	1	-	-	-	-	-	-	-	-	1	-	1	6	9	29	26	44	67	104	139	168	95	36	18	3
	White-----M--	387	-	-	-	-	-	-	-	-	-	-	-	-	2	5	13	17	27	40	64	76	74	51	14	4	-
	F--	282	1	-	-	-	-	-	-	-	-	-	-	-	2	2	6	3	12	15	33	55	85	40	18	9	1
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	3	8	4	5	8	1	1	2	1
	F--	32	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	1	2	4	3	3	1	3	3	3	1
430-434	Other diseases of heart---------	589	-	-	-	-	-	2	-	2	2	4	6	12	20	35	23	45	52	66	81	94	76	45	19	5	-
	White-----M--	349	-	-	-	-	-	1	-	2	1	1	4	5	11	28	14	31	30	32	51	60	47	17	10	4	-
	F--	166	-	-	-	-	-	-	-	-	1	3	2	4	1	3	4	9	10	27	20	27	25	22	7	1	-
	Nonwhite--M--	53	-	-	-	-	-	1	-	-	-	-	-	2	7	4	4	3	7	5	8	5	2	4	1	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	2	2	2	2	2	1	-	-
440-443	Hypertension with heart dis.--	879	-	-	-	-	-	-	-	-	1	-	3	1	12	13	31	53	63	118	152	162	153	81	24	6	6
	White-----M--	388	-	-	-	-	-	-	-	-	-	-	1	1	5	2	13	25	26	57	59	68	71	48	11	-	1
	F--	355	-	-	-	-	-	-	-	-	1	-	2	-	1	4	7	13	20	49	72	74	65	29	12	5	1
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	5	10	9	10	16	14	2	-	1	2
	F--	57	-	-	-	-	-	-	-	-	-	-	-	-	5	3	6	10	7	3	11	4	3	2	1	-	2
444-447	Hypertension without mention of heart----------	211	-	-	-	-	-	-	-	-	-	1	1	3	2	8	9	23	13	9	22	36	49	21	11	3	-
	White-----M--	101	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	12	6	4	12	16	25	9	8	1	-
	F--	78	-	-	-	-	-	-	-	-	-	1	1	1	-	3	4	5	6	3	7	16	19	9	2	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	3	1	3	1	-	1	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	1	-	3	2	2	1	-	-
450	General arteriosclerosis--------	415	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	11	32	49	76	91	87	44	16	1
	White-----M--	226	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	19	30	42	57	42	18	6	1
	F--	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	9	18	33	32	44	25	9	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	1	-	-	-
451-468	Other diseases of circulatory sys.-	127	1	1	-	-	-	-	-	2	3	2	4	3	6	7	12	7	10	14	12	17	13	12	-	-	1
	White-----M--	68	-	-	-	-	-	-	-	1	1	-	1	2	1	2	9	3	9	10	4	10	5	9	-	-	1
	F--	46	1	1	-	-	-	-	-	-	1	2	2	1	4	4	2	4	-	4	6	3	8	3	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	1	3	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*	380	1	-	2	-	-	2	2	8	4	4	3	8	12	16	16	26	32	38	63	50	53	25	11	2	2
	White-----M--	162	-	-	-	-	-	2	-	6	1	3	1	5	4	6	7	18	11	14	18	25	29	9	2	-	1
	F--	133	1	-	2	-	-	-	2	1	3	1	-	2	5	5	1	5	9	14	30	19	12	15	5	1	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	1	3	5	4	2	9	-	2	-	1
	F--	48	-	-	-	-	-	-	-	1	-	-	2	-	-	2	5	2	9	5	11	4	3	1	2	1	-
480-493	Influenza and pneumonia, etc.*	686	107	21	8	8	6	8	2	1	7	2	3	6	12	6	21	22	34	53	59	85	92	65	47	6	5
	White-----M--	311	35	6	2	3	3	6	-	-	4	-	2	4	4	4	15	8	19	29	24	41	44	28	26	2	2
	F--	251	24	5	5	3	1	1	1	-	3	1	1	1	6	2	4	6	6	17	27	35	42	35	19	3	3
	Nonwhite--M--	73	28	7	1	2	1	1	1	-	-	1	-	-	1	-	-	3	7	4	3	6	4	2	1	-	-
	F--	51	20	3	-	-	1	-	-	1	-	-	-	1	1	-	2	5	2	3	5	3	2	-	1	1	-
480-483	Influenza---------	122	9	2	-	3	-	3	-	-	-	-	-	1	3	1	3	3	9	10	14	15	24	14	7	1	-
	White-----M--	57	1	1	-	2	-	2	-	-	-	-	-	1	1	-	2	-	6	7	6	5	12	5	5	1	-
	F--	47	1	-	-	1	-	-	-	-	-	-	-	-	2	1	1	3	1	2	6	7	11	9	2	-	-
	Nonwhite--M--	14	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	564	98	19	8	5	6	5	2	1	7	2	3	5	9	5	18	19	25	43	45	70	68	51	40	5	5
	White-----M--	254	34	5	2	1	3	4	-	-	4	-	2	3	3	4	13	8	13	22	18	36	32	23	21	1	2
	F--	204	23	5	5	2	1	1	1	-	3	1	1	1	4	1	3	3	5	15	21	28	31	26	17	3	3
	Nonwhite--M--	59	22	6	1	2	1	-	1	-	-	1	-	-	1	-	-	3	5	3	3	4	3	2	1	-	-
	F--	47	19	3	-	-	1	-	-	1	-	-	-	1	1	-	2	5	2	3	3	2	2	-	1	1	-
500-502	Bronchitis--------	33	3	3	1	-	1	-	-	-	-	-	-	-	1	-	3	1	3	4	4	2	1	1	1	-
	White-----M--	18	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	3	3	2	-	1	1	-
	F--	9	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	1	-	-	-
	Nonwhite--M--	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	96	2	-	-	-	-	-	-	-	1	-	2	3	4	11	14	12	12	10	8	7	6	3	-	-	1
	White-----M--	73	1	-	-	-	-	-	-	-	-	-	1	2	2	6	12	11	12	8	7	6	3	2	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	1	3	1	-	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	51	-	-	1	5	1	4	2	1	-	-	6	1	1	3	2	2	5	5	4	4	3	-	1	-	-
	White-----M--	26	-	-	1	2	-	2	2	1	-	-	4	1	-	1	-	-	2	4	1	2	2	-	1	-	-
	F--	13	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	2	1	2	2	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	137	14	2	1	-	-	1	-	-	-	2	4	3	4	6	7	8	13	9	25	15	15	5	3	-	-
	White-----M--	51	4	1	1	-	-	-	-	-	-	-	1	2	1	3	3	4	4	3	10	8	4	1	1	-	-
	F--	59	5	-	-	-	-	1	-	-	-	-	3	-	1	1	3	3	8	2	12	5	9	4	2	-	-
	Nonwhite--M--	17	5	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	1	2	3	1	1	-	-	-	-
	F--	10	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	2	-	1	1	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
543,	Gastritis, etc.*--	89	38	2	1	-	1	1	2	1	-	1	1	-	2	-	2	4	1	7	7	6	6	4	1	1	-
571,	White-----M--	35	16	1	-	-	-	1	1	-	-	1	1	-	1	-	1	1	1	4	2	-	3	1	-	-	-
572	F--	30	7	-	1	-	1	-	-	1	-	-	-	-	1	-	1	1	-	2	4	6	1	3	1	-	-
	Nonwhite--M--	8	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	16	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	1	-
581	Cirrhosis of liver	144	1	-	-	-	-	1	1	-	1	-	3	7	9	11	14	12	22	21	15	14	7	5	-	-	-
	White-----M--	84	-	-	-	-	-	-	1	-	-	-	2	3	8	9	9	5	11	11	11	8	4	2	-	-	-
	F--	44	1	-	-	-	-	1	-	-	1	-	-	2	1	1	3	5	6	9	3	6	3	2	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	4	1	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	71	-	2	-	-	-	4	1	2	1	1	3	3	-	1	6	8	6	3	6	10	8	4	2	-	-
	White-----M--	36	-	1	-	-	-	2	-	2	1	1	2	1	-	-	2	4	3	2	2	4	3	4	2	-	-
	F--	17	-	-	-	-	-	1	-	-	-	-	1	1	-	-	2	1	-	1	1	4	5	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	1	-	-	2	2	-	-	-	-	-
	F--	8	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	15	18	24	34	15	10	2	-
	White-----M--	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	14	14	17	29	15	10	2	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	5	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	51	...	...	...	...	...	...	-	5	9	10	13	9	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	...	...	...	...	...	...	-	3	5	6	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	24	...	...	...	...	...	...	-	2	4	4	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6404	All other com-																										
649,	plications-------	50	...	...	...	...	...	...	-	5	9	9	13	9	5	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	27	...	...	...	...	...	...	-	3	5	6	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	23	...	...	...	...	...	...	-	2	4	3	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	278	223	14	7	2	-	6	1	2	2	2	-	1	6	3	2	3	4	-	-	-	-	-	-	-	-
	White-----M--	114	88	5	2	2	-	4	-	-	1	1	-	1	5	1	1	1	2	-	-	-	-	-	-	-	-
	F--	130	108	7	3	-	-	2	1	2	1	1	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	17	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	12	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	917	916	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	464	463	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	385	385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	199	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	488	487	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	248	247	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	558	54	4	3	1	2	2	-	4	3	1	1	6	4	16	17	22	18	38	46	62	90	68	56	28	12
795	White-----M--	274	24	1	1	1	1	-	-	1	2	1	-	3	3	8	9	16	8	18	24	35	41	32	26	14	5
	F--	182	10	3	1	-	-	1	-	2	-	-	1	1	-	3	5	2	6	12	13	20	33	27	29	10	3
	Nonwhite--M--	51	11	-	1	-	1	-	-	-	-	-	-	2	1	3	2	4	1	3	4	4	8	4	-	1	1
	F--	51	9	-	-	-	-	1	-	1	1	-	-	-	-	2	1	-	3	5	5	3	8	5	1	3	3
Re-	All other diseases	1,074	67	8	6	7	4	18	10	12	15	16	27	25	34	45	51	75	81	114	125	135	98	55	31	9	6
sid-	White-----M--	526	30	4	3	3	1	9	2	3	5	7	9	14	19	28	26	37	50	50	70	76	37	26	13	3	1
ual	F--	417	22	2	3	3	2	7	7	7	5	6	13	5	6	12	14	30	23	50	48	51	53	24	17	5	2
	Nonwhite--M--	70	9	2	-	-	1	1	1	1	3	2	2	2	2	1	6	4	5	6	5	5	6	4	1	1	-
	F--	61	6	-	-	1	-	1	-	1	2	1	3	4	7	4	5	4	3	8	2	3	2	1	-	-	3
E800-	Accidents----------	1,548	63	38	27	18	10	58	61	105	121	96	75	86	86	67	90	62	61	68	66	89	93	56	35	11	6
E962	White-----M--	944	34	14	15	12	6	31	37	69	94	69	56	63	58	42	69	40	35	37	34	38	45	24	15	2	5
	F--	413	12	19	9	5	4	19	15	22	17	15	8	11	15	16	10	16	15	22	24	43	45	27	17	7	-
	Nonwhite--M--	125	9	5	1	1	-	5	5	10	4	12	7	9	10	7	6	5	8	7	5	3	1	2	1	1	1
	F--	66	8	-	2	-	-	3	4	4	6	-	4	3	3	2	5	1	3	2	3	5	2	3	2	1	-
E810-	Motor-vehicle																										
E835	accidents--------	551	7	13	6	5	4	18	14	61	68	49	36	41	39	33	35	25	23	16	21	10	16	5	2	1	3
	White-----M--	361	5	6	-	4	2	5	7	40	51	35	27	26	26	19	28	15	13	12	13	9	11	3	2	-	2
	F--	136	2	7	4	1	2	9	7	15	12	8	6	8	9	12	4	9	5	3	4	1	5	2	-	1	-
	Nonwhite--M--	42	-	-	1	-	-	3	-	5	2	6	2	6	4	1	2	1	4	1	3	-	-	-	-	-	1
	F--	12	-	-	1	-	-	1	-	1	3	-	1	1	-	1	1	-	1	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	997	56	25	21	13	6	40	47	44	53	47	39	45	47	34	55	37	38	52	45	79	77	51	33	10	3
E802,	White-----M--	583	28	8	15	8	4	26	30	29	43	34	29	37	32	23	41	25	22	25	21	29	34	21	13	2	3
E840-	F--	277	10	12	5	4	2	10	8	7	5	7	2	3	6	4	6	7	10	19	20	42	40	25	17	6	-
E962	Nonwhite--M--	83	9	5	-	1	-	2	5	5	2	6	5	3	6	6	4	4	4	6	2	3	1	2	1	1	-
	F--	54	8	-	1	-	-	2	4	3	3	-	3	2	3	1	4	1	2	2	2	5	2	3	2	1	-
E963,	Suicide----------	176	-	-	-	-	-	-	-	3	7	14	12	11	21	13	19	13	17	19	14	5	5	1	1	-	1
E970-	White-----M--	132	-	-	-	-	-	-	-	1	7	9	10	7	10	12	13	10	15	16	9	5	5	1	1	-	1
E979	F--	38	-	-	-	-	-	-	-	1	-	3	2	3	11	1	4	3	2	3	5	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	108	-	-	-	-	-	1	-	4	11	20	14	12	9	8	6	7	7	5	-	3	-	1	-	-	-
E980-	White-----M--	41	-	-	-	-	-	1	-	1	4	6	3	5	4	4	2	3	5	2	-	-	-	1	-	-	-
E985	F--	15	-	-	-	-	-	-	-	2	3	3	2	-	1	2	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	1	3	9	8	6	4	2	3	4	1	1	-	3	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON																										
	ALL CAUSES	14,549	882	66	45	34	30	80	68	108	140	189	192	307	432	578	747	1,087	1,309	1,669	1,858	1,780	1,523	933	398	74	20
	White----M	8,751	507	30	24	20	19	51	50	72	96	125	119	200	278	396	507	708	880	1,055	1,115	999	819	467	180	22	12
	F	5,543	338	32	20	12	11	28	15	32	41	48	66	97	141	166	229	362	410	588	723	762	693	459	215	49	6
	Nonwhite--M	142	18	1	-	1	-	1	1	2	-	10	3	4	5	11	9	10	12	17	11	12	7	3	1	1	2
	F	113	19	3	1	1	-	-	2	2	3	6	4	6	8	5	2	7	7	9	9	7	4	4	2	2	-
001-019	Tuberculosis all forms	206	2	3	1	1	-	1	-	2	2	7	7	22	12	22	32	25	20	22	10	4	7	3	1	-	-
	White----M	126	-	-	-	1	-	-	-	1	1	3	1	11	7	13	24	20	15	15	7	1	3	3	-	-	-
	F	62	1	2	1	-	-	1	-	1	1	4	3	9	5	5	6	3	4	5	3	3	4	-	1	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	1	1	2	-	-	-	-	-	-	-
	F	7	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	187	2	-	1	-	-	-	-	1	2	7	6	21	11	20	31	22	18	20	10	4	7	3	1	-	-
	White----M	116	-	-	-	-	-	-	-	-	1	3	1	10	7	12	23	18	13	14	7	1	3	3	-	-	-
	F	55	1	-	1	-	-	-	-	1	1	4	2	9	4	4	6	3	4	4	3	3	4	-	1	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	1	1	2	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	19	-	3	-	1	-	1	-	1	-	-	1	1	1	2	1	3	2	2	-	-	-	-	-	-	-
	White----M	10	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	2	2	1	-	-	-	-	-	-	-
	F	7	-	2	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	55	2	-	-	-	-	-	-	-	1	-	-	-	-	2	3	11	15	11	3	5	-	1	-	-	1
	White----M	43	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	10	12	10	2	4	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	1	-	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	1	-	-
	White----M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	F	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	11	-	1	-	-	-	1	-	-	-	-	1	-	1	2	3	-	1	-	-	-	-	1	-	-	-
	White----M	10	-	1	-	-	-	1	-	-	-	-	1	-	1	1	3	-	1	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	12	4	2	-	1	1	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White----M	6	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	1	2	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	12	-	-	-	-	-	4	-	1	-	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	7	-	-	-	-	-	3	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	7	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Resid-ual[1]	All other infective and parasitic diseases	30	4	-	-	-	-	4	2	2	1	1	-	1	3	2	1	2	4	2	1	-	-	-	-	-	-
	White----M	18	4	-	-	-	-	3	1	-	-	-	-	1	2	1	1	1	3	-	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	-	2	1	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
140-205	Malignant neoplasms, etc.*----	2,085	9	5	2	7	7	10	5	10	10	23	24	42	78	112	158	257	249	297	270	226	177	79	25	3	-
	White-----M--	1,102	3	4	2	5	3	5	4	7	4	11	9	17	31	54	83	132	148	162	147	115	99	43	13	1	-
	F--	954	6	1	-	2	4	5	1	3	6	10	15	24	45	57	72	121	96	132	118	110	77	36	11	2	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	2	2	3	2	1	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	3	-	3	-	-	-	1	-	-
140-148	Of buccal cavity and pharynx------	25	-	-	-	-	-	-	-	-	-	-	-	1	1	5	4	4	3	4	1	1	-	-	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	3	4	1	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	756	-	-	-	1	-	-	-	-	1	1	2	11	19	22	45	88	102	124	124	104	72	28	11	1	-
	White-----M--	437	-	-	-	1	-	-	-	-	-	1	9	10	13	25	52	71	74	72	54	38	11	6	-	-	-
	F--	304	-	-	-	-	-	-	-	-	1	1	1	2	9	9	18	33	27	48	49	50	34	17	4	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	-	-	-	1	-	-
160-164	Of respiratory system----------	204	-	-	-	-	-	-	-	-	1	-	2	2	2	17	22	43	32	33	18	17	12	2	1	-	-
	White-----M--	159	-	-	-	-	-	-	-	-	-	-	2	-	2	14	17	34	30	26	12	11	9	2	-	-	-
	F--	40	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	9	1	7	5	6	2	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	176	-	-	-	-	-	-	-	-	1	-	6	7	15	13	11	23	22	27	17	17	12	3	1	1	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	176	-	-	-	-	-	-	-	-	1	-	6	7	15	13	11	23	22	27	17	17	12	3	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	356	-	-	-	-	-	-	1	-	3	5	3	8	16	20	32	34	42	44	39	47	35	20	7	-	-
	White-----M--	148	-	-	-	-	-	-	1	-	2	2	1	-	2	4	4	6	13	19	19	31	25	15	4	-	-
	F--	203	-	-	-	-	-	-	-	-	1	3	2	8	12	16	27	27	29	25	19	16	10	5	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs-	98	1	-	-	1	1	-	-	-	-	-	-	1	4	1	5	14	9	15	16	10	11	6	2	1	-
	White-----M--	66	-	-	-	-	1	-	-	-	-	-	-	1	4	1	3	10	8	12	9	5	7	3	1	1	-
	F--	32	1	-	-	1	-	-	-	-	-	-	-	-	-	-	2	4	1	3	7	5	4	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	280	6	1	1	1	2	5	-	7	1	9	4	8	12	15	26	39	23	30	27	18	26	18	1	-	-
	White-----M--	147	2	1	1	1	1	2	-	4	-	4	2	3	8	7	18	19	16	13	13	6	14	11	1	-	-
	F--	130	4	-	-	-	1	3	-	3	1	4	2	5	4	8	8	20	7	16	14	11	12	7	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	111	1	3	1	4	3	4	3	2	2	2	4	1	4	7	7	6	11	12	21	6	6	1	-	-	-
	White-----M--	75	1	2	1	3	1	2	3	2	1	2	1	1	2	4	7	4	4	7	18	4	4	1	-	-	-
	F--	36	-	1	-	1	2	2	-	-	1	-	3	-	2	3	-	2	7	5	3	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	79	1	1	-	-	1	1	1	1	1	6	3	3	5	12	6	6	5	8	7	6	3	1	1	-	-
	White-----M--	50	-	1	-	-	-	1	-	1	1	3	2	2	3	8	6	3	3	7	3	4	2	-	-	-	-
	F--	28	1	-	-	-	1	-	1	-	-	2	1	1	2	4	-	3	2	1	4	2	1	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	49	3	-	-	-	1	1	-	-	1	1	-	2	5	4	6	4	4	5	5	4	1	2	-	-	-
	White-----M--	16	1	-	-	-	1	-	-	-	-	-	-	1	3	-	2	-	1	-	3	2	1	1	-	-	-
	F--	32	2	-	-	-	-	1	-	-	1	1	-	1	2	4	3	4	3	5	2	2	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	182	-	-	-	-	-	-	-	1	1	3	1	1	4	2	9	11	24	30	30	36	20	9	-	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	1	1	-	-	3	2	5	5	10	14	10	16	6	4	-	-	-
	F--	101	-	-	-	-	-	-	-	1	-	2	1	1	1	-	4	6	14	14	19	20	13	5	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
290-293	Anemias----------	36	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	4	3	6	5	6	6	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	4	3	2	3	-	-
	F--	17	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	2	4	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	22	8	2	-	1	1	2	-	-	-	-	2	-	2	1	-	1	1	-	-	-	1	-	-	-	-
	White-----M--	11	3	1	-	1	1	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	9	3	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	7,736	7	2	1	-	3	5	7	10	13	20	30	77	131	217	333	555	768	1,031	1,243	1,240	1,065	644	276	47	11
	White-----M--	4,636	2	2	1	-	2	5	5	5	9	12	18	54	93	166	238	391	524	663	733	697	562	313	123	12	6
	F--	3,016	5	-	-	-	1	-	1	5	3	5	10	23	33	49	94	157	235	357	498	529	495	326	151	34	5
	Nonwhite--M--	45	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	4	6	6	7	9	5	2	1	-	-
	F--	39	-	-	-	-	-	-	-	-	1	3	2	-	3	1	-	3	3	5	5	5	3	3	1	1	-
330-334, 400-468	Diseases of cardiovascular system-	7,598	7	2	1	-	2	4	6	8	11	18	27	73	125	205	316	545	757	1,018	1,228	1,230	1,053	635	269	47	11
	White-----M--	4,564	2	2	1	-	2	4	4	4	9	10	18	54	90	159	227	385	518	658	722	691	557	309	120	12	6
	F--	2,951	5	-	-	-	-	-	1	4	1	5	7	19	30	44	88	153	230	349	494	525	489	321	147	34	5
	Nonwhite--M--	44	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	4	6	6	7	9	4	2	1	-	-
	F--	39	-	-	-	-	-	-	-	-	1	3	2	-	3	1	-	3	3	5	5	5	3	3	1	1	-
330-334	Vascular lesions, etc.*----------	1,605	3	1	-	-	-	1	-	1	1	2	3	14	14	35	45	75	108	210	281	309	250	156	78	15	3
	White-----M--	806	1	1	-	-	-	1	-	-	1	1	3	9	6	17	27	42	52	116	147	157	115	73	34	1	2
	F--	777	2	-	-	-	-	-	-	1	-	1	-	5	5	17	18	31	53	92	129	148	134	83	44	13	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	2	2	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	3	2	-	-	-	1	-
400-402	Rheumatic fever---	16	-	-	-	-	-	1	3	-	-	2	1	-	1	3	1	-	-	2	1	-	-	1	-	-	-
	White-----M--	8	-	-	-	-	-	1	3	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
410-443	Diseases of heart	5,324	4	1	1	-	2	2	3	4	10	13	18	51	106	160	264	445	606	754	854	801	670	389	139	20	7
	White----M--	3,370	1	1	1	-	2	2	1	3	8	8	13	41	81	135	197	329	437	504	522	464	364	187	60	5	4
	F--	1,902	3	-	-	-	-	-	1	1	1	3	4	10	23	24	66	111	164	241	326	327	302	199	78	15	3
	Nonwhite--M--	31	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	3	4	6	4	7	2	2	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	2	1	3	2	3	2	1	1	-	-
410-416	Chronic rheumatic heart disease	238	-	-	-	-	-	-	2	3	7	7	9	14	19	15	23	17	25	29	26	23	12	5	2	-	-
	White----M--	127	-	-	-	-	-	-	-	2	6	3	5	10	12	10	12	7	13	13	14	13	6	1	-	-	-
	F--	104	-	-	-	-	-	-	1	1	1	3	3	4	7	5	11	9	12	16	11	9	5	4	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,429	-	-	-	-	-	-	-	1	3	4	5	31	66	121	192	320	443	524	554	503	379	206	60	14	3
	White----M--	2,370	-	-	-	-	-	-	-	1	2	4	5	28	59	107	162	261	342	382	367	296	222	98	27	4	3
	F--	1,036	-	-	-	-	-	-	-	-	-	-	-	3	7	13	29	56	99	137	184	203	155	107	33	10	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	1	3	2	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	425	2	1	-	-	-	-	-	-	-	-	2	3	4	3	7	18	28	39	62	70	80	65	37	3	1
	White----M--	236	1	1	-	-	-	-	-	-	-	-	2	2	3	3	5	8	18	26	31	44	37	36	19	-	-
	F--	184	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	9	10	11	31	25	42	29	18	3	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
430-434	Other diseases of heart	280	2	-	1	-	2	2	1	-	-	2	1	-	8	5	5	23	22	34	51	46	44	20	9	-	2
	White----M--	192	-	-	1	-	2	2	1	-	-	1	1	-	4	4	3	21	12	21	37	32	30	13	6	-	1
	F--	81	2	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	9	13	13	12	14	6	3	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
440-443	Hypertension with heart dis.--	952	-	-	-	-	-	-	-	-	-	-	1	3	9	16	37	67	88	128	161	159	155	93	31	3	1
	White----M--	445	-	-	-	-	-	-	-	-	-	-	-	1	3	11	15	32	52	62	73	78	69	39	8	1	-
	F--	497	-	-	-	-	-	-	-	-	-	-	1	2	5	5	22	35	34	64	87	78	86	53	22	2	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	1	-	-
444-447	Hypertension without mention of heart	90	-	-	-	-	-	-	1	-	1	1	2	2	2	2	1	8	6	10	14	16	13	10	2	1	-
	White----M--	49	-	-	-	-	-	-	1	-	1	1	2	1	2	1	3	4	4	4	12	6	6	-	1	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	2	6	9	4	7	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	455	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	20	31	53	90	114	78	49	11	1
	White----M--	259	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	15	23	30	47	67	42	25	5	-
	F--	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	8	23	43	45	34	23	6	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
451-468	Other diseases of circulatory sys.	108	-	-	-	-	-	-	2	-	-	4	6	2	4	4	11	17	11	25	14	6	1	1	-	-
	White----M--	72	-	-	-	-	-	-	-	-	-	-	2	2	3	1	8	10	9	19	11	5	1	1	-	-
	F--	34	-	-	-	-	-	-	2	-	-	3	4	-	1	3	3	6	2	6	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	138	-	-	-	-	1	1	1	2	2	2	3	4	6	12	17	10	11	13	15	10	12	9	7	-	-
	White----M--	72	-	-	-	-	-	1	1	1	-	2	-	-	3	7	11	6	6	5	11	6	5	4	3	-	-
	F--	65	-	-	-	-	1	-	-	1	2	-	3	4	3	5	6	4	5	8	4	4	6	5	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	475	51	10	4	3	4	2	2	1	1	2	5	5	11	13	22	21	25	37	64	63	63	40	15	8	3
	White----M--	278	28	4	2	1	2	1	2	1	-	-	3	3	4	10	15	13	16	25	46	39	34	22	5	-	2
	F--	181	20	5	2	-	2	1	-	-	1	1	2	-	7	2	6	7	9	10	18	23	29	18	10	7	1
	Nonwhite--M--	6	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	F--	10	2	1	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-	1	-
480-483	Influenza	49	6	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	3	4	12	3	6	3	3	-	-
	White----M--	31	4	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	2	3	9	1	3	-	1	-	-
	F--	18	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	3	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	426	45	10	4	3	4	2	2	1	1	2	4	4	11	10	20	19	22	33	52	60	57	37	12	8	3
	White----M--	247	24	4	2	1	2	1	2	1	-	-	2	2	4	7	13	12	14	22	37	38	31	22	4	-	2
	F--	163	18	5	2	-	2	1	-	-	1	1	2	-	7	2	6	6	8	9	15	21	26	15	8	7	1
	Nonwhite--M--	6	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	F--	10	2	1	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-	1	-
500-502	Bronchitis	35	8	2	-	1	-	-	-	-	-	-	1	-	2	1	-	1	3	3	6	1	5	1	-	-	-
	White----M--	22	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	2	4	-	3	1	-	-	-
	F--	12	3	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	82	-	-	-	-	-	-	1	-	-	-	1	1	3	5	5	11	9	10	17	8	4	5	2	-	-
	White----M--	68	-	-	-	-	-	-	1	-	-	-	1	1	3	5	5	5	9	8	14	7	4	4	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	3	1	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	19	-	-	-	1	1	1	-	-	1	1	-	2	4	1	1	1	-	2	1	1	1	-	-	-	-
	White----M--	11	-	-	-	1	1	-	-	-	-	1	-	2	2	-	1	1	-	1	-	-	1	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	76	14	-	1	-	-	1	-	-	-	3	-	2	3	2	4	5	4	11	8	8	7	1	2	-	-
	White----M--	34	6	-	-	-	-	1	-	-	-	1	-	2	1	1	2	2	2	7	2	3	3	-	1	-	-
	F--	38	5	-	1	-	-	-	-	-	-	2	-	-	2	-	2	3	2	4	6	5	4	1	1	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
543,	Gastritis, etc.*--	44	8	4	-	-	-	-	-	-	2	-	1	-	3	2	1	-	2	1	6	6	5	2	1	-	-
571,	White-----M--	20	6	2	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	1	2	-	2	-	1	-	-
572	F--	22	1	1	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	4	6	3	2	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	131	-	-	-	-	-	-	-	-	-	1	2	9	9	22	17	13	15	13	11	11	5	3	-	-	-
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	1	4	7	10	13	10	11	9	8	6	3	2	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	1	1	4	2	10	3	3	4	4	3	4	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	23	-	-	-	-	-	-	1	1	1	1	1	4	1	1	2	3	2	-	2	1	1	2	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	1	-	1	1	2	1	1	2	-	-	-	2	1	1	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	3	2	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	70	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	9	11	18	11	13	3	1	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	7	11	18	11	13	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	4	...	...	...	...	...	...	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	4	...	...	...	...	...	...	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	4	...	...	...	...	...	...	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	183	135	6	5	4	-	3	3	1	1	1	4	1	1	6	2	3	1	2	2	2	-	-	-	-	-
	White-----M--	102	77	4	4	1	-	2	1	1	-	2	-	1	3	2	-	-	-	1	2	1	-	-	-	-	-
	F--	74	53	1	1	3	-	1	1	-	1	1	2	1	-	3	-	3	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	530	530	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	312	312	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	268	268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied-------------	241	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	234	10	-	-	-	-	1	-	2	1	-	3	4	4	5	5	12	13	16	21	44	52	33	6	2
795	White-----M--	130	5	-	-	-	-	-	-	1	-	-	2	3	4	5	4	7	9	13	13	20	23	16	3	2
	F--	97	4	-	-	-	-	1	-	1	-	-	1	1	-	-	1	4	4	2	7	23	28	17	3	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Re-	All other diseases	673	34	8	3	4	4	7	4	1	8	11	18	19	30	40	40	58	66	80	80	71	46	24	11	5	1
sid-	White-----M--	408	24	2	3	2	2	3	2	1	3	7	7	9	15	24	23	36	47	48	54	44	32	12	4	3	1
ual	F--	253	8	6	-	2	2	4	2	-	5	2	11	9	13	14	17	22	18	32	25	26	14	12	7	2	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	1	-	1	1	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	1,252	48	19	27	10	8	35	40	75	81	91	73	89	103	76	71	77	59	62	55	37	47	43	22	4	-
E962	White-----M--	923	25	8	12	7	6	25	31	52	67	77	60	76	81	66	58	60	50	48	39	19	25	20	9	2	-
	F--	306	21	11	14	3	2	9	9	20	12	13	13	13	18	9	12	15	8	11	16	18	22	23	13	1	-
	Nonwhite--M--	13	-	-	-	-	-	1	-	2	-	1	-	-	1	1	1	1	1	3	-	-	-	-	-	1	-
	F--	10	2	-	1	-	-	-	-	1	2	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	467	4	8	10	1	3	13	11	44	47	44	30	38	49	22	28	27	20	25	19	11	9	2	2	-	-
	White-----M--	341	3	3	4	1	3	8	8	25	35	33	24	32	34	19	23	18	14	20	14	8	8	2	2	-	-
	F--	117	1	5	6	-	-	5	3	16	12	10	6	6	13	3	4	8	6	4	5	3	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	785	44	11	17	9	5	22	29	31	34	47	43	51	54	54	43	50	39	37	36	26	38	41	20	4	-
E802,	White-----M--	582	22	5	8	6	3	17	23	27	32	44	36	44	47	47	35	42	36	28	25	11	17	18	7	2	-
E840-	F--	199	20	6	8	3	2	4	6	4	-	3	7	7	5	6	8	7	2	7	11	15	21	23	13	1	-
E962	Nonwhite--M--	7	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	1	-
	F--	7	2	-	1	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E963,	Suicide-----------	235	-	-	-	-	-	-	2	3	10	13	15	19	18	35	28	18	19	24	11	9	8	2	-	-	1
E970-	White-----M--	183	-	-	-	-	-	-	2	3	7	9	11	12	14	27	20	13	16	22	11	7	6	2	-	-	1
E979	F--	46	-	-	-	-	-	-	-	-	3	2	3	6	4	7	7	5	3	2	-	2	2	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	27	-	-	-	-	-	-	-	-	1	4	4	5	2	3	2	2	-	1	-	2	-	-	-	-	1
E980-	White-----M--	14	-	-	-	-	-	-	-	-	-	2	2	2	2	3	-	1	-	-	-	2	-	-	-	-	-
E985	F--	7	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA																										
	ALL CAUSES	111,426	6,117	375	206	181	158	493	376	648	901	1,086	1,442	2,124	3,291	4,447	6,702	9,350	11,717	13,948	14,389	13,997	10,758	5,958	2,199	465	98
	White--M	57,862	3,068	187	105	92	83	277	203	408	519	548	683	1,036	1,794	2,437	3,578	5,393	6,702	7,819	7,514	6,985	5,003	2,478	802	133	35
	F	45,899	2,239	156	76	72	61	163	126	174	246	367	526	739	1,008	1,465	2,185	3,157	4,285	5,466	6,302	6,556	5,489	3,331	1,352	309	49
	Nonwhite--M	4,231	447	31	15	9	7	31	31	32	65	94	116	204	239	295	532	477	435	377	295	247	132	81	21	11	7
	F	3,434	363	21	10	8	7	22	16	34	71	77	117	145	250	250	407	323	295	286	278	209	134	68	24	12	7
001-019	Tuberculosis all forms	2,352	5	9	9	4	5	9	9	35	84	131	163	152	206	215	262	279	276	208	137	98	38	15	2	-	1
	White--M	1,357	1	2	4	1	3	2	2	8	16	34	63	65	119	137	158	194	194	156	100	63	26	7	1	-	1
	F	464	2	2	2	2	1	3	1	13	26	44	52	42	41	26	27	39	38	34	28	25	10	5	1	-	-
	Nonwhite--M	367	2	4	2	1	1	2	3	4	25	25	21	32	31	39	61	43	38	14	6	9	1	3	-	-	-
	F	164	-	1	1	-	-	2	3	10	17	28	27	13	15	13	16	3	6	4	3	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system	2,177	3	2	2	2	1	3	7	29	77	122	153	146	193	204	251	265	259	189	126	92	35	13	2	-	1
	White--M	1,286	1	-	-	-	-	-	1	8	16	31	58	61	113	132	155	189	191	146	92	60	24	6	1	-	1
	F	427	2	1	1	1	1	1	1	11	25	42	51	41	40	25	24	32	32	32	26	24	9	4	1	-	-
	Nonwhite--M	326	-	1	1	1	-	1	3	3	22	23	20	31	28	37	57	42	32	8	5	7	1	3	-	-	-
	F	138	-	-	-	-	-	1	2	7	14	26	24	13	12	10	15	2	4	3	3	1	1	-	-	-	-
010-019	Tuberculosis, other forms	175	2	7	7	2	4	6	2	6	7	9	10	6	13	11	11	14	17	19	11	6	3	2	-	-	-
	White--M	71	-	2	4	1	3	2	1	-	-	3	5	4	6	5	3	5	3	10	8	3	2	1	-	-	-
	F	37	-	1	1	1	-	2	-	2	1	2	1	1	1	1	3	7	6	2	2	1	1	1	-	-	-
	Nonwhite--M	41	2	3	1	-	1	1	-	1	3	2	1	1	3	2	4	1	6	6	1	2	-	-	-	-	-
	F	26	-	1	1	-	-	1	1	3	3	2	3	-	3	3	1	1	2	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	430	4	-	-	-	-	-	1	2	3	1	3	10	37	24	55	72	78	59	38	27	14	1	1	-	-
	White--M	241	2	-	-	-	-	-	1	1	2	-	-	2	16	8	31	40	49	34	27	19	7	1	1	-	-
	F	74	1	-	-	-	-	-	-	1	1	-	1	1	5	3	5	10	12	13	7	8	6	-	-	-	-
	Nonwhite--M	76	-	-	-	-	-	-	-	-	-	1	1	4	8	5	12	16	15	10	3	-	1	-	-	-	-
	F	39	1	-	-	-	-	-	-	-	-	-	1	3	8	8	7	6	2	2	1	-	-	-	-	-	-
040	Typhoid fever	8	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	2	-	1	1	-	-	-	-
	White--M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-
	White--M	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	15	1	-	-	-	-	-	-	4	-	-	3	1	1	-	-	-	-	1	-	1	1	2	-	-	-
	White--M	7	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	1	1	-	-	-
	F	8	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	14	-	-	-	1	1	7	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
	White--M	5	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
	Nonwhite--M	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	27	21	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	15	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	61	16	5	2	6	1	6	5	7	2	1	-	-	-	4	2	2	-	-	-	2	-	-	-	-	-
	White--M	28	10	-	1	3	1	3	1	4	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	F	28	3	5	1	3	-	3	4	2	1	1	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	42	1	1	3	1	-	8	10	4	4	4	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	26	-	-	3	1	-	5	7	1	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	1	-	-	-	3	3	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	27	4	3	2	2	-	11	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	12	1	2	1	-	-	5	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	14	3	-	1	2	-	6	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	258	30	14	8	2	5	10	5	5	6	7	8	16	16	16	15	12	15	19	20	13	9	2	5	-	-
	White--M	123	19	5	4	1	1	5	3	3	1	4	4	6	6	8	7	7	9	8	7	7	5	1	2	-	-
	F	105	7	5	2	1	4	4	2	1	2	1	2	8	7	8	6	3	6	10	12	6	4	1	3	-	-
	Nonwhite--M	19	4	3	2	-	-	-	-	-	2	-	-	1	2	-	1	2	-	1	1	-	-	-	-	-	-
	F	11	-	1	-	-	-	1	-	1	1	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
140-205	Malignant neoplasms, etc.*----	16,675	11	16	22	29	21	68	40	58	84	120	214	379	642	926	1,462	1,932	2,368	2,449	2,246	1,880	1,058	502	123	19	6
	White-----M--	7,936	3	8	13	16	13	36	21	33	54	51	62	118	218	350	588	903	1,211	1,288	1,173	1,000	505	204	55	11	2
	F--	7,791	7	7	9	12	8	30	16	23	23	59	132	215	344	495	694	899	1,041	1,065	998	828	526	284	67	6	3
	Nonwhite--M--	486	1	-	-	-	-	1	2	1	2	6	8	19	23	29	94	72	66	59	46	29	17	7	1	2	1
	F--	462	-	1	-	1	-	1	1	1	5	4	12	27	57	52	86	58	50	37	29	23	10	7	-	-	-
140-148	Of buccal cavity and pharynx------	356	-	-	-	1	-	-	-	-	2	-	-	3	12	12	31	41	55	50	51	50	28	19	1	-	-
	White-----M--	269	-	-	-	1	-	-	-	-	-	-	-	1	4	6	19	31	45	46	42	38	22	13	1	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	6	4	3	7	12	5	6	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	1	-	-	1	4	1	6	4	5	1	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	6,882	2	-	1	1	2	3	4	2	8	18	60	74	185	257	480	764	1,038	1,146	1,065	952	513	239	62	5	1
	White-----M--	3,511	1	-	1	1	-	1	3	2	4	4	21	34	94	130	222	387	565	599	583	518	235	80	22	3	1
	F--	3,022	1	-	-	-	2	2	1	-	3	11	35	30	70	109	192	330	421	495	451	409	266	152	40	2	-
	Nonwhite--M--	220	-	-	-	-	-	-	-	-	-	2	4	3	8	12	41	34	34	34	22	14	8	4	-	-	-
	F--	129	-	-	-	-	-	-	-	-	1	1	-	7	13	6	25	13	18	18	9	11	4	3	-	-	-
160-164	Of respiratory system----------	1,723	-	-	-	-	1	-	1	4	4	7	7	29	57	114	224	290	311	278	207	114	49	21	2	2	1
	White-----M--	1,340	-	-	-	-	-	-	1	-	3	5	5	14	43	90	169	231	268	226	160	77	31	14	1	1	1
	F--	286	-	-	-	-	1	-	-	3	1	1	2	8	11	16	26	39	36	42	41	35	17	5	1	1	-
	Nonwhite--M--	81	-	-	-	-	-	-	-	-	-	1	-	6	2	6	24	18	7	9	4	2	1	1	-	-	-
	F--	16	-	-	-	-	-	-	-	1	-	-	-	1	1	2	5	2	-	1	2	-	1	1	-	-	-
170	Of breast---------	1,485	-	-	-	-	-	-	1	1	-	12	31	67	101	136	182	196	194	158	156	120	74	46	9	-	1
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	4	2	1	1	-	1	-	-	-
	F--	1,380	-	-	-	-	-	-	1	1	-	11	30	58	90	128	160	183	178	151	150	113	71	45	9	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	89	-	-	-	-	-	-	-	-	-	1	1	7	10	8	19	12	12	5	5	6	3	-	-	-	-
171-179	Of genital organs-	2,542	-	-	-	-	-	2	10	13	20	43	85	128	183	218	277	311	323	328	287	204	74	28	6	2
	White-----M--	820	-	-	-	-	-	-	-	3	7	7	6	7	9	10	15	38	74	130	146	172	127	44	21	4	-
	F--	1,520	-	-	-	-	-	-	2	7	6	10	30	69	99	154	170	211	212	180	166	101	68	27	6	1	1
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	1	-	-	-	-	6	8	9	9	8	9	6	2	1	1	1
	F--	141	-	-	-	-	-	-	-	-	-	2	7	9	20	19	27	20	16	4	8	5	3	1	-	-	-
180, 181	Of urinary organs-	830	1	2	6	2	2	8	1	1	1	3	2	8	12	35	58	84	105	132	135	122	68	32	8	2	-
	White-----M--	495	-	2	5	2	1	2	1	-	-	2	1	3	2	22	34	56	74	83	76	67	36	19	6	1	-
	F--	294	1	-	1	-	1	6	-	1	-	1	1	3	5	8	18	24	30	42	55	52	31	12	2	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	1	-	-	1	1	3	3	3	1	3	3	2	1	-	-	1	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	4	2	3	1	-	4	1	1	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,632	3	3	6	5	6	20	11	13	23	26	34	57	75	114	165	161	205	204	185	156	89	58	9	4	-
	White-----M--	845	1	2	3	3	5	13	7	9	16	13	13	27	36	56	76	96	102	115	98	82	37	30	3	2	-
	F--	713	2	1	3	2	1	6	4	4	6	12	17	26	32	47	78	56	92	85	79	73	52	27	6	2	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	1	2	4	2	2	8	1	8	-	6	1	-	-	-	-	-
	F--	39	-	-	-	-	-	1	-	-	1	-	2	-	5	9	3	8	3	4	2	-	-	1	-	-	-
204	Leukemia and aleukemia----------	640	3	11	9	18	9	32	18	16	16	15	13	26	39	33	52	51	71	67	68	47	18	7	1	-	-
	White-----M--	319	1	4	4	8	6	17	8	11	12	7	7	11	10	13	26	27	40	37	33	25	10	2	-	-	-
	F--	286	1	6	5	10	3	14	7	5	3	7	5	13	24	15	22	22	29	27	32	22	8	5	1	-	-
	Nonwhite--M--	26	1	-	-	-	-	1	2	-	-	1	1	2	5	2	3	2	2	2	2	-	-	-	-	-	-
	F--	9	-	1	-	-	-	-	1	-	1	-	-	-	-	3	1	-	-	1	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	585	2	-	-	2	1	5	2	11	17	19	24	30	33	42	52	68	78	91	51	32	15	6	3	-	1
	White-----M--	321	-	-	-	1	1	3	1	8	12	13	9	19	19	23	24	36	39	50	34	20	7	1	1	-	-
	F--	235	2	-	-	-	-	2	1	2	4	6	12	8	10	14	23	28	39	40	17	11	8	5	2	-	1
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	-	-	1	2	1	3	3	2	-	1	-	1	-	-	-	-	-
	F--	14	-	-	-	1	-	-	-	-	1	-	2	1	3	2	2	2	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	408	5	3	2	1	3	8	5	7	10	11	13	22	31	54	46	43	31	35	18	28	19	9	2	2	-
	White-----M--	157	1	2	1	1	2	4	3	2	2	5	3	7	11	18	15	15	16	19	9	12	6	2	1	-	-
	F--	207	4	1	-	-	1	2	1	3	4	6	9	10	15	31	23	23	13	16	9	14	13	6	1	2	-
	Nonwhite--M--	13	-	-	-	-	-	-	1	1	2	-	-	1	1	1	2	2	1	-	-	1	-	-	-	-	-	-
	F--	31	-	-	1	-	-	2	-	1	2	-	1	4	4	4	6	3	1	-	-	1	-	1	-	-	-	-
260	Diabetes mellitus-	2,368	2	1	-	-	-	3	5	10	10	17	21	33	36	74	136	223	386	448	409	302	183	57	12	-	-
	White-----M--	721	1	1	-	-	-	1	3	4	3	9	8	15	21	28	50	62	109	117	118	93	53	21	4	-	-
	F--	1,508	1	-	-	-	-	2	2	6	6	8	9	12	13	29	64	138	263	306	279	199	127	36	8	-	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	1	-	1	5	1	6	7	7	5	10	5	3	1	-	-	-	-
	F--	87	-	-	-	-	-	-	-	-	-	-	3	1	1	11	15	16	9	15	7	7	2	-	-	-	-
290-293	Anemias----------	282	5	1	1	3	1	3	2	2	3	6	7	7	5	8	14	12	24	28	33	57	35	17	7	1	-
	White-----M--	117	1	1	-	2	1	1	-	1	2	2	3	2	3	3	5	5	5	11	18	30	13	6	2	-	-
	F--	150	1	-	1	-	-	1	2	1	-	3	3	4	2	5	7	7	18	16	15	25	22	11	5	1	-
	Nonwhite--M--	13	3	-	-	1	-	1	-	-	1	1	1	1	-	-	2	-	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	132	37	13	3	3	2	8	6	5	2	3	3	9	6	5	5	5	4	4	5	3	-	1	-	-	-
	White-----M--	71	20	7	3	3	-	5	4	1	2	1	4	2	2	2	2	4	3	3	2	2	-	-	-	-	-
	F--	39	12	3	-	-	1	2	1	3	1	1	1	2	3	2	2	1	1	-	1	1	-	1	-	-	-
	Nonwhite--M--	9	3	2	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	2	1	-	-	-	1	1	-	-	-	1	2	-	1	1	-	-	1	2	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	62,360	60	5	7	12	10	38	55	105	122	210	378	735	1,352	2,031	3,408	5,057	6,643	8,564	9,444	9,658	7,919	4,451	1,666	363	67
	White-----M--	32,201	29	1	3	4	7	18	18	51	50	94	189	390	806	1,221	1,941	3,004	3,840	4,797	4,871	4,691	3,627	1,825	597	105	22
	F--	26,681	20	4	4	7	3	13	30	39	52	89	128	231	353	572	1,023	1,607	2,372	3,370	4,185	4,652	4,102	2,516	1,034	240	35
	Nonwhite--M--	1,807	8	-	-	-	-	6	1	5	4	15	30	57	87	133	232	248	246	213	188	161	87	60	14	8	4
	F--	1,671	3	-	-	1	-	1	6	10	16	12	31	57	106	105	212	198	185	184	200	154	103	50	21	10	6
330-334, 400-468	Diseases of cardiovascular system-	60,457	59	5	7	7	7	31	49	87	100	175	337	670	1,272	1,943	3,273	4,887	6,444	8,321	9,214	9,430	7,734	4,356	1,625	360	64
	White-----M--	31,302	29	1	3	1	5	16	17	40	39	74	165	360	765	1,181	1,886	2,926	3,743	4,663	4,757	4,591	3,540	1,794	581	103	22
	F--	25,923	19	4	4	5	2	10	26	35	42	77	120	208	328	537	982	1,543	2,301	3,281	4,094	4,550	4,011	2,460	1,011	240	33
	Nonwhite--M--	1,680	8	-	-	-	-	5	1	4	4	12	27	51	81	129	213	232	228	202	174	146	84	55	13	7	4
	F--	1,552	3	-	-	1	-	-	5	8	15	12	25	51	98	96	192	186	172	175	189	143	99	47	20	10	5
330-334	Vascular lesions, etc.*----------	11,511	16	1	3	4	2	7	6	12	14	31	48	95	195	315	565	815	1,146	1,634	1,890	1,953	1,574	833	290	53	9
	White-----M--	5,101	9	-	3	-	2	3	4	3	6	10	24	36	81	115	188	382	559	831	855	872	679	326	95	16	2
	F--	5,732	7	1	-	3	-	4	2	9	4	16	17	41	81	158	278	340	509	724	947	1,007	867	489	190	33	5
	Nonwhite--M--	310	-	-	-	-	-	-	-	-	1	2	3	7	13	17	47	48	36	40	37	34	13	7	2	2	1
	F--	368	-	-	-	-	1	-	-	-	3	3	4	11	20	25	52	45	42	39	51	40	15	11	3	2	1
400-402	Rheumatic fever----	143	2	-	2	1	3	15	24	12	13	11	5	13	6	6	10	6	6	1	4	2	-	-	-	1	-
	White-----M--	59	2	-	-	-	2	7	7	6	4	4	1	7	2	2	6	3	1	1	2	2	-	-	-	-	-
	F--	67	-	-	2	1	1	6	15	3	4	6	3	6	4	3	3	2	5	-	2	-	-	-	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	2	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	2	2	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
410-443	Diseases of heart-	44,443	35	4	1	2	2	8	18	60	62	113	250	520	986	1,546	2,570	3,896	5,039	6,285	6,771	6,674	5,330	2,964	1,047	219	39
	White-----M--	24,070	17	1	-	1	1	5	6	31	25	54	129	301	648	1,029	1,625	2,447	3,043	3,630	3,597	3,318	2,476	1,223	395	52	16
	F--	18,101	9	3	1	1	1	-	8	21	28	45	86	152	224	354	662	1,145	1,692	2,385	2,920	3,166	2,716	1,675	631	156	20
	Nonwhite--M--	1,228	6	-	-	-	-	3	1	3	2	8	21	39	52	99	154	171	179	149	129	99	62	37	9	4	1
	F--	1,044	3	-	-	-	-	-	3	5	7	6	14	28	64	64	129	133	125	121	125	91	76	29	12	7	2
410-416	Chronic rheumatic heart disease----	1,726	1	-	1	-	1	4	9	28	28	49	105	144	169	174	187	186	177	147	108	107	68	25	7	1	-
	White-----M--	795	1	-	-	-	1	3	2	12	11	19	50	62	78	90	86	91	87	70	52	42	26	10	2	-	-
	F--	832	-	-	1	-	-	-	5	13	15	26	45	74	78	77	85	87	83	76	45	62	41	14	5	-	-
	Nonwhite--M--	45	-	-	-	-	-	1	1	1	-	3	5	6	7	2	5	3	4	1	4	1	1	-	-	-	-
	F--	54	-	-	-	-	-	-	1	2	2	1	5	2	6	5	11	5	3	-	7	2	-	1	-	1	-
420	Arteriosclerotic heart dis., etc.*	26,300	2	-	-	-	-	-	2	9	13	36	88	248	599	1,006	1,705	2,654	3,372	4,061	4,158	3,682	2,728	1,410	418	91	18
	White-----M--	16,030	1	-	-	-	-	-	1	6	7	25	62	195	492	788	1,257	1,883	2,251	2,545	2,375	1,969	1,334	638	168	23	10
	F--	9,295	-	-	-	-	-	-	1	3	3	7	18	33	71	157	318	624	979	1,390	1,675	1,628	1,331	744	245	62	6
	Nonwhite--M--	581	1	-	-	-	-	-	-	-	1	3	6	11	19	39	83	91	92	86	60	44	26	13	3	2	1
	F--	394	-	-	-	-	-	-	-	-	2	1	2	9	17	22	47	56	50	40	48	41	37	15	2	4	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	7,933	7	3	-	-	1	-	4	17	7	11	22	36	61	119	196	331	539	875	1,167	1,502	1,500	999	432	88	16
	White-----M--	3,749	3	1	-	-	-	-	2	10	2	6	7	11	20	58	91	173	298	471	605	727	688	399	153	20	4
	F--	3,749	2	2	-	-	1	-	1	4	4	2	9	16	24	31	68	112	188	356	497	736	768	582	270	65	11
	Nonwhite--M--	230	2	-	-	-	-	-	-	2	-	1	4	5	9	20	20	26	28	25	32	20	22	10	3	1	-
	F--	205	-	-	-	-	-	-	1	1	1	2	2	4	8	10	17	20	25	23	33	19	22	8	6	2	1
430-434	Other diseases of heart---------	1,653	25	1	-	2	-	4	3	4	13	8	13	36	47	57	97	152	173	244	225	218	176	102	42	8	3
	White-----M--	806	12	-	-	1	-	2	1	3	4	2	4	18	22	29	46	84	93	134	103	111	80	41	14	-	2
	F--	711	7	1	-	1	-	-	1	-	6	5	5	8	12	17	29	52	66	101	115	96	93	60	27	8	1
	Nonwhite--M--	84	3	-	-	-	-	2	-	-	1	-	4	5	6	10	13	10	11	4	4	7	3	-	1	-	-
	F--	52	3	-	-	-	-	-	1	1	2	1	-	5	7	1	9	6	3	5	3	4	-	1	-	-	-
440-443	Hypertension with heart dis.---	6,831	-	-	-	-	-	-	-	2	1	9	22	56	112	190	385	573	778	958	1,113	1,165	858	428	148	31	2
	White-----M--	2,690	-	-	-	-	-	-	-	-	1	2	6	15	36	64	145	216	314	410	462	469	348	135	58	9	-
	F--	3,514	-	-	-	-	-	-	-	1	-	5	9	21	39	72	162	270	376	462	588	644	483	275	84	21	2
	Nonwhite--M--	288	-	-	-	-	-	-	-	-	-	1	2	12	11	28	33	41	44	33	29	27	10	14	2	1	-
	F--	339	-	-	-	-	-	-	-	1	-	1	5	8	26	26	45	46	44	53	34	25	17	4	4	-	-
444-447	Hypertension without mention of heart----------	1,013	-	-	-	-	-	-	-	-	5	5	20	26	57	51	63	59	79	102	126	162	137	79	31	9	2
	White-----M--	416	-	-	-	-	-	-	-	-	2	1	5	7	19	19	24	24	38	41	58	88	51	25	12	2	-
	F--	451	-	-	-	-	-	-	-	-	2	2	7	4	13	17	27	22	33	45	61	67	80	48	17	6	-
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	1	-	2	4	13	10	7	9	5	6	2	4	3	3	-	1	2
	F--	74	-	-	-	-	-	-	-	-	-	2	6	11	12	5	5	4	3	10	5	3	3	3	2	-	-
450	General arteriosclerosis--------	2,726	-	-	-	-	-	-	-	-	-	-	1	-	3	4	12	32	103	202	340	564	659	463	252	77	14
	White-----M--	1,315	-	-	-	-	-	-	-	-	-	-	1	-	1	3	7	16	58	110	197	275	320	215	75	33	4
	F--	1,338	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	12	38	87	132	274	329	238	172	43	8
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	3	4	7	6	7	2	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	7	8	4	3	3	1	2
451-468	Other diseases of circulatory sys.-	621	6	-	1	-	-	1	1	3	6	15	13	16	23	21	53	79	71	97	83	75	34	17	5	1	-
	White-----M--	341	1	-	-	-	-	1	-	-	2	5	5	9	14	13	36	54	44	50	48	36	14	5	4	-	-
	F--	234	3	-	1	-	-	-	1	2	4	8	7	5	5	4	9	22	24	40	32	36	19	10	1	1	-
	Nonwhite--M--	27	2	-	-	-	-	-	-	-	-	1	-	1	2	2	4	3	3	4	2	2	-	1	-	-	-
	F--	19	-	-	-	-	-	-	-	1	-	1	1	1	2	2	4	-	-	3	1	1	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	1,903	1	-	-	5	3	7	6	16	22	35	41	65	80	88	135	170	199	243	230	228	185	95	41	3	3
	White-----M--	899	-	-	-	3	2	2	1	11	11	20	24	30	41	40	55	78	97	134	114	100	87	31	16	2	-
	F--	758	1	-	-	2	1	3	4	4	10	12	8	23	25	35	41	64	71	89	91	102	91	56	23	-	2
	Nonwhite--M--	127	-	-	-	-	-	1	-	1	-	3	3	6	6	4	19	16	18	11	14	15	3	5	1	1	-
	F--	119	-	-	-	-	-	1	1	2	1	-	6	6	8	9	20	12	13	9	11	11	4	3	1	-	1
480-493	Influenza and pneumonia, etc.*-	3,422	399	71	20	17	12	21	16	18	22	26	37	62	83	100	155	193	246	342	395	443	347	265	103	23	6
	White-----M--	1,691	189	24	11	8	2	10	9	9	9	10	11	29	44	46	84	118	143	191	202	223	168	114	29	7	1
	F--	1,332	132	31	7	7	5	9	6	7	7	12	14	16	16	27	31	45	71	120	171	196	168	145	70	15	4
	Nonwhite--M--	226	42	9	-	1	3	1	1	1	2	1	3	10	11	18	28	20	16	18	11	16	7	3	3	-	1
	F--	173	36	7	2	1	2	1	-	1	4	3	9	7	12	9	12	10	16	13	11	8	4	3	1	1	-
480-483	Influenza---------	654	41	9	5	2	2	2	2	3	3	1	7	10	5	17	22	32	54	70	78	79	101	68	31	7	3
	White-----M--	328	26	1	3	2	1	-	-	2	1	1	3	7	3	10	16	23	29	39	34	36	49	30	9	2	1
	F--	288	15	8	2	-	1	2	2	1	1	-	2	2	-	3	4	6	21	26	40	38	48	38	21	5	2
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	2	3	2	3	2	-	1	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	1	2	2	2	2	2	-	-	-	-
490-493	Pneumonia, etc.*--	2,768	358	62	15	15	10	19	14	15	19	25	30	52	78	83	133	161	192	272	317	364	246	197	72	16	3
	White-----M--	1,363	163	23	8	6	1	10	9	7	8	9	8	22	41	36	68	95	114	152	168	187	119	84	20	5	-
	F--	1,044	117	23	5	7	4	7	4	6	6	12	12	14	16	24	27	39	50	94	131	158	120	107	49	10	2
	Nonwhite--M--	205	42	9	-	1	3	1	1	1	2	1	2	9	9	17	27	18	14	15	9	13	5	3	2	-	1
	F--	156	36	7	2	1	2	1	-	1	3	3	8	7	12	6	11	9	14	11	9	6	2	3	1	1	-
500-502	Bronchitis---------	274	28	13	5	6	3	7	-	-	1	-	2	2	6	7	15	19	29	26	27	20	23	22	8	5	-
	White-----M--	153	14	6	4	1	2	3	-	-	1	-	1	-	4	4	11	16	23	13	13	11	13	9	3	1	-
	F--	94	6	6	1	3	1	4	-	-	-	-	1	-	1	2	2	2	5	9	14	7	8	13	5	4	-
	Nonwhite--M--	19	6	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	4	-	2	2	-	-	-	-
	F--	8	2	-	-	2	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	602	3	-	-	2	-	-	-	-	2	5	6	19	34	61	64	66	78	88	72	54	35	8	4	-	1
	White-----M--	468	2	-	-	1	-	-	-	-	1	4	6	13	28	53	48	57	62	68	53	40	24	3	4	-	1
	F--	109	-	-	-	1	-	-	-	-	1	1	-	4	4	5	8	7	15	16	18	13	11	5	-	-	-
	Nonwhite--M--	18	1	-	-	-	-	-	-	-	-	-	-	2	2	3	5	1	-	4	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	1	-	-	-	-	-
550-553	Appendicitis------	184	1	2	2	3	3	3	5	6	3	1	8	11	10	13	12	21	22	17	16	16	5	2	1	1	-
	White-----M--	109	-	1	1	2	1	2	1	5	-	-	5	10	7	8	8	13	15	10	10	6	3	-	-	1	-
	F--	63	1	1	1	1	2	-	3	1	3	1	2	1	1	4	3	7	6	7	5	8	2	2	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	1	-	-	2	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	705	75	3	2	3	1	2	3	2	2	4	11	13	19	24	40	54	65	108	82	91	64	23	10	2	2
	White-----M--	334	45	1	1	3	-	1	2	2	1	3	2	6	9	6	15	23	28	58	45	48	21	11	3	-	-
	F--	312	25	2	1	-	1	-	1	-	1	1	7	7	7	10	17	23	32	40	36	40	42	10	5	2	2
	Nonwhite--M--	29	4	-	-	-	-	1	-	-	-	-	-	-	2	3	2	4	4	4	-	2	1	1	1	-	-
	F--	30	1	-	-	-	-	-	-	-	-	-	2	-	1	5	6	4	1	6	1	1	-	1	1	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
543,	Gastritis, etc.*--	366	84	19	5	3	1	3	1	3	5	8	16	16	15	13	25	15	19	18	24	35	23	12	2	1	-
571,	White-----M--	170	39	7	3	1	1	3	1	2	4	5	6	7	7	7	14	8	9	6	11	21	7	1	-	-	-
572	F--	157	27	8	2	1	-	-	-	1	1	3	9	6	6	5	10	6	8	10	13	12	15	11	2	1	-
	Nonwhite--M--	17	6	1	-	1	-	-	-	-	-	-	1	2	1	1	1	-	1	1	-	-	1	-	-	-	-
	F--	22	12	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	2	-	-	-	-	-
581	Cirrhosis of liver	1,114	-	-	-	-	-	3	3	1	6	19	65	97	100	124	167	151	132	107	79	37	18	5	1	-	-
	White-----M--	675	-	-	-	-	-	-	1	2	1	4	5	43	57	63	66	115	98	85	58	48	23	4	2	-	-
	F--	369	-	-	-	-	-	-	1	1	-	1	10	14	27	28	46	47	45	46	45	28	13	14	3	-	-
	Nonwhite--M--	40	-	-	-	-	-	-	1	-	-	1	1	5	7	4	5	4	7	1	3	1	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	3	3	6	5	7	1	1	-	1	2	1	-	-	-	-
590, 591	Acute nephritis, etc.*----------	244	6	2	2	4	7	5	4	7	12	5	8	8	14	9	14	18	10	29	20	22	20	11	6	1	-
	White-----M--	119	2	2	2	2	3	4	-	1	5	3	2	4	8	6	6	12	6	16	10	12	7	4	2	-	-
	F--	103	2	-	-	2	4	1	4	4	7	1	4	3	5	3	4	5	2	10	8	10	12	7	4	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	2	2	1	-	-	-	-	-	-
	F--	12	2	-	-	-	-	-	-	2	-	-	1	1	1	-	1	1	-	1	1	-	1	-	-	-	-
610	Hyperplasia of prostate---------	417	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	13	24	50	76	109	76	54	10	1	-
	White-----M--	397	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	12	23	46	72	105	74	53	10	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	4	4	2	1	-	1	-
640-689	Complications of pregnancy, etc.*	151	...	...	...	...	...	...	-	6	24	38	47	25	7	4	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	127	...	...	...	...	...	...	-	3	20	34	39	21	6	4	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	24	...	...	...	...	...	...	-	3	4	4	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	21	...	...	...	...	...	...	-	-	6	2	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	...	...	...	...	...	...	-	-	3	1	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	-	3	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	130	...	...	...	...	...	...	-	6	18	36	40	21	6	3	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	114	...	...	...	...	...	...	-	3	17	33	33	20	5	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	...	...	...	...	...	...	-	3	1	3	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	1,282	1,003	60	15	13	6	19	9	12	15	12	9	21	16	19	8	11	7	9	10	6	1	1	-	-	-
	White-----M--	641	507	26	6	8	2	7	3	8	9	7	6	11	8	7	4	3	6	5	4	4	-	-	-	-	-
	F--	561	432	31	8	5	4	10	6	3	6	5	2	10	5	11	4	7	1	4	3	2	1	1	-	-	-
	Nonwhite--M--	35	28	2	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-
	F--	45	36	1	1	-	-	2	-	1	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	3,824	3,822	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,950	1,948	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,357	1,357	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	295	295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,606	1,606	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	870	870	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	562	562	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	2,013	2,011	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	970	968	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	732	732	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	910	45	7	4	1	4	5	1	1	5	9	4	20	28	38	49	70	69	86	99	99	112	79	57	14	4
	White-----M--	494	19	4	1	-	2	2	-	-	3	3	1	9	16	27	23	45	45	64	62	47	53	37	26	4	1
	F--	318	17	2	-	1	2	3	-	1	2	3	2	7	5	3	12	15	16	17	31	48	54	34	31	10	2
	Nonwhite--M--	61	2	1	3	-	-	-	1	-	-	1	1	4	7	5	10	8	6	2	2	3	2	3	-	-	-
	F--	37	7	-	-	-	-	-	-	-	-	2	-	-	-	3	4	2	2	3	4	1	3	5	-	-	1
Residual	All other diseases	5,246	206	46	21	16	18	57	33	32	67	85	103	160	201	285	374	555	683	715	623	463	297	135	55	13	3
	White-----M--	3,013	103	26	10	7	11	31	14	21	23	38	50	67	103	150	216	366	448	460	356	264	163	65	18	2	1
	F--	1,904	79	14	7	9	6	21	15	7	33	40	38	71	63	108	114	158	208	232	247	191	127	69	35	10	2
	Nonwhite--M--	157	13	2	2	-	-	1	3	3	3	-	9	8	14	9	25	20	12	15	11	4	2	-	1	-	-
	F--	172	11	4	2	-	1	4	1	1	8	7	6	14	21	18	19	11	15	8	9	4	5	1	1	1	-
E800-E962	Accidents----------	5,831	224	74	70	46	52	188	146	280	344	288	246	238	283	285	290	373	354	392	403	440	412	261	118	19	5
	White-----M--	3,727	91	35	33	24	29	124	102	229	290	228	195	179	215	198	209	276	260	266	219	197	180	101	40	2	5
	F--	1,693	84	32	28	15	17	42	24	42	37	40	28	28	37	55	49	76	81	107	168	231	221	157	77	17	-
	Nonwhite--M--	297	24	6	6	4	2	16	16	8	15	17	18	27	23	22	24	16	9	12	11	9	8	3	1	-	-
	F--	114	25	1	3	3	4	6	4	1	2	3	5	4	8	10	8	5	4	7	5	3	3	-	-	-	-
E810-E835	Motor-vehicle accidents--------	1,794	11	20	19	16	23	86	59	165	225	142	99	97	96	104	92	116	102	108	77	76	44	11	4	-	2
	White-----M--	1,343	5	11	10	10	15	63	41	129	190	114	83	71	74	71	65	84	79	79	56	49	30	9	3	-	2
	F--	359	6	8	7	4	6	18	15	30	27	24	11	17	16	24	19	29	19	23	18	24	13	1	-	-	-
	Nonwhite--M--	79	-	1	2	2	1	4	3	6	6	4	5	8	6	6	8	3	2	5	3	2	-	1	1	-	-
	F--	13	-	-	-	-	1	1	-	-	2	-	-	1	-	3	-	-	2	1	-	1	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	4,037	213	54	51	30	29	102	87	115	119	146	147	141	187	181	198	257	252	284	326	364	368	250	114	19	3
	White-----M--	2,384	86	24	23	14	14	61	61	100	100	114	112	108	141	127	144	192	181	187	163	148	150	92	37	2	3
	F--	1,334	78	24	21	11	11	24	9	12	10	16	17	11	21	31	30	47	62	84	150	207	208	156	77	17	-
	Nonwhite--M--	218	24	5	4	2	1	12	13	2	9	13	13	19	17	16	16	13	7	7	8	7	8	2	-	-	-
	F--	101	25	1	3	3	3	5	4	1	-	3	5	3	8	7	8	5	2	6	5	2	2	-	-	-	-
E963, E970-E979	Suicide----------	1,083	-	-	-	-	-	-	6	20	43	47	73	67	113	105	97	120	124	109	78	44	26	9	2	-	-
	White-----M--	803	-	-	-	-	-	-	5	14	31	34	49	41	75	81	64	86	94	90	70	37	22	8	2	-	-
	F--	243	-	-	-	-	-	-	1	4	9	9	20	20	35	21	31	30	28	16	7	7	4	1	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	1	3	4	2	6	2	3	2	4	2	3	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	296	17	1	1	2	1	3	5	11	25	39	34	32	29	25	22	15	11	7	7	3	3	-	-	-	3
	White-----M--	81	7	1	-	2	1	-	2	2	6	5	7	7	6	3	7	5	6	4	4	3	2	-	-	-	1
	F--	54	8	-	1	-	-	2	2	2	2	2	8	5	7	6	1	1	3	1	2	-	-	-	-	-	1
	Nonwhite--M--	117	2	-	-	-	-	1	1	6	5	21	16	18	13	11	12	8	1	-	1	-	-	-	-	-	1
	F--	44	-	-	-	-	-	-	-	1	12	11	3	2	3	5	2	1	1	2	-	-	1	-	-	-	-
E965, E990-E999	Operations of war-	6	-	-	-	-	-	-	-	2	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	2	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND																										
	ALL CAUSES	8,156	429	21	20	8	9	26	14	22	51	65	93	138	189	329	449	674	817	1,020	1,097	1,094	905	461	186	37	2
	White----M	4,242	235	8	11	4	7	17	5	13	33	33	48	72	117	196	261	412	457	572	577	517	402	180	56	9	-
	F	3,705	166	11	7	3	2	6	6	9	15	26	40	60	68	124	168	252	345	427	497	554	486	273	128	28	2
	Nonwhite--M	111	19	1	1	1	-	2	3	-	2	4	3	-	1	7	12	4	8	13	12	11	4	2	1	-	-
	F	98	9	1	1	-	-	1	-	-	1	2	2	6	3	2	8	6	7	8	11	12	11	6	1	-	-
001-019	Tuberculosis all forms	143	1	-	1	-	-	-	-	1	6	7	10	13	11	16	16	9	17	16	8	8	3	-	-	-	-
	White----M	97	-	-	-	-	-	-	-	1	2	2	3	7	9	11	14	7	13	12	6	7	3	-	-	-	-
	F	35	1	-	1	-	-	-	-	-	4	2	5	6	2	4	-	2	2	3	2	1	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	135	-	-	-	-	-	-	-	1	5	7	9	12	11	16	15	8	16	16	8	8	3	-	-	-	-
	White----M	93	-	-	-	-	-	-	-	1	2	2	2	7	9	11	13	6	12	12	6	7	3	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	3	2	5	5	2	4	-	2	2	3	2	1	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	8	1	-	1	-	-	-	-	-	1	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	White----M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	26	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	5	3	4	1	-	-	-	-
	White----M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	2	1	2	-	-	-	-	-
	F	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	2	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White----M	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	24	2	-	1	-	1	1	1	2	1	1	1	-	2	2	-	1	2	2	1	1	1	1	-	-	-
	White----M	10	2	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	1	2	-	1	1	-	-	2	-	1	1	1	-	1	-	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
140-205	Malignant neoplasms, etc.*----	1,275	1	1	3	4	1	4	1	3	3	11	17	26	38	74	104	145	175	201	170	137	105	37	12	2	-
	White-----M--	622	1	-	3	2	-	3	1	1	1	5	6	9	16	31	49	75	85	98	88	74	49	17	8	-	-
	F--	625	-	1	-	2	1	1	-	2	2	6	10	15	22	43	50	68	85	99	76	62	55	19	4	2	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	3	4	-	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	2	1	2	1	-	1	-	-	-
140-148	Of buccal cavity and pharynx-------	34	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	5	10	2	6	2	3	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	7	2	4	2	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	507	-	-	-	-	1	-	-	-	-	1	3	6	12	22	44	49	67	74	87	70	47	17	7	-	-
	White-----M--	278	-	-	-	-	-	-	-	-	-	-	1	2	7	11	28	31	34	38	49	39	24	9	5	-	-
	F--	218	-	-	-	-	1	-	-	-	-	1	2	4	5	11	15	18	30	34	34	31	23	7	2	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-
160-164	Of respiratory system----------	121	-	-	-	-	-	-	-	-	-	-	1	2	3	9	5	24	26	24	12	10	4	1	-	-	-
	White-----M--	101	-	-	-	-	-	-	-	-	-	-	1	1	3	8	5	20	23	19	8	9	4	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	4	4	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	115	-	-	-	-	-	-	-	-	-	-	1	5	11	7	9	17	14	18	9	12	7	2	1	2	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	109	-	-	-	-	-	-	-	-	-	-	1	4	11	7	8	16	13	17	9	11	7	2	1	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	-	-	-
171-179	Of genital organs-	180	-	-	-	-	-	-	-	-	-	1	1	4	4	15	18	15	24	27	19	21	22	8	1	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	6	8	7	8	13	10	5	1	-	-
	F--	116	-	-	-	-	-	-	-	-	-	-	1	4	4	13	16	9	16	20	10	8	12	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs-	58	-	-	-	1	-	-	-	-	-	1	1	1	-	4	7	5	5	8	7	7	9	1	1	-	-
	White-----M--	32	-	-	-	1	-	-	-	-	-	1	1	-	-	2	4	2	2	7	4	4	4	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	2	1	3	3	4	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	157	-	-	-	2	-	1	1	1	1	2	6	1	4	9	11	23	21	24	23	10	12	4	1	-	-
	White-----M--	68	-	-	-	1	-	-	1	-	-	-	2	-	2	5	7	9	10	12	9	4	3	2	1	-	-
	F--	88	-	-	-	1	-	1	-	1	1	2	4	1	2	4	4	14	11	12	13	6	9	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	38	1	1	3	1	-	3	-	1	1	2	1	2	1	1	3	2	4	5	4	1	-	1	-	-	-
	White-----M--	20	1	-	3	-	-	3	-	-	-	1	-	1	1	1	1	1	1	2	3	1	-	-	-	-	-
	F--	18	-	1	-	1	-	-	-	1	1	1	1	1	-	-	2	1	3	3	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	65	-	-	-	-	-	-	-	1	1	4	3	4	3	7	4	8	9	11	7	-	2	-	1	-	-
	White-----M--	36	-	-	-	-	-	-	-	1	1	3	1	3	3	2	1	4	3	6	5	-	2	-	1	-	-
	F--	28	-	-	-	-	-	-	-	-	-	1	1	1	-	5	3	4	6	5	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	34	1	-	-	-	-	1	-	-	-	-	1	2	2	2	1	3	1	8	5	3	1	1	1	1	-
	White-----M--	17	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	6	1	3	-	-	1	1	-
	F--	16	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	3	-	2	4	-	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	243	-	-	-	-	-	-	-	-	-	1	1	2	1	2	4	14	30	29	48	42	34	31	4	-	-
	White-----M--	96	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	7	15	7	23	11	12	12	3	-	-
	F--	145	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	7	15	22	25	30	22	18	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	14	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	3	3	3	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	8	5	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	4,714	3	-	1	-	1	2	1	2	9	19	24	53	80	155	239	368	458	608	738	767	663	352	143	26	2
	White-----M--	2,414	1	-	-	-	1	2	-	-	5	11	16	31	58	104	153	234	267	338	391	340	286	128	40	8	-
	F--	2,191	2	-	1	-	-	-	1	2	2	8	7	19	19	45	75	127	186	254	331	409	365	217	101	18	2
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	1	-	-	-	1	5	8	4	3	10	7	8	2	2	1	-	-
	F--	57	-	-	-	-	-	-	-	-	1	-	1	3	2	1	3	3	2	6	9	10	10	5	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	4,599	3	-	1	-	-	1	1	2	8	15	17	49	77	153	228	356	447	592	728	751	654	346	142	26	2
	White-----M--	2,351	1	-	-	-	-	1	-	-	4	10	11	28	56	104	148	227	259	330	385	335	280	124	40	8	-
	F--	2,141	2	-	1	-	-	-	1	2	2	5	5	18	18	43	69	122	183	247	327	398	363	215	100	18	2
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	1	-	-	-	1	5	8	4	3	10	7	8	1	2	1	-	-
	F--	56	-	-	-	-	-	-	-	-	1	-	1	3	2	1	3	3	2	5	9	10	10	5	1	-	-	-
330-334	Vascular lesions, etc.*----------	831	2	-	1	-	-	-	-	-	2	5	1	8	9	25	38	53	69	104	150	148	119	69	26	2	-
	White-----M--	359	1	-	-	-	-	-	-	-	-	4	-	4	5	10	15	30	37	42	75	56	48	24	8	-	-
	F--	453	1	-	1	-	-	-	-	-	2	1	1	4	3	14	19	22	32	58	73	88	71	43	18	2	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	1	2	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	2	-	1	-	-	-	-
400-402	Rheumatic fever---	13	-	-	-	-	-	1	1	1	2	-	2	1	1	1	-	-	-	1	-	1	-	-	-	-	1
	White-----M--	8	-	-	-	-	-	1	-	-	2	-	2	1	-	1	-	-	-	1	-	1	-	-	-	-	1
	F--	5	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
410-443	Diseases of heart	3,435	1	-	-	-	-	-	-	1	4	9	12	37	63	121	187	288	365	465	525	547	462	245	87	15	1
	White-----M--	1,840	-	-	-	-	-	-	-	-	2	6	9	21	49	89	130	188	216	275	282	253	200	93	22	5	-
	F--	1,519	1	-	-	-	-	-	-	1	-	3	3	14	12	28	50	94	144	179	232	280	253	150	64	10	1
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	1	-	-	-	1	4	5	3	3	8	5	6	1	-	1	-	-
	F--	38	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	3	2	3	6	8	8	2	-	-	-
410-416	Chronic rheumatic heart disease----	110	-	-	-	-	-	-	-	1	3	6	5	14	15	16	5	10	8	10	9	4	3	-	1	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	1	4	5	6	9	4	3	5	2	5	5	-	2	-	-	-	-
	F--	57	-	-	-	-	-	-	-	1	-	2	-	8	6	12	2	5	6	5	4	4	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,455	-	-	-	-	-	-	-	-	1	2	3	17	39	81	144	220	268	329	386	411	310	174	60	9	1
	White-----M--	1,417	-	-	-	-	-	-	-	-	1	2	3	11	35	70	108	155	170	213	224	197	145	68	13	2	-
	F--	993	-	-	-	-	-	-	-	-	-	-	-	5	4	11	31	59	95	108	155	204	161	105	47	7	1
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	6	3	5	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	2	4	5	4	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	308	-	-	-	-	-	-	-	-	-	-	-	-	3	-	6	9	19	28	52	53	73	42	21	2	-
	White-----M--	129	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	7	10	12	23	25	24	16	6	-	-
	F--	176	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	9	15	28	28	49	26	14	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	80	1	-	-	-	-	-	-	-	-	1	1	4	1	6	6	7	12	10	6	9	12	3	-	1	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	-	3	-	5	2	3	9	6	1	6	7	1	-	1	-
	F--	27	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	4	3	4	4	1	4	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	482	-	-	-	-	-	-	-	-	-	-	3	2	5	18	26	42	58	88	72	70	64	26	5	3	-
	White-----M--	199	-	-	-	-	-	-	-	-	-	-	1	1	3	10	13	18	25	39	29	25	22	8	3	2	-
	F--	266	-	-	-	-	-	-	-	-	-	-	2	1	1	5	13	24	31	47	41	43	38	17	2	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	1	1	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	-	-	-
444-447	Hypertension without mention of heart----------	61	-	-	-	-	-	-	-	-	-	1	-	2	2	6	2	5	2	3	14	7	10	7	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	4	-	2	5	5	5	1	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	1	7	2	5	6	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
450	General arteriosclerosis--------	221	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	7	14	31	44	60	25	29	9	-
	White-----M--	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	19	18	25	6	10	3	-
	F--	123	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	8	11	26	33	16	18	6	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-
451-468	Other diseases of circulatory sys.-	38	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	9	4	5	8	4	3	-	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	2	4	4	3	2	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	1	4	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	115	-	-	-	-	1	1	-	-	1	4	7	4	3	2	11	12	11	16	10	16	9	6	1	-	-
	White-----M--	63	-	-	-	-	1	1	-	-	1	1	5	3	2	-	5	7	8	8	6	5	6	4	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	3	2	1	1	2	6	5	3	7	4	11	2	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	143	9	1	1	1	-	-	-	-	1	1	2	3	5	6	5	9	12	15	17	18	15	15	5	2	-
	White-----M--	76	1	1	1	-	-	-	-	-	1	1	1	3	3	5	3	6	7	13	7	9	6	6	2	-	-
	F--	61	6	-	-	1	-	-	-	-	-	-	1	-	2	1	1	3	4	2	10	8	8	9	3	2	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-483	Influenza---------	16	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	3	-	3	1	1	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	2	-	1	1	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	127	8	1	1	1	-	-	-	-	1	-	1	2	4	6	5	9	10	12	17	15	14	14	4	2	-
	White-----M--	68	1	1	1	-	-	-	-	-	1	-	1	2	3	5	3	6	5	11	7	8	5	8	2	-	-
	F--	53	5	-	-	1	-	-	-	-	-	-	-	-	1	1	1	3	4	1	10	6	8	8	2	2	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	2	-	-	-	-	-
	White-----M--	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	63	-	-	-	-	-	-	-	-	-	-	4	-	2	3	4	13	10	12	7	4	3	1	-	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	12	8	11	6	3	2	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	2	1	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	9	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	2	-	2	-	1	-	-	-
	White-----M--	6	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	51	4	-	-	-	-	-	-	-	-	-	1	-	-	3	-	3	7	6	5	9	8	5	-	-	-
	White-----M--	29	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	4	3	4	7	-	-	-	-
	F--	21	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	2	2	4	1	5	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
543, 571, 572	Gastritis, etc.*--	36	3	3	1	-	-	-	-	-	1	2	2	2	3	1	2	-	1	4	5	3	-	1	2	-	-
	White-----M--	16	3	1	-	-	-	-	-	-	1	1	2	-	1	1	1	-	-	1	3	-	-	1	-	-	-
	F--	20	-	2	1	-	-	-	-	-	-	1	-	2	2	-	1	-	1	3	2	3	-	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	110	-	-	-	-	-	-	-	-	-	1	4	8	4	12	14	13	22	13	6	8	3	2	-	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	-	3	4	8	7	9	14	8	5	4	1	-	-	-	-
	F--	46	-	-	-	-	-	-	-	-	-	1	4	5	-	3	7	4	8	5	1	4	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	16	1	-	1	-	-	-	1	-	-	-	1	-	1	-	1	-	2	2	1	1	2	2	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	2	-	-	-	-	-
	F--	10	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	1	-	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	10	6	3	7	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	10	6	3	7	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	7	...	...	...	...	...	...	-	-	2	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	2	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	7	...	...	...	...	...	...	-	-	2	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	2	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	113	87	6	3	2	-	2	1	2	-	1	-	-	3	-	3	1	-	2	-	-	-	-	-	-	-
	White-----M--	58	46	1	-	2	-	2	-	1	-	1	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-
	F--	50	36	5	3	-	-	-	1	1	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	33	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	2	2	3	3	10	3	3	2	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	2	3	4	2	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	6	1	3	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	347	18	5	-	-	1	-	1	3	3	4	7	15	11	21	19	44	37	33	40	42	23	12	5	3	-
	White-----M--	178	8	2	-	-	1	-	1	1	1	-	4	7	3	7	9	26	19	25	17	25	11	8	2	1	-
	F--	164	9	2	-	-	-	-	-	2	2	4	3	7	8	14	9	18	17	8	23	17	12	4	3	2	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
E800-E962	Accidents----------	340	13	3	6	1	5	13	6	8	20	12	12	9	17	22	10	18	16	30	25	39	23	16	14	2	-
	White-----M--	208	9	1	4	-	4	6	3	8	18	11	9	8	12	15	8	11	9	18	13	24	8	7	2	-	-
	F--	118	2	1	-	-	1	4	-	-	2	1	2	1	5	6	2	7	7	12	12	15	15	9	12	2	-
	Nonwhite--M--	11	1	1	1	1	-	2	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	87	1	-	-	-	2	3	2	5	12	8	8	3	8	7	2	5	2	5	5	7	1	1	-	-	-
	White-----M--	68	1	-	-	-	2	1	2	5	11	7	5	3	5	5	1	2	2	4	4	7	1	-	-	-	-
	F--	17	-	-	-	-	-	1	-	-	1	1	2	-	3	2	1	3	-	1	1	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	253	12	3	6	1	3	10	4	3	8	4	4	6	9	15	8	13	14	25	20	32	22	15	14	2	-
	White-----M--	140	8	1	4	-	2	5	1	3	7	4	4	5	7	10	7	9	7	14	9	17	7	7	2	-	-
	F--	101	2	1	-	-	1	3	-	-	1	-	-	1	2	4	1	4	7	11	11	15	15	8	12	2	-
	Nonwhite--M--	9	1	1	1	1	-	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	72	-	-	-	-	-	-	-	1	2	2	2	3	4	6	11	9	7	9	8	1	6	-	1	-	-
	White-----M--	51	-	-	-	-	-	-	-	1	2	-	2	2	2	4	6	7	4	8	8	1	5	-	1	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	2	1	2	2	5	2	3	1	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	7	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA																										
	ALL CAUSES	17,854	2,210	168	100	77	66	169	151	247	339	429	500	641	847	958	1,399	1,564	1,758	1,724	1,607	1,279	933	398	192	39	59
	White----M	5,704	556	31	21	23	17	41	42	72	103	121	153	157	221	280	415	520	614	633	629	502	358	127	57	4	7
	F	3,775	375	22	17	16	12	38	25	34	42	48	60	96	111	144	181	242	300	395	476	504	367	164	85	10	11
	Nonwhite--M	4,479	734	57	34	20	18	43	60	80	104	159	169	201	274	272	417	452	423	350	262	148	117	52	14	10	9
	F	3,896	545	58	28	18	19	47	24	61	90	101	118	187	241	262	386	350	421	346	240	125	91	55	36	15	32
001-019	Tuberculosis all forms	372	3	4	2	1	1	1	6	14	26	40	45	42	31	33	28	35	23	16	14	3	3	1	-	-	-
	White----M	82	1	-	-	-	-	-	1	-	-	3	6	11	7	7	10	11	11	5	4	2	2	1	-	-	-
	F	32	-	-	-	-	-	1	-	1	1	1	1	4	2	3	2	3	3	3	5	1	1	-	-	-	-
	Nonwhite--M	137	2	1	2	-	-	-	-	6	8	15	23	15	14	17	11	14	4	4	3	-	-	-	-	-	-
	F	121	-	3	-	1	1	-	5	7	19	21	15	12	8	6	5	7	5	4	2	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	333	2	-	1	-	-	-	3	10	24	39	41	37	30	33	27	32	20	14	13	3	3	1	-	-	-
	White----M	80	1	-	-	-	-	-	-	-	-	3	6	11	7	7	10	11	10	5	4	2	2	1	-	-	-
	F	27	-	-	-	-	-	-	-	1	1	1	1	3	2	3	2	1	3	2	5	1	1	-	-	-	-
	Nonwhite--M	125	1	-	1	-	-	-	-	4	6	15	21	13	14	17	11	13	4	3	2	-	-	-	-	-	-
	F	101	-	-	-	-	-	-	3	5	17	20	13	10	7	6	4	7	3	4	2	-	-	-	-	-	-
010-019	Tuberculosis, other forms	39	1	4	1	1	1	1	3	4	2	1	4	5	1	-	1	3	3	2	1	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-
	Nonwhite--M	12	1	1	1	-	-	-	2	-	-	-	2	2	-	-	-	1	-	1	1	-	-	-	-	-	-
	F	20	-	3	-	1	1	-	2	2	2	1	2	2	1	-	1	-	2	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	84	8	-	-	1	-	-	-	1	1	1	3	6	9	13	9	13	6	6	3	4	-	-	-	-	-
	White----M	22	1	-	-	-	-	-	-	1	-	-	1	1	3	3	-	5	2	2	-	3	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	46	6	-	-	-	-	-	-	-	-	-	1	3	5	7	6	8	2	4	3	1	-	-	-	-	-
	F	15	1	-	-	1	-	-	-	-	1	1	1	2	1	2	3	-	2	-	-	-	-	-	-	-	-
040	Typhoid fever	5	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
045-048	Dysentery, all forms	12	6	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	6	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	White----M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
055	Diphtheria	11	1	2	3	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	6	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	37	22	10	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	17	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	6	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	20	6	1	2	2	3	3	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White----M	7	1	-	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	3	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	5	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	75	11	3	1	2	2	10	1	-	1	-	3	7	5	3	5	7	4	2	1	1	5	-	-	1	-
	White----M	14	1	-	-	2	1	2	-	-	-	-	-	1	-	1	-	2	1	1	-	-	2	-	-	-	-
	F	22	2	2	1	-	-	3	-	-	-	-	2	1	-	-	2	2	1	1	1	1	2	-	-	1	-
	Nonwhite--M	20	4	1	-	-	-	3	-	-	-	-	1	2	3	-	2	3	1	-	-	-	-	-	-	-	-
	F	19	4	-	-	-	1	2	1	-	1	-	-	3	2	2	1	-	1	-	-	-	1	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*----	1,772	7	-	5	9	6	9	7	12	11	23	46	72	128	160	198	218	222	216	194	126	70	24	8	-	1
	White-----M--	570	3	-	3	4	2	-	2	4	4	8	11	12	26	39	44	65	77	80	80	54	36	11	5	-	-
	F--	569	-	-	-	3	2	4	2	1	1	7	15	24	42	53	54	70	66	63	70	54	23	11	3	-	1
	Nonwhite--M--	286	3	-	1	-	2	2	2	4	4	5	6	5	18	25	49	43	39	36	25	9	6	2	-	-	-
	F--	347	1	-	1	2	-	3	1	3	2	3	14	31	42	43	51	40	40	37	19	9	5	-	-	-	-
140-148	Of buccal cavity and pharynx------	56	-	-	-	-	-	-	-	2	-	1	-	-	2	1	10	5	8	13	12	1	-	1	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	3	4	7	11	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	2	1	2	1	-	-	1	-	-	-
	F--	5	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	567	1	-	-	-	-	-	-	-	2	3	11	11	26	52	62	81	71	76	80	56	26	7	2	-	-
	White-----M--	181	1	-	-	-	-	-	-	-	-	1	3	1	8	15	9	22	26	29	26	27	12	-	1	-	-	-
	F--	153	-	-	-	-	-	-	-	-	1	2	3	4	4	7	11	22	17	18	29	19	9	6	1	-	-	-
	Nonwhite--M--	134	-	-	-	-	-	-	-	-	-	-	2	2	8	14	26	23	16	18	16	4	4	1	-	-	-
	F--	99	-	-	-	-	-	-	-	-	1	-	3	4	6	16	16	14	12	11	9	6	1	-	-	-	-
160-164	Of respiratory system----------	172	-	-	-	-	-	-	1	-	-	2	1	4	11	16	21	32	36	22	13	8	3	2	-	-	-
	White-----M--	107	-	-	-	-	-	-	-	-	-	1	1	2	5	13	15	21	16	17	10	3	2	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	9	1	3	5	1	1	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	1	-	-	1	-	2	3	2	4	5	7	3	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	1	-	-	-	-	-	-	-
170	Of breast----------	155	-	-	-	-	-	-	-	-	-	2	5	15	21	14	22	20	19	11	9	10	4	3	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	99	-	-	-	-	-	-	-	-	-	2	1	5	12	12	11	14	13	6	8	10	2	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	4	10	9	2	11	5	6	5	1	-	2	-	-	-	-
171-179	Of genital organs-	362	-	-	-	-	2	-	-	-	1	1	10	23	36	47	42	43	37	42	36	22	15	4	-	-	1
	White-----M--	64	-	-	-	-	1	-	-	-	1	1	1	-	-	1	2	4	4	11	14	10	10	4	-	-	-	-
	F--	133	-	-	-	-	-	-	-	-	-	-	4	12	14	20	13	19	12	13	13	9	3	-	-	-	-	1
	Nonwhite--M--	41	-	-	-	-	1	-	-	-	-	-	-	-	2	4	7	4	11	5	4	2	1	-	-	-	-	-
	F--	124	-	-	-	-	-	-	-	-	-	-	5	11	20	22	20	16	10	13	5	1	1	-	-	-	-	-
180, 181	Of urinary organs-	60	-	-	-	1	-	2	-	-	-	1	1	-	2	2	4	6	5	7	8	9	7	1	4	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	2	3	5	5	1	4	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	3	2	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	-	-	-	1	-	-	1	2	2	2	1	1	2	1	-	-	-	-	-	-
	F--	4	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	265	4	-	1	2	1	3	3	10	6	5	12	12	20	21	28	23	31	33	22	13	10	4	1	-	-
	White-----M--	88	2	-	-	1	-	-	1	4	3	3	4	4	7	9	6	8	12	6	6	5	4	3	-	-	-
	F--	96	-	-	-	1	-	1	-	1	-	-	5	3	8	6	14	7	11	16	10	5	6	1	1	-	-	-
	Nonwhite--M--	42	2	-	1	-	1	-	1	3	3	1	3	1	2	3	5	5	2	6	2	1	-	-	-	-	-
	F--	39	-	-	-	-	-	2	1	2	-	1	-	4	3	3	3	3	6	5	4	2	-	-	-	-	-	-
204	Leukemia and aleukemia----------	79	2	-	4	5	3	2	2	-	1	6	4	2	6	4	3	4	7	7	7	5	3	1	1	-	-
	White-----M--	35	-	-	3	2	1	-	-	-	-	1	2	1	2	1	1	3	5	3	4	2	3	1	-	-	-
	F--	26	-	-	-	2	2	1	2	-	-	2	1	-	2	3	1	-	1	3	3	2	-	-	1	-	-	-
	Nonwhite--M--	11	1	-	-	-	-	1	-	-	1	2	-	-	2	-	1	1	-	1	-	1	-	-	-	-	-	-
	F--	7	1	-	1	1	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	56	-	-	-	1	-	2	1	-	1	2	2	5	4	3	6	4	8	5	7	2	2	1	-	-	-
	White-----M--	33	-	-	-	1	-	-	1	-	-	1	-	4	2	-	4	1	6	5	6	1	-	1	-	-	-
	F--	12	-	-	-	-	-	2	-	-	-	1	1	-	-	3	1	2	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	48	1	-	1	-	-	2	1	1	1	2	6	12	3	2	7	2	3	2	1	-	1	-	-	-	-
	White-----M--	13	-	-	1	-	-	-	-	-	-	1	1	1	-	1	3	1	2	1	1	-	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	1	3	1	1	1	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	1	-	1	-	-	4	8	2	-	2	-	1	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	257	-	1	-	-	-	-	5	4	3	6	4	10	9	15	32	29	35	31	35	23	7	6	1	1	-
	White-----M--	62	-	1	-	-	-	-	-	-	-	1	1	-	2	2	3	6	7	9	17	6	3	2	-	-	-	-
	F--	87	-	-	-	-	-	-	1	1	1	2	2	3	-	4	8	6	13	11	14	13	4	4	-	-	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	2	2	-	3	1	3	2	3	7	8	8	7	2	2	-	-	-	-	-	-
	F--	58	-	-	-	-	-	-	2	1	2	-	-	4	5	6	14	7	7	4	2	2	-	-	1	1	-	-
290-293	Anemias----------	36	8	3	-	-	-	-	1	2	2	1	-	3	3	1	1	2	-	-	4	3	2	-	-	-	-	-
	White-----M--	7	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	9	3	1	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	12	2	1	-	-	-	-	-	1	2	-	-	2	1	1	-	-	-	-	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	39	18	5	1	4	-	-	1	-	1	1	-	-	1	-	1	2	1	-	3	-	-	-	-	-	-
	White-----M--	8	3	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	10	1	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	F--	12	4	2	-	2	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	8,926	11	5	3	1	2	19	26	24	43	83	116	217	378	487	859	994	1,174	1,218	1,124	947	686	300	139	28	42
	White-----M--	2,981	2	-	-	1	-	3	6	6	12	11	33	44	94	148	262	330	394	441	437	369	252	91	38	3	4
	F--	1,980	1	2	1	-	1	5	6	4	4	5	7	26	30	46	83	130	186	271	321	363	284	128	60	6	10
	Nonwhite--M--	2,002	5	2	1	-	-	4	7	5	6	40	38	72	130	138	262	290	293	250	189	120	88	37	13	8	4
	F--	1,963	3	1	1	-	1	7	7	9	21	27	38	75	124	155	252	244	301	256	177	95	62	44	28	11	24
330-334, 400-468	Diseases of cardiovascular system-	8,497	11	3	2	1	-	18	25	22	39	72	103	194	350	458	820	940	1,133	1,177	1,092	909	648	283	132	25	40
	White-----M--	2,881	2	-	-	1	-	3	6	5	9	9	30	41	90	140	249	311	384	437	429	363	241	87	37	3	4
	F--	1,896	1	1	1	-	-	4	6	4	4	4	6	21	25	43	81	126	181	260	314	348	270	125	56	6	9
	Nonwhite--M--	1,875	5	1	1	-	-	4	6	5	5	35	34	66	120	130	244	273	283	236	179	111	83	31	13	6	4
	F--	1,845	3	1	-	-	-	7	7	8	21	24	33	66	115	145	246	230	285	244	170	87	54	40	26	10	23
330-334	Vascular lesions, etc.*----------	2,350	1	-	1	-	-	1	7	3	7	11	27	51	92	128	233	253	314	327	321	240	206	74	37	4	12
	White-----M--	611	-	-	-	-	-	-	2	-	3	1	4	9	16	14	35	57	75	96	111	89	72	18	8	-	1
	F--	570	-	-	1	-	-	-	4	1	-	1	2	9	6	16	26	34	56	88	89	101	85	33	15	1	2
	Nonwhite--M--	564	1	-	-	-	-	-	1	-	-	7	13	16	36	48	83	85	85	63	59	26	31	4	3	1	2
	F--	605	-	-	-	-	-	1	-	2	4	2	8	17	34	50	89	77	98	80	62	24	18	19	11	2	7
400-402	Rheumatic fever---	32	-	1	-	-	-	13	10	2	-	-	-	1	1	-	2	-	-	1	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	10	-	1	-	-	-	4	1	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	4	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	4	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
410-443	Diseases of heart-	5,472	7	2	1	1	-	4	8	16	29	55	69	129	234	305	552	630	747	786	682	591	364	168	74	17	21
	White-----M--	2,056	1	-	-	1	-	2	3	5	6	8	23	29	71	116	203	238	290	310	289	243	136	52	24	3	3
	F--	1,175	1	-	-	-	-	-	1	2	4	3	4	9	17	25	52	85	114	161	209	219	149	78	32	5	5
	Nonwhite--M--	1,141	3	1	1	-	-	-	1	4	5	23	20	46	72	77	145	163	180	150	95	74	46	23	6	4	2
	F--	1,100	2	1	-	-	-	2	3	5	14	21	22	45	74	87	152	144	163	145	89	55	33	15	12	5	11
410-416	Chronic rheumatic heart disease----	138	-	-	-	-	-	1	2	5	7	4	10	8	7	14	12	15	13	9	9	7	10	3	1	1	-
	White-----M--	41	-	-	-	-	-	-	1	-	3	-	4	1	1	5	3	3	6	3	2	2	4	1	1	1	-
	F--	18	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	2	1	2	2	2	3	1	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	1	-	1	3	4	2	6	2	4	3	1	-	3	1	-	-	-	-
	F--	48	-	-	-	-	-	1	1	4	3	3	2	2	4	2	6	6	3	3	5	-	2	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,564	3	-	-	1	-	-	1	4	10	25	30	58	103	154	275	325	358	369	338	269	149	63	18	4	7
	White-----M--	1,299	-	-	-	1	-	-	-	-	2	4	14	23	51	81	155	172	198	199	178	131	59	20	8	1	2
	F--	586	1	-	-	-	-	-	-	2	2	-	2	3	8	15	28	50	67	88	107	100	71	29	8	1	4
	Nonwhite--M--	378	1	-	-	-	-	-	1	1	-	12	6	19	27	30	50	60	54	45	26	22	15	8	1	-	-
	F--	301	1	-	-	-	-	-	-	1	6	9	8	13	17	28	42	43	39	37	27	16	4	6	1	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	754	-	1	-	-	-	1	2	1	4	10	5	20	21	23	59	64	94	101	101	105	69	39	22	4	8
	White-----M--	236	-	-	-	-	-	1	2	1	1	-	1	3	4	5	12	18	22	31	41	38	31	15	8	1	1
	F--	174	-	-	-	-	-	-	-	-	-	1	1	1	2	1	7	6	12	16	30	43	24	19	10	-	1
	Nonwhite--M--	172	-	1	-	-	-	-	-	-	2	5	2	8	8	4	19	21	34	24	14	17	7	2	2	1	1
	F--	172	-	-	-	-	-	-	-	-	1	4	1	8	7	13	21	19	26	30	16	7	7	3	2	2	5
430-434	Other diseases of heart---------	355	4	1	1	-	-	2	2	5	6	5	8	8	16	21	48	38	48	48	31	26	18	7	9	2	1
	White-----M--	96	1	-	-	-	-	1	-	3	-	1	2	-	3	7	10	12	14	13	10	9	6	2	2	-	-
	F--	61	-	-	-	-	-	-	1	-	1	1	-	1	2	1	1	8	6	9	8	8	6	3	4	1	-
	Nonwhite--M--	103	2	-	1	-	-	-	-	2	2	2	3	4	5	6	21	8	12	14	8	5	3	1	2	1	1
	F--	95	1	1	-	-	-	1	1	-	3	1	3	3	6	7	16	10	16	12	5	4	3	1	1	-	-
440-443	Hypertension with heart dis.--	1,661	-	-	-	-	-	-	1	1	2	11	16	35	87	93	158	188	234	239	203	184	118	56	24	6	5
	White-----M--	384	-	-	-	-	-	-	-	1	-	3	2	2	12	18	23	33	50	64	58	63	36	14	5	-	-
	F--	336	-	-	-	-	-	-	-	-	-	1	-	3	5	7	15	19	28	46	62	66	45	26	10	3	-
	Nonwhite--M--	457	-	-	-	-	-	-	-	-	1	3	6	11	30	31	53	70	77	66	47	27	20	12	1	2	-
	F--	484	-	-	-	-	-	-	1	-	1	4	8	19	40	37	67	56	79	63	36	28	17	4	8	1	5
444-447	Hypertension without mention of heart----------	196	-	-	-	-	-	-	-	1	2	5	2	5	15	14	11	19	21	24	22	25	15	10	2	1	2
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	2	1	6	2	6	3	10	5	7	6	4	1	-	-
	F--	42	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	6	6	10	7	5	-	-	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	1	-	5	1	1	8	2	5	8	5	3	6	4	2	-	1	-	-
	F--	49	-	-	-	-	-	-	-	-	2	-	1	2	5	5	3	3	10	5	5	4	-	1	-	1	2
450	General arteriosclerosis--------	349	-	-	-	-	-	-	-	-	-	-	-	-	2	5	9	26	39	46	56	50	60	30	19	2	5
	White-----M--	114	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	13	22	23	25	12	4	-	-
	F--	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	3	7	16	28	9	9	-	2
	Nonwhite--M--	83	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	13	12	17	15	7	4	4	3	-	-
	F--	67	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	13	13	12	4	3	5	3	2	3
451-468	Other diseases of circulatory sys.-	98	3	-	-	-	-	-	-	-	1	1	5	8	6	6	13	12	12	13	10	3	3	1	-	1	-
	White-----M--	44	1	-	-	-	-	-	-	-	-	-	3	1	2	2	7	6	8	8	2	1	2	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	2	2	1	-	-	-	-	-
	Nonwhite--M--	26	1	-	-	-	-	-	-	-	-	-	3	2	3	2	4	4	1	3	4	-	-	-	1	-	-
	F--	14	1	-	-	-	-	-	-	-	1	1	2	2	1	1	1	1	1	-	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	429	-	2	1	-	2	1	1	2	4	11	13	23	28	29	39	54	41	41	32	38	38	17	7	3	2
	White-----M--	100	-	-	-	-	-	-	-	1	3	2	3	3	4	8	13	19	10	4	8	6	11	4	1	-	-
	F--	84	-	1	-	-	1	1	-	-	-	1	1	5	5	3	2	4	5	11	7	15	14	3	4	-	1
	Nonwhite--M--	127	-	1	-	-	-	-	1	-	1	5	4	6	10	8	18	17	10	14	10	9	5	6	-	2	-
	F--	118	-	-	1	-	1	-	-	1	-	3	5	9	9	10	6	14	16	12	7	8	8	4	2	1	1
460-493	Influenza and pneumonia, etc.*-	749	228	42	14	9	9	12	8	13	14	8	23	11	27	17	30	36	46	42	55	36	37	18	12	1	1
	White-----M--	141	29	7	1	2	3	-	-	2	2	-	1	2	4	4	3	9	10	13	17	10	14	5	3	-	-
	F--	140	28	2	-	3	-	-	3	3	3	-	2	1	4	3	4	5	2	10	18	17	14	11	7	-	-
	Nonwhite--M--	250	89	17	5	4	3	5	3	4	5	5	12	5	8	8	12	13	17	11	7	7	6	2	1	1	-
	F--	218	82	16	8	-	3	7	2	4	4	3	8	3	11	2	11	9	17	8	13	2	3	-	1	-	1
480-483	Influenza---------	145	26	6	3	2	-	2	4	4	3	3	7	3	4	7	8	8	8	12	12	8	8	6	-	1	-
	White-----M--	28	1	2	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	6	4	2	4	1	-	-	-
	F--	26	2	-	-	-	-	2	3	-	-	-	-	-	1	1	1	1	1	1	5	3	1	4	-	-	-
	Nonwhite--M--	42	9	1	1	2	-	1	1	-	1	3	4	1	2	2	2	4	1	1	1	2	1	1	-	1	-
	F--	49	14	3	2	-	-	1	1	1	2	-	3	1	1	2	4	1	4	4	2	1	2	-	-	-	-
490-493	Pneumonia, etc.*--	604	202	36	11	7	9	10	4	9	11	5	16	8	23	10	22	28	38	30	43	28	29	12	12	-	1
	White-----M--	113	28	5	1	2	3	-	-	2	2	-	1	1	4	2	2	7	8	7	13	8	10	4	3	-	-
	F--	114	26	2	-	3	-	-	1	-	3	-	2	1	3	2	3	4	1	9	13	14	13	7	7	-	-
	Nonwhite--M--	206	80	16	4	2	3	4	2	4	4	2	8	4	6	6	10	9	16	10	6	5	5	1	1	-	-
	F--	169	68	13	6	-	3	6	1	3	2	3	5	2	10	-	7	8	13	4	11	1	1	-	1	-	1
500-502	Bronchitis--------	41	12	2	1	1	2	2	4	-	-	-	-	1	-	-	1	1	4	3	1	1	4	-	1	-	-
	White-----M--	16	2	-	1	1	1	1	2	-	-	-	-	-	-	-	1	-	2	2	-	1	2	-	-	-	-
	F--	11	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-
	Nonwhite--M--	8	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	6	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	76	2	-	1	-	-	-	-	2	1	2	3	3	6	8	10	14	15	3	2	2	2	-	-	-	-
	White-----M--	37	1	-	-	-	-	-	-	-	-	-	2	1	2	3	6	6	9	2	2	2	1	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	1	-	-	-	-
	Nonwhite--M--	23	-	-	1	-	-	-	2	1	2	1	2	4	4	4	1	3	1	1	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	-	-	-	-	-	-	-	-
550-553	Appendicitis------	29	-	-	-	1	-	-	2	1	-	2	4	3	2	1	-	1	1	2	2	2	3	1	-	-	1
	White-----M--	11	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	-	-	2	1	-	1	1	-	-	-
	F--	9	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	2	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	1	-	-	1	-	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	110	11	2	2	2	-	1	2	2	2	3	5	3	5	10	8	10	12	11	6	9	3	1	-	-	-
	White-----M--	35	1	1	1	1	-	-	-	1	1	-	-	-	1	2	3	5	6	3	5	4	-	-	-	-	-
	F--	21	1	-	-	-	-	-	-	1	-	1	-	-	1	2	-	1	1	5	-	4	3	1	-	-	-
	Nonwhite--M--	28	8	-	-	1	-	1	1	-	-	2	4	1	1	3	-	3	2	1	-	-	-	-	-	-	-
	F--	26	1	1	1	-	-	-	1	-	1	-	1	2	2	3	5	1	3	2	1	1	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
543, 571, 572	Gastritis, etc.*--	182	115	10	7	4	4	4	2	1	1	1	1	1	-	3	6	7	1	3	3	2	4	1	1	-	-
	White-----M--	25	12	1	-	-	1	1	-	-	1	-	-	-	-	-	1	1	1	1	1	-	3	-	1	-	-
	F--	23	10	-	-	-	-	2	-	-	-	-	-	1	-	1	1	2	-	-	2	2	1	1	-	-	-
	Nonwhite--M--	63	43	3	5	2	3	1	1	1	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F--	71	50	6	2	2	-	-	1	-	-	-	1	-	-	2	3	2	-	2	-	-	-	-	-	-	-
581	Cirrhosis of liver	89	-	-	-	-	-	-	-	-	-	3	1	8	10	10	15	12	15	2	6	4	1	2	-	-	-
	White-----M--	49	-	-	-	-	-	-	-	-	-	1	-	4	7	5	9	6	9	1	3	2	1	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	-	2	-	2	2	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	2	1	1	1	2	1	3	2	1	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	-	1	-	-	1	-	-	-
590, 591	Acute nephritis, etc.*----------	47	1	2	2	-	-	4	-	1	4	4	3	2	6	3	-	6	3	4	1	-	1	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	1	-	-	-	1	-	-	-	-
	F--	7	-	1	-	-	-	1	-	-	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	15	1	1	-	-	-	1	-	1	-	-	2	-	2	2	-	4	-	1	-	-	-	-	-	-	-
	F--	17	-	-	2	-	-	2	-	-	1	1	1	1	2	1	-	2	1	2	1	-	-	-	-	-	-
610	Hyperplasia of prostate----------	68	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	6	13	11	13	11	4	2	-	1
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	9	6	12	8	3	2	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	5	1	3	1	-	-	1
640-689	Complications of pregnancy, etc.*	86	...	...	...	...	...	...	-	16	20	18	13	13	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	...	...	...	...	...	...	-	2	4	6	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	62	...	...	...	...	...	...	-	14	16	12	9	9	2	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	15	...	...	...	...	...	...	-	2	4	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	...	...	...	...	...	...	-	1	4	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	71	...	...	...	...	...	...	-	14	16	13	12	12	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	...	...	...	...	...	...	-	1	4	5	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	50	...	...	...	...	...	...	-	13	12	8	8	8	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	220	178	14	6	4	-	4	1	1	1	1	3	-	2	2	2	-	1	-	-	-	-	-	-	-	-
	White-----M--	81	67	5	2	-	-	-	-	-	1	-	2	-	-	1	2	-	1	-	-	-	-	-	-	-	-
	F--	63	51	3	1	1	-	1	1	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	43	31	3	2	3	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	29	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,166	1,164	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	369	369	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	227	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	334	334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	236	234	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	385	385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	692	690	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	143	141	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	688	224	11	3	2	3	7	2	6	9	13	15	30	34	40	46	38	60	33	27	17	30	18	10	1	9
	White-----M--	90	19	1	-	-	-	-	-	-	-	1	3	6	3	5	6	9	10	7	4	2	7	5	2	-	-
	F--	46	9	3	-	-	1	-	1	1	-	-	1	-	-	2	1	-	3	3	1	7	7	3	3	-	-
	Nonwhite--M--	321	124	5	2	2	1	3	1	3	7	7	7	15	20	18	26	19	25	10	11	2	3	5	-	1	2
	F--	231	72	2	1	-	1	4	-	2	2	5	4	9	11	15	13	10	22	13	11	6	11	5	5	-	7
Residual	All other diseases	778	80	16	12	8	5	14	8	17	23	35	33	42	58	50	55	60	59	54	55	40	33	10	7	3	1
	White-----M--	245	17	2	2	-	3	2	3	2	3	7	10	10	13	12	22	26	31	25	19	14	15	4	2	-	1
	F--	170	12	2	3	5	-	4	-	3	3	6	7	7	7	8	11	8	10	15	22	19	12	1	5	-	-
	Nonwhite--M--	198	27	6	3	2	1	4	5	3	11	11	10	13	22	16	13	14	12	7	8	2	5	3	-	-	-
	F--	165	24	6	4	1	1	4	-	9	6	11	6	12	16	14	9	12	6	7	6	5	1	2	-	3	-
E800-E962	Accidents----------	1,457	89	31	31	19	25	72	70	109	133	133	114	98	94	79	60	52	48	51	53	40	27	11	11	4	3
	White-----M--	621	22	9	9	6	5	30	24	52	64	72	59	49	42	34	23	21	24	18	26	15	8	2	4	1	2
	F--	237	17	5	8	2	5	14	10	14	20	10	9	9	11	15	7	7	5	12	16	18	10	4	6	3	-
	Nonwhite--M--	420	23	9	7	4	7	13	32	36	45	44	37	33	33	24	18	16	11	12	6	3	4	2	-	-	1
	F--	179	27	8	7	7	8	15	4	7	4	7	9	7	8	6	12	8	8	9	5	4	5	3	1	-	-
E810-E835	Motor-vehicle accidents--------	660	5	9	7	5	10	36	22	60	90	78	66	55	42	43	28	26	24	25	16	5	6	1	-	-	1
	White-----M--	334	2	4	5	3	5	16	11	33	45	47	34	29	17	16	12	13	12	12	8	4	4	1	-	-	1
	F--	100	1	2	1	-	3	9	4	11	16	7	7	3	6	11	4	3	2	4	5	1	-	-	-	-	-
	Nonwhite--M--	177	2	1	-	1	2	6	6	10	26	21	20	19	14	13	9	9	7	7	2	-	2	-	-	-	-
	F--	49	-	2	1	1	-	5	1	6	3	3	5	4	5	3	3	1	3	2	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	797	84	22	24	14	15	36	48	49	45	55	48	43	52	36	32	26	24	26	37	35	21	10	11	4	2
	White-----M--	287	20	5	4	3	-	14	13	19	19	25	25	20	25	18	11	8	12	6	18	11	4	1	4	1	1
	F--	137	16	3	7	2	2	5	6	3	4	3	2	6	5	4	3	4	3	8	11	17	10	4	6	3	-
	Nonwhite--M--	243	21	8	7	3	5	7	26	26	19	23	17	14	19	11	9	7	4	5	4	3	2	2	-	-	1
	F--	130	27	6	6	6	8	10	3	1	1	4	4	3	3	3	9	7	5	7	4	4	5	3	1	-	-
E963, E970-E979	Suicide----------	130	-	-	-	-	-	-	-	1	10	11	15	13	12	13	15	9	13	8	4	4	2	-	-	-	-
	White-----M--	94	-	-	-	-	-	-	-	1	4	5	11	8	9	11	12	8	10	8	3	2	2	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	4	4	2	3	2	1	2	1	3	-	1	1	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	2	2	2	2	1	1	1	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	225	2	2	1	-	-	-	3	18	29	36	42	41	18	5	10	9	6	2	1	-	-	-	-	-	-
	White-----M--	53	-	-	-	-	-	-	2	1	7	9	11	5	5	-	3	4	4	2	-	-	-	-	-	-	-
	F--	22	1	-	1	-	-	-	-	1	-	3	4	6	2	1	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	113	-	1	-	-	-	-	1	13	16	16	20	25	9	3	5	3	1	-	-	-	-	-	-	-	-
	F--	37	1	1	-	-	-	-	-	3	6	8	7	5	2	1	1	-	1	-	1	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA																										
	ALL CAUSES	5,838	444	53	22	20	12	41	28	54	93	65	72	95	136	168	282	368	503	646	723	758	600	406	204	34	11
	White--M	3,343	233	15	5	6	5	19	13	27	55	36	32	50	69	96	191	243	332	405	438	447	309	207	91	13	6
	F	2,209	163	15	6	7	3	16	11	17	20	23	29	33	54	65	78	111	155	224	268	302	279	196	111	21	2
	Nonwhite--M	175	34	14	5	5	2	5	1	8	9	5	8	6	7	5	6	9	12	9	8	5	8	-	2	-	2
	F	111	14	9	6	2	2	1	3	2	9	1	3	6	6	2	7	5	4	8	9	4	4	3	-	-	1
001-019	Tuberculosis all forms	88	1	4	2	3	1	-	-	2	9	3	5	8	4	5	8	9	9	8	4	2	1	-	-	-	-
	White--M	34	-	-	-	-	-	-	-	-	-	2	1	2	1	4	6	7	5	3	3	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	2	-	-	1	-	-	-	-
	Nonwhite--M	30	1	4	1	1	1	-	-	1	5	1	4	2	1	-	-	1	2	2	1	2	-	-	-	-	-
	F	16	-	-	1	2	-	-	-	1	4	-	-	2	1	1	1	1	1	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	78	1	2	-	2	-	-	-	1	9	2	5	8	4	5	7	9	9	8	3	2	1	-	-	-	-
	White--M	32	-	-	-	-	-	-	-	-	-	2	1	2	1	4	5	7	5	3	2	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	2	-	-	1	-	-	-	-
	Nonwhite--M	23	1	2	-	-	-	-	-	-	5	-	4	2	1	-	-	1	2	2	1	2	-	-	-	-	-
	F	15	-	-	-	2	-	-	-	1	4	-	-	2	1	1	1	1	1	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	10	-	2	2	1	1	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	2	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	-	3	-	-	-	-	-
	White--M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	3	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	5	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Acute poliomyelitis	8	-	-	1	2	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	10	2	-	1	-	-	-	-	2	-	-	1	-	1	-	-	1	-	2	-	-	-	-	-	-	-
	White--M	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*----	848	-	3	4	1	2	4	3	3	7	8	9	19	34	36	53	82	100	127	119	115	72	30	14	3	-
	White-----M--	458	-	1	3	-	2	3	2	2	1	3	3	7	14	18	26	40	68	64	68	69	37	19	8	-	-
	F--	370	-	2	1	1	-	1	1	1	6	5	5	10	18	18	25	40	31	60	48	45	32	11	6	3	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	1	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	-	-	3	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx-------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	323	-	-	-	-	-	-	-	-	2	-	1	6	10	9	14	27	39	54	46	56	35	15	8	1	-
	White-----M--	179	-	-	-	-	-	-	-	-	-	-	1	3	6	5	6	19	28	25	26	35	15	7	3	-	-
	F--	136	-	-	-	-	-	-	-	-	2	-	-	2	4	4	8	8	10	26	19	20	19	8	5	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
160-164	Of respiratory system----------	66	-	-	-	-	-	1	-	-	1	-	-	1	-	4	6	2	10	11	13	11	6	-	-	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	1	10	10	9	8	5	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	1	-	1	4	3	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	68	-	-	-	-	-	-	-	-	-	1	-	3	4	3	6	13	8	12	6	5	6	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	-	-	-	-	-	-	-	-	-	1	-	3	4	3	6	13	8	12	6	5	6	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	136	-	-	-	-	-	-	-	-	1	1	4	2	9	4	7	13	15	17	26	15	12	8	2	-	-
	White-----M--	76	-	-	-	-	-	-	-	-	1	1	1	1	1	1	4	2	7	10	14	14	11	7	2	-	-
	F--	55	-	-	-	-	-	-	-	-	1	-	3	-	6	3	3	10	8	7	11	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs-	35	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	6	6	4	5	4	4	1	2	-	-
	White-----M--	24	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	6	4	4	5	2	2	1	-	-	-
	F--	11	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	2	-	-	2	2	-	-	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	128	-	-	2	1	-	1	-	-	2	1	3	2	4	12	15	12	13	16	17	16	4	4	3	-	-
	White-----M--	73	-	-	1	-	-	1	-	-	1	-	-	2	2	6	8	6	11	11	10	7	2	4	3	-	-
	F--	50	-	-	1	1	-	-	-	-	1	1	2	2	2	6	5	5	2	5	6	9	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia----------	46	-	3	2	-	1	1	1	1	1	1	1	2	5	1	1	6	3	5	2	5	3	1	-	-	-
	White-----M--	29	-	1	2	-	1	1	1	1	-	-	1	1	4	-	-	4	3	2	2	3	2	1	-	-	-
	F--	17	-	2	-	-	-	-	-	-	1	1	-	1	1	1	1	2	-	3	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	39	-	-	-	-	-	1	1	1	-	4	-	3	2	2	2	-	2	5	7	3	3	2	1	-	-
	White-----M--	20	-	-	-	-	-	1	1	1	-	2	-	2	1	2	2	-	1	4	2	1	-	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	1	5	2	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	23	-	-	-	-	-	1	-	1	1	-	-	1	4	4	3	1	3	3	1	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	1	1	-	-	-	1	2	2	-	2	2	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	-	-	-	1	2	4	1	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	95	-	-	-	-	-	-	1	-	1	3	1	1	2	6	6	8	20	20	13	10	3	-	-	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	1	5	10	9	4	7	2	-	-	-
	F--	49	-	-	-	-	-	-	1	-	-	1	-	-	1	5	5	3	10	10	9	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
290-295	Anemias----------	21	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	5	1	2	1	-	-
	White-----M--	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	4	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	6	3	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	3,042	3	2	-	-	-	1	3	4	7	11	11	29	47	77	142	206	276	368	478	517	406	284	137	26	7
	White-----M--	1,817	-	1	-	-	-	-	1	-	5	6	5	18	28	46	109	152	176	247	297	301	205	142	63	11	4
	F--	1,171	3	1	-	-	-	1	1	2	2	5	5	8	13	27	29	48	91	114	176	215	200	141	73	15	1
	Nonwhite--M--	30	-	-	-	-	-	-	-	1	-	-	-	1	4	4	2	4	6	2	3	-	1	-	1	-	1
	F--	24	-	-	-	-	-	1	1	-	-	-	1	2	2	-	2	2	3	5	2	1	-	1	-	-	1
330-334, 400-468	Diseases of cardiovascular system-	2,963	3	2	-	-	-	1	2	3	5	8	9	25	43	73	132	200	270	361	468	511	401	278	135	26	7
	White-----M--	1,775	-	1	-	-	-	-	-	-	4	4	5	15	28	44	103	148	173	243	292	296	202	139	63	11	4
	F--	1,140	3	1	-	-	-	1	1	1	1	4	4	8	10	25	27	47	88	111	171	214	198	138	71	15	1
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	-	-	-	1	4	4	2	3	6	2	3	-	1	-	1	-	1
	F--	19	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	2	3	5	2	1	-	1	-	-	1
330-334	Vascular lesions, etc.*----------	704	1	-	-	-	-	-	-	-	-	2	3	4	6	11	21	31	48	95	133	146	99	71	26	5	2
	White-----M--	365	-	-	-	-	-	-	-	-	-	-	1	3	3	5	11	19	18	54	77	78	48	31	13	3	1
	F--	331	1	-	-	-	-	-	-	-	-	2	2	1	2	6	10	10	27	40	56	67	51	40	13	2	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-
400-402	Rheumatic fever---	9	-	-	-	-	-	1	2	-	1	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
410-443	Diseases of heart	1,992	1	1	-	-	-	-	-	2	2	6	4	18	33	58	107	157	213	245	303	328	251	168	74	16	5
	White----M	1,269	-	-	-	-	-	-	-	-	2	4	2	12	23	38	88	118	148	176	198	193	131	91	34	8	3
	F	688	1	1	-	-	-	-	-	1	-	2	2	5	6	16	17	36	60	63	101	135	119	76	39	8	-
	Nonwhite--M	23	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	3	3	2	2	-	1	-	1	-	1
	F	12	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	4	2	-	-	1	-	-	1
410-416	Chronic rheumatic heart disease	62	-	-	-	-	-	-	-	1	-	3	-	3	4	8	6	1	7	7	6	7	4	5	-	-	-
	White----M	29	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	6	4	4	1	1	5	-	-	-
	F	30	-	-	-	-	-	-	-	1	-	2	-	2	1	6	4	-	1	3	2	6	2	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,284	-	-	-	-	-	-	-	-	1	3	2	13	22	40	84	122	158	174	196	199	116	86	35	9	4
	White----M	883	-	-	-	-	-	-	-	-	1	3	1	10	19	31	76	95	116	132	131	125	68	48	20	4	3
	F	363	-	-	-	-	-	-	-	-	-	-	1	2	2	6	6	25	39	40	62	74	48	38	15	5	-
	Nonwhite--M	14	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	2	1	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	310	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	8	14	19	54	59	70	41	28	5	1
	White----M	169	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	9	14	31	34	37	20	11	2	-
	F	136	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	4	4	23	25	33	20	16	3	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
430-434	Other diseases of heart	147	1	1	-	-	-	-	-	1	1	-	1	-	3	6	5	16	13	22	19	15	22	13	6	2	-
	White----M	83	-	-	-	-	-	-	-	-	1	-	1	-	2	2	5	10	9	12	17	6	10	6	-	2	-
	F	59	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-	5	4	9	2	9	12	7	6	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	209	-	-	-	-	-	-	-	-	-	-	-	1	1	1	9	10	21	23	28	48	39	23	5	-	-
	White----M	105	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	8	14	15	27	15	12	3	-	-
	F	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	12	7	12	21	24	11	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart	51	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	-	8	7	7	9	7	4	-	-
	White----M	31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	6	3	5	5	2	3	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	3	2	4	5	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	10	21	24	34	32	31	5	-
	White----M	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	11	17	14	15	13	-	-
	F	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	10	7	20	17	18	5	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	42	1	1	-	-	-	-	-	1	2	-	1	3	1	1	2	3	5	3	4	6	8	-	-	-	-
	White----M	24	-	1	-	-	-	-	-	-	2	-	1	-	-	-	2	3	4	1	3	3	4	-	-	-	-
	F	16	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	2	1	3	4	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	79	-	-	-	-	-	1	1	2	3	2	4	4	4	4	10	6	6	7	10	6	5	6	2	-	-
	White----M	42	-	-	-	-	-	1	-	1	2	-	3	-	2	6	4	3	4	5	5	3	3	-	-	-	-
	F	31	-	-	-	-	-	-	1	1	1	1	-	3	2	2	1	3	3	5	1	2	3	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	200	34	9	2	2	2	4	2	-	3	-	1	1	4	3	3	8	15	14	16	22	22	18	12	1	2
	White----M	98	12	1	-	1	-	1	-	-	1	-	-	-	3	2	2	7	10	9	9	11	15	9	3	1	1
	F	68	7	1	1	-	1	2	2	-	1	-	1	1	1	1	1	-	5	4	6	9	6	9	9	-	-
	Nonwhite--M	20	12	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1
	F	14	3	5	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
480-483	Influenza	33	3	1	-	2	-	-	1	-	-	-	-	1	1	1	1	-	4	-	4	6	2	6	-	-	-
	White----M	15	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	4	2	2	-	-	-
	F	14	1	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	2	-	2	1	-	4	-	-	-
	Nonwhite--M	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*	167	31	8	2	-	2	4	1	-	3	-	1	-	3	2	2	8	11	14	12	16	20	12	12	1	2
	White----M	83	12	-	-	-	1	1	-	-	1	-	-	-	2	2	2	7	8	9	7	7	13	7	3	1	1
	F	54	6	1	1	-	1	2	1	-	1	-	1	-	1	-	-	-	3	4	4	8	6	5	9	-	-
	Nonwhite--M	17	10	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1
	F	13	3	5	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
500-502	Bronchitis	11	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	-
	White----M	7	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum	17	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	1	1	4	1	1	2	-	1	-	-
	White----M	14	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	1	4	1	1	-	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	15	-	-	-	-	-	2	-	-	-	-	-	1	1	1	2	1	3	1	1	1	-	-	-	-	1
	White----M	13	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	1	3	1	-	1	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	37	4	-	-	-	-	-	-	1	-	-	-	-	2	-	4	3	2	8	2	9	1	1	-	-	-
	White----M	21	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	6	1	7	-	-	-	-	-
	F	14	1	-	-	-	-	-	-	1	-	-	-	-	1	-	3	2	-	2	-	2	1	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
543, 571, 572	Gastritis, etc.*--	24	6	1	-	-	-	1	-	-	-	-	1	1	1	-	1	-	1	3	4	1	2	-	1	-	-
	White-----M--	10	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	3	1	1	-	1	-	-
	Nonwhite--M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	32	-	-	-	-	-	-	-	-	2	1	4	-	2	1	3	1	3	7	2	4	2	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	1	1	5	1	2	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	1	2	-	2	1	2	-	2	2	1	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	9	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	-	1	-	-	-
	White-----M--	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	1	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	9	12	6	1	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	9	11	6	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	20	...	...	...	...	...	...	-	3	4	3	3	3	3	-	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	3	3	2	2	3	3	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	18	...	...	...	...	...	...	-	2	4	3	2	3	3	-	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	15	...	...	...	...	...	...	-	2	3	2	1	3	3	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	92	77	6	-	1	2	2	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	45	41	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	32	5	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	114	9	2	2	2	2	2	-	2	2	1	-	-	-	2	1	1	2	11	8	11	9	27	14	3	1
	White-----M--	41	4	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	7	2	5	3	12	3	1	-
	F--	39	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	5	2	13	10	2	1
	Nonwhite--M--	20	1	-	2	1	1	1	-	2	1	-	-	-	-	-	-	1	1	-	4	1	3	-	1	-	-
	F--	14	2	2	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	2	1	-	1	2	-	-	-
Residual	All other diseases	281	11	7	4	1	-	5	5	3	4	6	6	6	11	10	20	21	26	29	33	20	27	16	9	1	-
	White-----M--	150	3	1	1	1	-	3	4	2	2	-	1	1	6	6	12	15	16	10	24	15	12	11	4	-	-
	F--	120	8	5	2	-	-	-	1	1	2	4	4	5	5	4	8	6	10	18	9	3	14	5	5	1	-
	Nonwhite--M--	7	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
E800-E962	Accidents----------	436	18	12	4	4	2	18	11	30	49	21	23	23	17	18	19	16	33	22	16	22	29	17	12	-	-
	White-----M--	273	9	6	1	3	-	9	5	20	40	17	14	18	11	10	15	9	24	15	8	13	15	5	6	-	-
	F--	127	4	1	1	1	2	9	4	6	4	3	7	2	4	7	1	7	8	7	8	9	14	12	6	-	-
	Nonwhite--M--	30	5	5	-	-	-	-	1	4	3	1	2	3	2	1	2	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	2	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents---------	168	2	5	2	1	2	4	6	16	33	9	11	13	6	8	10	10	13	11	3	2	-	1	-	-	-
	White-----M--	105	1	2	1	1	-	1	3	9	27	7	4	9	2	4	6	7	10	7	2	1	-	1	-	-	-
	F--	45	-	-	-	-	2	3	3	6	3	1	6	2	3	4	1	3	2	4	1	1	-	-	-	-	-
	Nonwhite--M--	16	1	3	-	-	-	-	-	1	3	1	1	2	1	-	2	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	268	16	7	2	3	-	14	5	14	16	12	12	10	11	10	9	6	20	11	13	20	29	16	12	-	-
	White-----M--	168	8	4	-	2	-	8	2	11	13	10	10	9	9	6	9	2	14	8	6	12	15	4	6	-	-
	F--	82	4	1	1	1	-	6	1	-	1	2	1	-	1	3	-	4	6	3	7	8	14	12	6	-	-
	Nonwhite--M--	14	4	2	-	-	-	-	1	3	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	67	-	-	-	-	-	-	-	1	2	3	1	2	3	8	9	7	14	10	3	1	2	-	1	-	-
	White-----M--	56	-	-	-	-	-	-	-	1	1	3	1	2	2	6	7	6	12	9	3	-	2	-	1	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	6	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE																										
	ALL CAUSES--------	28,584	2,876	211	119	95	77	201	160	321	427	494	584	746	1,086	1,352	1,766	2,080	2,440	3,071	3,414	3,429	2,595	1,315	506	164	55
	White-----M--	12,939	1,164	78	44	46	38	86	69	160	197	212	245	319	447	568	721	996	1,131	1,384	1,580	1,569	1,099	537	198	42	9
	F--	9,827	962	75	42	28	27	65	57	91	98	121	156	179	263	336	434	509	676	952	1,215	1,376	1,213	628	238	76	10
	Nonwhite--M--	3,632	440	29	24	10	10	28	17	39	67	77	98	127	190	221	340	304	324	400	330	269	152	81	32	14	9
	F--	3,186	310	29	9	11	2	22	17	31	65	84	85	121	166	227	271	271	309	335	289	215	131	69	38	32	27
001-019	Tuberculosis all forms--------	1,021	7	8	3	4	1	5	6	25	42	63	66	80	81	75	77	84	90	108	80	61	42	7	6	-	-
	White-----M--	405	-	1	2	4	1	2	1	3	5	17	24	27	31	30	28	54	43	47	31	27	19	4	4	-	-
	F--	313	6	2	1	-	-	1	1	9	13	18	22	20	19	18	18	12	28	35	39	26	20	3	2	-	-
	Nonwhite--M--	181	1	3	-	-	-	-	2	6	8	14	13	20	21	17	25	8	15	15	6	5	2	-	-	-	-
	F--	122	-	2	-	-	-	2	2	7	16	14	7	13	10	10	6	10	4	11	4	3	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	935	1	4	2	1	-	2	6	21	37	61	63	72	76	68	70	79	87	100	74	57	42	6	6	-	-
	White-----M--	379	-	1	1	1	-	-	1	1	4	17	23	26	29	30	26	53	42	44	29	25	19	3	4	-	-
	F--	288	1	-	1	-	-	1	1	7	13	18	21	19	18	15	16	10	28	34	35	25	20	3	2	-	-
	Nonwhite--M--	162	-	1	-	-	-	-	2	6	7	14	12	15	20	17	23	7	14	12	6	4	2	-	-	-	-
	F--	106	-	2	-	-	-	1	2	7	13	12	7	12	9	6	5	9	3	10	4	3	1	-	-	-	-
010-019	Tuberculosis, other forms------	86	6	4	1	3	1	3	-	4	5	2	3	8	5	7	7	5	3	8	6	4	-	1	-	-	-
	White-----M--	26	-	-	1	3	1	2	-	2	1	-	1	1	2	-	2	1	1	3	2	2	-	1	-	-	-
	F--	25	5	2	-	-	-	-	-	2	-	-	1	1	1	3	2	2	-	1	4	1	-	-	-	-	-
	Nonwhite--M--	18	1	2	-	-	-	-	-	-	1	-	1	5	1	-	2	1	1	3	-	1	-	-	-	-	-
	F--	16	-	-	-	-	-	1	-	-	3	2	-	1	1	4	1	1	1	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	133	5	1	-	-	-	1	2	-	2	1	2	6	10	20	15	18	20	19	3	4	4	-	-	-	-
	White-----M--	44	1	-	-	-	-	-	-	-	-	-	2	3	7	3	5	15	5	-	2	1	-	-	-	-	-
	F--	17	2	1	-	-	-	-	-	-	-	-	1	1	5	2	1	1	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	50	2	-	-	-	-	-	-	-	-	1	1	3	5	4	7	11	4	9	3	-	-	-	-	-	-
	F--	22	-	-	-	-	-	1	2	-	2	-	1	-	1	4	3	1	-	3	-	2	2	-	-	-	-
040	Typhoid fever-----	4	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	28	12	4	1	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	3	2	-	1	-	-	-
	White-----M--	10	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	2	-	-	-	-	-
	F--	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	2	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	7	-	-	-	-	-	2	1	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	13	-	1	-	3	1	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	1	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	38	25	8	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	4	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	32	11	4	4	2	1	1	1	2	1	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	6	1	2	-	1	-	-	1	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	13	4	2	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	33	1	2	2	5	4	2	3	4	5	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	-	1	2	2	2	1	2	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	1	1	-	1	2	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	17	1	5	2	1	-	1	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	1	2	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	2	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	124	18	8	4	6	5	4	1	6	3	4	7	8	4	10	8	5	4	6	5	1	2	3	1	1	-
	White-----M--	49	6	2	2	5	4	-	-	2	-	-	2	5	2	3	3	2	1	2	3	-	2	1	1	1	-
	F--	35	3	3	1	1	1	3	-	3	1	1	5	1	-	5	-	1	-	3	-	1	-	2	-	-	-
	Nonwhite--M--	19	6	-	-	-	-	1	-	-	-	1	-	1	2	1	3	1	2	1	-	-	-	-	-	-	-
	F--	21	3	3	1	-	-	-	1	1	2	2	-	1	-	1	2	1	1	-	2	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
140-205	Malignant neoplasms, etc.*----	3,621	8	9	5	9	14	19	13	29	24	51	69	109	175	231	351	387	440	475	462	388	219	99	26	7	2
	White-----M--	1,475	2	6	1	5	7	5	5	10	12	21	22	34	66	61	126	148	175	208	208	192	98	45	14	4	-
	F--	1,542	5	2	4	2	7	13	6	13	8	17	37	45	66	117	149	155	194	193	191	157	104	46	8	2	1
	Nonwhite--M--	290	-	-	-	2	-	1	1	3	4	2	5	10	13	19	32	44	36	39	42	20	9	7	1	-	-
	F--	314	1	1	-	-	-	-	1	3	-	11	5	20	30	34	44	40	35	35	21	19	8	1	3	1	1
140-148	Of buccal cavity and pharynx------	102	-	1	-	-	-	-	-	1	-	2	1	2	4	9	6	10	8	18	13	17	5	5	-	-	-
	White-----M--	64	-	1	-	-	-	-	-	1	-	2	1	1	3	6	4	5	6	12	5	11	3	3	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	4	6	5	2	2	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	2	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,261	-	1	-	2	-	-	-	4	2	4	16	20	41	50	104	153	145	207	200	164	85	50	9	4	-
	White-----M--	525	-	1	-	1	-	-	-	2	1	1	6	10	14	13	44	59	61	82	84	78	39	21	5	3	-
	F--	490	-	-	-	1	-	-	-	1	1	2	4	6	14	17	35	53	54	84	82	68	39	26	3	-	-
	Nonwhite--M--	143	-	-	-	-	-	-	-	1	-	-	2	2	9	11	15	27	20	21	19	10	3	3	-	-	-
	F--	103	-	-	-	-	-	-	-	-	-	1	4	2	4	9	10	14	10	20	15	8	4	-	1	1	-
160-164	Of respiratory system----------	352	-	-	-	-	-	-	1	-	1	3	1	8	25	22	50	46	58	49	43	22	17	3	3	-	-
	White-----M--	237	-	-	-	-	-	-	-	-	1	1	1	4	24	16	31	38	39	37	21	12	8	2	2	-	-
	F--	76	-	-	-	-	-	-	-	-	-	1	-	1	1	3	14	3	10	8	16	9	8	1	1	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	2	-	3	4	5	5	4	6	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	4	-	-	-	-	-	-	-	-	-
170	Of breast----------	265	-	-	-	-	-	-	-	-	1	3	7	11	19	33	41	28	31	31	19	19	15	5	2	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	219	-	-	-	-	-	-	-	-	1	1	7	6	12	29	31	21	26	30	17	18	15	4	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	2	-	5	7	4	8	7	5	1	1	1	-	-	1	-	-
171-179	Of genital organs----	667	-	1	-	-	-	-	1	4	1	8	13	37	47	51	60	65	91	74	70	77	43	19	5	-	-
	White-----M--	188	-	-	-	-	-	-	-	-	1	1	1	3	4	-	4	6	20	25	39	45	25	11	3	-	-
	F--	339	-	-	-	-	-	-	1	3	-	2	11	21	27	37	40	45	54	35	23	18	14	6	2	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	3	5	4	6	6	3	1	-	-	-
	F--	106	-	1	-	-	-	-	-	1	-	5	1	10	15	14	14	11	12	10	2	8	1	1	-	-	-
180, 181	Of urinary organs----	143	2	2	1	-	-	3	-	-	-	1	2	2	3	8	10	13	20	15	21	24	13	2	1	-	-
	White-----M--	74	1	2	1	-	-	1	-	-	-	1	1	2	1	5	5	6	10	11	9	11	6	-	1	-	-
	F--	50	-	-	-	-	-	1	-	-	-	-	-	-	1	3	2	6	6	3	10	11	5	2	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	3	1	1	1	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	506	-	1	1	1	5	3	5	9	10	16	11	15	23	40	47	41	56	55	67	46	30	13	6	3	2
	White-----M--	218	-	1	-	1	2	1	2	4	6	7	4	6	12	14	20	20	21	25	28	23	12	5	3	1	-
	F--	223	-	-	1	-	3	2	3	3	3	5	7	5	8	20	16	16	30	25	30	22	15	5	1	2	1
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	1	2	-	2	1	2	3	2	3	3	7	-	2	3	1	-	-
	F--	33	-	-	-	-	-	-	-	2	-	2	-	2	2	4	8	3	2	2	2	1	1	-	1	-	1
204	Leukemia and aleukemia----------	197	5	2	2	4	9	10	4	7	3	9	14	9	8	14	13	12	16	19	16	13	7	1	-	-	-
	White-----M--	101	1	-	2	5	3	3	3	2	4	5	4	3	5	9	6	9	11	14	7	4	1	-	-	-	-
	F--	73	4	2	2	1	4	7	1	3	-	5	7	4	2	6	1	5	7	2	2	5	3	-	-	-	-
	Nonwhite--M--	16	-	-	-	1	-	-	-	1	1	-	2	1	1	-	3	-	-	5	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*----	128	1	1	1	2	-	3	2	4	6	5	4	5	5	4	20	19	15	7	13	6	4	1	-	-	-
	White-----M--	66	-	1	-	1	-	-	-	1	4	3	4	5	2	9	8	9	5	7	5	1	1	-	-	-	-
	F--	47	1	-	1	-	-	3	1	3	3	1	1	1	-	1	9	6	5	2	5	1	3	-	-	-	-
	Nonwhite--M--	10	-	-	-	1	-	-	1	1	2	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	116	4	1	1	1	3	1	4	4	5	3	3	7	15	13	14	12	9	3	6	1	2	4	-	-	-
	White-----M--	39	2	1	1	1	2	-	1	1	2	1	-	2	3	4	4	5	3	2	3	-	-	1	-	-	-
	F--	45	1	-	-	-	-	1	3	-	3	2	2	2	7	5	7	2	4	-	2	-	1	3	-	-	-
	Nonwhite--M--	8	-	-	-	-	1	-	-	3	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-
	F--	24	1	-	-	-	-	-	-	-	-	-	1	3	4	3	3	5	-	1	1	1	1	-	-	-	-
260	Diabetes mellitus----	300	-	1	1	-	-	3	1	1	2	3	2	7	9	16	21	24	34	47	46	39	30	11	2	-	-
	White-----M--	100	-	-	-	-	-	1	-	-	-	1	2	6	3	4	2	9	12	13	17	17	10	3	-	-	-
	F--	128	-	1	1	-	-	2	-	1	-	2	-	-	1	2	7	10	14	19	21	21	18	7	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	2	1	7	3	-	-	1	-	-	-
	F--	48	-	-	-	-	-	1	-	2	-	-	-	1	4	7	6	3	7	8	5	1	2	-	1	-	-
290-293	Anemias----------	65	3	2	1	-	-	1	2	1	-	1	-	-	2	2	4	7	2	6	10	10	10	1	-	-	-
	White-----M--	21	1	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	5	4	5	-	-	-	-
	F--	27	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	4	5	4	4	1	-	-	-
	Nonwhite--M--	8	1	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-
	F--	9	1	-	-	-	-	1	1	-	-	-	-	-	1	-	1	3	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	42	13	2	4	2	2	2	1	-	-	1	2	-	4	1	-	2	3	2	1	-	-	-	-	-	-
	White-----M--	14	4	-	2	1	1	-	-	-	-	1	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	F--	16	6	-	2	-	1	1	1	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
330-354, 400-468, 592-594	Major cardiovascular-renal diseases----------	14,090	10	3	4	2	4	17	9	35	43	63	100	209	386	594	833	1,084	1,389	1,849	2,156	2,264	1,752	848	317	94	25
	White-----M--	6,242	3	1	2	2	2	6	4	12	17	19	31	80	150	242	347	546	671	860	999	1,015	730	352	122	24	5
	F--	4,750	6	1	-	-	1	4	4	13	8	18	26	36	74	123	182	227	341	551	772	927	825	399	163	43	6
	Nonwhite--M--	1,560	-	1	1	-	1	4	-	8	4	4	15	42	78	108	158	170	187	224	191	181	110	47	15	6	5
	F--	1,538	1	-	1	-	-	3	1	2	14	22	28	51	84	121	146	141	190	214	194	141	87	50	17	21	9
330-334, 400-468	Diseases of cardiovascular system-	13,484	10	2	4	2	2	12	8	31	32	55	89	190	363	570	804	1,052	1,334	1,778	2,071	2,184	1,681	803	297	89	21
	White-----M--	6,015	3	1	2	2	2	5	4	9	10	14	29	75	144	240	335	532	655	828	972	980	700	329	115	24	5
	F--	4,549	6	-	-	-	-	1	3	12	5	16	20	31	68	117	173	217	326	530	740	906	797	381	155	39	6
	Nonwhite--M--	1,472	-	1	1	-	-	3	-	8	3	4	14	35	73	100	155	167	177	214	178	167	104	44	13	6	5
	F--	1,448	1	-	1	-	-	3	1	2	14	21	26	49	78	113	141	136	176	206	181	131	80	49	14	20	5
330-334	Vascular lesions, etc.*----------	3,806	5	-	1	-	1	1	2	8	4	7	14	32	72	134	207	262	356	493	662	700	495	248	81	17	4
	White-----M--	1,504	2	-	1	-	1	1	1	4	1	3	2	11	20	39	56	96	150	196	287	300	198	96	35	3	1
	F--	1,445	2	-	-	-	-	-	1	4	1	-	5	7	15	40	54	70	97	171	248	303	249	126	40	10	2
	Nonwhite--M--	433	-	-	-	-	-	-	-	-	1	-	4	4	17	30	54	53	51	64	54	53	27	15	3	3	-
	F--	424	1	-	-	-	-	-	-	-	1	4	3	10	20	25	43	43	58	62	73	44	21	11	3	1	1
400-402	Rheumatic fever----	36	1	-	1	-	1	8	3	3	2	3	-	1	4	-	1	2	1	1	1	-	2	1	-	-	-
	White-----M--	12	-	-	-	-	1	3	1	1	1	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	1	2	-	-	1	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	8	-	-	1	-	-	1	-	-	1	2	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
410-443	Diseases of heart-	8,635	4	1	2	1	-	2	3	19	20	41	65	132	253	397	563	737	906	1,201	1,314	1,365	1,062	482	191	60	14
	White-----M--	4,195	1	-	1	1	-	-	2	3	7	10	27	61	113	194	267	414	471	598	648	635	451	202	71	15	3
	F--	2,841	3	-	-	-	-	-	-	8	3	13	14	17	45	70	114	138	217	336	457	557	493	224	103	26	3
	Nonwhite--M--	910	-	1	1	-	-	-	-	6	1	4	7	25	48	57	90	102	116	139	109	98	66	25	7	3	5
	F--	889	-	-	-	-	-	2	1	2	9	14	17	29	47	76	92	83	102	128	100	75	52	31	10	16	3
410-416	Chronic rheumatic heart disease----	327	-	-	-	-	-	-	2	12	8	10	11	14	24	26	25	25	32	30	30	35	24	11	5	2	1
	White-----M--	141	-	-	-	-	-	-	1	3	3	2	5	7	9	14	13	15	12	12	11	20	10	3	1	-	-
	F--	119	-	-	-	-	-	-	-	6	1	4	3	4	8	9	7	7	10	13	15	10	12	6	4	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	2	-	2	-	1	2	1	-	1	7	1	4	4	1	2	-	-	1
	F--	38	-	-	-	-	-	-	1	1	4	2	3	2	5	2	5	2	3	4	-	1	1	-	-	2	-
420	Arteriosclerotic heart dis., etc.*	4,404	1	-	-	-	-	-	-	5	1	8	24	60	114	196	287	436	511	648	676	656	483	199	70	24	5
	White-----M--	2,552	-	-	-	-	-	-	-	-	1	5	16	35	77	135	181	297	331	380	392	339	234	93	30	5	1
	F--	1,363	1	-	-	-	-	-	-	2	-	3	4	5	14	30	53	75	122	188	236	265	221	92	38	12	-
	Nonwhite--M--	263	-	-	-	-	-	-	-	3	-	-	1	8	12	12	31	40	31	40	24	31	19	7	-	2	2
	F--	226	-	-	-	-	-	-	-	-	-	-	3	12	11	19	22	24	27	40	22	21	9	7	2	5	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,388	-	-	-	-	-	-	-	2	3	9	5	14	19	39	57	63	106	160	200	247	232	142	64	20	6
	White-----M--	508	-	-	-	-	-	-	-	-	2	1	2	8	6	10	18	17	36	66	79	107	84	47	21	2	2
	F--	512	-	-	-	-	-	-	-	-	-	4	1	2	5	9	11	12	23	46	68	91	110	78	39	11	2
	Nonwhite--M--	182	-	-	-	-	-	-	1	-	1	-	-	3	3	10	15	16	22	30	28	22	21	6	2	1	1
	F--	186	-	-	-	-	-	-	-	1	1	3	2	1	5	10	13	18	25	18	25	27	17	11	2	6	1
430-434	Other diseases of heart---------	719	3	1	2	1	-	2	1	-	3	9	12	21	37	40	61	55	78	111	86	86	67	23	17	2	1
	White-----M--	316	1	-	1	1	-	-	1	-	1	2	3	6	11	10	23	30	39	51	44	40	32	12	7	1	-
	F--	181	2	-	-	-	-	-	-	-	-	2	2	5	3	7	11	5	18	28	27	34	24	7	5	1	-
	Nonwhite--M--	118	-	1	1	-	-	-	-	-	1	1	3	3	13	17	15	10	12	17	8	6	5	1	3	-	1
	F--	104	-	-	-	-	-	2	-	-	1	4	4	7	10	6	12	10	9	15	7	6	6	3	2	-	-
440-443	Hypertension with heart dis.--	1,997	-	-	-	-	-	-	-	-	5	5	13	23	59	96	133	158	179	252	322	341	256	107	35	12	1
	White-----M--	678	-	-	-	-	-	-	-	-	-	-	1	5	10	25	32	55	53	89	122	129	91	47	12	7	-
	F--	666	-	-	-	-	-	-	-	-	2	-	4	1	15	15	32	39	44	61	109	157	126	41	17	2	1
	Nonwhite--M--	318	-	-	-	-	-	-	-	-	-	-	3	10	18	17	29	35	44	51	45	35	20	9	2	-	-
	F--	335	-	-	-	-	-	-	-	-	3	5	5	7	16	39	40	29	38	51	46	20	19	10	4	3	-
444-447	Hypertension without mention of heart----------	328	-	-	-	-	-	-	-	-	2	2	9	12	23	29	21	22	28	33	46	43	36	16	5	-	1
	White-----M--	97	-	-	-	-	-	-	-	-	-	1	-	1	4	4	6	7	8	7	20	16	16	6	1	-	-
	F--	87	-	-	-	-	-	-	-	-	-	1	1	2	4	5	2	4	6	12	13	14	14	6	2	-	1
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	-	3	4	7	11	8	5	6	6	10	7	3	1	2	-	-
	F--	71	-	-	-	-	-	-	-	-	2	-	5	5	8	9	5	6	8	8	3	6	3	3	-	-	-
450	General arteriosclerosis--------	306	-	-	-	-	-	-	-	-	-	1	-	3	2	2	2	7	18	30	36	60	72	48	15	9	1
	White-----M--	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11	16	13	21	30	21	6	4	-
	F--	120	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	3	7	16	28	31	21	7	2	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	6	7	3	1	-	-
	F--	37	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	3	4	5	3	5	4	3	1	3	1
451-468	Other diseases of circulatory sys.-	173	-	1	-	1	-	1	-	1	4	1	1	10	9	8	10	22	25	20	12	16	14	8	5	3	1
	White-----M--	83	-	1	-	1	-	1	-	1	1	-	-	2	5	3	5	12	15	10	4	8	5	4	2	2	1
	F--	46	-	-	-	-	-	-	-	-	1	1	-	3	2	2	2	3	2	4	6	4	9	3	3	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	1	-	-	2	1	1	3	6	4	3	1	3	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	1	-	1	3	1	2	-	1	4	3	1	1	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	606	-	1	-	-	2	5	1	4	11	8	11	19	23	24	29	32	55	71	85	80	71	45	20	5	4
	White-----M--	227	-	-	-	-	-	1	-	3	7	5	2	5	6	2	12	14	16	32	27	35	30	23	7	-	-
	F--	201	-	1	-	-	1	3	1	1	3	2	6	5	6	6	9	10	15	21	32	21	28	18	8	4	-
	Nonwhite--M--	88	-	-	-	-	1	1	-	-	1	-	1	7	5	8	3	3	10	10	13	14	6	3	2	-	-
	F--	90	-	-	-	-	-	-	-	-	-	1	2	2	6	8	5	5	14	8	13	10	7	1	3	1	4
480-493	Influenza and pneumonia, etc.*	1,237	193	38	14	5	9	11	7	7	12	15	18	14	23	30	39	60	67	92	128	176	141	75	43	16	4
	White-----M--	455	63	12	6	2	3	6	1	1	4	6	4	5	8	12	9	22	23	32	56	76	61	22	17	3	1
	F--	437	70	18	2	1	3	3	4	3	5	4	2	6	7	5	4	11	12	23	43	71	71	40	17	11	1
	Nonwhite--M--	174	32	5	4	1	1	2	1	2	-	2	2	2	2	8	15	13	17	20	17	15	5	5	3	-	-
	F--	171	28	3	2	1	2	-	1	1	3	3	10	1	6	5	11	14	15	17	12	14	4	8	6	2	2
480-483	Influenza---------	224	31	3	1	-	1	1	-	2	-	2	2	2	4	2	8	11	16	16	30	34	30	20	6	2	-
	White-----M--	61	4	-	1	-	-	1	-	-	-	2	1	-	-	-	1	3	2	2	9	14	14	4	3	-	-
	F--	83	12	1	-	-	-	-	-	1	-	-	1	1	1	-	2	2	1	8	9	14	13	13	3	1	-
	Nonwhite--M--	42	9	1	-	-	-	-	-	-	-	-	-	1	2	1	4	1	7	3	6	4	1	2	-	-	-
	F--	38	6	1	-	-	1	-	-	1	-	-	-	-	1	1	1	5	6	3	6	2	2	1	-	1	-
490-493	Pneumonia, etc.*--	1,013	162	35	13	5	8	10	7	5	12	13	16	12	19	28	31	49	51	76	98	142	111	55	37	14	4
	White-----M--	394	59	12	5	2	3	5	1	1	4	4	3	5	8	12	8	19	21	30	47	62	47	18	14	3	1
	F--	354	58	17	2	1	3	3	4	2	5	4	1	5	6	5	2	9	11	15	34	57	58	27	14	10	1
	Nonwhite--M--	132	23	4	4	1	1	2	1	2	-	2	2	1	-	7	11	12	10	17	11	11	4	3	3	-	-
	F--	133	22	2	2	1	1	-	1	-	3	3	10	1	5	4	10	9	9	14	6	12	2	7	6	1	2
500-502	Bronchitis---------	56	8	1	3	-	-	1	-	-	-	1	1	1	-	-	2	5	4	7	5	7	5	3	2	-	-
	White-----M--	18	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	2	2	3	2	3	2	-	-	-	-
	F--	17	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	4	1	2	3	2	1	-	-
	Nonwhite--M--	13	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	-	1	-	-
540, 541	Ulcer of stomach and duodenum-----	120	-	-	-	-	-	-	-	-	-	-	1	2	6	9	16	12	10	15	13	13	14	5	3	1	-	-
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	1	5	5	13	5	5	9	9	10	12	2	1	1	-	-
	F--	21	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	2	3	1	2	1	3	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	1	1	-	5	3	2	-	-	1	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	-	-	-	-	-	-
550-553	Appendicitis------	64	-	1	2	1	-	5	4	7	4	2	3	3	3	5	4	1	-	4	2	5	6	2	-	-	-
	White-----M--	25	-	-	1	-	-	1	2	5	2	1	1	1	1	1	-	-	-	2	1	3	2	1	-	-	-
	F--	19	-	1	-	1	-	1	1	2	-	-	1	1	-	1	1	1	-	1	1	1	4	1	-	-	-
	Nonwhite--M--	14	-	-	1	-	-	2	-	-	1	1	1	-	2	2	2	-	-	1	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	1	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	161	27	4	-	-	-	1	-	-	1	4	6	7	6	9	11	5	10	15	19	11	16	6	2	1	-
	White-----M--	72	18	3	-	-	-	1	-	-	-	-	2	1	3	3	5	1	6	5	8	6	7	3	-	-	-
	F--	54	5	-	-	-	-	-	-	-	-	1	2	5	2	2	5	2	3	7	7	4	6	2	-	1	-
	Nonwhite--M--	21	3	-	-	-	-	-	-	-	1	3	1	1	1	-	1	-	1	2	1	1	3	1	1	-	-
	F--	14	1	1	-	-	-	-	-	-	-	-	1	-	-	4	-	2	-	1	3	-	-	-	1	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
543, 571, 572	Gastritis, etc.*--	190	120	14	5	-	1	1	-	-	-	1	3	2	2	3	5	5	4	4	4	4	6	6	-	-	-
	White-----M--	70	47	6	3	-	-	1	-	-	-	1	-	1	-	2	2	1	-	-	-	1	2	3	-	-	-
	F--	69	38	4	2	-	1	-	-	-	-	-	1	1	2	1	1	1	4	2	2	2	4	3	-	-	-
	Nonwhite--M--	32	21	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	-	-	-	-	-	-
	F--	19	14	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	1	-	-	-	-	-
581	Cirrhosis of liver	188	1	1	-	-	-	-	-	1	-	1	11	4	17	25	21	19	16	24	27	13	4	3	-	-	-
	White-----M--	126	-	1	-	-	-	-	-	-	-	1	8	4	12	20	12	14	9	17	16	7	4	1	-	-	-
	F--	38	-	-	-	-	-	-	1	-	-	-	3	-	3	2	2	5	3	7	7	3	-	2	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	-	2	-	1	2	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	3	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	75	1	3	-	-	1	-	4	2	2	2	4	5	9	2	4	6	3	10	3	4	5	3	1	1	-
	White-----M--	21	-	1	-	-	1	-	1	2	-	1	-	-	2	1	2	1	-	3	2	-	1	2	1	-	-
	F--	21	-	2	-	-	-	-	1	-	1	-	-	3	3	-	-	2	1	3	-	2	2	1	-	-	-
	Nonwhite--M--	14	1	-	-	-	-	-	1	-	1	-	2	-	2	-	2	1	-	2	1	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	1	-	-	1	2	2	2	1	-	2	2	2	-	1	2	-	-	1	-
610	Hyperplasia of prostate---------	162	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	7	17	28	34	35	21	10	1	-
	White-----M--	134	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	6	10	23	30	31	17	9	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	5	4	4	4	1	-	-
640-689	Complications of pregnancy, etc.*-	92	...	...	...	...	...	...	-	9	16	18	15	12	20	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	63	...	...	...	...	...	...	-	7	13	13	9	7	12	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	29	...	...	...	...	...	...	-	2	3	5	6	5	8	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	5	...	...	...	...	...	...	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	87	...	...	...	...	...	...	-	9	15	17	13	11	20	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	61	...	...	...	...	...	...	-	7	13	12	8	7	12	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	26	...	...	...	...	...	...	-	2	2	5	5	4	8	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	405	328	19	5	5	1	7	6	7	1	1	2	4	7	2	-	5	2	1	1	-	1	-	-	-	-
	White-----M--	179	139	9	1	5	-	4	3	4	-	1	2	1	4	1	-	2	2	1	-	-	-	-	-	-	-
	F--	184	154	6	3	-	1	3	3	3	1	-	-	3	2	1	-	3	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	28	24	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	14	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,606	1,606	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	688	688	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	538	538	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	564	564	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	279	279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	938	938	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	371	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	293	293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	1,702	304	14	6	9	2	15	6	4	10	15	33	26	51	69	106	106	108	153	182	156	125	97	54	30	21
	White-----M--	631	105	7	2	2	2	4	2	1	3	2	8	11	18	32	42	46	37	57	73	86	50	37	14	7	3
	F--	415	61	4	3	5	-	5	1	1	2	5	6	2	6	6	11	14	18	39	45	46	52	46	25	11	1
	Nonwhite--M--	355	80	-	-	1	-	2	2	-	2	1	10	6	11	16	30	24	27	44	42	21	10	8	8	6	4
	F--	301	58	3	1	1	-	4	1	2	3	7	9	7	16	15	23	22	26	13	22	23	13	6	7	6	13
Residual	All other diseases	1,309	72	18	15	8	5	10	22	22	19	29	26	43	75	79	94	115	116	127	139	116	79	53	18	7	2
	White-----M--	549	22	9	3	3	1	6	6	11	4	9	10	13	26	38	37	53	58	54	63	57	33	22	9	2	-
	F--	454	31	7	8	3	3	2	10	6	11	9	8	12	28	15	22	35	31	40	52	48	36	26	7	4	-
	Nonwhite--M--	146	10	1	4	-	1	1	3	2	3	5	4	10	8	14	21	9	13	12	11	6	4	2	1	1	-
	F--	160	9	1	-	2	-	1	3	3	1	6	4	8	13	12	14	18	14	21	13	5	6	3	1	-	2
E800-E962	Accidents----------	1,985	90	39	35	30	21	81	59	131	182	137	138	126	114	94	106	84	70	63	79	110	101	65	23	6	1
	White-----M--	1,149	37	10	13	10	10	42	36	96	129	101	95	87	73	67	70	55	38	34	45	41	35	19	6	-	-
	F--	501	20	16	11	12	6	21	16	25	26	18	21	27	17	12	13	13	13	13	25	59	57	41	14	4	1
	Nonwhite--M--	226	16	9	8	4	5	11	6	8	19	10	18	8	21	12	17	10	10	11	4	8	4	4	2	1	-
	F--	109	17	4	3	4	-	7	1	2	8	8	4	4	3	3	6	6	9	5	5	2	5	1	1	1	-
E810-E835	Motor-vehicle accidents----------	807	11	9	11	6	10	38	21	71	130	80	68	56	55	41	42	34	33	26	25	24	9	5	2	-	-
	White-----M--	540	3	5	3	3	7	21	10	53	96	60	49	37	36	24	28	21	20	18	19	16	6	3	2	-	-
	F--	167	5	4	4	3	2	8	7	15	24	12	9	14	9	9	8	7	8	4	5	5	3	2	-	-	-
	Nonwhite--M--	70	1	-	2	-	1	6	3	3	7	4	8	4	8	5	3	4	3	4	1	3	-	-	-	-	-
	F--	30	2	-	2	-	-	3	1	-	3	4	2	1	2	3	3	2	2	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,178	79	30	24	24	11	43	38	60	52	57	70	70	59	53	64	50	37	37	54	86	92	60	21	6	1
	White-----M--	609	34	5	10	7	3	21	26	43	33	41	46	50	37	43	42	34	18	16	26	25	29	16	4	-	-
	F--	334	15	12	7	9	4	13	9	10	2	6	12	13	8	3	5	6	5	9	20	54	54	39	14	4	1
	Nonwhite--M--	156	15	9	6	4	4	5	3	5	12	6	10	4	13	7	14	6	7	7	3	5	4	4	2	1	-
	F--	79	15	4	1	4	-	4	-	2	5	4	2	3	1	-	3	4	7	5	5	2	5	1	1	1	-
E963, E970-E979	Suicide----------	240	-	-	-	-	-	-	-	4	10	28	22	23	28	25	15	23	19	22	10	7	1	3	-	-	-
	White-----M--	168	-	-	-	-	-	-	-	3	7	16	13	17	19	15	10	17	16	15	10	6	1	3	-	-	-
	F--	50	-	-	-	-	-	-	-	1	1	6	6	4	6	8	5	6	2	4	-	1	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	5	2	1	2	2	-	-	1	3	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	304	8	-	-	2	-	1	2	15	41	46	43	40	34	26	20	8	7	3	2	2	4	-	-	-	-
	White-----M--	108	3	-	-	-	-	1	1	3	8	13	14	13	16	10	8	5	4	2	2	2	3	-	-	-	-
	F--	21	3	-	-	-	-	-	-	-	3	4	2	2	1	2	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	142	1	-	-	1	-	-	1	6	22	26	23	22	15	11	9	2	2	1	-	-	-	-	-	-	-
	F--	33	1	-	-	1	-	-	-	6	8	3	4	3	2	3	1	-	1	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS																										
	ALL CAUSES	67,238	8,479	840	406	243	196	544	448	808	1,190	1,402	1,404	1,741	2,341	2,940	3,947	4,877	5,482	6,660	6,858	6,767	5,267	2,672	1,273	316	137
	White---M	33,251	3,987	357	171	103	96	265	212	433	629	716	679	829	1,122	1,474	1,895	2,644	2,958	3,437	3,519	3,398	2,413	1,155	512	100	47
	F	22,653	3,012	346	152	98	65	184	146	225	315	360	397	479	618	715	942	1,181	1,505	2,096	2,450	2,710	2,395	1,335	691	186	50
	Nonwhite--M	6,156	818	74	43	25	19	54	57	90	145	197	175	213	298	382	516	617	571	639	487	345	233	94	31	13	20
	F	5,178	662	63	40	17	16	41	33	60	101	129	153	220	303	369	494	435	448	488	402	314	226	88	39	17	20
001-019	Tuberculosis all forms	1,939	34	39	27	12	9	22	24	73	129	148	143	152	133	142	154	163	156	143	110	75	33	15	1	-	2
	White---M	951	15	18	11	7	3	10	5	23	36	40	43	69	62	81	87	104	106	83	68	50	21	8	-	-	1
	F	624	15	18	11	4	5	11	16	33	67	73	58	48	37	29	33	30	26	36	32	23	10	7	1	-	1
	Nonwhite--M	224	1	3	2	1	1	1	-	8	14	17	21	19	22	23	25	22	16	18	6	2	2	-	-	-	-
	F	140	3	-	3	-	-	-	3	9	12	18	21	16	12	9	9	7	8	8	4	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	1,747	13	15	7	5	4	5	17	67	122	133	138	145	126	129	147	156	151	141	103	75	31	14	1	-	2
	White---M	872	6	6	3	1	1	2	2	20	32	37	42	67	59	78	84	103	104	82	65	50	20	7	-	-	1
	F	548	6	9	2	3	2	3	12	31	64	64	58	44	35	26	31	28	25	35	29	23	9	7	1	-	1
	Nonwhite--M	194	1	-	1	1	1	-	-	7	14	14	17	19	20	17	23	18	14	18	5	2	2	-	-	-	-
	F	133	-	-	1	-	-	-	3	9	12	18	21	15	12	8	9	7	8	6	4	-	-	-	-	-	-
010-019	Tuberculosis, other forms	192	21	24	20	7	5	17	7	6	7	15	5	7	7	13	7	7	5	2	7	-	2	1	-	-	-
	White---M	79	9	12	8	6	2	8	3	3	4	3	1	2	3	3	3	1	2	1	3	-	1	1	-	-	-
	F	76	9	9	9	1	3	8	4	2	3	9	-	4	2	3	2	2	1	1	3	-	1	-	-	-	-
	Nonwhite--M	30	-	3	1	-	-	1	-	1	-	3	4	-	2	6	2	4	2	-	1	-	-	-	-	-	-
	F	7	3	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	380	15	2	-	-	-	2	-	2	1	2	9	10	17	28	52	65	45	58	31	23	12	5	-	1	-
	White---M	183	4	-	-	-	-	-	-	2	-	-	4	2	5	12	23	24	28	34	23	13	5	3	-	1	-
	F	45	3	1	-	-	-	-	-	-	-	-	1	1	1	-	8	3	1	10	5	5	4	2	-	-	-
	Nonwhite--M	107	3	1	-	-	-	2	-	-	1	1	2	4	7	14	14	28	14	10	1	3	2	-	-	-	-
	F	45	5	-	-	-	-	-	-	-	-	1	2	3	4	2	7	10	2	4	2	2	1	-	-	-	-
040	Typhoid fever	13	-	-	-	1	-	1	1	1	2	-	2	-	-	-	1	2	1	1	-	-	-	-	-	-	-
	White---M	5	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	-	-	1	-	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	434	293	50	10	3	4	5	3	2	1	2	3	5	1	1	9	3	6	4	7	15	4	2	1	-	-
	White---M	206	142	22	4	2	-	1	2	1	1	1	3	1	1	-	3	1	3	1	5	8	3	1	-	-	-
	F	176	124	25	3	1	2	3	-	1	-	1	-	1	-	-	2	-	2	2	1	5	1	1	1	-	-
	Nonwhite--M	25	12	2	2	-	1	-	1	-	-	-	-	2	-	-	3	-	1	1	-	-	-	-	-	-	-
	F	27	15	1	1	-	1	1	-	-	-	-	-	1	-	1	1	2	-	-	1	2	-	-	-	-	-
050, 051	Scarlet fever, etc.*	21	4	3	1	1	2	-	-	-	-	1	3	-	1	-	1	-	-	1	1	1	1	-	-	-	-
	White---M	6	2	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	1	3	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	31	3	7	4	6	2	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White---M	14	2	3	1	3	1	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	12	1	2	2	1	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	111	74	19	7	2	3	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White---M	36	25	3	1	1	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	30	18	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	18	12	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	19	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	53	17	7	6	-	2	5	3	3	3	-	-	-	1	3	1	-	-	2	-	-	-	-	-	-	-
	White---M	31	12	3	5	-	1	2	2	1	2	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	F	13	3	3	1	-	-	-	1	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	183	18	22	14	8	10	25	13	12	16	26	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	101	7	11	9	3	5	19	8	8	10	12	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	73	10	8	4	3	4	6	5	4	6	13	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	1	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	101	28	34	9	4	5	13	-	-	1	1	1	-	-	2	-	-	-	-	1	1	-	1	-	-	-
	White---M	41	11	14	3	3	1	6	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	48	12	19	3	1	3	6	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	7	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	5	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	White---M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	12	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	1	1	2	-	1	1	-	-	-
	White---M	6	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	300	80	19	13	7	6	14	10	4	2	9	7	8	7	19	11	6	16	19	11	7	7	7	1	-	-
	White---M	133	38	7	5	3	4	4	4	2	-	3	-	4	1	12	4	6	10	11	6	4	3	2	-	-	-
	F	104	31	11	5	4	-	7	4	-	-	5	6	1	1	2	5	-	1	4	5	3	4	4	1	-	-
	Nonwhite--M	36	10	1	2	-	2	1	1	2	1	-	-	3	1	3	1	-	5	2	-	-	-	1	-	-	-
	F	27	11	-	1	-	-	2	1	-	1	1	1	-	4	2	1	-	-	2	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
140-205	Malignant neoplasms, etc.*----	8,363	24	25	26	22	23	42	30	50	51	89	144	258	404	535	799	937	1,050	1,092	1,036	844	572	209	87	10	4
	White-----M--	3,695	10	11	18	5	12	16	13	23	26	32	45	68	122	176	319	408	474	544	510	445	279	103	32	4	-
	F--	3,625	11	9	6	13	9	22	15	18	18	42	75	136	210	264	346	364	436	423	435	352	266	98	49	5	3
	Nonwhite--M--	488	1	2	1	3	-	1	1	5	5	9	11	12	12	38	54	99	71	65	55	24	13	4	2	-	-
	F--	555	2	3	1	1	2	3	1	4	2	6	13	42	60	57	80	66	69	60	36	23	14	4	4	1	1
140-148	Of buccal cavity and pharynx------	185	-	-	-	-	-	-	-	2	-	1	-	4	4	13	16	19	22	26	29	22	16	5	4	2	-
	White-----M--	107	-	-	-	-	-	-	-	1	-	-	-	2	-	9	9	13	16	16	16	15	8	2	-	-	-
	F--	53	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	3	2	8	10	6	8	3	3	2	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	1	1	1	-	-	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	-	1	2	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	2,734	2	1	2	-	-	1	2	2	9	14	22	50	83	129	215	296	376	430	398	335	248	83	31	3	2
	White-----M--	1,303	1	1	1	-	-	1	1	1	3	4	9	18	35	48	106	148	172	231	198	171	104	39	9	2	-
	F--	1,073	-	-	1	-	-	-	1	1	4	6	5	18	38	54	65	88	155	137	167	140	128	42	21	1	1
	Nonwhite--M--	201	-	-	-	-	-	-	-	-	2	2	6	3	4	16	21	37	28	40	23	11	7	1	-	-	-
	F--	157	1	-	-	-	-	-	-	-	-	2	2	11	6	11	23	23	21	22	10	13	9	1	1	-	1
160-164	Of respiratory system----------	942	-	-	-	-	-	1	-	1	2	4	11	16	40	59	135	151	166	124	126	65	28	10	3	-	-
	White-----M--	668	-	-	-	-	-	1	-	1	1	2	5	9	30	46	108	104	115	86	87	45	19	7	2	-	-
	F--	182	-	-	-	-	-	-	-	-	1	1	3	5	8	8	15	21	31	28	30	19	8	3	1	-	-
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	-	-	2	1	-	4	11	24	13	7	8	1	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	7	3	1	-	-	-	-	-	-
170	Of breast----------	654	-	-	-	-	-	-	-	-	-	6	15	35	66	86	91	69	73	72	55	39	32	13	2	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-
	F--	568	-	-	-	-	-	-	-	-	-	5	12	30	52	72	73	65	70	60	51	36	29	11	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	79	-	-	-	-	-	-	-	-	-	1	2	5	13	13	18	4	3	10	4	2	3	1	-	-	-
171-179	Of genital organs-	1,375	-	-	-	-	-	-	-	2	9	14	39	61	83	102	142	136	142	166	179	151	94	35	16	3	1
	White-----M--	417	-	-	-	-	-	-	-	-	4	1	7	3	2	3	5	13	37	64	83	95	61	28	9	2	-
	F--	740	-	-	-	-	-	-	-	2	4	13	29	41	58	74	109	97	76	79	74	46	28	5	4	-	1
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	8	10	9	11	7	4	1	1	-	-
	F--	159	-	-	-	-	-	-	-	-	1	-	3	16	23	21	25	18	19	14	11	3	1	1	2	1	-
180, 181	Of urinary organs-	324	1	3	-	5	5	6	-	-	1	1	2	4	11	19	21	37	41	35	44	45	25	16	2	-	-
	White-----M--	162	-	1	-	1	2	-	-	-	1	-	1	-	2	10	15	20	22	23	19	24	14	7	-	-	-
	F--	127	1	-	-	3	3	5	-	-	-	1	-	1	6	5	4	9	14	11	23	20	11	9	1	-	-
	Nonwhite--M--	15	-	1	-	1	-	-	-	-	-	-	-	1	-	1	1	4	3	1	2	-	-	-	-	-	-
	F--	20	-	1	-	-	-	1	-	-	-	-	1	2	3	3	1	4	2	-	-	1	-	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,397	4	7	13	5	5	10	11	18	13	24	31	54	74	81	128	145	154	155	147	140	109	41	26	2	-
	White-----M--	630	1	2	10	2	3	4	5	9	9	14	12	24	29	31	48	66	69	69	71	66	60	15	11	-	-
	F--	606	2	5	2	1	-	4	5	5	2	7	16	22	31	39	59	55	66	70	60	68	47	23	15	2	-
	Nonwhite--M--	77	-	-	1	1	-	1	-	2	1	3	1	3	4	7	14	13	7	6	8	2	1	2	-	-	-
	F--	84	1	-	-	1	2	1	1	2	1	-	2	5	10	4	7	11	12	10	8	4	1	1	-	-	-
204	Leukemia and aleukemia----------	447	14	10	9	10	12	17	14	14	10	16	10	20	23	27	24	46	35	49	35	32	13	3	3	-	1
	White-----M--	232	7	7	6	2	7	6	5	4	4	5	5	7	14	16	16	22	19	26	23	19	9	2	1	-	-
	F--	177	6	2	2	8	5	10	8	7	5	7	4	12	6	7	6	17	12	22	11	12	4	1	2	-	1
	Nonwhite--M--	23	1	1	-	-	-	-	1	2	1	2	-	-	2	3	-	6	1	1	1	1	-	-	-	-	-
	F--	15	-	-	1	-	-	1	-	1	-	2	1	1	1	1	2	1	3	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	305	3	4	2	2	1	7	3	11	7	9	14	14	20	19	27	38	41	35	23	15	7	3	-	-	-
	White-----M--	171	1	-	1	-	-	4	2	7	4	6	6	5	9	13	12	22	24	27	13	9	4	2	-	-	-
	F--	99	2	2	1	1	1	3	1	2	2	1	6	6	10	3	13	9	10	8	9	5	3	1	-	-	-
	Nonwhite--M--	23	-	-	-	1	-	-	-	1	1	2	1	3	-	-	2	5	5	-	1	1	-	-	-	-	-	-
	F--	12	-	2	-	-	-	-	-	1	-	-	1	-	1	3	-	2	2	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	325	12	2	2	4	2	5	4	4	8	11	20	26	24	22	32	33	35	23	23	13	12	3	4	1	-
	White-----M--	142	4	2	-	2	-	5	-	2	4	3	7	4	5	9	17	19	17	9	14	8	8	1	1	1	-
	F--	130	8	-	2	2	2	-	2	1	4	2	6	15	14	9	8	10	12	13	8	3	4	2	3	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	1	-	3	1	2	-	1	4	2	2	1	-	-	-	-	-	-	-	-
	F--	36	-	-	-	-	-	-	2	-	-	3	6	5	5	3	3	2	4	-	1	2	-	-	-	-	-	-
260	Diabetes mellitus-	886	-	1	3	-	1	1	4	9	11	15	7	12	26	50	54	87	100	135	131	117	83	33	5	1	-
	White-----M--	298	-	-	-	-	1	1	-	3	1	6	3	3	13	19	11	23	42	34	53	39	35	9	1	1	-
	F--	455	-	1	3	-	-	-	3	5	8	6	2	5	8	14	27	44	46	81	66	71	42	20	3	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	1	1	-	1	-	1	1	5	3	10	-	8	4	5	4	1	-	-	-
	F--	88	-	-	-	-	-	-	-	-	2	2	2	3	4	12	13	10	12	12	8	2	2	3	1	-	-
290-293	Anemias----------	195	15	13	6	-	1	6	3	-	7	6	4	4	7	6	11	10	16	10	19	21	18	11	1	-	-
	White-----M--	70	5	5	-	-	-	-	-	-	1	1	1	-	1	1	3	2	8	2	7	13	14	5	1	-	-
	F--	73	6	3	3	-	-	2	1	-	3	-	2	2	3	1	2	6	6	6	9	8	4	6	-	-	-
	Nonwhite--M--	19	2	2	-	-	-	2	-	-	1	2	-	-	-	1	4	1	1	1	2	-	-	-	-	-	-
	F--	33	2	3	3	-	1	2	2	-	2	3	1	2	3	3	2	1	1	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	159	70	15	12	5	3	10	7	4	1	2	3	3	3	3	6	1	3	5	-	2	1	-	-	-	-
	White-----M--	76	33	7	6	2	1	8	3	1	1	1	1	1	-	2	3	1	2	3	-	-	-	-	-	-	-
	F--	41	19	4	4	2	2	-	3	1	-	-	1	2	1	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	26	12	2	1	-	-	1	1	1	-	-	-	-	1	1	1	-	1	2	-	2	-	-	-	-	-
	F--	16	6	2	1	1	-	1	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	29,632	50	9	7	7	12	26	40	54	102	133	238	435	795	1,276	1,917	2,617	3,084	3,978	4,316	4,418	3,435	1,682	761	181	59
	White-----M--	14,911	25	5	2	1	5	15	13	19	30	51	97	212	399	656	1,016	1,497	1,723	2,062	2,223	2,226	1,548	716	293	60	17
	F--	9,730	17	1	4	6	3	4	21	20	43	41	58	98	154	234	334	519	724	1,188	1,523	1,746	1,590	855	421	106	20
	Nonwhite--M--	2,575	3	3	1	-	3	5	3	7	8	17	38	52	107	175	282	323	361	405	301	229	158	56	21	8	9
	F--	2,416	5	-	-	-	1	2	3	8	21	24	45	73	135	211	285	278	276	323	269	217	139	55	26	7	13
330-334, 400-468	Diseases of cardiovascular system-	28,446	47	8	5	4	7	20	33	48	87	119	207	407	738	1,203	1,846	2,523	2,979	3,845	4,177	4,263	3,312	1,618	724	169	57
	White-----M--	14,481	22	5	2	-	3	11	11	17	23	46	85	204	379	635	996	1,466	1,684	2,018	2,176	2,153	1,494	694	283	58	16
	F--	9,336	17	-	2	4	2	2	17	19	37	38	50	88	131	219	316	498	696	1,147	1,471	1,697	1,543	823	400	99	20
	Nonwhite--M--	2,381	3	3	1	-	2	5	3	5	7	15	34	48	100	159	264	301	345	376	281	203	143	51	18	6	8
	F--	2,248	5	-	-	-	-	2	2	7	20	20	38	67	128	190	270	258	254	304	249	210	132	50	23	6	13
330-334	Vascular lesions, etc.*----------	6,669	14	3	2	1	1	4	7	9	17	26	33	82	143	234	364	504	610	911	1,051	1,167	878	386	177	32	13
	White-----M--	2,759	8	2	1	-	-	2	1	4	4	12	14	24	48	86	137	195	260	393	474	542	321	151	67	11	2
	F--	2,628	4	-	-	1	-	1	4	1	10	8	10	28	38	59	95	150	177	308	428	491	483	211	97	20	4
	Nonwhite--M--	576	-	1	1	-	1	1	1	3	2	1	4	12	21	30	53	68	83	102	72	64	32	13	8	-	3
	F--	706	2	-	-	-	-	-	1	1	1	5	5	18	36	59	79	91	90	108	77	70	42	11	5	1	4
400-402	Rheumatic fever---	71	3	-	-	2	2	7	15	4	5	2	5	4	2	5	3	6	1	2	1	1	1	-	-	-	-
	White-----M--	27	-	-	-	-	1	4	5	1	1	-	3	3	1	2	-	3	1	1	1	-	-	-	-	-	-	-
	F--	28	1	-	-	2	1	-	8	2	3	1	1	-	-	3	3	2	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	11	2	-	-	-	-	2	1	1	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
410-443	Diseases of heart	19,746	21	4	3	1	4	7	10	31	54	79	146	286	560	897	1,398	1,904	2,238	2,735	2,876	2,789	2,097	1,047	414	107	38
	White----M--	10,806	10	2	1	-	2	4	5	10	16	32	61	168	317	516	822	1,216	1,361	1,528	1,576	1,469	1,005	475	163	36	11
	F--	5,952	8	-	2	1	1	-	4	14	21	21	34	48	86	147	207	333	485	779	953	1,073	921	511	228	61	14
	Nonwhite--M--	1,628	2	2	-	-	1	3	1	2	4	12	23	34	73	114	196	204	243	253	193	121	96	31	9	6	5
	F--	1,360	1	-	-	-	-	-	-	5	13	14	28	36	84	120	173	151	149	175	154	126	75	30	14	4	8
410-416	Chronic rheumatic heart disease----	511	-	-	-	-	1	2	6	10	17	15	15	30	31	42	50	54	44	56	43	42	27	18	4	4	-
	White-----M--	235	-	-	-	-	-	2	3	5	5	8	6	11	13	20	28	29	17	23	18	20	13	12	2	-	-
	F--	207	-	-	-	-	-	-	3	4	11	5	6	17	9	13	15	23	17	26	19	17	11	6	1	4	-
	Nonwhite--M--	35	-	-	-	-	1	-	-	-	1	2	2	1	3	4	3	-	6	3	3	4	2	-	-	-	-
	F--	34	-	-	-	-	-	-	-	1	-	-	1	1	6	5	4	2	4	4	3	1	1	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	11,666	3	-	-	-	-	-	2	7	9	29	71	160	348	570	881	1,256	1,455	1,682	1,755	1,596	1,086	530	183	47	16
	White-----M--	7,256	1	-	-	-	-	-	1	2	2	8	41	117	232	406	606	934	987	1,061	1,058	917	536	255	71	16	5
	F--	3,207	1	-	-	-	-	-	-	4	2	9	15	12	51	87	116	182	298	432	556	591	486	252	109	24	6
	Nonwhite--M--	670	1	-	-	-	-	-	1	1	-	5	7	17	28	53	91	82	116	101	82	35	34	9	1	4	2
	F--	533	-	-	-	-	-	-	-	-	5	7	8	14	37	44	68	58	60	68	59	53	30	14	2	3	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,463	1	-	1	-	-	4	1	2	9	7	14	15	34	55	88	124	191	300	363	429	412	243	126	32	12
	White-----M--	1,127	1	-	-	-	-	1	-	-	4	2	3	4	14	15	37	46	98	143	174	206	199	114	53	9	4
	F--	894	-	-	1	-	-	-	1	1	2	3	3	4	4	14	12	31	45	95	131	170	171	115	63	23	5
	Nonwhite--M--	245	-	-	-	-	-	3	-	1	1	2	4	3	7	10	17	29	34	41	35	25	22	6	4	-	1
	F--	197	-	-	-	-	-	-	-	-	2	-	4	4	9	16	22	18	14	21	23	28	20	8	6	-	2
430-434	Other diseases of heart---------	2,130	17	4	2	1	3	1	1	11	15	23	28	49	90	113	182	206	215	296	260	238	215	90	53	12	5
	White-----M--	1,060	8	2	1	-	2	1	1	3	5	13	7	27	39	48	92	105	120	150	139	122	112	40	16	6	1
	F--	539	7	-	1	1	1	-	-	4	5	3	7	6	13	21	20	26	34	82	74	79	76	43	30	4	2
	Nonwhite--M--	313	1	2	-	-	-	-	-	-	1	3	3	8	20	26	46	46	38	41	31	24	15	3	4	1	-
	F--	218	1	-	-	-	-	-	-	4	4	4	11	8	18	16	24	29	23	23	16	13	12	4	3	1	2
440-443	Hypertension with heart dis.--	2,976	-	-	-	-	-	-	-	1	4	5	18	32	57	117	197	264	333	421	455	484	357	166	48	12	5
	White-----M--	1,128	-	-	-	-	-	-	-	-	-	1	4	9	19	27	59	102	139	151	187	204	145	54	21	5	1
	F--	1,105	-	-	-	-	-	-	-	1	1	1	3	9	9	32	44	71	97	144	173	216	177	95	25	6	1
	Nonwhite--M--	365	-	-	-	-	-	-	-	-	1	-	7	5	15	21	39	47	49	67	42	33	23	13	-	1	2
	F--	378	-	-	-	-	-	-	-	-	2	3	4	9	14	37	55	44	48	59	53	31	12	4	2	-	1
444-447	Hypertension without mention of heart----------	607	-	-	-	-	-	-	1	-	4	2	13	16	17	37	44	51	44	67	79	80	80	48	20	2	2
	White-----M--	237	-	-	-	-	-	-	-	-	1	-	4	3	3	13	18	23	21	28	25	34	38	19	6	-	1
	F--	207	-	-	-	-	-	-	1	-	-	-	-	3	3	7	7	6	10	25	36	36	33	27	12	1	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	1	2	6	1	5	11	7	12	8	9	8	4	2	2	1	-	-
	F--	84	-	-	-	-	-	-	-	-	2	-	3	9	6	6	12	10	5	5	10	6	7	-	1	1	1
450	General arteriosclerosis--------	968	-	-	-	-	-	-	-	-	-	1	1	-	2	5	13	19	47	88	122	180	226	126	108	26	4
	White-----M--	442	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	6	17	46	62	88	111	44	46	10	2
	F--	407	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	12	22	45	76	99	70	59	16	2
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	10	9	8	13	10	5	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	8	11	7	3	6	7	3	-	-
451-468	Other diseases of circulatory sys.-	385	9	1	-	-	-	2	-	4	7	9	9	19	14	25	24	39	39	42	48	46	30	11	5	2	-
	White-----M--	210	4	1	-	-	-	1	-	2	1	2	3	6	9	15	13	23	24	22	38	20	19	5	1	1	-
	F--	114	4	-	-	-	-	1	-	2	3	7	4	9	4	3	3	4	12	13	9	20	7	4	4	1	-
	Nonwhite--M--	28	1	-	-	-	-	-	-	-	-	-	1	-	1	4	5	9	1	3	-	1	2	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	3	-	1	4	-	3	3	3	2	4	1	5	2	2	-	-	-
592-594	Chronic nephritis, etc.*----------	1,186	3	1	2	3	5	6	7	6	15	14	31	28	57	73	71	94	105	133	139	155	123	64	37	12	2
	White-----M--	430	3	-	-	1	2	4	2	2	7	5	12	8	20	21	20	31	39	44	47	73	54	22	10	2	1
	F--	394	-	1	2	2	1	2	4	1	6	3	8	10	23	15	18	21	28	41	52	49	47	32	21	7	-
	Nonwhite--M--	194	-	-	-	-	1	-	-	2	1	2	4	4	7	16	18	22	16	29	20	26	15	5	3	2	1
	F--	168	-	-	-	-	1	-	1	1	1	4	7	6	7	21	15	20	22	19	20	7	7	5	3	1	-
480-493	Influenza and pneumonia, etc.*-	2,783	758	136	56	24	9	42	23	19	37	24	31	31	58	53	63	93	128	169	219	259	237	168	96	36	14
	White-----M--	1,164	312	50	27	9	3	17	8	6	13	7	16	13	25	24	26	43	61	81	91	112	97	67	43	10	5
	F--	1,040	269	58	16	10	3	15	8	4	13	12	10	6	16	5	12	20	39	58	81	107	108	91	50	21	8
	Nonwhite--M--	301	100	15	6	1	1	3	7	4	3	2	3	5	8	10	18	18	12	16	24	22	14	5	2	2	-
	F--	278	77	13	7	4	2	7	2	5	8	3	2	7	9	14	7	12	16	14	23	18	18	5	1	3	1
480-483	Influenza---------	509	103	15	5	4	1	5	4	5	7	5	6	4	15	13	12	17	29	39	52	50	47	36	25	8	2
	White-----M--	194	35	4	3	2	1	-	1	1	4	1	2	3	8	7	5	3	7	25	18	21	16	13	12	1	1
	F--	202	34	8	2	-	-	4	2	1	3	3	1	-	3	2	2	6	13	12	22	22	25	20	10	6	1
	Nonwhite--M--	48	19	2	-	-	-	-	1	1	-	1	2	-	2	2	2	1	3	-	3	2	4	1	2	-	-
	F--	65	15	1	-	2	-	1	-	2	-	-	1	1	2	2	3	7	6	2	9	5	2	2	1	1	-
490-493	Pneumonia, etc.*--	2,274	655	121	51	20	8	37	19	14	30	19	25	27	43	40	51	76	99	130	167	209	190	132	71	28	12
	White-----M--	970	277	46	24	7	2	17	5	5	9	6	14	10	17	17	21	40	54	56	73	91	81	54	31	9	4
	F--	838	235	50	14	10	3	11	6	3	10	9	9	6	13	3	10	14	26	46	59	85	83	71	40	15	7
	Nonwhite--M--	253	81	13	6	1	1	3	6	3	3	1	1	5	6	8	16	17	9	16	21	20	10	4	-	2	-
	F--	213	62	12	7	2	2	6	2	3	8	3	1	6	7	12	4	5	10	12	14	13	16	3	-	2	1
500-502	Bronchitis---------	151	45	10	4	5	-	2	-	1	-	-	-	5	1	2	2	7	5	8	9	10	12	11	9	2	1
	White-----M--	77	16	4	3	3	-	2	-	-	-	-	-	3	-	1	1	6	2	7	6	6	4	7	4	1	1
	F--	59	23	4	1	2	-	-	-	-	-	-	-	1	1	-	1	1	2	-	3	3	7	4	5	1	-
	Nonwhite--M--	11	5	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-
	F--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	284	-	-	-	-	-	-	-	-	4	7	4	15	18	30	36	34	32	39	28	21	10	5	-	-	1
	White-----M--	208	-	-	-	-	-	-	-	-	2	3	3	12	13	18	30	29	23	31	19	15	8	2	-	-	-
	F--	44	-	-	-	-	-	-	-	-	2	2	1	3	2	3	1	5	3	5	6	6	2	3	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	2	-	-	3	7	2	-	4	3	2	-	-	-	-	-	1
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	2	-	1	-	-	-	-	-	-
550-553	Appendicitis------	131	-	1	3	-	2	5	10	5	5	10	4	4	12	11	12	7	5	14	6	7	5	2	1	-	-
	White-----M--	63	-	-	1	-	2	-	5	2	2	1	2	2	6	6	7	3	3	9	3	4	3	2	-	-	-
	F--	33	-	-	2	-	-	2	4	2	-	5	1	1	-	2	4	-	2	3	-	3	1	-	1	-	-
	Nonwhite--M--	17	-	1	-	-	-	2	1	-	-	2	-	1	2	3	-	2	-	1	1	-	1	-	-	-	-
	F--	18	-	-	-	-	-	1	-	1	3	2	1	-	4	-	1	2	-	1	2	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	390	49	3	2	3	1	3	1	-	4	4	6	14	22	19	25	26	27	44	41	35	30	23	8	-	-
	White-----M--	158	18	2	1	-	1	-	1	-	2	-	1	2	7	7	3	14	11	20	19	16	15	15	3	-	-
	F--	150	23	-	-	1	-	3	-	-	-	3	2	5	11	4	8	8	10	15	14	17	15	6	5	-	-
	Nonwhite--M--	37	6	1	1	2	-	-	-	-	1	-	2	2	2	3	2	3	2	3	5	1	-	1	-	-	-
	F--	45	2	-	-	-	-	-	-	-	1	1	1	5	2	5	12	1	4	6	3	1	-	1	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
543, 571, 572	Gastritis, etc.*--	1,302	971	123	18	6	5	11	3	5	5	3	4	6	9	7	9	8	7	19	19	24	21	16	3	-	-
	White-----M--	596	443	64	8	3	4	7	3	3	2	1	-	4	6	3	-	4	3	10	7	10	6	5	-	-	-
	F--	548	409	51	8	3	1	4	-	2	2	1	4	-	2	3	2	4	4	6	11	9	10	9	3	-	-
	Nonwhite--M--	78	66	3	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	1	-	3	1	-	-	-	-
	F--	80	53	5	2	-	-	-	-	-	-	-	-	2	1	1	5	-	-	2	1	2	4	2	-	-	-
581	Cirrhosis of liver	512	5	1	-	-	-	1	1	1	3	5	15	25	37	55	76	61	49	64	42	41	22	7	1	-	-
	White-----M--	321	3	-	-	-	-	-	-	1	-	2	8	11	22	37	48	37	39	36	29	30	14	3	1	-	-
	F--	141	1	-	-	-	-	1	1	-	2	2	6	10	12	9	19	18	6	22	12	9	7	4	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	1	2	8	4	4	2	5	1	1	-	-	-	-	-
	F--	22	1	1	-	-	-	-	-	-	1	1	1	3	1	1	5	2	2	1	-	1	1	-	-	-	-
590, 591	Acute nephritis, etc.*----------	214	9	5	3	6	2	9	4	4	3	14	15	6	15	10	13	8	12	14	20	21	10	5	4	2	-
	White-----M--	71	4	3	1	3	1	3	1	1	-	5	3	2	6	3	8	3	-	2	7	7	4	-	3	1	-
	F--	70	5	1	1	-	1	6	2	1	1	3	7	3	2	2	2	-	6	6	4	8	4	4	1	-	-
	Nonwhite--M--	29	-	-	1	1	-	-	1	1	-	2	3	-	2	4	-	1	1	4	3	2	1	1	-	1	-
	F--	44	-	1	-	2	-	-	-	1	2	4	2	1	5	1	3	4	5	2	6	4	1	-	-	-	-
610	Hyperplasia of prostate----------	268	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	8	17	36	48	54	45	30	16	1	-
	White-----M--	223	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	10	30	40	45	43	29	15	1	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	7	6	8	9	2	1	1	-	-
640-689	Complications of pregnancy, etc.*	206	...	...	...	...	...	...	1	22	46	47	43	33	13	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	147	...	...	...	...	...	...	-	14	35	35	29	20	13	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	59	...	...	...	...	...	...	1	8	11	12	14	13	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	20	...	...	...	...	...	...	-	3	4	3	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	...	...	...	...	...	...	-	1	3	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	186	...	...	...	...	...	...	1	19	42	44	38	29	12	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	133	...	...	...	...	...	...	-	13	32	33	26	16	12	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	53	...	...	...	...	...	...	1	6	10	11	12	13	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	985	795	47	22	7	8	17	13	7	9	6	3	5	7	9	5	8	5	7	2	2	1	-	-	-	-
	White-----M--	491	396	18	6	3	2	8	8	3	7	5	3	4	4	5	4	5	3	5	2	-	-	-	-	-	-
	F--	400	327	22	13	4	6	5	4	3	1	1	-	1	2	3	-	2	1	2	-	2	1	-	-	-	-
	Nonwhite--M--	51	39	1	2	-	-	2	1	-	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
	F--	43	33	6	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	4,324	4,323	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,149	2,149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,424	1,423	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	432	432	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	319	319	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,356	1,356	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	753	753	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	415	415	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	424	424	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	2,544	2,543	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,216	1,216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	857	856	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	207	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	1,827	245	34	12	11	6	9	9	7	12	17	13	26	41	53	68	84	114	145	144	175	237	170	121	45	29
	White-----M--	812	94	14	5	5	1	7	2	2	7	5	5	12	18	24	35	45	58	75	62	92	104	66	51	11	12
	F--	544	66	15	6	4	1	2	2	2	3	2	5	3	3	9	10	12	23	23	34	55	82	83	60	30	9
	Nonwhite--M--	245	43	3	-	2	1	-	2	2	1	5	1	3	7	12	15	24	17	27	27	16	19	10	4	1	3
	F--	226	42	2	1	-	3	-	3	1	1	5	2	8	13	8	8	3	16	20	21	12	32	11	6	3	5
Residual	All other diseases	3,368	262	72	40	23	16	51	41	47	79	71	87	110	146	164	189	240	270	343	331	332	229	126	73	18	8
	White-----M--	1,556	112	32	18	14	9	26	10	19	35	21	32	46	66	83	78	109	139	181	158	153	108	61	40	4	2
	F--	1,267	99	26	14	8	5	18	13	18	32	31	30	38	45	49	57	81	94	118	128	149	110	55	32	11	6
	Nonwhite--M--	290	31	8	5	1	1	6	12	5	6	12	7	15	18	13	21	27	16	26	29	15	6	8	1	1	-
	F--	255	20	6	3	-	1	1	6	5	6	7	18	11	17	19	33	23	21	18	16	15	5	2	-	2	-
E800-E962	Accidents----------	5,904	264	140	98	73	60	201	189	405	500	546	429	390	360	301	294	277	226	239	221	230	212	134	79	18	18
	White-----M--	3,620	103	58	35	31	34	100	122	274	371	416	311	274	251	213	195	189	141	130	129	85	77	43	24	5	9
	F--	1,393	84	52	36	27	16	61	37	82	59	60	66	54	43	49	46	46	52	66	69	122	118	80	54	12	2
	Nonwhite--M--	614	36	17	15	9	7	24	22	35	54	57	41	43	53	26	40	34	23	30	16	10	9	6	-	-	7
	F--	277	41	13	12	6	3	16	8	14	16	13	11	19	13	13	13	8	10	13	7	13	8	5	1	1	-
E810-E835	Motor-vehicle accidents---------	2,659	23	56	29	26	26	81	69	247	309	332	234	214	186	160	151	130	134	97	70	53	20	7	1	1	3
	White-----M--	1,754	12	23	15	10	13	44	43	169	226	237	154	143	126	115	93	92	80	57	52	29	13	6	1	-	1
	F--	563	10	22	10	12	10	29	17	59	44	46	49	34	26	32	34	24	37	29	13	20	4	1	-	1	-
	Nonwhite--M--	255	-	8	4	1	1	7	5	10	27	41	24	27	27	11	20	12	12	9	4	12	1	-	-	-	2
	F--	87	1	3	-	3	2	1	4	9	12	8	7	10	7	2	4	2	5	2	1	2	2	-	-	-	-
E800-E802, E840-E962	All ot. accidents	3,245	241	84	69	47	34	120	120	158	191	214	195	176	174	141	143	147	92	142	151	177	192	127	78	17	15
	White-----M--	1,866	91	35	20	21	21	56	79	105	145	179	157	131	125	98	102	97	61	73	77	56	64	37	23	5	8
	F--	830	74	30	26	15	6	32	20	23	15	14	17	20	17	17	12	22	15	37	56	102	114	79	54	11	2
	Nonwhite--M--	359	36	9	11	8	6	17	17	25	27	16	17	16	26	15	20	22	11	21	12	8	8	6	-	-	5
	F--	190	40	10	12	3	1	15	4	5	4	5	4	9	6	11	9	6	5	11	6	11	6	5	1	1	-
E963, E970-E979	Suicide----------	651	-	-	-	-	-	1	4	16	40	58	45	53	78	70	62	62	49	40	38	16	13	6	-	-	-
	White-----M--	502	-	-	-	-	-	1	3	12	31	42	30	35	53	54	51	50	42	32	36	13	11	6	-	-	-
	F--	116	-	-	-	-	-	-	1	4	5	12	10	13	22	15	8	7	6	6	2	3	2	-	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	3	3	4	4	2	1	2	3	1	2	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	792	5	1	-	3	1	3	7	51	106	143	107	98	104	62	36	28	22	7	2	1	3	-	1	-	1
	White-----M--	329	1	1	-	-	1	1	-	24	41	56	53	41	36	22	19	17	9	3	1	1	2	-	-	-	-
	F--	77	4	-	-	1	-	1	3	8	9	6	7	9	13	6	3	1	1	1	1	-	1	-	1	-	1
	Nonwhite--M--	321	-	-	-	2	-	-	3	17	45	60	40	43	46	30	13	8	12	2	-	-	-	-	-	-	-
	F--	65	-	-	-	-	-	1	1	2	11	21	7	5	9	4	1	2	-	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH																										
	ALL CAUSES	5,111	548	57	28	22	15	58	64	80	78	87	84	107	159	212	243	358	397	512	573	567	448	274	107	22	11
	White--M	2,962	313	29	15	14	7	36	38	44	52	59	46	68	107	132	158	224	264	322	337	277	234	123	49	9	5
	F	2,013	207	21	10	7	8	21	25	33	21	26	35	35	50	75	78	125	122	174	226	283	210	150	57	11	3
	Nonwhite--M	84	20	2	1	-	-	1	1	2	2	1	1	2	-	2	4	6	9	12	5	7	3	-	-	1	2
	F	52	8	5	2	1	-	-	-	1	3	1	2	2	2	3	3	3	2	4	5	-	1	1	1	1	1
001-019	Tuberculosis all forms	61	-	2	1	1	-	-	1	1	1	1	3	4	3	5	4	7	7	4	6	4	2	2	-	-	2
	White--M	39	-	1	-	-	-	-	-	1	1	1	-	3	1	4	3	4	6	3	5	4	-	2	-	-	-
	F	11	-	-	1	-	-	-	-	-	-	-	2	-	2	-	1	2	-	1	-	-	1	-	-	-	1
	Nonwhite--M	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1
	F	6	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	51	-	1	-	-	-	-	-	-	-	1	3	4	2	5	3	6	7	4	6	4	2	2	-	-	1
	White--M	34	-	-	-	-	-	-	-	-	-	1	-	3	-	4	2	4	6	3	5	4	-	2	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	-	1	-	-	1	-	-	-	1
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
010-019	Tuberculosis, other forms	10	-	1	1	1	-	-	1	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1
	White--M	5	-	1	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	20	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	1	5	4	1	-	-	-	-	-
	White--M	18	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	3	1	5	3	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	7	3	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	43	1	3	-	-	2	12	12	5	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	25	-	1	-	-	1	7	7	2	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	1	2	-	-	1	5	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	18	5	-	-	-	1	2	1	2	-	-	-	-	-	1	-	1	2	1	2	-	-	-	-	-	-
	White--M	9	3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F	9	2	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
140-205	Malignant neoplasms, etc.*----	595	2	3	4	2	2	6	1	7	10	2	5	15	27	39	36	81	66	82	74	68	47	13	1	2	-
	White-----M--	324	1	2	2	1	-	3	1	3	6	1	2	6	12	18	17	45	40	49	47	34	26	6	1	1	-
	F--	253	1	1	2	1	2	3	-	3	4	1	3	9	15	19	17	35	23	28	26	31	21	7	-	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	3	1	3	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	11	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	-	-	-	2	2	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	2	-	-	-	2	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	213	-	-	-	-	-	-	-	1	-	-	2	1	9	10	14	25	26	35	45	25	15	4	1	-	-
	White-----M--	119	-	-	-	-	-	-	-	1	-	-	1	-	5	4	5	16	14	20	31	13	7	1	1	-	-
	F--	84	-	-	-	-	-	-	-	-	-	-	1	1	4	6	8	8	10	12	13	10	8	3	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
160-164	Of respiratory system----------	55	-	-	-	-	-	-	-	-	-	-	-	1	2	5	8	13	7	8	5	5	1	-	-	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	-	1	5	7	10	7	7	4	3	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	50	-	-	-	-	-	-	-	-	-	-	-	4	6	5	3	10	1	3	1	10	5	1	-	1	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	-	4	6	4	3	10	1	3	1	10	5	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	88	-	-	-	-	-	-	-	-	3	-	-	2	2	3	2	8	10	15	12	14	12	4	-	1	-
	White-----M--	45	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	3	4	9	6	9	7	3	-	1	-
	F--	41	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	5	6	6	6	5	5	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	23	-	-	-	1	-	-	1	-	-	-	1	-	1	-	1	4	1	5	2	2	3	1	-	-	-
	White-----M--	16	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	4	1	2	1	1	3	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	88	-	3	2	-	-	1	1	3	3	2	-	5	2	6	4	12	11	11	7	6	6	3	-	-	-
	White-----M--	54	-	2	1	-	-	1	1	1	1	1	-	4	2	4	2	9	7	7	3	4	3	1	-	-	-
	F--	32	-	1	1	-	-	-	-	2	2	1	-	1	-	2	2	3	3	3	4	2	3	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	40	2	-	2	1	2	5	-	1	1	-	1	-	1	3	2	3	7	3	2	2	2	-	-	-	-
	White-----M--	21	1	-	1	-	-	2	-	-	1	-	-	-	-	1	1	1	5	2	2	2	2	-	-	-	-
	F--	19	1	-	1	1	2	3	-	1	-	-	1	-	1	2	1	2	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	27	-	-	-	-	-	-	-	1	3	-	1	1	4	4	2	3	3	2	-	2	1	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	1	2	-	-	1	4	-	1	-	2	2	-	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	-	1	-	-	4	1	3	1	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	19	-	-	-	-	-	-	1	-	-	-	-	-	1	5	4	-	3	2	3	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	1	-	-	-	-	-	1	4	2	-	1	-	3	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	86	-	-	-	-	-	-	1	1	-	1	-	1	1	2	4	8	8	21	13	11	9	4	1	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	5	7	6	5	1	-	-	-
	F--	52	-	-	-	-	-	-	1	1	-	1	-	1	1	-	1	5	6	16	6	5	4	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	2,346	2	-	-	1	-	4	14	13	8	16	19	28	59	80	113	166	223	289	364	378	299	188	64	13	5
	White-----M--	1,333	1	-	-	1	-	3	6	8	4	6	6	16	43	53	70	108	154	187	203	180	156	84	34	7	3
	F--	975	1	-	-	-	-	1	8	4	4	10	12	11	14	26	40	54	64	98	154	194	141	103	30	5	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	4	4	2	-	-	-	-	1
	F--	14	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	2	1	-	3	-	-	1	-	1	-
330-334, 400-468	Diseases of cardiovascular system-	2,296	2	-	-	1	-	3	12	10	7	15	19	27	59	74	109	164	218	285	359	372	293	187	62	13	5
	White-----M--	1,303	1	-	-	1	-	2	5	6	3	6	6	15	43	49	67	106	151	184	200	177	154	83	34	7	3
	F--	955	1	-	-	-	-	1	7	3	4	9	12	11	14	24	39	54	62	97	152	191	137	103	28	5	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	4	4	4	2	-	-	-	1
	F--	14	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	2	1	-	3	-	-	1	-	1	-
330-334	Vascular lesions, etc.*----------	430	-	-	-	-	-	-	1	1	1	3	3	1	7	2	12	27	36	60	74	85	61	40	13	2	1
	White-----M--	210	-	-	-	-	-	-	-	-	-	-	1	-	4	-	5	16	20	34	36	38	34	14	7	1	-
	F--	211	-	-	-	-	-	-	1	-	1	3	2	1	2	2	7	10	15	25	35	47	27	26	6	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	1
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
400-402	Rheumatic fever----	24	-	-	-	1	-	1	4	2	1	3	1	2	-	4	1	1	1	1	-	1	-	-	-	-	-
	White-----M--	14	-	-	-	1	-	1	2	2	1	3	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	2	-	-	-	1	2	-	3	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH--Continued																										
410-443	Diseases of heart	1,684	2	-	-	-	-	2	7	7	4	9	15	21	47	65	91	130	169	208	265	265	204	125	38	6	4
	White-----M--	996	1	-	-	-	-	1	3	4	2	3	5	14	36	46	57	84	123	142	151	129	106	59	24	3	3
	F--	660	1	-	-	-	-	1	4	3	2	6	9	7	10	18	31	43	42	63	110	132	96	65	14	2	1
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	2	4	2	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	2	-	-	1	-	1	-
410-416	Chronic rheumatic heart disease----	135	-	-	-	-	-	1	2	6	2	7	11	5	14	15	18	17	15	5	3	5	6	3	-	-	-
	White-----M--	62	-	-	-	-	-	1	2	3	1	2	4	3	9	11	6	5	9	2	1	1	1	1	-	-	-
	F--	72	-	-	-	-	-	-	-	3	1	5	7	2	5	4	12	11	6	3	2	4	5	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	970	-	-	-	-	-	-	1	1	-	1	2	9	26	35	53	81	116	139	165	156	106	58	15	2	4
	White-----M--	644	-	-	-	-	-	-	1	1	-	1	1	8	23	29	40	59	92	105	99	83	57	31	10	1	3
	F--	312	-	-	-	-	-	-	-	-	-	-	1	1	3	5	11	22	21	33	63	70	49	26	5	1	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	2	3	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	263	1	-	-	-	-	1	1	-	2	-	-	4	1	6	6	10	14	28	39	37	50	43	17	3	-
	White-----M--	149	-	-	-	-	-	-	-	-	1	-	-	2	1	3	3	8	11	16	22	20	29	21	10	2	-
	F--	110	1	-	-	-	-	1	1	-	1	-	-	2	-	3	3	2	3	10	17	16	20	22	7	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	60	1	-	-	-	-	-	3	-	-	-	1	3	2	2	4	4	6	3	8	12	5	2	3	1	-
	White-----M--	39	1	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	4	3	6	8	3	1	3	-	-
	F--	18	-	-	-	-	-	-	3	-	-	-	1	2	1	-	1	-	1	-	2	4	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
440-443	Hypertension with heart dis.---	256	-	-	-	-	-	-	-	-	-	1	1	-	4	7	10	18	18	33	50	55	37	19	3	-	-
	White-----M--	102	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	9	7	16	23	17	16	5	1	-	-
	F--	148	-	-	-	-	-	-	-	-	-	1	-	-	1	6	4	8	11	17	26	38	20	14	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	27	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	3	2	4	4	3	1	3	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	2	1	1	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	3	2	-	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	11	16	21	21	7	4	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	7	12	9	2	2	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	9	9	12	5	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	43	-	-	-	-	-	-	-	-	1	-	-	2	4	1	3	4	8	8	5	1	4	-	1	1	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	4	5	6	4	1	1	-	1	1	-
	F--	13	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	3	2	1	-	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	50	-	-	-	-	-	1	2	3	1	1	-	1	-	6	4	2	5	4	5	6	6	1	2	-	-
	White-----M--	30	-	-	-	-	-	1	1	2	1	-	-	1	-	4	3	2	3	3	3	3	2	1	-	-	-
	F--	20	-	-	-	-	-	-	1	1	-	1	-	-	-	2	1	-	2	1	2	3	4	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	144	29	9	2	1	1	1	-	1	1	2	1	1	1	4	7	12	6	13	13	10	9	18	2	-	-
	White-----M--	74	12	3	1	-	-	1	-	-	1	1	-	-	1	2	7	9	4	8	5	5	4	10	-	-	-
	F--	53	8	3	-	1	1	-	-	1	-	1	1	1	-	2	-	1	2	5	7	5	4	8	2	-	-
	Nonwhite--M--	12	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
480-483	Influenza----------	13	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	2	1	-	3	-	-	-
	White-----M--	6	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	131	28	9	1	1	1	1	-	1	-	2	1	1	1	3	7	11	6	11	11	9	9	15	2	-	-
	White-----M--	68	11	3	-	-	1	1	-	-	-	1	-	-	1	2	7	8	4	7	5	5	4	9	-	-	-
	F--	46	8	3	-	1	1	-	-	1	-	1	1	1	-	1	-	1	2	4	5	4	4	6	2	-	-
	Nonwhite--M--	12	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
500-502	Bronchitis--------	13	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	1	-	-	-	-
	White-----M--	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-
	F--	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	37	-	-	-	-	-	-	-	-	-	1	-	2	3	3	4	5	4	7	5	2	1	-	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	5	3	6	3	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis------	12	-	-	1	-	1	-	2	2	-	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-
	White-----M--	8	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	35	7	1	-	-	-	-	-	-	1	1	-	1	-	5	3	2	2	2	-	5	3	1	1	-	-
	White-----M--	14	4	1	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	2	-	1	-	-	-	-	-
	F--	21	3	-	-	-	-	-	-	-	1	-	-	1	-	3	3	-	1	-	-	4	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
543,	Gastritis, etc.*--	21	11	5	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
571,	White-----M--	8	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
572	F--	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	39	-	-	-	-	-	2	-	-	-	-	5	5	-	4	5	3	4	3	2	5	-	1	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	1	3	-	2	5	-	-	2	1	3	-	1	-	-	-
	F--	20	-	-	-	-	-	2	-	-	-	-	3	2	-	2	-	3	4	1	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	15	1	1	-	-	1	4	-	2	-	-	-	1	1	-	-	-	-	-	1	-	1	1	-	1	-
	White-----M--	8	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
	F--	7	-	1	-	-	-	2	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	10	5	6	4	1	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	10	5	6	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	11	...	...	...	...	...	...	-	-	3	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	...	...	...	-	-	3	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	...	...	...	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	8	...	...	...	...	...	...	-	-	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	8	...	...	...	...	...	...	-	-	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	112	90	5	1	-	3	2	3	2	2	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	71	59	1	1	-	3	2	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	40	31	4	-	-	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	329	329	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763--	Infections of																										
768	newborn----------	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied------------	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	242	14	3	3	1	-	1	-	-	2	2	3	3	10	8	13	15	9	19	27	25	29	21	27	5	2
795	White-----M--	144	6	-	2	1	-	1	-	-	-	1	3	2	9	7	10	11	7	13	20	13	21	7	9	-	1
	F--	87	5	2	-	-	-	-	-	-	1	1	-	1	1	1	3	3	2	5	7	12	8	14	17	4	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-
	F--	7	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Re-	All other diseases	279	15	6	4	3	1	4	4	6	2	4	9	8	8	19	14	27	34	31	28	25	14	10	2	-	1
sid-	White-----M--	156	7	6	3	2	-	2	4	1	2	1	2	5	4	13	9	15	22	16	19	13	5	4	1	-	-
ual	F--	121	8	-	1	1	1	1	-	5	-	3	7	3	4	6	5	12	12	14	9	12	9	6	1	-	1
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	512	26	14	12	11	3	17	23	37	42	42	31	29	33	21	25	22	15	24	16	24	26	9	8	1	1
E962	White-----M--	358	21	10	5	7	1	13	16	25	32	36	27	25	28	15	21	16	11	16	10	9	8	2	3	-	1
	F--	143	5	4	6	4	2	4	7	11	7	6	4	2	5	6	3	6	3	6	6	15	18	7	5	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	2	-	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	205	2	1	5	5	-	7	12	23	23	22	13	12	18	11	9	12	5	9	5	5	3	2	1	-	-
	White-----M--	143	2	-	1	4	-	5	8	15	17	16	10	9	14	7	6	8	4	6	5	2	2	1	1	-	-
	F--	57	-	1	4	1	-	2	4	8	5	6	3	1	4	4	2	4	1	2	-	3	1	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	307	24	13	7	6	3	10	11	14	19	20	18	17	15	10	16	10	10	15	11	19	23	7	7	1	1
E802,	White-----M--	215	19	10	4	3	1	8	8	10	15	20	17	16	14	8	15	8	7	10	5	7	6	1	2	-	1
E840-	F--	86	5	3	2	3	2	2	3	3	2	-	1	1	1	2	1	2	2	4	6	12	17	6	5	1	-
E962	Nonwhite--M--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	55	-	-	-	-	-	-	-	1	3	6	5	2	8	13	5	1	5	4	2	-	-	-	-	-	-
E970-	White-----M--	43	-	-	-	-	-	-	-	1	3	5	4	2	6	9	3	1	4	4	1	-	-	-	-	-	-
E979	F--	12	-	-	-	-	-	-	-	-	-	1	1	-	2	4	2	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	8	-	1	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-
E980-	White-----M--	5	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT																										
	ALL CAUSES	4,264	239	19	10	6	9	23	14	30	34	38	50	60	84	130	167	231	368	457	568	679	555	312	151	33	17
	White--M	2,339	142	12	5	4	8	9	10	21	23	23	23	40	46	89	96	150	232	281	300	349	272	144	54	16	10
	F	1,941	97	7	5	2	1	14	4	9	11	15	27	20	37	41	71	81	136	194	267	330	283	168	97	17	7
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
001-019	Tuberculosis all forms	74	-	1	-	-	-	-	-	-	1	3	2	6	4	10	3	4	10	11	7	9	2	-	-	-	1
	White--M	53	-	1	-	-	-	-	-	-	-	-	-	4	3	8	3	4	8	9	5	7	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	3	2	2	1	2	-	-	2	2	2	2	1	-	-	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	73	-	-	-	-	-	-	-	-	1	3	2	6	4	10	3	4	10	11	7	9	2	-	-	-	1
	White--M	52	-	-	-	-	-	-	-	-	-	-	-	4	3	8	3	4	8	9	5	7	1	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	3	2	2	1	2	-	-	2	2	2	2	1	-	-	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	-	-	1	1	-	-	-	-	-
	White--M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-	1	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	7	1	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	6	-	1	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	White--M	4	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
140-205	Malignant neoplasms, etc.*----	577	-	1	1	2	3	3	2	2	2	6	9	13	20	23	35	37	72	80	99	84	55	23	4	-	1
	White-----M--	270	-	1	-	1	3	2	1	1	-	1	4	3	3	11	10	18	41	38	47	37	35	12	-	-	1
	F--	305	-	-	1	1	-	1	1	1	2	5	5	10	16	12	25	19	31	42	51	47	20	11	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	224	-	-	-	-	-	-	-	-	-	1	-	3	8	6	9	16	29	37	33	38	26	14	3	-	1
	White-----M--	107	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	7	18	20	16	17	16	5	-	-	1
	F--	116	-	-	-	-	-	-	-	-	-	1	-	2	7	4	6	9	11	17	16	21	10	9	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	43	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	12	8	11	3	1	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	11	7	9	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	47	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	4	7	7	10	6	2	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	4	7	7	10	6	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	112	-	-	-	-	-	-	-	-	1	1	1	4	4	4	10	4	12	15	17	20	15	4	-	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	6	10	12	12	4	-	-	-
	F--	58	-	-	-	-	-	-	-	-	1	1	1	3	3	3	9	2	8	9	7	8	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	31	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	7	7	5	5	1	1	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	4	2	3	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	53	-	-	-	-	1	-	1	-	1	2	2	3	3	2	6	3	2	3	9	7	4	4	-	-	-
	White-----M--	21	-	-	-	-	1	-	1	-	-	-	1	-	1	2	3	1	2	-	3	2	1	3	-	-	-
	F--	32	-	-	-	-	-	-	-	-	1	2	1	3	2	-	3	2	-	3	6	5	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	38	-	1	1	2	2	3	1	1	-	2	3	1	-	5	1	1	4	2	5	2	1	-	-	-	-
	White-----M--	21	-	1	-	1	2	2	-	1	-	1	2	-	-	4	-	1	2	-	3	-	1	-	-	-	-
	F--	17	-	-	1	1	-	1	1	-	-	1	1	1	-	1	1	-	2	2	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	27	-	-	-	-	-	-	-	1	-	-	3	-	3	1	3	3	3	1	6	2	1	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	1	2	1	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	2	1	-	4	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	9	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	3	-	-	2	1	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	62	-	-	-	-	-	-	-	-	1	-	3	1	1	4	2	6	7	6	12	12	3	2	2	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	4	3	1	5	5	3	1	-	-	-
	F--	35	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	2	4	5	7	7	-	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	4	1	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	2,481	1	-	-	-	-	2	1	1	3	3	12	17	34	51	78	128	208	284	372	485	411	241	111	30	8
	White-----M--	1,333	-	-	-	-	-	-	1	-	2	1	4	14	23	40	48	85	137	155	195	254	197	113	44	15	5
	F--	1,146	1	-	-	-	-	2	-	1	1	2	8	3	11	11	30	43	71	127	177	231	214	128	67	15	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,423	1	-	-	-	-	1	1	-	3	2	5	17	32	50	74	126	202	280	364	475	405	236	111	30	8
	White-----M--	1,310	-	-	-	-	-	-	1	-	2	1	2	14	22	39	47	84	135	154	192	250	192	111	44	15	5
	F--	1,111	1	-	-	-	-	1	-	-	1	1	3	3	10	11	27	42	67	124	172	225	213	125	67	15	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	532	-	-	-	-	-	-	-	-	2	1	2	2	5	7	13	17	35	56	77	134	90	55	27	8	1
	White-----M--	239	-	-	-	-	-	-	-	-	1	-	1	2	-	3	6	7	18	27	33	68	40	19	11	2	1
	F--	293	-	-	-	-	-	-	-	-	1	1	1	-	5	4	7	10	17	29	44	66	50	36	16	6	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever---	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
410-443	Diseases of heart	1,672	1	-	-	-	-	-	-	-	-	1	3	15	27	38	59	101	159	216	267	290	266	149	61	14	5
	White-----M--	950	-	-	-	-	-	-	-	-	-	1	1	12	22	34	40	72	110	122	150	156	127	74	20	7	2
	F--	720	1	-	-	-	-	-	-	-	-	-	2	3	5	4	19	29	49	92	117	134	139	75	41	7	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	49	-	-	-	-	-	-	-	-	-	1	1	4	3	4	4	2	5	7	5	6	4	1	2	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	1	-	3	-	4	3	-	2	3	3	4	1	-	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	2	3	4	2	2	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,126	-	-	-	-	-	-	-	-	-	-	-	7	20	31	43	82	119	165	197	188	155	76	35	5	3
	White-----M--	712	-	-	-	-	-	-	-	-	-	-	-	7	18	28	34	63	93	97	123	106	86	39	14	2	2
	F--	412	-	-	-	-	-	-	-	-	-	-	-	-	2	3	9	19	26	66	74	82	69	37	21	3	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	279	1	-	-	-	-	-	-	-	-	-	2	2	1	-	2	7	13	16	31	54	72	52	18	7	1
	White-----M--	129	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	4	8	10	13	26	29	26	3	5	-
	F--	150	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	5	6	18	28	43	26	15	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	41	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	10	3	2	7	9	3	-	1	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	6	1	1	4	4	2	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	2	1	3	5	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	177	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	9	12	25	32	35	26	17	6	1	1
	White-----M--	64	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	4	11	11	10	16	7	7	2	-	-
	F--	113	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	5	11	14	22	19	19	10	4	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	44	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	1	3	3	8	10	7	1	2	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	2	6	6	6	1	1	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	2	4	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	15	39	35	25	22	6	2
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	19	17	12	12	5	2
	F--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	9	20	18	13	10	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	21	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	3	5	2	1	4	3	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	5	2	1	1	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	58	-	-	-	-	-	1	-	1	-	1	7	-	2	1	4	2	6	4	8	10	6	5	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	2	1	3	4	5	2	-	-	-
	F--	35	-	-	-	-	-	1	-	1	-	1	5	-	1	-	3	1	4	3	5	6	1	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	166	21	4	2	-	-	-	-	-	2	-	2	2	2	2	3	5	11	15	14	22	24	23	10	1	1
	White-----M--	77	12	3	1	-	-	-	-	-	-	-	-	-	1	-	-	4	8	12	4	11	9	11	1	-	-
	F--	89	9	1	1	-	-	-	-	-	2	-	2	2	1	2	3	1	3	3	10	11	15	12	9	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	45	5	1	-	-	-	-	-	-	1	-	1	1	-	1	-	3	1	2	6	4	8	7	3	-	1
	White-----M--	16	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	2	3	-	-	-
	F--	29	3	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	3	4	6	4	3	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	121	16	3	2	-	-	-	-	-	1	-	1	1	2	1	3	2	10	13	8	18	16	16	7	1	-
	White-----M--	61	10	2	1	-	-	-	-	-	-	-	-	-	1	-	-	2	7	10	1	11	7	8	1	-	-
	F--	60	6	1	1	-	-	-	-	-	1	-	1	1	1	1	3	-	3	3	7	7	9	8	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	9	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	-	-	-	-	1	-	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	25	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	3	4	3	2	3	-	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	2	4	2	2	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-
	White-----M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	30	3	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	2	5	4	3	2	2	-	1
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	2	1	1	1	-	-	-
	F--	19	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	3	3	2	1	2	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
543, 571, 572	Gastritis, etc.*--	14	3	2	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	1	2	1	-	-	-
	White-----M--	9	2	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	33	-	-	-	-	-	-	-	-	-	-	1	1	4	3	3	2	5	4	4	2	1	2	1	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	1	2	3	2	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	4	2	1	-	-	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	1	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	9	5	2	-	-	1
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	9	5	2	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	4	...	...	...	...	...	...	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	3	...	...	...	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	45	33	2	-	-	1	2	-	-	1	1	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	22	20	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	23	13	2	-	-	1	2	-	-	1	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	37	3	-	-	1	-	-	-	-	1	-	1	1	2	4	2	1	1	5	3	7	2	3	-	-	-
	White-----M--	24	2	-	-	1	-	-	-	-	1	-	-	1	2	3	1	1	1	5	1	3	-	2	-	-	-
	F--	13	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	2	4	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	181	5	1	2	-	1	2	-	2	1	2	3	5	5	6	13	25	24	24	21	16	11	4	6	1	1
	White-----M--	104	4	1	-	-	1	-	-	1	-	-	1	4	5	5	11	15	13	17	11	5	5	1	2	1	1
	F--	77	1	-	2	-	-	2	-	1	1	2	2	1	-	1	2	10	11	7	10	11	6	3	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents----------	249	10	4	3	1	4	12	10	20	22	19	12	7	8	9	9	6	10	11	13	18	21	6	10	1	3
	White-----M--	168	5	2	3	1	4	6	8	16	20	17	10	7	6	7	7	5	7	8	9	7	7	1	3	-	2
	F--	81	5	2	-	-	-	6	2	4	2	2	2	-	2	2	2	1	3	3	4	11	14	5	7	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	87	1	1	1	-	2	4	4	12	14	15	8	5	2	2	4	-	2	5	-	2	2	-	-	-	1
	White-----M--	69	1	1	1	-	2	1	2	8	12	14	7	5	1	1	4	-	2	5	-	-	1	-	-	-	1
	F--	18	-	-	-	-	-	3	2	4	2	1	1	-	1	1	-	-	-	-	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	162	9	3	2	1	2	8	6	8	8	4	4	2	6	7	5	6	8	6	13	16	19	6	10	1	2
	White-----M--	99	4	1	2	1	2	5	6	8	8	3	3	2	5	6	3	5	5	3	9	7	8	1	3	-	1
	F--	63	5	2	-	-	-	3	-	-	-	1	1	-	1	1	2	1	3	3	4	9	13	5	7	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	44	-	-	-	-	-	-	-	2	-	3	-	5	1	8	4	5	6	3	3	3	-	1	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	2	-	3	-	5	-	4	2	4	6	3	3	3	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA																										
	ALL CAUSES	29,512	2,985	212	120	75	73	203	179	320	492	560	646	901	1,095	1,434	1,901	2,247	2,613	3,116	3,252	2,964	2,249	1,128	535	124	88
	White--M	11,910	1,074	65	46	28	42	84	75	143	220	193	263	310	461	606	724	956	1,071	1,268	1,400	1,254	923	440	194	34	16
	F	8,511	756	63	32	26	16	58	29	62	70	113	129	211	203	268	377	455	614	880	1,073	1,186	1,026	526	267	54	17
	Nonwhite--M	5,111	678	40	20	13	12	41	43	58	120	147	155	210	237	292	447	492	518	540	449	292	168	71	26	13	29
	F	3,980	477	44	22	8	3	20	32	57	82	107	99	170	194	268	353	344	410	408	330	232	132	91	48	23	26
001-019	Tuberculosis all forms	835	9	13	4	4	-	5	7	20	49	57	56	67	80	86	78	75	56	73	44	34	15	3	-	-	-
	White--M	259	2	1	1	1	-	-	1	2	8	8	11	16	32	35	34	30	18	20	19	13	5	2	-	-	-
	F	147	4	4	2	2	-	1	1	3	5	6	12	12	8	6	5	5	10	24	13	16	7	1	-	-	-
	Nonwhite--M	242	2	3	1	1	-	3	1	4	12	18	16	21	27	28	23	28	20	20	9	2	3	-	-	-	-
	F	187	1	5	-	-	-	1	4	11	24	25	17	18	13	17	16	12	8	9	3	3	-	-	-	-	-
001-008	Tuberculosis of respiratory system	755	4	3	1	-	-	1	3	16	45	51	53	64	75	79	74	70	55	71	41	31	15	3	-	-	-
	White--M	237	1	-	1	-	-	-	-	1	8	6	10	15	29	31	32	28	18	19	18	13	5	2	-	-	-
	F	129	1	1	-	-	-	-	-	2	5	6	12	11	8	6	5	5	10	23	12	14	7	1	-	-	-
	Nonwhite--M	217	1	-	-	-	-	1	-	3	10	16	16	20	26	26	21	26	19	20	8	1	3	-	-	-	-
	F	172	1	2	-	-	-	-	3	10	22	23	15	18	12	16	16	11	8	9	3	3	-	-	-	-	-
010-019	Tuberculosis, other forms	80	5	10	3	4	-	4	4	4	4	6	3	3	5	7	4	5	1	2	3	3	-	-	-	-	-
	White--M	22	1	1	-	1	-	-	1	1	-	2	1	1	3	4	2	2	-	1	1	-	-	-	-	-	-
	F	18	3	3	2	2	-	1	1	1	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-
	Nonwhite--M	25	1	3	1	1	-	2	1	1	2	2	-	1	1	2	2	2	1	-	1	1	-	-	-	-	-
	F	15	-	3	-	-	-	1	1	1	2	2	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	195	6	-	-	-	-	-	-	1	4	2	6	8	11	21	33	27	23	32	12	5	4	-	-	-	-
	White--M	54	1	-	-	-	-	-	-	-	2	-	-	3	4	6	8	9	8	6	5	2	-	-	-	-	-
	F	15	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	5	2	1	1	-	-	-	-
	Nonwhite--M	87	2	-	-	-	-	-	-	-	1	1	5	1	4	11	19	13	11	11	4	2	2	-	-	-	-
	F	39	1	-	-	-	-	-	-	-	1	-	1	4	2	4	6	4	4	10	1	-	1	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	19	13	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	White--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	7	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*	10	3	-	1	-	-	-	-	1	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	9	-	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	5	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	47	31	10	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	7	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	10	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	10	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	37	11	1	4	1	3	5	2	3	2	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White--M	18	4	1	2	-	2	4	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	14	5	-	2	1	1	-	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	11	-	-	-	1	2	5	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	1	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	22	5	7	2	1	1	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	7	2	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	83	13	2	1	2	3	2	1	-	5	2	2	7	6	5	9	6	3	4	3	3	1	2	1	-	-
	White--M	30	2	-	-	1	2	2	-	-	1	1	-	-	3	1	5	2	2	1	2	2	-	2	1	-	-
	F	19	5	1	-	1	1	-	-	-	-	-	-	3	-	2	1	1	-	3	-	-	1	-	-	-	-
	Nonwhite--M	20	3	-	1	-	-	-	-	-	2	-	-	3	3	1	2	2	1	-	1	1	-	-	-	-	-
	F	14	3	1	-	-	-	-	1	-	2	1	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

[1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,522	1	8	5	11	11	16	10	20	29	49	72	130	155	245	340	385	421	506	416	352	224	82	25	5	4
	White-----M--	1,369	-	5	3	5	8	12	7	10	15	18	20	31	56	89	99	147	161	205	170	151	99	42	12	2	2
	F--	1,379	1	2	2	5	1	2	2	4	8	19	36	63	69	89	135	130	142	183	169	154	112	36	13	2	-
	Nonwhite--M--	401	-	1	-	-	2	-	-	4	2	4	7	12	11	20	48	63	65	75	48	26	9	2	-	-	2
	F--	373	-	-	-	1	-	2	1	2	4	8	9	24	19	47	58	45	53	43	29	21	4	2	-	1	-
140-148	Of buccal cavity and pharynx------	79	-	-	-	-	1	-	1	-	-	1	-	1	5	7	11	8	9	12	7	5	4	3	3	1	-
	White-----M--	43	-	-	-	-	1	-	-	-	-	1	-	-	1	5	5	3	3	8	3	4	3	2	3	1	-
	F--	18	-	-	-	-	-	-	1	-	-	-	-	-	3	2	1	2	3	2	3	-	-	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	3	1	2	1	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,150	-	1	-	-	-	-	2	2	6	5	15	28	31	50	85	123	157	193	161	154	94	32	8	1	2
	White-----M--	438	-	-	-	-	-	-	2	1	3	2	1	9	15	24	29	46	63	76	54	61	34	15	2	-	1
	F--	418	-	1	-	-	-	-	-	-	1	-	9	11	6	12	20	40	35	65	71	71	55	15	6	-	-
	Nonwhite--M--	179	-	-	-	-	-	-	-	-	1	3	3	4	5	6	18	23	37	35	24	15	3	1	-	-	1
	F--	115	-	-	-	-	-	-	1	1	-	2	4	5	8	18	14	22	17	12	7	2	1	-	1	-	-
160-164	Of respiratory system----------	395	-	-	-	-	-	-	-	-	3	2	2	9	18	41	46	61	55	67	45	27	11	5	2	1	-
	White-----M--	265	-	-	-	-	-	-	-	-	3	1	1	7	16	27	29	40	36	47	32	15	7	4	-	-	-
	F--	57	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	3	9	11	7	9	4	1	2	1	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	16	7	7	5	2	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	1	-	6	3	2	3	2	1	1	-	-	-	-	-
170	Of breast---------	295	-	-	-	-	-	-	-	-	1	3	10	19	19	28	41	39	30	35	30	21	15	3	-	1	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	231	-	-	-	-	-	-	-	-	-	2	7	13	15	21	34	28	23	27	22	20	15	3	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	1	1	3	6	4	7	7	10	6	8	7	1	-	-	-	-	-
171-179	Of genital organs-	660	-	-	-	-	-	-	-	-	4	16	8	34	34	53	79	50	71	89	75	78	48	15	4	1	1
	White-----M--	181	-	-	-	-	-	-	-	-	3	4	1	1	1	2	4	4	15	27	35	40	31	9	3	1	-
	F--	315	-	-	-	-	-	-	-	-	-	6	6	23	26	32	48	28	33	40	28	27	13	4	1	-	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	6	12	12	8	7	3	1	-	-	1
	F--	107	-	-	-	-	-	-	-	-	1	6	1	9	6	19	22	12	11	10	4	4	1	1	-	-	-
180, 181	Of urinary organs-	138	-	-	-	-	-	-	-	-	1	-	2	3	1	11	16	16	21	23	15	12	12	3	2	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	1	1	1	4	8	7	11	11	9	7	9	1	-	-	-
	F--	42	-	-	-	-	-	-	-	-	1	-	1	1	-	3	5	3	8	6	4	3	3	2	2	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	1	5	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	487	1	4	2	2	4	6	3	4	8	8	18	20	31	39	42	49	51	54	51	34	33	17	5	-	1
	White-----M--	192	-	3	1	1	2	3	2	2	3	3	6	6	12	18	13	24	17	20	21	13	9	8	4	-	1
	F--	205	1	-	1	1	-	2	-	2	4	4	8	9	13	11	20	16	23	21	22	16	21	9	1	-	-
	Nonwhite--M--	45	-	1	-	-	2	-	-	-	-	-	2	3	3	5	6	3	5	8	5	-	2	-	-	-	-
	F--	45	-	-	-	-	-	1	1	-	1	1	2	2	3	5	3	6	6	5	3	5	1	-	-	-	-
204	Leukemia and aleukemia----------	158	-	3	3	9	5	9	4	11	4	6	5	8	6	9	7	14	8	12	16	11	5	2	1	-	-
	White-----M--	82	-	2	2	4	4	8	3	5	1	3	2	2	2	6	4	8	3	4	8	5	4	2	-	-	-
	F--	51	-	1	1	4	1	-	1	2	2	3	2	2	3	3	1	3	4	6	6	4	1	-	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	3	1	-	1	2	-	-	1	3	-	2	1	1	-	-	-	-	-
	F--	10	-	-	-	1	-	1	-	1	-	-	-	2	1	-	1	-	1	-	1	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	160	-	-	-	-	1	1	-	3	2	8	12	8	10	7	13	25	19	21	16	10	2	2	-	-	-
	White-----M--	96	-	-	-	-	1	1	-	2	2	4	8	5	8	3	7	15	12	12	7	6	2	1	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	3	3	3	2	2	2	7	4	5	6	4	-	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	3	2	4	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	100	6	-	4	-	1	2	1	2	2	6	4	11	13	2	12	7	7	7	5	2	3	2	1	-	-
	White-----M--	25	3	-	3	-	1	-	-	-	-	-	1	1	-	1	1	4	3	3	2	1	1	-	-	-	-
	F--	41	3	-	-	-	-	1	-	2	1	4	2	3	5	-	5	3	4	3	2	1	-	2	-	-	-
	Nonwhite--M--	7	-	-	1	-	-	1	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-
	F--	27	-	-	-	-	-	-	1	-	1	2	1	6	6	1	4	-	-	1	1	-	2	-	1	-	-
260	Diabetes mellitus-	347	-	1	-	-	-	1	2	8	2	1	8	7	13	14	23	32	39	59	63	34	25	9	4	1	1
	White-----M--	96	-	1	-	-	-	-	1	2	1	-	3	2	5	5	6	8	9	16	14	9	10	4	-	-	-
	F--	153	-	-	-	-	-	1	3	1	1	-	3	1	3	6	12	17	25	37	19	15	5	3	1	-
	Nonwhite--M--	33	-	-	-	-	1	-	1	-	-	3	-	2	3	4	2	6	4	5	2	-	-	-	-	-	-
	F--	65	-	-	-	-	-	-	2	-	-	2	2	5	3	7	10	7	14	7	4	-	-	1	-	1
290-293	Anemias----------	75	8	4	-	2	-	1	-	3	-	2	2	7	2	1	4	6	1	8	10	5	4	2	-	1	2
	White-----M--	25	3	1	-	-	-	-	-	1	-	-	-	1	1	-	1	2	1	2	4	3	3	2	-	-	-
	F--	22	3	1	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	6	4	1	1	-	-	1	1
	Nonwhite--M--	15	2	2	-	2	-	-	-	1	-	-	-	2	1	1	-	2	-	-	1	-	-	-	-	-	1
	F--	13	-	-	-	-	-	1	-	1	-	2	2	2	-	-	2	1	-	-	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	58	14	3	1	3	1	4	3	5	3	1	3	3	2	2	3	3	1	1	1	-	1	-	-	-	-
	White-----M--	24	3	-	1	2	-	3	2	1	2	-	1	1	1	1	1	1	1	1	1	-	1	-	-	-	-
	F--	10	3	1	-	-	1	-	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	2	2	-	1	-	1	-	1	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	11	6	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	15,255	6	3	1	3	5	17	21	29	34	85	139	232	447	675	1,012	1,373	1,674	2,001	2,301	2,142	1,694	837	388	80	56
	White-----M--	6,214	4	2	-	1	4	4	4	11	10	20	66	73	185	281	396	579	690	838	1,000	899	672	306	139	22	8
	F--	4,593	-	1	-	1	-	7	4	8	9	28	21	43	65	111	152	240	373	525	731	853	774	402	193	39	13
	Nonwhite--M--	2,347	2	-	1	1	1	5	5	4	6	18	30	54	96	137	250	310	326	341	309	215	138	54	21	6	17
	F--	2,101	-	-	-	-	-	1	8	6	9	19	22	62	101	146	214	244	285	297	261	175	110	75	35	13	18
330-334, 400-468	Diseases of cardiovascular system-	14,700	6	3	1	2	4	13	19	22	30	79	120	218	425	648	961	1,331	1,615	1,945	2,223	2,077	1,646	811	374	75	52
	White-----M--	6,031	4	2	-	-	3	2	4	9	9	19	57	69	182	271	383	569	670	824	976	873	654	293	131	20	7
	F--	4,444	-	1	-	1	-	6	3	6	8	25	16	42	61	105	143	229	365	507	709	830	754	393	191	36	13
	Nonwhite--M--	2,242	2	-	1	1	1	5	5	2	5	18	27	50	89	133	240	302	307	329	296	206	131	53	18	6	15
	F--	1,983	-	-	-	-	-	7	5	8	17	20	57	93	139	195	231	273	285	242	168	107	72	34	13	17
330-334	Vascular lesions, etc.*----------	3,652	3	-	-	1	-	2	2	4	5	8	22	57	105	155	239	323	405	518	556	534	431	183	74	12	13
	White-----M--	1,182	1	-	-	-	-	-	-	3	1	-	7	11	20	37	56	90	125	159	225	201	156	65	20	4	1
	F--	1,213	-	-	-	-	-	1	-	1	1	3	5	13	26	34	53	57	104	144	197	235	208	89	33	6	3
	Nonwhite--M--	609	2	-	-	1	-	1	2	-	1	3	4	15	21	34	67	92	87	106	85	53	35	11	3	1	5
	F--	648	-	-	-	-	-	-	-	-	2	2	6	18	38	50	63	84	89	109	69	45	32	18	18	1	4
400-402	Rheumatic fever----	28	-	-	-	-	1	8	10	2	-	1	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	1	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	1	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
410-443	Diseases of heart	9,940	2	3	1	1	3	3	5	12	18	55	81	140	292	463	682	946	1,122	1,331	1,524	1,371	1,045	525	243	45	27
	White—M	4,475	2	2	-	-	3	1	4	4	8	16	42	53	154	228	316	459	517	629	702	608	433	192	89	11	2
	F	2,886	-	1	-	1	-	2	-	5	4	17	9	25	31	70	87	154	247	344	473	533	470	257	128	20	8
	Nonwhite—M	1,456	-	-	1	-	-	-	1	1	3	9	19	30	62	86	158	199	198	207	212	129	79	36	13	5	8
	F	1,123	-	-	-	-	-	-	-	2	3	13	11	32	45	79	121	134	160	151	137	101	63	40	13	9	9
410-416	Chronic rheumatic heart disease	334	-	-	-	-	-	2	3	5	8	16	22	21	23	27	34	33	24	30	24	32	17	11	2	-	-
	White—M	130	-	-	-	-	-	-	2	2	5	6	11	9	12	8	9	16	12	12	8	11	5	1	1	-	-
	F	125	-	-	-	-	-	2	-	1	2	8	4	9	7	13	12	11	8	9	11	13	9	5	1	-	-
	Nonwhite—M	35	-	-	-	-	-	-	1	-	-	-	4	-	1	3	8	2	3	4	2	5	-	2	-	-	-
	F	44	-	-	-	-	-	-	-	2	1	2	3	3	3	3	5	4	1	5	3	3	3	3	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,440	1	-	-	-	1	-	-	1	2	16	32	71	183	282	410	615	892	780	835	709	481	222	82	16	9
	White—M	2,989	1	-	-	-	1	-	-	-	1	6	21	37	120	183	258	364	394	447	453	358	221	89	29	5	1
	F	1,427	-	-	-	-	-	-	-	1	-	5	1	10	12	32	42	97	161	190	258	245	205	108	49	6	5
	Nonwhite—M	636	-	-	-	-	-	-	-	-	1	3	6	17	38	40	68	97	78	93	82	55	35	14	3	3	3
	F	388	-	-	-	-	-	-	-	-	-	2	4	7	13	27	42	57	59	50	42	51	20	11	1	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,613	-	2	-	-	2	1	-	1	3	8	4	12	18	41	59	96	132	186	268	266	260	139	97	10	8
	White—M	559	-	2	-	-	2	1	-	-	1	1	2	2	5	14	9	25	33	61	93	113	109	50	33	3	-
	F	546	-	-	-	-	-	-	-	-	-	1	-	2	4	6	10	7	20	53	91	112	117	71	48	2	2
	Nonwhite—M	284	-	-	-	-	-	-	-	1	1	4	1	3	5	12	27	37	43	38	47	25	22	6	8	2	2
	F	224	-	-	-	-	-	-	-	-	1	2	1	5	4	9	13	27	36	34	37	16	12	12	8	3	4
430-434	Other diseases of heart	443	1	1	1	1	-	-	2	3	5	7	12	4	13	19	29	30	50	50	63	51	52	29	15	2	3
	White—M	157	1	-	-	-	-	-	2	1	1	2	5	1	5	5	8	11	20	22	26	19	17	5	5	1	-
	F	137	-	1	-	1	-	-	-	2	2	2	2	-	1	3	4	3	12	14	15	23	25	16	9	1	1
	Nonwhite—M	93	-	-	1	-	-	-	-	-	1	-	4	1	3	3	11	12	12	13	16	7	4	3	-	-	2
	F	56	-	-	-	-	-	-	-	-	1	3	1	2	4	8	6	4	6	1	6	2	6	5	1	-	-
440-443	Hypertension with heart dis.	2,110	-	-	-	-	-	-	-	2	-	8	11	32	55	94	150	172	224	285	334	313	235	124	47	17	7
	White—M	640	-	-	-	-	-	-	-	1	-	1	3	4	12	18	32	43	58	87	122	107	81	47	21	2	1
	F	651	-	-	-	-	-	-	-	1	-	1	2	4	7	16	19	36	46	78	98	140	114	57	21	11	-
	Nonwhite—M	408	-	-	-	-	-	-	-	-	-	2	4	9	15	28	44	51	62	59	65	37	18	11	2	-	1
	F	411	-	-	-	-	-	-	-	-	-	4	2	15	21	32	55	42	58	61	49	29	22	9	3	4	5
444-447	Hypertension without mention of heart	294	-	-	-	-	-	-	-	-	1	8	10	15	18	16	22	26	22	30	36	37	30	13	8	-	2
	White—M	88	-	-	-	-	-	-	-	-	-	1	4	3	5	2	3	7	5	12	16	13	10	4	2	-	1
	F	69	-	-	-	-	-	-	-	-	-	2	-	2	1	-	2	4	6	6	6	13	14	7	6	-	-
	Nonwhite—M	61	-	-	-	-	-	-	-	-	1	3	3	4	4	10	8	7	4	4	2	7	3	1	-	-	-
	F	76	-	-	-	-	-	-	-	-	-	2	3	6	8	4	9	8	7	8	12	4	3	1	-	-	1
450	General arteriosclerosis	587	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	15	40	46	86	109	126	85	46	17	9
	White—M	195	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	9	11	24	38	51	31	19	5	2
	F	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	7	24	41	55	36	22	10	2
	Nonwhite—M	84	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	17	12	15	15	12	5	2	-	2
	F	101	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	10	16	23	15	8	13	3	2	3
451-468	Other diseases of circulatory sys.	199	1	-	-	-	-	-	2	4	6	7	4	4	9	11	13	21	26	20	21	26	14	5	3	1	1
	White—M	86	1	-	-	-	-	-	-	1	-	2	2	2	2	4	7	9	14	13	9	13	4	1	1	-	1
	F	61	-	-	-	-	-	-	-	-	3	3	1	1	3	1	1	8	4	6	9	8	7	4	2	-	-
	Nonwhite—M	24	-	-	-	-	-	-	1	-	-	2	1	1	2	2	4	4	1	-	2	2	2	-	-	-	-
	F	28	-	-	-	-	-	-	1	3	3	-	-	-	2	4	1	-	7	1	1	3	1	-	-	1	-
592-594	Chronic nephritis, etc.*	555	-	-	-	1	1	4	2	7	4	6	19	14	22	27	51	42	59	56	78	65	48	26	14	5	4
	White—M	183	-	-	-	1	1	2	-	2	1	1	9	4	3	10	13	10	20	14	24	26	18	13	8	2	1
	F	149	-	-	-	-	-	1	1	2	1	3	5	1	4	6	9	11	8	18	22	23	20	9	2	3	-
	Nonwhite—M	105	-	-	-	-	-	-	-	2	1	-	3	4	7	4	10	8	19	12	13	9	7	1	3	-	2
	F	118	-	-	-	-	-	1	1	1	1	2	2	5	8	7	19	13	12	12	19	7	3	3	1	-	1
480-493	Influenza and pneumonia, etc.*	1,119	291	60	22	6	11	13	10	20	11	13	21	25	25	37	50	41	66	62	78	81	69	59	37	5	4
	White—M	318	60	10	5	2	8	1	5	8	-	1	6	6	8	13	17	12	13	18	23	31	31	23	14	3	-
	F	288	54	19	7	2	1	7	1	2	1	-	4	4	1	5	6	3	10	20	31	30	32	26	21	1	-
	Nonwhite—M	297	104	15	4	-	1	4	2	7	4	6	8	11	11	10	16	18	25	16	16	8	2	5	2	-	2
	F	216	73	16	6	2	1	1	2	3	6	6	3	4	5	9	11	8	20	8	8	12	4	5	-	1	2
480-483	Influenza	175	26	8	3	1	2	1	2	3	2	4	1	3	5	4	7	6	15	19	15	12	17	13	5	-	1
	White—M	43	6	-	-	-	1	-	1	2	-	1	1	-	1	1	3	1	4	7	3	3	4	3	1	-	-
	F	46	3	2	1	1	-	1	1	-	-	-	-	1	-	-	-	-	1	6	5	5	10	6	3	-	-
	Nonwhite—M	42	13	1	2	-	1	-	-	1	-	2	-	1	1	-	2	5	3	3	3	1	1	1	1	-	-
	F	44	4	5	-	-	-	-	-	-	2	1	-	1	3	3	2	-	7	3	4	3	2	3	-	-	1
490-493	Pneumonia, etc.*	944	265	52	19	5	9	12	8	17	9	9	20	22	20	33	43	35	53	43	63	69	52	46	32	5	3
	White—M	275	54	10	5	2	7	1	4	6	-	-	5	6	7	12	14	11	9	11	20	28	27	20	13	3	-
	F	242	51	17	6	1	1	6	-	2	1	-	4	3	1	5	6	3	9	14	26	25	22	20	18	1	-
	Nonwhite—M	255	91	14	2	-	-	4	2	6	4	4	8	10	10	10	14	13	22	13	13	7	1	4	1	-	2
	F	172	69	11	6	2	1	1	2	3	4	5	3	3	2	6	9	8	13	5	4	9	2	2	-	1	1
500-502	Bronchitis	58	10	6	1	-	1	-	-	-	-	-	-	-	-	1	2	-	4	3	8	4	7	4	1	5	1	-
	White—M	28	-	3	-	-	1	-	-	-	-	-	-	-	-	-	2	-	3	2	5	4	3	2	1	2	-	-
	F	13	3	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1	-	1	-	-
	Nonwhite—M	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
	F	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-
540, 541	Ulcer of stomach and duodenum	120	1	-	-	-	-	-	-	1	2	-	4	8	8	10	5	14	12	22	8	16	7	-	1	1	-	-
	White—M	71	-	-	-	-	-	-	-	1	-	-	2	6	2	5	2	9	8	17	4	10	4	-	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	1	4	2	-	-	1	-	-
	Nonwhite—M	26	1	-	-	-	-	-	-	-	2	-	2	1	4	1	3	4	2	2	3	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	2	-	1	1	-	-	-	-	-
550-553	Appendicitis	52	2	-	1	1	1	2	2	-	4	4	2	1	4	2	1	6	1	7	3	3	2	1	1	1	-	-
	White—M	19	1	-	1	-	-	2	-	-	1	-	2	-	2	1	-	2	-	2	-	3	1	-	1	-	-	-
	F	13	-	-	-	1	1	-	-	-	-	1	-	1	1	-	-	1	1	3	2	-	1	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-
	F	13	1	-	-	-	-	-	2	-	1	2	-	-	1	1	1	1	-	1	1	-	-	-	-	1	-	-
560, 561, 570	Hernia, intestinal obstruction	174	22	2	-	-	1	2	3	2	1	-	5	3	9	12	8	11	16	15	24	19	10	8	1	-	-
	White—M	70	14	1	-	-	1	1	2	2	-	-	-	1	2	5	1	3	5	5	9	5	7	5	1	-	-
	F	46	4	-	-	-	-	-	-	-	-	-	1	1	1	3	3	2	2	6	9	10	1	3	-	-	-
	Nonwhite—M	33	1	1	-	-	-	1	-	-	1	-	1	-	3	2	1	3	7	3	5	3	1	-	-	-	-
	F	25	3	-	-	-	-	-	1	-	-	-	3	1	3	2	3	3	2	1	1	1	1	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
543, 571, 572	Gastritis, etc.*--	200	128	11	2	2	-	2	-	-	1	2	3	1	4	3	5	5	5	5	7	4	5	3	2	-	-
	White-----M--	65	37	3	2	-	-	-	-	-	-	1	1	-	-	1	2	4	1	2	5	-	4	2	-	-	-
	F--	56	36	3	-	1	-	1	-	-	1	-	1	1	1	-	1	1	1	1	2	3	1	-	1	-	-
	Nonwhite--M--	47	34	2	-	1	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	1	-	1	1	-	-
	F--	32	21	3	-	-	-	1	-	-	-	1	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	212	2	-	-	-	-	2	-	-	2	3	9	18	22	33	23	23	25	23	14	8	3	2	-	-	-
	White-----M--	119	1	-	-	-	-	2	-	-	-	1	3	7	15	21	15	13	16	10	9	5	1	-	-	-	-
	F--	59	-	-	-	-	-	-	-	-	1	1	2	9	3	6	7	5	4	10	5	2	2	2	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	2	-	3	3	-	5	2	3	-	1	-	-	-	-	-
	F--	15	1	-	-	-	-	-	-	-	1	1	2	2	1	3	1	-	3	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	65	3	-	2	2	-	4	4	2	5	-	2	7	6	6	-	2	7	7	1	3	-	1	1	-	-
	White-----M--	20	1	-	-	1	-	1	2	1	1	-	-	2	3	4	-	2	1	-	-	-	-	1	-	-	-
	F--	15	1	-	1	1	-	2	1	1	1	-	1	-	1	-	-	-	3	1	1	-	-	-	-	-	-
	Nonwhite--M--	13	1	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	-	5	-	2	-	-	-	-	-
	F--	17	-	-	-	-	-	1	-	-	2	-	1	4	1	2	-	-	3	1	-	1	-	-	1	-	-
610	Hyperplasia of prostate---------	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	17	25	18	18	13	4	2	1
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	14	15	13	16	11	4	1	1
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	10	5	2	2	-	1	-
640-689	Complications of pregnancy, etc.*-	91	...	...	...	...	...	...	1	20	14	16	21	15	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	48	...	...	...	...	...	...	-	10	8	9	10	10	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	43	...	...	...	...	...	...	1	10	6	7	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	9	...	...	...	...	...	...	-	2	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	82	...	...	...	...	...	...	1	18	13	13	19	14	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	43	...	...	...	...	...	...	-	8	8	7	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	39	...	...	...	...	...	...	1	10	5	6	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	422	338	22	11	5	2	5	3	4	4	1	2	4	4	6	2	4	1	1	-	2	1	-	-	-	-
	White-----M--	181	141	13	2	3	1	-	1	2	3	1	2	3	1	3	1	3	-	1	-	-	-	-	-	-	-
	F--	148	116	7	4	2	1	3	2	2	1	-	-	1	1	3	1	1	1	-	-	2	-	-	-	-	-
	Nonwhite--M--	56	49	-	4	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	32	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
760-776	Certain diseases of early infancy-	1,794	1,791	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	703	702	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	448	447	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	382	381	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	691	690	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	309	309	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	124	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	963	961	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	353	352	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	258	257	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	355	81	3	2	3	2	1	1	2	5	6	7	10	12	13	17	7	25	16	17	26	28	30	25	14	2
	White-----M--	109	20	1	-	1	-	1	-	-	2	1	1	3	3	6	6	5	10	8	5	6	8	10	7	5	-
	F--	95	20	1	1	-	2	-	-	1	1	1	1	-	1	-	2	-	2	3	5	12	12	11	14	4	1
	Nonwhite--M--	83	21	-	-	1	-	-	-	1	1	1	3	4	3	3	6	2	6	4	5	6	6	5	2	3	-
	F--	68	20	1	1	1	-	-	1	-	1	3	2	3	5	4	3	-	7	1	2	2	2	4	2	2	1
Residual	All other diseases	1,366	70	23	13	5	5	23	24	20	32	49	60	90	71	88	110	94	108	127	124	110	66	28	14	5	7
	White-----M--	570	27	10	7	2	-	7	8	10	10	14	24	29	31	39	40	45	56	55	56	51	32	9	5	1	2
	F--	381	13	8	1	2	2	9	2	3	7	7	14	19	15	18	31	25	30	37	40	45	28	15	8	1	1
	Nonwhite--M--	245	20	4	2	1	3	4	10	2	7	11	12	25	17	17	23	14	13	22	19	11	4	1	-	2	1
	F--	170	10	1	3	-	-	3	4	5	8	17	10	17	8	14	16	10	9	13	9	3	2	3	1	1	3
E800-E962	Accidents----------	2,139	112	30	37	20	19	84	74	133	212	181	152	167	133	111	122	80	79	87	80	81	60	44	25	8	8
	White-----M--	1,110	36	9	16	6	12	38	38	84	136	100	97	92	74	54	60	45	38	38	44	41	23	20	7	-	2
	F--	375	23	8	6	6	4	21	9	15	19	23	14	20	19	13	13	15	7	19	17	30	34	22	13	4	1
	Nonwhite--M--	499	33	7	5	4	2	18	22	24	52	52	38	46	30	36	41	17	25	23	13	5	1	-	-	1	4
	F--	155	20	6	10	4	1	7	5	10	5	6	3	9	10	8	8	3	9	7	6	5	2	2	5	3	1
E810-E835	Motor-vehicle accidents--------	920	5	7	15	6	8	42	23	89	144	103	76	81	50	46	62	37	30	32	28	18	11	3	-	-	4
	White-----M--	513	2	4	8	1	5	17	13	59	95	49	47	44	27	18	30	22	16	17	18	11	6	3	-	-	1
	F--	140	2	2	3	4	2	14	3	13	15	16	8	13	12	6	7	6	1	2	2	4	4	-	-	-	1
	Nonwhite--M--	222	-	-	1	1	1	8	6	13	32	36	20	19	8	19	20	6	11	10	6	3	-	-	-	-	2
	F--	45	1	1	3	-	-	3	1	4	2	2	1	5	3	3	5	3	2	3	2	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,219	107	23	22	14	11	42	51	44	68	78	76	86	83	65	60	43	49	55	52	63	49	41	25	8	4
	White-----M--	597	34	5	8	5	7	21	25	25	41	51	50	48	47	36	30	23	22	21	26	30	17	17	7	-	1
	F--	235	21	6	3	2	2	7	6	2	4	7	6	7	7	7	6	9	6	17	15	26	30	22	13	4	-
	Nonwhite--M--	277	33	7	4	3	1	10	16	11	20	16	18	27	22	17	21	11	14	13	7	2	1	-	-	1	2
	F--	110	19	5	7	4	1	4	4	6	3	4	2	4	7	5	3	-	7	4	4	5	1	2	5	3	1
E963, E970-E979	Suicide----------	324	-	-	-	-	-	-	2	8	20	29	23	40	37	36	29	29	26	24	10	6	4	-	-	-	1
	White-----M--	232	-	-	-	-	-	-	1	4	16	16	16	23	28	27	21	23	22	18	8	5	3	-	-	-	1
	F--	68	-	-	-	-	-	-	1	3	2	8	7	11	7	4	8	5	3	5	2	1	1	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	1	2	5	-	6	1	5	-	-	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	289	8	2	1	1	1	1	2	15	47	47	41	38	27	20	15	8	7	3	1	2	1	-	-	-	1
	White-----M--	75	2	2	1	1	-	1	1	2	10	10	7	9	5	5	8	3	4	2	1	1	-	-	-	-	-
	F--	19	4	-	-	-	-	-	-	2	2	2	2	3	2	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	152	-	-	-	-	-	-	-	6	25	29	27	20	16	13	7	3	3	1	-	1	-	-	-	-	1
	F--	43	2	-	-	-	1	-	1	5	10	6	5	6	4	1	-	1	-	-	-	-	1	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON																										
	ALL CAUSES	23,323	1,411	98	76	55	55	126	86	147	205	278	313	489	620	865	1,223	1,639	2,184	2,829	2,979	2,907	2,476	1,498	602	122	40
	White----M	13,712	742	46	44	26	35	65	59	101	134	159	169	279	383	553	808	1,076	1,390	1,792	1,788	1,632	1,296	768	290	54	23
	F	8,965	557	45	24	25	16	52	25	40	57	91	116	180	205	275	380	517	750	987	1,138	1,241	1,154	713	301	64	12
	Nonwhite--M	409	64	4	5	3	3	6	2	4	7	19	16	21	20	27	23	24	30	37	36	22	17	11	4	1	3
	F	237	48	3	3	1	1	3	-	2	7	9	12	9	12	10	12	22	14	13	17	12	9	6	7	3	2
001-019	Tuberculosis all forms	326	1	6	1	1	1	2	-	2	9	27	22	28	18	25	27	33	37	30	19	17	13	6	1	-	-
	White----M	217	-	1	-	-	1	-	-	2	2	12	8	16	10	16	20	25	34	22	18	14	10	5	1	-	-
	F	67	-	2	1	-	-	-	-	-	4	8	8	9	5	7	5	7	2	4	-	2	2	1	-	-	-
	Nonwhite--M	27	1	2	-	1	-	1	-	-	-	6	4	2	2	1	1	1	1	3	-	-	1	-	-	-	-
	F	15	-	1	-	-	-	1	-	-	3	1	2	1	1	1	1	-	-	1	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	303	-	3	-	1	1	2	-	1	9	25	19	26	16	24	27	31	35	29	19	17	12	5	1	-	-
	White----M	206	-	-	-	-	1	-	-	1	2	11	7	15	9	16	20	24	32	22	18	14	9	4	1	-	-
	F	61	-	1	-	-	-	-	-	-	4	8	7	8	5	6	5	6	2	4	-	2	2	1	-	-	-
	Nonwhite--M	23	-	2	-	1	-	1	-	-	-	5	3	2	2	1	1	1	1	2	-	-	1	-	-	-	-
	F	13	-	-	-	-	-	1	-	-	3	1	2	1	-	1	1	-	-	1	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms	23	1	3	1	-	-	-	-	1	-	2	3	2	2	1	-	2	2	1	-	-	1	1	-	-	-
	White----M	11	-	1	-	-	-	-	-	1	-	1	1	1	1	-	-	1	2	-	-	-	1	1	-	-	-
	F	6	-	1	1	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	98	2	-	-	-	-	-	-	-	-	-	1	-	1	4	10	15	21	21	12	4	5	2	-	-	-
	White----M	68	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	9	17	16	10	3	2	1	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	2	3	1	1	3	1	-	-	-
	Nonwhite--M	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-
	White----M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	7	-	-	-	1	1	-	1	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	White----M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	17	3	2	2	2	1	1	2	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	White----M	11	1	1	1	2	1	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	17	-	-	-	1	-	1	1	-	2	4	3	3	-	1	1	-	-	-	-	-	-	-	-	-	-
	White----M	10	-	-	-	1	-	-	-	-	1	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	13	4	1	3	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	3	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	51	5	2	3	-	3	4	1	3	-	-	1	2	2	7	2	6	2	1	4	2	-	1	-	-	-
	White----M	34	3	1	2	-	2	2	1	2	-	-	1	2	1	4	1	4	2	-	3	2	-	1	-	-	-
	F	16	2	1	1	-	-	2	-	1	-	-	-	-	1	3	1	2	-	1	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
140-205	Malignant neoplasms, etc.*----	3,350	6	3	9	12	10	13	4	12	19	29	40	70	104	172	245	349	443	497	459	382	282	142	43	5	-
	White-----M--	1,706	4	2	4	6	8	8	1	7	9	11	11	25	34	65	105	181	231	285	246	208	160	69	24	2	-
	F--	1,570	2	1	4	6	1	4	3	5	10	18	27	42	66	104	134	161	203	202	196	169	120	71	18	3	-
	Nonwhite--M--	45	-	-	1	-	1	1	-	-	-	-	1	2	1	3	4	2	3	8	10	4	1	2	1	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	5	6	2	7	1	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	67	1	-	-	-	-	-	-	-	1	-	-	-	1	5	5	5	4	5	8	16	11	4	1	-	-
	White-----M--	51	1	-	-	-	-	-	-	-	1	-	-	-	1	4	4	5	2	3	5	12	9	3	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	4	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,246	-	-	-	-	-	-	-	3	-	-	8	19	24	35	74	120	162	209	202	164	137	69	17	3	-
	White-----M--	718	-	-	-	-	-	-	-	2	-	-	3	10	12	17	38	73	106	134	118	86	74	33	11	3	-
	F--	500	-	-	-	-	-	-	-	1	-	-	5	7	10	17	35	43	54	70	79	76	62	34	5	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	4	5	1	-	2	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	1	-	1	1	-	-	-	-
160-164	Of respiratory system----------	329	-	-	-	1	-	-	1	-	-	1	2	3	7	16	35	46	65	53	54	25	10	7	3	-	-
	White-----M--	250	-	-	-	-	-	-	-	-	-	1	1	3	4	14	31	41	45	45	40	14	7	3	1	-	-
	F--	67	-	-	-	1	-	-	1	-	-	-	1	-	3	2	4	4	17	6	10	10	2	4	2	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-
170	Of breast---------	324	-	-	-	-	-	-	-	-	-	2	8	11	15	29	46	36	46	38	30	28	20	8	6	1	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	320	-	-	-	-	-	-	-	-	-	2	7	11	15	29	46	36	45	38	29	28	20	7	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
171-179	Of genital organs-	546	-	-	-	-	-	-	-	2	4	5	5	16	26	44	31	49	49	82	81	61	57	22	11	1	-
	White-----M--	214	-	-	-	-	-	-	-	1	-	2	1	2	1	5	2	6	10	35	42	40	42	15	9	1	-
	F--	322	-	-	-	-	-	-	-	1	4	3	4	14	23	39	28	42	37	46	37	20	15	7	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	1	-	-	-	-	-	-
180, 181	Of urinary organs-	171	-	-	-	3	-	2	-	-	1	-	1	1	-	6	10	15	29	23	26	32	16	5	1	-	-
	White-----M--	119	-	-	-	1	-	2	-	-	1	-	-	1	-	6	8	11	20	14	15	24	14	2	-	-	-
	F--	48	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	4	8	7	11	8	2	3	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	375	3	3	3	3	5	6	2	4	6	10	7	5	15	24	23	47	41	51	36	31	23	23	4	-	-
	White-----M--	181	3	2	-	1	4	3	-	2	4	4	4	1	6	10	8	24	23	29	15	16	10	10	2	-	-
	F--	183	-	1	2	2	1	2	2	2	2	6	3	4	9	12	12	22	18	22	19	14	13	13	2	-	-
	Nonwhite--M--	9	-	-	1	-	-	1	-	-	-	-	-	-	-	2	3	1	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
204	Leukemia and aleukemia----------	157	1	-	6	5	4	4	-	2	4	6	4	4	7	4	10	20	23	18	12	14	6	3	-	-	-
	White-----M--	89	-	-	4	4	4	2	-	1	2	-	-	1	4	4	7	14	13	9	6	9	3	2	-	-	-
	F--	65	1	-	2	1	-	2	-	1	2	6	3	2	3	-	3	6	9	9	6	5	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	135	1	-	-	-	1	1	1	1	3	5	5	11	9	9	11	11	24	18	10	11	2	1	-	-	-
	White-----M--	81	-	-	-	-	-	1	1	1	1	4	1	7	6	5	7	7	11	16	5	7	1	-	-	-	-
	F--	50	1	-	-	-	-	-	-	-	2	1	4	4	3	4	3	4	13	2	3	4	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	62	4	-	-	-	-	1	1	1	2	5	1	2	7	2	6	6	5	5	2	4	5	2	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	1	1	-	-	1	1	3	3	1	2	1	2	4	-	-	-	-
	F--	38	4	-	-	-	-	-	-	1	1	4	1	2	4	1	3	3	4	3	1	2	1	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	386	-	-	-	-	-	-	-	-	3	6	5	6	2	13	11	26	42	67	86	61	30	19	8	-	1
	White-----M--	172	-	-	-	-	-	-	-	-	1	1	3	3	2	6	7	8	16	25	36	38	12	11	3	-	-
	F--	204	-	-	-	-	-	-	-	-	2	5	2	3	-	5	3	17	25	41	47	22	18	8	5	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
290-293	Anemias----------	60	1	2	-	-	-	-	-	-	-	-	-	3	-	2	2	2	3	10	10	15	4	4	2	-	-
	White-----M--	31	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	3	7	9	1	3	1	-	-
	F--	28	-	2	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	7	3	6	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	33	10	4	2	-	-	2	-	-	1	-	-	-	1	2	2	2	1	2	2	-	2	-	-	-	-
	White-----M--	21	6	4	1	-	-	2	-	-	-	-	-	-	1	2	-	2	1	-	2	-	-	-	-	-	-
	F--	11	4	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	12,683	5	1	2	3	3	9	11	15	17	27	62	139	234	375	644	882	1,276	1,755	1,910	2,002	1,767	1,047	395	81	21
	White-----M--	7,541	2	-	2	1	2	4	5	5	10	14	34	80	159	276	470	613	830	1,132	1,140	1,094	899	528	196	35	10
	F--	4,939	2	1	-	2	1	4	5	9	4	10	24	52	67	87	160	248	423	598	747	888	853	508	193	44	9
	Nonwhite--M--	132	-	-	-	-	-	1	1	1	3	1	2	5	5	7	10	14	17	17	16	12	12	5	2	-	1
	F--	71	1	-	-	-	-	-	-	-	-	2	2	2	3	5	4	7	6	8	7	8	3	6	4	2	1
330-334, 400-468	Diseases of cardiovascular system-	12,419	4	1	2	2	2	8	9	7	13	24	51	133	222	363	636	855	1,251	1,727	1,874	1,969	1,750	1,027	388	80	21
	White-----M--	7,390	1	-	2	1	2	4	3	2	6	14	29	78	150	269	466	598	819	1,112	1,116	1,074	889	518	193	34	10
	F--	4,828	2	1	-	1	-	3	5	5	4	7	18	48	64	83	156	236	409	590	735	875	846	498	189	44	9
	Nonwhite--M--	130	-	-	-	-	-	1	1	-	3	1	2	5	5	6	10	14	17	17	16	12	12	5	2	-	1
	F--	71	1	-	-	-	-	-	-	-	-	2	2	2	3	5	4	7	6	8	7	8	3	6	4	2	1
330-334	Vascular lesions, etc.*----------	2,956	2	-	-	2	2	3	2	1	4	7	9	32	47	39	122	161	279	345	506	551	469	268	89	13	3
	White-----M--	1,516	1	-	-	1	2	1	-	1	2	2	3	13	22	21	68	82	147	185	276	279	224	131	44	8	3
	F--	1,386	-	-	-	1	-	1	2	-	1	4	4	17	23	16	51	77	126	151	223	266	241	135	42	5	-
	Nonwhite--M--	33	-	-	-	-	-	1	-	-	1	-	1	1	-	1	3	2	3	7	4	3	4	1	1	-	-
	F--	21	1	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	3	2	3	3	-	1	2	-	-
400-402	Rheumatic fever---	25	-	-	1	-	-	3	5	2	1	1	3	4	1	1	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	13	-	-	1	-	-	2	1	-	-	1	3	2	1	1	-	-	-	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	1	3	2	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON--Con.																										
410-443	Diseases of heart-	8,555	1	1	-	-	-	2	2	3	7	13	33	90	166	299	497	659	922	1,288	1,262	1,280	1,109	614	241	52	14
	White-----M--	5,391	-	-	-	-	-	1	2	1	4	9	20	61	122	234	388	492	644	870	775	721	586	316	118	21	6
	F--	3,036	1	1	-	-	-	1	-	2	2	2	11	25	38	56	99	151	262	404	472	547	514	290	122	29	7
	Nonwhite--M--	83	-	-	-	-	-	-	-	-	1	1	1	3	5	5	7	9	13	8	12	8	7	3	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	1	1	1	1	4	3	7	3	6	3	4	2	5	1	2	1
410-416	Chronic rheumatic heart disease----	305	-	-	-	-	-	1	1	3	5	7	6	16	22	36	32	33	42	43	27	17	5	7	1	1	-
	White-----M--	166	-	-	-	-	-	-	1	1	2	6	5	6	13	20	20	21	21	21	13	8	3	4	-	1	-
	F--	133	-	-	-	-	-	1	-	2	2	-	-	8	9	15	12	12	21	22	14	9	2	3	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,780	-	-	-	-	-	1	1	-	2	4	19	57	116	214	366	490	676	916	871	847	678	350	142	24	6
	White-----M--	3,979	-	-	-	-	-	1	1	-	2	2	14	46	95	186	316	389	504	658	593	501	391	194	74	9	3
	F--	1,725	-	-	-	-	-	-	-	-	-	1	5	11	16	23	44	89	160	248	270	341	284	149	67	15	2
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	1	-	-	4	4	5	7	10	6	8	4	1	3	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	2	4	-	1	2	4	1	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,041	1	-	-	-	-	-	-	-	-	-	3	8	13	17	33	45	75	131	148	189	200	126	56	15	1
	White-----M--	543	-	-	-	-	-	-	-	-	-	-	-	3	8	8	18	27	46	77	69	90	105	60	26	6	-
	F--	482	1	-	-	-	-	-	-	-	-	-	3	5	5	9	14	17	26	51	75	76	93	66	30	8	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	1	-
430-434	Other diseases of heart---------	409	-	1	-	-	-	-	-	-	-	1	2	5	9	16	16	29	39	61	56	61	59	36	11	6	1
	White-----M--	266	-	-	-	-	-	-	-	-	-	1	-	4	4	12	9	23	28	43	39	42	25	25	7	4	-
	F--	131	-	1	-	-	-	-	-	-	-	-	2	-	4	3	6	5	9	18	16	18	31	11	4	2	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	3	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	1,020	-	-	-	-	-	-	-	-	-	1	3	4	6	16	50	62	90	137	160	186	167	95	31	6	6
	White-----M--	437	-	-	-	-	-	-	-	-	-	-	1	2	2	8	25	32	45	71	61	80	62	33	11	1	3
	F--	565	-	-	-	-	-	-	-	-	-	1	1	1	4	6	23	28	44	65	97	103	104	61	20	4	3
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	1	1	-	1	-	1	-
444-447	Hypertension without mention of heart----------	187	-	-	-	-	-	-	-	-	-	3	2	3	2	8	12	16	13	23	26	34	22	19	4	-	-
	White-----M--	89	-	-	-	-	-	-	-	-	-	2	-	1	1	5	6	10	5	9	12	19	8	9	2	-	-
	F--	91	-	-	-	-	-	-	-	-	-	1	2	2	1	3	5	3	8	13	14	14	13	10	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
450	General arteriosclerosis--------	543	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	4	16	47	61	86	135	120	51	15	3
	White-----M--	286	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	11	27	37	48	66	60	28	5	-
	F--	250	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	19	23	37	69	59	22	10	2
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
451-468	Other diseases of circulatory sys.-	153	1	-	1	-	-	-	-	1	1	-	4	4	5	12	4	14	21	23	19	18	15	6	3	-	1
	White-----M--	95	-	-	1	-	-	-	-	-	-	-	3	1	4	6	4	12	12	20	16	7	5	2	1	-	1
	F--	55	1	-	-	-	-	-	-	1	1	-	1	2	1	6	-	2	9	3	3	11	9	4	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	264	1	-	-	1	1	1	2	8	4	3	11	6	12	12	8	27	25	28	36	33	17	20	7	1	-
	White-----M--	151	1	-	-	-	-	-	2	3	4	-	5	2	9	7	4	15	11	20	24	20	10	10	3	1	-
	F--	111	-	-	-	1	1	1	-	4	-	3	6	4	3	4	4	12	14	8	12	13	7	10	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	721	94	11	9	4	1	6	1	3	3	3	6	12	15	23	16	33	41	55	80	77	83	89	41	13	2
	White-----M--	410	44	2	4	1	-	4	1	1	3	2	3	6	9	17	10	24	29	36	49	45	47	43	20	8	2
	F--	269	35	7	3	3	1	2	-	2	-	1	3	5	4	5	5	4	11	17	30	30	33	44	19	5	-
	Nonwhite--M--	22	6	1	1	-	-	-	-	-	-	-	-	1	2	1	1	1	-	1	1	2	1	2	1	-	-
	F--	20	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	2	-	1	-	-
480-483	Influenza---------	128	6	-	2	-	-	4	-	1	-	1	1	3	4	3	2	7	5	10	13	11	18	27	7	2	1
	White-----M--	74	2	-	1	-	-	2	-	-	-	-	-	2	2	1	2	5	4	6	7	6	11	18	3	1	1
	F--	50	3	-	1	-	-	2	-	1	-	1	1	-	2	2	-	1	1	4	6	5	7	8	4	1	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	593	88	11	7	4	1	2	1	2	3	2	5	9	11	20	14	26	36	45	67	66	65	62	34	11	1
	White-----M--	336	42	2	3	1	-	2	1	1	3	2	3	4	7	16	8	19	25	30	42	39	36	25	17	7	1
	F--	219	32	7	2	3	1	-	-	1	-	-	2	5	2	3	5	3	10	13	24	25	26	36	15	4	-
	Nonwhite--M--	18	5	1	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	2	1	1	1	-	-
	F--	20	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	2	-	1	-	-
500-502	Bronchitis---------	47	13	5	1	2	1	1	-	-	-	-	-	1	-	-	1	2	4	1	3	-	5	5	2	-	-
	White-----M--	27	6	3	-	1	-	-	-	-	-	-	-	1	-	-	1	2	4	1	2	-	2	3	1	-	-
	F--	18	6	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	126	-	-	-	-	-	-	-	-	-	-	1	6	-	10	10	10	18	26	20	15	10	2	-	-	-
	White-----M--	107	-	-	-	-	-	-	-	-	-	-	1	6	-	7	8	9	16	22	18	11	7	2	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	4	2	4	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	35	-	1	-	1	-	3	1	-	4	-	3	2	-	3	4	-	3	4	1	1	2	2	-	-	-
	White-----M--	19	-	1	-	1	-	-	1	-	2	-	-	2	-	2	1	-	2	2	1	1	2	1	-	-	-
	F--	12	-	-	-	-	-	3	-	-	2	-	2	-	-	-	1	-	1	2	-	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	141	10	3	1	1	-	-	-	-	1	2	-	4	5	5	9	7	11	11	24	17	13	9	6	1	1
	White-----M--	76	8	2	-	1	-	-	-	-	-	-	-	2	2	2	3	4	6	6	17	7	6	6	3	-	1
	F--	62	1	1	1	-	-	-	-	-	1	2	-	2	3	3	6	3	5	4	6	10	7	3	3	1	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
543,	Gastritis, etc.*--	61	24	1	-	1	-	-	-	-	-	-	1	-	1	2	3	1	3	10	4	2	4	3	1	-	-
571,	White-----M--	29	9	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	5	4	-	2	1	1	-	-
572	F--	19	4	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	-	4	-	2	2	2	-	-	-
	Nonwhite--M--	6	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	201	1	-	-	-	-	1	-	-	-	-	5	9	18	23	32	26	19	20	21	17	6	3	-	-	-
	White-----M--	123	-	-	-	-	-	1	-	-	-	-	1	5	8	13	24	19	9	17	12	11	3	-	-	-	-
	F--	71	1	-	-	-	-	-	-	-	-	-	3	3	8	7	8	7	10	3	9	6	3	3	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	28	-	-	-	1	-	1	1	1	3	3	-	1	3	3	1	3	4	-	1	2	-	-	-	-	-
	White-----M--	18	-	-	-	1	-	1	-	1	1	1	-	-	2	1	1	3	3	-	1	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	2	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	8	19	20	18	16	3	1	-
	White-----M--	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	8	18	20	18	16	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	21	...	...	...	...	...	...	-	-	4	5	4	5	2	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	-	4	4	3	4	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	19	...	...	...	...	...	...	-	-	4	4	3	5	2	-	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	16	...	...	...	...	...	...	-	-	4	3	3	4	1	-	1	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	274	194	16	10	4	4	8	4	2	1	4	1	5	3	2	3	5	3	2	2	1	-	-	-	-	-
	White-----M--	136	99	6	6	1	3	4	3	-	-	2	-	2	1	-	1	3	1	1	2	1	-	-	-	-	-
	F--	127	86	10	2	3	1	4	1	2	1	2	1	3	2	2	2	2	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	885	885	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	483	483	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	353	353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	457	457	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied-------------	409	409	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	317	7	-	-	1	1	2	1	-	1	1	3	2	8	11	12	12	20	31	37	37	42	40	31	12	5
795	White-----M--	184	3	-	-	1	1	-	1	-	1	-	1	2	5	11	7	9	17	23	23	24	18	19	10	6	2
	F--	120	3	-	-	-	-	1	-	-	-	1	1	-	3	-	4	2	2	8	14	10	23	21	21	5	1
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1
	F--	8	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-	1	1	1
Re-	All other diseases	1,053	49	8	6	5	5	8	12	14	12	17	21	31	46	56	59	80	90	142	126	119	80	36	25	4	2
sid-	White-----M--	622	28	4	4	1	3	2	7	6	5	7	12	8	26	32	37	51	63	92	82	69	48	21	11	1	2
ual	F--	400	16	4	2	4	2	6	5	8	6	5	7	21	17	24	21	29	25	48	41	49	32	13	12	3	-
	Nonwhite--M--	17	2	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	2	2	3	1	-	2	-	-	-
	F--	14	3	-	-	-	-	-	-	-	1	4	1	1	2	-	1	-	2	2	3	1	-	2	-	-	-
E800-	Accidents----------	1,781	83	30	27	13	23	60	45	85	103	116	92	109	112	93	81	92	98	98	112	96	91	68	42	5	7
E962	White-----M--	1,229	41	18	18	8	14	35	37	71	85	85	68	87	94	67	66	70	65	69	74	56	43	36	15	1	6
	F--	467	35	11	6	2	7	22	8	9	13	23	20	15	13	16	11	16	29	28	36	39	45	32	27	3	1
	Nonwhite--M--	65	4	1	1	2	2	2	-	3	3	8	3	5	4	9	4	4	4	1	2	1	1	-	-	1	-
	F--	20	3	-	2	1	-	1	-	2	2	-	1	2	1	1	-	2	-	-	-	-	2	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	595	9	10	7	2	9	19	10	47	56	64	44	41	44	27	30	23	39	30	36	26	18	3	1	-	-
	White-----M--	417	4	7	5	2	6	9	8	36	44	46	29	28	36	19	23	15	25	21	23	18	11	2	-	-	-
	F--	144	4	3	1	-	3	9	2	7	9	14	12	9	6	6	5	5	12	8	12	8	7	1	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	1	-	2	2	4	2	3	1	1	2	1	2	1	1	-	-	-	-	-	-
	F--	11	1	-	1	-	-	-	-	2	1	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,186	74	20	20	11	14	41	35	38	47	52	48	68	68	66	51	69	59	68	76	70	73	65	41	5	7
E802,	White-----M--	812	37	11	13	6	8	26	29	35	41	39	39	59	58	48	43	55	40	48	51	38	32	34	15	1	6
E840-	F--	323	31	8	5	2	4	13	6	2	4	9	8	6	7	10	6	11	17	20	24	31	38	31	26	3	1
E962	Nonwhite--M--	42	4	1	1	2	2	1	-	1	1	4	1	2	3	8	2	3	2	-	1	1	1	-	-	1	-
	F--	9	2	-	1	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-
E963,	Suicide----------	357	-	-	-	-	-	-	-	5	13	21	30	42	32	24	36	41	31	31	23	11	13	2	1	-	1
E970-	White-----M--	277	-	-	-	-	-	-	-	4	8	15	19	27	22	20	29	34	29	24	21	11	11	2	1	-	-
E979	F--	69	-	-	-	-	-	-	-	1	4	3	8	13	9	4	7	7	2	7	2	-	2	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	1	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	58	4	1	-	-	-	-	-	4	5	7	10	5	5	5	3	3	2	1	-	2	1	-	-	-	-
E980-	White-----M--	34	1	-	-	-	-	-	-	2	3	6	5	3	4	3	1	1	1	1	-	2	1	-	-	-	-
E985	F--	16	2	1	-	-	-	-	-	2	1	1	4	1	-	1	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA																										
	ALL CAUSES	17,029	1,623	127	68	45	48	133	113	175	253	367	342	413	533	698	965	1,159	1,368	1,775	1,917	1,905	1,567	880	356	89	90
	White----M	9,296	848	64	35	21	29	77	73	123	162	226	192	223	302	405	533	685	786	976	1,023	1,034	826	447	155	35	36
	F	6,405	667	55	29	19	15	49	37	44	72	112	109	146	157	212	287	365	461	650	772	787	705	392	195	49	19
	Nonwhite--M	796	59	5	3	2	1	5	2	3	8	21	20	28	40	42	81	68	95	99	76	53	32	24	4	1	23
	F	532	49	3	1	3	3	2	1	5	11	8	21	15	34	39	64	41	46	50	46	31	24	17	2	4	12
001-019	Tuberculosis all forms	418	4	7	4	1	1	4	2	2	26	34	40	30	27	45	28	37	37	28	33	13	6	5	1	-	3
	White----M	238	3	1	3	1	1	1	2	1	9	16	16	16	16	29	16	26	29	18	18	6	4	2	-	-	2
	F	121	-	3	-	-	-	-	-	-	11	15	17	9	8	9	6	10	3	8	14	4	1	2	-	-	1
	Nonwhite--M	43	1	2	-	-	-	2	-	-	3	2	4	4	3	6	4	1	4	2	1	3	1	-	-	-	-
	F	16	-	1	1	-	-	1	-	1	3	1	1	1	-	1	2	-	1	-	-	-	-	1	1	-	-
001-008	Tuberculosis of respiratory system	374	1	2	2	-	-	1	1	2	23	32	35	27	26	44	25	34	36	28	30	11	5	5	1	-	3
	White----M	216	1	-	2	-	-	-	1	1	8	15	14	15	15	29	16	24	29	18	16	5	3	2	-	-	2
	F	111	-	1	-	-	-	-	-	-	10	15	17	7	8	8	4	9	3	8	13	4	1	2	-	-	1
	Nonwhite--M	33	-	1	-	-	-	-	-	-	2	1	3	4	3	6	3	1	3	2	1	2	1	-	-	-	-
	F	14	-	-	-	-	-	1	-	1	3	1	1	1	-	1	2	-	1	-	-	-	-	1	1	-	-
010-019	Tuberculosis, other forms	44	3	5	2	1	1	3	1	-	3	2	5	3	1	1	3	3	1	-	3	2	1	-	-	-	-
	White----M	22	2	1	1	1	1	1	1	-	1	1	4	1	1	-	-	2	-	-	2	1	1	-	-	-	-
	F	10	-	2	-	-	-	-	-	-	1	-	-	2	-	1	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	10	1	1	-	-	-	2	-	-	1	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	89	-	-	1	-	-	-	-	-	-	-	3	2	4	13	9	18	14	14	7	2	1	-	-	-	1
	White----M	46	-	-	1	-	-	-	-	-	-	-	1	1	3	5	5	8	8	7	5	2	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	4	1	-	-	-	-	-	-
	Nonwhite--M	22	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	5	5	1	1	-	1	-	-	-	1
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	-	2	-	-	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	9	3	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
	White----M	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	8	-	1	2	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
	White----M	5	-	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	6	-	1	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	28	14	8	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White----M	10	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	17	8	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	23	8	1	4	3	1	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	16	5	-	4	1	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	12	1	1	-	-	-	5	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	6	-	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	1	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	5	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	56	8	3	3	1	-	5	2	4	1	2	1	1	3	2	4	2	2	1	4	3	3	1	-	-	-
	White----M	23	3	1	1	1	-	-	1	1	-	-	1	-	3	1	2	-	-	1	4	3	-	-	-	-	-
	F	29	4	2	2	-	-	4	-	2	1	2	-	1	-	1	2	2	2	-	-	-	3	1	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
140-205	Malignant neoplasms, etc.*----	2,144	2	4	3	3	10	13	11	19	22	27	46	54	89	133	185	220	239	327	292	214	144	55	23	2	7
	White-----M--	983	2	4	1	1	9	8	7	10	12	13	20	14	35	55	80	104	113	146	136	101	74	29	8	-	1
	F--	1,016	-	-	2	2	1	5	4	7	9	13	23	39	47	66	80	109	109	149	136	105	65	25	14	2	4
	Nonwhite--M--	72	-	-	-	-	-	-	-	1	-	-	1	-	-	4	10	3	11	22	10	4	3	1	1	-	1
	F--	73	-	-	-	-	-	-	-	1	1	1	2	1	7	8	15	4	6	10	10	4	2	-	-	-	1
140-148	Of buccal cavity and pharynx------	52	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	10	5	10	8	3	1	2	-	-	1
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	9	4	7	4	3	-	1	-	-	1
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	3	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	795	-	-	-	-	-	1	-	2	2	2	11	10	14	32	61	73	90	142	148	98	69	27	9	1	3
	White-----M--	379	-	-	-	-	-	1	-	2	1	-	5	5	6	17	27	32	47	72	66	44	34	16	4	-	-
	F--	361	-	-	-	-	-	-	-	-	1	2	6	5	7	15	22	38	37	56	70	51	34	10	4	1	2
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	9	5	2	1	1	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	1	2	5	7	1	-	-	-	-	1
160-164	Of respiratory system----------	208	-	-	-	-	-	1	1	1	-	3	2	10	15	26	33	50	33	20	6	7	-	-	-	-	-
	White-----M--	161	-	-	-	-	-	-	-	-	-	2	1	9	13	22	31	38	24	12	5	4	-	-	-	-	-
	F--	33	-	-	-	-	-	1	1	-	-	1	1	1	1	3	2	8	4	6	1	3	-	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	5	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	166	-	-	-	-	-	-	-	-	-	2	3	7	11	20	19	22	19	23	16	9	8	4	2	1	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	151	-	-	-	-	-	-	-	-	-	2	3	7	10	16	18	20	16	22	15	8	7	4	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	2	1	1	1	1	-	-	-	-
171-179	Of genital organs-	373	-	-	-	-	-	-	-	2	4	5	9	21	24	24	31	32	36	53	41	45	31	10	3	-	2
	White-----M--	123	-	-	-	-	-	-	-	2	2	3	2	1	2	1	3	7	3	15	22	27	24	7	2	-	-
	F--	217	-	-	-	-	-	-	-	-	2	2	6	19	18	19	20	25	30	34	16	16	5	3	1	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	1	2	-	-	-	1
	F--	22	-	-	-	-	-	-	-	-	-	-	1	1	4	4	6	-	2	2	1	1	-	-	-	-	-
180, 181	Of urinary organs-	97	-	1	1	-	-	1	1	-	1	-	2	2	3	5	3	8	13	16	16	13	8	2	1	-	-
	White-----M--	53	-	1	-	-	-	1	1	-	-	-	-	1	3	3	2	5	4	9	12	6	4	-	1	-	-
	F--	39	-	-	1	-	-	-	-	-	1	-	1	1	-	2	-	3	9	5	4	6	4	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	239	-	1	-	-	2	6	5	4	5	6	7	8	15	17	15	23	18	24	22	27	16	9	8	-	1
	White-----M--	110	-	1	-	-	2	4	2	2	4	3	5	3	9	9	6	11	10	9	8	10	6	5	1	-	-
	F--	118	-	-	-	-	-	2	3	2	1	3	2	5	6	6	8	10	7	13	13	16	9	4	7	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	1	-	-	-	-
204	Leukemia and aleukemia----------	119	2	2	2	3	8	5	3	8	4	6	4	2	7	5	11	5	4	15	12	7	3	1	-	-	-
	White-----M--	67	2	2	1	1	7	2	3	3	2	3	2	1	2	4	9	1	4	5	6	5	2	-	-	-	-
	F--	44	-	-	1	2	1	3	-	3	2	2	1	1	4	1	2	4	-	7	6	2	1	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	95	-	-	-	-	-	1	2	5	6	7	2	4	11	12	14	4	11	9	6	1	-	-	-	-	-
	White-----M--	52	-	-	-	-	-	1	1	3	4	4	2	3	5	7	8	2	5	6	1	-	-	-	-	-	-
	F--	40	-	-	-	-	-	-	1	2	2	3	-	1	4	5	6	2	5	3	5	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	57	1	-	-	1	1	1	3	1	3	1	1	7	5	7	8	4	4	4	1	1	2	-	1	-	-
	White-----M--	20	1	-	-	-	1	1	1	1	1	-	-	3	-	1	1	2	1	2	1	1	2	-	-	-	-
	F--	31	-	-	-	1	-	-	2	-	2	1	1	4	3	5	5	2	3	1	-	-	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	212	-	-	-	-	1	1	-	1	1	4	4	7	8	7	10	12	27	37	35	28	18	7	2	-	2
	White-----M--	69	-	-	-	-	1	1	-	1	1	1	-	3	5	1	5	4	7	8	11	8	7	2	2	-	1
	F--	134	-	-	-	-	-	-	-	-	-	3	3	3	2	5	4	7	20	28	24	20	11	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	1	-	-	-	1
290-293	Anemias----------	49	2	2	1	2	1	-	-	-	-	1	1	1	-	-	-	4	3	6	7	7	8	2	1	-	-
	White-----M--	25	1	1	1	1	-	-	-	-	-	-	1	1	-	-	-	2	2	3	3	5	3	1	-	-	-
	F--	23	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1	3	4	2	5	1	1	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	21	5	1	-	-	2	1	-	2	-	-	3	2	-	1	2	1	1	-	-	-	-	-	-	-	-
	White-----M--	10	1	1	-	-	1	1	-	1	-	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	8	4	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	8,254	13	3	3	2	1	10	12	21	21	43	65	99	188	277	462	610	781	1,066	1,228	1,287	1,106	625	224	56	51
	White-----M--	4,520	8	1	1	2	-	7	3	13	10	18	47	50	102	166	265	368	444	604	673	703	572	315	105	26	17
	F--	3,085	4	2	1	-	1	3	8	7	10	21	9	38	57	77	125	174	248	374	469	529	496	277	117	28	10
	Nonwhite--M--	375	1	-	1	-	-	-	-	-	1	3	1	6	14	15	37	41	54	56	54	35	20	19	1	1	15
	F--	274	-	-	-	-	-	-	1	1	-	1	8	5	15	19	35	27	35	32	32	20	18	14	1	1	9
330-334, 400-468	Diseases of cardiovascular system-	7,973	13	3	3	2	1	7	8	17	17	36	61	91	181	268	440	587	759	1,040	1,194	1,250	1,075	599	218	55	48
	White-----M--	4,389	8	1	1	2	-	5	2	12	7	16	43	46	97	165	257	357	439	592	659	682	554	301	102	25	16
	F--	2,972	4	2	1	-	1	2	6	4	9	17	9	34	56	72	118	165	239	365	455	514	483	286	114	28	10
	Nonwhite--M--	353	1	-	1	-	-	-	-	-	1	3	1	6	14	14	34	38	47	53	51	35	20	18	1	1	14
	F--	259	-	-	-	-	-	-	1	-	-	-	8	5	14	17	31	27	34	30	31	19	18	14	1	1	8
330-334	Vascular lesions, etc.*----------	1,946	4	-	-	1	-	1	1	2	1	5	11	15	37	45	83	102	159	261	330	352	291	156	62	20	7
	White-----M--	991	3	-	-	1	-	1	-	1	1	3	7	6	10	18	37	53	88	139	181	192	140	68	30	12	-
	F--	837	1	-	-	-	-	-	1	1	-	1	2	8	21	23	29	34	54	107	137	148	147	81	32	8	2
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	1	-	1	3	1	9	10	10	11	6	7	1	3	-	-	2
	F--	53	-	-	-	-	-	-	-	-	-	-	2	-	3	3	8	5	7	4	6	5	3	4	-	-	3
400-402	Rheumatic fever---	31	1	-	-	1	-	4	4	4	2	5	1	3	2	-	-	1	1	-	-	2	-	-	-	-	-
	White-----M--	14	-	-	-	1	-	2	1	3	-	-	1	1	2	-	-	1	-	-	-	2	-	-	-	-	-
	F--	16	-	-	-	-	-	2	3	1	2	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
410-443	Diseases of heart-	5,422	5	3	3	-	1	2	3	11	13	23	46	61	132	212	336	459	570	724	807	808	661	385	108	31	38
	White-----M--	3,087	3	1	1	-	-	2	1	8	5	12	34	36	79	141	211	287	333	420	451	445	353	192	47	11	14
	F--	1,889	2	2	1	-	1	-	2	2	7	10	7	17	31	46	81	123	176	241	295	330	280	150	59	18	8
	Nonwhite--M--	259	-	-	1	-	-	-	-	-	1	1	1	4	11	12	22	28	36	40	36	23	16	14	1	1	11
	F--	187	-	-	-	-	-	-	-	1	-	-	4	4	11	13	22	21	25	23	25	10	12	9	1	1	5
410-416	Chronic rheumatic heart disease----	228	-	-	-	-	-	-	1	6	8	14	7	14	22	12	22	19	23	17	22	16	16	5	2	1	1
	White-----M--	125	-	-	-	-	-	-	1	5	3	6	6	6	9	7	13	11	13	5	17	10	8	3	1	1	-
	F--	91	-	-	-	-	-	-	-	1	5	7	1	7	9	4	8	8	9	9	5	6	8	2	1	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	2	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,054	2	-	1	-	-	-	-	2	2	4	28	35	89	144	218	301	356	471	450	409	312	163	43	9	15
	White-----M--	1,917	1	-	1	-	-	-	-	1	-	3	23	25	64	112	155	204	233	293	262	236	187	87	18	3	9
	F--	943	1	-	-	-	-	-	-	1	2	1	2	6	16	20	46	74	96	149	158	160	114	65	25	5	2
	Nonwhite--M--	126	-	-	-	-	-	-	-	-	-	-	1	2	5	8	11	15	19	18	19	9	8	6	-	1	4
	F--	68	-	-	-	-	-	-	-	-	-	-	2	2	4	4	6	8	8	11	11	4	3	5	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	917	2	1	-	-	1	-	2	-	2	2	5	4	7	13	26	38	60	91	144	180	171	104	40	15	9
	White-----M--	476	2	-	-	-	-	-	-	-	1	1	2	2	2	6	14	24	27	54	80	100	79	55	18	6	3
	F--	371	-	1	-	-	1	-	2	-	-	1	2	2	1	6	8	11	25	27	55	67	85	44	21	8	4
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	1	5	9	6	8	5	4	-	-	1
	F--	24	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	3	1	3	5	2	1	1	1	1
430-434	Other diseases of heart---------	319	1	2	2	-	-	2	-	2	1	1	1	1	1	5	15	13	24	34	34	38	49	46	33	10	2	3
	White-----M--	184	-	1	-	-	-	2	-	1	1	1	1	1	1	6	10	15	20	20	22	30	26	21	4	-	1
	F--	105	1	1	1	-	-	-	-	-	-	-	-	-	3	4	2	6	10	10	14	17	16	11	6	2	1
	Nonwhite--M--	15	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	2	2	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	-	-	-	1	4	1	2	-	-	-	-	4	1	-	-	1
440-443	Hypertension with heart dis.--	904	-	-	-	-	-	-	1	-	2	5	7	9	28	57	77	97	111	153	154	116	60	13	4	10
	White-----M--	385	-	-	-	-	-	-	1	-	1	2	2	3	10	19	33	40	48	70	69	53	26	6	1	1
	F--	379	-	-	-	-	-	-	-	-	1	2	2	2	12	17	24	36	46	63	80	57	28	6	3	-
	Nonwhite--M--	65	-	-	-	-	-	-	-	-	-	-	2	1	2	7	11	8	7	9	4	3	4	1	-	6
	F--	75	-	-	-	-	-	-	-	-	-	1	1	3	4	14	9	13	10	11	1	3	2	-	-	3
444-447	Hypertension without mention of heart----------	166	-	-	-	-	-	-	-	-	-	1	2	8	7	5	9	15	6	12	13	26	36	15	10	1	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	8	4	6	4	14	14	6	3	1	-
	F--	74	-	-	-	-	-	-	-	-	-	-	-	4	3	2	3	6	-	5	7	9	20	8	7	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	2	1	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	2	2	-	-	-	-
450	General arteriosclerosis--------	318	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	11	28	38	53	82	59	37	3	3
	White-----M--	171	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	15	19	26	43	34	22	1	2
	F--	125	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	10	13	22	35	24	15	2	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	6	3	3	-	-	-	1	
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	90	3	-	-	-	-	-	-	-	1	2	1	3	3	5	11	9	12	15	6	9	5	4	1	-	-
	White-----M--	54	2	-	-	-	-	-	-	-	1	1	1	1	2	3	5	7	7	12	4	3	4	1	-	-	-
	F--	31	1	-	-	-	-	-	-	-	-	1	-	2	1	1	5	2	5	2	1	5	1	3	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	281	-	-	-	-	-	3	4	4	4	7	4	8	7	9	22	23	22	26	34	37	31	26	6	1	3
	White-----M--	131	-	-	-	-	-	2	1	1	3	2	4	4	5	1	8	11	5	12	14	21	18	14	3	1	1
	F--	113	-	-	-	-	-	1	2	3	1	4	-	4	1	5	7	9	9	9	16	15	13	11	3	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	3	3	-	-	1	-	-	1
	F--	15	-	-	-	-	-	-	1	-	-	1	-	-	1	2	4	-	1	2	1	1	-	-	-	-	1
480-493	Influenza and pneumonia, etc.*-	758	148	25	9	4	4	9	6	4	11	5	4	13	13	16	22	33	31	46	70	95	80	63	30	13	4
	White-----M--	381	70	15	7	1	3	3	3	1	5	2	1	6	11	4	12	17	14	26	30	58	43	29	13	5	2
	F--	320	58	9	2	3	-	5	3	3	5	3	1	7	-	8	6	11	13	17	36	36	35	32	17	8	2
	Nonwhite--M--	33	9	-	-	-	-	-	-	-	-	-	2	-	1	3	2	4	3	2	4	-	1	2	-	-	-
	F--	24	11	1	-	-	1	1	-	-	1	-	-	-	1	1	2	1	1	1	-	1	1	-	-	-	-
480-483	Influenza---------	148	8	1	-	-	-	1	1	2	-	1	1	2	1	-	6	7	7	8	20	31	22	14	9	5	1
	White-----M--	69	1	-	-	-	-	1	1	-	-	1	-	1	1	-	3	3	3	5	9	14	12	8	3	2	1
	F--	71	4	1	-	-	-	-	-	2	-	-	-	1	-	-	1	4	4	3	11	16	9	6	6	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
490-493	Pneumonia, etc.*--	610	140	24	9	4	4	8	5	2	11	4	3	11	12	16	16	26	24	38	50	64	58	49	21	8	3
	White-----M--	312	69	15	7	1	3	2	2	1	5	1	1	5	10	4	9	14	11	21	21	44	31	21	10	3	1
	F--	249	54	8	2	3	-	5	3	1	5	3	1	6	-	8	5	7	9	14	25	20	26	26	11	5	2
	Nonwhite--M--	31	9	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	3	2	4	-	1	2	-	-	-
	F--	18	8	1	-	-	1	1	-	-	1	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
500-502	Bronchitis---------	48	16	3	-	1	1	-	-	1	1	-	-	-	-	2	1	1	4	1	1	6	4	3	2	-	-
	White-----M--	20	4	1	-	-	1	-	-	1	-	-	-	-	-	2	-	-	2	-	-	5	1	3	-	-	-
	F--	28	12	2	-	1	-	-	-	-	1	-	-	-	-	-	1	1	2	1	1	1	3	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	78	-	-	-	-	-	-	-	-	1	2	3	3	8	9	9	7	7	12	8	4	3	1	-	1	-
	White-----M--	61	-	-	-	-	-	-	-	-	1	2	2	1	7	9	8	7	6	10	4	1	1	1	-	1	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	4	3	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	33	1	1	1	-	-	2	1	2	-	-	2	2	1	2	4	3	1	3	2	3	1	1	-	-	-
	White-----M--	11	1	-	-	-	-	1	-	1	-	-	1	-	-	1	1	2	-	1	1	1	-	-	-	-	-	-
	F--	17	-	1	1	-	-	1	1	1	-	-	-	1	-	-	3	1	1	1	1	2	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	113	11	1	1	-	1	2	-	-	2	4	4	2	3	2	10	8	8	10	9	17	11	6	1	-	-
	White-----M--	60	4	-	-	-	-	2	-	-	1	2	-	-	2	2	9	3	4	7	3	9	8	3	1	-	-
	F--	45	7	-	1	-	1	-	-	-	-	1	3	2	1	-	1	4	4	2	4	8	3	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
543, 571, 572	Gastritis, etc.*--	117	74	8	-	1	-	4	2	3	2	1	-	-	-	2	3	3	3	-	3	1	4	1	1	-	1
	White-----M--	55	34	3	-	-	-	2	1	2	2	1	-	-	-	-	1	2	2	-	2	1	2	-	-	-	-
	F--	45	26	5	-	1	-	2	-	-	-	-	-	-	-	2	2	1	1	-	1	-	2	1	1	-	-
	Nonwhite--M--	13	11	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	130	-	-	-	-	-	-	-	1	1	1	6	10	14	14	14	17	17	10	11	5	6	2	-	-	1
	White-----M--	86	-	-	-	-	-	-	-	1	1	-	2	6	6	12	12	12	11	5	7	4	5	1	-	-	1
	F--	33	-	-	-	-	-	-	-	-	-	1	4	3	5	1	-	4	5	3	4	1	1	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	45	1	1	1	2	-	1	1	1	1	2	-	3	2	2	4	4	2	4	4	5	3	-	1	-	-
	White-----M--	15	-	-	1	-	-	-	1	-	-	2	-	-	1	2	1	1	1	-	3	2	-	-	-	-	-
	F--	23	1	1	-	1	-	1	-	1	-	-	-	3	-	-	2	2	1	4	1	2	2	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
610	Hyperplasia of prostate---------	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	9	11	12	20	16	9	6	-	1
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	8	11	11	17	15	9	5	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	1	-	-
640-689	Complications of pregnancy, etc.*-	51	...	...	...	...	...	...	-	7	8	14	12	5	4	-	-	-	-	-	-	-	-	1	-	-	-
	White-----F--	47	...	...	...	...	...	...	-	6	7	13	11	5	4	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	49	...	...	...	...	...	...	-	7	8	14	11	4	4	-	-	-	-	-	-	-	-	1	-	-	-
	White-----F--	45	...	...	...	...	...	...	-	6	7	13	10	4	4	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	294	241	15	5	2	1	3	1	3	2	4	3	2	3	3	2	2	1	-	-	-	1	-	-	-	-
	White-----M--	151	123	9	3	-	1	1	1	2	1	2	2	1	2	1	1	1	-	-	-	-	-	-	-	-	-
	F--	132	109	6	2	2	-	2	-	1	1	2	-	1	1	2	1	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	9	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	891	891	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	482	482	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	355	355	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	328	328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	502	502	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	207	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	385	71	6	2	3	2	2	1	-	2	2	4	4	6	7	15	10	18	16	36	47	50	38	27	12	4
	White-----M--	205	41	4	-	-	-	1	1	-	2	1	2	2	4	5	9	7	11	10	16	32	23	21	7	3	3
	F--	157	28	1	2	2	2	1	-	-	-	1	1	2	2	-	4	2	4	5	17	13	26	16	19	8	1
	Nonwhite--M--	12	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	1	2	1	1	1	-	-
	F--	11	2	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	-	-	1	-	-
Residual	All other diseases	818	50	9	9	4	5	9	11	8	13	20	27	25	30	55	62	73	75	94	70	75	49	27	15	2	1
	White-----M--	437	23	7	2	4	2	6	5	5	4	12	8	17	14	30	32	48	40	57	38	35	26	16	6	-	-
	F--	318	23	2	6	-	2	3	6	3	6	6	18	6	11	21	22	17	28	31	30	36	21	10	9	1	-
	Nonwhite--M--	35	3	-	1	-	-	-	-	-	-	-	-	1	3	2	4	7	5	4	1	1	1	1	1	-	1
	F--	28	1	-	-	-	1	-	-	-	3	2	1	1	2	2	4	1	2	2	1	3	1	-	-	1	-
E800-E962	Accidents----------	1,487	55	26	12	14	14	55	55	86	113	157	88	108	99	73	83	65	65	64	63	63	65	31	19	3	11
	White-----M--	1,072	32	14	6	9	7	36	45	76	97	133	73	82	71	61	59	49	48	40	42	31	35	13	6	-	7
	F--	304	21	11	5	3	5	17	10	9	15	15	9	15	13	8	10	9	10	16	19	25	27	17	13	2	-
	Nonwhite--M--	92	1	1	1	1	1	2	-	-	1	8	5	10	12	4	14	6	7	7	1	4	2	-	-	-	4
	F--	19	1	-	-	1	1	-	-	1	-	1	1	1	3	-	-	1	-	1	1	3	1	1	-	1	-
E810-E835	Motor-vehicle accidents---------	454	5	3	1	6	7	16	20	43	53	60	21	35	29	31	28	15	23	23	16	9	8	1	-	-	1
	White-----M--	355	2	2	-	5	4	11	18	36	45	51	17	22	21	26	20	12	17	16	13	9	7	1	-	-	-
	F--	88	3	1	1	1	3	4	2	7	8	8	3	10	8	5	7	2	4	7	3	-	1	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	1	-	-	-	1	1	2	-	-	1	1	2	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,033	50	23	11	8	7	39	35	43	60	97	67	73	70	42	55	50	42	41	47	54	57	30	19	3	10
	White-----M--	717	30	12	6	4	3	25	27	40	52	82	56	60	50	35	39	37	31	24	29	22	28	12	6	-	7
	F--	216	18	10	4	2	2	13	8	2	7	7	6	5	5	3	3	7	6	9	16	25	26	17	13	2	-
	Nonwhite--M--	82	1	1	1	1	1	1	-	1	7	4	8	12	4	13	5	5	7	1	4	2	-	-	-	-	3
	F--	18	1	-	-	1	1	-	-	1	-	1	1	-	3	-	-	1	-	1	1	3	1	1	-	1	-
E963, E970-E979	Suicide----------	202	-	-	-	-	-	-	1	5	11	24	15	16	16	13	17	20	15	14	19	7	6	2	1	-	-
	White-----M--	148	-	-	-	-	-	-	-	3	9	14	7	12	15	9	8	17	11	13	15	7	5	2	1	-	-
	F--	51	-	-	-	-	-	-	1	2	2	9	8	3	1	4	9	3	4	1	4	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	99	2	-	1	-	-	-	1	1	9	14	8	17	9	12	9	5	3	4	-	1	-	-	-	-	3
	White-----M--	52	1	-	-	-	-	-	-	-	6	5	4	7	4	8	5	4	2	4	-	1	-	-	-	-	1
	F--	13	1	-	1	-	-	-	1	1	-	2	-	2	2	-	1	1	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	2	7	3	4	3	2	3	-	1	-	-	-	-	-	-	-	1
	F--	8	-	-	-	-	-	-	-	-	1	-	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN																										
	ALL CAUSES	33,653	2,200	133	78	73	53	152	132	234	285	304	369	524	775	1,179	1,643	2,425	3,166	4,010	4,246	4,374	3,845	2,329	913	194	17
	White---M	19,281	1,258	65	43	40	32	92	95	150	191	171	216	312	480	713	1,030	1,534	1,989	2,368	2,464	2,436	1,987	1,141	376	88	10
	F	13,885	845	61	33	30	18	56	32	72	87	112	140	196	271	439	577	844	1,142	1,603	1,753	1,916	1,840	1,177	532	104	7
	Nonwhite--M	304	60	3	-	2	3	3	3	7	6	11	9	11	16	16	19	30	22	27	18	12	14	6	4	2	-
	F	183	39	4	2	1	-	1	2	5	1	10	4	5	8	11	17	17	13	12	11	10	4	5	1	-	-
001-019	Tuberculosis all forms	341	2	2	3	2	1	3	1	4	14	16	19	20	19	33	28	36	33	28	34	22	11	5	5	-	-
	White---M	229	1	1	2	1	-	2	1	-	7	6	9	12	10	19	18	31	25	23	27	18	9	4	3	-	-
	F	89	-	-	1	1	-	-	-	3	6	7	9	5	7	10	10	4	7	4	6	4	2	1	2	-	-
	Nonwhite--M	13	-	-	-	-	1	1	-	-	-	3	-	3	1	2	-	-	1	1	-	-	-	-	-	-	-
	F	10	1	1	-	-	-	-	-	1	1	-	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	310	1	-	-	1	1	2	-	3	12	16	16	16	18	29	25	36	32	28	31	22	11	5	5	-	-
	White---M	216	-	-	-	1	-	1	-	-	6	6	9	10	9	17	18	31	25	23	26	18	9	4	3	-	-
	F	74	-	-	-	-	-	-	-	2	5	7	6	4	7	9	7	4	6	4	4	4	2	1	2	-	-
	Nonwhite--M	11	-	-	-	-	1	1	-	-	-	3	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-
	F	9	1	-	-	-	-	-	-	1	1	-	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	31	1	2	3	1	-	1	1	1	2	-	3	4	1	4	3	-	1	-	3	-	-	-	-	-	-
	White---M	13	1	1	2	-	-	1	1	-	1	-	-	2	1	2	-	-	-	-	1	-	-	-	-	-	-
	F	15	-	-	1	1	-	-	-	1	1	-	3	1	-	1	3	-	1	-	2	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	88	2	1	-	-	-	-	-	-	1	-	1	-	3	4	10	10	22	16	12	5	1	-	-	-	-
	White---M	60	-	-	-	-	-	-	-	-	1	-	-	-	1	2	8	6	16	13	9	3	1	-	-	-	-
	F	23	1	1	-	-	-	-	-	-	-	-	1	-	2	2	-	4	5	2	3	2	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	4	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White---M	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	5	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	White---M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	23	6	6	2	2	1	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-	-
	White---M	11	3	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F	10	2	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	81	3	2	4	1	6	22	8	7	6	12	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	48	2	1	2	1	5	10	7	6	-	7	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	33	1	1	2	-	1	12	1	1	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	84	8	4	3	2	-	3	2	3	4	3	2	4	3	1	3	4	10	9	7	4	4	1	-	-	-
	White---M	50	7	2	1	-	-	2	1	3	1	1	-	3	2	1	3	3	4	5	5	3	2	1	-	-	-
	F	30	1	2	2	1	-	1	1	-	2	1	2	1	1	-	-	1	5	4	2	1	2	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
140-205	Malignant neoplasms, etc.*	5,375	9	9	11	13	10	20	20	18	28	40	63	106	151	272	373	549	717	849	724	643	484	204	50	9	3
	White—M	2,834	4	5	5	6	7	12	13	14	18	26	32	40	49	124	162	269	384	485	404	372	263	116	19	3	2
	F	2,490	5	4	6	6	3	8	7	4	10	12	31	62	100	147	207	269	326	355	315	268	220	87	31	6	1
	Nonwhite—M	33	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	9	6	6	2	3	1	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	2	-	2	1	-	4	2	1	3	3	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	114	-	-	-	-	-	1	1	-	1	2	1	-	-	6	11	16	16	18	10	19	7	2	1	2	-
	White—M	94	-	-	-	-	-	1	1	-	1	1	1	-	-	5	7	12	16	17	7	17	5	2	1	2	-
	F	19	-	-	-	-	-	1	-	-	-	1	-	-	-	1	4	4	-	1	2	2	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,267	1	1	-	-	1	-	1	1	4	3	10	20	36	81	122	206	298	412	362	323	249	105	26	5	-
	White—M	1,275	1	-	-	-	1	-	1	1	3	3	5	8	12	49	65	120	169	251	217	181	126	55	8	1	-
	F	976	-	1	-	-	-	-	1	1	1	-	5	9	24	32	57	81	129	155	144	142	122	50	18	4	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	5	-	5	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
160-164	Of respiratory system	431	-	-	-	-	-	-	-	-	-	-	5	5	15	33	46	67	79	68	49	36	20	3	5	-	-
	White—M	341	-	-	-	-	-	-	-	-	-	-	3	4	11	30	39	48	69	54	37	28	14	2	2	-	-
	F	81	-	-	-	-	-	-	-	-	-	-	2	1	3	2	7	17	8	14	11	6	6	1	3	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	1	-	2	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	474	-	-	-	-	-	-	-	-	-	3	6	17	27	41	55	66	66	60	48	34	35	12	2	2	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-
	F	467	-	-	-	-	-	-	-	-	-	2	6	17	26	41	54	65	64	59	48	34	35	12	2	2	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	775	-	-	-	-	1	1	-	1	3	7	9	19	28	41	54	70	98	97	102	101	97	40	6	-	-
	White—M	344	-	-	-	-	1	1	-	1	1	4	2	3	-	2	2	14	30	46	60	69	76	30	3	-	-
	F	420	-	-	-	-	1	-	-	-	2	2	7	15	28	39	51	55	66	48	41	31	21	10	3	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	2	1	-	1	-	-	-	-	-
180, 181	Of urinary organs	270	1	1	2	1	1	-	-	-	-	1	2	1	13	17	22	33	52	37	37	32	12	4	-	1	-
	White—M	185	1	-	-	1	-	-	-	-	-	1	1	1	10	15	14	25	37	24	24	19	9	2	-	1	-
	F	82	-	1	2	-	1	-	-	-	-	-	-	1	3	2	7	7	15	13	13	13	2	2	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199, 204	Of other sites, etc.*	574	4	1	1	1	4	10	5	13	12	13	19	30	38	36	54	67	76	72	57	30	25	5	-	2	-
	White—M	299	1	1	1	1	3	7	3	7	10	11	10	16	19	16	27	31	38	34	30	13	14	3	-	1	-
	F	272	3	-	-	-	1	3	2	6	2	2	9	14	19	18	27	36	38	37	27	17	9	2	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	258	4	4	8	9	5	12	6	9	5	5	11	7	7	5	14	18	28	38	25	20	10	7	1	-	-
	White—M	163	2	2	4	5	3	7	4	6	5	2	6	2	5	2	7	15	19	25	16	13	9	4	-	-	-
	F	93	2	2	4	4	2	5	2	3	-	3	5	5	2	3	7	3	7	13	9	7	1	3	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	212	-	2	1	1	1	1	2	2	2	8	7	17	7	14	18	30	32	28	19	16	4	-	-	-	-
	White—M	129	-	2	-	1	1	1	1	2	1	6	4	12	4	7	11	18	23	16	9	10	1	-	-	-	-
	F	80	-	-	1	-	-	-	1	-	1	2	3	5	3	7	7	10	9	12	10	6	3	-	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	81	3	2	1	-	-	2	-	2	2	6	3	2	8	12	9	5	5	8	5	3	1	2	-	-	-
	White—M	35	2	1	1	-	-	1	-	1	1	1	1	-	5	4	6	4	2	3	2	-	-	-	-	-	-
	F	45	1	1	-	-	-	1	-	1	1	5	2	2	3	8	3	-	3	5	3	3	1	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	632	1	-	-	-	-	1	1	4	2	12	9	8	8	21	41	58	84	101	106	88	69	16	2	-	-
	White—M	243	-	-	-	-	-	1	1	2	1	2	4	3	2	13	18	27	33	28	37	40	25	6	-	-	-
	F	384	1	-	-	-	-	-	-	2	1	10	4	5	5	7	23	31	49	73	69	48	44	10	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias	104	2	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	9	10	15	24	22	14	1	-	-
	White—M	46	1	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	4	3	7	11	8	8	-	-	-
	F	58	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	5	7	8	13	14	6	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	39	17	3	-	1	4	1	-	-	-	-	1	-	-	1	2	3	3	-	1	1	1	-	-	-	-
	White—M	23	10	2	-	-	3	1	-	-	-	-	1	-	-	-	1	1	2	-	1	1	-	-	-	-	-
	F	15	7	1	-	1	1	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	18,886	6	2	-	6	2	8	12	20	33	53	65	168	307	499	860	1,340	1,802	2,473	2,838	3,062	2,773	1,723	692	132	10
	White—M	10,799	3	1	-	4	1	4	8	7	19	26	34	114	221	313	583	908	1,171	1,457	1,646	1,679	1,419	832	283	59	7
	F	7,909	3	1	-	2	1	4	4	13	14	26	29	52	73	174	257	408	609	993	1,174	1,367	1,341	883	407	71	3
	Nonwhite—M	105	-	-	-	-	-	-	-	-	-	-	1	1	8	7	10	12	12	15	14	8	10	4	1	2	-
	F	73	-	-	-	-	-	-	-	-	-	1	1	1	5	5	10	12	10	8	4	8	3	4	1	-	-
330-334, 400-468	Diseases of cardiovascular system	18,492	6	2	-	4	-	4	10	14	27	43	59	148	298	479	842	1,310	1,752	2,442	2,786	3,014	2,728	1,698	685	129	10
	White—M	10,578	3	1	-	3	-	1	7	5	15	18	33	103	214	306	575	889	1,141	1,440	1,612	1,658	1,386	823	280	58	7
	F	7,741	3	1	-	1	-	3	3	9	12	24	24	43	71	162	249	398	589	979	1,159	1,340	1,329	867	403	69	3
	Nonwhite—M	101	-	-	-	-	-	-	-	-	-	-	1	1	8	6	8	12	12	15	13	8	10	4	1	2	-
	F	72	-	-	-	-	-	-	-	-	-	1	1	1	5	5	10	11	10	8	4	8	3	4	1	-	-
330-334	Vascular lesions, etc.*	4,183	4	1	-	1	-	1	3	2	5	11	12	31	47	90	161	251	400	550	676	762	632	377	135	31	-
	White—M	2,020	1	-	-	1	-	-	3	2	3	3	5	20	24	35	74	124	197	265	342	377	310	174	46	14	-
	F	2,123	3	1	-	-	-	1	-	-	2	7	7	11	20	53	83	120	197	279	331	382	319	202	88	17	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	4	2	1	1	1	1	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	3	2	1	2	2	-	-	-	-	-
400-402	Rheumatic fever	28	-	-	-	2	-	2	4	1	-	1	2	1	-	2	2	1	3	3	4	-	-	-	-	-	-
	White—M	15	-	-	-	2	-	-	4	-	-	1	-	-	-	1	1	-	3	1	2	-	-	-	-	-	-
	F	12	-	-	-	-	-	2	-	1	-	-	1	1	-	1	1	1	-	2	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
410-443	Diseases of heart	13,015	2	1	-	1	-	1	3	8	18	25	37	103	235	362	653	1,023	1,295	1,778	1,977	2,058	1,821	1,105	436	63	10
	White----M--	7,871	2	1	-	-	-	1	-	3	10	12	25	80	181	257	486	743	911	1,105	1,189	1,178	933	531	186	30	7
	F--	5,019	-	-	-	1	-	-	3	5	8	13	11	21	45	97	155	264	369	656	776	867	878	567	249	31	3
	Nonwhite--M--	77	-	-	-	-	-	-	-	-	-	-	1	1	6	5	6	8	9	11	9	7	9	3	-	2	-
	F--	48	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	8	6	6	3	6	1	4	1	-	-
410-416	Chronic rheumatic heart disease----	486	-	-	-	-	-	1	1	4	11	9	12	31	34	47	57	53	53	54	44	37	22	12	3	1	-
	White----M--	256	-	-	-	-	-	1	-	2	6	3	7	19	22	24	25	32	31	25	24	17	10	6	1	1	-
	F--	223	-	-	-	-	-	-	1	2	5	6	5	11	12	21	31	20	22	28	20	19	12	6	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	8,357	1	-	-	-	-	-	-	1	2	9	17	57	168	237	481	752	964	1,288	1,337	1,301	1,000	548	196	16	2
	White----M--	5,450	1	-	-	-	-	-	-	-	2	5	15	51	147	196	395	583	707	825	842	767	543	263	99	7	2
	F--	2,841	-	-	-	-	-	-	-	1	-	4	1	6	16	39	78	160	248	435	489	527	452	279	97	9	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	-	1	-	4	1	5	4	5	6	4	5	4	3	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	4	2	2	2	1	3	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,356	-	1	-	-	-	-	-	1	1	1	3	4	8	23	38	70	110	210	317	432	532	374	189	35	7
	White----M--	1,227	-	1	-	-	-	-	-	1	-	1	2	2	1	10	21	40	69	118	176	252	267	180	66	15	5
	F--	1,105	-	-	-	-	-	-	-	-	1	-	1	2	6	10	16	29	38	88	138	178	260	194	123	19	2
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	2	2	3	1	5	-	-	1	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-
430-434	Other diseases of heart---------	349	1	-	-	1	-	-	2	2	2	3	2	3	8	12	11	22	32	48	44	55	48	36	15	2	-
	White----M--	211	1	-	-	-	-	-	-	-	1	1	1	1	6	9	7	17	27	35	27	30	24	16	8	1	-
	F--	131	-	-	-	1	-	-	2	2	1	2	2	1	2	3	3	5	5	10	17	23	24	20	7	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,467	-	-	-	-	-	-	-	-	2	3	3	8	17	43	66	126	136	198	235	233	219	135	33	9	1
	White----M--	727	-	-	-	-	-	-	-	-	1	2	1	7	5	18	38	71	77	102	120	112	89	66	12	6	-
	F--	719	-	-	-	-	-	-	-	-	1	1	2	1	9	24	27	50	56	95	112	120	130	68	20	2	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	2	-	-	-	-	1	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	1	1	1	-	1	1	-	-
444-447	Hypertension without mention of heart----------	253	-	-	-	-	-	-	-	1	-	3	3	8	8	14	8	16	21	38	17	37	44	23	9	3	-
	White----M--	114	-	-	-	-	-	-	-	-	-	1	-	-	5	6	4	11	8	18	7	18	21	8	5	2	-
	F--	135	-	-	-	-	-	-	-	1	-	2	3	8	2	8	2	5	12	20	10	19	23	15	4	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	853	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	8	18	48	96	143	215	186	105	30	-
	White----M--	458	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	11	32	58	76	115	106	43	11	-
	F--	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	16	36	67	100	80	62	19	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	160	-	-	-	-	-	-	-	2	4	3	5	4	8	11	15	11	15	25	18	14	16	7	-	2	-
	White----M--	100	-	-	-	-	-	-	-	-	2	1	3	2	4	7	9	7	11	19	14	9	7	4	-	1	-
	F--	59	-	-	-	-	-	-	-	2	2	2	2	2	4	3	6	4	4	6	4	5	9	3	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	394	-	-	-	2	2	4	2	6	6	10	6	20	9	20	18	30	50	31	50	48	45	25	7	3	-
	White----M--	221	-	-	-	1	1	3	1	2	4	8	1	11	7	7	8	19	30	17	34	21	33	9	3	1	-
	F--	168	-	-	-	1	1	1	1	4	2	2	5	9	2	12	8	10	20	14	15	27	12	16	4	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	788	131	21	11	5	2	7	4	6	1	2	13	11	15	30	24	32	44	54	57	85	88	91	37	14	3
	White----M--	454	71	8	6	3	1	3	1	4	1	-	6	5	11	19	20	22	34	37	36	54	36	50	16	8	-
	F--	300	47	11	4	2	1	4	2	1	-	2	5	6	4	10	3	8	9	15	19	30	49	39	20	6	3
	Nonwhite--M--	21	6	1	-	-	-	-	1	1	-	-	2	-	-	1	1	1	1	2	1	-	1	1	1	-	-
	F--	13	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-
480-483	Influenza---------	81	12	1	1	1	-	3	-	-	-	-	1	3	-	2	1	2	4	4	6	13	12	11	4	-	-
	White----M--	37	6	1	1	-	-	-	-	-	-	-	1	2	-	1	-	1	4	2	2	7	3	3	3	-	-
	F--	43	5	-	-	1	-	3	-	-	-	-	-	1	-	1	1	1	-	2	4	6	9	8	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	707	119	20	10	4	2	4	4	6	1	2	12	8	15	28	23	30	40	50	51	72	76	80	33	14	3
	White----M--	417	65	7	5	3	1	3	1	4	1	-	5	3	11	18	20	21	30	35	34	47	35	47	13	8	-
	F--	257	42	11	4	1	1	1	2	1	-	2	5	5	4	9	2	7	9	13	15	24	40	31	19	6	3
	Nonwhite--M--	21	6	1	-	-	-	-	1	1	-	-	2	-	-	1	1	1	1	2	1	-	1	1	1	-	-
	F--	12	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-
500-502	Bronchitis---------	54	20	3	2	-	-	2	-	-	-	-	1	-	-	-	1	1	1	6	4	5	3	4	-	1	-
	White----M--	36	13	1	1	-	-	1	-	-	-	-	1	-	-	-	1	1	1	5	3	4	1	2	-	1	-
	F--	18	7	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	221	1	-	-	-	-	-	-	-	-	2	5	6	12	20	20	26	26	36	17	28	14	8	-	-	-
	White----M--	176	1	-	-	-	-	-	-	-	-	-	3	4	11	19	15	22	24	28	15	24	6	4	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	1	2	2	1	1	4	4	2	8	2	4	8	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	74	-	1	-	1	1	2	1	2	4	2	6	3	5	2	7	6	6	6	6	8	3	2	-	-	-
	White----M--	44	-	1	-	1	-	1	-	2	2	-	4	3	4	1	5	5	3	5	3	3	-	1	-	-	-
	F--	30	-	-	-	-	1	1	1	-	2	2	2	-	1	1	2	1	3	1	3	5	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	185	17	-	1	-	-	1	2	-	-	1	4	1	4	6	6	16	24	21	30	20	20	7	4	-	-
	White----M--	98	12	-	1	-	-	-	1	-	-	-	2	-	1	3	3	10	11	8	16	12	12	3	3	-	-
	F--	86	4	-	-	-	-	1	1	-	-	1	2	1	3	3	3	6	13	13	14	8	8	4	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
543, 571, 572	Gastritis, etc.*--	127	46	8	-	-	1	-	-	1	2	1	2	5	1	7	4	4	8	10	9	6	7	3	2	-	-
	White-----M--	68	21	6	-	-	-	-	-	-	1	1	1	5	-	6	3	2	6	5	3	4	3	-	1	-	-
	F--	49	16	2	-	-	1	-	-	1	1	-	1	-	1	-	1	2	2	5	6	2	4	3	1	-	-
	Nonwhite--M--	7	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	268	-	-	-	1	-	-	-	-	-	-	3	9	26	30	36	40	44	33	22	12	9	2	1	-	-
	White-----M--	181	-	-	-	1	-	-	-	-	-	-	1	4	13	24	25	26	26	30	16	8	6	-	1	-	-
	F--	82	-	-	-	-	-	-	-	-	-	-	2	5	13	6	8	12	18	3	6	4	3	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	42	3	-	-	-	2	-	-	2	-	1	2	5	4	2	2	4	4	4	2	2	2	-	1	-	-
	White-----M--	22	1	-	-	-	-	-	-	-	-	-	2	3	3	-	1	3	2	2	2	1	1	-	1	-	-
	F--	17	2	-	-	-	2	-	-	1	-	1	-	1	1	2	1	1	2	1	-	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	12	42	33	47	26	8	3	-
	White-----M--	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	12	42	33	47	26	7	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
640-689	Complications of pregnancy, etc.*-	44	...	...	...	...	...	...	-	1	13	8	12	7	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	42	...	...	...	...	...	...	-	1	13	7	11	7	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	6	...	...	...	...	...	...	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	...	...	...	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	38	...	...	...	...	...	...	-	1	11	8	10	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	36	...	...	...	...	...	...	-	1	11	7	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	477	388	27	5	3	-	5	8	3	5	3	4	6	3	5	4	2	1	2	2	-	-	1	-	-	-
	White-----M--	294	245	13	3	3	-	3	4	2	2	2	2	3	1	2	3	1	1	1	2	-	-	1	-	-	-
	F--	175	138	13	2	-	-	1	3	1	3	1	2	3	2	3	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,383	1,382	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	780	780	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	546	545	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	571	571	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	347	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	774	773	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	412	412	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	332	331	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	235	14	-	1	1	-	-	-	2	-	1	1	2	3	6	3	8	6	10	9	27	39	51	35	16	-
	White-----M--	120	10	-	1	-	-	-	-	1	-	-	-	2	3	3	2	6	5	7	6	15	15	22	17	5	-
	F--	108	3	-	-	1	-	-	-	1	-	1	1	-	-	1	1	2	1	3	2	11	23	29	17	11	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Residual	All other diseases	1,414	70	12	8	8	5	19	14	16	24	29	28	45	62	87	76	110	143	170	156	135	110	63	18	6	-
	White-----M--	763	40	8	4	5	1	10	12	9	10	11	16	23	32	54	43	63	95	94	86	61	57	22	3	4	-
	F--	626	27	3	4	3	3	8	2	6	13	16	12	20	28	33	30	44	48	74	69	73	52	41	15	2	-
	Nonwhite--M--	19	3	-	-	-	1	1	-	-	1	1	-	1	1	-	3	3	-	2	-	1	1	-	-	-	-
	F--	6	-	1	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
E800-E962	Accidents----------	2,004	63	28	26	27	16	53	57	135	134	92	97	78	104	83	94	118	120	112	124	145	127	103	55	12	1
	White-----M--	1,373	27	13	14	15	13	40	46	95	116	75	82	62	83	70	74	85	94	85	77	77	65	40	20	4	1
	F--	588	31	13	11	11	3	12	9	33	14	12	12	15	18	12	18	30	26	27	46	68	61	63	35	8	-
	Nonwhite--M--	33	5	1	-	1	-	-	1	5	4	4	3	-	3	-	2	3	-	-	1	-	-	-	-	-	-
	F--	10	-	1	1	-	-	1	1	2	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
E810-E835	Motor-vehicle accidents---------	803	4	9	9	9	6	22	20	86	102	44	57	40	52	49	42	60	56	43	40	35	10	8	-	-	-
	White-----M--	591	1	5	4	6	5	16	14	56	86	34	46	33	38	39	27	38	43	33	26	26	9	6	-	-	-
	F--	193	3	4	5	2	1	6	5	24	13	8	8	7	14	9	14	22	13	10	13	9	1	2	-	-	-
	Nonwhite--M--	15	-	-	-	1	-	-	1	4	3	1	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,201	59	19	17	18	10	31	37	49	32	48	40	38	52	34	52	58	64	69	84	110	117	95	55	12	1
	White-----M--	782	26	8	10	9	8	24	32	39	30	41	36	29	45	31	47	47	51	52	51	51	56	34	20	4	1
	F--	395	28	9	6	9	2	6	4	9	1	4	4	8	4	3	4	8	13	17	33	59	60	61	35	8	-
	Nonwhite--M--	18	5	1	-	-	-	-	-	1	1	3	-	-	3	-	1	3	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
E963, E970-E979	Suicide----------	360	-	-	-	-	-	-	-	6	10	12	16	28	29	47	36	46	41	35	23	15	10	3	2	1	-
	White-----M--	282	-	-	-	-	-	-	-	3	9	10	11	19	26	30	33	33	34	27	19	13	9	3	2	1	-
	F--	73	-	-	-	-	-	-	-	3	1	2	4	7	3	15	3	13	7	8	4	2	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	40	1	-	-	-	-	-	1	1	1	7	3	5	5	6	2	2	3	3	-	-	-	-	-	-	-
	White-----M--	21	1	-	-	-	-	-	-	-	1	2	-	3	1	5	1	2	2	3	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	-	1	2	3	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING																										
	ALL CAUSES	2,346	233	15	12	11	4	32	21	40	43	48	46	55	70	96	121	159	229	275	274	213	185	108	41	12	3
	White--M	1,453	129	6	4	4	2	19	16	22	29	31	28	34	43	66	77	111	155	195	173	119	103	57	21	6	3
	F	811	82	7	5	6	1	10	5	16	10	15	16	17	24	29	39	47	68	77	94	91	77	50	20	5	-
	Nonwhite--M	48	11	1	2	1	1	2	-	1	-	-	2	2	3	1	2	1	5	2	5	-	4	1	-	1	-
	F	34	11	1	1	-	-	1	-	1	4	2	-	2	-	-	3	-	1	1	2	3	1	-	-	-	-
001-019	Tuberculosis all forms	27	1	-	2	-	-	1	-	2	1	-	-	2	-	1	2	5	5	2	2	-	-	1	-	-	-
	White--M	18	1	-	-	-	-	-	-	1	-	-	-	2	-	1	-	5	3	2	2	-	-	1	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	20	-	-	-	-	-	-	-	2	1	-	-	2	-	1	-	5	5	1	2	-	-	1	-	-	-
	White--M	16	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	5	3	1	2	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	7	1	-	2	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	White--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	3	1	-	-	1	-	-
	White--M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	1	1	-	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	34	2	-	1	1	1	11	5	4	3	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--M	28	2	-	1	1	1	9	4	3	2	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56. [1]For category numbers, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
140-205	Malignant neoplasms, etc.*----	315	-	1	-	1	-	1	1	2	3	1	3	5	12	16	30	36	45	51	51	29	16	7	3	1	-
	White-----M--	177	-	1	-	1	-	-	1	1	3	-	-	3	2	5	18	17	26	36	27	17	13	4	1	1	-
	F--	131	-	-	-	-	-	1	-	-	-	1	3	1	10	11	11	18	19	14	23	11	3	3	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	129	-	-	-	-	-	-	-	-	-	-	1	1	5	3	8	12	20	25	24	16	10	3	1	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	4	14	20	12	8	7	1	1	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	7	6	4	11	8	3	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	21	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	4	3	3	1	-	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	2	3	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	26	-	-	-	-	-	-	-	-	-	-	-	-	3	4	6	3	4	-	3	2	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	3	4	6	3	3	-	3	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
171-179	Of genital organs-	61	-	1	-	-	-	-	-	-	-	1	1	2	2	3	1	7	12	6	12	5	6	1	-	1	-
	White-----M--	27	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	5	5	6	1	-	1	-
	F--	33	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	4	9	5	7	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	5	1	-	-	2	1	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	1	-	-	2	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	33	-	-	-	-	-	-	-	1	1	-	1	-	-	3	7	4	3	9	-	3	-	-	1	-	-
	White-----M--	19	-	-	-	-	-	-	-	1	1	-	-	-	-	-	5	3	2	6	-	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	1	3	-	2	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	13	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	-	2	5	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	12	-	-	-	1	-	1	1	-	2	-	-	-	2	-	1	-	1	1	-	1	1	-	-	-	-
	White-----M--	11	-	-	-	1	-	-	1	-	2	-	-	-	2	-	1	-	1	1	-	1	1	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	6	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	48	-	-	-	-	-	-	-	-	1	2	1	-	-	2	2	2	6	11	9	5	2	4	1	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	4	3	-	-	1	-	-	-
	F--	34	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	5	7	6	5	2	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	1,051	1	-	2	1	-	3	1	2	3	5	6	12	21	37	52	77	118	154	159	150	138	75	24	8	2
	White-----M--	644	-	-	-	-	-	1	-	-	-	4	3	5	14	25	30	58	84	106	103	81	72	38	14	4	2
	F--	386	1	-	1	1	-	2	1	2	2	-	2	7	5	11	20	19	32	47	53	68	62	36	10	4	-
	Nonwhite--M--	15	-	-	1	-	-	-	-	-	-	-	1	-	2	1	1	-	1	1	2	-	4	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	1,023	1	-	1	-	-	3	1	2	2	4	5	11	19	36	51	74	113	150	158	148	138	74	23	7	2
	White-----M--	631	-	-	-	-	-	1	-	-	-	3	2	5	13	24	30	57	80	103	103	80	72	38	14	4	2
	F--	372	1	-	1	-	-	2	1	2	1	-	2	6	4	11	19	17	31	46	52	67	62	35	9	3	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	1	2	-	4	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	241	-	-	-	-	-	-	-	-	-	1	-	3	3	4	15	12	22	39	41	43	32	20	6	-	-
	White-----M--	117	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	6	14	21	23	18	18	7	2	-	-
	F--	120	-	-	-	-	-	-	-	-	-	-	-	3	1	2	11	6	8	17	17	25	14	12	4	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever---	9	1	-	1	-	-	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	7	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 57. Deaths From 64 Selected Causes, by Age, Race,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING--Con.																										
410-443	Diseases of heart	706	-	-	-	-	-	-	-	1	2	3	4	8	16	30	33	58	85	105	112	94	95	41	12	6	1
	White-----M--	473	-	-	-	-	-	-	-	-	-	2	2	5	11	22	26	48	63	79	77	57	46	24	7	3	1
	F--	217	-	-	-	-	-	-	-	1	1	-	1	3	3	7	6	10	20	26	33	36	45	17	5	3	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	1	-	4	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	30	-	-	-	-	-	-	-	1	1	1	2	5	3	2	1	3	-	1	4	3	2	1	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	3	-	-	2	2	2	1	-	-	-
	F--	12	-	-	-	-	-	-	-	1	1	-	-	3	1	2	-	-	-	1	2	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	427	-	-	-	-	-	-	-	-	-	1	1	3	8	25	23	45	58	74	71	49	48	15	4	1	1
	White-----M--	320	-	-	-	-	-	-	-	-	-	1	1	3	7	21	20	39	49	61	52	32	22	7	3	1	1
	F--	102	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	9	13	19	17	23	8	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	3	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	144	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	5	15	15	22	24	31	20	5	3	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	8	10	14	14	16	12	3	1	-
	F--	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	5	7	9	15	8	2	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
430-434	Other diseases of heart---------	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	4	4	5	1	-	1	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	3	3	2	1	-	1	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	80	-	-	-	-	-	-	-	-	1	-	1	-	2	2	7	3	10	12	11	14	9	4	3	1	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	5	6	6	4	3	1	-	-
	F--	42	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	1	6	7	4	8	4	1	2	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	2	1	4	1	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	4	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	9	8	8	4	1	1
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	3	4	1	1
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	6	3	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	-	3	-	-	2	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	28	-	-	1	1	-	-	-	-	1	1	1	1	2	1	1	3	5	4	1	2	-	1	1	1	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	4	3	-	1	-	-	-	-	-
	F--	14	-	-	-	1	-	-	-	-	1	-	-	1	1	-	1	2	1	1	1	1	-	1	1	1	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	71	17	4	1	-	-	2	-	-	1	1	2	3	1	3	1	3	1	10	8	3	3	4	2	-	1
	White-----M--	43	8	2	-	-	-	-	-	-	1	1	1	2	1	3	1	2	1	9	4	2	2	2	1	-	1
	F--	17	3	2	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	2	1	1	2	1	-	-
	Nonwhite--M--	6	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
480-483	Influenza---------	6	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	65	16	4	-	-	-	1	-	-	1	1	2	3	-	3	1	3	1	8	8	3	3	4	2	-	1
	White-----M--	40	8	2	-	-	-	-	-	-	-	1	1	2	-	3	1	2	1	7	4	2	2	2	1	-	1
	F--	16	3	2	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	2	1	1	2	1	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
500-502	Bronchitis--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	20	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	3	4	2	5	-	-	-	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	3	1	5	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	18	2	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	2	4	1	1	2	-	1	-	-
	White-----M--	10	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	1	-	-	-	-
	F--	8	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

and Sex: United States and Each State, 1951—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
543, 571, 572	Gastritis, etc.*--	6	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	14	-	-	-	-	-	-	-	1	-	-	-	3	3	1	1	1	1	-	2	-	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	2	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	5	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	1	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	6	...	...	...	...	...	...	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	6	...	...	...	...	...	...	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	35	29	2	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	19	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	9	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	43	8	1	-	-	1	1	-	-	1	-	-	-	-	3	2	2	6	4	-	4	2	6	1	1	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	-	3	1	3	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	3	-	1	-
	Nonwhite--M--	8	5	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	3	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
Residual	All other diseases	117	3	1	1	-	-	3	3	1	2	5	6	4	2	6	5	9	10	15	18	10	5	5	3	-	-
	White-----M--	72	1	-	-	-	-	3	3	1	2	-	4	2	1	4	1	6	6	12	12	6	4	3	1	-	-
	F--	41	2	-	1	-	-	-	-	-	-	5	2	1	1	2	4	3	4	2	5	4	1	2	2	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-E962	Accidents----------	268	9	4	3	5	2	7	9	23	23	22	19	15	17	17	16	14	15	10	9	8	10	5	4	2	-
	White-----M--	205	6	1	2	1	1	5	7	13	20	17	16	11	16	15	14	12	14	9	7	6	5	4	2	1	-
	F--	61	2	3	1	4	1	2	2	10	3	5	3	4	1	2	2	2	1	1	2	2	5	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents---------	129	-	-	-	1	-	3	4	18	13	15	9	7	12	8	5	9	8	6	6	1	2	-	1	1	-
	White-----M--	95	-	-	-	-	-	1	3	10	10	10	7	4	11	7	4	7	7	6	4	1	2	-	1	-	-
	F--	33	-	-	-	1	-	2	1	8	3	5	2	3	1	1	1	2	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	139	9	4	3	4	2	4	5	5	10	7	10	8	5	9	11	5	7	4	3	7	8	5	3	1	-
	White-----M--	110	6	1	2	1	1	4	4	3	10	7	9	7	5	8	10	5	7	3	3	5	3	4	1	1	-
	F--	28	2	3	1	3	1	-	1	2	-	-	1	1	-	1	1	-	-	1	-	2	5	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	46	-	-	-	-	-	-	1	1	-	5	3	5	8	7	4	2	4	2	3	1	-	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	1	-	-	5	2	3	6	7	4	2	2	2	2	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	9	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	2	1	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 56.

Table 58. Deaths From 33 Selected Causes:

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
1	UNITED STATES--------	1,482,099	30,863	6,274	83	1,040	302	951	1,124	1,551	683	4,527	215,525	25,047	786,799	764,281	163,550
2	Alabama----------	27,224	787	130	3	33	26	45	31	40	21	135	2,777	331	12,846	12,196	3,321
3	Arizona----------	7,684	501	46	1	21	3	27	6	20	18	40	820	66	2,652	2,574	463
4	Arkansas----------	15,699	552	86	1	33	16	29	8	22	15	101	1,874	183	7,793	7,308	1,824
5	California----------	103,808	2,177	418	3	25	14	15	74	156	37	277	15,535	1,094	56,028	55,067	11,253
6	Colorado----------	13,123	267	37	2	12	2	15	13	50	5	48	1,809	154	6,349	6,163	1,222
7	Connecticut----------	19,622	280	50	-	-	2	-	12	11	1	42	3,347	384	11,262	11,043	2,139
8	Delaware----------	3,520	64	15	-	2	-	1	3	-	2	11	498	70	1,972	1,900	336
9	District of Columbia--------	8,964	235	56	1	-	1	2	11	4	-	28	1,490	113	4,579	4,483	786
10	Florida----------	29,305	511	160	2	24	4	28	25	15	5	137	3,736	390	14,976	14,480	3,481
11	Georgia----------	31,041	675	157	2	43	12	86	38	26	23	162	3,328	439	15,260	14,498	4,413
12	Idaho----------	4,872	44	10	1	2	-	2	1	8	4	15	565	87	2,520	2,433	554
13	Illinois----------	92,020	1,755	319	3	17	-	13	57	94	31	175	14,562	1,592	52,424	50,741	9,565
14	Indiana----------	40,945	578	195	1	13	3	15	32	50	10	143	5,712	697	22,710	22,081	5,049
15	Iowa----------	26,407	180	75	-	7	1	3	11	17	4	67	4,101	460	14,680	14,335	3,640
16	Kansas----------	19,390	183	87	1	6	1	7	4	53	16	59	2,884	297	10,495	10,068	2,466
17	Kentucky----------	27,265	1,009	94	3	46	17	44	70	21	43	103	3,278	372	13,545	13,066	3,039
18	Louisiana----------	24,846	643	223	4	13	15	40	20	33	13	127	3,229	398	12,145	11,703	2,515
19	Maine----------	9,984	134	25	-	1	1	7	6	2	7	30	1,512	173	5,570	5,378	1,204
20	Maryland----------	21,654	746	125	-	5	4	2	12	5	4	53	3,149	435	11,693	11,354	1,829
21	Massachusetts----------	53,627	922	158	2	10	9	3	14	11	6	101	8,948	1,143	30,620	30,040	5,782
22	Michigan----------	58,983	1,166	283	1	19	5	21	46	62	12	160	9,162	1,388	30,486	29,678	6,598
23	Minnesota----------	28,206	262	86	-	4	9	4	19	41	6	73	4,663	494	15,160	14,675	3,804
24	Mississippi----------	20,941	462	111	2	66	6	72	21	37	15	89	2,082	268	9,044	8,504	2,347
25	Missouri----------	44,316	848	250	3	24	10	19	30	50	30	136	6,503	710	24,094	23,191	5,302
26	Montana----------	5,854	71	23	1	-	-	1	5	5	9	25	759	81	2,923	2,849	593
27	Nebraska----------	12,775	105	32	-	2	3	5	13	15	4	36	2,000	245	6,814	6,641	1,621
28	Nevada----------	1,827	53	14	-	2	-	2	2	3	3	9	192	21	754	733	146
29	New Hampshire----------	6,326	58	18	-	-	-	1	7	1	2	15	981	122	3,725	3,640	703
30	New Jersey----------	49,421	985	139	1	4	1	3	21	39	8	105	8,319	1,069	28,286	27,632	4,963
31	New Mexico----------	5,767	215	27	-	28	4	27	4	11	16	29	526	55	1,620	1,548	296
32	New York----------	158,483	3,531	546	3	5	1	10	56	61	23	304	27,670	2,911	89,531	88,028	14,007
33	North Carolina----------	31,407	683	117	-	23	19	52	43	10	6	142	3,266	387	16,060	15,432	4,125
34	North Dakota----------	5,016	58	7	-	-	-	3	2	7	7	18	664	113	2,584	2,523	689
35	Ohio----------	81,689	1,459	426	3	10	6	18	94	55	39	194	12,269	1,923	44,329	43,288	9,535
36	Oklahoma----------	19,650	420	85	2	16	7	19	17	36	25	85	2,735	292	9,705	9,336	2,462
37	Oregon----------	14,620	196	58	2	2	11	1	12	12	7	39	2,105	180	7,786	7,649	1,617
38	Pennsylvania----------	110,983	2,352	428	8	6	15	26	61	43	26	277	16,690	2,357	62,027	60,110	11,456
39	Rhode Island----------	8,200	136	28	-	2	-	-	5	2	2	21	1,286	244	4,728	4,616	840
40	South Carolina----------	17,752	357	84	5	12	11	37	19	6	2	85	1,712	256	8,899	8,474	2,341
41	South Dakota----------	5,807	94	12	-	-	-	3	-	9	4	16	812	94	3,056	2,976	700
42	Tennessee----------	30,543	1,083	135	4	29	10	38	27	35	18	143	3,895	309	14,363	13,750	3,855
43	Texas----------	67,283	1,912	394	12	430	31	110	52	183	102	336	8,402	890	29,675	28,491	6,671
44	Utah----------	5,203	58	21	-	-	1	3	7	43	2	21	636	87	2,362	2,313	431
45	Vermont----------	4,298	73	9	-	2	-	1	7	1	2	6	569	62	2,518	2,482	538
46	Virginia----------	29,404	816	194	1	21	9	48	39	11	22	86	3,355	339	15,292	14,742	3,681
47	Washington----------	23,378	355	96	1	7	4	6	20	17	13	59	3,333	389	12,678	12,413	2,967
48	West Virginia----------	17,024	428	90	2	9	5	29	22	14	5	70	2,177	207	8,251	7,970	1,953
49	Wisconsin----------	33,562	357	89	1	4	2	2	24	74	6	88	5,324	630	18,874	18,477	4,187
50	Wyoming----------	2,381	27	16	1	-	1	6	1	30	2	6	284	46	1,056	1,029	241

United States and Each State, 1951

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,648	545,675	13,256	31,884	8,268	22,518	48,169	8,487	8,036	15,075	3,264	2,812	18,865	63,096	22,647	36,996	58,875	15,909	7,495	97,604	1
47	8,086	323	318	101	650	1,348	102	208	149	92	150	326	1,692	1,506	869	1,167	180	355	1,875	2
12	1,890	55	105	49	78	359	34	239	66	15	22	132	491	329	430	402	112	50	782	3
17	4,972	192	247	56	485	709	61	122	94	73	54	185	619	583	421	741	113	138	1,073	4
103	39,113	700	3,079	819	961	3,176	840	404	1,949	150	127	1,212	4,059	497	3,482	3,453	1,788	405	6,413	5
19	4,450	82	275	115	186	647	111	112	149	18	31	206	745	51	372	678	191	35	1,014	6
22	8,200	151	381	150	219	441	137	46	284	34	12	225	579	55	271	623	267	39	1,218	7
2	1,436	25	81	20	72	103	24	13	21	7	5	35	144	29	85	166	27	18	205	8
6	3,376	94	137	84	96	216	51	36	139	25	11	124	505	13	101	394	108	91	632	9
20	10,015	292	492	180	496	1,023	156	186	287	109	84	330	1,386	771	895	1,275	359	316	2,115	10
60	8,919	488	472	146	762	1,443	156	273	196	163	140	405	1,773	825	998	1,426	290	469	2,233	11
9	1,722	43	82	23	87	115	30	23	24	9	5	80	262	103	228	318	72	18	326	12
71	38,227	788	1,663	427	1,683	2,698	562	291	972	177	104	1,020	3,132	445	1,906	3,085	891	369	5,326	13
49	15,204	395	1,210	174	629	1,194	204	200	339	90	60	504	1,675	229	1,305	1,705	470	152	2,659	14
26	9,534	229	741	165	345	658	126	93	165	42	37	366	1,074	209	610	1,121	343	43	1,914	15
17	6,706	212	548	119	427	450	103	73	131	58	30	246	683	339	632	869	247	55	1,381	16
26	8,957	283	634	127	479	1,190	136	184	202	70	67	396	1,390	477	797	1,308	293	238	1,872	17
31	8,472	240	330	115	442	1,025	89	166	209	90	87	341	1,585	474	649	1,166	153	244	1,665	18
12	3,716	107	283	56	192	363	47	36	71	32	18	132	357	100	164	356	136	18	686	19
21	8,785	207	410	102	339	535	88	87	269	57	24	292	895	69	508	861	243	144	1,349	20
50	21,972	411	1,466	359	580	1,430	426	185	675	92	34	567	1,424	235	548	2,091	447	45	3,481	21
61	20,892	468	1,311	348	808	1,869	333	232	613	130	94	895	2,772	497	1,703	2,116	626	241	4,051	22
19	9,855	303	721	173	285	735	179	103	204	40	25	509	1,177	209	642	1,179	287	39	2,057	23
27	5,586	224	252	68	540	884	68	176	99	129	142	219	1,242	2,611	549	879	130	268	1,270	24
44	16,207	443	941	254	903	1,653	264	191	420	104	66	530	1,467	591	1,022	1,707	417	197	2,980	25
3	2,038	39	134	42	74	169	39	18	59	12	8	83	257	210	189	372	80	15	440	26
14	4,520	88	323	75	173	417	70	43	92	39	25	165	507	122	352	534	151	12	982	27
3	532	8	27	17	21	60	11	10	33	1	5	25	85	64	141	138	62	19	118	28
3	2,638	39	223	34	85	185	32	29	52	8	6	65	174	44	89	220	92	4	396	29
56	20,970	398	1,002	243	654	1,221	324	166	608	73	66	241	1,593	119	797	1,637	510	132	2,704	30
15	1,116	30	67	24	72	308	25	208	39	17	31	114	570	601	392	351	70	40	439	31
154	68,999	1,174	2,982	712	1,503	4,446	1,117	506	2,122	168	167	1,689	4,910	976	2,083	5,119	1,425	378	8,725	32
55	10,309	321	474	148	628	1,244	116	280	206	87	125	521	1,974	774	1,204	1,329	293	333	2,113	33
4	1,628	52	121	29	61	165	27	13	29	10	6	89	276	107	152	230	60	3	386	34
75	30,288	795	2,167	428	1,041	2,205	420	306	886	146	104	1,111	3,137	691	1,900	3,097	949	308	5,604	35
20	6,121	210	400	123	369	671	90	86	136	68	50	267	893	556	563	990	175	107	1,554	36
14	5,355	96	455	112	137	475	82	51	128	25	4	186	532	232	462	784	239	29	980	37
148	44,171	1,014	2,709	612	1,917	3,426	599	373	1,112	240	153	1,315	3,823	902	1,716	3,971	1,073	292	7,672	38
11	3,442	61	224	38	112	141	65	38	117	16	7	119	284	33	69	267	73	6	511	39
31	5,465	192	350	95	425	749	75	178	88	44	85	214	1,168	694	702	794	126	223	1,127	40
8	2,003	56	169	40	80	190	16	22	30	9	17	93	273	119	168	264	67	6	433	41
41	9,015	333	316	190	613	1,266	134	190	207	76	96	433	1,642	1,737	857	1,183	239	299	2,095	42
69	19,783	604	972	392	1,184	2,778	295	1,295	513	214	204	987	4,329	1,818	2,668	3,224	653	791	4,995	43
25	1,698	26	88	45	49	147	39	18	39	15	11	114	334	242	220	309	56	8	410	44
3	1,697	47	157	20	56	166	26	14	30	4	4	41	150	38	85	162	44	2	282	45
31	9,938	299	585	208	550	1,119	114	199	211	68	86	401	1,745	358	1,047	1,242	316	294	1,971	46
26	8,540	182	547	151	265	734	129	58	199	31	21	281	885	312	576	1,205	364	58	1,547	47
33	5,402	173	320	89	281	755	79	122	127	46	53	293	902	383	395	1,023	201	101	1,235	48
27	13,000	250	857	156	397	798	219	127	269	38	43	467	1,376	226	810	1,176	359	39	2,140	49
8	715	14	36	15	27	70	17	7	16	3	6	34	149	42	172	168	44	9	168	50

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
01	UNITED STATES	1,482,099	30,863	6,274	83	1,040	302	951	1,124	1,551	683	4,527	215,525	25,047	786,799	764,281	163,550
02	Metropolitan counties	855,302	19,472	3,892	34	231	124	190	591	822	214	2,200	134,413	15,188	461,181	450,114	87,132
03	Nonmetropolitan counties	626,797	11,391	2,382	49	809	178	761	533	729	469	2,327	81,112	9,859	325,618	314,167	76,418
04	ALABAMA	27,416	814	127	3	29	23	46	30	37	20	139	2,853	333	12,861	12,211	3,342
05	Metropolitan counties	9,814	369	60	-	8	11	7	12	14	8	52	1,094	114	4,822	4,624	1,174
06	Nonmetropolitan counties	17,602	445	67	3	21	12	39	18	23	12	87	1,759	219	8,039	7,587	2,168
07	Autauga	177	7	-	-	-	-	-	-	-	-	-	15	1	73	71	19
08	Baldwin	370	5	1	-	-	-	-	-	1	-	1	50	6	158	149	39
09	Barbour	297	3	2	-	1	-	1	-	-	-	1	26	2	131	129	33
10	Bibb	170	-	-	-	-	-	-	-	-	-	-	18	2	92	88	24
11	Blount	189	7	-	-	-	-	-	-	2	-	1	27	2	95	92	29
12	Bullock	195	3	1	-	-	-	2	1	-	-	1	14	1	89	79	21
13	Butler	341	7	1	1	-	-	2	-	-	-	2	26	3	159	154	35
14	Calhoun	670	12	3	-	-	-	1	1	-	-	2	77	15	299	274	72
15	Chambers	347	4	-	-	-	-	1	-	-	-	1	36	2	178	170	45
16	Cherokee	100	5	-	-	-	-	-	-	-	-	-	8	3	36	35	7
17	Chilton	239	2	-	-	-	-	1	-	2	-	2	29	5	105	98	28
18	Choctaw	179	8	-	-	-	-	-	-	-	1	-	12	2	99	95	28
19	Clarke	283	7	2	-	-	-	-	-	-	-	1	30	6	118	115	24
20	Clay	122	3	-	-	-	-	3	-	-	-	-	17	1	59	57	21
21	Cleburne	84	1	-	-	-	1	1	-	-	-	-	10	2	43	42	6
22	Coffee	235	4	-	-	1	-	-	-	-	2	1	23	2	114	109	49
23	Colbert	332	7	1	-	-	-	-	1	-	-	2	35	2	162	151	41
24	Conecuh	173	3	1	-	1	3	3	1	-	1	-	12	2	82	77	29
25	Coosa	132	3	-	-	-	-	-	-	-	-	-	14	1	75	72	6
26	Covington	332	-	1	-	-	-	-	-	-	1	3	41	3	154	148	35
27	Crenshaw	172	5	-	-	-	2	2	-	-	-	-	15	-	79	74	22
28	Cullman	292	7	-	-	-	-	-	-	-	-	3	30	3	143	133	36
29	Dale	201	1	-	-	-	-	-	1	-	-	-	18	2	94	84	19
30	Dallas	738	15	9	-	-	2	3	-	1	-	5	57	6	301	268	96
31	De Kalb	297	12	1	-	-	-	-	1	1	-	1	33	3	144	136	35
32	Elmore	327	4	2	-	-	-	-	-	-	-	-	38	5	141	134	39
33	Escambia	291	4	2	-	-	-	1	-	-	-	2	32	5	148	142	27
34	Etowah	706	26	1	-	1	-	-	1	-	-	2	72	12	336	327	69
35	Fayette	170	2	1	-	-	-	-	-	-	-	-	17	-	87	85	22
36	Franklin	219	10	-	-	-	-	-	-	1	-	2	21	4	96	90	32
37	Geneva	228	6	-	-	-	-	1	1	1	1	1	22	-	124	122	32
38	Greene	202	7	-	2	-	-	-	-	1	-	1	13	1	90	89	27
39	Hale	269	4	-	-	-	-	2	-	-	-	2	25	7	152	144	36
40	Henry	161	3	-	-	-	-	1	-	-	-	-	19	-	71	69	18
41	Houston	421	8	2	-	-	-	1	1	1	-	1	45	8	206	201	62
42	Jackson	329	12	1	-	-	-	-	-	-	-	3	34	4	128	125	35
43	Jefferson	5,301	236	36	-	4	-	3	7	8	2	22	626	59	2,560	2,465	600
44	Lamar	140	4	-	-	1	-	-	-	-	-	2	17	5	72	68	15
45	Lauderdale	412	23	2	-	-	2	-	-	-	1	1	35	5	195	186	55
46	Lawrence	192	5	1	-	-	-	-	-	-	-	1	21	4	78	74	23
47	Lee	371	4	2	-	3	-	1	1	1	-	2	36	6	159	146	38
48	Limestone	319	14	2	-	-	-	-	-	-	-	3	30	1	143	137	26
49	Lowndes	187	3	-	-	-	1	1	-	-	-	1	8	-	85	83	31
50	Macon	256	4	2	-	1	-	-	-	-	-	-	26	2	125	112	41
51	Madison	675	24	3	-	1	-	-	3	1	2	4	62	14	306	299	78
52	Marengo	384	8	1	-	1	-	-	-	-	-	4	36	7	170	158	74
53	Marion	152	5	-	-	-	-	-	-	2	-	-	11	-	79	76	14
54	Marshall	346	13	-	-	-	-	-	2	1	-	2	37	1	157	145	30
55	Mobile	1,945	61	15	-	3	7	-	-	2	5	14	218	19	982	924	229
56	Monroe	209	6	-	-	-	-	-	-	-	-	1	14	3	98	88	38
57	Montgomery	1,446	32	7	-	-	4	4	2	4	1	13	141	20	748	723	205
58	Morgan	492	15	2	-	-	-	1	-	-	-	-	60	7	194	183	56
59	Perry	164	-	2	-	1	-	-	-	-	-	-	13	3	74	69	26
60	Pickens	217	5	2	-	-	-	-	-	-	-	2	20	4	100	94	32
61	Pike	286	7	-	-	2	-	3	-	-	-	3	23	2	139	135	48
62	Randolph	187	3	-	-	-	-	2	-	-	-	1	15	1	103	98	20
63	Russell	416	14	1	-	-	-	-	2	-	-	1	37	4	196	185	71
64	St. Clair	203	4	-	-	-	-	-	-	1	-	1	27	2	78	68	16
65	Shelby	255	12	1	-	-	-	-	-	-	-	-	32	5	110	105	35
66	Sumter	270	3	2	-	2	-	1	-	2	-	3	24	1	95	83	21
67	Talladega	526	27	4	-	1	-	1	1	-	-	2	57	8	236	223	66
68	Tallapoosa	296	2	1	-	-	-	-	-	-	-	2	39	5	151	139	36
69	Tuscaloosa	716	24	3	-	-	-	1	2	2	1	6	64	6	361	342	82
70	Walker	513	23	4	-	1	-	1	1	2	-	1	61	5	192	183	54
71	Washington	126	1	-	-	-	-	1	-	-	1	3	10	1	54	53	16
72	Wilcox	289	10	2	2	-	1	-	-	-	1	3	27	6	104	85	25
73	Winston	135	5	-	-	2	-	-	-	-	-	-	15	4	56	54	23
74	ARIZONA	7,098	440	45	1	20	4	27	6	19	19	40	794	63	2,456	2,387	440
75	Metropolitan counties	3,082	189	16	-	4	1	2	-	5	7	15	390	29	1,158	1,130	194
76	Nonmetropolitan counties	4,016	251	29	1	16	3	25	6	14	12	25	404	34	1,298	1,257	246
77	Apache	236	30	-	-	1	2	5	-	-	1	1	11	2	28	26	3
78	Cochise	327	13	2	1	-	-	-	-	-	1	2	34	3	166	161	32
79	Coconino	232	19	3	-	-	-	1	2	-	1	5	17	-	53	51	10
80	Gila	232	10	-	-	2	-	-	-	-	-	3	24	3	81	75	17
81	Graham	101	5	1	-	-	-	-	-	1	-	-	8	1	37	34	11
82	Greenlee	78	2	-	-	1	-	-	-	-	-	1	7	1	24	24	1
83	Maricopa	3,082	189	16	-	4	1	2	-	5	7	15	390	29	1,158	1,130	194

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,648	545,675	13,256	31,884	8,268	22,518	48,169	8,487	8,036	15,075	3,264	2,812	18,865	63,096	22,647	36,996	58,875	15,909	7,495	97,604	1
924	331,881	7,381	17,667	5,129	11,087	25,487	5,532	3,580	11,081	1,541	1,155	10,719	34,642	7,626	17,403	30,331	9,196	4,252	54,205	2
724	213,794	5,875	14,217	3,139	11,451	22,682	2,955	4,456	3,994	1,723	1,657	8,146	28,454	15,021	19,593	28,544	6,713	3,243	43,399	3
48	8,071	321	326	103	650	1,349	106	208	152	92	153	332	1,712	1,513	872	1,182	183	354	1,893	4
18	3,123	131	129	49	198	391	39	47	63	34	45	111	641	348	252	379	64	166	663	5
30	4,948	190	197	54	452	958	67	161	89	58	108	221	1,071	1,165	620	803	119	188	1,230	6
1	46	2	3	-	2	17	-	-	2	1	3	-	7	19	7	7	2	-	16	7
-	99	2	9	-	9	22	-	2	-	2	1	5	33	26	20	16	1	3	17	8
-	88	2	6	-	2	29	-	2	3	-	1	1	21	17	13	11	7	4	21	9
-	56	3	3	2	4	10	-	1	2	1	4	3	9	11	1	5	1	2	8	10
1	58	1	2	1	3	6	1	1	1	2	1	7	5	3	6	7	2	-	13	11
-	56	-	1	1	10	6	-	3	1	1	1	-	16	30	4	12	1	-	8	12
-	114	2	3	-	5	18	-	4	2	1	1	5	14	20	19	15	1	3	37	13
1	185	8	7	1	25	27	3	2	4	5	1	14	47	33	31	24	2	15	52	14
-	116	6	1	2	8	15	1	2	2	-	2	3	27	12	17	11	4	7	22	15
1	26	-	1	-	1	5	3	1	1	-	-	3	6	12	5	8	-	-	4	16
-	63	1	3	3	7	16	3	3	2	1	1	1	12	7	16	10	2	4	15	17
3	57	5	1	1	4	9	1	1	-	-	1	2	8	10	6	10	-	1	8	18
-	86	2	2	1	3	9	-	4	-	2	3	6	22	20	7	15	3	6	22	19
2	32	2	-	-	2	7	1	2	1	1	-	2	7	3	2	4	-	2	7	20
-	31	3	1	1	1	1	1	-	-	1	-	1	5	3	2	4	-	-	8	21
-	55	4	-	1	5	18	4	1	-	2	3	2	14	15	9	6	-	2	12	22
2	95	3	7	3	11	29	-	3	2	-	1	4	21	8	10	19	3	2	20	23
-	48	-	-	-	5	6	-	3	1	-	2	1	6	14	2	14	1	2	12	24
-	65	-	1	-	3	7	1	1	-	-	-	1	3	8	6	2	-	3	7	25
-	106	3	1	3	6	19	4	3	5	-	1	3	21	18	11	11	2	5	26	26
-	48	2	2	-	5	7	1	2	1	1	1	3	6	9	4	11	-	4	19	27
1	91	3	1	1	10	15	3	1	3	1	3	6	12	10	4	14	2	-	32	28
2	60	2	1	-	10	15	-	1	1	-	1	2	17	7	6	11	3	1	20	29
1	153	6	10	2	33	59	-	14	2	1	6	6	39	95	26	41	-	6	44	30
1	93	2	3	2	8	9	-	1	1	-	-	5	18	16	8	19	5	2	17	31
2	88	3	1	1	7	20	1	2	-	-	2	5	21	26	15	17	1	3	24	32
-	109	2	1	3	6	10	3	5	4	-	1	3	19	4	8	14	3	3	20	33
-	240	3	8	7	9	21	3	3	2	3	5	6	47	47	17	30	10	12	49	34
-	61	-	2	-	2	8	-	-	-	-	-	3	21	4	13	4	2	1	7	35
-	51	4	3	-	6	19	1	1	2	2	1	4	8	8	10	10	1	2	16	36
-	86	2	1	1	2	11	1	2	2	2	1	2	7	5	4	13	1	1	19	37
-	57	1	4	-	1	6	-	1	-	-	2	-	10	41	5	9	-	3	10	38
-	102	4	2	-	8	5	-	-	1	-	-	5	12	27	3	9	-	2	13	39
-	46	2	2	1	2	5	-	2	-	1	4	2	6	12	9	5	2	5	14	40
-	108	6	5	-	5	18	2	3	1	1	3	3	28	12	19	20	6	5	27	41
-	80	2	7	1	3	25	3	6	1	-	3	4	30	13	8	15	2	2	35	42
13	1,690	79	57	26	95	226	23	22	39	9	22	51	318	188	137	206	27	89	381	43
-	45	1	7	-	4	4	-	2	-	-	1	1	3	2	4	2	2	-	18	44
-	121	2	8	-	9	24	1	3	4	2	-	9	27	20	9	13	4	3	29	45
1	48	1	1	-	4	15	1	4	-	1	1	1	11	13	8	9	1	3	14	46
-	95	9	1	3	13	24	3	3	6	1	3	5	29	18	11	20	-	4	29	47
-	101	2	7	1	6	30	1	7	2	-	2	3	28	11	7	10	1	1	23	48
-	45	4	3	-	2	6	1	2	1	-	-	1	5	49	1	5	2	-	15	49
-	68	-	2	1	13	10	1	4	-	1	-	6	13	25	3	14	3	-	16	50
2	196	8	13	2	7	41	4	13	6	4	4	5	36	26	17	23	4	10	62	51
-	79	4	-	1	12	25	-	-	3	5	3	2	16	47	13	16	-	4	23	52
1	57	3	1	-	3	6	-	-	1	-	-	5	8	1	13	5	-	-	16	53
1	109	1	4	-	12	11	2	3	3	-	2	5	31	12	16	19	2	7	20	54
3	646	18	22	6	58	61	6	5	9	8	5	31	154	36	62	73	15	36	118	55
-	45	4	1	-	10	13	1	3	1	-	2	3	10	19	8	8	-	2	17	56
2	447	27	36	6	25	55	5	14	10	7	9	20	97	57	27	48	10	26	85	57
2	112	8	3	2	11	24	2	2	3	1	3	9	29	45	19	31	7	5	33	58
1	38	3	1	-	5	2	2	2	2	2	1	1	4	30	1	6	1	3	14	59
-	55	1	6	-	6	9	-	5	-	-	5	1	12	25	8	5	1	-	13	60
-	82	4	1	-	4	23	1	-	-	-	1	3	21	8	12	12	2	2	22	61
-	72	4	1	1	5	13	-	-	-	1	1	2	8	9	6	8	1	2	11	62
-	100	4	6	4	11	28	2	3	3	7	4	3	25	20	9	22	2	3	30	63
2	43	1	4	2	10	12	-	1	-	1	1	3	17	3	8	22	4	2	16	64
-	65	3	2	-	5	8	1	1	1	1	2	2	16	24	11	9	4	1	14	65
-	55	6	1	-	12	15	-	1	-	-	4	2	10	52	11	21	2	3	16	66
2	138	10	5	2	13	28	2	3	1	2	2	4	40	21	27	18	3	6	32	67
-	95	2	3	3	12	9	-	4	1	-	3	4	12	9	12	11	4	3	24	68
-	242	8	9	1	19	27	2	5	-	2	6	7	56	18	25	28	8	14	48	69
-	116	2	9	2	9	32	3	4	6	3	2	10	34	30	13	40	3	5	37	70
-	31	2	4	-	1	9	1	-	-	-	-	4	10	14	5	5	-	3	4	71
-	55	4	-	1	19	16	-	9	-	1	4	2	21	49	9	13	-	2	7	72
-	25	3	3	-	2	14	-	-	-	1	-	4	6	7	7	7	-	2	5	73
10	1,742	50	101	44	69	360	30	236	63	14	24	128	490	303	332	327	109	46	702	74
2	861	20	33	20	28	120	17	44	32	3	4	56	216	141	141	137	51	16	288	75
8	881	30	68	24	41	240	13	192	31	11	20	72	274	162	191	190	58	30	414	76
1	15	2	3	2	2	28	-	25	-	-	3	8	12	25	13	13	3	1	24	77
-	108	2	16	3	5	9	1	3	6	1	2	9	15	8	6	9	6	2	28	78
-	36	1	3	1	2	23	1	18	1	1	1	5	25	13	9	10	1	-	23	79
1	51	1	4	1	6	14	2	11	2	-	2	1	14	8	9	13	7	1	25	80
-	20	1	2	-	3	7	1	2	1	1	-	2	10	3	6	5	-	2	8	81
-	23	-	-	-	-	6	-	1	1	-	-	2	11	3	3	5	1	-	9	82
2	861	20	33	20	28	120	17	44	32	3	4	56	216	141	141	137	51	16	288	83

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 056-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	ARIZONA—Continued																
01	Mohave	73	3	-	-	-	-	1	-	-	1	1	10	-	27	26	7
02	Navajo	318	28	3	-	-	1	9	1	1	-	1	23	1	52	51	12
03	Pima	1,255	97	9	-	-	-	5	1	9	6	4	169	12	429	413	74
04	Pinal	508	20	5	-	10	-	2	2	-	-	5	40	9	113	110	19
05	Santa Cruz	76	1	-	-	-	-	-	-	-	-	1	5	1	31	31	6
06	Yavapai	304	12	3	-	-	-	-	-	-	-	-	34	1	154	153	36
07	Yuma	276	11	3	-	2	-	2	-	3	2	1	22	-	103	102	18
08	ARKANSAS	15,776	566	83	1	30	16	30	9	19	16	96	1,907	186	7,736	7,262	1,803
09	Metropolitan counties	1,858	60	9	-	1	1	1	1	9	1	13	253	25	942	892	203
10	Nonmetropolitan counties	13,918	506	74	1	29	15	29	8	10	15	83	1,654	161	6,794	6,370	1,600
11	Arkansas	180	5	1	-	-	1	-	-	-	-	-	27	3	83	80	19
12	Ashley	180	3	-	-	-	-	-	-	-	-	1	13	-	99	90	32
13	Baxter	97	3	1	-	-	-	-	-	1	-	-	11	1	40	37	10
14	Benton	366	12	1	-	-	-	-	-	1	-	1	37	3	200	188	47
15	Boone	126	3	-	-	-	-	-	-	-	-	1	15	1	69	62	22
16	Bradley	122	3	1	-	-	-	-	-	-	-	1	14	1	61	56	18
17	Calhoun	63	1	-	-	-	-	-	-	-	-	-	14	-	35	32	6
18	Carroll	128	7	1	-	1	-	-	-	-	-	-	15	2	70	64	16
19	Chicot	225	9	3	-	-	-	5	-	-	-	3	25	3	100	89	21
20	Clark	157	10	4	-	-	-	-	-	-	-	-	19	1	84	80	18
21	Clay	222	6	1	-	-	-	-	-	-	-	3	22	4	112	103	26
22	Cleburne	100	5	-	-	-	-	1	-	-	-	-	7	1	59	54	12
23	Cleveland	77	1	-	-	1	-	-	-	-	-	1	6	2	37	35	8
24	Columbia	212	6	1	-	-	1	1	-	-	1	1	20	4	100	94	16
25	Conway	157	6	-	-	1	-	1	-	-	-	-	21	5	73	69	16
26	Craighead	385	10	4	-	4	1	-	1	-	-	2	50	5	200	185	45
27	Crawford	192	5	2	-	1	-	-	-	-	-	-	29	1	95	94	21
28	Crittenden	438	10	2	-	1	-	6	-	-	-	2	34	3	153	145	43
29	Cross	193	11	1	-	-	-	-	-	-	-	-	22	2	91	91	24
30	Dallas	117	4	1	-	-	-	-	1	-	-	-	18	1	65	59	17
31	Desha	216	9	1	-	-	-	-	-	3	-	2	13	5	102	94	19
32	Drew	146	3	-	-	-	-	-	-	1	-	2	14	1	80	74	12
33	Faulkner	189	6	-	-	-	-	1	-	-	-	1	34	3	94	90	17
34	Franklin	101	3	-	-	-	-	-	-	-	-	-	13	1	58	55	15
35	Fulton	69	2	-	-	-	1	-	-	-	1	-	6	-	40	36	11
36	Garland	561	21	3	-	1	-	-	-	-	-	4	83	6	291	241	50
37	Grant	64	2	2	-	-	-	-	-	-	-	-	8	-	31	31	8
38	Greene	237	10	2	-	-	1	-	-	-	-	1	32	7	132	121	23
39	Hempstead	257	5	1	-	-	2	-	-	-	1	2	36	3	130	119	39
40	Hot Spring	164	6	1	-	-	-	-	-	-	-	1	20	3	83	80	16
41	Howard	106	2	-	-	-	-	-	-	-	-	-	15	-	58	57	18
42	Independence	183	6	-	-	-	-	1	-	-	-	2	17	-	121	109	21
43	Izard	73	3	-	-	-	-	-	-	-	1	-	15	-	34	33	11
44	Jackson	213	7	-	-	2	-	-	1	-	1	1	26	1	107	103	29
45	Jefferson	746	24	3	-	1	-	2	1	1	1	6	73	12	359	333	89
46	Johnson	125	1	-	-	-	-	-	-	-	-	1	18	2	66	60	12
47	Lafayette	94	3	1	-	-	1	-	-	-	-	-	9	1	45	42	15
48	Lawrence	136	6	1	-	-	-	-	-	-	-	-	21	-	70	68	17
49	Lee	214	13	3	-	-	-	1	-	1	-	-	17	1	104	101	27
50	Lincoln	114	8	1	-	1	-	1	-	-	-	6	11	1	43	40	15
51	Little River	114	4	1	-	1	-	-	-	-	-	1	17	-	60	57	20
52	Logan	180	8	2	-	-	-	-	-	-	-	2	20	2	81	79	21
53	Lonoke	240	11	-	-	-	-	1	-	-	-	2	31	4	107	99	23
54	Madison	77	4	-	-	-	-	-	1	-	-	-	8	-	37	36	5
55	Marion	69	4	-	-	-	1	-	-	-	1	-	10	-	30	26	8
56	Miller	284	16	3	-	-	-	-	1	-	-	1	39	4	120	114	37
57	Mississippi	523	14	2	-	6	1	-	-	2	2	5	46	6	215	205	55
58	Monroe	181	6	1	-	-	-	2	-	-	-	-	22	-	92	88	22
59	Montgomery	50	1	-	-	-	-	-	-	-	-	-	7	-	22	18	3
60	Nevada	141	1	2	-	1	-	-	-	-	3	-	17	1	73	65	26
61	Newton	53	2	1	-	1	1	-	-	-	-	-	6	-	25	24	9
62	Ouachita	253	15	-	-	-	-	-	-	-	-	2	29	1	127	122	40
63	Perry	39	4	-	-	-	-	-	-	-	-	-	4	-	14	14	3
64	Phillips	457	20	6	-	-	1	1	-	-	1	2	40	6	234	206	45
65	Pike	60	5	-	-	-	-	-	1	-	-	-	8	2	25	20	8
66	Poinsett	206	9	3	-	-	-	1	-	-	1	1	21	4	74	72	25
67	Polk	123	5	-	-	-	-	-	-	-	-	1	19	1	67	66	18
68	Pope	192	3	1	-	-	1	-	-	-	-	-	30	1	104	97	20
69	Prairie	85	3	-	1	-	-	-	-	-	-	-	6	2	35	33	11
70	Pulaski	1,858	60	9	-	1	1	1	1	9	1	13	253	25	942	892	203
71	Randolph	121	3	-	-	1	-	-	-	-	-	2	13	2	46	43	14
72	St. Francis	327	19	4	-	2	1	2	1	-	-	4	32	4	126	122	28
73	Saline	138	10	-	-	-	-	-	-	-	-	1	21	2	66	61	16
74	Scott	78	4	-	-	1	-	-	-	-	-	-	14	4	28	28	4
75	Searcy	56	2	-	-	1	-	-	-	-	-	1	7	-	23	21	2
76	Sebastian	577	15	-	-	-	-	1	-	-	-	2	79	6	313	307	73
77	Sevier	109	6	-	-	-	-	-	-	-	-	-	12	1	65	64	21
78	Sharp	59	2	1	-	1	-	-	-	-	-	2	12	-	31	29	4
79	Stone	51	4	1	-	-	-	-	-	-	-	1	7	-	19	19	3
80	Union	379	11	1	-	-	-	1	-	-	1	3	50	4	180	172	29
81	Van Buren	61	1	-	-	-	-	-	-	-	-	-	11	2	22	20	3
82	Washington	419	15	2	-	-	-	-	-	-	-	3	55	2	246	243	56
83	White	259	11	-	-	-	1	-	-	-	-	-	29	4	120	117	22
84	Woodruff	102	5	-	-	-	-	-	-	-	-	2	18	1	42	41	12
85	Yell	110	3	-	-	-	-	-	-	-	-	-	14	3	51	48	13

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	18	-	-	1	1	4	-	1	1	-	-	2	2	1	5	2	3	-	9	1
2	31	1	4	1	1	49	5	35	2	1	3	6	13	17	17	19	2	4	25	2
-	301	9	19	10	16	45	1	38	10	3	4	20	82	36	52	42	17	6	158	3
3	73	7	6	2	3	28	1	46	2	3	4	8	57	30	40	28	2	9	44	4
-	22	1	2	-	-	3	1	-	1	-	1	1	9	4	1	5	1	1	9	5
1	105	3	7	1	1	10	-	4	2	-	-	2	9	11	12	15	9	2	24	6
-	78	2	2	2	1	14	-	8	2	1	-	6	15	3	18	24	6	2	28	7
17	4,949	187	245	61	474	702	66	119	96	73	56	187	641	588	454	737	113	145	1,104	8
2	640	24	19	4	50	75	11	20	21	6	3	20	108	16	35	54	19	19	135	9
15	4,309	163	226	57	424	627	55	99	75	67	53	167	533	572	419	685	94	126	969	10
-	59	-	1	1	3	4	1	1	1	2	2	-	7	7	7	13	3	-	12	11
-	50	4	3	1	9	13	-	2	1	1	1	4	5	13	2	6	3	2	11	12
-	24	1	-	2	3	2	1	-	2	-	-	3	8	2	8	5	1	2	6	13
1	122	4	10	4	12	13	3	3	4	2	-	8	9	7	8	15	6	4	29	14
1	38	1	-	-	7	3	1	-	2	-	-	3	4	2	6	3	3	1	9	15
-	35	-	2	1	5	2	3	-	-	1	1	1	4	8	1	6	-	2	12	16
-	24	-	2	-	3	1	-	-	-	-	1	-	-	1	-	3	1	-	6	17
-	43	1	3	1	6	5	-	-	-	-	-	1	3	3	4	4	2	-	10	18
-	64	1	3	-	11	5	-	4	2	2	-	2	10	13	4	14	1	2	18	19
-	56	3	3	-	4	2	-	1	-	-	-	1	6	2	10	9	-	1	7	20
-	65	8	3	1	9	12	1	-	1	1	1	5	6	2	6	15	5	1	18	21
-	37	1	3	1	5	3	1	1	-	-	-	1	2	2	3	3	2	-	9	22
-	19	3	4	1	2	2	-	-	-	2	-	1	2	5	3	4	1	-	9	23
-	69	3	6	-	6	13	-	2	1	-	1	1	7	1	11	16	1	3	20	24
-	52	1	-	-	4	8	-	1	1	-	1	2	9	4	5	5	-	1	13	25
-	133	3	4	-	15	13	-	1	4	2	1	3	23	9	13	9	2	-	28	26
-	67	1	4	1	1	7	-	4	-	-	3	3	8	11	5	4	1	-	13	27
-	92	6	4	-	8	24	-	5	6	2	3	5	31	73	17	24	1	9	27	28
2	60	1	3	1	-	7	-	3	-	1	1	2	9	7	11	15	1	3	6	29
-	36	-	6	-	6	2	1	1	-	-	-	1	4	1	1	6	1	1	8	30
-	70	1	2	-	8	17	1	4	-	1	4	3	6	12	4	16	1	2	10	31
1	55	2	4	-	6	7	-	1	-	2	2	3	3	4	5	7	-	3	8	32
-	71	2	-	-	4	3	1	2	5	-	2	2	3	8	3	8	1	-	12	33
-	36	1	3	-	3	6	-	-	1	-	-	-	3	2	3	2	1	1	7	34
-	24	1	-	-	4	4	-	-	1	-	-	-	2	3	1	1	1	-	6	35
-	167	10	12	2	50	26	2	3	8	2	2	4	13	2	7	31	4	6	42	36
-	20	-	2	1	-	1	1	-	-	-	-	2	1	-	3	5	1	-	7	37
-	95	-	3	-	11	9	-	1	-	1	-	1	5	3	7	11	1	-	13	38
-	66	6	6	2	11	7	1	-	1	3	1	2	9	6	7	17	4	1	18	39
-	59	2	3	-	3	10	2	2	-	1	2	3	4	6	3	7	1	2	7	40
-	35	1	3	-	1	2	1	-	-	-	-	-	1	1	4	5	-	1	16	41
2	79	2	4	1	12	5	-	1	-	3	-	3	3	2	2	8	2	-	7	42
-	18	-	3	1	1	2	1	1	-	1	-	2	2	1	2	5	1	-	2	43
-	70	2	2	-	4	8	1	3	4	-	-	2	9	3	5	14	1	2	15	44
2	220	10	11	1	26	42	2	9	4	2	-	7	20	39	18	41	3	11	65	45
-	42	2	2	2	6	14	-	-	1	-	-	3	3	5	2	3	-	-	6	46
-	23	3	1	-	3	5	1	1	-	1	-	-	2	5	7	5	-	2	5	47
-	38	2	10	1	2	11	-	-	-	1	1	1	6	-	3	4	-	-	11	48
-	70	1	1	2	3	13	1	1	-	1	3	1	12	12	3	8	-	3	16	49
-	24	-	1	-	3	7	1	2	-	-	-	1	3	7	1	13	-	2	5	50
-	32	2	3	-	3	3	1	-	1	2	-	1	5	6	4	3	-	-	4	51
-	49	5	3	1	2	16	-	1	-	3	1	-	10	8	5	6	1	3	11	52
-	70	1	4	1	8	17	2	1	1	2	1	4	11	6	4	15	1	-	19	53
1	22	3	4	1	1	1	1	-	-	-	-	2	2	4	3	4	1	-	9	54
-	16	-	-	2	4	6	-	-	2	1	-	-	5	-	-	2	1	-	6	55
2	64	5	5	1	6	15	-	2	1	-	-	4	18	13	12	6	1	7	21	56
-	140	5	4	1	10	27	1	6	5	2	2	7	27	23	32	37	5	13	35	57
-	61	1	2	2	4	11	-	1	-	-	1	2	8	6	6	9	1	1	12	58
-	13	2	-	-	4	6	-	-	-	-	-	1	2	3	5	1	-	-	2	59
-	37	-	1	1	8	4	1	-	-	-	1	4	3	-	3	10	1	-	16	60
-	15	-	-	-	1	4	-	2	-	-	-	-	-	4	-	2	1	-	4	61
1	73	2	4	2	5	7	2	2	1	-	-	2	8	6	13	21	3	6	8	62
-	11	-	-	-	-	2	-	-	-	-	1	1	3	-	3	3	1	-	3	63
-	152	5	3	1	28	17	1	4	-	1	3	3	14	48	8	19	2	5	21	64
-	12	-	-	-	5	4	-	-	-	-	-	3	-	3	1	2	1	-	5	65
-	44	1	1	1	2	14	3	5	-	2	1	5	26	7	5	10	1	3	10	66
-	41	2	3	2	1	5	-	-	-	-	-	3	4	4	3	7	-	-	4	67
-	67	2	7	1	7	7	-	-	1	1	-	1	6	9	4	10	2	-	11	68
-	22	-	-	-	2	9	-	-	1	1	-	-	1	3	8	4	2	-	9	69
2	640	24	19	4	50	75	11	20	21	6	3	20	108	16	35	54	19	19	135	70
-	24	2	2	1	3	7	1	-	1	-	-	1	4	10	1	10	-	-	19	71
-	90	1	3	-	4	14	-	3	2	1	1	7	18	24	20	18	2	5	17	72
-	41	1	2	1	5	4	1	-	-	-	1	2	4	5	3	6	1	2	9	73
-	23	1	-	-	-	1	-	-	-	2	-	-	7	1	3	4	-	-	9	74
-	18	-	-	1	2	3	-	-	-	-	-	-	2	4	1	3	-	-	9	75
1	213	5	13	2	6	14	3	2	3	6	3	10	28	9	14	25	-	3	41	76
-	41	-	2	-	1	5	1	-	-	-	1	2	-	4	2	4	-	-	6	77
1	23	-	1	-	2	2	1	-	-	-	-	-	1	1	-	2	1	-	2	78
-	16	-	-	-	-	1	-	-	-	1	-	1	2	9	2	-	-	-	3	79
-	129	9	5	-	8	22	1	4	1	3	2	5	17	10	9	19	4	8	23	80
-	13	4	-	-	2	4	1	1	-	2	-	1	1	2	2	3	-	-	8	81
-	168	5	11	3	3	11	5	2	1	-	-	6	17	10	14	9	-	1	20	82
-	88	4	2	1	3	6	-	1	1	1	1	2	7	27	8	12	2	-	26	83
-	26	2	1	-	1	13	-	-	-	1	-	-	4	1	3	2	1	-	9	84
-	28	3	3	1	3	5	1	2	3	-	-	-	1	8	3	5	1	1	9	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
01	CALIFORNIA	104,089	2,170	425	3	26	15	15	73	155	37	278	15,531	1,098	56,003	55,049	11,252
02	Metropolitan counties	84,260	1,740	342	3	22	9	13	53	109	29	199	12,884	866	46,073	45,317	9,318
03	Nonmetropolitan counties	19,829	430	83	-	4	6	2	20	46	8	79	2,647	232	9,930	9,732	1,934
04	Alameda	7,435	154	27	-	1	2	-	5	14	6	15	1,148	82	4,195	4,124	818
05	Alpine	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
06	Amador	118	5	1	-	-	-	-	-	-	-	1	15	1	68	67	10
07	Butte	785	10	3	-	1	1	-	-	2	-	5	100	7	453	448	120
08	Calaveras	104	5	-	-	-	1	-	-	-	-	-	12	-	56	55	12
09	Colusa	123	6	-	-	-	-	-	-	-	-	-	12	-	66	64	10
10	Contra Costa	1,791	32	5	-	1	-	1	5	10	3	6	267	16	830	804	147
11	Del Norte	115	-	-	-	-	-	-	-	-	-	1	8	2	52	51	8
12	El Dorado	163	3	1	-	-	-	-	-	-	-	-	19	3	96	94	23
13	Fresno	2,422	76	10	-	2	-	3	1	4	-	16	315	23	1,146	1,118	261
14	Glenn	160	3	1	-	-	-	-	-	-	-	2	19	4	90	87	13
15	Humboldt	757	12	1	-	-	2	-	1	7	1	4	88	9	429	422	75
16	Imperial	481	23	4	-	1	-	-	-	2	-	2	39	9	163	158	25
17	Inyo	119	5	-	-	-	-	-	-	-	-	-	13	-	47	46	9
18	Kern	1,673	53	6	-	-	-	-	5	4	2	19	209	23	679	659	122
19	Kings	382	7	2	-	-	-	-	-	-	-	-	46	6	164	161	36
20	Lake	146	2	-	-	-	-	-	-	-	-	-	19	1	84	82	13
21	Lassen	157	2	1	-	-	-	-	-	-	-	1	12	-	71	69	20
22	Los Angeles	41,862	760	163	1	9	2	7	14	37	2	101	6,558	424	23,783	23,421	4,954
23	Madera	307	8	2	-	-	-	-	1	1	-	1	41	1	135	132	26
24	Marin	723	14	1	-	-	-	-	-	2	1	2	107	8	395	392	82
25	Mariposa	56	1	-	-	-	-	-	-	-	-	-	6	-	35	35	5
26	Mendocino	420	8	2	-	-	-	-	-	2	-	2	52	4	219	215	51
27	Merced	531	16	-	-	-	-	-	1	1	-	2	63	10	239	233	45
28	Modoc	89	2	-	-	-	-	-	-	-	-	-	8	3	42	40	9
29	Mono	19	-	-	-	-	-	-	-	-	-	-	2	-	4	4	-
30	Monterey	987	30	7	-	-	1	-	4	1	1	2	135	12	476	468	93
31	Napa	461	5	1	-	-	-	-	-	6	-	1	70	6	264	260	37
32	Nevada	242	5	1	-	-	-	-	-	1	-	-	37	4	148	143	21
33	Orange	2,261	38	6	-	-	-	-	-	3	1	2	347	25	1,239	1,221	275
34	Placer	427	12	-	-	-	-	-	-	1	-	2	79	4	217	215	46
35	Plumas	120	2	2	-	-	-	-	-	-	-	-	17	-	64	64	11
36	Riverside	1,764	36	7	-	1	1	-	1	1	-	6	252	19	915	891	178
37	Sacramento	2,891	95	14	-	1	1	1	4	7	2	9	375	36	1,542	1,507	315
38	San Benito	130	1	-	-	-	-	-	-	-	-	-	23	-	59	59	15
39	San Bernardino	2,702	83	14	1	1	-	1	2	2	5	5	410	18	1,252	1,233	245
40	San Diego	5,163	88	15	-	3	-	-	6	9	1	10	740	36	2,689	2,625	507
41	San Francisco	9,577	218	61	-	-	4	-	8	6	7	16	1,557	115	5,178	5,112	936
42	San Joaquin	2,101	95	8	-	2	-	-	2	6	-	6	250	22	1,032	1,019	181
43	San Luis Obispo	612	6	2	-	-	-	-	2	2	-	1	86	10	326	315	66
44	San Mateo	1,846	24	7	-	-	-	-	2	3	-	3	274	11	978	966	212
45	Santa Barbara	997	20	5	-	-	-	-	-	1	-	3	155	13	510	497	93
46	Santa Clara	2,688	56	7	1	2	-	-	2	4	1	6	418	41	1,444	1,419	311
47	Santa Cruz	914	10	3	-	-	-	-	1	-	-	2	154	14	534	526	114
48	Shasta	371	1	2	-	-	-	-	1	4	-	2	37	3	179	175	32
49	Sierra	36	2	1	-	-	-	-	-	-	-	-	5	-	12	12	2
50	Siskiyou	306	4	2	-	1	-	-	-	1	-	1	46	5	152	149	47
51	Solano	798	7	4	-	-	-	-	2	2	-	2	118	9	370	356	74
52	Sonoma	1,239	26	4	-	-	-	-	1	-	-	1	190	10	696	693	127
53	Stanislaus	1,091	20	6	-	-	-	1	1	3	1	2	149	11	550	542	122
54	Sutter	210	5	-	-	-	-	-	-	-	1	2	22	6	106	106	17
55	Tehama	208	-	-	-	-	-	-	-	2	-	2	29	1	118	114	17
56	Trinity	57	2	-	-	-	-	-	-	-	-	1	2	1	26	25	6
57	Tulare	1,169	24	7	-	-	-	-	1	2	1	6	137	10	539	523	109
58	Tuolumne	184	4	2	-	-	-	-	-	-	-	-	17	6	98	96	22
59	Ventura	920	33	4	-	-	-	1	-	1	1	4	126	9	420	415	87
60	Yolo	423	7	2	-	-	-	-	-	1	-	1	63	4	195	191	25
61	Yuba	251	4	1	-	-	-	-	-	-	-	-	32	1	133	130	15
62	COLORADO	12,674	194	34	2	9	2	14	12	46	5	43	1,739	149	6,237	6,050	1,191
63	Metropolitan counties	6,324	118	18	-	6	1	2	8	23	1	20	906	80	3,080	3,007	541
64	Nonmetropolitan counties	6,350	76	16	2	3	1	12	4	23	4	23	833	69	3,157	3,043	650
65	Adams	282	6	-	-	-	-	1	-	2	-	-	39	2	126	122	20
66	Alamosa	65	1	-	-	-	-	-	-	-	-	-	6	1	25	23	5
67	Arapahoe	467	11	2	-	1	-	-	3	2	-	3	74	5	204	197	44
68	Archuleta	30	1	1	-	1	-	-	-	-	-	-	5	-	13	11	5
69	Baca	55	2	-	-	-	-	-	-	-	-	-	13	1	22	19	1
70	Bent	89	-	-	-	-	-	1	1	-	-	-	9	2	51	49	10
71	Boulder	433	5	2	-	-	-	-	1	1	-	3	62	7	226	220	60
72	Chaffee	84	1	-	-	-	-	-	-	-	-	-	6	-	53	51	10
73	Cheyenne	27	-	-	-	-	-	-	-	-	-	-	4	-	12	11	5
74	Clear Creek	35	-	-	-	-	-	-	-	-	-	-	4	-	20	20	2
75	Conejos	75	1	-	-	1	-	1	-	2	-	1	7	1	33	30	2
76	Costilla	42	-	-	-	-	-	-	-	2	-	-	6	1	12	12	4
77	Crowley	46	2	-	-	-	1	-	-	-	-	-	5	1	18	18	2
78	Custer	16	-	-	-	-	-	-	-	-	-	1	2	-	11	10	-
79	Delta	182	1	-	1	-	-	-	-	-	-	1	41	3	95	94	19
80	Denver	4,374	82	13	-	-	1	-	3	6	-	14	627	62	2,231	2,184	375
81	Dolores	16	-	-	-	-	-	-	-	-	-	-	-	-	7	7	2
82	Douglas	27	-	-	-	-	-	-	-	2	-	-	4	1	7	7	2
83	Eagle	43	-	-	-	-	-	-	1	-	-	-	5	1	21	20	7
84	Elbert	33	1	-	-	-	-	-	-	-	-	-	8	-	17	17	3
85	El Paso	770	21	1	-	-	-	-	1	1	-	1	108	6	399	392	85

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

'under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
99	39,107	699	3,069	823	954	3,178	830	409	1,955	153	128	1,213	4,076	513	3,639	3,530	1,801	413	6,422	1
79	31,983	589	2,645	703	756	2,512	669	303	1,731	129	102	953	3,203	286	2,460	2,601	1,468	320	5,181	2
20	7,124	110	424	120	198	666	161	106	224	24	26	260	873	227	1,179	929	333	93	1,241	3
9	3,002	53	159	83	71	224	37	20	142	18	7	71	245	26	215	210	122	23	426	4
-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	5
-	40	-	16	1	1	2	-	-	-	-	-	-	3	2	7	3	1	-	9	6
1	305	5	12	5	5	28	3	2	8	1	-	10	17	4	20	37	13	2	58	7
-	40	2	1	-	1	6	1	-	1	-	-	1	2	1	4	7	1	1	5	8
-	49	-	4	1	2	2	1	-	1	-	-	1	6	-	6	7	5	2	8	9
3	589	12	35	18	26	31	23	19	30	6	2	34	125	7	95	79	39	7	118	10
-	37	-	4	2	1	4	1	-	1	-	-	3	6	1	8	14	3	1	10	11
-	64	-	6	1	2	2	3	1	4	-	-	-	5	-	5	11	3	-	7	12
4	786	6	41	20	28	138	16	20	33	5	3	29	130	5	146	96	32	17	156	13
-	87	1	5	1	3	4	2	1	2	-	-	1	5	2	7	4	7	-	6	14
-	306	3	36	2	7	25	7	3	5	-	2	9	30	-	47	31	18	1	25	15
-	125	3	4	1	5	26	1	10	11	-	2	10	33	6	49	58	7	7	18	16
-	34	1	2	-	1	4	3	-	2	-	-	3	5	1	14	8	-	1	13	17
1	505	13	13	5	20	75	14	19	27	-	4	29	97	1	147	85	30	12	133	18
1	109	3	11	1	3	18	5	6	2	2	1	6	26	4	39	17	2	2	27	19
-	61	1	7	-	2	2	1	-	-	-	1	1	2	2	5	10	3	-	13	20
-	46	-	3	-	2	6	2	-	1	-	-	6	10	1	16	13	1	2	12	21
43	16,087	314	1,729	294	362	1,140	327	125	839	60	53	454	1,493	89	953	970	745	155	2,598	22
-	98	4	2	2	3	14	3	1	2	3	-	3	22	-	31	16	4	4	14	23
1	292	1	11	5	3	15	4	5	16	1	4	12	23	4	21	33	11	2	42	24
-	28	-	1	1	-	-	-	-	-	1	-	-	2	-	4	2	1	-	4	25
2	130	4	26	2	4	8	3	-	5	-	-	3	21	4	23	30	8	1	25	26
-	177	1	6	4	6	18	5	1	8	-	1	12	29	8	41	38	10	2	26	27
1	30	-	-	-	2	2	-	-	1	-	-	-	6	-	7	7	2	1	8	28
-	4	-	-	-	-	-	-	-	2	-	-	-	-	-	3	4	1	1	2	29
1	340	10	15	9	8	38	12	4	13	1	-	19	42	30	43	31	24	3	58	30
-	199	2	20	2	4	14	5	2	8	-	-	3	14	3	12	16	7	1	23	31
1	115	-	4	2	5	4	3	-	1	-	-	1	3	-	7	11	3	1	12	32
4	865	11	48	18	18	82	11	12	35	3	4	19	93	14	79	73	36	8	131	33
-	162	1	5	1	2	11	2	3	3	-	-	4	17	-	20	21	10	3	18	34
1	50	1	-	1	-	2	1	-	-	1	-	3	4	1	3	11	4	1	4	35
-	662	8	28	15	24	59	13	8	15	1	2	20	55	9	105	69	26	7	136	36
2	1,113	18	48	11	35	82	29	5	63	1	3	56	112	3	116	96	48	16	174	37
1	37	1	4	1	-	6	1	-	3	-	-	1	5	2	11	5	1	-	12	38
1	895	21	37	34	19	136	31	18	49	5	5	36	136	10	142	94	39	9	198	39
4	1,893	41	132	48	64	149	38	26	97	7	7	79	267	15	241	202	80	22	336	40
1	3,805	61	203	106	66	261	102	23	312	14	5	71	260	31	150	417	177	37	547	41
2	729	11	78	18	13	117	20	10	40	1	5	20	70	8	107	107	38	14	121	42
1	236	2	7	3	11	12	6	6	3	1	-	9	31	4	39	20	7	6	33	43
4	670	21	44	15	12	36	8	4	30	5	-	28	84	56	44	86	34	3	126	44
1	352	4	30	17	13	21	11	6	12	2	2	14	57	10	41	36	17	2	59	45
1	998	16	67	26	25	72	18	13	36	3	1	30	108	11	105	94	55	5	155	46
-	357	6	43	6	8	22	7	2	11	1	-	3	25	1	29	24	17	1	53	47
-	137	1	3	2	4	13	1	2	9	2	2	2	19	3	35	21	5	2	26	48
-	8	1	-	1	-	3	-	1	1	-	-	1	2	1	2	3	-	-	2	49
-	84	1	15	2	3	13	4	1	3	-	-	5	10	-	20	20	3	-	15	50
-	259	3	13	7	14	29	5	3	9	-	3	14	57	7	46	44	12	2	53	51
1	523	8	23	11	3	29	4	5	10	1	1	14	38	65	28	31	17	-	68	52
1	395	6	15	3	8	51	5	4	11	2	3	15	40	4	71	50	16	7	68	53
-	75	1	11	2	-	5	1	-	-	1	-	3	13	2	11	12	7	1	12	54
1	93	1	2	-	4	8	1	2	-	1	1	4	8	2	6	8	6	2	7	55
-	18	-	-	1	1	4	-	1	-	-	-	-	3	2	2	10	-	-	3	56
3	385	7	14	5	16	57	9	8	6	-	2	23	71	12	103	52	7	11	81	57
-	66	2	6	-	2	5	1	1	5	-	-	3	6	2	7	12	3	-	12	58
2	309	3	11	3	5	29	11	4	15	1	2	10	54	16	57	33	23	2	64	59
-	159	2	3	2	4	8	3	2	5	1	-	4	19	15	26	19	5	3	40	60
-	106	1	6	2	3	6	5	-	7	1	-	1	10	5	17	12	5	-	11	61
20	4,378	80	270	111	187	633	106	106	146	17	30	190	733	55	363	601	192	34	982	62
11	2,234	37	123	61	73	315	63	39	94	9	11	108	360	19	169	249	107	21	497	63
9	2,144	43	147	50	114	318	43	67	52	8	19	82	373	36	194	352	85	13	485	64
-	97	1	3	1	4	12	3	1	4	2	-	9	27	1	10	9	3	-	25	65
-	16	-	1	1	2	9	-	1	3	-	-	-	7	1	2	5	-	-	4	66
1	134	-	13	5	7	22	5	1	5	2	-	12	33	1	14	26	6	1	34	67
-	5	-	-	1	2	-	-	-	1	-	1	1	2	-	2	1	1	-	-	68
-	16	-	1	1	3	3	-	1	-	-	-	-	1	1	2	4	1	-	4	69
-	37	-	1	1	2	3	2	1	-	1	-	2	5	-	1	5	-	-	5	70
-	141	-	14	5	6	12	5	-	7	-	-	4	26	-	6	23	3	-	40	71
-	39	1	-	1	2	7	-	1	2	-	1	1	4	-	1	-	1	-	6	72
-	5	-	-	1	1	-	1	-	-	-	-	-	2	-	3	1	2	-	2	73
-	18	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	1	6	74
1	19	-	7	1	3	6	-	-	1	1	-	1	5	1	3	7	-	-	3	75
-	8	-	-	-	-	6	-	1	1	-	2	-	-	4	-	1	-	-	6	76
-	15	-	1	-	-	5	-	-	-	-	-	1	3	1	-	4	-	-	5	77
-	9	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	78
-	71	1	3	-	1	7	4	-	-	-	-	-	4	1	3	6	3	-	12	79
8	1,634	29	92	46	47	205	42	17	75	3	8	57	222	14	111	163	79	15	324	80
-	5	-	-	-	-	3	-	-	-	-	-	-	-	-	2	4	-	-	-	81
-	5	-	-	-	-	4	-	-	-	-	-	1	2	-	4	-	-	-	2	82
-	12	-	1	-	1	3	1	1	-	-	-	-	3	-	1	2	-	-	4	83
-	13	-	-	1	-	1	-	-	-	-	-	1	2	-	1	1	-	-	1	84
-	263	9	26	9	7	26	8	-	3	-	1	7	58	4	20	38	9	2	56	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	COLORADO—Continued																
01	Fremont	241	3	-	-	-	-	-	-	1	-	-	28	2	132	127	30
02	Garfield	142	1	1	-	-	-	-	-	-	-	1	15	2	78	72	6
03	Gilpin	12	-	-	-	-	-	-	-	-	-	-	3	-	7	7	2
04	Grand	34	-	-	-	-	-	-	-	-	-	-	4	-	17	17	7
05	Gunnison	37	-	-	-	-	-	-	-	-	-	-	2	-	22	20	3
06	Hinsdale	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
07	Huerfano	106	1	1	-	-	-	-	-	-	-	-	13	-	61	58	9
08	Jackson	16	-	-	-	-	-	-	-	-	-	1	2	-	7	7	2
09	Jefferson	405	8	1	-	-	-	-	-	3	1	-	61	2	216	212	39
10	Kiowa	20	-	-	-	-	-	-	-	-	-	-	4	1	9	9	2
11	Kit Carson	85	1	-	-	-	-	-	-	1	-	-	10	2	36	33	4
12	Lake	68	-	1	-	-	-	2	-	1	-	3	1	-	23	22	6
13	La Plata	161	2	-	1	-	-	-	-	-	-	-	19	3	67	60	19
14	Larimer	427	4	1	-	-	-	-	-	-	-	2	51	4	243	238	62
15	Las Animas	310	3	1	-	-	-	2	-	3	1	-	41	3	142	137	24
16	Lincoln	54	2	-	-	-	-	-	-	1	-	-	9	1	25	25	3
17	Logan	143	-	-	-	-	-	1	-	-	-	-	22	2	72	69	14
18	Mesa	353	2	1	-	-	-	-	-	-	-	-	51	6	187	180	36
19	Mineral	8	-	-	-	-	-	-	-	-	-	-	-	-	5	5	1
20	Moffat	42	1	-	-	-	-	-	-	-	1	-	4	1	17	17	6
21	Montezuma	97	-	-	-	-	-	-	-	-	-	1	9	2	47	44	8
22	Montrose	152	-	-	-	-	-	-	-	2	-	1	19	1	76	75	10
23	Morgan	155	2	1	-	-	-	-	-	-	1	-	23	1	72	70	17
24	Otero	275	1	-	-	-	1	-	-	1	-	3	33	2	129	122	15
25	Ouray	28	2	-	-	-	-	-	-	-	-	1	2	-	13	13	5
26	Park	14	-	-	-	-	-	-	-	-	-	-	2	-	10	10	2
27	Phillips	35	1	-	-	-	-	-	-	-	-	-	8	-	19	19	2
28	Pitkin	25	-	-	-	-	-	-	-	-	-	-	4	1	13	13	1
29	Prowers	131	2	1	-	-	-	-	-	-	-	2	23	1	62	53	9
30	Pueblo	796	11	2	-	5	-	1	2	10	-	3	105	9	303	292	63
31	Rio Blanco	29	-	-	-	-	-	-	-	-	-	-	5	-	15	14	1
32	Rio Grande	116	-	1	-	-	-	2	-	1	-	-	8	1	38	36	7
33	Routt	69	1	-	-	-	-	1	-	-	-	-	8	-	32	31	8
34	Saguache	65	-	-	-	-	-	1	-	-	-	-	7	-	23	21	5
35	San Juan	21	2	-	-	-	-	-	-	1	-	-	1	-	12	11	-
36	San Miguel	26	-	-	-	-	-	-	-	-	-	-	3	-	8	8	2
37	Sedgwick	39	-	-	-	-	-	-	-	-	-	-	6	-	20	20	2
38	Summit	7	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-
39	Teller	42	2	-	-	-	-	-	-	-	-	-	4	1	20	19	8
40	Washington	58	-	-	-	-	-	-	-	-	-	-	8	-	27	27	4
41	Weld	530	6	3	-	1	-	-	-	1	1	1	69	6	272	270	71
42	Yuma	106	1	-	-	-	-	-	-	2	-	-	15	1	54	51	13
43	CONNECTICUT	19,864	295	53	-	-	2	-	12	11	2	43	3,418	389	11,334	11,116	2,152
44	Metropolitan counties	15,695	251	47	-	-	2	-	10	11	1	36	2,756	340	8,826	8,656	1,663
45	Nonmetropolitan counties	4,169	44	6	-	-	-	-	2	-	1	7	662	49	2,508	2,460	489
46	Fairfield	4,988	84	20	-	-	-	-	-	8	-	10	892	99	2,734	2,666	528
47	Hartford	4,959	91	13	-	-	2	-	6	2	1	6	868	105	2,804	2,760	528
48	Litchfield	1,019	6	3	-	-	-	-	2	-	-	1	179	9	571	563	103
49	Middlesex	646	11	-	-	-	-	-	-	-	-	2	108	15	386	378	86
50	New Haven	5,748	76	14	-	-	-	-	4	1	-	20	996	136	3,288	3,230	607
51	New London	1,465	20	3	-	-	-	-	-	-	-	2	212	11	917	899	179
52	Tolland	372	2	-	-	-	-	-	-	-	-	-	51	6	233	230	42
53	Windham	667	5	-	-	-	-	-	-	-	1	2	112	8	401	390	79
54	DELAWARE	3,439	71	14	-	2	-	1	3	-	2	10	466	70	1,934	1,869	330
55	Metropolitan counties	2,216	47	8	-	1	-	-	2	-	1	6	332	44	1,228	1,182	207
56	Nonmetropolitan counties	1,223	24	6	-	1	-	1	1	-	1	4	134	26	706	687	123
57	Kent	500	10	4	-	-	-	-	-	-	1	2	52	13	302	294	49
58	New Castle	2,216	47	8	-	1	-	-	2	-	1	6	332	44	1,228	1,182	207
59	Sussex	723	14	2	-	1	-	1	1	-	-	2	82	13	404	393	74
60	DISTRICT OF COLUMBIA	8,410	304	56	1	1	1	2	8	-	-	23	1,264	103	4,403	4,323	752
61	FLORIDA	27,909	530	164	2	24	5	27	24	16	5	132	3,722	356	13,866	13,386	3,303
62	Metropolitan counties	13,726	284	100	1	7	3	5	10	8	3	55	2,000	191	6,939	6,712	1,488
63	Nonmetropolitan counties	14,183	246	64	1	17	2	22	14	8	2	77	1,722	165	6,927	6,674	1,815
64	Alachua	465	5	2	-	-	-	-	1	-	-	2	52	5	232	224	88
65	Baker	46	1	-	-	-	-	-	-	-	-	-	3	-	19	17	1
66	Bay	302	4	1	-	1	-	1	1	-	-	3	33	2	122	116	38
67	Bradford	118	3	-	-	-	-	1	1	-	-	1	8	2	63	61	14
68	Brevard	304	5	4	-	-	-	-	-	-	-	1	39	1	143	139	43
69	Broward	823	14	1	-	3	-	1	-	-	-	4	114	14	391	377	92
70	Calhoun	68	2	-	-	-	-	-	-	-	1	-	6	-	30	26	11
71	Charlotte	48	2	1	-	-	-	-	-	-	-	-	11	2	19	18	4
72	Citrus	66	3	-	-	-	-	-	-	-	-	-	10	-	32	31	6
73	Clay	127	2	1	-	-	-	-	-	-	-	-	12	3	61	60	14
74	Collier	54	-	-	-	-	-	-	-	-	-	-	7	2	22	22	9
75	Columbia	182	3	3	-	-	-	-	-	-	-	2	21	4	90	90	33
76	Dade	4,655	85	33	1	2	-	-	3	2	-	15	751	54	2,300	2,240	394
77	De Soto	85	4	-	-	1	-	-	-	-	-	1	16	1	37	33	17
78	Dixie	39	-	-	-	-	-	-	-	-	-	-	6	-	11	10	5

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide. E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	94	3	-	-	5	21	3	5	2	-	1	-	3	-	8	10	1	1	20	1
-	55	-	11	-	6	7	2	-	1	-	-	2	10	-	6	7	3	-	6	2
-	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	3
-	9	-	-	1	-	-	-	-	1	-	-	-	6	-	1	1	2	-	2	4
-	15	1	1	-	2	-	-	-	-	-	-	1	3	-	2	3	2	-	2	5
-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	6
-	40	1	7	1	3	4	2	1	2	-	1	3	3	-	3	3	-	-	8	7
-	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	2	8
1	156	4	8	4	4	17	4	1	2	-	1	11	24	2	3	12	8	-	28	9
-	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	3	10
-	25	1	2	1	3	-	-	-	1	1	-	-	3	-	2	21	-	-	7	11
-	14	-	1	1	1	8	-	3	3	-	2	1	4	1	3	7	1	-	4	12
-	36	-	4	1	7	6	1	7	2	-	-	1	19	1	6	9	2	-	15	13
-	165	4	6	1	5	14	3	4	1	1	1	2	19	1	9	30	6	1	30	14
-	101	2	10	-	5	20	-	5	3	1	2	7	22	4	7	15	2	-	26	15
-	21	-	-	1	-	4	-	-	-	-	-	-	1	-	4	5	1	-	1	16
2	48	3	1	1	3	7	1	-	-	-	1	5	5	-	-	7	2	1	17	17
1	130	2	9	2	7	9	1	3	3	1	-	4	14	5	11	19	4	1	31	18
-	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	19
-	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	9	1	-	7	20
-	31	3	2	-	3	5	-	5	-	-	-	1	8	-	4	4	4	1	6	21
1	64	-	-	-	1	8	-	-	-	-	1	4	10	1	3	19	-	1	6	22
-	50	-	3	-	2	13	1	1	1	1	-	-	8	-	4	8	1	-	17	23
2	97	2	3	3	7	16	2	5	-	-	1	7	19	3	18	7	3	-	24	24
-	7	-	1	-	-	2	-	-	-	-	-	1	3	-	-	1	1	1	1	25
-	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	26
-	13	1	3	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	3	27
-	10	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	4	28
-	40	1	2	1	9	5	1	-	1	-	-	-	10	-	7	6	2	-	8	29
1	213	3	7	5	11	59	9	19	8	2	2	19	54	1	31	39	11	5	86	30
-	13	-	-	-	1	1	-	-	-	-	-	1	3	-	-	4	-	-	-	31
-	27	-	2	-	2	18	1	5	-	-	-	4	14	1	2	6	2	-	12	32
-	20	1	2	-	1	5	1	-	-	-	-	1	6	1	5	1	4	-	3	33
1	15	-	-	-	2	12	1	2	-	-	1	2	5	1	2	6	-	-	2	34
-	10	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	1	2	35
-	6	-	-	-	-	1	1	-	-	-	-	-	-	-	2	5	1	-	5	36
-	17	-	-	1	-	1	-	2	2	-	-	2	3	-	1	1	-	-	1	37
-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	38
-	10	1	-	-	1	4	-	-	2	-	-	-	3	-	-	1	1	-	4	39
-	20	-	3	-	-	3	-	-	2	-	-	2	3	-	3	4	1	-	5	40
-	169	6	14	10	2	17	1	11	5	1	3	8	29	2	21	20	13	2	37	41
1	34	-	2	1	3	7	-	-	-	-	-	-	8	1	7	1	1	-	8	42
20	8,263	152	378	151	218	440	140	51	292	33	14	241	588	57	271	632	264	41	1,241	43
19	6,439	124	287	124	170	346	118	40	253	29	13	189	464	43	199	510	202	40	969	44
1	1,824	28	91	27	48	94	22	11	39	4	1	52	124	14	72	122	62	1	272	45
6	1,949	40	110	33	68	119	35	15	80	11	5	56	145	9	57	177	65	16	351	46
10	2,058	34	85	45	44	102	35	15	92	11	2	67	145	14	68	139	64	15	292	47
1	431	6	18	4	8	27	9	2	7	1	-	13	34	5	15	36	15	-	84	48
-	265	3	18	6	8	17	2	4	7	1	-	8	18	-	13	12	7	-	35	49
3	2,432	50	92	46	58	125	48	10	81	7	6	66	174	20	74	194	73	9	326	50
-	660	11	37	12	18	21	7	2	15	-	-	17	49	6	24	45	22	1	91	51
-	176	4	7	1	3	12	2	1	5	-	-	5	8	1	6	10	7	-	23	52
-	292	4	11	4	11	17	2	2	5	2	1	9	15	2	14	19	11	-	39	53
2	1,410	23	84	20	65	98	23	14	20	6	5	36	148	28	83	153	30	18	204	54
1	895	13	51	15	46	63	20	8	17	4	2	19	98	13	37	94	15	10	147	55
1	515	10	33	5	19	35	3	6	3	2	3	17	50	15	46	59	15	8	57	56
-	229	3	13	-	8	14	2	-	-	-	-	7	18	6	16	29	8	2	14	57
1	895	13	51	15	46	63	20	8	17	4	2	19	98	13	37	94	15	10	147	58
1	286	7	20	5	11	21	1	6	3	2	3	10	32	9	30	30	7	6	43	59
5	3,271	80	141	74	80	209	41	32	131	25	10	87	420	16	143	392	108	89	541	60
20	9,128	282	478	175	480	994	154	186	284	103	86	336	1,388	762	831	1,200	324	318	2,070	61
12	4,740	126	241	105	227	427	95	69	156	52	33	164	591	283	382	540	172	132	1,024	62
8	4,388	156	237	70	253	567	59	117	128	51	53	172	797	479	449	660	152	186	1,046	63
1	125	5	4	1	8	21	2	5	2	-	2	5	27	24	13	21	6	6	32	64
-	16	-	-	-	2	-	1	1	-	-	1	-	3	3	5	1	-	4	4	65
1	73	-	3	1	6	15	-	-	3	-	1	5	37	12	7	18	7	5	24	66
-	46	-	-	1	2	15	-	-	-	-	2	2	6	1	3	¼	-	2	4	67
-	85	3	6	2	4	15	2	1	1	1	1	4	21	5	15	14	4	5	22	68
-	265	5	13	2	14	28	4	3	7	1	4	9	49	10	33	33	17	15	68	69
1	11	1	-	2	4	4	1	1	2	-	-	-	7	3	1	6	-	1	3	70
-	13	1	-	-	1	1	-	-	-	-	-	-	4	-	2	2	1	-	3	71
-	23	-	-	2	1	1	-	-	-	-	-	-	3	3	4	3	1	-	6	72
-	40	1	4	1	1	4	-	2	-	-	1	2	14	5	2	6	2	1	9	73
-	11	1	-	1	-	-	-	1	-	-	-	2	2	4	2	5	-	3	4	74
-	50	3	3	1	-	6	-	-	-	1	-	2	10	5	2	10	-	3	20	75
5	1,692	42	67	40	60	129	38	18	52	17	10	39	206	104	138	180	68	59	351	76
-	13	-	2	1	4	3	-	-	-	1	-	1	4	2	3	6	-	-	5	77
-	5	-	-	-	1	3	-	-	1	-	1	2	4	1	3	5	-	1	1	78

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	FLORIDA—Continued																
01	Duval	2,850	92	33	-	2	1	1	3	1	-	17	343	34	1,331	1,273	310
02	Escambia	888	21	5	-	2	-	1	2	3	-	6	94	10	377	360	95
03	Flagler	30	1	-	-	-	-	-	-	-	-	-	-	1	19	18	3
04	Franklin	58	1	-	-	-	-	1	-	-	-	-	8	-	27	27	3
05	Gadsden	303	7	2	-	1	-	2	-	-	-	2	30	2	133	129	36
06	Gilchrist	20	-	-	-	-	-	-	-	-	-	-	2	-	12	11	4
07	Glades	20	-	-	-	-	-	-	-	-	-	-	4	-	8	8	3
08	Gulf	57	3	-	-	-	-	-	1	-	-	1	6	-	23	21	5
09	Hamilton	110	6	-	-	-	-	-	-	-	-	-	9	1	47	42	10
10	Hardee	95	1	-	-	-	-	-	1	1	-	-	15	1	47	46	10
11	Hendry	67	1	-	-	-	-	-	-	-	-	-	8	1	24	23	6
12	Hernando	64	1	-	-	-	-	-	-	-	-	1	9	-	36	33	12
13	Highlands	161	5	-	-	-	-	-	-	-	-	2	16	3	84	81	19
14	Hillsborough	2,614	72	19	-	1	2	4	2	4	1	11	359	51	1,235	1,170	281
15	Holmes	96	1	-	-	-	-	-	-	-	-	-	7	2	36	32	10
16	Indian River	110	-	1	-	-	-	-	-	-	-	1	16	1	46	45	14
17	Jackson	325	8	1	-	-	1	-	-	-	-	3	39	3	169	161	52
18	Jefferson	126	2	2	-	-	-	3	-	1	-	-	8	2	59	53	15
19	Lafayette	35	1	-	-	-	-	-	-	-	-	-	4	-	19	19	6
20	Lake	373	9	1	-	-	-	1	-	-	-	-	57	4	183	182	47
21	Lee	262	6	-	-	-	-	1	-	1	-	3	31	5	151	146	38
22	Leon	390	12	2	-	1	-	2	-	-	-	1	43	2	177	168	42
23	Levy	100	1	1	-	-	-	-	-	-	1	-	14	-	52	52	15
24	Liberty	30	-	-	-	-	-	-	-	-	-	-	-	-	15	15	5
25	Madison	171	1	-	-	1	-	1	-	-	-	-	19	1	89	87	25
26	Manatee	425	5	2	-	1	-	-	-	1	-	1	60	8	251	242	65
27	Marion	443	12	2	-	1	-	1	1	-	-	2	33	4	223	212	61
28	Martin	93	2	-	-	-	-	-	-	-	-	-	13	2	52	50	20
29	Monroe	261	6	1	-	-	-	-	-	-	-	3	35	3	91	90	25
30	Nassau	136	5	1	-	-	-	-	-	-	-	-	10	1	70	69	15
31	Okaloosa	159	2	-	-	-	-	-	-	-	-	1	16	-	67	63	20
32	Okeechobee	48	2	-	-	-	-	-	-	-	-	-	7	-	28	27	6
33	Orange	1,244	19	5	-	-	-	-	1	1	1	2	169	15	663	648	175
34	Osceola	186	3	-	-	-	-	-	-	-	-	-	22	2	112	112	32
35	Palm Beach	1,230	18	5	1	-	-	-	-	1	-	12	168	14	629	613	164
36	Pasco	227	3	-	-	-	-	-	-	-	-	1	35	2	116	113	27
37	Pinellas	2,363	16	10	-	2	-	-	1	-	1	10	378	37	1,410	1,381	328
38	Polk	1,137	11	4	-	-	1	3	2	-	-	2	155	8	572	548	140
39	Putnam	268	7	1	-	-	-	-	-	-	-	-	38	3	130	121	18
40	St. Johns	283	2	2	-	-	-	1	-	-	-	2	32	7	146	141	32
41	St. Lucie	205	2	1	-	2	-	-	-	-	-	3	27	4	74	72	19
42	Santa Rosa	144	4	2	-	-	-	-	-	-	-	-	17	2	68	65	23
43	Sarasota	378	7	2	-	1	-	-	-	-	-	4	42	3	196	192	49
44	Seminole	305	4	2	-	-	-	1	2	-	-	2	28	4	148	142	45
45	Sumter	82	2	2	-	-	-	-	-	-	-	1	8	1	40	38	10
46	Suwannee	182	2	1	-	-	-	-	1	-	-	-	17	3	92	90	14
47	Taylor	103	-	1	-	-	-	-	-	-	-	-	12	3	64	63	25
48	Union	42	-	-	-	-	-	1	-	-	-	1	2	-	22	22	8
49	Volusia	915	9	6	-	1	-	-	-	-	-	6	134	13	499	480	115
50	Wakulla	52	-	-	-	-	-	-	-	-	-	-	6	-	21	20	-
51	Walton	145	1	1	-	1	-	-	-	-	-	1	19	1	65	63	21
52	Washington	96	1	-	-	-	-	-	1	-	-	1	9	2	46	43	10
53	GEORGIA	30,926	678	156	2	44	11	86	36	24	24	159	3,214	435	15,261	14,499	4,408
54	Metropolitan counties	11,275	315	65	2	8	5	19	12	9	4	57	1,213	175	5,654	5,427	1,578
55	Nonmetropolitan counties	19,651	363	91	-	36	6	67	24	15	20	102	2,001	260	9,607	9,072	2,830
56	Appling	92	2	-	-	2	1	-	-	-	-	-	9	1	35	33	12
57	Atkinson	72	1	-	-	-	-	-	-	-	-	-	10	-	24	23	11
58	Bacon	86	-	-	-	-	-	-	-	-	-	-	9	-	41	41	10
59	Baker	41	1	-	-	-	-	-	-	-	-	-	5	-	19	19	8
60	Baldwin	179	7	-	-	-	-	2	-	-	-	-	16	1	89	78	20
61	Banks	36	1	-	-	-	-	-	-	-	-	-	6	-	17	15	6
62	Barrow	117	2	1	-	1	-	-	-	-	-	1	13	2	57	51	21
63	Bartow	219	6	-	-	-	-	1	-	-	-	-	36	2	99	87	35
64	Ben Hill	145	1	1	-	-	-	-	-	-	-	1	13	-	69	67	17
65	Berrien	102	3	-	-	-	1	1	-	-	-	1	8	2	54	52	16
66	Bibb	1,113	38	7	1	-	-	2	-	-	-	4	95	15	570	543	164
67	Bleckley	77	2	-	-	1	-	-	1	-	-	-	8	2	41	40	17
68	Brantley	71	-	-	-	1	-	-	-	-	-	-	7	5	40	31	7
69	Brooks	192	2	-	-	-	-	2	-	-	-	4	11	1	105	91	44
70	Bryan	66	3	-	-	-	-	1	-	-	-	-	3	-	33	32	11
71	Bulloch	188	3	-	-	-	-	-	-	-	-	-	21	3	93	91	33
72	Burke	294	6	6	-	-	-	2	-	1	-	1	30	5	140	138	54
73	Butts	102	6	-	-	-	-	1	-	1	-	-	9	-	47	46	18
74	Calhoun	102	1	-	-	-	-	-	-	-	-	-	11	1	59	58	12
75	Camden	83	1	-	-	-	-	-	-	-	-	-	13	1	39	38	10
76	Candler	59	2	-	-	-	-	-	-	-	-	-	3	1	32	31	9
77	Carroll	251	5	2	-	-	-	1	1	2	-	-	35	4	129	122	17
78	Catoosa	73	2	-	-	-	-	-	-	-	-	-	13	-	39	38	12
79	Charlton	44	-	1	-	-	-	-	-	-	-	-	4	1	21	19	8
80	Chatham	1,694	47	13	-	2	1	4	3	-	1	5	180	22	869	840	265
81	Chattahoochee	29	1	-	-	-	-	-	1	-	-	1	1	1	6	5	1
82	Chattooga	152	5	1	-	-	-	2	-	-	-	-	12	1	55	53	13
83	Cherokee	139	3	-	-	-	-	-	-	-	-	-	21	2	59	56	15
84	Clarke	314	3	2	-	-	-	-	1	-	-	1	32	4	192	169	43
85	Clay	48	2	-	-	1	-	-	-	-	-	1	6	1	21	21	10

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
4	863	29	41	26	58	128	15	16	43	18	12	54	168	22	84	139	30	33	230	1
-	256	1	7	1	17	29	5	10	5	9	4	17	82	62	29	40	11	9	55	2
1	13	1	-	-	1	-	-	-	-	-	-	1	1	-	1	3	1	1	1	3
-	22	-	2	-	-	2	-	-	2	-	1	-	3	3	2	1	1	1	5	4
-	87	2	4	-	4	18	1	10	2	-	1	4	18	12	11	16	1	6	24	5
-	7	-	-	-	1	-	-	1	1	-	-	-	2	1	-	-	-	-	1	6
-	4	-	1	-	-	2	-	-	-	1	-	-	1	-	1	-	-	1	2	7
-	12	2	2	-	2	3	-	-	-	-	-	-	5	3	3	5	-	1	3	8
-	26	4	2	-	5	11	-	1	1	-	1	2	3	2	4	9	1	-	12	9
-	33	2	1	-	1	5	1	-	-	-	-	2	8	2	5	-	2	1	3	10
-	17	-	-	-	1	4	-	1	1	-	-	1	9	1	5	8	-	-	3	11
-	20	1	-	-	3	3	-	-	-	-	-	1	2	-	2	3	-	-	6	12
-	55	2	4	1	3	3	1	1	2	-	-	1	10	1	9	4	1	2	16	13
2	807	31	32	17	65	89	17	9	25	5	7	40	123	131	84	104	25	25	169	14
-	20	2	-	-	4	3	-	1	1	3	1	2	8	5	7	9	1	-	9	15
-	30	1	-	-	1	3	-	-	-	1	-	2	3	14	1	6	3	2	10	16
-	84	5	16	4	8	10	1	3	1	-	2	3	18	14	5	11	2	5	26	17
1	35	1	-	1	6	7	-	2	3	-	2	1	11	6	3	7	-	-	7	18
-	13	-	-	-	-	1	-	1	-	-	-	1	1	1	1	1	-	1	3	19
-	130	1	3	1	1	22	2	1	2	-	3	3	25	3	6	18	4	3	26	20
-	99	3	3	3	5	5	1	3	3	-	-	5	5	5	10	15	6	2	24	21
1	112	8	3	2	9	22	1	4	2	4	1	2	24	19	12	20	1	4	34	22
-	31	1	2	3	-	4	-	-	-	1	1	2	5	4	6	1	-	-	7	23
-	9	1	-	-	-	3	-	-	2	-	1	1	1	-	2	-	-	1	4	24
-	56	-	3	3	2	7	1	1	-	1	-	2	9	7	3	7	2	4	15	25
-	145	12	18	2	9	7	1	3	3	3	-	2	16	13	7	8	5	3	25	26
-	140	3	5	3	11	13	4	6	2	1	3	6	26	21	15	18	2	11	36	27
-	29	1	-	-	2	2	-	1	1	-	-	-	3	1	6	2	-	-	8	28
-	47	2	15	1	1	11	1	2	7	-	-	6	17	19	7	34	-	-	18	29
-	48	1	5	-	1	8	1	-	2	-	-	-	8	4	8	9	2	3	4	30
-	41	2	-	-	4	5	2	1	1	-	2	7	13	7	10	15	1	2	7	31
-	19	1	1	-	1	1	-	-	-	-	-	1	2	1	-	4	-	1	1	32
-	438	11	18	6	15	34	11	11	13	3	3	17	52	12	38	49	18	9	98	33
-	67	9	4	-	-	6	-	1	3	1	-	1	2	6	2	3	1	-	21	34
1	411	13	13	11	16	39	3	10	17	4	4	10	48	27	42	65	18	11	84	35
-	78	4	4	-	3	3	1	1	2	1	1	3	10	5	8	11	2	5	17	36
1	940	13	83	16	29	47	14	15	23	9	1	14	42	14	38	68	31	6	176	37
-	368	14	26	-	24	46	8	1	8	2	2	19	60	33	41	41	21	14	83	38
-	97	3	2	1	9	17	-	1	2	6	-	4	17	4	9	11	1	1	16	39
-	87	8	13	1	5	11	-	1	3	1	-	1	12	20	4	8	2	5	23	40
-	52	1	-	-	2	12	-	10	-	1	-	1	13	7	10	4	1	14	19	41
-	37	2	1	2	3	8	-	3	-	-	-	1	5	5	6	12	-	3	8	42
-	129	5	7	2	4	9	3	5	4	2	1	7	10	12	13	13	6	3	35	43
-	89	3	4	1	6	14	3	6	6	2	-	1	24	6	3	11	2	3	33	44
-	27	-	1	-	2	1	-	-	4	-	1	1	5	3	3	5	-	1	4	45
1	71	1	1	2	2	16	1	2	3	-	-	3	14	3	3	12	2	3	4	46
-	35	1	2	-	1	2	-	1	-	-	-	1	3	7	3	-	1	-	5	47
-	13	-	-	-	-	5	-	1	-	-	2	-	-	1	2	2	-	1	2	48
-	323	9	24	9	19	31	6	5	12	3	4	7	33	11	16	35	8	8	68	49
-	19	1	-	-	1	4	-	-	-	-	2	-	3	10	1	1	1	1	2	50
-	41	-	1	-	2	8	-	1	1	-	-	2	7	5	5	12	-	2	13	51
-	28	2	2	1	3	5	1	1	3	-	-	1	1	5	2	6	1	1	9	52
60	8,923	491	472	145	762	1,449	153	268	197	164	138	410	1,749	838	1,024	1,416	288	468	2,234	53
19	3,409	169	200	52	227	411	61	65	96	49	25	190	677	161	310	512	125	194	861	54
41	5,514	322	272	93	535	1,038	92	203	101	115	113	220	1,072	677	714	904	163	274	1,373	55
1	19	1	-	-	2	14	-	1	1	1	2	1	4	1	4	5	-	1	7	56
-	12	-	-	-	1	9	1	-	-	-	-	-	5	4	4	7	-	1	6	57
1	26	2	2	-	-	4	-	-	1	3	1	4	4	5	2	3	-	2	7	58
-	11	-	-	-	-	2	-	-	1	-	1	-	1	4	2	3	-	-	2	59
1	51	1	3	2	11	13	1	4	-	-	-	2	8	3	7	8	4	2	12	60
-	9	-	-	-	2	2	-	-	-	1	-	-	-	1	3	1	1	1	2	61
-	26	2	1	1	6	7	-	2	2	-	-	4	7	-	8	3	2	1	4	62
2	48	1	1	-	12	15	-	2	-	2	-	4	11	9	6	5	4	5	12	63
-	43	2	2	3	2	4	1	4	-	2	1	2	6	1	6	6	-	6	21	64
-	29	3	2	2	2	6	1	1	-	-	-	-	5	1	8	2	-	3	5	65
-	336	18	18	7	27	46	8	5	5	4	1	17	58	53	20	53	12	25	74	66
1	17	2	2	1	1	3	-	1	-	-	3	-	3	3	2	1	1	-	5	67
-	22	2	-	-	9	5	-	1	-	-	2	-	1	1	1	4	1	-	2	68
-	46	-	1	-	14	15	2	2	1	-	1	2	7	8	5	6	1	4	13	69
-	20	-	1	-	1	6	-	1	-	-	-	2	7	-	-	5	-	1	4	70
-	46	8	3	1	2	10	2	-	2	1	2	3	8	4	8	8	1	2	17	71
1	68	7	6	2	2	15	-	3	-	-	4	2	20	20	9	6	2	3	19	72
-	23	3	-	2	1	6	1	1	1	-	1	2	2	5	6	5	1	1	6	73
1	39	6	-	-	1	2	1	-	-	2	1	-	5	2	2	5	3	2	5	74
-	27	-	1	-	1	3	-	-	-	-	1	-	5	2	6	4	1	2	5	75
-	18	3	1	-	1	6	2	-	-	-	2	-	1	1	2	1	-	1	5	76
1	99	3	2	-	7	9	4	2	-	1	-	6	5	5	6	10	5	4	15	77
1	23	1	1	-	1	2	1	-	-	-	-	-	4	4	1	3	1	-	3	78
-	10	-	1	-	2	3	-	-	-	-	-	1	2	-	-	5	-	2	4	79
4	534	22	13	2	29	80	5	11	12	15	5	16	107	11	37	67	19	27	135	80
-	3	1	-	-	1	2	-	-	-	1	-	-	8	2	3	1	-	-	1	81
-	36	3	2	-	2	16	1	1	1	1	-	3	16	7	8	8	1	1	12	82
2	38	1	-	-	3	8	-	-	1	1	-	2	9	7	3	12	3	-	8	83
-	111	9	5	1	23	19	3	4	-	4	1	1	11	-	6	11	2	3	14	84
1	9	1	-	-	-	1	-	-	-	-	1	-	6	4	1	3	-	-	-	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	GEORGIA--Continued																
01	Clayton	150	2	1	-	-	-	-	1	1	-	1	10	3	73	70	19
02	Clinch	57	-	-	-	-	-	-	-	-	-	1	6	-	23	22	9
03	Cobb	427	7	2	-	1	-	-	1	1	-	1	48	7	218	212	58
04	Coffee	202	-	-	-	-	-	-	-	-	-	5	21	2	96	94	38
05	Colquitt	275	3	1	-	3	-	-	1	-	-	2	27	5	134	123	46
06	Columbia	86	1	-	-	1	-	-	-	1	1	-	7	-	43	38	9
07	Cook	131	1	-	-	-	-	1	-	1	-	3	10	2	50	45	16
08	Coweta	241	3	1	-	-	-	-	-	-	-	-	28	2	133	123	38
09	Crawford	49	2	-	-	-	-	-	-	-	-	-	7	-	24	24	8
10	Crisp	166	11	-	-	-	-	-	-	-	1	1	11	5	78	74	25
11	Dade	47	1	-	-	-	-	-	-	-	-	-	10	1	21	19	6
12	Dawson	30	-	-	-	-	1	-	-	-	-	-	4	1	14	14	2
13	Decatur	271	3	1	-	1	-	-	-	-	-	3	18	7	131	125	42
14	De Kalb	948	28	4	1	1	1	1	2	-	-	3	121	20	467	451	111
15	Dodge	151	2	-	-	-	-	-	-	-	-	-	14	3	84	81	22
16	Dooly	150	2	1	-	2	-	-	-	-	-	-	17	2	81	73	32
17	Dougherty	411	10	4	-	-	-	1	1	1	-	5	46	2	187	180	58
18	Douglas	92	1	1	-	-	-	-	-	1	-	1	12	3	44	44	12
19	Early	174	1	1	-	1	-	3	1	-	-	1	11	2	92	89	20
20	Echols	25	-	-	-	-	-	1	-	-	-	-	3	-	11	11	3
21	Effingham	109	2	-	-	-	-	1	-	-	-	1	12	2	58	56	17
22	Elbert	198	7	-	-	-	-	-	-	2	-	2	13	2	95	85	21
23	Emanuel	204	2	-	-	-	-	-	-	-	-	5	16	1	104	95	30
24	Evans	58	1	1	-	-	-	-	-	-	-	-	5	-	30	30	8
25	Fannin	110	1	1	-	-	-	-	-	-	-	-	14	2	45	45	20
26	Fayette	62	2	-	-	-	-	1	-	-	-	1	4	2	29	26	13
27	Floyd	529	23	4	-	-	-	-	-	-	2	2	57	2	289	280	70
28	Forsyth	78	2	-	-	-	-	2	-	-	-	-	15	-	33	33	4
29	Franklin	107	-	-	-	-	-	-	-	-	-	-	13	2	50	49	15
30	Fulton	4,760	134	29	-	4	3	6	1	6	1	30	550	78	2,349	2,251	647
31	Gilmer	69	-	-	-	1	-	-	-	-	-	-	12	1	32	32	10
32	Glascock	22	-	1	-	-	-	-	-	-	-	-	3	-	13	13	6
33	Glynn	285	2	2	-	-	-	-	-	-	-	2	33	3	127	122	29
34	Gordon	138	4	-	-	-	-	-	-	-	-	-	23	3	57	55	15
35	Grady	179	2	1	-	1	-	-	-	-	-	-	22	3	74	69	46
36	Greene	141	-	-	-	-	-	-	-	-	-	1	13	2	77	75	15
37	Gwinnett	240	6	-	-	-	-	1	-	-	1	-	33	4	102	98	37
38	Habersham	108	-	-	-	-	-	-	-	-	-	-	15	3	55	54	21
39	Hall	264	3	1	-	-	1	-	1	-	-	3	24	6	127	121	35
40	Hancock	107	5	-	-	-	-	5	-	-	2	-	4	-	46	43	21
41	Haralson	99	1	-	-	-	-	-	-	-	-	-	14	2	45	44	7
42	Harris	109	3	-	-	-	-	1	-	-	-	-	14	-	57	53	22
43	Hart	130	3	1	-	-	-	-	-	-	-	1	19	-	59	54	14
44	Heard	59	1	-	-	-	-	1	-	-	-	-	6	1	24	24	11
45	Henry	147	5	1	-	-	-	2	1	-	-	-	15	4	57	49	10
46	Houston	156	1	1	-	-	-	1	-	-	-	-	9	2	78	77	24
47	Irwin	105	1	1	-	-	-	-	-	-	-	-	7	1	54	45	21
48	Jackson	146	4	2	-	1	-	-	-	1	-	-	17	2	77	73	32
49	Jasper	78	2	1	-	-	-	-	-	-	-	-	9	-	38	36	9
50	Jeff Davis	74	-	-	-	-	-	-	-	-	-	-	6	1	37	34	15
51	Jefferson	197	7	2	-	-	-	-	-	-	-	-	22	2	93	89	31
52	Jenkins	141	2	-	-	-	-	-	-	-	-	4	9	4	51	48	19
53	Johnson	97	3	-	-	-	-	-	-	-	-	-	6	1	58	53	25
54	Jones	71	2	1	-	-	-	-	-	-	-	2	7	1	33	28	15
55	Lamar	105	-	1	-	1	-	-	1	-	1	-	7	1	63	58	13
56	Lanier	41	1	-	-	1	-	-	-	-	-	-	7	-	15	14	5
57	Laurens	340	9	2	-	-	-	2	-	-	1	3	26	3	173	150	23
58	Lee	70	-	-	-	1	-	-	-	-	-	-	9	-	30	29	10
59	Liberty	108	1	-	-	1	-	-	-	-	-	1	13	3	49	49	14
60	Lincoln	51	1	-	-	-	-	-	-	-	-	-	9	-	30	26	10
61	Long	47	1	-	-	-	-	2	-	-	-	-	3	-	28	27	7
62	Lowndes	334	5	3	-	-	-	-	-	-	-	1	33	7	181	171	61
63	Lumpkin	34	-	1	-	-	-	-	-	-	-	-	4	1	17	17	5
64	McDuffie	110	1	-	-	-	-	2	-	-	-	-	5	4	59	57	20
65	McIntosh	70	1	1	-	-	-	-	-	-	-	-	5	-	44	44	6
66	Macon	154	3	1	-	-	-	1	-	-	-	1	16	2	75	70	24
67	Madison	108	2	1	-	-	-	-	-	-	-	-	8	1	64	59	24
68	Marion	70	-	-	-	-	-	-	-	-	-	-	2	-	46	39	16
69	Meriwether	194	3	1	-	-	-	2	-	-	-	-	19	1	95	93	28
70	Miller	72	-	-	-	-	-	1	-	-	-	-	10	1	34	33	9
71	Mitchell	196	2	-	-	-	-	-	1	-	1	2	19	2	95	94	29
72	Monroe	86	2	-	-	-	-	-	-	-	-	-	3	-	54	50	21
73	Montgomery	52	-	-	-	-	-	-	-	-	1	-	5	-	28	27	9
74	Morgan	102	3	-	-	4	-	-	-	-	-	-	10	1	46	45	11
75	Murray	78	-	-	-	-	-	1	-	-	-	-	6	-	36	36	13
76	Muscogee	858	22	2	-	-	-	-	2	-	1	5	70	13	408	389	112
77	Newton	183	4	-	-	-	-	3	1	1	-	1	19	2	88	83	19
78	Oconee	67	-	-	-	-	-	-	-	-	-	-	9	2	36	29	6
79	Oglethorpe	97	2	1	-	-	-	1	-	-	1	1	8	1	60	52	16
80	Paulding	97	1	-	-	-	-	-	-	-	-	-	11	2	50	43	12
81	Peach	112	-	2	-	-	-	-	-	-	-	-	7	3	49	49	8
82	Pickens	77	2	-	-	-	-	-	-	-	1	-	9	-	40	40	15
83	Pierce	103	2	-	-	-	-	-	-	-	-	-	12	4	48	46	15
84	Pike	98	1	-	-	-	-	-	-	-	-	-	9	2	49	47	13
85	Polk	221	6	2	-	-	-	-	-	-	-	2	25	3	108	101	27
86	Pulaski	99	1	-	-	-	-	-	-	-	1	-	7	1	44	39	9
87	Putnam	83	1	1	-	-	-	-	-	-	-	-	11	-	36	35	15
88	Quitman	31	-	-	-	-	1	-	-	-	-	-	2	-	13	13	3

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	46	2	-	3	3	8	-	1	-	-	2	2	11	4	7	4	3	3	13	1
-	12	-	1	-	1	8	2	-	1	2	1	-	3	5	3	1	-	-	1	2
1	140	3	10	-	6	16	3	2	2	1	1	9	19	4	22	26	4	9	23	3
-	51	4	1	-	2	19	1	5	1	2	1	3	13	6	3	5	-	5	14	4
1	65	7	3	1	11	15	-	2	1	-	4	5	9	3	17	13	3	3	24	5
-	23	3	1	2	5	5	1	1	-	4	-	3	5	1	3	2	-	-	7	6
-	25	1	2	1	5	8	-	2	2	3	3	1	10	4	3	10	1	2	14	7
1	73	6	5	-	10	10	1	1	2	1	2	1	11	11	9	10	1	2	12	8
1	14	-	1	-	-	2	-	-	1	-	-	1	2	2	2	1	-	2	3	9
1	37	5	4	2	4	4	1	5	1	-	-	-	9	14	5	8	-	2	10	10
-	10	1	1	1	2	1	-	-	-	-	-	-	3	2	4	-	-	1	3	11
-	11	-	1	-	-	-	-	-	-	-	-	2	1	1	3	1	1	-	1	12
-	72	8	2	1	6	9	-	9	-	4	2	3	14	10	15	14	1	6	20	13
-	294	16	26	4	16	22	5	4	7	1	4	22	68	16	19	39	10	6	76	14
-	55	1	3	-	3	5	-	-	2	-	1	2	7	7	1	8	2	3	10	15
-	36	1	4	-	8	10	-	3	-	-	1	1	10	2	2	4	-	2	10	16
1	107	8	3	3	7	24	1	3	2	1	-	8	33	11	13	23	3	9	23	17
-	25	2	3	2	-	9	-	-	-	-	-	-	2	1	3	3	2	-	9	18
-	68	1	-	-	3	5	-	1	1	-	-	3	10	7	4	10	2	6	12	19
-	6	1	1	-	-	1	-	-	1	-	-	1	2	1	1	2	-	-	1	20
-	38	-	1	-	2	4	-	2	1	1	1	1	9	3	2	3	1	1	4	21
-	59	3	1	1	10	14	1	4	1	2	2	1	6	10	5	4	2	2	23	22
-	63	1	1	-	9	9	-	1	3	1	-	-	11	13	8	14	-	4	12	23
-	19	2	1	-	-	4	1	1	-	-	-	-	6	1	2	1	-	1	4	24
-	17	2	5	1	-	8	1	2	-	-	-	1	2	4	2	3	8	-	1	15	25
-	12	-	1	-	3	2	-	-	-	-	-	-	1	3	2	4	7	-	1	3	26
-	179	6	17	8	9	12	2	2	2	-	-	6	31	11	16	21	6	10	31	27
-	28	-	1	-	-	1	-	-	1	-	-	2	4	8	1	1	1	-	7	28
-	34	-	-	-	1	5	-	1	-	2	2	2	9	3	4	6	2	1	5	29
9	1,427	66	75	27	98	133	30	27	56	19	5	85	263	45	119	227	53	100	407	30
-	20	1	1	-	-	-	-	1	3	-	-	2	2	1	3	6	1	1	3	31
-	5	2	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	1	32
1	83	5	3	1	5	9	4	2	2	2	2	3	29	5	13	14	2	4	25	33
-	31	4	3	2	2	11	-	-	-	-	1	-	8	3	3	12	2	1	10	34
-	21	1	1	-	5	14	1	1	3	1	-	1	8	8	6	14	1	3	15	35
1	54	4	1	-	2	9	1	-	-	-	-	4	8	3	8	5	1	1	8	36
-	56	1	1	3	4	18	1	2	-	-	-	3	16	5	15	17	2	3	11	37
-	30	-	3	-	1	3	-	1	1	1	1	-	8	-	4	3	1	-	12	38
2	71	2	11	-	6	13	1	1	8	1	1	4	7	6	16	15	3	2	20	39
1	15	3	2	1	3	8	1	2	-	-	-	1	3	6	12	3	2	-	7	40
-	35	1	-	1	1	3	1	-	-	-	-	-	4	4	1	4	9	1	10	41
-	27	-	3	1	4	3	-	1	-	-	1	1	4	4	4	8	7	2	2	42
-	37	1	1	1	5	11	1	2	-	-	5	-	4	4	2	5	1	1	9	43
-	12	-	-	1	-	2	2	-	-	-	-	2	1	3	2	6	2	3	3	44
-	32	1	4	2	8	6	1	2	-	-	1	-	10	11	6	6	1	3	14	45
3	45	2	3	-	1	8	1	3	-	-	-	3	14	2	15	6	5	1	6	46
2	21	-	1	-	9	5	1	2	-	-	2	1	5	4	3	9	1	1	6	47
1	38	2	-	-	4	5	1	1	-	-	1	3	7	4	6	4	2	1	7	48
-	22	1	3	1	2	2	-	1	-	-	-	-	7	4	-	4	1	-	9	49
-	16	2	1	-	3	4	-	1	1	2	-	2	7	2	5	3	-	1	2	50
-	47	2	9	-	4	14	-	-	-	1	-	3	5	11	5	13	1	4	14	51
-	28	-	1	-	3	10	-	8	-	2	1	1	8	9	7	8	1	3	13	52
-	26	2	-	-	5	5	1	2	-	-	1	-	3	2	3	4	2	1	7	53
-	13	-	-	-	5	4	-	2	1	-	-	-	6	1	4	3	1	-	3	54
-	42	-	3	-	5	1	-	1	1	1	-	-	4	5	3	2	1	3	8	55
-	6	3	-	-	1	4	-	-	-	1	1	-	-	-	2	4	1	-	4	56
-	110	6	8	3	23	17	1	7	-	3	3	-	15	15	6	15	1	5	33	57
1	16	-	-	2	1	4	-	1	-	2	1	-	6	7	2	2	-	-	5	58
-	31	3	-	1	-	10	2	1	-	2	2	2	4	2	3	7	1	-	4	59
-	13	2	1	-	4	2	-	-	1	-	-	-	2	-	2	1	-	-	3	60
-	20	-	-	-	1	2	-	-	-	-	-	1	2	3	2	-	-	-	3	61
-	100	3	6	1	10	9	-	5	2	4	1	5	11	4	8	22	1	7	25	62
-	9	2	-	1	-	-	1	-	1	-	-	-	3	-	1	-	-	-	5	63
-	32	3	2	-	2	6	-	-	2	1	1	-	3	3	9	3	1	2	8	64
1	35	-	1	1	-	6	-	-	-	-	-	-	1	1	4	4	-	-	3	65
1	41	1	3	-	5	8	-	4	-	1	1	2	10	10	2	6	1	2	8	66
-	29	2	2	2	5	6	-	1	-	1	-	-	4	3	2	6	-	-	9	67
-	22	-	1	-	7	4	-	2	-	-	-	-	3	5	2	2	-	-	4	68
-	60	2	2	1	2	8	2	-	2	-	2	2	6	9	11	7	3	3	18	69
-	20	2	2	-	1	3	-	2	-	-	1	1	6	4	3	3	1	1	2	70
-	57	4	2	2	1	11	3	4	2	2	1	1	16	3	7	11	-	3	10	71
2	24	1	1	1	4	9	-	-	-	-	-	1	4	2	5	3	-	1	2	72
-	17	1	-	-	1	3	-	-	-	-	-	-	4	1	1	3	-	1	5	73
-	25	2	6	1	1	8	1	-	-	-	-	1	3	4	7	8	-	1	5	74
-	20	1	1	1	-	4	1	1	4	1	-	1	5	-	4	8	1	1	4	75
2	238	21	11	5	19	37	6	5	4	2	4	20	88	14	33	39	10	15	58	76
-	53	6	4	1	5	17	1	1	1	2	-	2	8	12	2	2	1	1	14	77
1	19	3	-	-	7	1	1	-	1	1	-	1	3	2	3	3	1	-	3	78
-	34	2	-	-	8	4	-	1	-	-	-	1	3	3	1	3	1	1	4	79
-	24	6	1	-	7	7	-	-	-	1	1	-	5	1	3	2	2	1	10	80
-	36	4	1	-	-	11	-	2	-	1	1	3	7	6	5	3	1	1	10	81
-	25	-	-	-	-	2	-	-	-	-	-	4	-	1	4	5	1	-	8	82
-	30	-	-	1	2	3	1	-	-	1	-	-	5	4	2	6	1	3	11	83
-	34	-	-	-	2	8	-	2	-	-	-	-	6	2	1	5	-	4	9	84
-	62	9	2	1	7	17	1	2	1	1	2	3	10	7	7	6	-	1	17	85
1	26	3	-	-	5	3	-	5	-	2	2	-	7	-	6	10	1	2	7	86
-	17	1	2	-	1	8	1	3	-	1	-	-	5	2	3	4	-	2	5	87
-	10	-	-	-	-	1	-	-	-	-	-	1	4	6	-	1	-	1	1	88

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	GEORGIA—Continued																
1	Rabun	58	-	-	-	-	-	-	-	-	-	-	9	1	25	23	2
2	Randolph	141	2	3	-	-	-	1	-	-	-	2	15	2	80	79	17
3	Richmond	1,022	22	7	-	-	-	4	2	2	1	6	103	16	566	544	160
4	Rockdale	64	-	-	-	-	-	-	-	-	-	-	9	2	34	34	9
5	Schley	40	3	1	-	-	-	-	-	-	-	-	6	-	23	19	10
6	Screven	142	2	-	-	-	-	-	-	-	-	1	9	-	79	76	28
7	Seminole	90	-	-	-	-	-	-	-	-	-	1	4	4	45	44	12
8	Spalding	303	6	1	-	1	-	-	-	-	-	1	44	5	160	153	56
9	Stephens	106	-	-	-	-	-	-	-	-	-	-	14	2	54	52	5
10	Stewart	89	2	2	-	-	-	-	-	-	-	-	6	-	45	45	16
11	Sumter	285	10	3	-	3	-	1	-	-	2	2	35	1	136	135	54
12	Talbot	94	1	-	-	1	-	-	-	-	-	1	11	-	42	39	13
13	Taliaferro	46	-	-	-	-	-	-	-	-	-	-	2	3	23	21	6
14	Tattnall	114	3	-	-	-	-	-	1	-	1	3	4	2	57	54	15
15	Taylor	92	1	-	-	-	-	-	-	-	-	1	8	4	46	46	20
16	Telfair	143	6	-	-	-	-	-	1	-	-	-	13	1	66	63	17
17	Terrell	154	2	-	-	2	-	6	-	-	-	1	14	2	61	61	21
18	Thomas	367	3	4	-	-	-	-	-	-	-	3	31	5	196	193	60
19	Tift	218	3	2	-	-	1	-	-	-	-	2	22	2	91	88	29
20	Toombs	144	1	-	-	-	-	-	-	-	-	-	9	3	77	71	25
21	Towns	30	-	1	-	-	-	-	-	-	-	-	3	-	13	13	7
22	Treutlen	70	1	-	-	-	-	-	2	-	-	-	3	1	40	30	9
23	Troup	443	8	4	-	-	-	1	-	-	-	3	44	4	213	201	54
24	Turner	79	2	2	-	1	-	2	1	-	2	-	12	-	29	28	9
25	Twiggs	79	2	1	-	-	-	-	1	-	-	-	7	-	31	31	10
26	Union	42	-	1	-	-	-	-	-	-	-	-	4	-	19	19	6
27	Upson	179	4	2	-	1	-	-	-	1	-	-	20	1	94	93	26
28	Walker	268	15	-	-	-	-	1	-	-	-	2	36	1	123	115	36
29	Walton	181	1	-	-	-	-	1	2	-	-	2	20	2	73	72	16
30	Ware	289	4	1	-	-	-	1	1	-	-	3	34	7	150	143	36
31	Warren	82	2	-	-	-	-	-	-	-	1	-	6	3	48	41	14
32	Washington	253	7	-	-	-	-	1	-	-	-	4	22	4	111	100	23
33	Wayne	137	1	-	-	-	-	-	1	1	-	-	9	2	71	70	20
34	Webster	45	3	-	-	-	-	1	-	-	-	-	4	2	22	22	9
35	Wheeler	47	2	-	-	-	-	-	-	-	-	1	2	-	25	24	11
36	White	44	-	-	-	-	-	-	-	-	-	1	4	-	26	25	4
37	Whitfield	251	8	-	-	-	-	2	-	-	-	1	31	7	98	94	25
38	Wilcox	67	1	-	-	-	-	-	-	-	-	-	8	-	37	36	5
39	Wilkes	132	4	-	-	-	-	2	-	-	-	-	18	1	61	51	20
40	Wilkinson	102	1	-	-	-	-	-	-	-	-	-	9	2	41	39	13
41	Worth	206	3	1	-	2	-	2	-	-	-	-	20	1	88	79	25
42	IDAHO	5,012	53	12	1	2	-	2	5	9	4	16	622	88	2,549	2,459	562
43	Nonmetropolitan counties-	5,012	53	12	1	2	-	2	5	9	4	16	622	88	2,549	2,459	562
44	Ada	654	3	3	-	-	-	-	-	-	-	4	77	11	346	339	61
45	Adams	29	-	-	-	-	-	-	-	-	-	-	3	-	17	17	2
46	Bannock	330	3	-	-	-	-	-	1	-	3	1	43	6	123	121	25
47	Bear Lake	46	-	1	-	-	-	-	-	2	-	-	6	-	23	23	9
48	Benewah	60	2	-	-	-	-	-	-	-	-	-	6	-	31	30	7
49	Bingham	172	4	-	-	1	-	-	-	-	-	-	21	1	72	72	23
50	Blaine	51	-	-	-	-	-	-	-	-	-	-	4	4	26	23	8
51	Boise	16	-	-	-	-	-	-	-	-	-	-	3	-	3	3	-
52	Bonner	174	1	-	-	-	-	-	1	-	-	-	17	8	100	98	25
53	Bonneville	224	4	1	-	-	-	-	-	-	-	1	35	3	96	96	26
54	Boundary	47	1	-	-	-	-	-	-	-	-	1	4	1	25	25	7
55	Butte	20	-	-	-	-	-	-	-	1	-	-	2	-	10	10	4
56	Camas	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1
57	Canyon	472	5	1	-	-	-	-	-	2	-	-	56	6	265	252	65
58	Caribou	31	-	-	-	-	-	-	-	-	-	-	3	-	16	16	3
59	Cassia	107	-	1	-	-	-	-	-	-	-	-	15	1	55	54	7
60	Clark	9	-	-	-	-	-	-	-	-	-	-	4	-	4	4	1
61	Clearwater	78	2	1	-	-	-	1	-	-	-	1	9	3	26	26	10
62	Custer	22	-	-	-	-	-	-	-	-	-	1	3	1	8	8	3
63	Elmore	57	2	-	-	-	-	-	-	-	-	-	10	1	24	22	3
64	Franklin	60	-	-	-	-	-	-	-	-	-	-	6	1	32	31	8
65	Fremont	93	-	-	-	-	-	-	-	1	-	-	10	3	50	50	18
66	Gem	70	-	-	-	-	-	-	-	-	-	-	14	2	35	34	6
67	Gooding	86	1	-	-	-	-	-	1	-	-	1	9	4	44	44	4
68	Idaho	109	-	-	-	-	-	-	-	-	-	1	13	-	48	46	11
69	Jefferson	89	-	-	-	-	-	-	-	1	-	-	12	2	44	43	8
70	Jerome	68	1	-	-	-	-	-	-	-	-	1	5	1	34	34	9
71	Kootenai	300	1	1	-	-	-	-	2	-	-	1	38	4	188	181	42
72	Latah	172	1	1	-	-	-	-	-	-	-	1	20	2	90	86	21
73	Lemhi	50	-	-	-	-	-	-	-	-	-	-	4	-	31	24	8
74	Lewis	35	-	1	-	-	-	-	-	-	-	-	7	-	19	18	7
75	Lincoln	35	-	-	-	-	-	-	-	-	-	-	-	-	21	20	2
76	Madison	67	-	-	-	1	-	-	-	-	-	-	9	1	31	27	8
77	Minidoka	85	1	1	-	-	-	-	-	1	-	-	8	-	45	43	6
78	Nez Perce	232	5	-	1	-	-	-	-	-	1	-	35	6	118	114	25
79	Oneida	43	1	-	-	-	-	-	-	-	-	-	9	2	14	13	4
80	Owyhee	35	-	-	-	-	-	-	-	-	-	-	3	-	20	20	3
81	Payette	101	-	-	-	-	-	-	-	-	-	-	10	2	59	58	19
82	Power	23	-	-	-	-	-	-	-	-	-	-	3	-	14	13	2
83	Shoshone	210	9	-	-	-	-	1	-	-	-	1	27	5	91	86	13
84	Teton	16	-	-	-	-	-	-	-	-	-	-	4	1	7	6	2

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	20	-	1	-	2	6	1	-	1	-	-	-	2	-	3	3	1	-	6	1
-	59	-	3	-	1	2	-	2	-	-	2	2	4	7	-	9	-	2	6	2
-	320	18	41	5	22	53	3	6	9	4	3	10	42	6	35	37	12	10	63	3
-	25	-	-	-	-	-	-	1	-	2	-	2	2	2	4	4	1	-	1	4
-	9	-	-	-	4	-	-	2	-	-	-	1	-	1	1	-	-	-	2	5
-	43	4	-	1	3	5	-	1	-	1	2	1	4	11	5	5	-	2	14	6
-	30	1	1	-	1	6	1	1	1	-	1	1	11	-	2	4	1	1	6	7
-	87	5	5	-	7	8	3	2	-	-	2	3	12	5	12	10	5	2	21	8
-	46	-	1	-	2	5	-	1	1	-	-	2	3	-	14	2	1	1	6	9
-	25	-	3	1	-	10	-	2	-	-	-	-	4	5	2	1	-	-	10	10
-	72	5	3	1	1	8	2	4	1	3	1	3	20	8	3	14	3	5	17	11
2	23	-	1	-	3	6	1	-	-	1	-	-	7	5	2	8	-	1	7	12
-	13	1	1	-	2	7	-	-	2	-	-	-	-	3	1	2	-	-	3	13
-	35	1	2	1	3	4	-	4	1	1	-	3	5	1	4	6	5	2	7	14
-	20	1	5	-	-	4	1	1	-	-	-	1	4	7	4	5	1	1	3	15
-	43	1	-	2	3	8	-	1	1	2	1	-	9	9	6	5	1	-	13	16
-	37	2	1	-	-	11	-	1	1	1	1	1	10	17	4	6	2	-	11	17
-	121	6	5	1	3	29	2	1	1	2	3	4	20	2	13	17	2	8	21	18
1	53	3	2	-	3	11	2	1	1	1	1	3	11	16	11	10	-	4	23	19
1	40	3	2	-	6	9	-	2	2	-	1	2	5	6	4	5	2	1	15	20
-	5	1	-	-	-	2	-	-	-	-	-	-	-	1	4	2	-	1	3	21
-	19	2	-	-	10	2	1	-	-	-	-	1	4	4	1	7	-	1	2	22
-	125	10	10	2	12	16	3	3	7	3	4	8	33	5	25	20	3	6	30	23
-	18	-	1	-	1	4	3	2	-	1	-	1	7	2	2	2	-	2	2	24
-	20	-	1	-	-	4	1	1	-	-	1	1	4	7	4	6	-	-	8	25
-	13	-	-	-	-	2	-	-	-	1	-	1	4	3	1	2	-	-	4	26
1	55	1	6	4	1	4	-	3	-	-	2	4	13	3	5	6	1	1	14	27
-	72	2	3	2	8	14	-	2	1	2	2	8	10	8	7	17	-	1	18	28
1	45	8	2	-	1	6	2	-	2	1	-	-	20	2	11	7	3	1	25	29
-	100	4	1	2	7	14	-	3	3	1	-	2	19	5	3	18	-	3	17	30
-	26	-	1	-	7	8	-	-	-	-	1	-	4	-	2	2	-	-	5	31
-	65	6	5	1	11	9	-	3	3	3	-	2	20	14	9	11	1	7	22	32
-	43	6	1	-	1	7	1	1	1	1	1	4	7	-	10	7	3	3	6	33
-	12	1	-	-	-	3	-	1	-	-	-	-	2	1	1	2	-	1	2	34
-	10	1	1	1	1	3	-	-	1	-	-	1	4	1	1	1	-	1	4	35
-	20	-	1	-	1	2	1	-	-	-	-	1	1	1	1	2	-	-	4	36
2	57	8	1	1	4	16	-	3	-	-	-	4	19	11	12	13	2	6	16	37
-	29	1	1	-	1	2	-	1	-	-	-	-	4	2	1	2	2	3	4	38
-	29	2	-	-	10	5	-	-	-	-	1	2	9	6	8	3	-	3	9	39
-	22	2	2	-	2	9	-	-	-	-	2	2	7	8	4	5	1	4	7	40
-	50	3	1	-	9	7	1	3	-	-	1	1	19	18	6	9	6	5	13	41
9	1,734	42	87	25	90	118	34	28	25	9	5	90	267	102	211	317	70	17	356	42
9	1,734	42	87	25	90	118	34	28	25	9	5	90	267	102	211	317	70	17	356	43
1	254	3	13	7	7	14	4	9	5	1	1	14	29	23	25	30	10	3	42	44
-	14	1	-	-	-	-	-	-	-	-	-	-	4	-	1	1	1	-	2	45
2	82	6	6	-	2	9	2	5	5	1	-	15	28	7	17	18	7	4	34	46
-	12	-	2	-	-	-	-	-	-	-	-	1	3	-	-	3	1	-	6	47
-	19	3	-	1	1	3	1	-	-	-	-	2	6	3	1	5	-	-	-	48
2	39	2	5	1	-	5	-	1	1	1	-	2	13	15	9	15	1	-	11	49
-	15	-	-	-	3	-	1	1	-	-	-	-	1	1	2	6	1	-	4	50
-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	-	-	1	51
-	66	1	3	1	4	2	-	-	-	-	-	-	7	1	8	15	3	-	11	52
-	66	1	2	1	-	4	1	2	2	-	-	7	16	5	7	21	6	2	11	53
-	18	-	-	-	-	-	-	-	-	-	-	-	2	-	5	4	1	-	3	54
-	6	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	3	55
-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	56
1	172	5	7	2	13	10	8	2	1	1	-	7	28	4	18	26	4	1	27	57
-	11	1	1	-	-	2	-	-	-	-	-	1	-	-	4	1	-	-	4	58
-	41	3	3	-	1	2	3	1	1	-	-	1	5	-	6	9	1	-	6	59
-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	15	-	1	-	-	2	1	-	1	-	-	1	4	2	4	7	2	2	9	61
-	5	-	-	-	-	-	-	-	-	-	-	-	3	-	2	3	-	-	1	62
-	19	-	-	-	2	1	-	-	-	-	-	-	1	-	4	12	-	-	2	63
-	20	1	1	1	1	5	-	-	-	-	-	3	6	-	2	1	-	-	4	64
-	29	2	1	-	-	1	1	1	-	1	-	4	7	-	3	2	-	-	9	65
-	28	-	-	-	1	1	-	-	-	-	-	-	1	3	2	3	-	-	9	66
-	33	1	5	1	-	4	1	-	1	1	-	2	7	2	2	3	-	-	3	67
-	31	2	2	-	2	2	3	1	1	-	1	2	13	3	4	7	1	1	8	68
1	32	-	2	-	1	3	-	-	-	-	-	1	6	2	7	5	-	-	6	69
-	24	-	1	-	-	2	-	-	1	-	-	1	5	2	2	5	3	-	5	70
-	129	3	5	2	7	2	1	2	2	1	-	7	4	2	13	12	4	-	17	71
-	59	1	4	1	4	14	-	2	1	-	-	3	3	2	1	12	3	-	16	72
-	14	-	2	-	7	2	-	-	-	-	-	-	2	1	-	5	1	1	3	73
-	10	-	1	-	1	1	-	-	-	-	-	-	-	-	1	2	2	-	2	74
-	17	-	-	1	1	3	-	-	-	-	-	-	1	1	2	3	-	-	4	75
-	17	1	1	-	4	-	-	-	-	-	-	3	2	2	5	4	-	-	9	76
-	35	1	1	-	2	2	-	1	-	-	-	1	2	3	5	5	1	-	8	77
-	82	1	5	1	4	6	3	2	1	-	-	1	15	9	5	12	1	1	10	78
-	9	-	-	-	1	3	-	-	-	-	-	-	-	1	3	4	-	-	6	79
-	16	-	-	1	-	1	-	-	-	1	-	3	1	-	-	3	-	-	3	80
-	33	1	4	1	1	4	1	1	-	-	-	1	5	1	5	5	1	-	5	81
-	11	-	-	-	1	1	-	-	-	-	-	-	2	-	1	-	-	-	2	82
-	67	1	3	2	5	-	1	-	1	1	-	5	14	1	14	15	7	1	16	83
-	4	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	84

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	IDAHO—Continued																
1	Twin Falls	297	5	-	-	-	-	-	-	1	-	1	41	4	172	168	30
2	Valley	40	-	-	-	-	-	-	-	-	-	-	4	-	19	19	3
3	Washington	93	1	-	-	-	-	-	-	-	-	-	10	2	51	42	13
4	Yellowstone Nat. Park (pt.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	ILLINOIS	93,304	1,812	315	4	20	1	15	63	101	31	177	14,705	1,612	53,022	51,313	9,682
6	Metropolitan counties	65,960	1,489	223	4	14	1	7	49	70	10	113	10,783	1,128	37,275	36,146	6,265
7	Nonmetropolitan counties	27,344	323	92	-	6	-	8	14	31	21	64	3,922	484	15,747	15,167	3,417
8	Adams	959	15	9	-	-	-	-	-	-	-	1	135	12	590	577	131
9	Alexander	328	20	1	-	-	-	1	-	1	-	1	41	6	170	150	48
10	Bond	193	4	-	-	-	-	-	-	-	-	1	28	5	120	113	29
11	Boone	187	-	-	-	-	-	-	-	-	-	-	26	1	117	116	26
12	Brown	115	1	-	-	-	-	-	1	-	1	-	14	5	59	53	16
13	Bureau	429	2	-	-	-	-	-	-	-	-	4	64	4	242	240	63
14	Calhoun	66	-	-	-	-	-	-	-	-	-	-	11	2	43	43	5
15	Carroll	226	1	1	-	-	-	-	-	-	1	-	31	3	139	137	33
16	Cass	192	1	1	-	-	-	-	-	-	-	-	33	4	109	105	19
17	Champaign	778	5	1	-	-	-	-	1	-	-	2	108	13	438	424	92
18	Christian	391	3	-	-	-	-	-	-	-	-	2	61	5	210	200	37
19	Clark	187	2	-	-	-	-	-	1	-	-	-	25	1	114	110	18
20	Clay	194	1	-	-	-	-	-	-	-	-	1	37	2	104	98	16
21	Clinton	218	2	1	-	-	-	-	-	-	-	-	26	4	130	125	32
22	Coles	446	2	2	-	-	-	-	1	-	-	3	57	7	266	250	56
23	Cook	48,902	1,285	152	2	11	-	3	33	41	2	72	8,166	832	27,977	27,101	4,314
24	Crawford	269	3	1	-	-	-	-	-	-	-	-	44	8	151	140	42
25	Cumberland	117	2	-	-	-	-	-	-	-	-	-	20	3	59	56	12
26	De Kalb	417	2	-	-	-	-	-	-	-	-	2	62	12	229	209	48
27	De Witt	203	-	-	-	-	-	-	-	-	-	-	24	4	128	127	17
28	Douglas	165	1	2	-	-	-	1	-	1	-	2	34	4	98	87	24
29	Du Page	1,299	6	1	-	-	-	-	3	5	-	5	215	32	709	691	149
30	Edgar	316	6	-	-	-	-	-	-	-	-	-	55	2	186	182	56
31	Edwards	105	-	-	-	-	-	-	-	-	-	1	18	1	64	62	13
32	Effingham	200	2	1	-	-	-	-	1	1	4	-	27	3	104	100	22
33	Fayette	267	7	-	-	-	-	-	-	-	-	1	27	8	162	154	33
34	Ford	178	1	-	-	-	-	-	-	-	-	-	29	-	99	96	21
35	Franklin	699	12	4	-	-	-	-	-	1	1	2	97	13	326	307	52
36	Fulton	506	4	5	-	1	-	-	1	1	1	1	70	7	306	294	83
37	Gallatin	123	2	1	-	-	-	-	-	1	-	-	15	2	73	68	14
38	Greene	235	5	1	-	-	-	-	-	-	-	1	39	3	141	138	28
39	Grundy	191	2	-	-	-	-	-	-	2	-	1	24	2	116	113	30
40	Hamilton	129	2	-	-	-	-	-	-	-	-	-	22	1	78	76	19
41	Hancock	317	2	2	-	-	-	-	1	1	-	-	36	4	182	178	43
42	Hardin	73	9	-	-	-	-	-	-	-	-	-	9	-	39	37	14
43	Henderson	83	1	-	-	-	-	-	-	-	-	-	12	1	45	43	10
44	Henry	540	3	3	-	1	-	-	-	1	1	1	86	6	314	300	84
45	Iroquois	341	1	-	-	-	-	-	-	-	-	-	57	8	193	190	38
46	Jackson	436	8	4	-	-	-	-	-	-	1	3	59	14	235	220	53
47	Jasper	146	1	-	-	-	-	-	-	-	-	-	23	4	78	74	14
48	Jefferson	399	4	2	-	-	-	1	-	1	-	1	43	2	216	202	51
49	Jersey	151	1	-	-	-	-	-	-	-	-	1	22	2	90	89	17
50	Jo Daviess	258	-	-	-	-	-	-	-	-	-	-	45	5	150	146	28
51	Johnson	96	1	-	-	-	-	-	-	-	-	-	11	5	57	57	20
52	Kane	1,573	11	5	-	1	-	-	-	4	-	6	236	22	887	862	229
53	Kankakee	592	10	1	-	-	-	-	-	-	1	-	75	11	352	342	68
54	Kendall	126	1	1	-	-	-	-	-	-	-	-	13	3	80	74	8
55	Knox	653	4	3	-	-	-	-	-	-	2	3	81	9	413	403	85
56	Lake	1,475	18	6	-	-	-	2	-	8	-	3	239	26	765	751	149
57	La Salle	1,084	11	2	-	-	-	-	-	3	-	4	176	18	632	617	130
58	Lawrence	196	-	-	-	-	-	1	-	-	-	1	37	4	109	105	22
59	Lee	441	6	-	-	3	-	1	-	-	-	2	49	12	227	220	43
60	Livingston	424	4	1	-	-	-	-	1	-	-	1	51	7	269	256	54
61	Logan	323	3	1	-	-	-	-	1	-	-	2	55	3	179	176	23
62	McDonough	339	5	-	-	-	-	-	-	-	-	-	51	6	220	219	63
63	McHenry	613	3	2	-	-	-	-	-	3	-	1	101	14	348	337	64
64	McLean	800	6	3	-	-	-	-	1	1	-	-	116	20	474	456	112
65	Macon	1,036	3	4	-	-	-	-	2	2	-	6	166	26	582	577	112
66	Macoupin	549	7	2	-	-	-	-	-	2	-	-	88	9	313	307	54
67	Madison	1,632	30	4	1	-	-	-	2	1	3	1	248	22	856	824	199
68	Marion	464	7	2	-	1	-	-	-	-	1	-	75	9	253	242	65
69	Marshall	130	1	-	-	-	-	-	-	-	-	-	21	3	83	82	23
70	Mason	168	1	-	-	-	-	-	-	-	-	2	30	4	87	86	16
71	Massac	199	3	-	-	-	-	-	-	-	2	2	27	2	99	98	23
72	Menard	132	1	-	-	-	-	1	-	-	1	-	18	2	74	74	16
73	Mercer	164	2	-	-	-	-	-	-	-	-	-	33	1	91	86	24
74	Monroe	123	2	1	-	-	-	-	-	-	-	-	23	3	69	67	20
75	Montgomery	388	3	2	-	-	-	-	-	2	-	-	61	9	220	210	41
76	Morgan	386	4	1	-	-	-	-	-	2	-	3	58	4	239	228	65
77	Moultrie	129	-	1	-	-	-	-	-	-	1	-	14	6	81	79	16
78	Ogle	339	3	1	-	-	-	-	-	1	-	1	52	8	194	183	46
79	Peoria	1,716	18	13	-	2	-	-	-	1	2	6	265	33	982	955	197
80	Perry	212	1	2	-	-	-	-	-	-	-	-	27	2	125	121	22
81	Piatt	164	3	1	-	-	-	-	-	-	-	-	25	2	85	79	14
82	Pike	270	4	1	-	-	-	-	1	1	-	-	37	4	166	163	34
83	Pope	74	1	-	-	-	-	-	-	-	-	-	11	2	43	38	10
84	Pulaski	163	4	-	-	-	-	-	-	-	-	-	18	7	105	99	30
85	Putnam	71	2	-	-	-	-	-	-	-	-	-	7	2	39	38	3

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever	Diseases of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
400-402	410-443	444-447	450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
2	130	1	4	1	4	4	1	1	-	-	1	-	15	-	11	12	3	1	24	1
-	14	-	2	-	-	-	-	-	-	-	-	-	3	1	2	6	1	-	4	2
-	29	-	-	-	9	1	1	-	-	-	-	2	1	3	3	9	3	-	6	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
72	38,647	793	1,674	445	1,709	2,739	570	291	999	182	108	1,046	3,175	450	1,994	3,167	897	377	5,431	5
50	27,998	536	987	310	1,129	1,909	427	205	815	116	73	761	2,401	288	1,283	1,989	617	328	3,582	6
22	10,649	257	687	135	580	830	143	86	184	66	35	285	774	162	711	1,178	280	49	1,849	7
-	393	16	31	6	13	42	7	3	13	2	1	5	23	1	16	16	11	-	57	8
-	92	2	8	-	20	12	-	3	2	2	-	1	14	1	8	25	1	2	16	9
-	77	2	5	-	7	5	-	-	1	3	-	1	3	1	4	7	-	1	9	10
-	84	2	4	-	1	2	-	1	-	2	-	1	5	-	8	6	-	1	17	11
-	33	1	2	1	6	10	1	-	1	-	-	-	3	-	1	3	2	-	13	12
-	157	6	11	3	2	13	2	2	5	2	1	3	10	-	11	22	7	-	35	13
-	35	-	3	-	-	1	-	-	1	-	-	-	1	-	2	-	-	-	5	14
2	92	5	3	2	2	6	1	1	-	2	-	1	8	1	2	11	3	-	14	15
-	73	3	9	1	4	7	2	-	1	-	-	-	5	-	10	6	-	1	12	16
-	310	7	9	6	14	21	5	4	5	3	-	15	36	5	28	29	9	4	46	17
-	157	3	3	-	10	16	2	1	4	1	2	4	14	4	17	22	3	-	20	18
-	72	11	8	1	4	5	-	-	-	1	-	-	5	-	7	10	2	-	14	19
-	77	-	4	1	6	6	-	-	-	-	-	2	4	-	9	9	1	-	18	20
-	80	3	8	2	5	9	-	1	2	-	1	1	10	1	8	5	2	-	15	21
-	177	7	10	-	16	12	3	8	9	-	1	3	11	-	17	15	1	-	28	22
37	21,505	407	614	224	876	1,410	322	135	655	91	46	515	1,706	185	801	1,299	417	283	2,461	23
-	92	2	2	2	11	5	1	-	1	1	2	3	7	-	9	11	2	-	20	24
-	39	1	3	1	3	1	-	2	-	1	-	-	3	-	2	7	1	-	16	25
-	148	3	9	1	20	11	2	1	2	1	2	7	15	3	17	10	5	-	34	26
-	104	1	4	1	1	6	1	-	2	1	-	3	5	-	5	8	1	2	13	27
-	59	-	3	1	11	2	1	-	-	2	-	-	6	-	2	8	3	-	18	28
2	512	8	15	5	18	36	9	3	12	1	1	25	39	14	35	45	16	1	86	29
1	118	2	3	2	4	5	4	-	1	-	-	1	12	1	7	7	5	1	23	30
-	43	1	4	1	2	1	-	-	-	-	-	1	-	4	6	4	-	-	5	31
-	72	-	5	1	4	7	-	-	1	1	-	2	9	1	8	9	2	-	17	32
-	110	2	8	1	8	10	-	4	1	-	1	1	2	2	5	12	3	-	21	33
-	67	2	4	2	3	2	1	3	-	1	-	2	4	1	8	10	3	-	15	34
-	234	7	14	-	19	19	2	1	4	2	-	6	11	6	18	121	9	3	41	35
1	186	4	19	1	12	11	3	-	3	-	1	3	8	1	12	17	6	-	44	36
1	46	3	3	1	5	3	-	1	-	-	-	1	5	1	3	6	3	-	6	37
-	107	1	1	1	3	11	-	-	2	-	-	2	9	1	5	2	1	-	12	38
-	77	2	3	1	3	4	2	1	2	-	-	1	4	-	5	6	-	-	19	39
-	54	-	2	1	2	3	1	-	1	-	1	-	1	2	2	7	2	-	6	40
1	121	2	10	1	4	10	2	1	-	1	1	3	14	-	11	21	3	-	22	41
-	20	-	2	1	2	1	-	-	-	-	-	4	1	-	-	2	-	-	8	42
-	32	-	-	1	2	3	-	-	1	-	-	1	3	-	3	8	-	-	5	43
-	201	4	9	2	14	23	2	1	3	2	1	8	21	2	12	15	6	-	28	44
-	135	3	10	4	3	7	1	-	-	2	-	6	18	5	10	8	5	-	20	45
-	157	-	6	4	15	14	3	-	4	3	-	8	14	6	8	18	3	2	29	46
-	59	-	1	-	4	7	2	-	-	1	-	-	2	-	7	7	2	-	12	47
1	137	3	9	1	14	15	5	2	3	2	-	1	15	20	16	20	1	-	29	48
1	67	1	2	1	1	5	2	1	-	-	-	-	2	-	5	8	2	-	10	49
-	104	2	10	2	4	7	-	2	1	-	2	5	3	2	2	9	4	-	21	50
-	31	1	3	2	-	4	-	-	-	-	-	1	3	-	1	1	1	-	11	51
-	590	12	25	6	25	31	14	6	8	6	1	24	50	10	42	76	16	3	114	52
1	250	3	18	2	10	24	2	3	8	1	1	7	22	2	19	18	5	1	29	53
-	58	2	4	2	6	4	-	2	1	-	-	1	1	1	-	5	-	-	13	54
-	292	5	17	4	10	19	3	1	5	1	1	4	16	1	14	26	6	1	40	55
2	566	7	20	7	14	36	5	7	16	2	3	20	76	14	48	73	19	2	87	56
-	456	6	20	5	15	18	9	1	9	1	1	12	33	9	26	39	6	1	73	57
-	78	2	3	-	4	10	4	1	-	-	-	4	5	1	-	9	2	-	8	58
1	164	4	6	2	7	29	6	4	2	2	1	9	8	5	7	9	4	1	54	59
1	184	5	11	1	13	20	1	2	4	-	-	4	11	-	10	14	6	-	18	60
1	139	1	7	5	3	6	-	-	2	-	1	1	21	-	11	12	3	-	22	61
-	146	2	7	1	1	6	-	1	2	-	-	4	4	-	5	17	2	-	16	62
1	249	8	10	5	11	14	1	2	4	-	-	6	17	2	17	34	3	1	40	63
1	305	13	22	3	18	21	4	4	5	1	1	7	26	5	14	32	8	2	49	64
2	430	9	18	6	5	22	3	4	7	1	1	13	36	5	35	32	12	5	69	65
-	228	2	19	4	6	15	4	-	7	-	-	4	7	2	13	24	13	2	37	66
-	564	14	41	6	32	49	11	8	12	2	4	20	80	4	53	81	26	6	108	67
-	160	1	15	1	11	18	2	1	5	5	1	7	11	4	10	13	10	2	27	68
-	53	-	5	1	1	4	1	-	-	-	-	1	2	-	-	3	-	-	11	69
-	66	1	3	-	1	6	-	-	1	-	1	1	3	1	6	7	2	-	16	70
-	72	-	3	-	1	10	1	-	-	-	1	4	8	11	3	13	1	-	12	71
-	55	1	2	-	-	6	-	1	3	-	-	3	4	2	3	2	1	-	10	72
-	55	3	4	-	5	4	2	1	-	-	-	2	8	1	3	4	3	-	9	73
-	37	1	9	-	2	1	-	-	1	-	1	3	5	-	3	3	1	-	7	74
1	153	3	10	2	10	15	-	-	4	-	-	6	4	6	12	7	8	2	27	75
-	142	4	16	1	11	12	2	1	-	-	1	-	10	1	9	19	5	-	15	76
-	59	1	3	-	2	4	1	-	-	1	-	3	3	-	3	4	2	-	5	77
-	127	3	4	3	11	8	4	1	5	1	-	3	8	4	9	8	1	-	27	78
1	670	15	60	12	27	58	17	6	15	1	3	31	74	4	24	40	15	3	103	79
1	85	3	10	-	4	8	1	-	3	2	1	3	8	1	3	11	1	-	13	80
-	62	-	3	-	6	3	2	-	1	-	-	3	4	1	1	9	1	5	18	81
-	116	1	12	-	3	9	1	1	-	-	-	2	8	-	5	6	4	-	20	82
-	22	3	3	-	5	2	-	-	-	-	-	1	2	-	1	2	-	-	9	83
-	62	2	5	-	6	8	-	1	-	2	-	5	7	1	8	5	1	2	9	84
-	29	1	4	1	1	3	-	-	1	-	-	2	3	-	5	2	-	-	5	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	ILLINOIS—Continued																
1	Randolph	292	6	-	-	-	-	-	-	-	1	-	44	4	166	163	35
2	Richland	187	1	1	-	-	-	-	-	-	-	-	21	3	100	99	22
3	Rock Island	1,321	11	3	-	-	1	-	-	-	-	2	233	22	734	722	155
4	St. Clair	2,205	51	10	1	-	-	1	4	-	2	2	295	33	1,170	1,127	252
5	Saline	422	5	3	-	-	-	-	-	-	-	1	69	6	237	228	45
6	Sangamon	1,515	21	9	-	-	-	-	2	1	-	3	236	19	857	838	168
7	Schuyler	113	-	-	-	-	-	-	-	-	-	-	16	3	67	64	14
8	Scott	96	1	-	-	-	-	-	-	-	2	-	13	-	58	58	12
9	Shelby	314	4	1	-	-	-	-	-	1	-	-	49	6	189	168	34
10	Stark	94	1	-	-	-	-	-	-	-	-	-	10	1	60	56	13
11	Stephenson	474	6	1	-	-	-	1	-	-	-	1	63	12	273	264	57
12	Tazewell	596	9	3	-	-	-	-	1	1	-	1	87	12	310	294	67
13	Union	217	4	-	-	-	-	1	-	1	-	2	18	4	140	138	30
14	Vermilion	1,099	23	7	-	-	-	-	1	-	-	3	157	16	619	601	130
15	Wabash	161	3	-	-	-	-	-	-	-	-	-	24	2	94	86	17
16	Warren	255	1	3	-	-	-	-	-	-	-	1	32	5	161	156	37
17	Washington	175	2	-	-	-	-	-	-	-	-	-	22	5	102	98	26
18	Wayne	245	6	2	-	-	-	-	-	-	-	-	27	4	143	141	26
19	White	234	7	-	-	-	-	-	1	-	-	-	26	7	146	140	45
20	Whiteside	495	3	2	-	-	-	-	1	1	-	1	73	12	274	264	59
21	Will	1,298	12	3	-	-	-	-	-	2	1	4	191	27	722	703	125
22	Williamson	609	7	1	-	-	-	-	-	2	-	1	82	8	346	340	90
23	Winnebago	1,392	14	10	-	-	-	1	2	4	-	2	206	22	724	701	149
24	Woodford	236	-	1	-	-	-	-	-	-	-	-	39	2	133	130	24
25	INDIANA	41,154	595	196	1	14	3	15	29	49	10	148	5,820	699	22,823	22,189	5,073
26	Metropolitan counties	17,548	330	108	-	3	-	5	17	30	3	58	2,637	303	9,242	8,999	1,966
27	Nonmetropolitan counties	23,606	265	88	1	11	3	10	12	19	7	90	3,183	396	13,581	13,190	3,107
28	Adams	193	1	-	-	-	-	-	-	-	-	-	34	5	101	98	21
29	Allen	1,810	26	15	-	-	-	-	-	-	1	12	278	41	976	953	218
30	Bartholomew	349	1	1	-	1	-	-	3	-	-	2	43	8	190	187	54
31	Benton	116	1	1	-	-	-	-	-	-	-	2	12	1	72	72	15
32	Blackford	135	-	1	-	-	-	-	-	-	-	1	12	4	92	90	28
33	Boone	287	4	1	-	1	-	-	-	-	-	-	33	2	172	166	50
34	Brown	67	-	-	-	-	-	-	-	-	-	1	6	3	36	36	13
35	Carroll	171	-	-	-	1	-	-	-	-	-	2	22	-	107	103	24
36	Cass	486	6	-	-	-	-	-	-	1	-	1	58	8	278	274	52
37	Clark	416	5	1	-	-	-	-	1	1	-	2	59	3	226	221	53
38	Clay	301	2	1	-	-	-	-	-	-	-	-	39	6	172	169	40
39	Clinton	358	5	-	-	1	-	-	-	-	-	2	39	11	214	211	52
40	Crawford	104	-	-	-	-	-	-	-	-	-	1	12	1	64	59	13
41	Daviess	287	2	-	-	-	-	-	-	-	-	1	35	2	169	162	28
42	Dearborn	243	5	3	-	-	-	-	-	1	-	-	38	6	131	126	24
43	Decatur	272	2	1	-	-	-	1	-	-	-	-	33	4	183	180	41
44	De Kalb	294	4	2	-	-	-	-	-	-	1	5	43	6	161	154	38
45	Delaware	839	19	9	-	1	-	-	2	1	-	2	135	10	414	409	99
46	Dubois	238	1	1	-	-	-	-	-	-	-	1	41	5	115	110	29
47	Elkhart	874	3	2	-	-	-	1	-	-	1	4	132	19	514	508	111
48	Fayette	233	4	2	-	-	-	-	-	-	-	1	34	1	120	116	20
49	Floyd	467	7	3	-	-	-	-	-	-	1	1	72	8	259	248	54
50	Fountain	199	-	-	-	-	-	-	-	-	-	-	27	3	128	125	33
51	Franklin	149	-	-	-	-	-	-	-	-	-	-	20	4	94	92	22
52	Fulton	241	3	1	-	-	-	-	-	-	-	1	29	9	140	134	27
53	Gibson	346	1	1	-	-	-	-	-	1	1	1	58	5	187	182	45
54	Grant	703	7	5	-	-	-	-	-	2	-	1	89	13	417	411	113
55	Greene	354	4	-	-	-	-	-	-	-	-	-	59	4	217	209	52
56	Hamilton	312	6	-	-	1	1	1	-	-	-	-	47	5	177	170	39
57	Hancock	213	1	-	-	1	-	-	-	-	1	-	30	2	129	128	26
58	Harrison	184	3	-	-	-	1	-	-	-	1	-	21	1	122	112	19
59	Hendricks	263	3	-	-	-	-	-	-	-	1	-	35	2	160	158	33
60	Henry	430	4	-	-	-	-	-	-	-	1	1	51	6	253	244	74
61	Howard	508	5	2	-	-	-	-	-	-	-	3	66	10	274	270	54
62	Huntington	396	2	3	-	-	-	-	-	-	-	5	55	8	226	221	63
63	Jackson	317	4	-	-	-	-	-	-	-	-	-	36	7	189	179	42
64	Jasper	181	3	1	-	-	-	-	-	-	-	3	28	2	91	89	18
65	Jay	275	3	1	-	-	-	-	-	1	-	2	24	4	158	153	43
66	Jefferson	245	5	-	-	-	-	-	-	-	-	1	34	5	146	146	34
67	Jennings	144	3	1	-	1	-	-	-	-	-	1	17	2	83	81	31
68	Johnson	369	4	-	-	-	-	1	-	-	-	-	56	4	214	211	36
69	Knox	525	8	1	-	-	-	-	-	2	1	1	71	10	308	298	51
70	Kosciusko	394	4	2	-	-	-	-	-	1	1	4	53	4	215	208	36
71	Lagrange	127	2	1	-	-	-	-	-	-	-	-	17	2	68	65	15
72	Lake	3,310	69	12	-	1	-	2	1	18	1	16	506	69	1,576	1,523	330
73	La Porte	767	7	4	-	1	-	-	-	-	-	1	138	11	421	405	83
74	Lawrence	421	7	4	-	1	-	1	-	1	-	4	48	3	239	234	47
75	Madison	1,078	17	7	-	-	1	-	-	1	-	1	155	23	603	591	159
76	Marion	5,936	139	38	-	1	-	3	9	7	-	13	909	87	3,188	3,130	659
77	Marshall	300	2	3	-	-	-	-	-	-	-	1	43	4	177	170	40
78	Martin	106	1	-	-	-	-	1	-	-	-	1	15	-	56	56	11
79	Miami	347	7	1	-	-	-	-	-	1	-	-	57	1	205	203	36
80	Monroe	413	6	1	-	-	-	-	2	-	-	-	48	13	231	218	54
81	Montgomery	361	4	2	-	-	-	-	-	-	-	-	50	4	214	203	48
82	Morgan	266	5	2	-	-	-	-	-	-	-	1	35	4	148	142	38
83	Newton	115	1	-	-	-	-	-	-	-	-	1	18	2	65	63	17
84	Noble	291	2	-	-	-	-	-	-	-	-	1	35	3	190	187	54
85	Ohio	55	1	-	-	-	-	-	-	-	-	-	10	1	30	30	8

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever	Diseases of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
400-402	410-443	444-447	450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
-	116	2	9	1	3	8	3	-	4	-	1	3	8	2	9	12	3	-	18	1
-	62	2	10	3	1	5	2	1	1	1	-	1	6	-	4	12	3	-	25	2
-	502	8	52	5	12	32	10	7	15	-	1	10	54	1	30	54	20	-	81	3
1	801	11	45	17	43	91	7	10	28	2	4	26	97	28	83	89	21	18	132	4
-	166	5	11	1	9	13	3	-	1	-	-	3	17	3	12	23	2	-	24	5
1	631	12	22	4	19	32	6	4	17	3	2	19	52	14	41	67	14	1	95	6
-	40	3	7	-	3	3	-	-	-	-	1	2	4	-	3	5	1	-	8	7
-	44	2	-	-	-	3	-	1	-	-	-	-	1	-	9	2	1	1	4	8
-	121	3	9	1	21	7	-	2	-	1	-	1	6	3	8	12	1	1	22	9
-	41	-	2	-	4	3	-	-	3	-	-	1	-	-	1	6	-	-	8	10
-	190	4	12	1	9	15	3	1	4	4	-	5	10	3	9	22	11	-	30	11
-	202	6	16	3	16	22	2	3	8	-	2	9	22	5	20	22	10	-	47	12
-	94	-	12	2	2	2	5	1	1	1	-	1	6	-	4	7	2	1	16	13
2	419	11	29	10	18	32	7	1	9	-	2	15	43	4	27	50	12	4	67	14
-	68	-	1	2	6	8	-	-	1	1	-	-	2	2	4	9	2	-	9	15
-	116	2	1	-	5	8	-	-	1	1	-	7	2	-	11	8	3	-	11	16
-	68	-	4	-	4	4	1	1	2	-	1	2	9	2	1	7	3	-	11	17
-	100	3	10	2	2	9	2	1	1	-	-	2	6	4	12	8	1	2	15	18
1	81	2	10	1	6	11	-	1	-	-	-	-	5	-	5	10	4	-	11	19
2	184	7	10	2	10	16	4	1	4	1	1	10	13	3	8	23	4	-	40	20
4	530	12	24	8	19	42	16	7	13	4	3	20	40	-	36	45	10	4	96	21
1	219	12	16	2	6	8	1	2	2	-	-	8	11	2	16	49	10	3	50	22
-	495	15	35	7	23	48	5	5	9	3	2	29	75	4	35	66	21	2	103	23
-	87	3	12	4	3	4	3	1	1	-	-	5	7	1	11	8	3	-	17	24
49	15,288	396	1,203	180	634	1,198	213	206	345	92	59	502	1,663	235	1,239	1,687	464	160	2,689	25
22	6,298	177	455	81	243	531	98	86	204	34	22	237	828	83	502	714	192	116	1,165	26
27	8,990	219	748	99	391	667	115	120	141	58	37	265	835	152	737	973	272	44	1,524	27
1	63	3	10	-	3	7	2	2	-	2	-	2	7	1	8	8	1	-	12	28
3	674	11	37	10	23	45	13	10	13	4	6	27	70	4	50	70	15	10	124	29
-	122	2	9	-	3	12	-	3	1	1	1	3	25	1	14	16	5	1	17	30
1	53	1	1	1	-	4	2	-	1	-	-	1	3	1	6	3	-	-	8	31
-	54	1	5	2	2	2	2	-	-	1	-	-	4	3	-	5	-	-	8	32
-	104	5	7	-	6	8	3	1	-	-	1	4	4	4	13	15	2	-	19	33
-	19	-	3	1	-	3	-	1	-	-	-	1	4	-	6	2	1	-	3	34
-	71	1	7	-	4	6	-	1	1	-	-	2	6	-	5	4	1	-	13	35
-	198	6	18	-	4	22	8	4	3	4	1	7	19	1	13	10	4	-	38	36
1	147	1	16	3	5	19	2	-	5	2	1	10	17	2	15	10	1	2	32	37
-	123	1	4	1	3	7	2	-	2	2	1	4	7	2	8	16	6	-	24	38
-	141	3	13	2	3	10	-	-	-	1	1	7	8	4	6	13	1	1	33	39
-	42	-	3	1	5	5	1	1	1	-	-	2	6	2	4	1	1	-	2	40
1	122	5	5	1	7	7	1	1	-	-	3	4	12	1	6	14	4	1	24	41
-	87	1	13	1	5	4	1	-	2	1	1	2	6	-	7	8	3	1	23	42
-	119	3	15	2	3	5	1	1	3	-	-	4	7	1	5	7	1	-	13	43
-	103	3	10	-	7	8	-	-	2	1	-	3	7	11	8	12	3	-	17	44
-	266	9	28	7	5	38	2	3	7	-	-	7	48	9	32	34	6	3	57	45
-	69	4	7	1	5	11	3	-	2	-	2	5	13	-	5	14	3	-	16	46
4	357	7	25	4	6	23	-	4	7	-	-	7	33	4	31	33	3	1	52	47
-	81	6	7	2	4	4	1	4	1	2	-	4	15	3	7	10	2	-	18	48
2	177	-	12	3	11	11	1	-	1	2	-	6	28	4	11	15	8	1	28	49
-	85	2	3	2	3	2	2	-	-	-	-	-	9	-	2	12	4	-	10	50
-	62	3	5	-	2	3	1	1	-	1	-	-	3	1	2	11	2	-	6	51
-	102	-	3	2	6	7	2	1	1	-	-	2	6	1	4	16	3	1	14	52
-	123	4	9	1	5	14	2	2	3	-	-	1	11	9	6	22	4	1	18	53
1	261	5	27	4	6	28	1	4	3	1	1	10	27	3	15	26	13	-	37	54
-	151	2	4	-	8	11	1	-	3	1	1	4	10	3	6	4	1	-	25	55
1	120	2	7	1	7	13	1	3	-	-	-	5	8	2	12	8	6	-	16	56
-	84	1	17	-	1	7	-	1	1	1	-	2	3	2	3	18	1	1	9	57
-	82	2	6	3	10	4	1	-	-	1	-	2	7	-	3	9	-	-	8	58
-	116	1	8	-	2	6	1	-	1	-	-	3	10	-	8	15	3	-	15	59
-	154	3	12	1	9	20	-	3	5	4	-	5	13	2	14	18	3	2	25	60
1	193	6	13	3	4	18	3	5	3	1	1	7	20	3	19	18	7	2	41	61
1	139	7	10	1	5	12	2	4	1	2	1	2	12	7	10	14	7	-	23	62
-	111	10	16	-	10	12	2	1	1	2	1	-	8	2	17	11	1	1	22	63
2	64	1	3	1	2	5	1	1	-	-	-	2	5	1	7	8	5	1	17	64
-	96	1	12	1	5	8	7	1	1	1	1	3	9	2	13	10	5	-	21	65
-	87	1	24	-	-	7	1	-	2	1	-	-	10	2	9	7	2	-	13	66
-	45	1	4	-	2	9	-	-	1	-	-	1	2	1	5	6	2	1	8	67
1	163	1	10	-	3	11	2	4	-	-	-	3	21	2	7	16	4	-	20	68
-	219	5	22	1	10	8	1	2	5	-	1	2	10	4	13	20	14	2	41	69
-	163	3	6	-	7	6	1	4	3	1	2	9	9	2	18	12	8	1	34	70
1	43	-	5	1	3	2	1	-	1	1	-	-	8	2	7	5	2	-	8	71
2	1,109	26	36	20	53	123	16	20	45	4	9	42	188	28	119	151	35	40	219	72
-	289	4	23	6	16	16	2	2	5	4	1	7	35	9	30	29	10	-	34	73
-	176	1	7	3	5	16	1	1	6	-	-	7	16	1	4	25	2	4	30	74
1	377	7	46	1	12	25	6	6	3	1	2	15	60	4	43	34	11	4	56	75
7	2,209	65	164	26	58	154	35	27	80	14	4	82	265	11	145	238	68	43	376	76
1	116	3	8	2	7	3	-	-	-	-	-	5	11	-	14	13	2	1	21	77
-	42	-	2	1	-	7	-	1	-	1	-	1	-	1	3	10	1	-	7	78
1	145	4	15	2	2	5	-	3	1	2	-	3	11	-	9	15	5	1	20	79
-	148	2	12	2	13	9	1	3	2	-	2	6	21	4	15	15	4	2	28	80
1	135	9	9	1	11	3	2	1	3	2	-	3	9	-	10	19	5	-	30	81
1	93	2	6	2	6	12	3	1	2	1	-	3	3	2	14	11	1	-	18	82
-	43	1	1	1	2	2	1	2	-	-	-	-	5	-	5	3	2	-	8	83
-	104	3	21	5	3	3	2	-	3	-	1	2	9	1	7	11	2	-	19	84
-	18	-	4	-	-	1	1	-	-	-	-	-	1	-	3	2	-	1	4	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuber-culo-sis, all forms 001-019	Syph-ilis and its seque-lae 020-029	Ty-phoid fever 040	Dysen-tery, all forms 045-048	Diph-the-ria 055	Whoop-ing cough 056	Menin-gococ-cal infec-tions 057	Acute polio-mye-litis 080	Mea-sles 085	All other infective and para-sitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lym-phatic and hemato-poietic tissues 140-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Diseases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334
	INDIANA--Continued																
1	Orange	192	4	2	-	-	-	-	-	-	-	-	20	-	103	98	25
2	Owen	148	-	1	-	-	-	-	-	-	-	1	20	-	89	81	28
3	Parke	207	1	-	-	-	-	-	-	-	-	1	30	6	126	118	24
4	Perry	181	5	2	-	-	-	-	-	-	-	2	16	4	90	83	16
5	Pike	168	1	-	-	-	-	-	-	-	-	1	28	2	97	96	26
6	Porter	357	4	-	-	-	-	-	-	1	-	1	43	6	195	191	26
7	Posey	234	4	2	-	-	-	-	-	-	-	-	28	4	126	124	27
8	Pulaski	134	-	2	-	-	-	-	-	-	-	1	20	3	70	65	10
9	Putnam	233	1	2	-	-	-	-	-	-	-	-	37	5	141	135	27
10	Randolph	321	7	3	-	-	-	-	-	-	-	1	51	4	188	180	44
11	Ripley	232	4	-	-	-	-	-	-	-	-	1	26	6	125	120	25
12	Rush	223	3	-	-	-	-	-	1	-	-	-	23	6	148	145	37
13	St. Joseph	1,901	26	7	-	-	-	-	1	2	-	4	315	41	996	961	222
14	Scott	100	2	-	1	-	-	-	-	-	-	-	11	2	50	48	12
15	Shelby	348	1	1	-	-	-	-	1	-	-	2	47	6	211	209	65
16	Spencer	176	1	2	-	-	-	1	-	-	-	2	18	6	111	108	25
17	Starke	178	2	-	-	-	-	-	-	-	-	-	24	8	94	92	22
18	Steuben	196	1	1	-	-	-	-	-	-	-	2	27	3	113	113	23
19	Sullivan	287	1	1	-	-	-	-	2	-	-	2	37	3	172	167	44
20	Switzerland	99	1	-	-	-	-	-	-	-	-	-	7	-	70	69	14
21	Tippecanoe	613	8	-	-	-	-	1	1	-	-	4	86	5	353	344	71
22	Tipton	152	1	1	-	-	-	-	-	-	-	-	13	2	97	86	18
23	Union	79	-	1	-	-	-	-	-	2	-	-	11	1	49	48	8
24	Vanderburgh	1,611	22	17	-	-	-	-	2	-	-	3	202	21	888	863	192
25	Vermillion	235	4	1	-	-	-	-	-	-	-	-	33	3	143	139	30
26	Vigo	1,258	17	6	-	-	-	-	1	1	-	5	161	23	719	691	139
27	Wabash	292	3	-	-	1	-	-	-	2	-	-	42	9	154	144	38
28	Warren	71	1	-	-	-	-	-	-	-	-	-	7	1	42	40	7
29	Warrick	252	7	1	-	1	-	-	-	-	-	2	39	4	131	129	30
30	Washington	170	3	1	-	-	-	1	-	-	-	2	21	2	93	90	18
31	Wayne	678	15	1	-	-	-	-	2	-	-	3	85	7	377	369	116
32	Wells	213	-	-	-	-	-	1	-	-	-	1	26	5	120	119	36
33	White	232	-	1	-	-	-	-	-	-	-	2	28	3	133	128	36
34	Whitley	198	4	3	-	-	-	-	-	-	-	-	38	7	104	103	25
35	IOWA	26,410	192	78	-	6	-	3	11	20	4	72	4,134	457	14,663	14,322	3,629
36	Metropolitan counties	6,899	68	32	-	4	-	1	7	7	-	24	1,102	111	3,727	3,659	857
37	Nonmetropolitan counties	19,511	124	46	-	2	-	2	4	13	4	48	3,032	346	10,936	10,663	2,772
38	Adair	111	-	-	-	-	-	-	-	-	-	-	15	3	56	54	16
39	Adams	66	-	-	-	-	-	-	-	-	-	-	7	2	38	38	11
40	Allamakee	199	1	-	-	-	-	-	-	1	-	1	29	4	117	114	21
41	Appanoose	233	-	2	-	-	-	-	-	-	-	4	38	8	134	129	40
42	Audubon	96	1	-	-	-	-	-	-	-	-	1	25	1	41	39	7
43	Benton	243	1	-	-	-	-	-	-	1	-	-	36	5	140	140	29
44	Black Hawk	890	8	3	-	-	-	-	-	-	-	4	150	14	469	456	120
45	Boone	321	-	-	-	-	-	-	-	-	-	1	46	5	203	196	51
46	Bremer	220	-	1	-	-	-	-	-	-	-	-	29	3	123	120	41
47	Buchanan	213	-	1	-	-	-	-	-	1	-	-	36	6	117	114	40
48	Buena Vista	215	-	1	-	-	-	-	-	-	-	2	34	6	106	102	27
49	Butler	175	-	-	-	-	-	-	-	-	-	-	29	5	105	103	29
50	Calhoun	179	2	-	-	-	-	-	-	-	-	-	27	5	96	95	29
51	Carroll	209	2	-	-	-	-	-	-	-	-	-	33	4	102	99	38
52	Cass	211	1	-	-	-	-	-	-	-	-	1	33	4	124	119	27
53	Cedar	169	1	1	-	-	-	-	-	-	-	1	40	5	93	92	30
54	Cerro Gordo	445	2	4	-	-	-	-	-	1	1	1	71	10	250	244	50
55	Cherokee	179	1	1	-	-	-	-	1	2	-	-	19	3	115	115	34
56	Chickasaw	177	3	-	-	-	-	-	-	-	-	1	26	1	97	96	32
57	Clarke	131	1	1	-	1	-	-	-	-	-	-	26	1	62	59	20
58	Clay	168	2	-	-	-	-	-	-	-	-	-	25	3	93	92	25
59	Clayton	192	2	-	-	-	-	-	-	1	-	2	42	5	96	92	30
60	Clinton	543	3	-	-	-	-	-	-	-	-	-	75	8	318	311	83
61	Crawford	186	-	2	-	-	-	-	-	-	-	1	36	6	95	90	26
62	Dallas	264	2	2	-	-	-	-	-	-	-	1	34	5	161	157	33
63	Davis	125	-	-	-	-	-	-	-	-	-	-	15	3	73	72	14
64	Decatur	139	1	2	-	-	-	-	-	-	-	-	21	2	86	85	19
65	Delaware	161	-	1	-	-	-	-	-	-	-	1	22	3	82	78	25
66	Des Moines	425	9	1	-	-	-	-	-	-	-	-	81	6	224	221	52
67	Dickinson	119	-	-	-	-	-	-	-	-	-	-	23	-	67	63	11
68	Dubuque	768	12	2	-	-	-	1	-	-	1	1	125	7	426	417	94
69	Emmet	147	2	-	-	-	-	-	-	-	-	-	23	2	68	66	19
70	Fayette	307	-	-	-	-	-	-	-	1	-	1	53	5	171	162	44
71	Floyd	207	-	-	-	-	-	-	-	1	-	-	30	4	127	126	28
72	Franklin	151	-	-	-	-	-	-	-	-	-	-	15	2	98	95	21
73	Fremont	138	4	-	-	-	-	-	-	-	-	1	31	-	58	53	15
74	Greene	171	1	-	-	-	-	-	-	-	-	1	36	6	84	83	25
75	Grundy	109	-	-	-	-	-	-	-	-	-	-	13	2	66	66	16
76	Guthrie	179	2	1	-	-	-	-	-	-	-	-	34	2	97	97	31
77	Hamilton	192	-	2	-	-	-	-	-	-	-	1	43	3	97	95	23
78	Hancock	127	-	-	-	-	-	-	-	-	-	-	20	3	76	74	22
79	Hardin	243	-	-	-	-	-	-	-	-	-	2	55	3	135	128	34
80	Harrison	237	3	-	-	-	-	-	-	-	-	1	31	5	140	133	39
81	Henry	201	1	-	-	-	-	-	-	-	-	1	26	4	121	120	31
82	Howard	130	1	-	-	-	-	-	-	-	-	-	23	1	71	71	25
83	Humboldt	130	3	-	-	-	-	-	-	-	-	-	13	2	77	74	20
84	Ida	62	1	-	-	-	-	-	-	-	-	1	16	-	22	22	6
85	Iowa	171	-	-	-	-	-	-	-	-	-	1	38	2	94	92	22

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	64	4	4	1	5	8	-	1	3	-	1	5	5	-	6	11	8	-	15	1
-	44	1	7	1	8	4	-	1	-	-	-	2	6	3	4	8	2	1	6	2
-	81	5	4	4	8	4	2	1	-	-	-	3	2	-	7	5	3	-	16	3
1	58	3	3	1	7	10	2	2	2	2	1	2	10	4	2	7	2	-	16	4
-	66	3	1	-	1	6	-	1	3	-	-	2	4	1	6	9	1	-	6	5
-	151	5	8	1	4	9	1	2	3	-	1	6	16	-	25	13	3	1	27	6
-	81	5	9	2	2	8	2	3	3	-	-	-	8	3	5	16	6	-	16	7
-	49	2	4	-	5	5	1	2	1	1	-	-	6	-	4	7	-	-	11	8
-	96	4	7	1	6	2	-	2	4	1	-	-	3	-	8	7	2	1	17	9
-	130	2	4	-	8	8	2	-	1	4	-	1	10	3	3	15	-	-	20	10
-	91	-	2	2	5	5	-	1	2	1	2	8	10	1	7	10	2	-	21	11
-	98	1	6	3	3	1	1	1	2	-	-	-	10	1	4	8	2	-	12	12
3	655	20	55	6	35	52	13	9	22	2	1	25	110	7	49	61	26	5	127	13
1	29	-	6	-	2	6	-	1	-	-	-	-	4	-	8	6	1	-	8	14
-	125	1	18	-	2	7	1	2	2	2	-	2	13	3	11	6	4	2	24	15
-	73	1	8	1	3	12	1	-	1	-	-	1	3	-	5	4	-	1	7	16
-	62	-	8	-	2	4	-	1	-	-	1	1	6	1	7	16	-	1	12	17
1	76	3	10	-	-	5	-	1	3	-	-	1	1	1	9	6	3	-	19	18
-	116	1	5	1	5	8	3	-	3	1	1	2	8	2	8	14	7	-	12	19
-	48	-	6	1	1	2	-	1	1	-	-	2	5	-	-	2	3	1	4	20
1	253	1	13	5	9	14	4	2	5	-	1	14	28	1	13	24	5	1	43	21
-	49	6	13	-	11	3	-	2	1	-	-	3	3	-	8	3	4	-	11	22
-	37	-	3	-	1	5	-	-	1	-	-	1	2	-	-	4	-	-	2	23
1	577	26	65	2	25	50	9	8	22	4	-	27	69	11	43	71	21	10	111	24
-	97	6	6	-	4	4	1	1	2	-	-	1	3	2	8	11	4	1	13	25
3	484	19	42	4	28	39	7	9	9	2	1	11	33	7	38	64	12	2	91	26
-	89	5	9	3	10	9	5	3	2	-	-	7	3	5	7	17	2	-	21	27
-	31	1	1	-	2	-	1	-	-	-	-	1	5	-	4	-	-	-	9	28
1	88	2	8	-	2	14	2	1	2	-	-	5	14	3	4	6	4	-	12	29
-	66	2	3	1	3	11	-	1	-	-	-	3	5	-	10	10	4	-	3	30
-	228	2	20	3	8	18	3	3	2	3	-	5	35	4	32	24	10	1	48	31
1	77	-	5	-	1	6	1	-	3	-	2	2	6	-	2	18	3	-	17	32
1	83	3	5	-	5	6	3	1	2	-	1	5	8	1	4	11	2	2	19	33
-	76	1	-	1	1	-	-	1	1	-	-	3	5	1	7	11	2	-	11	34
25	9,529	231	740	168	341	655	137	92	166	41	33	372	1,061	205	620	1,080	346	40	1,822	35
8	2,520	66	162	46	68	167	38	29	47	9	3	89	321	30	139	292	105	23	524	36
17	7,009	165	578	122	273	488	99	63	119	32	30	283	740	175	481	788	241	17	1,398	37
-	32	3	3	-	2	3	2	1	1	-	1	-	2	3	4	4	2	3	11	38
-	26	-	1	-	-	1	-	-	1	-	-	2	4	2	3	-	-	-	6	39
-	78	1	12	2	3	6	4	1	1	1	-	3	7	-	2	3	2	2	14	40
1	82	-	5	1	5	3	1	1	-	1	-	2	4	3	3	12	3	2	12	41
-	25	2	5	-	2	2	1	-	-	-	-	2	1	-	6	5	4	-	6	42
-	102	2	6	1	-	5	1	-	1	-	-	8	11	1	11	8	4	-	10	43
1	299	5	22	9	13	21	3	5	2	-	2	15	42	8	28	41	20	3	52	44
-	126	1	15	3	7	6	1	-	1	-	2	5	5	2	10	10	4	-	20	45
-	64	3	8	4	3	5	1	1	-	-	1	3	19	-	7	8	4	1	14	46
-	66	1	7	-	3	4	-	2	1	1	-	1	12	-	6	9	1	-	15	47
-	71	1	3	-	4	5	1	1	5	-	-	-	13	2	6	10	2	-	21	48
-	71	-	-	3	2	6	-	-	1	-	-	2	2	1	8	3	-	-	13	49
-	62	2	1	1	1	2	1	1	1	1	2	1	6	3	4	9	4	-	14	50
-	56	1	2	2	3	5	-	2	1	-	-	3	14	1	5	13	4	-	20	51
-	84	3	3	2	5	6	1	-	-	-	-	5	5	2	3	5	1	-	20	52
-	53	1	8	-	1	2	-	-	-	-	-	-	5	2	3	6	1	-	9	53
-	177	5	12	-	6	5	4	2	6	-	-	10	26	2	6	14	2	-	28	54
-	69	-	11	1	-	7	-	1	-	-	-	3	6	-	5	5	2	-	8	55
-	62	-	2	-	1	2	-	1	1	-	1	6	8	2	3	2	5	-	18	56
-	35	1	2	1	3	2	3	2	1	-	1	3	3	1	5	5	1	-	12	57
-	57	2	6	2	1	3	2	3	1	-	-	3	2	2	4	8	5	-	12	58
-	62	-	-	-	4	4	-	-	1	-	-	-	6	-	2	7	3	-	21	59
1	211	1	13	2	7	19	3	2	3	2	1	6	19	1	12	24	7	-	40	60
-	58	-	6	-	5	6	1	-	1	1	-	2	10	1	4	5	3	-	12	61
-	112	2	7	3	4	6	-	-	2	1	2	3	9	2	4	5	5	-	20	62
-	54	1	1	2	1	3	-	-	2	1	-	2	3	4	4	4	2	-	9	63
-	52	-	11	3	1	5	-	-	1	1	-	1	1	-	2	6	2	-	8	64
-	45	5	3	-	4	6	2	1	-	2	-	3	12	-	4	6	3	-	13	65
-	151	3	12	3	3	11	2	3	2	4	1	4	22	1	7	15	2	1	29	66
-	45	1	5	1	4	2	-	-	1	1	-	3	8	1	1	4	2	-	6	67
1	285	5	28	4	9	12	6	1	6	-	3	11	39	3	11	34	10	-	57	68
-	47	-	-	-	2	3	1	-	-	-	-	4	11	2	6	11	3	-	11	69
-	105	3	9	1	9	5	2	-	1	-	-	5	8	2	4	18	2	-	29	70
-	88	2	6	2	1	2	2	-	-	1	-	5	2	1	4	7	3	-	18	71
-	64	4	5	1	3	2	-	-	-	1	1	1	5	1	4	3	1	-	17	72
-	34	1	3	-	5	4	-	-	-	-	-	3	8	4	5	8	-	1	11	73
-	55	-	2	1	1	4	2	-	-	-	1	2	5	2	2	10	1	-	14	74
-	46	2	1	1	-	1	-	2	-	-	-	2	1	1	3	3	2	-	13	75
-	62	2	1	1	-	3	-	1	1	-	-	2	5	2	4	10	3	-	12	76
-	69	2	1	-	2	6	-	-	3	-	-	3	11	-	5	4	1	1	12	77
-	42	1	7	2	2	4	1	-	1	-	-	-	8	1	2	2	-	-	9	78
-	76	3	13	2	7	5	-	1	1	-	-	1	6	-	7	8	5	-	14	79
-	74	3	14	3	7	5	2	1	3	-	-	4	8	3	5	11	-	-	15	80
1	80	5	3	-	1	5	3	-	1	-	-	1	6	1	9	7	2	-	13	81
-	37	1	8	-	-	3	1	-	1	-	-	2	3	1	-	5	3	-	15	82
-	46	1	6	1	3	3	-	1	-	-	1	2	5	1	6	7	1	2	6	83
1	11	-	3	1	-	2	-	1	-	-	-	1	2	1	3	2	1	-	9	84
-	56	1	11	2	2	3	2	1	3	-	-	2	4	2	4	2	2	-	11	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	IOWA—Continued																
1	Jackson	244	4	-	-	-	-	-	1	-	-	1	33	2	148	146	23
2	Jasper	302	2	2	-	-	-	-	-	-	-	1	48	9	150	146	33
3	Jefferson	209	3	-	-	-	-	-	-	-	-	1	28	4	126	124	42
4	Johnson	304	2	-	-	-	-	-	-	-	-	2	51	3	168	167	48
5	Jones	190	1	-	-	-	-	-	-	-	-	-	24	4	114	109	22
6	Keokuk	205	1	-	-	-	-	-	-	2	-	1	29	5	118	117	39
7	Kossuth	221	1	-	-	-	-	-	-	-	-	-	29	6	121	119	24
8	Lee	489	3	2	-	1	-	1	-	-	1	-	76	8	247	239	57
9	Linn	1,063	8	5	-	1	-	-	2	2	-	4	168	18	582	577	136
10	Louisa	128	1	1	-	-	-	-	-	-	-	1	18	3	78	74	21
11	Lucas	160	-	1	-	-	-	-	-	-	-	-	30	1	84	81	22
12	Lyon	117	1	-	-	-	-	-	-	-	-	1	10	3	62	61	17
13	Madison	143	-	1	-	-	-	-	-	-	-	-	19	-	96	94	22
14	Mahaska	280	2	1	-	-	-	-	-	-	-	-	35	3	161	160	43
15	Marion	300	2	1	-	-	-	-	-	-	-	-	48	4	166	163	51
16	Marshall	352	3	-	-	-	-	-	-	-	-	2	53	6	177	173	41
17	Mills	111	-	-	-	-	-	-	-	-	-	-	18	-	62	62	12
18	Mitchell	164	4	-	-	-	-	-	-	-	-	-	20	4	90	89	26
19	Monona	136	-	-	-	-	-	-	-	-	-	1	16	5	78	75	19
20	Monroe	187	1	-	-	-	-	-	-	-	-	-	28	4	93	85	26
21	Montgomery	191	2	-	-	-	-	-	-	-	-	-	30	2	108	107	25
22	Muscatine	402	1	-	-	-	-	-	1	1	-	-	48	8	244	235	49
23	O'Brien	175	-	-	-	-	-	-	-	-	-	1	34	-	99	97	26
24	Osceola	55	-	-	-	-	-	-	-	-	-	-	6	-	35	34	5
25	Page	236	2	1	-	-	-	-	-	-	1	-	31	4	135	134	32
26	Palo Alto	150	-	-	-	-	-	-	-	-	-	-	20	3	85	85	23
27	Plymouth	207	-	-	-	-	-	-	-	-	-	2	36	5	111	107	22
28	Pocahontas	131	-	-	-	-	-	-	-	-	-	1	20	-	77	77	18
29	Polk	2,169	22	11	-	1	-	-	1	2	-	9	365	26	1,165	1,146	283
30	Pottawattamie	704	5	5	-	-	-	-	-	1	-	3	87	15	407	401	88
31	Poweshiek	188	-	2	-	-	-	-	-	-	-	-	26	2	110	105	36
32	Ringgold	126	3	1	-	-	-	-	-	-	-	-	18	2	68	67	15
33	Sac	164	2	-	-	-	-	-	-	-	-	-	25	4	91	90	23
34	Scott	977	8	3	-	2	-	-	1	2	-	1	150	16	538	527	108
35	Shelby	123	-	-	-	-	-	-	1	-	-	-	17	2	60	58	16
36	Sioux	219	-	-	-	-	-	-	-	-	-	-	42	8	108	107	34
37	Story	336	3	-	-	-	-	-	-	-	-	-	58	7	181	173	41
38	Tama	224	-	1	-	-	-	-	-	-	-	-	38	3	137	135	38
39	Taylor	157	1	1	-	-	-	-	-	1	-	-	19	7	93	89	18
40	Union	191	2	-	-	-	-	-	-	-	-	-	22	4	119	119	36
41	Van Buren	131	1	-	-	-	-	-	-	-	-	-	29	1	76	73	22
42	Wapello	470	6	2	-	-	-	-	-	-	-	1	56	7	278	270	60
43	Warren	205	-	-	-	-	-	-	-	-	-	-	33	1	118	114	26
44	Washington	234	-	-	-	-	-	-	-	-	-	-	33	7	135	132	39
45	Wayne	130	-	1	-	-	-	-	-	-	-	-	22	2	79	72	19
46	Webster	419	2	2	-	-	-	-	-	-	-	1	65	6	236	231	57
47	Winnebago	137	1	-	-	-	-	-	-	-	-	-	25	2	76	76	25
48	Winneshiek	204	1	-	-	-	-	-	-	-	-	2	32	7	121	116	31
49	Woodbury	1,096	17	5	-	-	-	1	3	-	-	3	182	22	566	552	122
50	Worth	103	-	1	-	-	-	-	-	-	-	-	10	-	61	61	13
51	Wright	177	1	-	-	-	-	-	-	-	-	-	26	3	112	112	30
52	KANSAS	19,090	182	84	1	4	1	7	4	52	16	57	2,768	305	10,431	10,007	2,457
53	Metropolitan counties	5,158	63	31	-	-	-	2	1	21	3	17	769	83	2,632	2,521	601
54	Nonmetropolitan counties	13,932	119	53	1	4	1	5	3	31	13	40	1,999	222	7,799	7,486	1,856
55	Allen	230	-	-	-	-	-	-	-	-	-	1	27	-	141	139	35
56	Anderson	122	-	-	-	-	-	-	-	-	-	-	26	1	76	76	27
57	Atchison	256	-	-	-	-	-	-	-	-	-	-	27	7	158	153	33
58	Barber	76	-	-	-	-	1	-	-	-	-	-	13	2	35	34	7
59	Barton	230	3	1	-	-	-	-	-	1	-	2	40	3	99	95	22
60	Bourbon	226	2	1	1	-	-	-	-	-	1	1	39	3	141	135	30
61	Brown	165	1	1	-	-	-	-	-	1	-	1	24	3	90	89	24
62	Butler	305	3	3	-	-	-	1	-	1	1	2	48	2	156	151	44
63	Chase	44	-	-	-	-	-	-	-	1	-	-	8	-	28	28	4
64	Chautauqua	82	1	1	-	-	-	-	-	-	-	-	12	3	46	42	5
65	Cherokee	256	18	3	-	-	-	-	-	-	-	-	36	4	136	130	34
66	Cheyenne	33	-	-	-	-	-	-	-	-	-	-	5	1	16	16	3
67	Clark	32	-	-	-	-	-	-	-	-	-	-	10	-	15	15	4
68	Clay	165	2	3	-	-	-	-	-	-	1	-	26	3	99	98	25
69	Cloud	179	4	1	-	-	-	-	-	1	-	2	29	2	100	97	22
70	Coffey	137	-	-	-	-	-	-	-	-	-	2	20	3	82	80	21
71	Comanche	50	-	-	-	-	-	-	-	1	-	-	5	1	30	28	6
72	Cowley	401	1	-	-	-	-	1	1	1	-	1	59	1	243	237	48
73	Crawford	475	4	1	-	-	-	-	-	1	-	1	75	8	269	255	77
74	Decatur	56	2	-	-	-	-	-	-	-	-	-	7	2	26	25	4
75	Dickinson	288	-	-	-	-	-	-	-	-	-	1	46	4	162	160	44
76	Doniphan	123	1	1	-	-	-	-	-	-	-	1	17	1	80	80	24
77	Douglas	289	4	-	-	-	-	-	-	-	-	1	37	2	169	163	31
78	Edwards	59	-	1	-	-	-	-	-	-	-	-	15	1	24	21	1
79	Elk	91	-	-	-	-	-	-	1	1	-	-	13	2	48	48	2
80	Ellis	127	2	-	-	-	-	-	-	-	-	-	18	3	63	62	9
81	Ellsworth	111	-	-	-	-	-	-	-	-	-	-	13	1	75	74	19
82	Finney	111	-	1	-	-	-	-	-	-	-	-	19	1	55	52	11
83	Ford	189	-	2	-	-	-	-	-	3	-	2	34	1	101	93	14
84	Franklin	263	3	2	-	-	-	-	-	-	2	-	50	6	145	129	29
85	Geary	188	-	2	-	-	-	-	-	-	-	2	28	5	87	82	21

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	114	2	5	2	2	4	-	2	1	-	-	5	6	1	5	15	7	-	9	1
-	98	1	13	1	4	11	1	1	2	-	-	6	19	2	9	19	5	1	14	2
-	78	1	-	3	2	11	3	1	-	-	-	1	3	1	3	5	2	-	17	3
1	104	3	9	2	1	6	2	2	3	1	2	6	13	1	6	9	10	-	17	4
-	77	1	9	-	5	3	1	-	1	-	-	3	4	1	8	5	2	-	19	5
-	69	2	6	1	1	4	-	1	-	-	1	4	4	-	4	8	-	-	23	6
-	79	2	12	2	2	6	1	-	3	-	2	6	13	3	6	8	4	-	12	7
1	169	2	7	3	8	26	2	4	4	1	1	9	25	2	12	27	5	-	32	8
2	392	10	30	7	5	19	5	5	6	1	-	12	41	7	18	45	19	1	94	9
-	46	1	6	-	4	2	-	-	-	-	1	3	4	2	3	2	2	-	7	10
-	55	2	-	2	3	4	2	1	3	-	1	1	2	2	5	5	1	-	17	11
-	41	1	2	-	1	3	1	-	-	-	1	2	8	-	7	4	4	-	10	12
-	67	-	4	1	2	1	-	-	-	-	-	5	7	1	-	6	2	-	5	13
-	101	3	10	3	1	7	1	1	2	-	-	3	14	14	8	4	3	1	20	14
1	92	5	12	2	3	11	3	2	1	1	-	3	8	4	9	17	4	-	16	15
-	113	2	15	2	4	12	5	-	2	-	1	8	19	7	14	16	4	-	23	16
-	42	1	5	2	-	3	1	1	1	-	-	1	7	-	1	3	2	-	11	17
-	57	-	5	1	1	1	-	-	-	1	-	2	6	2	5	11	2	-	16	18
-	54	-	2	-	3	1	-	1	2	1	-	4	5	2	5	6	2	-	7	19
-	52	2	5	-	8	2	1	-	1	-	-	4	6	19	5	9	-	-	14	20
1	72	2	6	1	1	9	1	2	2	1	-	2	5	4	1	4	3	-	15	21
-	172	4	6	4	9	14	1	-	2	-	-	4	18	4	7	23	5	-	21	22
-	65	-	5	1	2	5	-	-	1	-	-	2	5	2	4	7	3	-	12	23
-	27	-	1	1	1	1	2	-	-	-	-	-	3	-	1	3	-	-	4	24
1	82	4	14	1	1	7	1	2	2	-	-	1	6	4	7	11	1	-	20	25
-	57	2	3	-	-	2	1	-	1	-	-	2	6	1	7	7	1	-	14	26
1	75	3	6	-	4	8	-	-	1	1	-	4	7	1	4	9	2	1	15	27
-	48	2	5	4	-	5	1	-	-	-	-	-	4	-	6	7	1	-	9	28
3	774	20	46	20	19	51	15	9	18	3	1	24	122	5	32	79	25	12	171	29
-	279	9	22	3	6	20	7	4	4	1	-	9	26	3	13	33	6	-	55	30
-	60	3	6	-	5	8	-	-	-	-	-	4	5	1	7	10	1	-	12	31
-	48	-	2	2	1	4	1	-	2	-	-	1	3	2	4	7	1	-	9	32
-	64	-	2	1	1	1	2	-	3	-	-	-	5	-	4	6	3	1	17	33
1	390	12	16	-	11	21	4	3	8	3	-	15	34	3	21	43	19	6	76	34
-	35	-	5	2	2	5	-	1	-	-	-	6	7	1	2	6	3	-	12	35
-	64	2	3	4	1	7	1	-	2	1	-	4	5	-	4	14	2	-	21	36
-	122	3	7	-	8	9	2	-	3	-	2	5	12	1	8	15	4	-	26	37
-	87	1	8	1	2	3	2	-	-	-	-	-	8	3	7	8	3	-	11	38
-	64	-	7	-	4	4	-	-	2	-	-	2	3	-	2	7	5	-	10	39
1	73	1	5	3	-	8	1	1	4	1	-	1	5	2	3	5	2	-	11	40
-	46	1	3	1	5	3	-	-	-	-	-	-	1	-	3	5	3	-	7	41
2	188	8	9	3	8	13	1	-	9	-	-	3	23	6	14	25	3	-	23	42
-	75	4	8	1	4	12	-	1	-	-	1	5	4	2	4	10	-	-	14	43
-	83	2	8	-	3	5	-	-	2	-	-	3	7	3	10	4	4	-	21	44
-	48	2	2	1	7	2	1	-	1	-	-	3	1	-	1	4	-	-	13	45
-	148	5	17	4	5	9	2	1	1	1	1	8	21	2	13	17	5	-	26	46
1	46	-	3	1	-	3	-	-	-	-	-	3	2	3	5	5	-	-	12	47
1	71	3	10	-	5	2	1	-	-	-	-	2	7	1	2	11	3	-	12	48
1	386	10	26	7	14	35	4	3	9	1	-	14	56	4	27	51	16	1	76	49
-	47	-	1	-	-	2	-	1	-	-	-	4	5	-	7	5	-	-	7	50
1	69	4	8	-	-	5	1	-	1	1	-	1	7	1	1	7	2	-	8	51
16	6,671	201	552	110	424	453	102	69	113	56	30	257	685	334	602	851	241	48	1,337	52
5	1,674	46	163	32	111	139	30	22	39	13	10	99	206	158	152	222	65	26	325	53
11	4,997	155	389	78	313	314	72	47	74	43	20	158	479	146	450	629	176	22	1,012	54
-	88	2	11	3	2	5	-	-	2	1	-	5	6	2	3	11	1	-	25	55
-	48	1	-	-	-	2	-	-	-	-	-	1	2	1	3	4	2	-	4	56
1	110	1	6	2	5	6	-	3	1	3	1	3	8	1	8	11	2	-	17	57
-	24	1	2	-	1	2	-	-	-	1	-	-	5	1	5	5	-	-	6	58
-	60	2	10	1	4	7	-	1	2	-	-	2	19	2	12	13	4	-	19	59
1	99	3	1	1	6	3	1	-	-	1	-	3	1	-	2	8	4	-	14	60
-	63	2	-	-	1	5	4	3	1	1	-	2	4	1	6	5	-	-	12	61
-	99	2	4	2	5	3	2	1	2	-	3	1	11	3	15	14	9	-	24	62
-	22	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	63
-	34	3	-	-	4	2	-	-	3	1	1	-	1	2	2	1	-	-	6	64
1	84	2	9	-	6	7	-	1	1	-	-	2	8	2	8	8	3	1	18	65
-	13	-	-	-	-	2	1	1	1	-	-	-	1	-	-	1	-	-	4	66
-	11	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	3	67
-	65	2	4	2	1	1	1	-	1	1	-	2	2	2	1	5	2	-	13	68
-	69	3	3	-	3	1	-	1	1	-	-	1	8	4	10	7	2	-	9	69
-	50	2	7	-	2	2	2	1	1	2	-	-	3	1	-	6	2	-	10	70
-	19	1	2	-	2	2	-	-	-	-	-	1	3	-	2	3	-	-	2	71
-	159	7	20	3	6	8	2	3	3	-	-	1	4	10	6	9	15	5	28	72
-	165	6	5	2	14	11	2	-	6	1	1	1	6	4	15	19	8	2	40	73
-	18	2	-	1	1	1	-	-	-	-	-	1	5	-	1	-	1	-	10	74
1	99	3	12	1	2	8	1	1	1	-	-	1	13	-	9	16	4	-	21	75
-	42	1	13	-	-	2	2	-	-	-	-	3	-	1	4	4	2	-	4	76
1	122	1	7	1	6	3	3	1	1	-	-	4	9	2	11	7	2	1	32	77
-	17	1	2	-	3	2	-	-	-	-	-	1	2	-	1	4	-	-	8	78
-	45	1	-	-	-	2	2	2	1	-	-	1	2	1	5	2	2	-	6	79
-	49	1	3	-	1	2	-	1	1	-	-	3	11	-	6	9	-	-	8	80
-	50	1	2	2	1	3	-	-	1	-	-	-	2	1	6	6	-	-	3	81
-	38	-	2	1	3	4	-	-	1	-	-	2	7	1	4	5	-	-	11	82
-	69	1	5	4	8	8	-	2	-	-	1	3	7	1	7	5	4	1	7	83
1	94	2	3	-	16	6	1	-	1	2	1	2	6	3	5	10	4	-	14	84
-	58	2	-	1	5	5	3	-	4	-	-	7	16	1	2	7	2	-	17	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	KANSAS—Continued																
1	Gove	29	-	-	-	-	-	-	-	-	-	-	5	-	17	17	1
2	Graham	38	-	-	-	-	-	-	-	-	-	-	4	-	22	22	6
3	Grant	16	1	-	-	-	-	-	-	1	-	-	2	-	4	4	-
4	Gray	37	-	-	-	-	-	-	-	-	-	-	2	1	17	17	4
5	Greeley	16	-	-	-	-	-	-	-	-	-	-	2	-	6	5	2
6	Greenwood	166	2	-	-	-	-	-	-	1	-	-	31	3	103	95	24
7	Hamilton	31	-	-	-	-	-	-	-	-	-	-	1	-	19	19	5
8	Harper	123	1	-	-	-	-	-	-	-	-	-	14	2	83	78	27
9	Harvey	236	1	4	-	-	-	-	-	-	-	1	33	5	118	117	35
10	Haskell	21	-	-	-	-	-	-	-	-	-	-	1	-	11	11	2
11	Hodgeman	20	-	-	-	-	-	-	-	1	-	-	1	-	12	11	2
12	Jackson	145	1	-	-	-	-	-	-	-	-	-	21	2	90	82	21
13	Jefferson	121	-	-	-	-	-	-	-	-	-	1	23	-	71	70	20
14	Jewell	123	1	1	-	-	-	-	-	-	1	-	19	1	73	71	14
15	Johnson	426	2	1	-	-	-	-	-	1	-	2	72	7	227	222	62
16	Kearny	14	-	-	-	-	-	-	-	-	-	-	1	-	7	6	1
17	Kingman	113	-	-	-	-	-	-	1	-	-	1	16	1	69	61	10
18	Kiowa	41	-	-	-	-	-	-	-	-	-	-	5	3	20	20	6
19	Labette	356	3	-	-	-	-	-	-	-	-	-	46	4	222	212	57
20	Lane	23	-	-	-	-	-	-	-	-	-	-	3	-	15	14	2
21	Leavenworth	411	11	1	-	-	-	-	-	-	-	2	58	6	223	216	53
22	Lincoln	70	1	-	-	-	-	-	-	-	1	-	11	1	35	35	10
23	Linn	123	2	1	-	-	-	-	-	-	-	-	11	1	76	73	20
24	Logan	25	1	-	-	-	-	-	-	-	-	-	3	-	13	12	-
25	Lyon	309	-	1	-	-	-	1	-	-	-	2	48	3	177	166	37
26	McPherson	215	1	2	-	-	-	-	-	1	-	-	25	3	139	134	38
27	Marion	171	-	-	-	-	-	-	-	1	-	-	17	1	102	99	29
28	Marshall	216	-	-	-	-	-	-	-	-	-	-	37	4	121	111	32
29	Meade	43	-	-	-	-	-	-	-	-	-	-	9	-	19	18	2
30	Miami	215	-	1	-	-	-	-	-	2	-	-	31	3	129	120	33
31	Mitchell	125	-	-	-	-	-	-	-	-	1	-	16	3	74	72	21
32	Montgomery	598	13	6	-	-	-	1	-	-	2	4	79	13	324	304	86
33	Morris	95	4	1	-	-	-	-	-	-	-	1	12	3	50	49	14
34	Morton	26	-	-	-	-	-	-	-	-	-	-	2	1	11	11	-
35	Nemaha	154	3	-	-	-	-	-	-	1	-	-	31	3	80	79	16
36	Neosho	221	4	3	-	1	-	-	-	1	1	-	27	1	126	120	32
37	Ness	63	-	-	-	-	-	-	-	-	-	-	8	1	33	33	9
38	Norton	95	-	-	-	-	-	-	-	-	-	-	11	-	50	49	6
39	Osage	162	1	-	-	1	-	-	-	1	-	-	28	1	97	95	23
40	Osborne	99	-	-	-	1	-	-	-	-	-	-	12	4	58	56	15
41	Ottawa	98	1	-	-	-	-	-	-	-	-	-	14	4	56	53	19
42	Pawnee	87	-	-	-	-	-	-	-	-	-	-	8	1	47	45	10
43	Phillips	85	-	-	-	-	-	-	-	1	-	-	8	2	41	41	9
44	Pottawatomie	173	1	-	-	-	-	-	-	-	-	-	31	6	99	97	26
45	Pratt	122	-	3	-	-	-	-	-	-	-	1	16	6	58	55	13
46	Rawlins	46	-	-	-	-	-	-	-	-	-	-	12	2	16	14	7
47	Reno	526	3	1	-	1	-	-	-	2	-	-	68	11	299	290	66
48	Republic	122	1	-	-	-	-	-	-	-	-	-	20	-	65	62	16
49	Rice	134	2	-	-	-	-	-	-	-	-	-	15	1	79	73	20
50	Riley	205	-	-	-	-	-	-	-	-	-	-	25	3	108	101	24
51	Rooks	87	1	-	-	-	-	-	-	1	-	-	6	1	55	53	11
52	Rush	65	2	-	-	-	-	-	-	-	-	-	13	2	32	31	10
53	Russell	115	1	-	-	-	-	-	-	1	-	-	20	4	50	50	13
54	Saline	306	-	1	-	-	-	-	-	-	-	-	41	9	179	172	42
55	Scott	35	-	-	-	-	-	-	-	-	-	-	3	-	20	20	6
56	Sedgwick	1,986	27	12	-	-	-	1	1	16	1	6	263	33	909	869	202
57	Seward	69	-	-	-	-	-	1	-	-	-	-	13	1	28	27	4
58	Shawnee	1,070	11	4	-	-	-	-	-	2	1	3	175	16	592	568	148
59	Sheridan	33	-	-	-	-	-	-	-	-	-	-	5	1	20	19	4
60	Sherman	70	1	1	-	-	-	-	-	-	-	-	11	1	34	33	3
61	Smith	113	1	-	-	-	-	-	-	-	-	-	20	1	67	62	9
62	Stafford	91	-	-	-	-	-	-	-	1	-	1	9	1	47	45	13
63	Stanton	8	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-
64	Stevens	26	-	-	-	-	-	-	-	1	-	-	-	1	14	14	4
65	Sumner	271	3	1	-	-	-	-	-	-	-	3	34	3	150	145	36
66	Thomas	69	1	1	-	-	-	-	-	1	2	-	9	6	27	26	4
67	Trego	46	-	-	-	-	-	-	-	-	-	1	4	-	20	20	2
68	Wabaunsee	66	-	-	-	-	-	-	-	-	-	-	12	-	43	40	19
69	Wallace	12	-	-	-	-	-	-	-	-	-	-	3	-	7	7	2
70	Washington	131	-	-	-	-	-	-	-	-	-	-	21	3	80	78	21
71	Wichita	21	1	-	-	-	-	-	-	-	-	-	2	-	9	9	3
72	Wilson	151	1	-	-	-	-	-	-	-	-	1	17	2	80	76	26
73	Woodson	85	-	-	-	-	-	-	-	-	-	-	6	-	57	56	19
74	Wyandotte	1,676	23	14	-	-	-	1	-	2	1	6	259	27	904	862	189
75	KENTUCKY	27,542	1,023	96	3	46	16	43	65	22	43	102	3,366	369	13,692	13,206	3,066
76	Metropolitan counties	8,586	296	42	1	1	1	4	19	3	-	31	1,206	131	4,490	4,392	910
77	Nonmetropolitan counties	18,956	727	54	2	45	15	39	46	19	43	71	2,160	238	9,202	8,814	2,156
78	Adair	158	6	-	-	-	1	1	-	-	-	-	17	4	80	77	18
79	Allen	140	7	-	-	-	-	-	-	-	-	-	13	3	71	68	14
80	Anderson	91	3	-	-	-	-	-	-	-	-	-	13	2	58	52	11
81	Ballard	121	8	-	-	-	-	-	-	-	-	-	12	2	63	62	15
82	Barren	278	9	1	-	1	-	1	-	-	-	-	40	1	156	141	40
83	Bath	109	8	-	-	-	-	1	-	-	-	1	12	2	50	49	14
84	Bell	380	14	3	-	1	2	2	2	1	-	2	37	7	143	133	26
85	Boone	146	2	-	-	-	-	-	1	-	-	-	10	2	75	74	12

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	14	-	2	-	-	-	-	1	1	-	-	-	4	1	-	-	-	-	-	1
-	15	1	-	-	-	-	1	-	1	-	-	1	-	-	4	-	-	1	4	2
-	2	-	2	-	-	-	-	-	-	-	-	-	4	-	-	2	-	1	1	3
-	12	-	1	-	-	1	-	1	-	-	-	1	5	-	6	2	-	-	1	4
-	3	-	-	-	1	-	-	1	-	1	-	-	3	1	1	-	-	-	1	5
-	63	1	6	1	8	2	-	-	-	-	-	1	2	2	1	6	1	-	11	6
-	13	-	1	-	-	-	-	-	-	-	-	-	1	-	3	2	1	-	4	7
-	48	1	2	-	5	2	-	-	1	-	-	2	4	1	3	3	-	-	7	8
-	78	2	2	-	1	8	-	1	3	-	-	5	19	1	8	7	3	-	19	9
-	9	-	-	-	-	-	-	-	-	-	-	1	3	-	-	3	-	-	2	10
-	9	-	-	-	1	2	-	-	-	-	-	-	-	-	2	1	-	-	1	11
-	51	4	6	-	8	3	1	1	-	-	-	1	-	1	6	3	1	-	14	12
-	43	-	4	3	1	2	-	-	1	-	-	-	-	1	1	7	3	-	11	13
-	53	-	4	-	2	-	1	-	1	-	-	1	2	1	3	11	-	-	7	14
-	140	4	13	3	5	10	4	1	3	2	-	11	16	2	15	25	3	2	22	15
-	5	-	-	-	1	1	-	-	-	-	-	-	2	-	1	-	-	-	2	16
-	41	3	6	1	8	1	1	1	-	-	-	2	6	2	3	2	2	-	5	17
-	14	-	-	-	-	-	-	-	-	-	1	-	1	2	1	3	3	1	1	18
-	142	7	5	1	10	9	3	1	1	3	-	4	6	1	7	17	4	1	24	19
-	11	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	3	20
1	149	1	11	1	7	12	3	-	2	1	2	2	12	1	8	28	10	-	29	21
-	21	1	3	-	-	-	2	-	-	-	-	-	4	-	1	2	3	-	9	22
-	48	1	4	-	3	4	3	-	-	1	-	-	2	-	2	8	-	-	12	23
-	9	2	1	-	1	-	-	-	1	-	-	-	3	-	1	-	1	-	2	24
-	109	4	13	3	11	7	2	1	-	-	-	3	9	5	14	14	3	1	18	25
-	79	5	11	1	5	7	-	1	1	-	-	3	3	1	6	5	2	-	15	26
-	64	2	3	1	3	4	-	1	-	-	1	2	7	2	6	10	1	-	16	27
-	69	2	7	1	10	3	2	1	1	1	1	1	4	3	5	11	2	-	19	28
-	13	1	2	-	1	2	-	-	-	-	-	1	2	-	4	1	1	-	4	29
-	76	-	9	2	9	8	1	1	-	-	1	1	1	5	4	7	4	-	16	30
-	43	2	4	2	2	4	-	1	2	2	-	-	3	1	2	4	2	-	10	31
-	186	7	19	6	20	17	3	3	3	4	1	4	14	11	18	26	7	-	45	32
-	31	-	4	-	1	3	-	-	-	-	-	1	4	2	2	6	-	-	6	33
-	11	-	-	-	-	-	-	-	-	-	-	-	5	-	1	3	-	-	3	34
-	48	1	14	-	1	1	1	-	-	-	2	-	3	2	1	8	4	1	13	35
-	80	2	4	2	6	3	2	-	-	-	-	2	2	10	3	5	10	2	18	36
-	24	-	-	-	-	3	-	-	-	-	-	-	-	5	-	1	4	-	8	37
-	43	-	-	-	1	4	-	-	2	1	1	3	3	1	3	5	2	-	9	38
-	57	2	12	1	2	3	-	-	-	1	-	1	3	3	2	6	2	-	12	39
-	35	1	3	2	2	3	1	1	-	1	-	1	-	1	4	3	3	-	6	40
-	30	-	4	-	3	5	1	-	-	2	-	2	2	1	1	1	2	-	6	41
-	32	-	2	1	2	2	-	1	-	-	-	1	3	-	10	6	-	-	8	42
-	30	1	1	-	-	1	2	-	-	-	-	2	1	-	8	7	1	1	10	43
-	63	2	4	2	2	5	-	-	-	-	-	4	7	1	4	10	3	-	2	44
-	38	1	3	-	3	2	-	-	2	1	-	2	3	4	7	9	2	1	5	45
-	7	-	-	-	2	4	-	-	1	-	-	2	1	-	1	3	-	-	4	46
-	193	6	21	4	9	16	1	2	3	1	-	6	26	2	20	18	7	1	38	47
-	45	-	1	-	3	6	1	-	1	1	-	1	6	6	1	4	2	-	7	48
-	47	2	4	-	6	3	-	-	-	-	-	1	2	-	13	6	1	-	11	49
1	67	4	3	2	7	6	-	1	-	-	1	7	12	4	7	16	-	1	14	50
1	33	3	5	-	2	-	-	-	1	-	-	-	4	2	4	5	3	-	4	51
-	21	-	-	-	1	3	1	-	-	-	-	-	4	1	2	3	-	-	2	52
-	32	2	3	-	-	2	3	-	1	-	-	3	2	1	9	8	2	2	6	53
-	114	8	5	3	7	3	2	-	1	1	-	1	19	4	8	17	5	1	14	54
-	13	-	-	1	-	1	-	-	-	-	-	-	2	2	1	2	1	-	3	55
2	560	18	74	13	40	48	14	12	14	9	2	45	104	156	69	82	25	8	129	56
-	22	-	1	-	1	2	-	1	2	-	-	1	8	-	-	4	1	-	7	57
1	368	11	33	7	24	32	3	4	8	-	1	13	27	21	25	45	13	4	70	58
-	14	-	-	1	1	-	1	-	-	-	-	-	1	-	1	2	-	-	2	59
-	27	1	2	-	1	2	1	-	-	-	-	3	6	-	2	5	1	-	2	60
-	47	1	2	3	5	1	1	-	1	1	-	-	6	2	1	3	1	-	7	61
-	26	2	3	1	2	1	1	-	2	1	1	2	2	3	6	6	-	-	7	62
-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	63
-	8	1	1	-	-	-	-	-	-	-	-	-	3	1	2	2	-	-	2	64
1	98	2	5	3	5	4	1	1	1	1	-	7	7	6	9	15	6	-	19	65
-	20	-	2	-	1	3	-	2	-	-	-	1	1	-	3	7	2	-	3	66
1	16	-	-	1	-	-	-	-	-	-	-	1	4	-	1	10	-	1	4	67
-	16	1	4	-	3	1	-	-	-	-	-	-	-	-	3	2	-	-	5	68
-	5	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	52	1	3	1	2	3	-	1	-	1	-	1	2	-	5	8	2	-	4	70
-	6	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	1	2	71
-	40	3	7	-	4	1	-	1	-	-	-	2	3	5	5	7	3	2	21	72
-	30	4	3	-	1	1	1	-	-	-	-	2	2	2	5	2	1	1	5	73
2	606	13	43	9	42	49	9	5	14	2	7	30	59	9	43	72	24	12	104	74
26	9,050	284	645	135	486	1,189	140	184	209	70	66	417	1,383	482	768	1,338	289	226	1,895	75
6	3,135	83	201	57	98	275	48	29	114	11	13	128	413	61	183	338	100	71	577	76
20	5,915	201	444	78	388	914	92	155	95	59	53	289	970	421	585	1,000	189	155	1,318	77
1	52	4	2	-	3	7	-	-	-	1	1	4	8	3	6	7	-	1	11	78
-	49	2	3	-	3	6	-	1	1	-	2	-	3	7	-	7	-	-	19	79
-	35	3	3	-	6	2	1	-	-	-	-	2	1	1	1	1	1	-	5	80
-	42	1	4	-	1	5	1	-	-	-	-	1	3	2	4	7	2	1	10	81
-	81	6	13	1	15	9	2	2	1	-	-	6	15	2	3	5	1	1	22	82
-	27	3	4	1	1	6	3	-	2	-	-	2	7	-	2	3	-	1	9	83
-	101	4	2	-	10	14	3	2	1	3	2	6	30	25	15	22	6	7	30	84
-	60	-	1	1	1	5	1	1	-	-	-	2	10	2	7	7	-	1	20	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-029	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	KENTUCKY--Continued																
1	Bourbon	206	3	-	-	-	-	1	1	-	1	1	31	2	111	110	27
2	Boyd	403	11	3	1	-	-	-	-	-	-	2	56	7	187	183	38
3	Boyle	193	8	2	1	1	3	-	-	-	-	2	19	4	107	106	32
4	Bracken	105	1	1	-	-	-	-	-	-	-	-	9	2	72	71	18
5	Breathitt	122	12	-	-	-	-	1	-	-	3	1	14	1	33	33	11
6	Breckinridge	173	5	-	-	-	-	-	-	-	-	-	28	2	94	93	19
7	Bullitt	114	6	-	-	-	-	-	-	-	-	1	15	2	53	51	11
8	Butler	116	9	-	-	1	-	-	-	-	1	-	7	3	52	49	15
9	Caldwell	156	6	-	-	-	-	-	-	-	-	2	22	3	91	91	23
10	Calloway	182	3	1	-	1	-	-	-	-	1	-	33	1	102	101	34
11	Campbell	859	21	6	-	-	-	1	2	-	-	3	147	11	482	473	87
12	Carlisle	62	1	-	-	-	-	-	-	-	-	-	8	-	40	40	3
13	Carroll	111	4	-	-	-	-	-	-	-	-	-	12	1	56	53	10
14	Carter	180	8	-	-	1	-	1	-	-	-	2	18	3	80	74	22
15	Casey	110	13	-	-	-	-	-	-	-	-	-	9	-	46	43	17
16	Christian	488	14	-	-	1	-	-	1	-	-	1	40	6	223	208	37
17	Clark	209	8	-	-	-	-	-	-	-	-	-	34	2	94	85	22
18	Clay	150	4	1	-	-	-	3	3	-	1	-	11	3	43	40	4
19	Clinton	80	1	-	-	-	-	-	2	1	-	-	10	-	47	47	14
20	Crittenden	140	3	-	-	1	-	-	-	-	-	-	15	3	85	84	25
21	Cumberland	77	6	1	-	-	-	-	-	-	1	-	14	1	35	33	8
22	Daviess	575	10	2	-	2	2	3	4	-	-	6	72	4	285	273	65
23	Edmonson	64	3	-	-	-	-	-	-	-	-	-	8	1	30	30	9
24	Elliott	35	-	-	-	-	-	-	1	-	-	1	3	-	15	14	1
25	Estill	140	9	1	-	-	-	-	-	-	1	3	15	1	65	60	15
26	Fayette	998	45	10	-	-	-	1	-	-	-	6	148	16	505	491	128
27	Fleming	136	4	1	-	-	-	-	2	-	-	-	14	3	76	69	22
28	Floyd	308	18	1	-	3	-	-	-	-	6	1	36	1	110	107	22
29	Franklin	254	14	2	-	1	-	-	-	1	-	-	30	3	125	122	39
30	Fulton	137	4	-	-	-	-	-	-	2	-	1	20	2	75	74	18
31	Gallatin	62	3	-	-	-	-	-	-	-	-	1	7	-	40	39	19
32	Garrard	87	3	-	-	-	-	-	1	-	-	-	7	1	53	47	6
33	Grant	139	6	-	-	-	-	-	-	-	-	-	20	1	67	66	10
34	Graves	338	10	1	-	1	-	-	-	-	-	1	37	8	171	167	54
35	Grayson	144	4	-	-	-	-	-	1	-	1	1	16	4	68	65	16
36	Green	98	6	-	-	-	-	-	-	-	-	1	9	2	65	62	17
37	Greenup	220	8	1	-	1	-	3	-	-	-	1	26	1	99	96	21
38	Hancock	54	-	-	-	-	-	-	-	-	-	-	5	-	31	31	5
39	Hardin	277	15	1	-	1	-	-	-	-	2	-	34	3	113	104	25
40	Harlan	462	17	-	-	1	1	4	6	1	1	3	34	7	184	179	30
41	Harrison	196	12	1	-	1	-	-	-	-	-	1	19	3	103	100	26
42	Hart	144	7	-	-	-	-	1	-	-	-	1	16	1	75	74	10
43	Henderson	355	11	-	1	-	-	1	-	-	-	-	51	6	170	166	32
44	Henry	109	6	-	-	-	-	-	-	-	-	1	17	3	63	61	13
45	Hickman	87	2	-	-	-	-	-	-	-	-	-	10	1	34	33	9
46	Hopkins	395	13	3	-	1	-	-	1	2	-	-	39	5	208	199	61
47	Jackson	89	3	1	-	-	-	-	-	-	-	1	12	3	36	35	4
48	Jefferson	5,170	192	16	-	1	1	2	12	3	-	16	687	77	2,721	2,656	544
49	Jessamine	125	8	2	-	-	-	-	-	-	-	-	17	-	69	65	14
50	Johnson	185	10	1	-	2	-	1	1	1	-	-	31	2	68	64	12
51	Kenton	1,156	27	7	-	-	-	-	5	-	-	4	168	20	595	589	113
52	Knott	72	7	-	-	-	-	2	-	-	-	-	10	-	25	25	8
53	Knox	260	8	1	-	-	-	-	-	-	-	1	23	2	125	118	41
54	Larue	94	4	-	-	-	-	-	1	1	-	-	11	2	54	44	11
55	Laurel	205	4	-	-	-	-	-	-	-	-	-	25	4	107	106	26
56	Lawrence	151	6	-	-	-	-	1	-	-	-	-	18	3	66	62	17
57	Lee	70	4	-	-	-	-	1	-	-	1	1	6	-	34	33	5
58	Leslie	56	2	1	-	-	-	-	-	-	-	-	6	-	12	12	5
59	Letcher	289	19	2	-	3	1	1	1	-	3	-	27	4	98	93	24
60	Lewis	132	6	-	-	-	2	-	-	-	-	1	13	1	57	54	17
61	Lincoln	166	5	1	-	-	-	-	-	-	-	2	17	1	93	86	23
62	Livingston	76	4	1	-	-	-	-	-	-	-	-	9	-	38	37	8
63	Logan	225	7	1	-	-	-	-	-	-	-	1	29	2	137	134	28
64	Lyon	56	5	1	-	-	-	-	-	-	-	-	6	1	29	28	6
65	McCracken	627	21	2	-	-	-	1	2	-	1	2	51	9	372	364	87
66	McCreary	105	6	2	-	-	-	1	-	-	-	-	9	1	34	32	12
67	McLean	94	-	-	-	-	-	-	-	-	-	-	9	-	51	50	14
68	Madison	264	10	-	-	-	-	-	-	1	-	-	30	5	129	122	16
69	Magoffin	94	3	-	-	1	-	-	-	-	1	-	10	4	32	31	9
70	Marion	165	5	-	-	2	-	-	-	-	-	1	13	2	76	75	17
71	Marshall	133	3	-	-	1	-	-	-	-	-	1	29	2	67	63	22
72	Martin	79	-	-	-	-	-	-	-	-	1	1	11	-	20	20	5
73	Mason	219	7	-	-	-	-	-	-	-	-	-	28	6	121	119	22
74	Meade	86	-	-	-	1	-	-	-	-	-	-	10	2	39	38	7
75	Menifee	45	4	-	-	-	-	-	-	-	-	-	5	1	15	15	5
76	Mercer	166	3	-	-	-	-	-	-	-	-	-	27	-	92	92	21
77	Metcalfe	101	2	-	-	-	-	1	-	-	1	-	13	-	50	46	12
78	Monroe	123	7	-	-	1	-	-	2	-	-	1	13	1	56	52	15
79	Montgomery	146	2	-	-	-	-	-	1	-	-	-	16	2	80	73	11
80	Morgan	101	5	-	-	-	-	-	-	1	-	-	9	1	46	45	5
81	Muhlenberg	304	12	-	-	2	-	-	-	-	1	1	31	2	167	156	34
82	Nelson	177	1	-	-	1	-	-	-	-	1	-	18	6	97	96	18
83	Nicholas	83	1	1	-	-	-	-	1	-	-	-	5	1	50	49	14
84	Ohio	200	7	-	-	-	-	-	1	-	-	1	24	2	110	107	25
85	Oldham	82	4	-	-	-	-	-	-	-	-	-	4	2	39	33	11
86	Owen	113	1	-	-	-	-	1	-	-	-	-	15	2	63	63	9
87	Owsley	37	1	1	-	-	-	-	-	-	-	-	2	1	16	15	5
88	Pendleton	106	3	-	-	-	-	-	-	-	-	1	16	-	59	58	9

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	80	-	2	1	1	6	1	1	1	-	-	1	4	8	3	15	2	-	13	1
1	126	8	8	2	4	21	2	1	5	2	-	6	28	5	15	17	2	2	30	2
-	68	2	2	2	1	10	-	3	-	1	-	4	4	11	4	5	3	-	11	3
-	48	-	5	-	1	2	1	-	-	1	-	1	6	2	2	3	-	-	4	4
-	21	-	1	-	-	9	1	3	-	-	2	3	8	8	4	10	1	4	5	5
-	55	4	13	2	1	10	-	-	-	-	-	2	4	3	4	4	1	1	15	6
-	37	2	1	-	2	4	-	-	1	1	-	1	6	1	3	11	2	-	7	7
-	26	3	4	1	3	8	1	2	-	-	-	4	5	1	1	6	1	-	14	8
-	63	-	5	-	-	2	-	-	3	-	-	-	-	2	6	11	1	1	6	9
-	55	4	7	1	1	4	1	2	1	1	-	1	3	-	1	10	2	1	14	10
-	342	12	24	8	9	16	1	8	16	-	-	7	31	-	10	30	5	4	56	11
-	36	-	-	1	-	-	-	-	-	-	-	3	-	-	6	1	-	-	3	12
-	41	2	-	-	3	5	1	1	-	-	-	2	4	3	3	9	3	1	5	13
-	46	2	3	1	6	19	-	2	1	-	-	3	16	6	5	9	1	1	5	14
-	26	-	-	-	3	6	-	2	1	1	-	2	11	1	4	3	2	1	7	15
-	140	3	24	4	15	21	-	9	4	8	-	9	36	4	40	31	3	6	31	16
-	59	-	4	-	9	13	3	1	2	3	-	3	14	1	5	12	3	2	8	17
1	34	-	-	1	3	15	-	3	-	-	-	-	10	15	11	11	1	1	14	18
-	29	3	1	-	-	3	-	-	-	-	-	1	3	1	-	4	1	2	4	19
-	55	1	2	1	1	6	-	1	-	-	-	1	8	7	-	5	-	1	4	20
-	19	1	4	1	2	5	-	-	-	-	-	-	7	3	-	-	1	-	3	21
-	185	7	15	1	12	28	2	6	3	1	1	7	39	9	17	27	6	-	39	22
-	18	-	1	2	-	4	-	2	-	-	1	1	6	1	2	-	-	-	5	23
-	13	-	-	-	1	-	-	-	-	-	-	-	5	-	4	-	2	-	4	24
-	38	2	5	-	5	5	1	1	-	-	-	4	8	9	4	9	1	-	3	25
1	329	4	25	4	14	25	9	5	10	3	1	17	35	8	21	37	19	9	68	26
-	44	-	2	1	7	4	1	3	-	1	-	2	8	-	5	6	-	1	5	27
2	77	5	-	1	3	20	1	4	-	2	-	4	19	10	11	31	2	3	25	28
-	77	2	4	-	3	5	2	2	4	-	2	6	8	4	3	14	5	3	20	29
-	49	1	5	1	1	8	-	-	2	1	-	1	3	2	1	9	-	-	6	30
-	191	-	1	-	1	1	-	-	-	-	-	-	2	-	-	3	1	-	4	31
-	39	-	2	-	6	4	1	-	-	-	-	3	4	-	1	4	1	-	5	32
-	45	3	7	1	1	5	-	-	1	-	-	2	8	-	4	11	2	1	11	33
-	94	7	11	1	4	23	1	3	3	2	1	-	6	4	7	26	3	3	27	34
-	40	3	5	1	3	8	-	2	-	1	-	1	4	3	7	4	-	3	16	35
-	42	-	3	-	3	1	-	-	2	-	-	1	3	1	1	1	1	1	4	36
1	68	4	2	-	3	21	2	2	3	-	-	1	8	5	8	8	4	2	16	37
-	25	-	11	-	-	5	1	1	-	-	-	3	-	-	1	4	1	-	2	38
-	68	5	4	2	9	12	1	-	2	1	2	8	22	10	8	16	4	-	22	39
-	134	1	10	4	5	19	1	7	2	3	1	14	35	6	23	37	4	13	38	40
-	71	2	1	1	3	10	1	1	-	-	1	2	8	1	6	5	5	4	11	41
-	59	2	3	-	1	5	1	-	-	1	1	2	8	5	4	6	1	2	7	42
1	124	2	5	2	4	18	3	1	5	1	1	8	19	5	14	14	4	1	21	43
1	40	1	5	1	2	6	-	-	1	-	-	-	2	-	1	5	-	1	3	44
-	22	2	-	1	1	4	1	-	-	-	-	-	3	7	2	8	1	1	13	45
-	120	3	14	1	9	20	2	3	2	1	1	2	14	6	9	32	7	3	21	46
-	30	-	1	-	1	6	-	1	-	-	-	3	3	3	6	3	-	1	7	47
3	1,900	51	120	38	65	173	33	9	68	4	11	88	249	41	115	199	61	50	341	48
-	49	1	1	-	4	2	-	1	1	-	-	3	4	3	1	9	-	-	5	49
2	46	1	3	-	4	12	1	1	-	1	2	5	11	6	4	5	2	3	15	50
1	438	8	24	5	6	40	3	6	15	2	1	10	70	7	22	55	12	5	82	51
-	15	2	-	-	-	4	-	1	-	-	-	-	4	5	5	3	-	1	5	52
-	72	-	4	1	7	18	3	2	-	1	2	9	17	6	8	14	1	4	15	53
-	28	1	4	-	10	1	-	-	1	1	-	-	4	-	3	6	-	-	5	54
-	69	3	6	2	1	5	1	1	1	-	-	2	9	4	13	9	1	1	18	55
-	41	1	3	-	4	5	1	1	2	-	-	6	10	5	4	13	-	1	8	56
-	26	-	2	-	1	4	-	1	1	-	-	4	3	3	1	5	-	1	1	57
-	6	-	1	-	-	2	1	-	-	-	1	3	3	2	10	4	-	2	6	58
1	65	-	-	3	5	13	2	10	-	-	2	4	23	5	20	26	6	3	16	59
-	31	-	5	1	3	12	-	4	-	-	-	2	6	3	2	12	-	1	10	60
1	56	1	2	3	7	11	-	2	1	-	1	1	4	-	6	8	4	3	7	61
-	25	1	2	1	1	9	-	1	-	-	-	-	3	3	-	5	-	-	3	62
-	91	3	12	-	3	8	1	-	2	1	-	1	6	6	2	10	3	-	8	63
-	19	2	-	1	1	2	-	1	-	-	-	-	3	-	3	2	-	1	2	64
1	241	11	20	4	8	20	4	3	5	-	1	5	35	11	11	19	9	3	40	65
-	17	2	1	-	2	8	1	1	-	-	-	3	11	7	5	3	3	1	9	66
-	33	3	-	-	1	5	3	1	1	1	-	-	3	3	3	5	1	1	8	67
-	99	1	4	2	7	13	-	2	1	-	-	7	14	9	5	8	4	2	24	68
-	22	-	-	-	1	15	1	-	-	-	1	-	4	2	3	6	1	5	5	69
-	53	2	3	-	1	9	-	5	2	3	-	3	9	3	8	8	1	-	15	70
-	41	-	-	-	4	5	1	3	1	-	-	1	4	4	3	4	1	-	6	71
1	14	-	-	-	-	8	-	-	-	-	1	2	9	1	4	8	-	-	10	72
-	92	2	3	-	2	14	-	1	2	-	1	2	8	-	3	12	2	1	11	73
-	27	-	4	-	1	7	-	-	-	-	-	2	4	-	5	8	2	-	6	74
-	10	-	-	-	-	3	1	-	-	-	-	-	1	7	-	5	-	-	3	75
-	65	-	5	1	-	7	-	1	-	-	-	-	10	-	3	9	4	-	10	76
-	29	3	-	2	4	3	-	1	-	-	-	1	4	4	3	5	-	-	13	77
-	34	2	1	-	4	4	1	1	-	-	2	2	10	3	5	7	3	-	4	78
1	52	2	7	-	7	5	2	1	2	-	-	5	4	1	5	6	2	-	11	79
-	38	-	1	1	1	4	-	3	2	1	1	1	6	1	3	6	2	-	10	80
-	109	5	8	-	11	9	2	-	-	1	3	6	13	4	3	13	5	1	28	81
1	67	3	6	1	1	8	1	2	-	-	-	4	10	3	4	8	2	1	10	82
-	30	4	1	-	1	4	-	1	1	-	-	1	3	2	2	1	-	-	7	83
-	75	-	6	1	3	17	4	-	-	1	-	1	6	2	2	5	2	-	11	84
-	19	2	1	-	6	3	-	1	-	-	-	1	5	4	4	5	3	1	6	85
-	39	1	13	1	-	4	-	1	-	-	-	-	5	2	3	3	1	-	12	86
-	9	-	-	1	1	1	-	-	-	-	-	-	5	1	-	2	-	1	6	87
-	47	-	2	-	1	5	-	-	-	1	-	2	1	-	4	4	-	-	9	88

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	KENTUCKY—Continued																
1	Perry	273	9	1	-	1	-	-	-	1	3	4	28	1	85	77	22
2	Pike	517	19	1	-	8	1	3	-	3	7	4	50	3	173	156	51
3	Powell	49	4	-	-	-	-	-	-	-	-	-	8	1	10	9	4
4	Pulaski	318	11	2	-	-	-	1	2	-	1	3	29	4	169	161	42
5	Robertson	39	-	-	-	-	-	-	-	-	-	-	4	2	25	25	3
6	Rockcastle	91	3	-	-	-	-	-	-	1	-	-	8	1	51	50	21
7	Rowan	104	4	-	-	-	-	1	-	-	-	-	15	-	51	50	10
8	Russell	123	8	-	-	-	-	-	-	-	-	1	10	3	64	61	23
9	Scott	130	7	-	-	-	-	-	-	-	-	-	23	2	78	77	27
10	Shelby	183	9	-	-	-	-	-	-	-	1	1	25	5	81	80	27
11	Simpson	127	7	1	-	-	-	-	-	-	-	-	16	-	62	58	12
12	Spencer	44	5	-	-	-	-	-	-	-	-	1	4	1	16	16	1
13	Taylor	127	10	1	-	-	-	-	-	-	-	-	16	-	69	62	14
14	Todd	147	7	1	-	-	-	-	2	-	-	-	15	1	81	80	14
15	Trigg	102	11	-	-	-	-	-	1	1	-	-	12	1	54	51	16
16	Trimble	49	-	-	-	-	-	-	-	-	-	-	8	-	20	20	5
17	Union	169	2	-	-	-	-	-	-	-	-	-	26	2	72	67	11
18	Warren	450	16	1	-	1	-	1	1	-	-	2	57	4	245	236	56
19	Washington	114	2	-	-	-	1	-	-	-	-	-	11	2	70	68	13
20	Wayne	88	2	1	-	-	-	-	1	-	-	-	11	-	40	40	5
21	Webster	190	6	-	-	-	-	-	-	-	1	1	31	1	105	96	37
22	Whitley	235	10	1	-	2	-	-	2	1	1	-	26	4	92	87	21
23	Wolfe	62	6	-	-	-	-	-	-	-	-	1	5	-	24	23	6
24	Woodford	111	2	2	-	-	-	-	1	-	-	1	16	-	51	48	14
25	LOUISIANA	24,749	635	227	4	12	15	40	21	32	14	126	3,207	395	12,128	11,685	2,502
26	Metropolitan parishes	10,073	294	127	-	3	3	4	9	11	3	36	1,439	165	5,153	4,996	975
27	Nonmetropolitan parishes	14,676	341	100	4	9	12	36	12	21	11	90	1,768	230	6,975	6,689	1,527
28	Acadia	395	14	-	-	-	-	1	-	-	-	1	63	11	168	158	43
29	Allen	152	3	-	-	-	-	-	1	1	-	1	16	1	78	77	17
30	Ascension	217	3	-	-	-	-	-	-	1	1	2	26	7	117	113	23
31	Assumption	156	2	-	-	-	-	-	-	-	-	1	17	3	79	77	18
32	Avoyelles	305	3	1	-	-	-	-	-	-	-	-	41	4	149	142	29
33	Beauregard	161	4	1	-	-	-	-	-	-	-	-	16	1	75	69	8
34	Bienville	158	5	1	-	-	-	1	-	-	-	-	16	2	71	69	19
35	Bossier	295	5	3	-	-	-	5	1	1	-	2	31	3	135	128	63
36	Caddo	1,682	38	16	-	1	1	2	-	7	1	10	212	18	790	748	186
37	Calcasieu	727	13	1	-	1	1	2	2	-	1	5	111	9	303	285	59
38	Caldwell	109	4	1	-	-	-	1	-	-	-	1	13	3	48	48	9
39	Cameron	34	-	-	-	-	-	-	-	-	-	-	7	1	17	17	3
40	Catahoula	88	2	1	-	-	-	-	-	1	-	-	9	4	43	41	20
41	Claiborne	204	5	3	1	-	1	1	-	1	-	-	17	-	112	102	22
42	Concordia	180	2	4	-	-	-	-	-	-	1	4	10	-	92	87	17
43	De Soto	274	8	4	1	-	-	-	-	2	-	1	27	6	134	133	24
44	East Baton Rouge	1,083	25	10	-	-	-	1	2	1	2	5	125	9	551	528	115
45	East Carroll	195	4	3	-	-	-	-	1	-	-	1	16	3	113	105	35
46	East Feliciana	138	2	1	-	-	-	-	-	-	-	2	11	2	67	63	14
47	Evangeline	252	10	1	-	1	1	-	-	-	-	3	25	8	101	100	25
48	Franklin	243	9	3	-	-	-	4	-	-	-	-	26	1	106	104	18
49	Grant	142	7	2	-	1	-	1	-	-	-	-	14	1	69	69	17
50	Iberia	380	4	1	-	1	-	-	-	-	-	5	49	5	171	159	38
51	Iberville	317	6	3	-	-	-	-	1	-	1	2	49	1	180	173	41
52	Jackson	124	-	2	-	-	-	-	-	-	-	-	12	2	52	48	11
53	Jefferson	678	13	4	-	1	1	1	2	1	-	2	106	12	344	338	44
54	Jefferson Davis	209	7	1	-	1	-	1	-	-	-	3	22	4	106	102	28
55	Lafayette	510	20	4	-	-	1	1	-	1	2	1	59	6	222	216	26
56	Lafourche	307	3	1	-	-	-	-	-	-	-	2	34	5	156	148	23
57	La Salle	104	3	-	-	-	-	-	-	-	-	-	14	-	58	52	9
58	Lincoln	178	6	2	-	-	-	-	-	-	-	2	23	3	90	84	20
59	Livingston	131	1	-	-	-	-	-	-	-	-	-	13	3	58	58	11
60	Madison	203	3	2	1	-	-	-	1	-	-	3	17	3	88	85	21
61	Morehouse	291	4	4	-	-	-	1	-	2	-	-	27	7	154	151	29
62	Natchitoches	343	5	1	-	-	3	-	1	-	-	3	42	10	165	158	35
63	Orleans	6,532	217	97	-	1	1	-	5	2	-	19	987	125	3,417	3,333	626
64	Ouachita	732	24	5	-	1	-	2	-	-	1	4	73	9	373	357	75
65	Plaquemines	111	-	1	-	-	-	-	1	-	-	-	20	1	44	43	5
66	Pointe Coupee	236	5	2	-	-	-	-	-	-	-	-	38	6	109	102	19
67	Rapides	832	24	4	-	1	-	3	1	-	-	4	96	14	341	328	62
68	Red River	113	5	1	-	-	-	1	-	1	-	-	13	1	47	44	22
69	Richland	257	4	-	-	-	-	-	-	-	-	3	25	3	122	115	32
70	Sabine	173	3	1	-	-	-	1	-	1	-	1	22	1	85	81	28
71	St. Bernard	98	1	-	-	-	-	-	-	-	-	-	9	1	51	49	4
72	St. Charles	102	2	-	-	-	-	-	-	-	-	1	13	1	51	51	10
73	St. Helena	59	2	-	-	1	-	1	-	-	-	-	3	-	36	34	13
74	St. James	155	4	2	-	-	-	-	-	-	-	1	22	2	73	72	21
75	St. John the Baptist	140	2	-	-	-	-	-	-	-	-	1	15	3	61	61	20
76	St. Landry	595	15	3	-	1	1	5	1	1	2	5	69	10	265	254	47
77	St. Martin	201	7	-	-	-	-	-	-	-	-	1	44	3	88	87	21
78	St. Mary	384	6	2	-	-	1	2	-	-	-	2	51	11	194	187	37
79	St. Tammany	300	9	4	-	-	-	-	-	-	1	2	32	4	158	155	34
80	Tangipahoa	490	6	1	-	-	-	-	-	-	-	2	61	6	258	245	62
81	Tensas	150	4	1	-	-	-	-	-	-	-	-	8	1	95	93	17
82	Terrebonne	353	8	4	-	-	-	-	-	-	-	3	55	5	167	156	29
83	Union	174	5	-	-	-	-	1	1	2	-	1	28	3	78	77	21
84	Vermilion	287	10	2	-	-	3	-	-	-	-	4	48	7	131	130	18
85	Vernon	211	3	2	-	-	-	-	-	1	-	2	27	-	78	71	10

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	48	4	2	-	8	5	2	7	-	-	3	6	19	9	17	36	3	12	21	1
1	97	2	3	2	17	38	4	9	1	3	3	11	46	17	14	40	5	13	41	2
-	2	2	1	-	1	2	-	2	-	-	1	1	2	5	2	3	2	-	6	3
-	110	6	3	-	8	15	4	1	2	-	2	3	24	2	10	7	2	1	23	4
-	20	-	2	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	2	5
-	29	-	-	-	1	7	1	2	-	-	-	1	2	4	3	1	1	-	5	6
-	36	1	2	1	1	5	-	-	-	-	-	-	7	1	8	6	1	-	5	7
2	33	2	1	-	3	4	-	1	-	-	-	1	5	3	9	3	2	-	9	8
-	42	1	7	-	1	4	-	-	-	1	-	2	3	1	2	1	1	-	5	9
-	37	3	12	1	1	7	-	-	-	-	-	1	12	2	5	14	2	1	17	10
-	43	-	3	-	4	8	1	-	-	1	-	-	4	12	-	7	-	1	7	11
-	13	-	1	1	-	2	-	-	-	-	-	-	3	4	1	3	1	-	3	12
-	42	1	3	2	7	3	-	-	1	2	1	2	4	2	3	3	2	1	7	13
-	57	-	8	1	1	9	-	2	1	-	-	1	5	2	4	3	3	1	9	14
-	27	3	5	-	3	1	-	-	-	1	-	1	3	2	1	5	-	1	7	15
-	12	-	3	-	-	2	1	1	1	-	-	2	2	-	3	3	1	-	5	16
-	50	1	5	-	5	10	1	1	2	-	-	1	10	9	3	11	3	-	16	17
-	161	6	11	2	9	19	1	2	4	1	-	4	13	4	12	24	3	3	32	18
-	50	2	2	1	2	4	1	-	1	-	-	3	4	-	1	3	1	-	10	19
-	29	2	4	-	-	2	1	-	-	-	-	3	6	1	6	5	-	-	9	20
-	50	3	6	-	9	11	-	-	-	-	-	1	5	2	2	4	1	2	17	21
-	57	1	8	-	5	13	-	1	4	2	-	10	15	9	5	20	1	2	14	22
1	16	-	-	-	1	4	-	-	-	-	1	-	6	3	6	1	-	1	4	23
-	27	-	5	2	3	6	-	-	-	-	1	3	3	3	4	4	2	-	12	24
30	8,472	241	332	108	443	1,024	92	166	201	89	87	337	1,593	480	634	1,147	151	240	1,852	25
9	3,696	110	149	57	157	312	42	52	119	27	23	126	609	77	200	437	55	92	655	26
21	4,776	131	183	51	286	712	50	114	82	62	64	211	984	403	434	710	96	148	997	27
-	113	1	1	-	10	15	2	3	2	-	3	9	34	5	9	15	6	3	31	28
-	54	5	1	-	1	11	-	1	-	-	-	1	4	5	5	7	1	2	14	29
-	85	3	2	-	4	6	1	-	1	1	-	1	14	17	4	5	2	-	8	30
1	55	1	2	-	2	3	-	1	-	1	-	1	9	4	4	10	-	2	19	31
1	106	1	3	2	7	19	-	4	-	4	1	3	14	9	10	14	2	3	24	32
-	58	-	3	-	6	9	2	-	-	1	3	-	13	5	9	5	-	4	13	33
-	48	-	1	1	2	8	-	-	-	-	-	2	15	12	2	6	-	1	16	34
-	60	3	2	-	7	11	3	2	4	-	1	6	23	2	13	18	4	2	20	35
2	504	25	23	8	42	58	9	16	15	11	5	29	167	15	43	75	11	25	107	36
-	219	3	3	1	18	42	5	7	9	3	2	17	54	33	16	39	4	4	43	37
-	36	2	1	-	-	2	-	1	1	-	-	2	7	2	4	9	1	1	8	38
-	13	1	-	-	-	1	-	-	-	-	-	-	2	-	1	3	-	-	2	39
-	20	-	1	-	2	6	1	-	-	-	-	1	4	-	6	4	-	1	5	40
-	71	4	3	2	10	9	-	-	1	-	-	2	13	3	5	12	-	6	12	41
-	67	-	-	3	5	5	-	2	-	4	2	2	11	3	6	14	-	2	16	42
-	100	3	4	2	1	19	1	2	1	1	-	8	14	7	4	11	1	4	18	43
3	361	24	18	7	23	35	6	5	12	4	3	22	64	35	31	47	7	9	72	44
1	59	3	6	1	8	3	-	2	-	-	-	2	16	7	4	9	1	1	9	45
1	45	1	2	-	4	21	1	-	-	-	1	2	8	1	4	5	1	3	6	46
-	68	4	2	1	1	19	1	-	5	-	4	1	13	13	11	11	8	2	14	47
1	79	2	1	3	2	14	1	2	1	1	1	4	18	3	10	11	1	3	24	48
-	49	-	3	-	-	7	-	1	1	-	-	1	5	5	3	7	1	1	15	49
-	111	1	7	2	12	19	2	6	7	2	2	7	17	11	11	24	2	-	34	50
-	126	-	4	2	7	21	-	1	1	-	2	2	9	2	6	10	1	4	15	51
-	34	2	1	-	4	6	1	1	1	1	1	1	7	24	1	3	-	1	8	52
-	271	7	10	6	6	19	1	4	8	1	2	11	41	3	21	28	5	5	42	53
-	71	1	1	1	4	11	-	2	-	-	1	4	17	2	5	6	1	-	15	54
-	168	10	9	3	6	28	4	9	3	2	1	10	46	10	12	25	8	4	31	55
-	116	1	7	1	8	20	3	3	-	1	2	5	24	2	13	11	2	1	19	56
-	41	1	1	-	6	3	-	-	1	1	-	-	6	1	3	2	3	1	8	57
-	59	3	2	-	6	6	1	1	-	3	1	3	7	-	5	11	-	1	13	58
-	44	1	1	1	-	5	-	-	-	-	-	2	10	3	8	6	1	5	16	59
-	55	1	8	-	3	5	-	2	-	2	-	2	13	32	4	10	-	3	12	60
2	117	2	-	1	3	6	-	6	2	-	4	4	24	6	9	15	4	2	10	61
-	120	-	1	2	7	16	2	1	1	4	2	7	21	7	9	15	-	2	26	62
3	2,516	54	98	36	84	197	26	27	84	11	13	62	329	24	104	276	30	52	426	63
1	265	11	3	2	16	28	1	5	5	2	3	11	49	14	32	35	4	9	42	64
-	35	-	2	1	1	6	-	-	-	1	-	3	11	1	4	7	1	1	9	65
2	76	3	2	-	7	3	-	1	1	4	3	2	17	10	5	17	1	2	10	66
4	239	10	10	3	13	29	1	5	2	5	2	20	57	64	26	41	7	9	76	67
-	20	-	1	1	3	7	-	1	-	1	1	-	10	5	2	5	-	1	11	68
-	81	2	-	-	7	8	-	4	-	2	1	3	31	1	12	11	3	7	17	69
-	51	2	-	-	4	8	-	1	1	1	-	1	9	6	10	7	1	1	12	70
1	44	-	-	-	2	3	-	-	-	-	-	2	8	-	1	11	2	1	8	71
-	39	2	-	-	-	5	1	-	1	-	-	2	4	1	5	9	-	2	4	72
-	19	-	2	-	2	3	1	-	-	-	-	-	2	2	1	3	-	-	4	73
-	47	1	3	-	1	11	-	2	1	-	-	2	13	1	3	3	-	-	15	74
-	36	2	3	-	-	11	-	3	1	-	-	2	14	4	6	5	1	3	8	75
1	194	2	9	1	11	56	2	6	5	2	4	7	48	6	14	25	3	5	36	76
1	60	1	2	2	1	14	-	3	1	-	3	1	16	3	2	4	1	1	9	77
-	125	10	14	1	7	21	-	2	2	2	2	3	20	10	6	21	1	6	19	78
-	110	2	8	1	3	14	2	5	2	1	-	3	9	3	8	19	1	1	22	79
-	175	3	4	1	13	21	1	6	1	-	1	5	26	6	22	27	3	6	31	80
1	71	4	-	-	2	5	-	-	2	1	2	2	6	3	2	10	2	1	5	81
1	109	2	14	1	11	17	1	4	4	2	-	8	26	5	8	14	-	-	22	82
-	50	1	3	2	1	5	4	-	1	1	1	4	7	3	8	9	1	3	8	83
-	109	2	1	-	1	8	1	2	2	-	1	1	22	1	8	13	3	1	19	84
-	56	2	2	1	7	6	1	-	1	-	-	5	25	4	9	23	1	2	21	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	LOUISIANA—Continued																
1	Washington	318	7	4	-	-	-	-	-	-	-	3	39	7	144	136	47
2	Webster	292	10	2	1	-	-	-	-	3	1	3	35	5	137	132	37
3	West Baton Rouge	125	4	5	-	-	-	-	-	-	-	-	17	4	53	50	18
4	West Carroll	128	1	-	-	-	-	-	-	-	-	1	16	1	72	72	18
5	West Feliciana	89	2	1	-	-	-	-	-	-	-	-	6	1	53	51	11
6	Winn	147	2	2	-	-	-	1	-	2	-	1	19	2	85	84	18
7	MAINE	10,037	142	26	-	1	1	7	6	3	7	30	1,527	176	5,558	5,367	1,207
8	Metropolitan counties	1,816	27	4	-	-	-	1	2	-	1	2	276	30	1,020	1,004	219
9	Nonmetropolitan counties	8,221	115	22	-	1	1	6	4	3	6	28	1,251	146	4,538	4,363	988
10	Androscoggin	935	13	6	-	-	-	-	-	-	1	3	137	14	533	500	127
11	Aroostook	780	14	1	-	-	-	2	-	-	4	4	124	10	364	341	85
12	Cumberland	1,816	27	4	-	-	-	1	2	-	1	2	276	30	1,020	1,004	219
13	Franklin	229	1	-	-	-	-	-	1	-	-	-	38	3	115	113	30
14	Hancock	397	3	1	-	-	-	-	-	-	-	1	61	5	234	232	50
15	Kennebec	954	16	1	-	-	-	-	-	-	-	6	144	22	547	519	126
16	Knox	373	7	2	-	-	-	-	-	-	-	-	55	9	232	222	38
17	Lincoln	259	7	2	-	-	-	-	-	1	-	2	31	2	152	144	28
18	Oxford	510	9	-	-	-	-	-	2	1	-	1	73	15	258	253	68
19	Penobscot	1,120	16	1	-	-	1	-	-	-	-	4	165	16	605	586	118
20	Piscataquis	217	3	-	-	-	-	1	-	-	-	2	41	6	113	110	22
21	Sagadahoc	252	1	-	-	-	-	-	-	-	-	1	49	5	145	138	34
22	Somerset	445	7	2	-	1	-	2	1	-	-	2	66	9	244	236	62
23	Waldo	259	1	2	-	-	-	-	-	-	-	-	39	4	146	142	39
24	Washington	430	2	-	-	-	-	1	-	-	-	-	68	11	243	238	39
25	York	1,061	15	4	-	-	-	-	-	1	1	2	160	15	607	589	122
26	MARYLAND	21,353	698	123	-	5	4	1	13	5	4	50	3,055	436	11,631	11,281	1,832
27	Metropolitan counties	14,769	546	94	-	2	2	-	7	5	2	31	2,234	285	7,958	7,741	1,169
28	Nonmetropolitan counties	6,584	152	29	-	3	2	1	6	-	2	19	821	151	3,673	3,540	663
29	Allegany	858	11	4	-	-	-	-	-	-	-	-	110	20	471	463	65
30	Anne Arundel	880	23	7	-	-	1	-	-	2	-	1	122	27	473	458	74
31	Baltimore	1,906	29	7	-	-	1	-	1	1	-	6	313	36	1,083	1,067	138
32	Baltimore (city)	9,569	437	76	-	2	-	-	3	1	1	18	1,447	179	5,134	4,978	749
33	Calvert	111	5	1	-	-	-	-	-	-	-	1	14	1	52	50	9
34	Caroline	241	7	3	-	-	1	-	-	-	-	1	25	6	134	128	28
35	Carroll	440	10	1	-	1	-	-	-	-	1	-	63	15	259	248	36
36	Cecil	358	10	-	-	-	-	-	-	-	-	1	50	9	186	175	29
37	Charles	184	5	3	-	-	-	-	-	-	-	-	20	1	103	101	20
38	Dorchester	306	12	2	-	-	-	-	-	-	-	1	34	7	170	168	33
39	Frederick	649	10	1	-	1	1	-	-	-	-	3	71	14	387	371	80
40	Garrett	194	5	1	-	-	-	-	1	-	-	-	20	4	106	101	23
41	Harford	452	5	2	-	-	-	-	-	-	-	2	65	8	229	224	31
42	Howard	192	3	1	-	-	-	-	1	-	-	1	25	6	114	113	17
43	Kent	175	5	-	-	-	-	-	-	-	-	1	22	1	105	98	19
44	Montgomery	1,224	24	1	-	-	-	-	1	-	1	4	183	23	671	656	120
45	Prince Georges	1,190	33	3	-	-	-	-	2	1	-	2	169	20	597	582	88
46	Queen Annes	186	3	2	-	-	-	-	-	-	-	-	22	4	119	111	22
47	St. Marys	175	4	-	-	-	-	1	1	-	-	-	14	2	80	78	19
48	Somerset	286	15	-	-	-	-	-	-	-	-	2	38	5	153	138	40
49	Talbot	235	8	1	-	-	-	-	-	-	-	2	38	6	137	134	29
50	Washington	784	14	2	-	-	-	-	2	-	-	2	101	24	461	451	82
51	Wicomico	472	10	4	-	1	-	-	-	-	-	2	59	13	262	252	56
52	Worcester	286	10	1	-	-	-	-	1	-	1	-	30	5	145	136	25
53	MASSACHUSETTS	53,883	898	154	2	10	9	3	14	10	6	99	8,881	1,142	30,835	30,256	5,804
54	Metropolitan counties	52,345	886	144	2	9	9	3	14	10	6	98	8,645	1,107	29,953	29,393	5,614
55	Nonmetropolitan counties	1,538	12	10	-	1	-	-	-	-	-	1	236	35	882	863	190
56	Barnstable	755	9	6	-	1	-	-	-	-	-	-	123	12	430	422	94
57	Berkshire	1,570	19	2	-	-	-	-	-	1	-	5	259	45	901	867	165
58	Bristol	4,616	82	14	-	-	2	-	1	-	-	10	860	128	2,605	2,543	470
59	Dukes	76	-	1	-	-	-	-	-	-	-	-	10	2	52	52	15
60	Essex	6,453	83	19	-	2	2	-	1	1	1	10	1,003	155	3,958	3,874	788
61	Franklin	650	3	1	-	-	-	-	-	-	-	1	99	17	365	355	71
62	Hampden	3,975	50	12	-	-	-	-	2	-	-	5	655	37	2,251	2,210	395
63	Hampshire	887	20	2	-	-	-	-	-	-	-	1	130	18	494	486	82
64	Middlesex	12,071	151	32	1	6	-	-	3	6	1	26	2,120	248	6,852	6,717	1,430
65	Nantucket	57	-	2	-	-	-	-	-	-	-	-	4	4	35	34	10
66	Norfolk	4,098	71	13	1	-	-	-	-	-	1	9	694	94	2,391	2,361	475
67	Plymouth	2,280	28	4	-	1	-	-	-	-	-	2	377	46	1,334	1,314	252
68	Suffolk	10,632	315	34	-	-	4	2	6	-	1	18	1,680	235	5,721	5,622	964
69	Worcester	5,763	67	12	-	-	1	1	1	2	2	12	867	101	3,446	3,399	593
70	MICHIGAN	59,396	1,171	286	1	20	5	22	45	64	11	162	9,236	1,382	30,576	29,761	6,600
71	Metropolitan counties	37,124	921	208	-	8	5	12	29	43	4	94	6,033	880	18,500	18,030	3,797
72	Nonmetropolitan counties	22,272	250	78	1	12	-	10	16	21	7	68	3,203	502	12,076	11,731	2,803
73	Alcona	55	-	1	-	-	-	-	-	-	-	2	8	1	28	28	11
74	Alger	110	5	-	1	-	-	-	-	-	-	-	17	3	46	45	9
75	Allegan	512	3	1	-	1	-	1	-	1	-	1	67	10	276	267	69
76	Alpena	241	2	1	-	-	-	-	-	-	-	3	38	5	134	130	22

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	85	1	2	-	8	17	1	1	1	1	1	3	22	5	11	17	2	4	28	1
2	80	3	8	2	5	9	1	-	4	1	2	6	20	4	6	9	5	6	22	2
-	29	2	-	1	3	10	1	2	1	1	2	2	9	-	1	4	-	2	7	3
-	51	1	2	-	-	7	-	1	-	1	1	1	8	-	1	8	-	1	8	4
-	35	1	4	-	2	3	-	-	1	-	-	1	7	-	-	8	-	2	4	5
-	62	1	1	2	1	4	-	-	-	1	-	1	4	5	6	5	-	3	4	6
12	3,702	107	284	55	191	369	48	38	68	33	18	141	357	98	175	357	134	21	696	7
-	712	15	42	16	16	76	5	8	20	6	4	21	63	15	26	68	24	4	113	8
12	2,990	92	242	39	175	293	43	30	48	27	14	120	294	83	149	289	110	17	583	9
3	333	10	24	3	33	23	10	2	5	2	6	15	37	4	13	22	7	2	80	10
1	227	6	21	1	23	49	4	5	6	-	3	21	51	8	13	41	10	2	44	11
-	712	15	42	16	16	76	5	8	20	6	4	21	63	15	26	68	24	4	113	12
1	72	3	6	1	2	9	1	-	1	-	-	5	12	2	10	9	4	1	17	13
-	160	5	15	2	2	14	3	1	1	-	-	3	8	4	6	18	3	2	29	14
2	335	20	33	3	28	25	5	2	8	5	2	8	36	5	10	36	11	3	62	15
-	173	1	5	5	10	8	1	1	-	-	-	4	11	2	4	10	2	-	25	16
-	104	1	10	1	8	8	1	-	3	2	-	1	7	6	2	9	4	-	19	17
1	157	7	18	2	5	17	2	1	5	-	-	9	18	6	17	29	11	1	35	18
1	400	18	40	9	19	42	3	5	5	5	1	20	42	19	26	37	14	2	91	19
-	75	5	5	3	3	9	-	4	-	1	-	2	8	2	3	7	5	1	9	20
-	95	1	7	1	7	11	3	1	-	-	-	3	1	4	4	8	3	-	13	21
-	166	2	4	2	8	13	1	1	2	6	1	7	14	3	7	10	13	-	33	22
-	92	4	7	-	4	11	1	-	2	-	-	1	4	2	5	11	10	-	20	23
1	181	2	14	1	5	18	2	-	2	2	-	5	8	7	9	16	1	-	35	24
2	420	7	33	5	18	36	6	7	8	4	1	16	37	9	20	26	12	3	71	25
23	8,706	215	398	107	350	546	92	86	258	52	23	275	901	74	476	833	237	142	1,333	26
17	6,103	135	228	89	217	367	68	55	216	36	12	191	629	45	274	544	164	113	889	27
6	2,603	80	170	18	133	179	24	31	42	16	11	84	272	29	202	289	73	29	444	28
1	354	4	37	2	8	28	7	3	8	1	-	15	30	4	10	40	12	5	79	29
-	363	1	15	5	15	16	5	3	11	2	1	18	31	4	32	41	14	5	41	30
2	861	18	38	10	16	50	9	4	12	2	-	28	92	2	29	74	28	7	92	31
12	3,949	97	121	50	156	251	42	38	165	24	8	106	372	33	152	319	92	83	586	32
-	34	1	5	1	2	4	-	-	1	-	1	-	9	1	9	5	1	4	2	33
-	88	5	7	-	6	1	2	-	-	-	2	3	10	1	10	12	2	1	20	34
-	197	5	10	-	11	9	1	1	2	1	-	4	10	-	8	19	6	1	28	35
-	133	8	5	-	11	14	2	1	2	2	-	8	15	3	10	18	3	1	23	36
-	75	4	1	1	2	5	-	4	-	-	-	4	12	3	13	5	-	2	4	37
1	125	2	7	-	2	8	-	4	1	1	-	4	12	2	11	13	4	2	18	38
-	274	2	15	-	16	14	2	2	4	3	-	6	20	1	29	23	8	1	48	39
-	74	3	-	1	5	6	1	1	-	-	1	1	10	1	5	14	1	-	16	40
1	174	5	11	2	5	14	2	4	6	-	-	10	23	1	23	21	9	-	28	41
1	85	3	6	1	1	3	-	1	-	-	-	1	10	-	2	7	3	-	14	42
-	72	2	4	1	7	6	1	-	1	-	2	-	5	1	5	4	-	-	16	43
2	478	11	33	12	15	19	5	5	9	5	1	15	63	3	28	48	16	8	91	44
1	452	8	21	12	15	31	7	5	19	3	2	24	71	3	33	62	14	10	79	45
-	78	3	6	2	8	3	1	2	2	-	-	3	4	-	4	7	2	1	7	46
-	47	3	9	-	2	8	-	1	2	2	2	6	16	1	8	16	1	2	8	47
1	84	2	11	-	15	10	1	1	1	1	-	1	11	1	10	13	2	2	19	48
-	91	6	7	1	3	2	1	1	1	2	-	3	7	-	4	10	3	1	8	49
-	337	6	23	3	10	22	2	1	5	1	1	6	29	5	10	30	8	-	58	50
-	180	10	4	2	10	13	1	4	4	2	1	6	23	3	17	18	4	3	22	51
1	101	6	2	1	9	9	-	-	2	-	1	3	16	1	14	14	4	3	26	52
45	22,158	412	1,479	358	579	1,446	422	183	680	90	34	548	1,428	238	606	2,154	451	47	3,493	53
44	21,556	400	1,431	348	560	1,408	411	177	664	85	34	534	1,383	229	592	2,075	426	46	3,395	54
1	602	12	48	10	19	38	11	6	16	5	-	14	45	9	14	79	25	1	98	55
-	297	8	16	7	8	21	4	2	10	-	-	5	18	4	4	42	12	1	51	56
2	626	12	51	11	34	47	4	3	18	4	-	16	42	7	21	66	14	-	98	57
1	1,883	40	120	29	62	93	29	28	39	11	6	50	122	15	42	172	25	2	280	58
-	32	-	5	-	-	2	-	-	-	-	-	-	2	1	-	1	1	-	4	59
6	2,742	55	244	39	84	139	55	24	63	7	2	60	124	29	45	250	49	1	370	60
1	250	4	26	3	10	13	7	4	6	5	-	9	25	4	10	30	10	-	41	61
4	1,660	32	91	28	41	110	18	13	51	5	-	46	123	88	55	127	39	6	282	62
1	378	5	16	4	8	34	4	5	10	2	-	9	25	9	8	50	9	-	57	63
7	4,726	114	364	76	135	315	103	37	161	20	10	127	335	25	155	517	83	12	725	64
-	23	-	1	-	1	2	-	-	-	-	-	-	-	-	-	6	2	-	2	65
5	1,690	24	142	25	30	90	23	18	23	4	2	46	111	11	49	158	41	3	245	66
1	961	15	63	22	20	71	14	9	36	4	3	16	50	7	31	96	21	2	128	67
15	4,298	68	195	82	99	328	113	20	191	22	9	103	295	25	109	418	98	16	869	68
2	2,592	35	145	32	47	181	48	20	72	6	2	61	156	13	77	221	47	4	343	69
63	20,965	471	1,313	349	815	1,866	338	232	615	128	95	910	2,786	504	1,831	2,159	629	243	4,079	70
38	12,934	288	737	236	470	1,252	209	141	468	79	60	601	1,964	216	1,100	1,237	386	197	2,477	71
25	8,031	183	576	113	345	614	129	91	147	49	35	309	822	288	731	922	243	46	1,602	72
-	15	1	1	-	-	-	1	1	-	-	-	-	2	-	2	1	2	-	6	73
-	33	1	2	-	1	2	-	-	1	-	1	2	4	6	4	5	2	1	10	74
-	167	6	15	10	9	9	3	2	3	-	-	15	18	8	26	22	1	-	44	75
-	101	1	5	1	4	6	1	2	1	-	-	6	8	1	7	12	-	-	14	76

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	MICHIGAN—Continued																
1	Antrim	129	1	-	-	-	-	-	-	-	-	-	23	2	80	79	25
2	Arenac	118	2	-	-	-	-	-	-	-	-	-	18	1	65	65	18
3	Baraga	95	4	1	-	-	-	-	-	-	-	1	10	4	46	43	11
4	Barry	280	2	-	-	-	-	-	-	3	-	-	38	10	173	168	35
5	Bay	844	10	2	-	1	-	-	-	1	1	5	129	22	433	425	95
6	Benzie	98	-	-	-	-	-	-	-	-	-	1	20	5	52	50	10
7	Berrien	1,148	23	7	-	-	-	-	2	-	-	-	170	24	587	567	145
8	Branch	313	2	-	-	-	-	-	-	1	-	-	43	12	181	179	44
9	Calhoun	1,237	13	2	-	-	-	-	1	1	-	4	169	20	633	619	160
10	Cass	362	3	1	-	-	-	1	-	2	-	-	56	4	195	189	45
11	Charlevoix	184	2	1	-	-	-	-	-	-	-	1	22	7	107	103	30
12	Cheboygan	173	-	2	-	-	-	1	-	-	-	1	31	5	98	98	16
13	Chippewa	276	4	3	-	1	-	-	-	-	-	2	37	4	136	129	23
14	Clare	102	3	-	-	-	-	-	-	-	-	1	11	5	59	57	10
15	Clinton	318	1	-	-	1	-	1	-	-	-	-	44	6	187	181	32
16	Crawford	43	-	-	-	-	-	-	-	-	-	-	6	-	27	27	9
17	Delta	409	6	1	-	-	-	1	-	-	-	3	64	10	203	200	51
18	Dickinson	278	6	2	-	-	-	-	-	-	-	2	45	4	154	151	42
19	Eaton	411	1	-	-	-	-	-	-	3	1	1	56	5	208	204	52
20	Emmet	207	2	1	-	1	-	-	1	-	1	1	26	5	118	117	16
21	Genesee	2,156	25	13	-	-	-	1	3	2	-	9	334	40	1,068	1,040	215
22	Gladwin	99	1	-	-	-	-	-	-	-	-	1	6	4	64	63	20
23	Gogebic	329	5	1	-	-	-	-	1	-	-	1	59	5	175	174	42
24	Grand Traverse	273	3	-	-	-	-	-	-	-	-	-	40	5	162	158	29
25	Gratiot	362	4	1	-	-	-	-	-	-	-	-	43	6	214	202	47
26	Hillsdale	397	2	-	-	-	-	-	-	-	-	-	57	8	229	224	76
27	Houghton	575	13	2	-	-	-	-	-	1	-	-	73	19	341	328	82
28	Huron	324	3	-	-	1	-	-	-	1	-	2	44	9	169	164	28
29	Ingham	1,444	9	8	-	-	-	-	1	1	-	5	218	23	807	796	189
30	Ionia	437	2	1	-	-	-	-	-	2	-	-	61	3	263	258	67
31	Iosco	132	1	-	-	-	-	-	-	-	-	1	24	2	75	72	13
32	Iron	221	6	-	-	-	-	-	-	-	-	-	44	3	111	103	28
33	Isabella	243	2	-	-	-	-	-	1	-	-	2	27	10	124	118	23
34	Jackson	1,082	9	12	-	-	-	-	1	-	-	3	148	31	561	552	133
35	Kalamazoo	1,207	14	7	-	-	-	-	-	6	-	3	194	24	690	676	156
36	Kalkaska	45	-	-	-	-	-	-	-	-	-	-	7	2	27	27	4
37	Kent	2,844	22	13	-	-	-	-	1	7	-	8	483	72	1,599	1,556	383
38	Keweenaw	32	-	-	-	-	-	-	-	-	-	-	3	-	15	15	6
39	Lake	81	-	-	-	-	-	-	1	-	-	-	7	4	51	43	12
40	Lapeer	364	7	2	-	-	-	-	-	-	-	2	44	8	206	200	52
41	Leelanau	89	-	-	-	-	-	-	-	-	-	-	17	4	42	42	10
42	Lenawee	675	3	3	-	2	-	-	-	-	-	2	100	18	338	320	92
43	Livingston	312	1	1	-	-	-	-	-	1	1	2	49	6	173	171	36
44	Luce	60	-	-	-	-	-	-	-	-	-	-	7	1	26	26	5
45	Mackinac	105	2	-	-	-	-	2	-	-	-	-	14	2	56	56	15
46	Macomb	1,356	14	1	-	-	-	1	1	1	-	1	226	41	662	649	131
47	Manistee	243	2	1	-	-	-	-	-	-	-	-	42	6	152	149	26
48	Marquette	535	11	1	-	-	-	1	-	-	-	-	65	11	291	287	50
49	Mason	250	5	1	-	-	-	-	-	-	-	-	39	7	142	140	23
50	Mecosta	203	-	1	-	-	-	-	-	-	-	2	24	2	112	112	25
51	Menominee	254	5	1	-	-	-	-	-	-	-	2	34	3	147	145	37
52	Midland	221	2	1	-	-	-	-	-	-	-	4	36	1	94	92	20
53	Missaukee	79	1	-	-	-	-	-	-	-	1	-	9	-	46	46	14
54	Monroe	621	7	2	-	-	-	1	1	-	-	1	96	21	293	284	60
55	Montcalm	341	2	-	-	-	-	1	-	1	-	-	61	8	175	162	48
56	Montmorency	46	-	-	-	-	-	-	-	-	-	1	9	2	22	22	5
57	Muskegon	1,134	17	7	-	2	-	-	-	2	1	4	151	34	599	574	126
58	Newaygo	233	2	1	-	1	-	-	-	-	-	2	30	5	125	119	30
59	Oakland	2,890	42	10	-	1	2	1	4	9	1	14	452	61	1,422	1,388	309
60	Oceana	207	-	1	-	1	-	-	1	-	-	-	27	6	125	122	26
61	Ogemaw	95	-	-	-	-	-	-	-	-	-	-	9	4	51	46	11
62	Ontonagon	127	2	2	-	-	-	-	-	-	-	-	21	-	67	63	17
63	Osceola	163	2	-	-	-	-	-	-	-	-	-	26	4	90	87	21
64	Oscoda	30	-	-	-	-	-	-	-	-	-	-	-	2	22	22	9
65	Otsego	55	-	-	-	-	-	-	-	-	-	1	12	-	34	34	8
66	Ottawa	607	4	2	-	-	-	-	1	1	-	2	99	21	339	332	79
67	Presque Isle	91	1	-	-	-	-	-	-	-	-	1	16	6	51	51	12
68	Roscommon	65	-	1	-	-	-	-	-	-	-	-	10	3	31	29	7
69	Saginaw	1,475	21	6	-	-	-	1	1	-	1	6	229	42	770	747	191
70	St. Clair	934	7	7	-	1	-	-	2	-	1	3	145	21	502	488	103
71	St. Joseph	440	3	2	-	-	-	-	-	1	-	1	64	9	252	241	78
72	Sanilac	354	5	-	-	-	-	-	1	-	-	-	59	9	187	180	56
73	Schoolcraft	92	3	-	-	-	-	-	-	-	-	-	15	-	42	42	10
74	Shiawassee	508	8	1	-	-	-	-	-	-	1	2	58	10	283	279	67
75	Tuscola	405	1	-	-	-	-	-	-	-	-	2	64	7	277	272	61
76	Van Buren	493	2	2	-	-	-	-	-	-	-	2	89	7	281	275	63
77	Washtenaw	951	16	9	-	-	-	-	3	-	-	1	126	17	477	469	116
78	Wayne	21,826	755	136	-	6	3	8	17	16	1	40	3,620	524	10,488	10,201	1,995
79	Wexford	191	2	-	-	-	-	-	-	-	-	-	22	5	113	107	23
80	MINNESOTA	27,690	253	86	-	4	9	4	20	30	5	72	4,419	495	15,084	14,800	3,763
81	Metropolitan counties	12,634	142	60	-	1	6	1	10	16	-	31	2,077	236	6,802	6,696	1,624
82	Nonmetropolitan counties	15,056	111	26	-	3	3	3	10	14	5	41	2,342	259	8,282	8,104	2,139
83	Aitkin	138	1	1	-	-	-	-	-	-	-	-	19	1	78	76	24
84	Anoka	235	2	1	-	-	-	-	1	-	-	-	30	4	112	109	36
85	Becker	233	3	2	-	-	-	-	-	1	2	1	29	1	122	119	37

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E855	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	50	-	4	-	1	1	-	-	-	-	-	2	5	2	5	3	1	-	4	1
-	45	1	-	1	-	3	1	-	-	-	1	2	3	4	2	9	-	-	7	2
-	31	1	-	-	3	5	-	-	-	1	-	2	2	7	-	4	1	-	7	3
1	122	4	5	1	5	7	-	-	1	-	-	1	4	1	7	8	2	1	22	4
-	312	9	8	1	8	31	11	3	7	1	3	11	35	8	27	30	9	-	64	5
1	34	3	2	-	2	-	-	-	-	1	-	1	1	1	3	7	1	-	5	6
-	381	14	23	4	20	36	9	7	12	1	2	14	49	11	39	48	11	5	91	7
-	108	4	23	-	2	6	1	-	1	-	1	4	6	3	13	14	3	1	21	8
1	412	5	34	7	14	46	13	5	8	2	1	20	51	33	44	63	12	3	93	9
2	129	5	7	1	6	13	2	4	4	-	2	3	10	1	4	16	4	-	37	10
-	66	-	6	1	4	2	-	-	1	1	-	3	8	-	5	2	2	-	20	11
1	77	-	3	1	-	2	2	3	1	-	-	1	4	-	9	4	1	-	8	12
-	96	2	7	1	7	8	1	3	3	1	1	9	13	4	6	19	4	-	17	13
-	39	-	6	2	2	-	-	-	-	-	-	2	3	2	5	4	1	-	6	14
-	137	3	9	-	6	8	1	-	1	2	-	5	16	-	6	11	5	-	23	15
-	16	-	1	1	-	-	-	-	-	-	-	2	1	-	3	1	1	-	2	16
-	142	2	4	1	3	17	1	-	6	3	-	3	21	-	10	19	5	-	36	17
-	96	2	11	-	3	6	3	-	2	-	-	4	9	2	4	8	3	-	24	18
-	141	4	6	1	4	9	-	-	1	1	2	6	17	20	19	13	10	1	37	19
-	94	-	7	-	1	5	-	1	1	-	-	3	9	1	5	12	1	-	13	20
5	693	9	105	13	28	60	11	4	16	3	2	44	159	14	103	66	30	7	142	21
-	42	1	-	-	1	-	-	-	-	-	1	-	2	1	7	8	1	1	2	22
-	124	-	7	1	1	7	4	1	4	1	1	3	13	5	7	17	1	1	17	23
-	118	3	6	2	4	6	1	-	2	1	1	4	8	4	15	7	4	-	10	24
-	137	3	14	1	12	11	3	1	1	-	-	4	13	7	9	17	2	-	26	25
-	128	1	18	1	5	11	2	1	2	2	-	2	7	6	11	15	8	-	34	26
1	226	3	15	1	13	16	-	-	3	1	2	4	13	6	8	29	3	-	41	27
-	124	-	10	2	5	15	1	-	2	-	-	5	16	3	18	11	4	-	20	28
-	544	18	38	7	11	19	12	6	18	2	-	28	62	9	42	51	21	3	99	29
-	161	11	17	2	5	9	2	1	3	1	1	5	12	4	9	18	6	2	32	30
-	57	-	2	-	3	3	-	1	-	-	-	2	4	2	3	6	1	-	7	31
-	70	3	1	1	8	1	3	1	2	-	-	-	6	4	4	13	3	1	19	32
-	82	-	13	-	6	8	1	1	2	1	-	7	13	2	8	4	5	1	24	33
-	373	12	25	9	9	21	4	2	3	3	2	12	62	19	40	45	16	2	86	34
-	472	12	31	5	14	20	11	1	6	2	-	12	45	3	34	51	13	1	70	35
1	21	-	1	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	3	36
1	1,049	14	87	22	43	50	11	4	19	9	1	48	110	33	62	96	18	6	172	37
-	8	-	1	-	-	2	1	-	-	-	-	-	-	6	-	2	-	-	3	38
-	30	1	-	-	8	4	-	-	-	-	-	-	2	-	6	2	1	2	1	39
1	116	6	22	3	6	18	1	2	6	1	-	-	14	1	12	7	5	-	28	40
1	30	-	1	-	-	1	2	1	2	-	1	2	1	-	3	7	2	-	4	41
-	215	5	8	-	18	20	7	6	5	1	2	6	29	28	18	27	7	3	50	42
-	125	3	7	-	2	12	3	1	2	-	-	4	9	2	17	12	1	-	15	43
-	20	-	1	-	-	6	-	2	-	-	-	-	6	-	3	4	-	-	5	44
-	39	-	2	-	-	6	1	-	-	-	-	-	4	1	2	7	2	-	6	45
2	479	13	17	7	13	52	6	7	7	6	2	35	84	8	48	53	13	3	84	46
1	118	-	3	1	3	3	1	-	3	-	-	1	8	2	4	10	1	-	7	47
-	217	4	12	4	4	19	1	6	5	1	-	8	14	7	13	29	6	1	45	48
1	105	2	5	4	2	8	1	-	-	-	1	2	6	2	10	11	-	-	15	49
-	76	1	9	1	-	5	3	-	-	1	-	1	6	6	12	5	4	-	19	50
1	98	2	6	1	2	4	1	1	1	-	-	5	9	1	6	12	4	-	18	51
1	66	1	4	-	2	7	3	2	2	-	-	10	9	4	13	14	2	-	17	52
-	30	1	1	-	-	4	2	1	-	-	-	1	1	-	3	4	-	-	6	53
-	189	9	19	7	9	32	5	3	4	1	2	8	35	7	23	26	5	2	46	54
2	93	5	13	1	13	11	3	1	1	1	1	9	12	3	10	12	5	-	24	55
-	14	1	-	2	-	-	-	-	1	-	-	1	-	-	2	3	1	-	4	56
2	412	11	19	4	25	32	6	10	8	1	3	20	63	8	36	31	11	4	84	57
-	81	2	5	1	6	5	1	2	2	3	1	3	3	4	8	8	5	1	21	58
7	954	33	70	15	34	87	7	23	18	7	4	70	183	19	116	93	38	10	196	59
-	85	3	8	-	3	4	-	-	-	1	-	2	4	2	7	8	-	-	18	60
-	33	1	1	-	5	4	-	-	-	-	-	2	6	2	3	3	4	-	7	61
-	41	2	1	2	4	2	-	-	-	1	1	-	5	-	3	9	2	-	12	62
-	58	2	5	1	3	1	1	1	-	-	1	1	5	2	8	12	1	-	8	63
-	13	-	-	-	-	2	-	-	-	1	-	-	1	-	2	-	-	-	-	64
-	22	-	4	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	3	65
-	237	3	12	1	7	16	4	2	2	3	-	14	13	2	13	26	4	-	39	66
-	29	1	8	1	-	1	-	-	-	-	-	1	2	1	2	3	1	-	5	67
-	22	-	-	-	2	2	-	-	1	-	-	-	2	-	5	-	2	-	8	68
-	497	15	35	9	23	43	7	11	16	2	1	14	74	17	44	62	10	4	93	69
4	352	6	12	11	14	20	6	7	10	3	1	9	36	7	34	34	11	3	64	70
-	147	3	10	3	11	10	2	1	5	2	1	2	12	5	15	17	4	1	31	71
-	112	1	10	1	7	11	1	3	3	1	-	6	14	1	17	13	4	2	17	72
-	27	2	3	-	-	3	-	-	1	2	-	-	4	2	3	4	2	-	11	73
-	184	2	20	6	4	14	3	2	-	-	-	16	24	4	14	22	7	1	38	74
1	195	5	9	1	5	9	4	1	2	-	-	1	14	5	11	17	9	4	27	75
1	187	4	15	5	6	10	-	1	1	2	-	3	16	6	21	21	2	-	27	76
1	306	8	30	8	8	25	10	-	11	2	3	22	51	14	37	38	15	4	70	77
23	7,561	153	321	148	287	869	129	80	358	44	45	327	1,150	86	584	690	218	161	1,471	78
-	77	2	5	-	6	3	-	-	-	1	-	3	8	2	4	10	1	-	17	79
20	9,834	301	717	165	284	722	165	99	190	38	24	481	1,158	215	647	1,170	280	40	1,970	80
5	4,606	116	264	81	106	353	91	47	110	13	5	226	520	60	251	543	117	23	893	81
15	5,228	185	453	84	178	369	74	52	80	25	19	255	638	155	396	627	175	17	1,077	82
-	48	2	1	1	2	2	-	-	2	-	-	3	-	1	14	2	1	-	13	83
-	64	3	4	2	3	13	1	1	-	-	-	4	27	2	8	11	2	1	15	84
1	74	3	3	1	3	10	2	-	-	-	2	4	4	8	5	13	6	-	18	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 045-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	MINNESOTA—Continued																
1	Beltrami	246	7	1	-	1	-	-	2	-	-	1	24	1	132	129	27
2	Benton	147	4	-	-	-	-	-	-	1	-	-	19	2	74	73	16
3	Big Stone	92	2	-	-	-	-	-	-	-	-	1	12	2	51	50	11
4	Blue Earth	374	-	-	-	-	-	-	-	3	-	1	53	6	206	199	50
5	Brown	250	4	-	-	-	-	-	-	-	-	2	32	3	135	133	41
6	Carlton	237	4	1	-	-	1	1	-	-	1	1	32	5	129	127	21
7	Carver	168	-	-	-	-	1	-	-	-	-	1	27	5	98	97	28
8	Cass	211	2	1	-	-	-	-	-	-	-	2	27	-	117	116	28
9	Chippewa	139	-	-	-	-	-	-	-	-	-	-	21	2	70	67	14
10	Chisago	147	-	-	-	-	-	-	-	-	-	-	23	1	88	84	17
11	Clay	251	2	1	-	-	-	-	1	-	-	-	34	6	127	125	44
12	Clearwater	92	2	-	-	-	-	-	-	-	-	-	16	-	49	48	15
13	Cook	27	1	1	-	-	-	-	-	-	-	-	1	-	17	17	6
14	Cottonwood	155	-	1	-	-	-	-	-	-	-	1	32	4	70	65	16
15	Crow Wing	287	-	1	-	-	-	-	-	-	-	1	45	5	174	169	49
16	Dakota	352	1	1	-	-	-	-	1	-	-	2	46	6	178	172	50
17	Dodge	111	-	-	-	-	-	-	-	-	-	-	18	6	61	61	16
18	Douglas	234	3	-	-	-	-	-	-	1	-	1	35	2	148	145	36
19	Faribault	210	1	-	-	-	-	-	-	-	-	1	38	5	96	93	28
20	Fillmore	263	-	-	-	-	-	-	-	-	-	-	35	8	169	165	40
21	Freeborn	276	2	2	-	-	-	1	-	-	-	1	50	4	153	149	35
22	Goodhue	344	3	-	-	-	-	-	-	-	-	-	49	6	194	191	52
23	Grant	87	-	1	-	-	-	-	-	-	-	-	11	2	49	46	11
24	Hennepin	6,373	79	29	-	-	4	-	3	9	-	18	1,071	106	3,462	3,407	865
25	Houston	129	2	1	-	-	-	-	-	-	-	-	20	4	65	64	18
26	Hubbard	109	-	1	-	-	-	-	-	-	1	-	15	1	69	69	16
27	Isanti	120	-	-	-	-	-	-	-	-	-	-	18	3	72	70	17
28	Itasca	322	7	1	-	-	-	-	1	-	-	2	47	6	176	174	33
29	Jackson	122	-	-	-	-	-	-	-	-	-	1	23	2	63	62	16
30	Kanabec	68	-	-	-	-	-	-	-	-	-	1	18	3	52	52	15
31	Kandiyohi	250	-	-	-	-	-	-	2	-	-	2	35	5	142	139	41
32	Kittson	97	1	-	-	-	-	-	-	-	-	-	14	5	55	52	9
33	Koochiching	164	-	-	-	-	-	-	-	-	-	-	25	2	97	95	21
34	Lac qui Parle	102	-	-	-	-	-	-	-	-	-	-	12	1	63	61	18
35	Lake	78	-	-	-	-	-	-	-	-	-	1	10	1	46	44	13
36	Lake of the Woods	52	-	-	-	-	-	-	-	-	-	-	7	-	24	23	9
37	Le Sueur	183	1	-	-	-	-	-	-	-	-	-	36	2	91	91	21
38	Lincoln	83	-	-	-	-	-	-	-	-	-	1	20	1	46	44	10
39	Lyon	207	-	-	-	-	-	-	-	-	-	-	31	3	117	116	34
40	McLeod	227	-	-	-	-	-	-	-	-	-	-	37	7	124	121	24
41	Mahnomen	51	-	-	-	-	-	-	-	-	-	-	10	-	22	21	3
42	Marshall	128	1	-	-	-	-	-	-	-	-	-	20	2	75	74	25
43	Martin	212	3	-	-	-	-	-	-	-	-	-	37	4	105	102	21
44	Meeker	178	-	-	-	-	-	-	-	-	-	-	35	3	106	105	26
45	Mille Lacs	171	-	-	-	-	1	1	-	-	-	-	26	-	96	95	25
46	Morrison	223	2	-	-	-	-	-	-	1	-	1	34	3	123	121	36
47	Mower	292	2	-	-	-	-	-	1	-	-	-	50	7	159	155	46
48	Murray	93	-	-	-	-	-	-	-	-	-	-	15	2	52	49	16
49	Nicollet	128	-	-	-	-	-	-	-	1	-	-	18	-	68	65	13
50	Nobles	178	2	1	-	-	-	-	-	-	-	1	28	1	96	95	19
51	Norman	130	1	-	-	-	-	-	-	-	-	1	21	3	66	66	24
52	Olmsted	418	4	1	-	-	-	-	1	1	-	-	76	1	224	219	62
53	Otter Tail	420	5	1	-	-	-	-	-	-	-	2	75	9	221	217	67
54	Pennington	122	-	-	-	-	-	-	-	-	-	1	26	4	68	67	19
55	Pine	213	2	-	-	-	-	-	-	-	-	-	33	5	131	129	45
56	Pipestone	118	1	-	-	-	-	-	-	-	-	-	13	5	64	55	9
57	Polk	354	8	-	-	-	-	-	1	-	-	1	59	7	192	189	56
58	Pope	113	-	-	-	-	-	-	-	-	-	1	15	1	62	61	19
59	Ramsey	3,469	41	18	-	-	1	-	-	4	-	11	563	73	1,850	1,820	430
60	Red Lake	52	-	-	-	-	-	-	-	-	-	-	14	-	26	25	7
61	Redwood	167	3	-	-	-	-	-	-	-	-	-	22	3	95	93	35
62	Renville	200	2	-	-	-	-	-	-	1	-	1	37	5	100	96	29
63	Rice	320	1	-	-	-	-	-	-	-	-	-	54	7	185	180	50
64	Rock	75	-	-	-	-	-	-	-	-	-	-	13	1	38	38	10
65	Roseau	122	-	-	-	-	-	-	-	-	-	-	22	1	59	58	17
66	St. Louis	2,205	19	11	-	1	1	1	5	3	-	-	367	47	1,200	1,188	243
67	Scott	143	-	-	-	-	-	-	-	-	-	-	23	8	79	79	16
68	Sherburne	88	-	1	-	-	-	-	-	-	-	-	12	2	52	52	10
69	Sibley	140	1	-	-	-	-	-	-	-	-	-	21	1	84	83	28
70	Stearns	562	10	1	-	1	-	-	1	1	-	2	89	12	260	253	53
71	Steele	191	3	1	-	-	-	-	-	2	-	-	25	2	118	112	35
72	Stevens	103	-	-	-	-	-	-	-	-	-	-	14	5	60	59	15
73	Swift	133	1	-	-	-	-	-	-	-	-	-	25	4	71	67	19
74	Todd	230	2	-	-	-	-	-	-	-	1	-	37	4	130	127	24
75	Traverse	83	-	-	-	-	-	-	-	-	-	-	16	1	41	41	13
76	Wabasha	201	1	-	-	-	-	-	-	-	-	2	34	1	104	103	37
77	Wadena	138	2	1	-	-	-	-	-	-	-	-	18	2	78	75	14
78	Waseca	138	-	1	-	-	-	-	-	-	-	1	15	-	92	91	28
79	Washington	344	-	1	-	-	-	-	-	1	-	-	58	5	201	199	38
80	Watonwan	123	1	-	-	-	-	-	-	-	-	1	19	4	65	65	18
81	Wilkin	82	-	-	-	-	-	-	-	-	-	-	13	-	39	39	10
82	Winona	400	1	-	-	1	-	-	-	-	-	1	62	7	218	215	64
83	Wright	279	-	1	-	-	-	-	-	-	-	2	37	3	163	163	37
84	Yellow Medicine	148	-	-	-	-	-	-	-	-	-	-	21	1	85	85	24

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	90	2	9	1	3	8	1	3	-	-	-	3	14	6	11	6	5	2	18	1
-	51	-	6	-	1	7	-	-	-	-	-	3	10	1	6	4	1	-	15	2
-	37	1	1	-	1	3	-	-	-	-	-	1	4	1	-	7	-	-	8	3
-	128	7	12	2	7	3	2	-	2	-	-	2	18	7	12	17	1	-	41	4
1	81	2	8	-	2	3	1	-	3	-	1	5	10	2	3	15	5	-	26	5
-	90	4	10	2	2	7	1	1	1	1	-	4	9	-	7	14	3	-	14	6
-	58	2	9	-	1	3	1	-	-	-	-	2	4	3	4	9	1	1	8	7
1	82	1	2	2	1	5	1	1	-	2	1	-	9	2	11	15	1	-	14	8
-	42	3	6	2	3	3	1	-	-	3	-	6	6	1	4	7	2	-	13	9
-	58	5	4	-	4	4	-	-	-	-	-	2	3	4	5	7	1	-	9	10
-	69	4	8	-	2	6	1	1	3	-	-	6	23	2	10	9	4	-	15	11
-	32	1	-	-	1	3	1	-	-	-	-	1	3	4	-	6	-	-	7	12
-	9	1	1	-	-	1	-	-	-	-	-	1	-	1	-	2	-	-	2	13
-	42	1	4	2	5	5	1	2	1	-	-	2	8	-	4	3	2	-	19	14
1	109	2	6	2	5	10	-	1	1	-	-	2	6	3	4	14	4	2	14	15
1	101	6	13	1	6	18	1	2	1	2	1	8	17	3	7	18	6	-	33	16
-	40	-	5	-	-	2	1	-	-	-	-	4	1	1	5	3	1	-	8	17
-	93	6	9	1	3	6	-	-	-	-	-	2	7	3	3	4	6	-	13	18
-	55	-	8	2	3	2	2	-	1	2	-	7	19	1	6	10	2	-	17	19
-	108	3	12	2	4	4	1	-	-	-	-	1	9	1	3	8	5	1	18	20
-	98	1	15	-	4	7	1	1	1	-	-	3	13	4	4	10	7	-	12	21
-	122	5	9	3	3	13	1	3	4	-	-	3	18	3	7	14	3	-	23	22
-	33	-	2	-	3	3	1	1	1	-	2	3	6	-	1	2	1	-	3	23
-	2,315	64	131	32	55	166	50	21	57	8	3	113	232	35	116	266	60	12	453	24
-	41	-	4	1	1	6	1	1	1	1	-	1	8	2	2	3	1	-	10	25
-	50	1	2	-	-	2	3	-	-	-	-	-	5	1	1	3	-	-	7	26
1	46	-	5	1	2	-	-	2	-	-	-	2	2	-	8	2	-	-	11	27
-	133	1	6	1	2	5	1	3	5	-	-	1	15	1	6	23	5	-	17	28
-	45	-	1	-	1	2	1	1	2	1	-	1	4	1	2	6	1	-	11	29
-	31	-	5	1	-	2	-	-	-	-	-	1	1	1	4	1	1	-	3	30
-	79	5	14	-	3	6	-	1	-	-	-	2	5	3	5	20	-	1	21	31
-	40	2	1	-	3	1	1	-	-	-	-	-	3	4	2	3	-	-	8	32
-	66	2	6	-	2	3	-	1	1	-	-	3	9	-	4	4	7	-	8	33
1	36	1	3	2	2	2	-	-	2	1	-	2	7	1	2	6	1	-	2	34
-	30	1	-	-	2	1	-	2	-	-	-	-	2	-	4	4	-	-	7	35
-	13	-	1	-	1	1	1	-	-	-	1	-	4	1	2	6	-	-	5	36
-	62	1	5	2	-	9	-	1	-	-	-	2	6	2	2	10	3	-	18	37
-	31	-	2	1	2	1	-	-	-	-	-	1	7	-	3	2	-	-	1	38
1	75	2	3	1	1	2	2	1	-	-	-	8	11	-	5	12	1	-	14	39
-	82	4	11	-	3	6	2	1	2	-	-	4	8	3	5	10	4	-	14	40
-	16	1	1	-	1	1	-	-	-	-	1	1	7	-	2	2	1	-	4	41
-	41	4	4	-	1	3	1	-	2	-	1	5	3	-	3	3	-	1	8	42
-	72	3	5	1	3	6	2	-	1	1	1	5	10	5	5	10	4	1	12	43
-	70	1	6	2	1	2	1	-	1	1	-	3	6	2	3	3	3	1	8	44
-	59	1	9	1	1	10	-	-	-	-	-	1	5	4	9	6	2	-	10	45
-	73	4	7	1	2	3	2	1	2	2	-	2	15	-	5	9	2	-	16	46
-	90	6	11	2	4	5	1	-	-	-	-	10	14	-	7	13	-	1	22	47
-	29	2	1	1	3	-	-	-	2	-	1	2	2	-	6	6	-	-	5	48
-	42	4	4	2	3	-	1	1	1	2	1	3	7	-	2	7	2	-	14	49
-	68	1	6	1	1	9	1	-	-	-	-	3	9	-	6	3	2	-	16	50
1	32	4	4	1	-	8	-	-	1	1	1	2	4	2	5	3	1	-	10	51
1	126	7	14	9	5	10	6	2	1	-	-	9	21	2	9	18	5	-	27	52
-	126	5	17	2	4	17	-	1	3	-	-	5	21	2	8	8	3	3	36	53
-	42	3	3	-	1	2	-	1	-	-	-	-	5	1	3	3	-	-	8	54
-	76	2	5	1	2	6	-	1	-	-	-	2	4	2	1	11	2	-	13	55
-	43	3	-	-	9	4	1	-	-	-	-	5	7	1	2	5	1	-	9	56
-	117	7	7	2	3	8	1	-	1	-	-	10	10	3	11	11	6	-	25	57
1	39	-	2	-	1	2	1	-	2	-	1	-	5	4	2	2	3	-	12	58
1	1,252	30	73	34	30	111	30	17	34	-	-	55	160	14	49	158	20	7	253	59
-	16	-	2	-	1	-	-	-	1	-	1	4	2	-	1	1	1	-	1	60
1	52	-	4	1	2	2	1	-	2	1	-	4	6	2	5	9	3	-	9	61
-	63	1	2	1	4	10	1	1	1	-	-	1	7	3	6	7	2	-	15	62
-	115	4	11	-	5	3	2	-	2	-	1	4	17	-	10	6	8	-	20	63
-	28	-	-	-	-	1	2	1	2	-	-	2	-	1	3	1	-	-	10	64
-	35	5	1	-	1	5	1	1	2	-	-	3	8	1	2	7	1	-	9	65
3	874	13	43	12	12	45	9	6	18	3	1	46	84	6	71	90	29	3	139	66
-	42	3	17	1	-	3	-	-	1	-	-	4	8	1	3	6	1	-	6	67
1	38	-	2	1	-	5	-	-	-	-	-	-	3	-	2	2	2	-	7	68
-	48	2	5	-	1	2	-	-	-	1	-	3	6	3	7	4	1	-	6	69
1	175	5	17	2	7	14	7	4	2	-	1	17	38	7	19	28	2	1	45	70
-	73	1	2	1	6	2	-	-	-	-	-	3	6	1	5	5	1	2	15	71
-	41	-	3	-	1	1	1	-	1	-	1	1	5	2	4	1	1	-	6	72
1	45	1	1	-	4	5	-	-	-	-	-	5	4	1	-	4	1	-	12	73
-	96	3	3	1	3	3	2	3	2	1	-	7	6	1	3	8	1	-	19	74
-	24	2	1	1	-	3	2	1	-	1	-	3	5	2	1	3	1	-	3	75
-	55	2	8	1	1	2	-	-	2	-	1	3	9	1	3	18	3	-	17	76
1	50	4	5	1	3	4	1	-	-	-	-	2	5	4	4	4	1	-	12	77
-	49	3	9	2	1	5	-	-	1	-	-	1	1	-	2	5	-	-	14	78
-	152	4	3	2	2	7	1	1	1	1	-	6	12	-	9	17	4	-	19	79
-	38	1	7	1	-	-	1	-	-	1	-	1	6	1	5	4	-	-	14	80
-	25	1	2	1	-	1	-	1	1	-	-	1	3	-	7	8	2	-	6	81
-	133	1	13	4	3	12	2	2	4	-	-	7	10	14	11	16	7	-	25	82
-	110	6	7	3	-	6	-	-	5	-	-	4	6	3	7	19	6	-	17	83
-	55	2	3	1	-	8	-	2	-	1	-	3	9	-	2	5	1	-	10	84

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuber-culo-sis, all forms 001-019	Syph-ilis and its sequ-elae 020-029	Ty-phoid fever 040	Dysen-tery, all forms 045-048	Diph-the-ria 055	Whoop-ing cough 056	Menin-gococ-cal infec-tions 057	Acute polio-mye-litis 080	Mea-sles 085	All other infective and para-sitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lym-phatic and hemato-poietic tissues 140-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Diseases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334
1	MISSISSIPPI	21,076	487	104	2	66	8	73	21	40	15	91	2,167	267	9,075	8,536	2,364
2	Metropolitan counties	1,309	27	6	-	5	1	2	1	-	1	6	139	19	559	519	152
3	Nonmetropolitan counties	19,767	460	98	2	61	7	71	20	40	14	85	2,028	248	8,516	8,017	2,212
4	Adams	393	12	3	-	-	-	-	1	-	-	1	36	5	189	176	39
5	Alcorn	264	9	1	-	-	-	1	-	-	-	-	34	6	115	112	22
6	Amite	176	5	1	-	-	-	-	-	1	-	-	11	2	71	69	17
7	Attala	271	11	-	-	-	1	-	-	-	-	-	26	3	122	114	37
8	Benton	69	1	-	-	-	-	-	-	1	-	-	7	-	29	28	11
9	Bolivar	747	18	3	-	5	-	6	3	3	1	6	58	9	310	290	87
10	Calhoun	151	3	1	-	-	-	1	-	-	-	1	15	1	80	80	17
11	Carroll	154	1	1	-	-	-	-	2	-	1	-	8	3	69	67	16
12	Chickasaw	175	5	2	-	-	-	-	-	-	-	2	12	3	87	84	22
13	Choctaw	87	2	-	-	1	1	-	-	-	-	1	9	1	43	43	12
14	Claiborne	127	2	-	-	-	-	-	-	-	-	1	19	1	43	41	5
15	Clarke	225	2	1	-	-	-	-	-	1	-	1	24	4	96	91	30
16	Clay	179	8	2	-	-	-	-	-	-	-	-	15	2	77	72	16
17	Coahoma	552	15	1	-	2	-	4	-	-	-	2	62	4	221	192	60
18	Copiah	314	2	1	-	1	-	1	2	1	-	1	34	4	167	157	40
19	Covington	123	4	-	-	-	-	-	-	-	-	1	16	2	60	57	22
20	De Soto	243	3	1	-	2	-	3	-	-	-	2	27	1	91	86	42
21	Forrest	379	11	1	-	-	-	1	-	-	-	2	55	5	188	183	40
22	Franklin	127	5	1	-	-	-	-	-	-	-	-	10	3	66	65	15
23	George	81	2	-	-	-	-	-	-	1	-	-	10	2	36	30	7
24	Greene	77	1	-	-	1	1	1	-	-	-	-	7	4	44	39	7
25	Grenada	201	4	-	-	1	-	-	-	-	-	-	21	3	81	79	36
26	Hancock	118	2	1	-	-	-	-	-	-	-	-	9	2	60	57	15
27	Harrison	676	9	4	-	1	-	1	-	-	-	2	95	5	284	275	69
28	Hinds	1,309	27	6	-	5	1	2	1	-	1	6	139	19	559	519	152
29	Holmes	362	8	3	-	1	-	1	1	-	1	3	35	1	151	145	45
30	Humphreys	247	5	3	1	2	-	1	-	-	-	2	12	1	93	88	18
31	Issaquena	43	-	-	-	1	-	-	-	-	-	-	4	-	18	15	3
32	Itawamba	137	2	-	-	-	-	-	-	-	-	-	18	-	66	65	17
33	Jackson	234	3	-	-	-	2	-	1	-	-	1	28	4	113	110	27
34	Jasper	153	1	-	-	-	-	1	-	-	-	-	16	4	70	64	18
35	Jefferson	123	1	1	-	-	-	-	-	-	-	-	12	-	67	61	20
36	Jefferson Davis	115	4	1	-	-	-	1	-	-	1	-	15	1	35	32	11
37	Jones	461	14	-	-	-	-	2	-	-	-	3	65	6	191	178	54
38	Kemper	161	4	3	-	1	-	-	-	-	-	-	13	2	66	62	19
39	Lafayette	175	1	1	-	-	-	1	-	-	-	-	19	2	81	76	19
40	Lamar	99	3	1	-	-	-	-	-	-	-	-	10	-	47	43	11
41	Lauderdale	670	16	5	-	2	-	-	-	-	2	2	75	4	299	289	72
42	Lawrence	116	4	1	-	-	-	-	-	-	-	1	13	3	46	42	13
43	Leake	169	2	-	-	-	-	-	-	-	1	3	13	3	65	62	22
44	Lee	357	11	3	-	2	-	3	-	-	-	2	42	6	169	158	62
45	Leflore	548	18	4	-	3	-	2	1	6	-	2	42	8	199	189	52
46	Lincoln	282	3	1	-	1	-	1	-	-	-	-	22	2	157	146	31
47	Lowndes	360	15	-	-	-	-	-	-	1	-	1	40	1	149	141	45
48	Madison	411	6	2	-	-	-	3	-	-	-	2	35	4	163	151	50
49	Marion	212	3	-	-	-	-	-	-	-	-	-	32	1	89	78	18
50	Marshall	251	4	-	-	-	-	2	-	-	-	1	16	6	104	102	23
51	Monroe	352	7	2	-	-	-	-	-	-	-	4	41	3	156	141	38
52	Montgomery	144	3	-	-	-	-	1	-	-	-	-	17	1	68	66	19
53	Neshoba	225	4	1	-	1	-	1	-	-	-	-	33	3	88	85	36
54	Newton	206	2	1	1	2	-	-	1	-	-	-	20	7	86	75	23
55	Noxubee	225	5	2	-	-	-	3	-	-	-	1	16	2	71	66	9
56	Oktibbeha	217	9	-	-	1	-	3	-	-	-	-	26	3	72	69	21
57	Panola	291	9	3	-	4	-	2	1	-	-	1	37	4	126	115	26
58	Pearl River	148	2	-	-	-	-	-	-	2	-	2	15	1	62	56	15
59	Perry	76	5	-	-	-	-	-	-	1	-	-	10	1	37	35	11
60	Pike	369	5	2	-	2	-	1	-	1	1	1	31	7	165	159	34
61	Pontotoc	168	4	-	-	1	-	-	-	-	-	3	21	1	97	92	23
62	Prentiss	161	6	-	-	-	-	-	-	1	-	1	17	3	80	77	22
63	Quitman	268	2	6	-	2	-	3	-	-	-	4	16	4	99	87	17
64	Rankin	215	7	2	-	3	-	2	-	-	-	-	26	2	83	77	21
65	Scott	223	1	-	-	-	-	-	1	-	-	1	21	1	97	96	22
66	Sharkey	140	1	1	-	-	-	1	-	-	-	-	14	1	59	55	17
67	Simpson	188	6	-	-	-	-	-	1	1	-	3	24	2	71	69	14
68	Smith	130	2	1	-	-	-	1	-	-	-	-	9	2	62	59	20
69	Stone	53	-	-	-	-	-	-	-	-	-	-	5	1	24	23	3
70	Sunflower	520	9	2	-	7	-	2	-	12	1	3	56	8	182	171	62
71	Tallahatchie	340	11	-	-	-	2	1	1	-	-	2	20	3	143	128	22
72	Tate	176	4	1	-	1	-	3	-	-	1	-	17	1	87	81	24
73	Tippah	117	5	-	-	-	-	1	-	-	-	-	15	2	66	64	9
74	Tishomingo	113	3	-	-	-	-	-	-	1	-	-	13	2	59	58	15
75	Tunica	238	10	2	-	2	-	2	-	-	1	1	23	2	96	82	24
76	Union	164	5	-	-	-	-	-	-	-	1	1	14	6	87	86	30
77	Walthall	111	-	1	-	-	-	-	-	-	-	-	14	2	46	43	7
78	Warren	533	16	8	-	-	-	-	2	-	-	3	57	6	231	216	57
79	Washington	854	24	2	-	7	-	1	-	5	2	3	81	16	329	315	104
80	Wayne	147	4	2	-	-	-	-	-	-	-	-	23	-	60	56	14
81	Webster	125	3	-	-	-	-	1	-	-	-	-	13	6	62	59	21
82	Wilkinson	145	4	-	-	-	-	1	-	-	-	2	9	4	68	65	19
83	Winston	192	5	-	-	-	-	-	-	-	-	1	19	1	83	76	23
84	Yalobusha	173	3	1	-	-	-	1	-	-	-	-	17	3	85	77	11
85	Yazoo	425	9	4	-	1	-	3	2	1	-	2	41	3	162	154	45

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
29	5,593	227	251	72	539	883	70	176	103	130	137	223	1,239	2,590	529	884	133	267	1,296	1
2	330	13	18	4	40	43	5	8	5	7	5	25	105	148	25	38	18	22	89	2
27	5,263	214	233	68	499	840	65	168	98	123	132	198	1,134	2,442	504	846	115	245	1,207	3
1	125	8	2	1	13	15	2	4	-	1	-	5	34	38	3	19	2	5	18	4
-	80	6	1	3	3	13	2	2	3	-	1	5	18	10	8	12	3	3	18	5
-	44	3	3	2	2	10	-	-	-	-	2	3	15	27	6	6	1	2	13	6
-	74	-	3	-	8	9	2	3	-	2	1	2	27	29	8	7	1	-	17	7
-	16	1	-	-	1	-	2	1	-	-	1	-	6	11	5	1	-	1	3	8
1	181	15	4	2	20	26	3	17	3	2	3	11	19	157	13	18	1	11	41	9
2	56	3	1	1	-	6	1	-	-	-	-	1	6	10	4	7	-	2	12	10
-	44	3	3	1	2	3	-	3	1	2	-	2	6	31	5	6	2	-	8	11
-	59	1	-	2	3	9	1	4	1	3	1	4	6	14	2	11	1	3	4	12
-	29	1	1	-	-	7	-	1	-	-	-	-	-	9	1	3	-	2	6	13
-	33	-	3	-	2	5	4	1	1	1	1	-	2	21	4	9	1	3	8	14
1	57	1	2	-	5	11	2	1	1	3	2	1	16	22	6	13	-	-	18	15
-	52	-	4	-	5	12	-	1	1	-	2	-	6	31	3	5	1	3	10	16
1	117	8	2	4	29	29	2	4	4	10	2	3	29	96	15	13	1	7	26	17
1	100	1	13	2	10	20	1	2	1	1	2	1	17	15	4	21	-	2	13	18
-	35	-	-	-	3	4	-	-	-	1	1	2	8	9	1	3	-	2	9	19
-	40	-	2	2	5	15	-	2	1	3	2	2	9	47	4	10	2	1	15	20
1	121	7	13	1	5	17	1	1	3	-	1	2	14	18	7	16	1	11	24	21
-	46	2	1	1	1	3	-	1	1	1	2	1	7	10	4	4	-	1	7	22
-	20	1	1	1	6	4	1	-	-	-	-	1	6	4	3	5	-	1	5	23
-	28	1	2	1	5	3	-	-	1	-	1	-	1	5	1	4	-	-	2	24
-	38	3	2	-	2	4	-	-	-	2	4	1	10	45	7	10	-	1	7	25
-	39	3	-	-	3	4	-	-	2	1	-	-	8	6	5	7	1	-	10	26
-	192	4	9	1	9	21	-	2	11	1	2	16	45	47	23	37	7	12	51	27
2	330	13	18	4	40	43	5	8	5	7	5	25	105	148	25	38	18	22	89	28
-	93	3	4	-	6	18	-	4	1	7	4	2	12	57	8	19	3	6	16	29
1	62	3	3	1	5	6	-	8	-	2	4	1	7	67	5	7	3	3	14	30
-	12	-	-	-	3	-	-	-	-	-	-	-	3	8	1	4	-	-	4	31
-	47	-	1	-	1	8	-	-	1	-	-	-	6	12	4	11	2	1	6	32
-	70	4	7	2	3	12	-	-	3	4	2	5	12	9	4	9	2	3	17	33
1	43	1	-	1	6	14	-	-	-	3	-	1	13	15	4	4	-	2	5	34
-	35	6	-	-	6	3	-	-	1	1	1	-	6	14	1	4	-	-	11	35
-	20	-	1	-	3	3	-	-	-	-	1	1	16	22	-	8	-	2	4	36
-	115	5	4	-	13	13	4	4	4	6	-	8	29	25	19	24	3	5	36	37
1	38	1	2	1	4	10	2	1	-	1	2	-	8	19	3	10	1	4	11	38
-	53	-	4	-	5	8	-	3	-	-	2	1	8	23	3	6	3	-	13	39
-	32	-	-	-	4	7	-	1	-	-	-	2	7	5	2	8	-	-	6	40
-	202	11	4	-	10	23	1	4	3	2	3	8	41	60	21	31	9	8	51	41
2	27	-	-	-	4	6	-	2	-	1	2	3	8	15	-	3	1	-	7	42
-	38	1	1	-	3	9	-	1	1	1	2	2	13	7	14	13	2	3	14	43
-	92	3	-	1	11	14	-	1	2	5	1	2	23	13	11	15	6	6	20	44
-	130	3	3	1	10	24	4	6	3	-	1	5	42	108	10	16	1	9	34	45
-	103	8	3	1	11	13	-	1	2	2	1	4	24	14	7	6	1	3	17	46
-	85	7	4	-	8	20	4	5	1	1	1	1	20	56	7	15	-	4	18	47
-	90	5	6	-	12	16	-	8	-	3	5	3	33	69	4	16	4	9	26	48
1	55	1	2	1	11	18	-	2	2	-	1	3	10	17	6	13	1	3	11	49
-	74	1	4	-	2	10	1	3	-	1	1	1	11	58	11	11	-	2	8	50
-	85	2	12	4	15	9	1	4	5	3	2	4	19	47	5	11	2	3	24	51
-	42	1	3	1	2	3	1	1	-	1	-	-	7	15	8	4	2	-	12	52
-	46	3	-	-	3	3	1	1	1	1	5	1	22	17	10	12	1	3	16	53
1	44	3	2	2	11	9	-	1	1	1	3	4	12	20	7	11	2	-	15	54
1	49	4	2	1	5	16	-	4	1	1	2	2	12	63	3	5	-	3	13	55
-	43	2	3	-	3	19	-	-	1	-	2	3	14	26	5	12	3	6	12	56
-	81	4	4	-	11	14	-	-	1	2	2	4	15	30	8	8	-	6	14	57
-	34	-	5	2	6	11	-	1	-	-	1	2	10	10	7	7	1	2	12	58
-	22	-	2	-	2	2	-	-	-	2	1	-	4	6	-	1	1	1	4	59
2	109	8	5	1	6	18	1	-	-	1	6	6	21	39	16	14	3	2	26	60
-	64	2	3	-	5	5	-	2	-	-	-	1	2	9	5	4	3	1	9	61
-	52	-	2	1	3	7	-	-	1	-	2	3	8	11	3	6	2	1	9	62
-	63	2	4	1	12	11	1	4	1	2	1	3	20	47	6	18	-	3	15	63
1	46	2	7	-	6	11	-	1	1	1	2	3	7	29	4	15	-	6	10	64
3	62	3	4	2	1	7	1	1	-	1	4	4	21	24	14	13	1	1	9	65
-	36	1	-	1	4	1	1	1	-	2	1	-	12	21	2	11	1	-	10	66
-	48	1	4	2	2	14	-	-	-	-	-	-	12	13	8	14	2	2	15	67
-	36	-	3	-	3	5	1	-	1	1	-	2	8	8	6	8	-	1	12	68
-	20	-	-	-	1	1	-	-	-	1	-	1	2	5	3	1	1	1	7	69
-	102	2	3	2	11	20	-	10	2	5	3	6	35	77	11	28	4	7	30	70
1	101	2	2	-	15	18	1	3	1	1	3	3	22	53	6	17	2	1	26	71
-	55	-	1	1	6	5	1	1	1	-	-	1	15	16	1	6	-	3	11	72
-	53	1	1	-	2	2	-	-	-	-	-	-	3	6	3	5	3	2	4	73
-	38	4	-	1	1	5	-	2	-	4	2	-	4	3	1	4	1	-	9	74
1	47	9	1	-	14	9	-	5	1	2	2	1	19	38	1	4	2	5	10	75
1	53	-	1	1	1	4	2	2	-	2	1	1	6	10	7	2	1	-	12	76
-	34	-	2	-	3	3	-	1	2	-	1	4	9	8	4	3	-	8	5	77
1	144	4	5	5	15	20	5	4	3	6	3	1	23	77	10	13	3	4	38	78
-	196	5	7	3	14	34	2	9	5	6	3	11	47	164	14	33	2	11	43	79
1	35	2	2	2	4	5	-	2	1	-	2	4	9	8	5	11	1	-	10	80
-	30	5	3	-	3	1	1	1	-	-	1	2	6	8	4	5	-	1	10	81
-	44	1	1	-	3	5	-	1	1	-	3	1	7	15	6	4	2	3	9	82
-	48	2	2	1	7	13	2	-	1	2	2	1	12	19	4	8	-	2	17	83
-	59	3	4	-	8	9	-	-	1	-	2	1	5	13	3	13	2	1	13	84
-	100	1	8	-	8	16	3	2	6	1	5	2	17	82	17	15	-	9	22	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
1	MISSOURI	44,123	827	258	2	23	10	17	29	54	30	139	6,435	699	24,059	23,162	5,299
2	Metropolitan counties	23,172	492	170	-	8	4	4	16	33	8	63	3,550	369	12,483	12,084	2,534
3	Nonmetropolitan counties	20,951	335	88	2	15	6	13	13	21	22	76	2,885	330	11,576	11,078	2,765
4	Adair	212	4	2	-	-	-	-	-	-	-	-	28	4	118	106	33
5	Andrew	125	3	-	-	-	-	-	-	-	-	1	22	4	71	69	23
6	Atchison	94	2	-	-	-	-	-	-	-	-	1	10	1	53	53	18
7	Audrain	232	6	-	-	-	-	-	-	-	1	-	29	4	138	130	26
8	Barry	195	3	2	-	-	-	-	-	-	-	2	22	2	113	109	23
9	Barton	158	1	1	-	-	-	-	-	-	-	-	23	3	82	80	24
10	Bates	244	-	-	-	-	-	-	-	-	-	3	19	4	148	135	36
11	Benton	116	1	1	-	-	-	-	-	-	-	1	15	3	64	60	25
12	Bollinger	117	2	1	-	1	-	-	-	-	-	-	12	1	73	71	20
13	Boone	426	7	5	-	-	-	-	-	-	1	1	71	7	237	223	50
14	Buchanan	1,091	12	13	-	-	-	-	-	2	-	1	171	13	609	592	160
15	Butler	384	9	1	-	1	-	-	-	1	1	3	39	3	198	193	50
16	Caldwell	151	-	1	-	-	-	-	-	-	-	1	26	4	89	87	27
17	Callaway	222	3	-	-	-	-	-	-	-	1	-	31	5	139	137	33
18	Camden	91	2	-	-	-	1	-	-	-	-	-	10	-	52	48	7
19	Cape Girardeau	389	11	1	-	-	-	1	-	1	-	-	53	8	205	202	47
20	Carroll	220	1	1	-	-	-	-	-	-	-	-	35	3	118	110	50
21	Carter	64	2	-	-	-	-	-	-	-	-	-	11	-	34	32	11
22	Cass	222	2	-	-	-	-	-	1	2	-	-	34	5	127	124	34
23	Cedar	131	-	-	-	-	-	-	-	-	-	-	20	1	74	67	17
24	Chariton	187	1	1	-	-	-	-	1	-	-	1	29	5	115	110	32
25	Christian	130	3	-	-	-	-	-	-	-	1	-	26	2	68	66	11
26	Clark	118	-	-	-	-	-	-	-	-	-	-	11	2	61	58	17
27	Clay	417	7	1	-	-	-	-	-	-	-	-	65	3	243	235	59
28	Clinton	190	-	-	-	-	-	-	-	-	-	-	38	4	105	101	29
29	Cole	317	3	2	-	-	-	-	-	-	-	1	32	3	189	182	31
30	Cooper	197	1	-	-	-	-	-	-	-	-	1	23	5	114	110	26
31	Crawford	136	2	1	-	-	-	-	-	1	-	1	21	2	70	68	18
32	Dade	99	2	-	-	-	-	-	-	-	-	-	14	1	57	55	23
33	Dallas	130	2	3	-	-	-	-	-	-	-	-	18	3	74	70	22
34	Daviess	159	4	1	-	-	-	-	-	-	-	1	32	2	82	78	28
35	De Kalb	108	1	-	-	-	-	-	-	1	-	-	23	-	57	56	17
36	Dent	117	3	-	-	-	-	-	-	-	-	1	20	1	58	54	16
37	Douglas	96	3	-	-	1	-	1	-	-	-	-	7	2	54	51	15
38	Dunklin	396	12	6	-	-	1	3	-	2	-	2	55	3	206	196	61
39	Franklin	371	-	-	-	-	-	-	2	2	1	-	52	5	209	206	46
40	Gasconade	148	1	-	-	-	-	-	-	-	-	-	16	1	98	92	29
41	Gentry	130	-	1	-	-	-	-	-	-	-	1	25	1	79	77	15
42	Greene	1,021	15	2	-	-	-	-	2	2	2	6	144	14	595	581	119
43	Grundy	189	3	-	-	-	-	-	-	-	-	-	26	3	114	110	23
44	Harrison	178	-	-	-	-	-	-	-	-	1	-	29	2	109	100	29
45	Henry	271	1	1	-	-	-	-	-	-	-	1	31	4	163	157	46
46	Hickory	49	4	-	-	-	-	-	-	-	-	-	6	1	27	27	11
47	Holt	125	-	-	-	-	-	-	-	1	-	1	19	2	67	65	20
48	Howard	158	-	1	-	-	-	-	-	1	-	1	22	2	88	86	18
49	Howell	274	5	1	-	2	-	-	-	1	-	2	35	-	154	145	26
50	Iron	121	1	-	-	2	-	-	-	-	-	-	11	2	56	55	16
51	Jackson	6,236	129	41	-	2	3	-	2	14	-	13	918	89	3,221	3,108	705
52	Jasper	1,037	39	11	-	1	-	-	1	-	-	7	153	21	549	526	113
53	Jefferson	402	4	1	-	-	-	-	1	1	-	-	55	6	211	206	34
54	Johnson	288	3	-	-	-	-	-	-	-	-	-	47	5	174	168	35
55	Knox	97	-	1	-	-	-	-	-	-	-	-	17	2	52	48	6
56	Laclede	185	-	-	-	-	-	1	1	-	-	1	24	1	109	104	10
57	Lafayette	314	4	1	-	-	-	-	-	-	-	-	43	2	189	185	41
58	Lawrence	296	15	2	-	-	-	-	-	-	1	2	43	4	159	150	34
59	Lewis	139	1	1	-	-	-	-	-	-	-	-	24	3	80	75	26
60	Lincoln	178	1	-	-	-	-	-	-	-	-	-	27	4	107	106	20
61	Linn	229	-	1	-	-	-	-	-	-	-	-	34	7	135	124	30
62	Livingston	203	1	-	-	-	-	-	1	-	-	2	28	2	116	114	37
63	McDonald	144	3	-	-	-	-	-	-	-	-	1	25	4	77	69	17
64	Macon	244	2	-	-	-	-	-	-	-	-	-	32	3	140	136	39
65	Madison	82	2	-	-	-	-	-	-	-	-	-	11	-	45	41	12
66	Maries	88	1	-	-	-	-	-	-	-	-	1	14	2	44	42	12
67	Marion	368	1	-	-	-	-	-	-	-	-	1	55	6	213	202	51
68	Mercer	103	1	-	-	-	-	-	-	-	1	-	18	1	53	49	5
69	Miller	143	2	-	-	-	-	-	-	-	-	-	22	3	73	70	12
70	Mississippi	235	3	-	-	-	-	-	-	-	1	1	28	2	107	100	40
71	Moniteau	157	5	-	-	-	-	-	-	-	-	1	15	2	93	93	20
72	Monroe	146	2	1	-	-	-	-	-	-	-	-	16	1	83	79	15
73	Montgomery	160	2	1	-	-	-	-	-	-	-	-	32	5	89	83	16
74	Morgan	127	2	-	-	-	-	-	1	-	-	1	11	-	76	74	24
75	New Madrid	328	6	1	-	1	2	3	1	-	2	2	35	3	127	120	30
76	Newton	292	7	2	-	-	-	-	-	-	-	2	43	5	159	146	27
77	Nodaway	296	3	-	-	-	-	-	1	1	-	1	40	6	170	166	43
78	Oregon	94	2	-	-	-	-	-	-	-	-	-	13	1	51	50	11
79	Osage	107	2	-	-	-	-	-	-	1	-	1	18	2	62	61	18
80	Ozark	60	1	-	-	-	-	-	-	-	-	-	11	1	34	30	6
81	Pemiscot	404	13	4	-	1	-	-	-	-	-	5	45	3	164	156	49
82	Perry	116	3	1	-	-	-	-	-	-	-	-	26	1	55	54	15
83	Pettis	416	5	4	-	1	-	-	-	-	1	-	67	7	233	221	52
84	Phelps	240	3	-	1	-	-	-	-	-	1	2	28	5	142	133	36
85	Pike	211	5	1	-	-	-	-	-	-	-	-	30	2	123	119	20
86	Platte	136	2	-	-	-	-	-	-	-	-	1	20	3	78	77	20
87	Polk	178	4	-	-	-	-	-	-	-	-	-	20	1	107	107	21
88	Pulaski	133	3	-	-	-	-	-	-	-	1	1	18	2	63	59	15

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
44	16,180	450	935	254	897	1,635	262	195	430	102	67	504	1,431	593	1,010	1,737	420	199	2,956	1
24	8,675	254	448	149	399	748	162	91	302	46	27	285	805	311	474	837	218	147	1,519	2
20	7,505	196	487	105	498	887	100	104	128	56	40	219	626	282	536	900	202	52	1,437	3
-	67	-	5	1	12	7	-	-	1	1	-	2	3	1	8	8	3	-	22	4
-	39	1	6	-	2	2	-	-	-	-	1	2	2	-	-	8	1	1	7	5
-	33	1	1	-	-	3	-	-	1	-	2	3	1	1	3	6	-	-	7	6
-	94	1	6	3	8	7	-	-	1	-	-	-	4	3	11	15	2	-	11	7
-	79	3	2	2	4	9	3	-	2	1	-	1	3	3	6	9	1	1	12	8
-	51	2	3	-	2	8	-	-	1	1	-	1	2	3	9	9	1	-	13	9
-	90	2	6	1	13	10	-	-	-	-	-	-	8	1	11	17	4	-	19	10
-	29	2	3	1	4	5	-	-	-	-	-	2	5	5	2	5	-	-	7	11
-	42	3	5	1	2	6	1	-	1	-	-	-	2	-	4	3	2	-	8	12
1	148	9	14	1	14	9	2	3	3	-	-	9	7	2	10	12	2	-	38	13
1	395	10	18	8	17	45	4	3	12	2	1	11	32	3	17	46	15	3	76	14
-	140	1	1	1	5	30	4	4	1	3	1	5	18	3	12	20	-	1	26	15
-	50	3	7	-	2	5	-	2	2	2	1	-	2	-	3	5	1	-	7	16
-	86	6	11	1	2	4	1	2	-	-	-	1	3	3	5	7	4	-	13	17
1	36	3	1	-	4	4	-	1	3	-	-	1	2	1	2	6	1	1	4	18
-	137	4	12	2	3	13	2	2	5	-	-	9	18	10	9	17	4	-	20	19
-	54	2	4	-	6	8	-	-	-	1	-	4	6	6	6	9	4	1	17	20
-	18	2	1	-	2	5	-	2	-	-	-	-	2	3	1	2	-	-	2	21
-	74	3	11	2	3	3	2	-	1	-	-	1	7	1	7	10	7	-	12	22
-	47	1	2	-	7	10	-	-	-	-	-	1	5	6	1	4	-	-	9	23
-	72	3	1	2	5	5	2	-	-	1	2	1	8	-	1	7	-	-	7	24
-	43	6	5	1	2	12	1	-	-	-	-	1	3	-	4	4	1	-	4	25
-	38	-	3	-	3	8	-	1	1	-	-	2	2	5	2	7	1	-	15	26
1	151	2	20	2	8	10	1	-	4	1	1	3	18	2	8	12	5	4	29	27
1	64	1	4	2	4	6	-	3	-	-	1	3	7	2	1	8	2	-	10	28
-	141	3	7	-	7	5	-	1	6	-	1	6	13	4	5	14	7	1	24	29
-	75	1	8	-	4	11	1	1	-	-	-	2	4	3	3	10	2	3	13	30
-	42	-	8	-	2	10	-	-	-	-	-	1	10	1	8	5	-	1	2	31
-	27	2	2	1	2	4	1	1	-	-	1	-	1	4	-	6	1	-	6	32
-	43	2	3	-	4	4	-	-	-	-	-	-	5	1	3	5	-	-	12	33
1	41	-	7	1	4	7	-	-	1	1	-	1	2	2	7	2	2	-	12	34
-	39	-	-	-	1	2	-	1	-	1	-	-	4	3	4	1	2	-	8	35
-	36	-	2	-	4	7	-	-	-	1	1	1	5	-	4	7	-	-	8	36
-	30	2	3	1	3	2	-	-	-	-	-	2	5	5	3	-	-	-	11	37
-	131	1	1	2	10	15	4	3	3	-	1	4	20	2	14	15	1	-	24	38
1	148	2	9	-	3	16	2	2	2	-	-	2	14	4	9	14	5	-	30	39
-	57	2	1	3	6	2	-	-	-	-	-	1	-	2	6	3	3	1	14	40
-	55	3	3	1	2	3	-	-	-	-	1	1	2	2	2	4	-	-	8	41
1	408	11	33	9	14	26	5	4	8	2	1	12	40	7	37	28	10	5	54	42
-	76	2	9	-	4	6	1	-	2	1	-	1	2	2	3	5	4	-	16	43
-	56	3	10	2	9	2	-	-	1	1	-	1	5	-	7	3	2	-	15	44
-	95	3	11	2	6	7	3	2	2	2	-	4	4	2	6	13	4	-	21	45
-	15	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	7	46
-	36	-	7	2	2	10	-	-	-	1	-	4	1	1	5	5	1	-	7	47
1	62	1	3	1	2	8	-	2	-	1	1	-	6	1	1	13	1	-	9	48
1	110	2	5	1	9	10	2	-	1	-	1	5	11	7	3	8	1	-	25	49
-	35	2	2	-	1	20	-	1	1	1	-	2	1	1	5	6	3	-	8	50
6	2,128	82	139	48	113	239	41	19	83	10	11	96	233	143	130	247	61	57	434	51
1	379	9	20	4	23	41	10	3	6	5	2	12	20	4	28	44	7	1	72	52
-	152	10	7	3	5	22	1	1	5	1	1	5	15	9	11	26	4	-	22	53
-	118	3	11	1	6	5	4	1	-	2	-	3	8	2	5	6	3	-	20	54
-	38	2	2	-	4	2	-	-	2	1	-	-	3	2	1	4	2	-	8	55
-	90	-	4	-	5	4	1	-	-	-	-	5	4	4	7	7	3	-	13	56
-	126	3	13	2	4	8	1	-	3	-	-	1	11	-	8	18	1	-	24	57
2	111	2	1	-	9	14	3	1	-	1	-	1	6	5	11	9	1	1	17	58
-	43	1	5	-	5	7	1	-	-	-	-	-	3	2	1	5	-	1	10	59
-	82	2	1	1	1	4	-	1	-	-	-	2	5	1	5	6	-	-	15	60
-	79	3	11	1	11	2	1	2	2	2	-	1	4	2	2	7	2	-	25	61
-	71	2	3	1	2	9	2	1	1	-	-	1	4	1	6	8	1	2	17	62
2	44	1	4	1	8	11	2	2	-	1	-	-	-	2	7	1	1	1	6	63
1	84	3	8	1	4	6	-	4	2	1	-	1	8	3	5	10	2	1	24	64
-	28	1	-	-	4	6	-	-	-	1	-	-	1	1	4	5	-	-	6	65
-	26	1	3	-	2	5	-	-	1	-	1	1	2	2	2	5	1	-	6	66
-	141	3	5	2	11	24	-	2	1	-	-	3	5	7	3	11	7	-	29	67
-	43	-	1	-	4	5	1	1	-	1	-	2	7	-	2	4	-	2	4	68
1	53	1	2	1	3	6	1	-	-	-	-	-	5	1	5	8	3	2	12	69
-	59	-	-	1	7	16	1	5	-	-	2	3	15	2	8	24	1	2	14	70
-	66	-	7	-	-	7	-	-	1	-	-	2	7	-	3	12	1	-	8	71
-	61	2	1	-	4	2	1	-	1	1	1	1	2	4	5	9	-	-	16	72
-	62	-	4	1	6	2	-	-	-	2	-	2	2	3	3	7	1	1	8	73
-	42	-	7	1	2	2	-	-	1	-	1	1	3	2	5	5	2	-	14	74
1	79	5	3	2	7	27	2	8	3	2	1	10	23	10	15	25	1	2	16	75
-	111	-	7	1	13	10	-	2	2	-	1	3	16	2	6	6	4	2	20	76
-	113	1	9	-	4	10	4	2	-	3	-	7	5	3	10	11	-	-	19	77
-	38	1	-	-	1	4	-	-	-	-	-	1	-	1	3	7	2	-	9	78
-	39	-	2	2	1	3	-	-	1	-	-	2	-	-	-	8	2	-	5	79
-	22	1	1	-	4	4	-	-	-	-	1	-	-	-	2	1	-	-	5	80
1	101	3	2	-	8	28	-	11	4	1	1	6	25	25	11	21	1	7	28	81
-	32	-	7	-	1	2	-	-	3	-	-	1	7	6	1	5	-	-	5	82
-	159	3	7	-	12	21	-	-	3	1	1	3	15	1	7	17	7	2	20	83
-	84	1	9	3	9	11	-	1	3	-	-	2	9	3	6	7	4	-	12	84
-	90	-	9	-	4	6	1	-	-	-	-	1	5	-	4	11	3	1	18	85
-	50	1	5	1	1	4	1	1	-	-	-	3	3	2	5	3	2	-	8	86
-	75	-	11	-	-	13	1	1	1	1	-	1	2	2	4	5	2	-	13	87
1	39	1	2	1	4	10	-	-	1	1	-	1	6	2	9	1	2	1	11	88

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	MISSOURI—Continued																
1	Putnam	112	-	1	-	-	-	1	-	-	-	-	19	3	66	61	19
2	Ralls	118	1	-	-	-	-	-	-	-	-	-	17	4	61	58	13
3	Randolph	319	4	1	-	-	-	-	-	-	-	1	46	6	183	179	34
4	Ray	216	1	2	-	-	-	1	-	-	1	-	23	5	132	125	36
5	Reynolds	66	1	-	-	-	-	-	-	-	-	1	7	-	32	31	13
6	Ripley	106	4	1	-	-	-	-	-	-	-	1	7	3	59	55	17
7	St. Charles	320	1	-	-	-	-	-	1	-	1	-	38	4	205	203	23
8	St. Clair	144	2	2	-	-	-	-	-	-	-	-	25	3	78	73	11
9	St. Francois	352	7	2	-	-	1	-	-	-	1	2	53	6	182	179	34
10	St. Louis	3,643	66	15	-	3	1	2	4	9	2	14	566	69	1,929	1,885	355
11	St. Louis (city)	10,444	262	98	-	3	-	2	7	6	3	29	1,648	177	5,681	5,480	1,113
12	Ste. Genevieve	107	2	-	-	-	-	-	-	-	1	-	12	2	65	64	15
13	Saline	338	3	2	-	1	-	-	1	-	-	-	47	9	189	176	47
14	Schuyler	73	-	-	-	-	-	-	-	-	-	-	11	1	42	42	7
15	Scotland	101	1	-	-	-	-	-	-	-	-	2	23	1	55	52	12
16	Scott	277	8	2	-	-	-	1	-	-	-	-	34	4	131	128	23
17	Shannon	70	4	-	-	-	-	-	-	-	-	-	5	2	39	38	8
18	Shelby	160	1	-	-	-	-	-	-	-	-	-	15	5	111	102	19
19	Stoddard	300	3	1	-	-	1	-	-	1	2	1	41	5	153	148	35
20	Stone	84	3	-	1	-	-	-	-	-	-	1	10	2	42	41	10
21	Sullivan	149	2	-	-	-	-	-	-	-	-	-	23	-	87	81	23
22	Taney	83	4	-	-	-	-	-	-	-	-	1	5	2	43	40	15
23	Texas	185	4	1	-	-	-	-	-	1	1	-	21	3	115	112	24
24	Vernon	293	2	3	-	-	-	1	-	-	-	3	29	2	182	179	52
25	Warren	93	1	-	-	-	-	-	-	2	-	-	10	2	49	46	12
26	Washington	156	6	-	-	-	-	-	-	-	-	2	16	5	79	76	20
27	Wayne	119	1	2	-	-	-	-	-	-	1	1	17	3	58	54	14
28	Webster	133	4	-	-	-	-	-	1	1	-	-	17	1	66	64	23
29	Worth	55	-	-	-	-	-	-	-	-	-	-	5	-	31	31	11
30	Wright	179	2	1	-	3	-	-	-	-	-	-	28	3	97	89	27
31	MONTANA	5,914	83	23	1	-	-	1	5	6	9	23	789	79	2,941	2,863	599
32	Nonmetropolitan counties	5,914	83	23	1	-	-	1	5	6	9	23	789	79	2,941	2,863	599
33	Beaverhead	90	-	-	-	-	-	-	-	-	-	-	5	-	47	44	9
34	Big Horn	101	5	-	-	-	-	-	1	-	4	-	9	-	42	41	5
35	Blaine	98	3	1	-	-	-	-	-	-	-	-	9	1	44	43	17
36	Broadwater	30	-	-	-	-	-	-	-	-	-	1	5	1	9	9	3
37	Carbon	118	1	-	-	-	-	-	-	1	-	-	13	2	69	69	15
38	Carter	25	-	-	-	-	-	-	-	-	-	-	4	1	11	11	4
39	Cascade	504	7	5	-	-	-	-	1	-	-	1	66	4	254	250	40
40	Chouteau	64	1	-	-	-	-	-	-	-	-	-	16	3	24	24	6
41	Custer	122	-	1	-	-	-	-	-	1	-	2	22	2	58	54	14
42	Daniels	27	1	-	-	-	-	-	-	-	-	-	9	-	10	9	-
43	Dawson	68	-	-	-	-	-	-	1	-	-	2	8		32	30	10
44	Deer Lodge	176	5	1	-	-	-	-	-	2	-	-	23	1	89	89	23
45	Fallon	28	-	-	-	-	-	-	-	-	-	-	5	1	10	10	4
46	Fergus	160	-	-	-	-	-	-	-	-	-	-	37	3	71	71	22
47	Flathead	328	-	1	-	-	-	-	-	-	-	-	51	4	170	165	32
48	Gallatin	189	-	1	-	-	-	1	-	-	-	-	29	-	98	93	13
49	Garfield	19	-	1	-	-	-	-	-	-	-	-	4	-	12	11	5
50	Glacier	102	4	-	-	-	-	-	-	-	2	1	6	-	36	36	7
51	Golden Valley	14	-	-	-	-	-	-	-	-	-	-	-	1	8	8	4
52	Granite	31	-	2	-	-	-	-	1	-	-	-	1	1	16	16	3
53	Hill	133	-	-	-	-	-	-	-	-	-	1	11	1	58	56	19
54	Jefferson	40	1	-	-	-	-	-	-	-	-	1	4	1	18	17	5
55	Judith Basin	27	1	-	-	-	-	-	-	-	-	-	1	-	19	19	1
56	Lake	134	3	-	-	-	-	-	-	-	1	-	17	1	61	58	13
57	Lewis and Clark	264	2	1	-	-	-	-	-	-	-	3	36	-	160	146	18
58	Liberty	14	-	-	-	-	-	-	-	-	-	-	1	2	8	8	1
59	Lincoln	92	-	2	-	-	-	-	-	-	-	-	8	1	49	48	10
60	McCone	28	1	-	-	-	-	-	-	-	-	-	2	1	10	10	1
61	Madison	71	3	-	-	-	-	-	-	-	-	-	9	-	37	37	10
62	Meagher	24	-	-	-	-	-	-	-	-	-	-	4	-	15	15	4
63	Mineral	27	2	-	-	-	-	-	-	-	-	-	3	-	16	16	5
64	Missoula	312	6	-	-	-	-	-	-	-	-	2	43	3	170	167	40
65	Musselshell	60	-	-	-	-	-	-	-	-	-	-	8	1	26	25	6
66	Park	140	-	-	-	-	-	-	-	-	-	1	21	-	78	75	18
67	Petroleum	11	-	-	-	-	-	-	-	-	-	-	1	-	6	6	-
68	Phillips	51	-	-	-	-	-	-	-	-	-	-	8	1	29	26	7
69	Pondera	63	-	-	-	-	-	-	-	-	-	-	4	1	34	33	2
70	Powder River	8	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-
71	Powell	74	-	1	-	-	-	-	-	-	-	-	10	2	44	44	9
72	Prairie	20	-	-	-	-	-	-	-	-	-	-	-	1	14	14	5
73	Ravalli	132	1	-	-	-	-	-	-	-	-	1	15	1	65	65	10
74	Richland	82	-	1	-	-	-	-	-	-	-	1	11	3	35	33	7
75	Roosevelt	103	6	-	-	-	-	-	-	1	1	2	10	4	39	38	6
76	Rosebud	50	5	-	-	-	-	-	-	-	-	-	4	1	19	19	4
77	Sanders	76	3	1	-	-	-	-	-	-	-	1	15	2	29	27	10
78	Sheridan	61	1	-	-	-	-	-	-	1	-	1	9	1	36	36	6
79	Silver Bow	717	13	4	-	-	-	-	1	-	-	1	100	11	350	343	55
80	Stillwater	45	-	-	-	-	-	-	-	-	-	-	3	-	22	21	8
81	Sweet Grass	35	-	-	-	-	-	-	-	-	-	-	1	-	18	17	3
82	Teton	56	-	-	-	-	-	-	-	-	-	-	4	1	32	32	5
83	Toole	78	1	-	-	-	-	-	-	-	-	-	5	-	38	37	7
84	Treasure	7	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	39	-	1	2	5	3	-	-	-	-	-	1	1	-	-	5	2	-	10	1
-	45	-	-	-	3	3	3	1	-	-	-	5	2	4	2	3	1	1	10	2
-	128	6	8	3	4	13	1	-	6	-	2	2	8	7	4	13	2	-	20	3
-	82	2	4	1	7	8	-	-	4	1	1	1	3	2	3	13	3	1	11	4
-	15	-	-	3	1	5	-	1	1	-	1	2	2	-	2	2	1	-	8	5
-	34	2	2	-	4	11	-	-	1	-	-	2	2	3	1	3	-	-	8	6
-	161	8	9	2	2	8	-	2	2	1	-	6	6	1	14	7	4	-	19	7
1	55	2	3	1	5	7	-	1	1	-	-	3	-	2	5	6	1	-	8	8
-	131	4	7	3	3	22	2	-	6	2	-	3	11	1	10	19	4	-	18	9
1	1,418	36	56	19	44	84	31	8	45	5	3	56	126	119	87	115	40	9	235	10
14	4,014	105	173	61	201	336	80	55	148	25	10	101	350	36	181	382	83	69	672	11
-	41	2	2	4	1	4	-	1	2	-	-	-	9	1	2	3	-	-	3	12
-	111	6	7	5	13	7	4	1	2	-	2	2	11	2	10	16	2	-	27	13
-	33	-	2	-	-	4	1	-	-	-	-	1	1	2	1	3	3	-	3	14
-	38	1	1	-	3	1	-	1	1	-	1	1	-	-	1	5	1	-	8	15
-	101	-	3	1	3	17	1	6	3	1	-	4	19	4	6	12	1	-	23	16
-	30	-	-	-	1	1	1	-	-	-	-	1	2	-	1	7	-	1	6	17
1	68	5	8	1	9	2	1	-	-	-	-	-	3	1	2	7	3	-	9	18
-	104	-	6	3	5	17	2	2	2	-	2	4	12	11	9	12	3	1	15	19
-	30	-	1	-	1	9	1	1	-	-	-	2	-	2	1	1	1	-	7	20
-	56	1	-	1	6	2	1	-	1	-	-	2	3	7	2	6	1	-	12	21
-	23	-	2	-	3	5	1	-	-	-	-	-	2	3	4	7	-	1	5	22
-	86	-	2	-	3	4	-	1	-	-	-	1	6	1	8	4	5	2	7	23
-	116	-	9	2	3	4	4	1	5	1	1	1	6	1	4	15	5	-	23	24
-	30	2	2	-	3	-	-	-	-	-	-	2	6	-	4	3	4	-	10	25
1	54	-	-	1	3	17	-	2	1	1	-	1	4	1	5	9	-	-	7	26
-	35	3	1	1	4	6	-	-	2	-	-	-	6	3	2	7	-	-	10	27
-	38	1	2	-	2	7	1	-	1	-	1	4	2	-	6	3	2	4	12	28
-	18	-	2	-	-	2	2	-	-	-	-	-	1	-	3	5	1	-	5	29
-	53	3	2	4	8	11	3	1	-	2	1	-	12	2	2	5	2	1	3	30
3	2,045	41	131	44	78	167	38	18	55	13	8	86	263	209	187	358	82	13	457	31
3	2,045	41	131	44	78	167	38	18	55	13	8	86	263	209	187	358	82	13	457	32
-	33	-	2	-	3	2	-	-	1	-	-	1	3	11	-	10	4	1	5	33
-	35	-	-	1	1	5	-	1	-	-	-	-	11	4	7	5	1	-	6	34
-	26	-	-	-	1	3	2	2	-	-	-	1	8	-	8	6	-	1	9	35
-	6	-	-	-	-	2	-	-	-	-	-	-	1	7	2	-	-	-	2	36
1	48	1	2	2	-	6	1	-	1	-	-	1	3	2	2	4	1	-	11	37
-	5	1	-	1	-	-	-	-	1	-	-	1	1	2	-	1	-	-	3	38
-	193	5	10	2	4	13	4	2	7	3	2	9	21	18	13	21	10	1	42	39
-	14	-	3	1	-	2	-	-	1	-	-	-	4	-	2	6	1	-	4	40
-	37	2	1	-	4	4	1	-	2	-	-	2	5	2	1	8	3	-	8	41
-	9	-	-	-	1	1	-	-	-	-	-	-	2	1	-	2	-	-	1	42
-	18	-	1	1	2	2	-	-	-	-	-	2	3	-	1	12	1	-	4	43
-	64	-	1	1	-	4	1	-	1	-	-	2	9	5	11	7	-	-	15	44
-	5	-	1	-	-	2	-	-	-	1	-	-	1	1	3	1	1	-	2	45
-	46	1	1	1	-	9	1	1	1	-	-	4	3	3	5	5	4	-	13	46
-	116	3	12	2	5	5	6	1	-	1	3	2	21	4	10	19	5	2	23	47
-	71	2	5	2	5	3	1	1	5	-	-	1	9	4	7	11	2	-	16	48
-	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	49
-	29	-	-	-	-	5	1	1	1	-	-	-	9	5	7	11	1	-	12	50
-	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	51
-	10	1	2	-	-	2	-	1	1	-	-	1	-	-	1	1	-	-	3	52
-	32	2	3	-	2	5	-	1	2	-	1	4	7	10	5	14	-	-	13	53
-	10	-	2	-	1	1	1	-	-	-	-	1	-	2	2	2	1	1	4	54
-	16	-	1	1	-	2	-	-	-	-	-	-	-	-	1	2	-	-	1	55
-	42	1	1	1	3	2	-	-	1	1	-	5	6	13	3	10	-	-	10	56
-	117	-	11	-	14	4	-	-	2	-	-	5	11	4	2	12	4	1	17	57
-	6	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	58
-	37	-	1	-	1	2	1	1	1	-	-	-	6	-	2	12	2	-	5	59
-	9	-	-	-	-	-	-	-	1	-	-	1	4	3	-	3	-	-	2	60
-	22	2	3	-	-	2	2	-	-	-	-	-	2	10	-	1	-	-	5	61
-	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	62
-	11	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	1	63
-	110	3	13	1	3	6	-	1	3	-	-	6	15	11	6	20	4	-	16	64
-	19	-	-	-	1	5	-	1	-	-	-	-	3	2	4	2	1	1	6	65
-	46	1	8	2	3	3	-	-	-	-	-	7	4	2	3	12	3	-	6	66
-	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	67
-	17	-	2	-	3	3	-	-	-	-	1	-	2	-	2	2	-	-	3	68
-	30	-	1	-	1	1	1	-	-	1	-	1	6	3	3	4	-	2	2	69
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	70
-	27	-	7	1	-	1	-	-	-	-	-	-	-	-	1	8	3	-	4	71
-	9	-	1	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	72
-	53	1	1	-	-	2	-	-	1	2	-	1	3	13	1	10	2	-	14	73
-	22	3	-	1	2	3	-	-	1	-	-	1	6	2	6	4	1	-	7	74
-	29	1	1	1	1	7	-	-	-	1	-	1	5	2	6	8	1	-	9	75
-	12	1	1	1	-	2	1	-	2	1	-	-	2	3	1	3	-	-	6	76
-	17	-	-	-	2	3	-	2	-	-	-	2	2	2	2	6	4	-	2	77
-	28	-	1	1	-	1	3	-	-	-	-	1	-	-	1	1	-	-	5	78
1	267	2	8	10	7	21	6	2	13	-	-	5	29	20	15	44	8	1	73	79
-	9	-	4	-	1	-	-	-	-	-	-	-	2	1	9	4	2	-	2	80
-	10	2	2	-	1	2	-	-	-	-	-	-	2	-	2	3	1	-	6	81
-	24	-	3	-	-	-	-	-	-	-	-	2	-	7	1	2	-	-	7	82
-	27	1	1	1	1	9	-	-	2	-	-	-	3	6	4	2	1	1	6	83
-	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	84

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	MONTANA—Continued																
1	Valley	105	-	-	-	-	-	-	-	-	-	-	15	3	57	55	8
2	Wheatland	36	-	-	-	-	-	-	-	-	-	1	7	1	18	18	5
3	Wibaux	10	-	-	-	-	-	-	-	-	-	-	-	-	6	6	1
4	Yellowstone	430	7	-	1	-	-	-	-	-	1	-	71	10	208	206	54
5	Yellowstone Nat. Park (pt.)	4	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-
6	NEBRASKA	12,909	113	28	-	3	3	5	13	14	4	35	2,007	248	6,889	6,719	1,637
7	Metropolitan counties	4,090	60	17	-	-	2	-	6	4	-	9	678	85	2,205	2,159	499
8	Nonmetropolitan counties	8,819	53	11	-	3	1	5	7	10	4	26	1,329	163	4,684	4,560	1,138
9	Adams	292	1	-	-	-	-	-	-	-	-	1	33	8	149	146	29
10	Antelope	114	-	-	-	-	-	-	-	-	1	-	17	3	63	61	17
11	Arthur	6	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-
12	Banner	10	-	-	-	-	-	-	-	-	-	-	-	-	5	5	1
13	Blaine	10	-	-	-	-	-	-	-	-	-	-	2	1	4	4	1
14	Boone	118	-	-	-	-	-	-	-	-	-	-	17	-	70	70	14
15	Box Butte	97	1	-	-	-	-	-	-	-	-	-	12	2	56	55	13
16	Boyd	57	-	-	-	-	-	-	-	-	-	-	11	-	26	25	5
17	Brown	48	1	-	-	-	-	-	-	-	-	1	2	2	27	26	6
18	Buffalo	208	3	-	-	-	-	-	-	2	-	-	36	6	98	96	14
19	Burt	116	2	-	-	-	-	-	-	-	-	1	15	2	72	68	18
20	Butler	110	-	-	-	-	-	-	-	-	1	-	21	2	52	51	15
21	Cass	175	2	-	-	-	-	-	-	-	-	2	22	3	97	93	29
22	Cedar	136	-	-	-	-	-	-	-	-	-	-	16	3	65	64	10
23	Chase	41	-	-	-	-	-	-	-	-	-	-	4	-	20	20	4
24	Cherry	75	1	-	-	-	-	-	-	-	-	-	12	4	36	35	13
25	Cheyenne	89	-	-	-	-	-	-	-	-	-	-	15	3	38	36	7
26	Clay	104	-	-	-	-	-	-	-	-	-	-	15	2	64	60	15
27	Colfax	117	-	1	-	-	-	-	-	-	-	-	21	6	59	58	14
28	Cuming	119	-	-	-	-	-	-	-	-	-	-	23	2	58	58	16
29	Custer	190	-	-	-	-	-	-	-	-	-	1	34	6	95	91	16
30	Dakota	91	1	2	-	-	-	-	-	-	-	-	14	1	50	49	14
31	Dawes	103	-	-	-	-	-	1	-	-	-	-	20	3	54	53	13
32	Dawson	168	1	-	-	-	-	-	-	-	-	-	25	5	89	86	23
33	Deuel	28	-	-	-	-	-	-	-	-	-	-	4	1	18	18	5
34	Dixon	81	1	-	-	-	-	1	-	-	-	-	14	3	35	35	8
35	Dodge	271	2	1	-	-	-	-	-	-	-	1	45	10	144	140	34
36	Douglas	2,937	53	14	-	-	2	-	5	4	-	3	476	45	1,598	1,568	377
37	Dundy	27	-	-	-	-	-	-	1	-	-	-	1	-	18	18	3
38	Fillmore	122	3	-	-	1	-	-	-	-	-	1	10	4	65	63	14
39	Franklin	84	-	-	-	-	-	-	-	-	-	-	12	-	50	50	10
40	Frontier	52	-	-	-	-	-	-	1	-	-	-	7	1	28	28	11
41	Furnas	99	2	-	-	-	-	-	-	-	-	-	9	1	61	59	18
42	Gage	265	-	-	-	-	-	-	1	-	-	-	42	5	154	151	45
43	Garden	36	-	-	-	-	-	-	-	-	-	-	3	-	20	19	7
44	Garfield	33	-	2	-	-	-	-	-	-	-	-	6	-	14	14	1
45	Gosper	27	-	-	-	-	-	-	-	-	-	-	3	1	15	13	6
46	Grant	11	-	-	-	-	-	-	-	-	-	-	-	-	7	7	2
47	Greeley	78	-	-	-	-	-	-	-	-	-	-	17	-	33	32	6
48	Hall	297	3	-	-	-	-	-	-	1	-	2	48	4	157	151	31
49	Hamilton	100	-	-	-	-	-	-	-	-	-	-	13	1	57	55	18
50	Harlan	51	-	-	-	-	-	-	-	-	-	-	6	1	28	28	7
51	Hayes	16	-	-	-	-	-	-	-	-	-	-	1	1	11	11	2
52	Hitchcock	58	-	-	-	-	-	-	-	-	-	-	8	3	31	31	7
53	Holt	140	-	1	-	-	-	-	-	1	-	-	24	3	85	62	12
54	Hooker	11	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-
55	Howard	67	-	-	-	-	-	-	-	-	-	-	12	-	35	35	11
56	Jefferson	165	-	1	-	-	-	-	-	-	-	-	17	1	99	96	22
57	Johnson	66	1	-	-	-	-	-	-	-	-	-	10	3	43	42	11
58	Kearney	71	-	-	-	-	-	-	-	-	-	-	11	1	40	38	5
59	Keith	54	-	-	-	-	-	-	-	-	-	-	6	-	26	26	7
60	Keya Paha	16	-	-	-	-	-	-	-	-	-	-	2	1	9	8	3
61	Kimball	32	-	-	-	-	-	-	-	1	-	-	5	-	19	19	3
62	Knox	146	-	-	-	-	-	-	-	-	-	-	19	2	99	99	22
63	Lancaster	1,056	5	3	-	-	-	-	1	-	-	4	187	20	560	544	116
64	Lincoln	240	3	-	-	-	-	1	1	-	-	-	41	5	114	111	30
65	Logan	12	-	-	-	-	-	-	-	-	-	-	2	-	6	6	3
66	Loup	7	-	-	-	-	-	-	-	-	-	-	1	-	4	4	-
67	McPherson	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
68	Madison	264	1	-	-	-	-	-	-	-	-	2	45	8	138	135	37
69	Merrick	102	2	-	-	-	-	-	-	-	-	-	14	-	50	49	9
70	Morrill	67	-	-	-	-	-	-	-	-	-	-	3	1	34	34	6
71	Nance	69	-	-	-	-	-	-	-	-	-	-	8	-	37	35	7
72	Nemaha	100	2	-	-	-	-	-	-	-	-	2	15	1	59	59	20
73	Nuckolls	103	1	-	-	-	-	-	-	-	-	-	20	-	54	54	5
74	Otoe	164	-	-	-	-	-	-	1	-	-	1	32	4	77	73	19
75	Pawnee	86	-	-	-	-	-	-	-	-	-	-	17	-	54	53	13
76	Perkins	40	-	-	-	-	-	-	-	-	-	-	7	1	22	22	2
77	Phelps	108	-	-	-	-	-	-	-	-	1	-	14	2	62	62	15
78	Pierce	75	1	-	-	-	-	2	-	-	-	-	14	1	41	41	9
79	Platte	168	-	-	-	1	-	-	-	-	-	1	19	5	94	91	26
80	Polk	90	-	-	-	-	-	-	-	-	-	-	19	3	45	45	14
81	Red Willow	124	1	-	-	-	-	-	-	1	-	2	23	5	52	48	8
82	Richardson	160	3	-	-	-	-	-	2	-	1	-	21	1	93	92	24
83	Rock	37	-	-	-	-	-	-	-	-	-	-	7	-	19	19	3
84	Saline	148	-	-	-	-	-	-	-	-	-	-	23	9	86	81	34
85	Sarpy	97	2	-	-	-	-	-	-	-	-	2	15	-	47	47	6

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	41	-	4	2	2	-	1	-	-	-	1	2	4	2	9	4	1	1	5	1
-	10	2	1	-	-	-	-	-	-	-	-	1	1	3	-	1	1	-	2	2
-	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	3
1	134	3	8	6	2	9	3	-	3	1	-	9	23	11	11	24	5	-	33	4
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5
14	4,574	90	325	79	170	425	69	41	90	39	24	158	509	123	358	549	151	13	998	6
9	1,487	28	113	23	46	118	27	12	39	15	4	43	162	26	89	162	41	9	297	7
5	3,087	62	212	56	124	307	42	29	51	24	20	115	347	97	269	387	110	4	701	8
-	104	5	7	1	3	9	2	2	4	1	-	6	14	4	16	7	4	-	31	9
-	37	3	4	-	2	6	-	-	-	-	-	-	3	2	3	7	-	-	9	10
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	11
-	3	-	1	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	12
-	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	13
-	49	1	5	1	-	4	-	-	-	-	-	-	7	3	1	7	2	-	7	14
-	35	1	3	3	1	-	-	-	-	-	-	1	7	-	2	2	1	-	13	15
-	20	-	-	-	1	2	1	-	-	-	-	1	4	1	3	2	1	-	5	16
-	20	-	-	-	1	2	-	-	-	-	1	-	5	-	1	4	-	-	2	17
-	70	5	5	2	2	7	1	-	-	-	1	-	7	8	7	7	2	-	23	18
-	44	1	3	2	4	-	-	-	-	-	-	1	5	1	3	5	1	-	8	19
-	30	1	4	1	1	4	-	-	1	1	-	3	5	3	6	3	4	-	4	20
-	53	-	10	1	4	10	-	-	2	1	-	3	4	4	5	6	2	-	12	21
-	51	-	2	1	1	3	1	-	1	-	-	2	8	2	6	8	4	-	17	22
-	16	-	-	-	-	2	-	-	-	-	-	1	3	1	1	4	1	-	4	23
-	19	-	1	2	1	3	-	-	-	-	-	1	3	1	1	6	2	-	5	24
-	26	-	1	2	2	4	-	-	-	1	-	4	5	1	2	5	-	-	11	25
-	43	1	1	-	4	2	1	-	-	-	-	1	1	1	2	7	-	1	7	26
-	38	-	4	2	1	2	-	-	-	-	-	-	5	1	3	4	4	-	11	27
-	41	-	1	-	-	3	-	-	-	-	-	1	12	1	4	4	1	-	10	28
-	69	1	4	1	4	5	2	1	3	-	1	2	4	2	3	10	-	-	21	29
-	28	2	3	2	1	3	-	1	-	-	-	2	4	2	1	2	1	-	7	30
-	38	-	1	1	1	6	1	-	-	-	-	1	2	2	2	-	2	-	9	31
1	58	2	2	-	3	5	1	1	-	-	2	3	7	1	9	8	1	-	10	32
-	11	1	1	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	33
-	22	-	4	1	-	8	-	-	-	-	1	-	4	-	1	5	3	-	5	34
-	96	4	6	-	4	13	4	-	-	2	-	6	10	2	1	3	1	-	26	35
8	1,083	22	63	15	30	80	17	10	31	5	3	28	127	14	62	108	29	7	216	36
-	15	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	-	-	2	37
-	37	1	11	-	2	6	-	-	1	-	-	2	2	1	4	5	-	-	17	38
-	39	-	-	1	-	3	-	-	1	-	-	-	2	2	3	5	2	-	4	39
-	16	1	-	-	-	-	-	-	-	2	-	-	1	-	3	6	-	-	3	40
-	36	-	3	2	2	2	1	1	-	-	1	2	4	1	3	2	2	-	7	41
-	97	2	3	4	3	12	1	-	2	-	-	5	7	1	4	7	3	1	20	42
-	12	-	-	-	1	-	-	-	-	-	-	-	2	2	1	-	2	-	6	43
-	12	-	1	-	-	-	-	-	1	-	-	-	1	-	-	4	-	-	5	44
-	4	1	1	1	2	1	-	-	-	1	-	-	-	-	1	1	-	-	4	45
-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	46
-	21	1	4	-	1	6	-	2	1	-	-	-	5	-	3	4	1	-	6	47
-	107	-	11	2	6	16	2	4	2	2	1	4	6	4	8	13	2	-	18	48
-	28	-	8	1	2	1	-	1	-	-	-	3	3	1	2	4	-	-	14	49
-	20	-	1	-	-	1	-	-	-	-	-	1	1	1	4	5	-	-	3	50
-	8	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	51
-	22	1	1	-	-	2	-	-	2	-	-	1	-	1	3	1	1	-	5	52
-	44	2	4	-	3	6	2	1	1	-	-	2	8	2	2	7	1	-	14	53
-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	2	54
-	24	-	-	-	-	1	-	-	1	1	-	-	3	1	2	5	1	-	5	55
1	64	3	4	2	3	12	1	-	2	2	-	-	2	1	5	7	3	-	12	56
-	29	1	-	1	1	4	-	-	-	-	-	-	-	1	1	-	-	-	3	57
-	32	-	-	1	2	2	1	-	1	-	-	-	9	-	-	3	-	-	2	58
-	17	-	2	-	-	4	-	-	-	-	-	1	5	1	2	-	1	1	7	59
-	4	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	60
-	15	-	1	-	-	1	-	-	-	-	-	1	1	-	-	2	1	-	1	61
-	75	-	2	-	-	3	1	-	-	-	1	1	3	-	2	4	2	-	9	62
1	364	6	50	7	16	35	9	2	7	9	1	13	32	10	25	48	10	1	74	63
-	76	2	3	-	3	8	1	-	1	-	2	5	19	3	8	11	-	-	17	64
-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	65
-	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-1	-	-	-	-	67
-	90	-	5	3	3	10	-	-	1	1	1	2	6	4	9	10	2	-	24	68
-	36	2	2	-	1	-	2	-	1	2	-	2	5	2	8	6	1	-	7	69
-	27	-	1	-	-	2	-	-	-	-	-	2	7	1	4	5	-	1	7	70
-	25	1	2	-	2	3	-	1	-	1	-	3	3	1	2	1	2	-	7	71
-	38	1	-	-	-	3	-	-	1	-	-	1	-	1	1	4	1	-	9	72
-	44	1	3	1	-	3	-	1	-	2	-	2	4	-	4	7	-	-	5	73
-	48	-	5	1	4	3	1	2	1	-	1	2	3	2	4	11	3	-	16	74
-	40	-	-	-	1	4	1	-	-	-	-	1	2	-	1	2	-	-	4	75
-	18	1	1	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	4	76
-	42	-	4	1	-	1	3	1	-	-	-	-	3	1	3	11	-	-	6	77
-	31	-	1	-	-	4	-	1	1	-	1	1	1	-	2	1	2	-	4	78
-	52	4	7	2	3	5	-	-	2	-	-	3	11	-	5	9	1	-	12	79
1	27	-	3	-	-	2	-	-	-	-	-	-	4	-	5	3	2	-	7	80
-	34	-	6	-	4	2	-	-	2	-	-	4	3	1	12	8	-	-	8	81
-	60	1	7	-	1	3	-	-	2	-	2	3	8	2	2	8	2	-	7	82
-	16	-	-	-	-	1	-	-	-	-	-	1	3	-	-	1	1	-	4	83
-	43	1	2	1	5	5	-	1	1	-	-	2	2	1	-	3	8	-	7	84
-	40	-	-	1	-	3	1	-	1	1	-	2	3	2	2	6	2	1	7	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	NEBRASKA--Continued																
1	Saunders	182	-	-	-	-	-	-	-	1	-	4	35	-	97	94	22
2	Scotts Bluff	268	1	2	-	-	-	-	-	3	-	1	41	6	122	118	29
3	Seward	154	1	1	-	-	-	-	-	-	-	-	28	1	84	82	29
4	Sheridan	80	-	-	-	-	-	1	-	-	-	-	12	4	35	34	11
5	Sherman	58	-	-	-	-	-	-	-	-	-	-	10	2	22	22	4
6	Sioux	14	-	-	-	-	-	-	-	-	-	-	2	-	9	9	1
7	Stanton	48	-	-	-	-	-	-	-	-	-	-	5	1	24	24	10
8	Thayer	100	2	-	-	-	-	-	-	-	-	2	16	-	56	54	19
9	Thomas	8	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1
10	Thurston	95	7	-	-	-	1	1	-	-	-	-	7	1	41	37	6
11	Valley	84	-	-	-	-	-	-	-	-	-	-	14	-	43	41	8
12	Washington	108	2	-	-	-	-	-	-	-	-	-	14	3	60	60	14
13	Wayne	90	1	-	-	-	-	-	-	-	-	-	10	1	62	62	21
14	Webster	97	-	-	-	-	-	-	-	-	-	1	16	2	64	60	17
15	Wheeler	12	-	-	-	1	-	-	-	-	-	-	2	-	5	5	2
16	York	157	-	-	-	-	-	-	-	-	-	-	27	5	83	78	21
17	NEVADA	1,673	56	14	-	3	-	2	2	3	3	8	204	23	705	686	144
18	Nonmetropolitan counties-	1,673	56	14	-	3	-	2	2	3	3	8	204	23	705	686	144
19	Churchill	78	1	-	-	-	-	-	-	-	1	-	10	-	32	32	7
20	Clark	420	14	5	-	1	-	1	1	-	-	1	43	8	180	176	40
21	Douglas	29	3	-	-	-	-	1	-	-	-	1	3	-	14	13	5
22	Elko	127	7	2	-	-	-	-	-	-	1	-	13	1	47	47	10
23	Esmeralda	10	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1
24	Eureka	7	-	-	-	-	-	-	-	-	-	-	-	-	5	5	1
25	Humboldt	66	1	1	-	-	-	-	-	-	-	-	7	1	24	23	1
26	Lander	25	1	-	-	-	-	-	-	-	-	-	4	-	9	9	3
27	Lincoln	31	1	1	-	-	-	-	-	-	-	1	3	-	13	13	3
28	Lyon	41	1	-	-	-	-	-	-	-	1	-	5	-	14	13	5
29	Mineral	54	1	1	-	-	-	-	-	1	-	-	1	2	14	12	2
30	Nye	61	4	-	-	-	-	-	-	-	-	-	7	-	23	22	4
31	Ormsby	38	-	-	-	-	-	-	1	-	-	-	1	-	23	22	4
32	Pershing	30	-	-	-	-	-	-	-	-	-	-	4	-	19	17	4
33	Storey	10	2	-	-	-	-	-	-	-	-	-	-	1	7	7	-
34	Washoe	541	16	4	-	1	-	-	-	2	-	3	88	9	244	239	45
35	White Pine	105	4	-	-	1	-	-	-	-	-	2	14	1	34	33	9
36	NEW HAMPSHIRE	6,204	64	16	-	-	-	1	7	-	2	15	996	117	3,626	3,541	687
37	Metropolitan counties----	1,835	22	7	-	-	-	-	-	-	1	5	314	38	1,060	1,041	190
38	Nonmetropolitan counties-	4,369	42	9	-	-	-	1	7	-	1	10	682	79	2,566	2,500	497
39	Belknap	328	1	1	-	-	-	-	2	-	-	1	59	2	199	195	46
40	Carroll	211	2	-	-	-	-	-	-	-	-	1	32	4	120	119	22
41	Cheshire	470	4	-	-	-	-	-	-	-	1	1	74	6	285	275	64
42	Coos	387	1	-	-	-	-	-	-	-	-	-	52	8	214	211	45
43	Grafton	580	5	1	-	-	-	-	1	-	-	1	94	8	329	328	74
44	Hillsborough	1,835	22	7	-	-	-	-	-	-	1	5	314	38	1,060	1,041	190
45	Merrimack	713	11	2	-	-	-	-	-	-	-	2	107	18	431	420	90
46	Rockingham	817	11	1	-	-	-	-	1	-	-	-	111	15	487	470	81
47	Strafford	567	5	3	-	-	-	-	2	-	-	3	97	16	324	312	50
48	Sullivan	296	2	1	-	-	-	1	1	-	-	1	56	2	177	170	25
49	NEW JERSEY	50,443	1,025	142	1	7	1	3	22	40	8	112	8,830	1,071	28,516	27,844	4,983
50	Metropolitan counties----	44,654	961	127	1	6	-	3	18	40	8	104	7,941	937	25,065	24,488	4,416
51	Nonmetropolitan counties-	5,789	64	15	-	1	1	-	4	-	-	8	889	134	3,451	3,356	567
52	Atlantic	1,865	47	10	-	-	-	-	-	-	-	4	322	37	1,107	1,086	221
53	Bergen	4,828	57	4	1	-	-	2	3	4	3	12	965	107	2,675	2,626	499
54	Burlington	1,266	18	5	-	-	-	-	-	1	1	5	182	22	730	714	147
55	Camden	3,235	76	11	-	-	-	-	1	7	-	8	504	53	1,896	1,838	320
56	Cape May	537	8	1	-	-	-	-	-	-	-	2	88	11	333	326	54
57	Cumberland	1,038	11	5	-	1	1	-	-	-	-	1	140	22	617	600	101
58	Essex	9,701	234	31	-	3	-	1	3	5	2	24	1,770	217	5,344	5,222	905
59	Gloucester	941	25	2	-	-	-	-	1	1	-	1	140	16	534	509	100
60	Hudson	7,074	175	17	-	1	-	-	5	2	1	14	1,310	152	4,046	3,981	657
61	Hunterdon	504	4	2	-	-	-	-	1	-	-	-	65	15	310	298	58
62	Mercer	2,433	105	10	-	-	-	-	3	3	-	5	411	49	1,306	1,271	269
63	Middlesex	2,541	33	4	-	-	-	-	-	3	-	8	456	61	1,354	1,318	228
64	Monmouth	2,621	28	3	-	-	-	-	3	-	-	3	418	57	1,551	1,511	247
65	Morris	1,653	25	3	-	-	-	-	1	4	-	2	284	28	971	957	168
66	Ocean	699	9	2	-	-	-	-	-	-	-	-	110	16	418	406	63
67	Passaic	3,490	62	12	-	1	-	-	1	3	-	8	647	84	1,909	1,860	306
68	Salem	540	8	2	-	-	-	-	-	-	-	2	69	8	317	305	54
69	Somerset	863	13	1	-	-	-	-	-	-	-	3	145	17	494	475	91
70	Sussex	390	4	2	-	-	-	-	-	-	-	2	68	13	222	215	44
71	Union	3,549	75	13	-	1	-	-	-	7	1	8	645	70	1,955	1,910	377
72	Warren	675	8	2	-	-	-	-	-	-	-	-	91	16	427	416	74

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	62	1	7	2	3	10	1	1	2	-	-	-	5	-	7	6	3	-	10	1
1	81	1	5	1	4	11	2	2	-	2	1	2	22	1	10	12	4	-	23	2
1	50	1	-	1	2	2	1	2	1	-	1	2	5	1	4	6	4	-	10	3
-	22	-	1	-	1	1	-	-	2	-	1	1	5	-	4	5	2	-	7	4
-	16	-	2	-	-	2	-	-	1	1	-	3	2	1	2	7	-	-	5	5
-	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	6
-	13	-	1	-	-	5	-	-	1	-	-	1	1	2	-	2	-	-	6	7
-	33	-	1	1	2	4	-	-	1	-	-	-	3	1	3	8	-	-	4	8
-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-	-	-	9
-	29	-	2	-	4	4	-	-	1	-	-	1	5	3	8	8	1	-	6	10
-	29	1	3	-	2	3	-	-	-	-	-	1	4	2	4	5	-	-	8	11
-	44	-	1	1	-	6	-	-	-	-	-	-	-	-	7	2	3	-	11	12
-	37	1	3	-	-	3	-	-	-	1	-	2	1	-	1	-	1	-	7	13
-	40	-	2	1	4	2	2	1	-	-	-	-	2	-	-	3	3	-	1	14
-	3	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	15
-	56	1	-	-	5	5	3	1	1	1	-	1	7	1	2	7	-	-	13	16
3	490	7	27	15	19	58	11	9	30	1	4	22	81	55	94	108	51	16	110	17
3	490	7	27	15	19	58	11	9	30	1	4	22	81	55	94	108	51	16	110	18
-	24	-	1	-	-	7	-	-	1	-	-	1	7	3	3	6	1	1	4	19
2	126	2	2	4	4	5	1	4	6	1	3	7	31	9	26	24	18	1	30	20
-	7	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	1	2	21
-	26	-	6	5	-	8	-	1	2	-	-	2	3	6	9	13	4	1	7	22
-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	3	-	23
-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	24
-	21	-	-	1	1	3	-	-	2	-	-	-	3	3	4	5	4	2	6	25
-	6	-	-	-	-	4	-	1	-	-	-	-	1	-	-	2	-	-	3	26
-	10	-	-	-	-	1	-	-	-	-	-	-	2	2	4	1	1	-	-	27
-	8	-	-	-	1	1	1	-	-	-	-	1	-	2	6	3	3	-	3	28
-	10	-	-	-	2	3	-	-	1	-	1	3	2	6	3	7	4	-	4	29
-	16	1	1	-	1	3	-	1	-	-	-	-	-	10	6	4	1	1	1	30
-	14	-	3	1	1	2	-	1	-	-	-	-	2	-	2	1	1	2	2	31
1	11	-	1	-	2	-	1	-	-	-	-	-	-	2	-	3	-	-	1	32
-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	177	3	10	4	5	20	6	-	15	-	-	6	21	3	25	31	8	3	36	34
-	22	-	2	-	1	1	2	1	3	-	-	2	8	7	3	6	5	-	11	35
4	2,551	41	224	34	85	180	31	28	52	7	6	62	170	46	76	214	93	3	392	36
1	752	11	82	5	19	55	8	7	27	2	1	13	52	9	15	56	24	1	118	37
3	1,799	30	142	29	66	125	23	21	25	5	5	49	118	37	61	158	69	2	274	38
-	135	2	9	3	4	3	-	1	2	-	-	5	12	-	3	11	6	-	20	39
1	89	-	5	2	1	5	3	-	2	1	-	-	5	-	6	11	2	1	16	40
1	180	6	21	3	10	8	3	3	4	-	1	3	12	-	10	7	7	-	41	41
-	155	2	9	-	3	16	3	2	3	1	2	6	14	4	6	25	8	-	22	42
-	228	3	16	7	1	17	1	-	1	-	-	8	16	20	12	22	10	-	34	43
1	752	11	82	5	19	55	8	7	27	2	1	13	52	9	15	56	24	1	118	44
-	294	8	22	6	11	25	5	3	3	2	-	6	13	4	4	19	13	-	45	45
-	354	6	25	4	17	31	3	8	6	1	2	8	27	7	6	31	17	1	43	46
1	233	1	24	3	12	18	4	3	3	-	-	9	12	-	11	24	4	-	29	47
-	131	2	11	1	7	2	1	1	1	-	-	4	7	2	3	8	2	-	24	48
62	21,134	401	1,005	259	672	1,250	337	174	635	77	69	555	1,630	125	740	1,582	511	128	2,852	49
58	18,583	362	853	216	577	1,115	306	150	588	67	64	503	1,442	106	622	1,357	447	113	2,563	50
4	2,551	39	152	43	95	135	31	24	47	10	5	52	188	19	118	225	64	15	289	51
-	794	21	38	12	21	46	11	8	26	1	3	16	30	5	26	46	19	6	95	52
7	1,950	44	103	23	49	101	37	17	56	11	4	71	153	13	59	134	62	5	272	53
2	520	11	28	6	16	25	11	6	13	2	1	19	48	6	37	41	13	6	74	54
6	1,413	28	52	19	58	89	20	15	48	4	7	24	100	7	53	85	22	8	197	55
-	260	5	6	1	7	6	5	3	5	1	-	3	10	1	8	12	7	-	33	56
1	452	8	28	10	17	29	8	7	5	2	3	13	41	5	24	34	9	3	57	57
18	4,013	73	157	56	122	194	79	26	138	15	16	92	332	18	102	340	100	30	585	58
1	375	10	19	4	25	30	5	6	12	3	1	11	36	3	22	33	5	4	50	59
9	3,127	53	106	29	65	211	53	23	100	6	4	63	209	15	67	181	57	14	348	60
1	215	7	16	1	12	18	1	2	7	-	-	8	11	-	8	14	9	-	29	61
-	921	15	55	11	35	66	10	8	39	7	8	34	83	4	45	69	26	12	130	62
1	1,022	18	36	13	36	66	14	12	37	5	3	30	104	4	46	101	36	6	158	63
2	1,154	16	65	27	40	53	11	9	20	6	1	22	85	10	48	137	28	9	119	64
3	712	17	52	5	14	39	9	5	14	-	4	13	49	4	37	56	17	6	82	65
-	318	2	21	2	12	20	6	2	3	1	1	3	22	3	22	19	8	2	32	66
8	1,434	34	69	9	49	98	21	8	36	4	4	42	120	12	33	103	38	9	235	67
1	227	4	17	2	12	12	2	3	5	-	3	8	22	-	18	23	3	1	34	68
-	346	8	20	10	19	28	4	2	6	4	1	26	20	4	20	21	6	1	47	69
-	152	1	16	2	7	9	-	1	7	-	-	3	19	-	8	9	3	1	19	70
2	1,418	23	77	13	45	90	25	8	55	4	4	43	123	9	46	104	37	5	221	71
-	311	3	24	4	11	20	5	3	3	1	1	11	13	2	11	20	6	-	35	72

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
1	NEW MEXICO	5,614	208	28	-	29	2	27	3	12	16	29	542	55	1,560	1,495	285
2	Metropolitan counties	1,159	40	3	-	5	-	6	-	2	4	6	133	16	359	344	58
3	Nonmetropolitan counties	4,455	168	25	-	24	2	21	3	10	12	23	409	39	1,201	1,151	227
4	Bernalillo	1,159	40	3	-	5	-	6	-	2	4	6	133	16	359	344	58
5	Catron	25	-	-	-	-	-	-	-	-	-	-	2	-	4	4	-
6	Chaves	254	7	1	-	-	-	1	-	-	-	2	19	7	100	94	18
7	Colfax	136	2	2	-	-	-	-	1	-	-	-	15	1	47	46	10
8	Curry	160	-	2	-	-	-	-	-	1	-	1	26	2	66	63	11
9	De Baca	29	-	-	-	-	-	-	-	-	-	-	3	-	8	8	1
10	Dona Ana	317	11	3	-	4	-	-	-	-	1	1	34	3	82	80	19
11	Eddy	305	9	-	-	3	-	2	-	-	-	4	31	3	91	85	19
12	Grant	194	13	2	-	1	-	-	-	-	-	3	22	-	47	44	15
13	Guadalupe	66	1	-	-	-	-	1	-	1	1	-	7	-	21	20	3
14	Harding	21	2	-	-	-	-	-	-	-	-	-	2	1	4	3	2
15	Hidalgo	38	4	1	-	-	-	-	-	-	-	-	3	1	10	10	4
16	Lea	163	4	1	-	1	-	-	-	1	-	1	18	3	43	42	8
17	Lincoln	55	-	-	-	-	-	-	-	-	-	-	7	-	20	18	4
18	Los Alamos	34	2	-	-	-	-	-	-	-	-	-	6	-	11	11	2
19	Luna	76	-	1	-	-	1	-	-	1	-	-	11	-	21	20	6
20	McKinley	373	37	1	-	2	-	4	-	1	-	2	16	2	45	44	7
21	Mora	90	3	-	-	-	-	2	-	-	-	-	7	-	15	15	2
22	Otero	110	1	1	-	-	-	-	-	-	2	1	9	1	28	25	7
23	Quay	104	1	-	-	1	-	-	-	-	2	-	12	1	38	37	3
24	Rio Arriba	214	8	1	-	1	-	2	-	1	2	2	16	1	42	39	7
25	Roosevelt	104	2	2	-	-	-	1	-	-	-	-	11	1	51	49	11
26	Sandoval	122	1	-	-	2	-	5	-	-	-	-	7	1	21	20	6
27	San Juan	240	21	-	-	2	-	-	1	-	1	1	10	1	50	49	4
28	San Miguel	251	10	-	-	1	-	-	-	1	2	1	28	2	62	60	8
29	Santa Fe	318	13	6	-	-	1	-	-	2	-	-	30	3	90	90	18
30	Sierra	88	5	-	-	1	-	1	-	-	-	-	5	-	35	34	2
31	Socorro	80	4	-	-	-	-	-	-	-	-	-	6	1	29	28	8
32	Taos	159	4	1	-	2	-	-	-	-	-	3	9	-	20	20	8
33	Torrance	68	1	-	-	1	-	1	-	-	-	-	8	-	15	14	3
34	Union	73	1	-	-	-	-	1	1	-	-	-	17	2	24	23	3
35	Valencia	188	1	-	-	2	-	-	-	1	1	1	14	2	61	56	8
36	NEW YORK	158,486	3,488	542	3	5	1	10	60	64	23	303	27,263	2,927	89,820	86,308	14,082
37	Metropolitan counties	130,084	3,174	460	3	4	1	6	47	50	15	246	23,213	2,439	72,830	71,732	10,539
38	Nonmetropolitan counties	28,404	314	82	-	1	-	4	13	14	8	57	4,050	488	16,990	16,576	3,543
39	Albany	3,189	62	11	-	-	-	-	1	-	3	2	503	67	1,974	1,929	325
40	Allegany	523	6	1	-	-	-	-	-	-	1	3	69	5	299	288	60
41	Broome	1,899	33	4	-	-	-	-	-	2	-	2	305	32	1,072	1,057	206
42	Cattaraugus	858	7	3	-	-	-	-	1	-	-	2	106	12	491	485	82
43	Cayuga	875	10	4	-	-	-	-	1	-	-	-	111	15	541	527	88
44	Chautauqua	1,648	13	1	-	-	-	2	-	1	1	2	217	40	1,012	992	223
45	Chemung	899	12	3	-	-	-	-	-	-	-	5	134	10	536	528	127
46	Chenango	540	5	2	-	-	-	-	-	-	-	1	81	11	335	303	48
47	Clinton	519	7	2	-	-	-	-	2	-	-	1	79	9	298	290	55
48	Columbia	575	7	1	-	-	-	-	-	-	-	1	95	8	337	331	61
49	Cortland	428	2	1	-	-	-	-	-	-	-	-	62	11	260	254	52
50	Delaware	516	5	-	-	-	-	-	-	-	-	1	61	7	326	315	82
51	Dutchess	1,408	26	3	-	-	-	-	-	-	1	3	195	20	894	882	175
52	Erie	9,501	236	35	1	-	-	-	2	2	1	22	1,616	191	5,236	5,155	916
53	Essex	439	10	-	-	-	-	1	-	2	-	-	49	6	239	236	56
54	Franklin	552	15	-	-	-	-	-	-	-	-	2	73	10	329	320	72
55	Fulton	663	6	2	-	-	-	-	-	-	-	1	100	9	418	407	96
56	Genesee	560	7	2	-	-	-	-	1	1	-	4	88	11	329	324	80
57	Greene	447	2	1	-	-	-	-	-	1	-	1	80	6	279	268	65
58	Hamilton	58	1	1	-	-	-	-	-	-	-	-	12	-	34	34	8
59	Herkimer	741	10	4	-	-	-	1	2	1	-	1	95	11	447	439	96
60	Jefferson	1,047	6	3	-	-	-	-	-	-	-	2	158	19	616	608	135
61	Lewis	239	-	1	-	-	-	-	-	-	-	-	30	3	158	151	45
62	Livingston	421	6	2	-	-	-	-	-	-	-	-	62	7	257	249	65
63	Madison	543	3	1	-	-	-	-	-	-	-	2	66	11	328	318	66
64	Monroe	5,247	87	11	-	1	-	1	1	-	-	9	829	75	3,174	3,135	531
65	Montgomery	736	9	2	-	-	-	-	1	-	1	2	111	22	430	416	92
66	Nassau	5,868	87	16	-	-	-	-	-	10	1	12	1,092	97	3,126	3,068	496
67	New York City[1]	82,795	2,347	320	2	2	1	3	37	23	6	156	15,327	1,560	45,547	44,953	5,887
68	Niagara	1,770	44	3	-	-	-	-	-	1	2	2	280	39	994	955	186
69	Oneida	2,480	26	4	-	-	-	-	-	1	-	5	351	53	1,499	1,471	206
70	Onondaga	3,616	60	9	-	-	-	-	1	2	-	1	569	61	2,150	2,107	427
71	Ontario	753	6	3	-	-	-	-	-	-	-	1	104	13	444	437	109
72	Orange	1,864	29	9	-	-	-	-	2	-	-	3	277	36	1,098	1,075	235
73	Orleans	386	4	3	-	-	-	-	-	-	-	1	65	13	217	213	44
74	Oswego	920	9	4	-	-	-	-	1	3	-	2	110	7	577	563	123
75	Otsego	619	4	2	-	-	-	-	-	-	-	2	96	12	386	380	78
76	Putnam	266	3	-	-	-	-	-	-	-	-	1	48	6	160	154	23
77	Rensselaer	1,761	24	2	-	-	-	-	-	1	1	1	252	42	1,116	1,082	206
78	Rockland	814	13	1	-	-	-	-	1	-	-	2	146	10	482	472	70
79	St. Lawrence	1,128	7	2	-	-	-	-	-	2	1	1	127	18	667	647	133
80	Saratoga	949	5	3	-	-	-	-	-	-	-	1	150	12	557	545	100
81	Schenectady	1,572	18	9	-	-	-	-	-	3	-	3	258	34	959	940	163
82	Schoharie	310	3	1	-	-	-	-	-	-	-	1	44	5	209	209	44
83	Schuyler	165	-	-	-	-	-	-	-	-	-	-	26	4	97	96	20
84	Seneca	299	3	2	-	-	-	1	-	-	-	-	37	7	176	172	23
85	Steuben	1,051	12	6	-	-	-	-	-	-	-	3	158	17	589	581	128

[1]Comprising Bronx, Kings, New York, Queens, and Richmond Counties treated as a unit.

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
14	1,082	28	61	25	65	306	23	211	38	17	31	126	590	588	322	314	67	40	430	1
7	254	10	12	3	15	64	6	30	12	2	5	38	142	67	42	58	22	8	89	2
7	828	18	49	22	50	242	17	181	26	15	26	88	448	521	280	256	45	32	341	3
7	254	10	12	3	15	64	6	30	12	2	5	38	142	67	42	58	22	8	89	4
-	4	-	-	-	-	1	-	1	-	-	1	2	2	6	4	1	-	-	1	5
-	70	1	3	2	6	9	-	9	5	1	-	9	31	7	11	12	2	1	20	6
-	32	1	2	1	1	8	1	3	-	1	-	4	16	3	7	10	-	1	14	7
-	48	1	2	1	3	3	2	3	-	1	1	1	12	3	15	7	1	1	12	8
-	5	1	1	-	-	2	-	3	-	-	1	1	1	6	2	-	-	-	2	9
-	52	1	5	3	2	16	1	14	1	-	3	5	43	26	16	18	7	3	25	10
-	59	-	7	-	6	17	1	15	1	1	1	7	31	15	24	24	2	2	21	11
-	27	-	1	1	3	13	2	10	1	1	-	6	11	8	18	19	1	-	16	12
-	15	1	-	1	1	1	1	2	-	1	-	1	2	9	8	5	-	-	4	13
-	1	-	-	-	1	-	-	-	-	-	-	1	-	5	1	3	-	-	2	14
-	4	2	-	-	-	2	1	1	-	-	-	-	6	1	3	1	1	-	3	15
-	33	-	1	-	1	8	-	3	-	-	-	1	3	18	11	8	15	3	5	16	16
-	12	-	2	-	2	2	-	1	3	1	-	-	-	7	3	5	1	-	-	5	17
-	8	-	-	1	-	2	-	-	-	-	-	1	5	1	3	1	-	-	2	18
-	13	1	-	-	1	2	-	4	-	-	-	2	9	6	11	3	1	-	3	19
1	36	-	-	-	1	48	1	33	3	2	2	3	44	56	23	17	3	4	24	20
-	13	-	-	-	-	6	-	2	-	1	1	1	6	28	4	-	2	1	11	21
-	18	-	-	-	3	6	-	2	1	1	-	2	14	8	8	8	3	3	11	22
-	29	-	3	2	1	7	-	3	-	-	-	3	9	4	9	9	-	-	5	23
-	29	-	3	-	3	9	-	3	1	1	2	6	12	57	12	8	4	-	23	24
-	35	1	2	-	2	5	-	-	-	-	-	2	9	3	3	6	1	-	7	25
-	14	-	-	-	1	3	-	3	1	-	1	-	7	48	8	4	2	-	8	26
-	43	1	1	-	1	20	-	37	-	-	1	7	26	19	16	14	4	-	9	27
2	35	2	9	4	2	10	-	9	-	1	2	2	38	41	2	15	3	3	20	28
2	65	-	3	2	-	14	4	8	5	-	2	10	30	24	26	18	3	1	26	29
-	29	2	1	-	1	2	2	2	1	-	-	1	4	11	2	6	-	2	8	30
1	19	-	-	-	1	6	-	2	-	-	1	2	6	9	4	4	1	-	5	31
-	10	1	-	1	-	4	-	1	-	2	1	3	21	60	5	8	-	5	10	32
1	8	-	1	1	1	4	1	-	3	-	1	1	8	4	10	5	1	-	4	33
-	20	-	-	-	1	3	-	3	-	-	-	-	8	2	1	4	-	-	6	34
-	42	2	2	2	5	9	-	4	-	-	4	2	12	37	9	10	-	-	18	35
154	69,196	1,188	2,990	698	1,512	4,441	1,113	500	2,101	169	165	1,660	4,888	972	2,244	5,200	1,430	375	8,721	36
135	57,456	932	2,095	575	1,098	3,726	926	401	1,896	113	140	1,342	4,042	820	1,601	4,125	1,123	352	6,989	37
19	11,740	256	895	123	414	715	187	99	205	56	25	318	846	152	643	1,075	307	23	1,732	38
2	1,478	35	74	15	45	60	24	8	34	7	2	28	81	15	47	92	25	1	142	39
-	206	8	14	-	11	13	2	2	4	1	2	4	17	10	17	24	5	-	38	40
2	790	13	43	3	15	37	12	6	23	1	3	34	77	4	38	66	19	2	127	41
2	368	6	23	4	6	22	12	2	9	2	2	11	34	4	27	33	17	-	61	42
-	397	5	32	5	14	21	6	6	10	3	-	10	28	3	16	30	7	1	52	43
-	674	17	70	8	20	32	15	6	13	1	1	15	53	16	32	51	15	1	108	44
2	364	6	23	6	8	26	6	6	6	2	-	9	30	1	20	30	12	-	51	45
-	235	4	15	1	32	14	4	-	3	-	2	4	11	-	11	20	5	-	31	46
-	223	4	6	2	8	13	3	1	2	1	1	7	18	3	12	21	4	1	34	47
-	251	5	13	1	6	15	5	-	8	1	2	4	15	2	14	22	8	1	29	48
-	184	5	13	-	6	15	1	3	2	1	-	4	13	3	8	10	4	-	28	49
-	205	4	18	6	11	10	1	1	1	1	-	8	17	4	16	23	4	-	30	50
1	633	17	50	6	12	27	10	4	12	3	1	13	28	4	29	41	16	-	78	51
7	3,909	86	178	59	81	242	88	33	125	11	7	128	262	21	179	313	85	18	647	52
1	165	-	13	1	3	19	1	2	4	-	-	9	13	-	8	29	7	1	39	53
-	219	6	20	3	9	22	4	4	4	1	-	6	19	1	6	34	2	-	20	54
-	289	10	12	-	11	19	5	2	3	-	-	4	12	4	9	16	3	-	50	55
-	222	8	13	1	5	10	4	1	7	-	-	8	8	-	13	29	5	-	32	56
1	179	3	20	-	11	11	-	1	3	1	-	1	5	4	6	18	4	-	23	57
-	22	1	3	-	-	1	-	-	-	-	-	-	3	-	2	3	-	-	1	58
-	318	6	19	-	8	17	6	8	5	1	1	10	20	5	17	24	8	-	47	59
-	432	8	29	4	8	25	6	7	3	1	1	14	42	10	20	31	12	-	71	60
1	100	1	3	1	7	8	-	1	-	1	1	4	5	-	1	15	5	-	6	61
-	164	2	18	-	8	9	1	1	-	-	-	5	11	1	21	9	6	2	21	62
1	226	7	17	1	10	13	4	2	1	1	-	11	14	2	20	21	11	1	31	63
7	2,328	27	198	44	39	108	36	24	58	5	2	51	178	26	75	134	54	3	305	64
1	292	3	24	4	14	29	3	1	7	1	1	7	24	3	10	20	4	2	46	65
3	2,395	53	88	33	58	133	40	20	78	2	4	89	248	129	95	191	72	10	316	66
87	37,140	534	1,003	302	594	2,678	589	234	1,339	59	95	764	2,503	522	798	2,684	675	293	4,231	67
-	709	14	36	10	39	39	11	4	21	3	7	18	66	10	36	65	10	1	134	68
2	1,198	8	42	15	28	56	17	13	20	5	3	40	89	7	57	68	25	3	138	69
2	1,531	38	82	27	43	80	19	10	38	2	3	49	136	12	73	97	39	6	199	70
-	289	10	21	8	7	16	3	2	10	1	-	7	36	6	12	28	7	1	53	71
2	754	16	55	13	23	34	19	6	18	3	-	15	53	9	41	76	21	2	113	72
-	155	3	11	-	4	12	3	2	2	-	-	6	10	2	7	8	6	-	25	73
-	408	5	21	6	14	24	8	-	3	2	-	16	35	1	28	33	5	-	52	74
-	270	5	26	1	6	11	2	2	3	2	1	12	17	4	10	15	8	1	29	75
2	112	3	12	2	6	6	1	-	4	1	-	1	3	-	5	8	5	-	14	76
4	802	16	47	7	34	38	7	8	17	2	1	18	51	6	16	44	9	1	104	77
1	362	10	25	4	10	17	6	1	7	-	2	5	26	2	6	40	8	-	39	78
-	472	4	36	2	20	49	4	3	2	2	1	22	54	6	28	43	10	-	79	79
1	404	6	27	7	12	32	5	4	3	3	2	7	30	9	16	34	17	2	57	80
3	682	11	68	13	19	31	11	5	20	3	-	18	56	5	27	35	18	2	57	81
-	135	9	19	2	-	8	1	3	3	1	1	-	3	4	2	6	2	-	13	82
-	74	2	-	-	1	4	-	2	2	-	1	-	5	-	4	11	1	-	8	83
-	139	3	6	1	4	8	2	-	4	2	-	5	6	3	8	11	1	-	23	84
1	409	11	30	2	8	25	8	2	8	1	2	15	38	8	26	48	15	2	68	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	NEW YORK—Continued																
1	Suffolk	2,797	39	9	-	-	-	1	-	2	-	14	458	54	1,640	1,616	279
2	Sullivan	544	11	1	-	-	-	-	-	-	-	-	82	12	321	310	59
3	Tioga	387	4	2	-	-	-	-	1	1	-	1	51	6	232	221	61
4	Tompkins	557	3	-	-	-	-	-	1	-	1	-	84	4	342	335	82
5	Ulster	1,273	23	2	-	1	-	-	-	-	2	1	198	24	758	737	146
6	Warren	544	6	2	-	-	-	-	-	-	-	2	82	4	315	309	59
7	Washington	628	4	1	-	-	-	-	2	3	-	1	87	9	367	354	67
8	Wayne	666	9	3	-	-	-	-	-	-	-	1	107	15	378	371	90
9	Westchester	6,034	108	22	-	1	-	-	2	2	1	14	1,132	113	3,414	3,353	545
10	Wyoming	370	2	-	-	-	-	-	-	-	-	2	51	6	213	207	49
11	Yates	231	2	-	-	-	-	-	-	-	-	-	27	6	141	134	37
12	NORTH CAROLINA	31,371	627	122	-	22	19	53	41	10	6	140	3,305	385	16,122	15,501	4,152
13	Metropolitan counties	6,973	180	32	-	4	1	5	9	1	-	31	847	110	3,702	3,579	904
14	Nonmetropolitan counties	24,398	447	90	-	18	18	48	32	9	6	109	2,458	275	12,420	11,922	3,248
15	Alamance	437	9	2	-	-	-	-	-	-	-	1	48	4	216	210	55
16	Alexander	122	-	-	-	-	-	1	-		-	-	10	-	48	45	13
17	Alleghany	84	-	-	-	-	-	-	-	-	1	1	7	2	44	42	16
18	Anson	222	3	1	-	-	-	-	-	-	-	-	27	2	118	107	26
19	Ashe	163	1	-	-	-	-	-	-	-	-	-	17	-	80	74	21
20	Avery	75	5	-	-	-	-	-	-	-	-	1	5	-	34	33	8
21	Beaufort	401	13	2	-	1	2	-	-	-	-	-	37	8	201	196	68
22	Bertie	219	5	3	-	-	-	3	-	-	-	1	17	1	106	105	40
23	Bladen	226	3	-	-	-	-	-	1	-	-	-	16	-	119	114	32
24	Brunswick	156	2	-	-	-	1	1	-	-	-	1	11	1	84	82	22
25	Buncombe	1,016	27	3	-	-	-	-	3	-	-	3	138	11	543	530	119
26	Burke	238	3	-	-	-	1	-	-	-	-	1	34	2	119	113	26
27	Cabarrus	430	8	-	-	-	-	1	1	-	-	2	49	8	238	232	56
28	Caldwell	275	7	1	-	-	-	-	1	-	-	4	32	6	113	110	28
29	Camden	47	3	-	-	-	-	-	-	-	-	-	2	-	28	24	9
30	Carteret	201	5	1	-	-	-	-	1	-	-	-	19	3	113	107	30
31	Caswell	161	-	-	-	-	-	1	1	-	-	1	13	3	87	84	23
32	Catawba	449	4	1	-	-	-	-	2	1	-	1	46	7	238	233	54
33	Chatham	213	3	43	-	-	-	2	-	-	-	2	28	-	101	100	26
34	Cherokee	140	1	1	-	-	-	-	-	-	-	-	20	4	57	56	8
35	Chowan	108	1	1	-	-	-	1	-	-	-	1	14	2	51	50	17
36	Clay	23	-	-	-	-	1	-	-	-	-	-	2	-	14	14	6
37	Cleveland	387	7	1	-	-	1	3	-	1	-	2	36	3	221	215	66
38	Columbus	373	8	1	-	-	-	2	2	1	-	2	23	5	190	183	62
39	Craven	429	12	2	-	-	-	-	-	-	-	2	34	3	207	200	37
40	Cumberland	707	14	3	-	-	1	-	-	-	-	6	57	4	315	306	82
41	Currituck	68	2	-	-	-	-	-	-	-	-	-	12	-	38	38	7
42	Dare	62	1	-	-	-	-	-	-	-	-	-	7	1	33	33	4
43	Davidson	408	6	1	-	-	-	-	1	-	-	2	49	3	217	210	65
44	Davie	118	-	-	-	-	-	-	-	-	-	-	12	4	71	70	23
45	Duplin	351	4	-	-	-	-	2	-	-	-	5	36	2	188	181	62
46	Durham	739	29	4	-	-	-	1	-	-	-	4	90	21	383	371	103
47	Edgecombe	492	11	3	-	1	-	1	-	-	-	1	45	7	255	248	62
48	Forsyth	1,194	32	3	-	2	-	-	-	-	-	8	149	13	653	626	148
49	Franklin	268	2	4	-	-	-	1	2	-	-	1	24	1	144	139	49
50	Gaston	662	5	4	-	2	1	1	1	1	-	1	73	8	339	331	80
51	Gates	79	-	-	-	-	-	-	-	1	-	-	7	-	43	42	20
52	Graham	29	1	-	-	-	-	-	-	-	-	-	3	-	15	14	2
53	Granville	286	5	-	-	-	-	3	-	-	-	1	24	5	154	142	40
54	Greene	142	6	2	-	1	-	1	-	-	-	1	5	2	85	83	28
55	Guilford	1,359	18	5	-	1	-	1	1	-	-	4	164	17	754	736	194
56	Halifax	523	7	2	-	1	1	2	-	-	-	-	33	3	271	258	97
57	Harnett	329	12	1	-	1	-	1	-	-	-	4	28	5	175	169	44
58	Haywood	248	2	-	-	-	-	-	-	-	-	1	30	3	134	132	21
59	Henderson	273	2	-	-	-	-	-	-	-	-	2	37	1	132	128	31
60	Hertford	184	4	1	-	1	1	-	-	-	-	-	25	-	101	98	23
61	Hoke	102	4	-	-	-	-	-	-	-	-	-	8	2	52	51	14
62	Hyde	56	4	-	-	-	-	-	-	-	-	-	8	-	29	29	8
63	Iredell	494	6	2	-	-	-	-	1	1	-	3	50	4	275	266	49
64	Jackson	121	1	1	-	-	-	1	-	-	-	2	17	-	68	53	13
65	Johnston	485	12	1	-	1	1	-	3	-	-	-	46	5	229	221	68
66	Jones	93	-	1	-	-	-	-	-	-	-	-	8	2	48	42	13
67	Lee	229	5	-	-	1	-	1	1	-	-	1	20	6	113	111	29
68	Lenoir	421	8	6	-	2	-	-	-	-	2	4	43	5	214	206	71
69	Lincoln	188	1	2	-	-	-	-	-	-	-	1	20	2	105	105	33
70	McDowell	174	2	-	-	-	1	-	-	1	-	-	21	5	69	65	21
71	Macon	114	2	1	-	-	-	-	-	-	-	-	10	1	57	56	16
72	Madison	143	3	-	-	-	-	-	-	-	-	-	13	1	74	71	15
73	Martin	192	5	-	-	-	1	1	1	-	-	1	19	3	92	87	15
74	Mecklenburg	1,576	38	7	-	-	-	3	2	1	-	9	198	20	788	761	170
75	Mitchell	114	-	1	-	-	-	-	1	-	-	2	12	-	49	48	16
76	Montgomery	139	5	1	-	-	-	-	1	-	-	1	16	1	71	69	19
77	Moore	289	3	1	-	-	-	1	-	-	-	-	34	2	159	153	46
78	Nash	536	9	1	-	-	1	3	-	-	-	3	43	5	282	270	76
79	New Hanover	605	15	6	-	-	-	1	-	-	2	3	62	4	306	295	76
80	Northampton	198	9	-	-	-	2	1	1	-	-	-	14	1	113	109	24
81	Onslow	250	4	1	-	-	-	-	2	-	-	2	20	-	110	101	41
82	Orange	219	5	-	-	-	-	-	-	-	-	-	31	5	110	107	30
83	Pamlico	93	-	-	-	-	-	-	-	-	-	1	8	1	50	47	12
84	Pasquotank	235	8	-	-	-	-	1	-	-	-	-	30	8	126	118	40
85	Pender	157	4	-	-	-	-	-	-	-	-	-	11	2	85	84	24

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	1,234	25	62	14	24	60	19	4	32	2	-	27	80	9	68	80	36	5	158	1
-	234	6	9	2	11	14	4	2	5	-	-	6	8	-	18	23	8	-	29	2
-	141	1	13	5	11	5	4	1	2	2	-	3	13	1	12	14	2	-	30	3
-	230	3	16	4	7	8	2	2	6	1	-	10	21	2	14	19	5	-	32	4
-	536	11	38	6	21	20	9	6	9	3	1	8	29	7	22	54	12	1	83	5
-	232	6	11	1	6	23	3	1	6	-	-	8	18	3	11	18	6	2	34	6
-	226	10	47	4	13	23	5	2	6	3	2	6	17	7	14	25	10	-	34	7
2	248	6	23	2	7	10	8	4	3	4	-	8	14	2	20	36	5	-	39	8
13	2,580	56	130	29	61	130	41	23	79	10	10	63	169	47	69	192	40	7	345	9
-	139	2	17	-	6	7	2	-	4	3	-	3	11	2	17	21	4	2	20	10
1	83	4	8	1	7	2	1	2	-	-	-	2	5	1	10	14	1	-	17	11
59	10,338	327	475	150	621	1,246	117	278	202	84	123	519	1,955	771	1,159	1,336	292	336	2,101	12
10	2,440	85	107	33	123	212	35	29	54	18	15	124	401	62	222	248	51	86	494	13
49	7,898	242	368	117	498	1,034	82	249	148	66	108	395	1,554	709	937	1,088	241	250	1,607	14
-	142	3	7	3	6	19	2	1	6	2	2	12	23	9	19	19	3	3	37	15
-	30	2	-	-	3	4	1	-	1	-	-	2	6	34	4	3	1	-	7	16
-	24	1	1	-	2	3	1	-	-	2	-	1	1	1	1	8	1	2	8	17
1	74	2	3	1	11	14	-	1	2	-	-	4	10	11	3	10	-	-	16	18
-	49	1	2	1	6	10	-	1	-	1	-	1	9	21	5	6	4	1	6	19
1	23	-	1	-	1	5	-	-	-	-	-	2	-	10	4	2	-	1	6	20
-	110	7	11	-	5	33	1	7	1	4	4	7	24	8	6	15	1	6	20	21
1	59	2	3	-	1	9	2	1	1	-	2	6	17	6	12	9	1	-	17	22
-	79	1	1	1	5	15	-	3	1	-	-	6	17	5	7	11	2	4	16	23
-	51	5	4	-	2	9	1	-	-	-	1	3	10	1	7	8	1	4	10	24
2	376	14	13	6	13	25	2	5	5	1	1	18	47	16	38	37	11	7	75	25
-	76	1	8	2	6	8	1	2	4	1	1	2	10	9	12	11	2	-	15	26
-	159	6	6	5	6	18	-	2	2	1	-	8	21	4	16	18	4	1	28	27
2	72	3	4	1	3	10	3	2	-	2	-	3	23	2	8	16	7	11	24	28
-	12	2	-	1	4	2	-	-	-	1	-	-	2	-	2	5	-	1	1	29
-	71	1	3	2	6	6	1	-	4	-	1	4	8	6	4	13	-	2	10	30
2	53	1	5	-	3	9	-	1	-	-	-	3	7	6	6	6	1	-	16	31
2	168	1	5	3	5	15	1	4	3	2	1	4	30	24	10	19	3	3	30	32
1	70	1	2	-	1	13	1	-	-	-	2	2	15	5	9	6	2	-	19	33
-	47	1	-	-	1	7	-	-	1	-	-	1	11	16	8	7	1	1	4	34
-	28	2	3	-	1	6	-	1	-	-	-	1	10	2	6	3	-	2	6	35
-	7	1	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	1	36
-	125	6	14	4	6	5	2	1	2	1	1	6	22	5	15	17	3	3	29	37
-	110	4	5	2	7	14	-	8	2	1	1	5	28	22	15	14	3	3	23	38
-	154	6	3	-	7	16	2	6	3	2	2	13	32	1	22	31	5	5	29	39
2	210	5	6	1	9	37	1	6	4	1	4	10	68	51	40	22	8	11	44	40
-	28	2	1	-	-	2	-	-	-	-	-	1	4	-	2	5	-	-	2	41
-	27	1	1	-	-	2	-	-	-	-	-	1	3	3	4	4	-	-	3	42
-	134	1	6	4	7	12	2	1	5	1	2	10	33	3	12	21	4	4	19	43
-	41	2	4	-	1	6	1	-	-	1	-	1	2	-	1	6	2	-	11	44
-	109	3	6	1	7	12	1	3	2	-	5	-	19	1	19	17	4	5	26	45
1	238	11	13	5	12	15	4	2	13	-	-	8	41	14	16	31	3	10	50	46
2	177	3	1	3	7	15	2	10	7	1	-	6	47	16	10	12	6	5	31	47
1	448	12	13	4	27	40	8	7	4	3	3	22	52	7	36	39	6	15	92	48
-	80	4	4	2	5	16	-	1	1	1	1	2	18	5	9	6	3	3	23	49
2	235	2	8	4	8	16	2	3	8	1	2	11	50	18	28	31	8	6	42	50
-	19	-	3	-	1	1	1	1	1	-	-	2	5	3	3	4	1	1	5	51
-	12	-	-	-	1	-	-	1	-	-	-	-	3	1	-	1	-	-	4	52
-	93	5	4	-	12	11	1	5	-	1	3	2	20	11	10	7	2	5	16	53
-	52	1	2	-	2	2	1	3	-	-	-	5	14	-	1	10	-	-	3	54
2	483	23	27	7	18	38	8	4	9	7	2	22	79	12	37	44	13	15	104	55
-	144	7	7	3	13	22	-	7	2	1	7	9	52	22	15	26	4	6	30	56
-	111	3	10	1	6	17	2	5	2	2	2	5	13	4	16	9	4	6	15	57
1	99	2	7	2	2	12	1	-	5	-	1	4	6	6	9	16	2	-	16	58
-	85	4	7	1	4	10	1	1	2	-	1	5	19	2	13	13	2	-	30	59
-	66	4	1	2	5	3	-	2	1	-	1	3	14	2	2	8	2	2	11	60
1	33	3	-	-	1	6	-	-	1	1	1	1	8	2	6	4	1	1	4	61
-	20	-	1	-	-	2	-	1	1	-	1	-	1	3	1	2	1	1	1	62
2	198	7	8	2	9	17	3	1	1	1	-	7	31	6	16	27	5	2	35	63
-	35	2	2	1	15	7	-	1	-	1	1	2	1	1	6	3	1	2	5	64
1	138	5	4	5	8	22	-	6	7	-	1	9	31	18	30	28	5	1	31	65
-	29	-	-	-	6	5	-	1	-	1	-	-	8	4	3	1	2	1	8	66
-	69	2	10	1	2	17	-	2	4	-	-	4	16	1	9	10	6	2	10	67
1	121	4	9	-	8	13	5	4	1	-	5	7	45	5	3	16	2	5	26	68
1	65	-	5	1	-	10	-	-	-	-	-	2	11	2	5	12	-	2	13	69
1	41	1	1	-	4	9	-	1	-	1	-	9	7	7	8	15	1	-	17	70
-	33	1	6	-	1	8	-	1	-	-	-	2	5	5	6	2	1	-	13	71
-	53	-	2	1	3	7	-	-	1	1	-	1	3	5	6	7	2	3	16	72
-	69	2	1	-	5	5	1	2	1	2	1	6	14	3	6	12	1	4	11	73
2	542	17	24	6	27	64	7	4	14	6	3	36	111	6	53	52	8	22	124	74
1	30	1	-	-	1	8	1	-	-	-	-	-	6	9	4	7	-	-	14	75
-	38	2	9	1	2	9	2	-	-	-	-	2	7	-	5	8	1	1	8	76
2	96	4	4	1	6	12	-	1	4	1	-	3	16	9	10	12	3	4	14	77
1	178	8	3	4	12	15	2	7	4	1	2	11	40	15	18	26	7	8	33	78
2	194	8	10	5	11	17	2	4	7	2	1	8	33	26	16	34	4	9	43	79
1	71	5	8	-	4	9	-	1	1	-	-	2	8	4	8	7	2	2	13	80
-	48	2	8	2	9	4	-	3	3	2	1	2	18	4	22	26	2	2	22	81
2	66	5	4	-	3	4	1	1	2	-	-	-	14	4	8	10	5	6	13	82
-	32	-	3	-	3	4	-	-	-	2	-	2	7	2	-	7	1	1	7	83
-	70	4	2	2	8	15	1	-	-	1	2	2	13	2	4	9	-	3	10	84
1	53	-	4	2	1	7	-	1	-	-	-	3	8	6	6	12	-	2	10	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	NORTH CAROLINA—Con.																
1	Perquimans	91	-	-	-	-	-	-	-	-	-	1	17	1	48	45	18
2	Person	172	5	-	-	-	-	-	-	-	-	-	16	2	93	86	20
3	Pitt	529	23	3	-	1	-	-	-	-	-	6	53	5	259	249	59
4	Polk	96	1	-	-	-	-	-	-	-	-	-	13	-	53	53	14
5	Randolph	342	1	-	-	1	-	-	1	-	-	1	34	2	182	180	46
6	Richmond	335	2	1	-	-	-	-	1	-	-	-	40	4	158	152	34
7	Robeson	727	11	4	-	2	-	5	-	-	-	7	62	10	300	294	92
8	Rockingham	501	9	-	-	-	-	-	-	-	-	1	54	6	247	238	48
9	Rowan	525	9	3	-	-	-	-	-	1	-	2	64	9	281	262	62
10	Rutherford	308	2	-	-	-	-	1	-	-	-	1	34	1	174	170	52
11	Sampson	365	4	-	-	-	-	-	1	-	1	2	35	4	187	176	42
12	Scotland	275	6	1	-	-	-	-	-	-	-	1	24	4	140	132	33
13	Stanly	257	1	-	-	-	-	-	-	-	-	1	15	1	132	122	31
14	Stokes	158	2	-	-	-	-	-	-	-	-	-	18	2	93	89	22
15	Surry	317	8	-	-	-	-	1	3	-	-	2	30	3	152	149	42
16	Swain	55	1	-	-	-	-	-	-	-	-	-	12	-	17	15	3
17	Transylvania	105	1	-	-	-	-	-	-	-	-	-	18	2	54	53	13
18	Tyrrell	48	2	-	-	-	-	-	-	-	-	-	3	-	29	29	1
19	Union	323	4	1	-	1	-	-	-	-	-	1	40	5	162	153	39
20	Vance	295	4	2	-	-	-	1	1	-	-	1	35	4	144	138	43
21	Wake	1,089	36	10	-	1	1	-	3	-	-	3	108	28	581	555	170
22	Warren	169	2	2	-	-	-	-	1	-	-	-	17	-	94	90	31
23	Washington	141	1	3	-	-	-	2	-	-	-	1	7	1	65	62	15
24	Watauga	143	3	1	-	-	-	-	-	-	-	2	17	2	82	75	15
25	Wayne	560	16	2	-	1	1	-	-	-	-	2	63	13	276	260	77
26	Wilkes	343	2	1	-	-	-	-	-	1	-	1	47	3	181	179	34
27	Wilson	545	22	-	-	1	1	-	-	-	-	3	46	7	273	242	76
28	Yadkin	132	-	-	-	-	-	-	-	-	-	1	13	4	84	79	14
29	Yancey	86	3	-	-	-	-	-	-	-	-	-	13	2	37	37	14
30	NORTH DAKOTA	5,111	61	7	-	-	-	3	1	6	7	19	683	115	2,640	2,577	707
31	Nonmetropolitan counties	5,111	61	7	-	-	-	3	1	6	7	19	683	115	2,640	2,577	707
32	Adams	35	-	-	-	-	-	-	-	-	2	1	4	1	18	17	7
33	Barnes	159	1	-	-	-	-	-	-	-	-	-	18	4	101	100	24
34	Benson	99	4	-	-	-	-	-	-	1	-	-	8	1	50	48	14
35	Billings	16	-	-	-	-	-	-	-	-	1	-	2	1	6	6	2
36	Bottineau	104	1	-	-	-	-	-	-	-	-	-	11	2	59	59	13
37	Bowman	47	-	-	-	-	-	-	-	-	-	-	7	-	28	26	9
38	Burke	72	-	-	-	-	-	-	-	-	-	1	17	4	24	23	7
39	Burleigh	185	3	-	-	-	-	-	-	1	-	3	31	1	93	93	8
40	Cass	512	9	-	-	-	-	-	-	1	-	3	69	10	273	272	103
41	Cavalier	83	-	-	-	-	-	-	-	-	-	-	11	2	52	50	18
42	Dickey	72	1	-	-	-	-	-	-	-	-	-	8	-	44	41	12
43	Divide	57	1	-	-	-	-	-	-	-	-	1	11	2	26	25	6
44	Dunn	45	3	-	-	-	-	-	-	-	-	-	3	5	16	14	7
45	Eddy	51	1	-	-	-	-	-	-	-	-	-	5	1	29	28	4
46	Emmons	66	-	-	-	-	-	-	-	-	1	-	12	-	31	31	7
47	Foster	46	1	-	-	-	-	-	-	-	-	-	4	-	23	22	8
48	Golden Valley	33	1	-	-	-	-	-	-	-	-	-	3	1	19	19	9
49	Grand Forks	322	6	-	-	-	-	-	-	-	-	2	46	8	139	137	30
50	Grant	56	-	-	-	-	-	-	-	-	-	-	6	5	32	32	9
51	Griggs	37	-	-	-	-	-	-	-	-	-	-	5	1	19	17	3
52	Hettinger	39	-	-	-	-	-	-	-	-	-	-	10	-	17	17	2
53	Kidder	41	1	-	-	-	-	-	-	-	-	-	4	-	23	21	3
54	La Moure	68	1	-	-	-	-	-	-	-	-	-	10	1	35	33	5
55	Logan	49	1	-	-	-	-	-	-	-	-	-	8	1	27	27	11
56	McHenry	104	1	-	-	-	-	-	-	-	-	1	17	3	56	56	11
57	McIntosh	58	-	-	-	-	-	1	-	-	-	-	9	2	24	23	7
58	McKenzie	43	-	-	-	-	-	-	-	-	-	1	7	1	24	24	8
59	McLean	150	2	1	-	-	-	-	-	-	-	2	19	2	78	78	9
60	Mercer	49	-	-	-	-	-	-	-	-	-	-	2	2	30	30	2
61	Morton	150	-	1	-	-	-	-	-	-	1	-	17	5	79	77	25
62	Mountrail	83	2	-	-	-	-	-	-	-	-	-	8	-	42	41	14
63	Nelson	70	-	-	-	-	-	-	-	-	-	-	9	-	46	46	8
64	Oliver	14	-	-	-	-	-	-	-	-	-	1	2	1	5	4	2
65	Pembina	120	1	-	-	-	-	-	-	1	-	-	22	2	61	56	16
66	Pierce	52	-	-	-	-	-	-	-	-	-	-	9	1	31	31	5
67	Ramsey	112	2	1	-	-	-	-	-	-	-	-	17	2	65	62	26
68	Ransom	75	2	-	-	-	-	-	-	-	-	-	11	1	40	40	10
69	Renville	69	-	-	-	-	-	-	-	1	-	-	7	2	38	38	8
70	Richland	181	1	-	-	-	-	-	-	-	-	-	31	3	99	98	31
71	Rolette	104	3	-	-	-	-	2	-	-	1	1	9	2	43	43	10
72	Sargent	72	-	1	-	-	-	-	-	-	-	-	7	2	42	41	12
73	Sheridan	34	-	-	-	-	-	-	-	-	-	-	8	1	18	17	5
74	Sioux	29	1	-	-	-	-	-	-	-	-	-	2	-	4	4	-
75	Slope	23	1	-	-	-	-	-	-	-	-	-	1	-	15	14	6
76	Stark	135	3	-	-	-	-	-	-	-	-	-	17	9	61	59	15
77	Steele	35	-	-	-	-	-	-	-	-	-	-	4	-	16	16	5
78	Stutsman	157	2	-	-	-	-	-	-	-	1	-	17	5	82	80	17
79	Towner	56	-	-	-	-	-	-	-	1	-	-	10	1	24	24	11
80	Traill	106	2	-	-	-	-	-	-	-	-	-	10	2	67	66	18
81	Walsh	174	1	-	-	-	-	-	-	-	-	-	23	2	90	83	34
82	Ward	285	2	3	-	-	-	-	-	-	-	1	45	9	114	111	31
83	Wells	88	-	-	-	-	-	-	-	-	-	-	12	1	50	44	16
84	Williams	189	-	-	-	-	-	-	1	-	-	1	18	3	112	111	24

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	21	2	1	2	3	4	-	1	-	-	-	2	4	1	4	4	-	-	4	1
-	62	3	-	1	7	10	-	-	-	-	-	1	10	4	6	4	2	1	18	2
2	176	4	6	2	10	16	2	6	4	-	1	8	40	16	13	22	6	5	40	3
-	36	1	1	1	-	3	1	-	-	1	1	1	7	2	2	1	-	-	10	4
-	124	3	4	3	2	13	4	1	1	-	-	10	29	4	17	17	2	-	22	5
-	103	4	8	3	6	17	-	11	-	2	1	7	19	5	26	14	3	6	18	6
-	177	9	13	3	6	42	2	23	3	-	3	9	67	48	44	32	10	9	34	7
1	175	5	3	6	9	30	-	2	2	3	4	12	18	15	27	17	7	7	40	8
-	190	3	4	3	19	19	1	3	1	3	-	6	26	3	18	24	7	6	39	9
2	106	2	5	3	4	23	1	1	4	-	2	9	11	4	9	9	1	3	18	10
-	128	2	2	2	11	21	2	4	1	-	2	4	26	4	13	17	4	5	28	11
2	91	3	3	-	8	13	2	5	3	-	3	3	21	5	10	15	2	3	14	12
-	91	-	-	-	10	10	1	3	4	1	1	5	17	14	13	17	5	4	12	13
-	63	1	3	-	4	6	1	1	-	-	1	1	6	2	6	5	2	1	11	14
1	90	4	8	4	3	7	1	1	2	-	4	11	21	11	21	11	5	6	17	15
-	11	-	1	-	2	5	1	2	-	-	-	1	3	1	3	1	-	1	7	16
-	39	-	1	-	1	4	-	1	1	1	1	-	3	2	6	3	-	-	8	17
-	28	-	-	-	-	3	-	-	-	-	3	1	1	1	1	1	1	-	2	18
1	105	3	4	1	9	9	1	9	2	2	-	13	20	12	10	11	1	3	16	19
-	92	1	1	1	6	7	2	8	2	-	1	2	20	12	14	13	5	3	14	20
2	353	8	17	5	26	30	6	7	9	1	6	18	71	7	42	45	10	17	49	21
1	50	4	4	-	4	5	-	3	-	3	3	-	13	3	3	10	1	2	7	22
-	46	-	-	1	3	8	-	2	-	1	1	1	4	15	6	12	-	1	10	23
2	54	1	3	-	7	7	-	1	-	-	-	3	7	-	2	3	4	-	9	24
-	171	4	7	1	16	31	2	11	2	1	3	10	27	7	20	17	9	5	41	25
-	140	2	2	1	2	14	3	3	1	1	1	3	10	6	13	19	6	5	22	26
2	151	5	8	-	31	20	1	18	3	-	7	13	38	6	20	10	5	5	46	27
-	61	1	2	1	5	4	-	-	-	-	-	-	7	1	5	4	2	-	7	28
-	22	-	1	-	-	5	1	1	1	-	1	1	2	3	4	4	1	-	7	29
5	1,663	50	125	27	63	168	26	13	27	11	5	91	282	110	161	224	61	3	387	30
5	1,663	50	125	27	63	168	26	13	27	11	5	91	282	110	161	224	61	3	387	31
-	7	2	1	-	1	2	-	-	-	-	-	-	2	-	-	2	1	-	2	32
-	73	-	3	-	1	6	-	-	2	-	-	1	5	-	11	2	1	-	7	33
-	30	1	2	1	2	8	-	-	1	-	-	2	3	1	3	1	1	-	15	34
-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	1	35
-	42	2	1	1	-	3	1	-	-	-	-	1	3	1	1	6	4	-	11	36
-	16	-	1	-	2	2	1	-	-	-	-	-	1	1	1	4	-	-	2	37
-	15	1	-	-	1	2	-	-	2	-	-	-	2	5	3	2	2	-	8	38
-	76	2	7	-	-	10	1	-	1	1	1	5	10	-	3	4	4	-	13	39
1	152	5	8	3	1	11	2	1	4	1	-	13	19	14	16	23	7	-	36	40
1	31	-	-	-	2	-	-	-	1	1	-	-	-	-	1	7	-	-	8	41
-	28	-	1	-	3	3	-	-	-	1	-	-	3	2	-	2	1	-	7	42
-	19	-	-	-	1	3	-	-	-	-	-	1	1	-	4	1	-	-	6	43
1	5	-	1	-	2	1	-	-	1	-	-	2	4	2	1	5	-	-	2	44
-	24	-	-	-	1	2	2	1	-	-	-	1	-	-	1	1	-	-	7	45
1	19	1	3	-	-	2	-	-	-	-	-	1	11	-	3	1	-	-	4	46
-	14	-	-	-	1	3	1	-	-	-	-	1	6	-	2	1	-	-	4	47
-	8	-	1	1	-	-	1	-	-	-	-	2	2	1	-	1	-	-	2	48
-	96	4	6	1	2	11	3	2	2	-	-	5	22	22	11	14	6	-	23	49
-	19	2	1	1	-	1	-	-	-	-	-	-	7	-	3	1	-	-	1	50
-	12	2	-	-	2	1	1	-	-	-	-	1	1	2	1	2	-	-	3	51
-	11	-	4	-	-	1	-	-	-	-	-	2	3	1	-	3	-	-	2	52
-	15	-	2	1	2	2	-	1	-	-	-	1	1	1	1	3	-	-	3	53
-	25	1	2	-	2	1	1	-	-	-	-	2	3	2	2	5	1	-	4	54
-	15	-	1	-	-	1	-	-	-	-	-	3	2	2	-	3	-	-	1	55
-	40	-	4	1	-	4	-	-	1	-	-	4	4	-	5	3	-	-	5	56
-	13	2	1	-	1	3	-	-	-	1	-	-	1	6	4	3	1	-	3	57
-	15	-	1	-	-	-	-	-	-	-	-	-	1	2	1	3	-	-	3	58
-	61	2	5	1	-	7	-	-	1	-	-	3	9	1	2	2	4	-	17	59
-	27	-	1	-	-	1	-	-	1	-	-	1	2	1	3	4	-	-	2	60
-	38	3	7	4	2	9	-	-	1	-	-	2	13	3	2	5	1	-	11	61
-	24	1	-	2	1	8	1	-	-	-	-	4	2	-	5	4	-	1	6	62
-	31	-	6	1	-	-	-	-	-	-	1	-	1	2	4	3	1	-	3	63
-	1	-	1	-	1	-	-	-	-	-	-	-	3	1	-	-	-	-	1	64
-	39	2	1	-	3	2	-	-	-	-	1	2	5	2	5	5	1	-	10	65
-	24	1	1	-	-	-	-	-	-	-	-	3	-	-	1	2	-	-	5	66
-	34	-	2	-	3	3	-	-	-	-	-	1	10	-	2	4	2	-	3	67
-	28	-	1	1	-	1	-	-	-	-	-	1	7	1	1	5	1	-	4	68
-	24	-	5	1	-	2	-	-	-	-	1	2	4	-	1	5	1	-	5	69
1	65	1	-	-	1	4	-	1	-	1	-	2	14	1	8	6	2	-	8	70
-	31	-	2	-	-	5	-	-	-	2	-	3	12	3	2	6	-	-	10	71
-	28	1	-	-	1	3	-	-	-	1	-	-	3	1	2	5	2	-	3	72
-	12	-	-	-	1	1	-	-	-	-	-	1	1	-	-	1	1	-	2	73
-	4	-	-	-	-	3	2	1	-	-	-	-	1	4	2	2	1	-	6	74
-	7	1	-	-	1	-	-	-	-	1	-	-	1	-	-	3	-	-	1	75
-	38	-	4	2	2	4	2	-	1	-	-	1	13	3	2	3	2	1	13	76
-	9	1	-	1	-	1	-	-	-	-	-	-	5	1	-	1	1	-	7	77
-	55	1	6	1	2	6	1	-	-	-	-	4	7	1	8	9	-	-	14	78
-	11	-	2	-	-	1	-	2	-	-	-	2	3	4	4	1	1	-	2	79
-	36	4	8	-	1	6	2	-	1	-	-	1	4	1	2	5	-	-	3	80
-	47	-	2	-	7	4	1	2	1	-	-	1	13	3	4	8	3	-	18	81
-	69	3	6	2	3	9	3	1	3	-	1	4	17	10	8	18	4	-	33	82
-	26	-	2	-	6	3	-	-	1	-	-	3	1	-	7	2	1	-	7	83
-	70	4	12	1	1	2	-	1	2	1	-	2	14	2	8	9	2	1	10	84

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
1	OHIO	81,931	1,467	425	3	10	5	17	96	55	40	198	12,298	1,928	44,389	43,343	9,529
2	Metropolitan counties	54,459	1,087	347	3	8	3	4	70	38	22	138	8,415	1,335	28,931	28,298	5,849
3	Nonmetropolitan counties	27,472	380	78	-	2	2	13	26	17	12	60	3,883	593	15,458	15,045	3,680
4	Adams	230	8	-	-	-	-	-	-	-	1	-	28	4	127	115	29
5	Allen	867	18	6	-	-	-	-	1	1	-	3	117	23	488	471	94
6	Ashland	349	3	2	-	-	-	-	-	1	2	-	49	13	190	186	39
7	Ashtabula	947	12	1	-	-	-	-	-	-	2	4	153	23	542	533	102
8	Athens	460	10	1	-	-	-	-	-	-	-	-	70	3	262	250	70
9	Auglaize	337	3	3	-	-	-	-	-	-	1	-	34	8	209	202	43
10	Belmont	949	12	2	-	-	-	-	-	1	3	2	142	21	525	503	139
11	Brown	263	-	-	-	-	-	1	3	-	-	1	32	7	158	157	26
12	Butler	1,385	20	11	-	-	-	-	1	-	-	3	188	38	747	724	139
13	Carroll	191	-	-	-	-	-	-	-	-	-	-	29	3	119	116	23
14	Champaign	339	2	1	-	-	1	2	-	-	-	-	44	8	186	182	54
15	Clark	1,234	14	10	-	-	-	-	-	2	2	4	171	35	676	661	141
16	Clermont	455	8	2	-	-	1	-	2	-	-	1	73	12	253	250	53
17	Clinton	266	6	-	-	-	-	-	-	-	-	-	34	1	156	154	46
18	Columbiana	1,091	22	4	-	-	-	-	1	1	-	3	151	34	624	611	134
19	Coshocton	346	7	-	-	-	-	-	-	-	-	2	40	9	204	202	57
20	Crawford	432	6	-	-	-	-	-	-	-	1	-	44	8	262	251	67
21	Cuyahoga	14,200	279	81	1	1	-	-	9	5	2	28	2,334	382	7,465	7,352	1,333
22	Darke	458	5	3	-	-	-	-	1	-	-	-	72	7	255	250	43
23	Defiance	247	2	-	-	-	-	-	-	1	-	2	40	1	135	127	19
24	Delaware	341	3	2	-	-	-	-	1	-	-	2	56	9	191	188	32
25	Erie	619	10	1	-	-	-	-	-	-	1	2	94	11	346	332	90
26	Fairfield	541	7	3	-	-	-	-	-	-	-	3	79	13	311	303	92
27	Fayette	250	5	-	-	-	-	-	-	-	-	-	39	8	130	127	27
28	Franklin	5,039	115	38	1	3	-	-	6	2	1	12	783	109	2,675	2,610	619
29	Fulton	259	2	-	-	-	-	-	-	-	-	-	36	4	142	139	37
30	Gallia	267	6	1	-	-	-	-	2	-	-	1	29	3	161	150	48
31	Geauga	248	2	-	-	-	-	-	-	-	-	1	41	5	134	134	29
32	Greene	476	8	-	-	-	-	-	1	1	1	3	68	9	267	263	63
33	Guernsey	444	10	-	-	-	-	-	-	1	-	2	70	5	258	258	66
34	Hamilton	8,357	214	72	-	2	-	2	21	4	5	27	1,293	193	4,403	4,313	908
35	Hancock	524	5	2	-	-	-	-	-	1	-	1	77	15	287	283	88
36	Hardin	371	2	-	-	-	-	1	-	-	-	-	54	8	196	189	54
37	Harrison	209	1	-	-	-	-	-	-	-	-	-	22	1	143	139	42
38	Henry	266	2	1	-	-	-	-	-	-	-	2	43	6	150	144	43
39	Highland	370	8	-	-	-	-	-	-	-	-	1	47	5	221	218	58
40	Hocking	232	1	1	-	-	-	-	-	-	-	-	34	4	140	135	33
41	Holmes	168	1	2	-	-	-	-	-	-	-	1	17	2	89	85	26
42	Huron	466	5	3	-	-	-	2	-	-	-	3	60	7	252	245	49
43	Jackson	284	6	2	-	-	-	-	1	-	-	-	37	5	168	166	39
44	Jefferson	954	12	4	-	-	-	-	1	1	-	3	152	22	494	482	109
45	Knox	335	5	1	-	-	-	-	-	-	-	-	56	11	196	186	59
46	Lake	711	6	3	-	-	-	-	-	2	1	5	95	17	384	369	84
47	Lawrence	516	10	1	-	1	1	-	1	-	-	1	71	5	262	243	56
48	Licking	794	13	3	-	-	-	-	-	-	3	3	91	13	448	443	95
49	Logan	403	5	1	-	-	-	-	-	-	-	1	49	7	219	207	58
50	Lorain	1,451	22	8	-	-	-	-	-	4	-	4	221	49	721	710	155
51	Lucas	4,308	79	25	-	1	-	1	5	1	2	12	612	104	2,368	2,317	479
52	Madison	186	5	-	-	-	-	1	-	-	-	-	27	1	107	102	33
53	Mahoning	2,512	54	15	-	-	-	-	5	2	1	6	415	74	1,280	1,248	269
54	Marion	560	8	4	-	-	-	-	1	-	-	1	86	11	308	295	83
55	Medina	393	5	3	-	-	-	-	-	2	-	-	64	3	219	211	48
56	Meigs	290	4	1	-	-	-	1	-	-	-	3	34	1	164	160	51
57	Mercer	283	8	-	-	-	-	-	1	1	-	-	50	6	137	134	27
58	Miami	613	7	2	-	1	-	-	-	-	-	1	97	15	353	344	77
59	Monroe	194	-	-	-	-	-	-	-	-	-	1	28	3	123	119	24
60	Montgomery	3,804	89	29	1	-	-	-	5	6	2	11	597	76	2,025	1,987	417
61	Morgan	146	2	-	-	-	-	-	-	-	-	-	13	2	95	93	21
62	Morrow	198	1	1	-	-	-	1	-	1	-	-	29	5	108	106	27
63	Muskingum	831	9	4	-	-	-	-	1	1	-	-	127	21	464	451	107
64	Noble	127	1	-	-	-	-	-	-	-	-	-	18	2	69	67	18
65	Ottawa	338	5	-	-	-	-	-	-	-	-	-	55	7	178	176	32
66	Paulding	178	1	-	-	-	-	-	-	1	-	1	30	2	87	85	16
67	Perry	330	3	-	-	-	-	-	-	-	-	-	39	8	200	190	58
68	Pickaway	298	3	-	-	-	-	1	-	-	-	1	45	4	163	160	38
69	Pike	156	4	1	-	-	-	-	-	-	1	-	24	2	90	89	15
70	Portage	564	10	1	-	-	-	-	1	1	1	-	66	7	343	335	89
71	Preble	250	7	1	-	-	-	-	1	2	-	-	27	7	144	138	32
72	Putnam	250	4	-	-	-	-	-	-	-	-	-	34	9	144	144	34
73	Richland	870	14	4	-	-	-	-	1	-	1	-	117	27	470	462	129
74	Ross	488	9	-	-	-	-	1	-	1	2	1	64	16	266	260	78
75	Sandusky	473	7	1	-	-	-	1	1	-	-	1	71	18	256	249	53
76	Scioto	788	14	7	-	1	-	-	2	-	-	1	116	16	391	368	77
77	Seneca	581	10	2	-	-	-	-	-	-	-	3	78	10	329	318	75
78	Shelby	292	-	-	-	-	-	-	1	1	-	1	36	8	158	157	40
79	Stark	2,750	45	14	-	-	-	-	4	3	2	3	393	66	1,465	1,429	288
80	Summit	3,529	72	23	-	-	2	1	7	2	-	8	541	67	1,918	1,868	407
81	Trumbull	1,417	18	5	-	-	-	-	3	1	-	3	222	25	768	748	149
82	Tuscarawas	757	6	2	-	-	-	-	2	1	2	2	104	16	414	403	101
83	Union	223	2	2	-	-	-	-	-	-	-	2	38	2	125	117	26
84	Van Wert	266	3	-	-	-	-	-	-	-	-	1	46	4	150	146	27
85	Vinton	113	3	1	-	-	-	-	-	-	-	-	12	7	60	59	14
86	Warren	414	9	-	-	-	-	-	2	-	-	2	64	5	229	223	57
87	Washington	580	9	-	-	-	-	-	-	-	-	-	67	21	342	335	89
88	Wayne	536	6	1	-	-	-	-	-	-	-	1	85	15	296	291	74

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
76	30,342	801	2,165	430	1,046	2,211	419	311	890	148	102	1,106	3,152	695	1,915	3,132	965	305	5,649	1
57	20,276	557	1,252	307	633	1,512	318	201	688	92	72	747	2,243	502	1,154	1,905	622	262	3,740	2
19	10,066	244	913	123	413	699	101	110	202	56	30	359	909	193	761	1,227	343	43	1,909	3
-	78	-	8	-	12	5	1	2	1	1	2	2	13	1	5	13	1	1	14	4
2	345	9	20	1	17	19	-	1	9	3	2	13	53	6	16	26	5	5	52	5
1	131	6	9	-	4	5	-	2	2	1	-	5	11	4	7	18	5	-	29	6
-	394	3	30	4	9	19	2	2	10	4	-	10	23	1	22	35	10	-	72	7
1	186	1	10	2	12	8	3	-	3	-	2	7	15	2	9	16	5	3	43	8
-	132	2	20	5	7	9	1	-	1	3	3	3	6	2	14	15	2	-	20	9
3	327	8	24	2	22	24	2	6	17	3	6	9	26	1	24	47	8	2	66	10
-	120	1	10	-	1	6	-	-	5	-	1	2	7	1	4	11	5	1	18	11
-	531	9	34	11	23	31	7	10	11	1	2	22	80	4	45	48	17	1	98	12
-	86	-	7	-	3	5	-	1	2	-	-	1	5	2	3	7	-	2	12	13
-	114	3	8	3	4	9	1	4	-	1	1	6	11	2	7	18	2	1	32	14
2	461	16	38	3	15	45	5	8	12	-	1	23	51	3	30	45	15	1	81	15
-	181	3	12	1	3	16	1	4	3	-	-	5	12	1	11	20	5	1	24	16
-	96	4	7	1	2	10	-	2	5	-	-	3	9	-	10	8	7	-	15	17
-	436	10	26	5	13	13	5	3	8	1	2	16	57	3	20	44	16	1	62	18
-	138	1	2	4	2	7	-	-	1	-	-	4	6	1	7	26	5	-	27	19
2	155	4	22	1	11	7	2	1	7	-	-	8	19	-	7	21	10	-	29	20
11	5,532	160	246	70	113	322	83	37	221	19	19	184	577	287	212	427	131	89	1,005	21
-	185	6	11	5	5	9	2	-	1	2	-	10	20	1	17	17	6	-	30	22
1	100	2	5	-	8	6	1	-	4	1	-	2	13	-	10	6	3	1	19	23
-	138	6	9	3	3	5	-	-	2	1	1	8	10	1	7	14	5	-	23	24
-	210	6	25	1	14	17	4	2	3	2	1	7	13	9	21	28	4	2	41	25
-	194	2	14	1	8	13	3	2	3	-	2	6	18	2	13	18	6	-	39	26
-	84	4	12	-	3	4	1	-	3	1	-	6	11	1	9	15	3	1	13	27
10	1,749	59	134	39	65	151	38	17	61	11	6	78	190	49	99	175	55	19	345	28
1	94	1	4	2	3	2	1	3	4	1	1	2	8	1	12	18	3	-	19	29
-	93	4	3	2	11	7	-	4	1	1	-	3	3	-	4	19	2	1	19	30
1	91	2	8	3	-	6	1	-	4	1	-	4	10	3	8	13	2	-	13	31
-	183	3	14	-	4	11	1	2	2	2	-	9	16	1	16	22	5	2	29	32
-	162	4	22	4	-	16	2	-	2	1	-	3	13	1	12	18	4	-	26	33
5	3,005	96	226	73	90	307	54	28	110	14	10	75	295	40	170	283	85	47	603	34
-	168	5	21	1	4	12	1	1	3	-	2	9	20	3	17	29	6	-	33	35
-	116	1	16	2	7	11	2	2	1	1	-	10	14	-	9	15	5	1	39	36
-	83	4	10	-	4	5	-	-	-	1	-	2	3	2	5	11	1	-	12	37
-	93	3	2	3	6	8	-	4	-	1	-	4	6	1	15	5	1	-	17	38
-	137	2	17	4	3	14	2	1	2	-	-	4	9	1	12	14	1	1	21	39
1	90	3	6	2	5	9	-	-	-	2	-	1	10	-	4	8	2	-	16	40
-	52	-	5	2	4	8	-	1	1	-	-	1	12	-	7	10	1	-	15	41
-	174	3	18	1	7	16	1	1	5	2	1	13	14	4	18	19	8	1	32	42
-	111	1	14	1	2	7	2	-	1	-	-	4	5	2	11	11	3	-	19	43
4	343	4	16	6	12	32	3	5	14	3	-	17	38	6	23	40	13	2	69	44
1	103	7	14	2	10	7	2	-	3	1	-	3	6	3	3	11	4	-	23	45
-	262	4	14	5	15	16	3	2	9	2	-	10	27	8	25	36	12	4	44	46
-	165	10	11	1	19	19	8	7	8	-	2	4	22	7	11	31	1	8	35	47
-	305	7	34	2	5	28	1	2	10	1	-	10	20	10	15	38	11	3	71	48
-	137	3	5	4	12	11	3	3	3	1	-	6	16	4	14	20	4	-	36	49
5	503	12	31	4	11	42	8	6	23	3	2	24	73	15	29	57	27	7	106	50
1	1,623	42	143	29	51	138	32	13	43	7	5	49	169	19	105	139	58	15	306	51
-	65	2	1	1	5	5	-	-	4	-	-	-	5	3	9	9	3	1	6	52
2	896	22	48	11	32	67	14	10	23	7	6	42	113	1	73	103	30	13	158	53
-	181	7	20	4	13	15	1	5	3	-	-	5	25	-	16	30	2	2	37	54
-	147	6	10	-	8	12	3	1	2	1	-	5	14	-	14	13	4	-	28	55
-	105	-	2	2	4	10	-	2	2	-	-	4	10	3	4	21	4	-	22	56
-	89	3	13	2	3	7	1	1	3	-	1	7	12	-	13	15	2	-	18	57
-	234	8	23	2	9	17	3	2	4	1	-	5	16	3	16	28	8	-	34	58
-	79	1	13	2	4	6	-	1	3	1	-	3	2	3	3	3	3	1	11	59
4	1,436	37	76	17	38	86	20	23	36	6	3	54	177	16	96	158	51	18	219	60
-	58	-	14	-	2	1	-	1	-	-	-	1	3	7	4	7	4	-	6	61
1	73	-	5	-	2	7	-	-	-	1	-	2	4	1	5	9	9	-	14	62
2	301	9	29	3	13	28	1	1	5	2	-	11	26	9	16	30	11	1	63	63
-	43	3	3	-	2	6	1	-	-	-	-	-	3	1	3	10	5	-	8	64
-	132	2	8	2	2	8	5	4	1	-	1	2	10	4	12	17	7	-	22	65
-	47	3	17	2	2	5	-	-	2	1	-	2	5	1	7	17	2	-	14	66
-	128	1	2	1	10	4	3	-	1	1	-	6	14	1	5	14	3	2	26	67
1	115	2	4	-	3	7	-	4	-	-	-	4	18	5	4	13	4	1	21	68
-	67	-	7	-	1	2	-	2	1	-	-	1	5	3	3	5	1	-	11	69
-	228	7	10	1	8	15	2	2	4	1	-	9	18	2	19	28	10	-	24	70
-	92	2	12	-	6	4	1	1	2	-	-	4	9	-	8	7	2	-	23	71
-	97	4	7	2	-	8	-	1	-	-	-	8	5	-	9	8	2	-	18	72
2	285	9	35	2	8	18	5	4	6	1	-	11	37	3	28	36	7	5	75	73
2	153	9	15	3	6	9	3	4	2	2	-	6	10	25	13	23	2	1	28	74
-	175	1	16	4	7	11	1	2	2	-	-	8	20	3	13	13	4	-	40	75
-	266	7	17	1	23	31	2	5	6	1	2	14	34	5	24	42	5	4	65	76
1	206	10	25	1	11	13	3	3	5	3	1	5	17	3	19	37	6	-	34	77
-	110	-	6	1	1	9	1	1	4	1	1	8	14	-	7	16	3	1	21	78
3	1,036	20	70	12	36	66	12	7	27	6	3	56	142	11	58	104	34	12	217	79
4	1,330	33	79	15	50	94	18	14	41	4	3	52	136	24	77	113	56	13	223	80
1	549	13	28	8	20	42	10	5	21	1	2	26	58	4	45	51	19	4	84	81
-	263	6	29	4	11	23	5	4	10	1	1	6	29	3	16	27	17	1	65	82
-	75	3	10	3	8	3	2	2	-	-	-	2	7	2	6	12	2	-	14	83
-	101	3	14	1	4	7	-	-	6	1	-	3	12	-	8	8	-	-	17	84
-	43	-	1	1	1	3	-	-	-	-	-	2	3	-	1	11	1	-	9	85
1	151	3	9	2	6	11	3	4	2	2	1	1	12	2	15	22	7	1	20	86
-	208	9	27	2	7	19	3	5	5	1	-	5	10	6	17	22	13	1	34	87
-	183	6	26	2	5	10	3	-	2	1	2	7	19	11	15	20	12	1	29	88

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	OHIO—Continued																
1	Williams	292	1	-	-	-	-	-	-	-	-	-	41	11	165	162	29
2	Wood	580	5	-	-	-	-	1	1	-	-	1	102	13	305	302	85
3	Wyandot	232	2	-	-	-	-	-	-	-	-	-	25	5	142	137	26
4	OKLAHOMA	20,118	438	90	2	17	7	19	17	39	24	90	2,841	291	9,918	9,538	2,516
5	Metropolitan counties	4,936	103	26	-	1	1	2	3	18	3	14	683	60	2,473	2,371	615
6	Nonmetropolitan counties	15,182	335	64	2	16	6	17	14	21	21	76	2,158	231	7,445	7,167	1,901
7	Adair	146	5	-	-	1	-	-	-	-	-	1	25	4	63	62	18
8	Alfalfa	126	-	-	-	-	-	-	-	-	-	1	18	1	76	76	20
9	Atoka	121	5	1	-	-	-	1	-	-	-	1	25	1	50	48	13
10	Beaver	67	-	-	-	-	-	-	-	-	-	-	8	3	37	36	9
11	Beckham	185	2	2	-	-	-	-	-	-	1	1	34	1	74	73	14
12	Blaine	160	3	1	-	-	-	1	-	-	-	3	19	6	76	73	22
13	Bryan	280	6	1	-	-	-	-	-	-	1	1	39	3	145	141	23
14	Caddo	350	10	1	-	-	-	-	-	-	-	-	63	5	153	151	40
15	Canadian	220	6	2	-	-	-	-	-	-	-	2	30	5	101	100	12
16	Carter	338	6	1	-	-	-	-	1	-	-	3	49	6	170	161	47
17	Cherokee	128	11	-	1	-	-	-	-	-	-	-	18	2	58	58	14
18	Choctaw	221	3	-	-	2	-	-	-	-	-	3	21	1	127	121	27
19	Cimarron	22	-	-	-	-	-	-	-	-	-	-	5	-	12	10	3
20	Cleveland	286	2	2	-	-	-	-	-	2	-	1	34	3	156	154	50
21	Coal	69	1	-	-	-	-	-	-	-	-	-	14	1	27	27	12
22	Comanche	359	8	5	-	1	-	-	-	-	-	2	38	2	150	146	47
23	Cotton	73	1	-	-	-	-	-	-	-	-	1	12	3	34	32	9
24	Craig	172	2	1	-	-	-	-	-	-	-	3	22	2	98	94	31
25	Creek	416	5	2	-	1	-	1	-	1	-	3	71	4	193	183	43
26	Custer	243	5	-	-	-	3	-	1	-	-	-	34	4	112	110	24
27	Delaware	140	6	-	-	-	-	-	-	1	1	-	19	3	67	64	9
28	Dewey	90	1	-	-	-	-	-	1	-	-	1	8	-	42	41	7
29	Ellis	70	-	-	-	-	-	-	-	-	-	-	11	-	40	37	10
30	Garfield	450	3	1	-	-	-	1	1	1	-	-	68	11	233	225	47
31	Garvin	263	1	1	-	-	-	-	1	3	-	-	42	2	133	131	31
32	Grady	342	4	1	-	1	-	-	2	-	-	-	48	7	184	178	45
33	Grant	101	3	1	-	-	-	-	-	-	-	1	11	2	57	57	12
34	Greer	125	-	-	-	-	-	-	-	1	-	-	19	1	63	61	19
35	Harmon	56	1	-	-	-	-	-	-	-	-	-	13	-	21	20	9
36	Harper	61	-	1	-	-	-	-	-	-	-	-	10	-	35	32	3
37	Haskell	103	2	-	-	-	1	-	-	-	-	1	20	2	50	48	16
38	Hughes	190	7	1	-	-	-	-	-	-	3	-	22	3	97	89	19
39	Jackson	194	4	1	-	-	-	-	-	1	-	-	25	4	89	84	20
40	Jefferson	88	1	-	-	-	-	-	-	-	-	-	12	-	52	50	20
41	Johnston	94	7	-	-	-	-	-	-	-	-	-	13	1	44	43	13
42	Kay	471	5	3	-	1	-	-	-	1	-	3	71	7	232	221	59
43	Kingfisher	133	2	1	-	-	-	-	-	-	-	1	19	2	73	73	15
44	Kiowa	171	4	-	-	-	-	-	-	-	-	1	19	3	93	91	23
45	Latimer	78	7	-	-	1	-	-	-	-	1	-	8	1	36	33	12
46	Le Flore	304	19	-	-	-	-	-	-	-	1	3	32	4	143	137	43
47	Lincoln	234	2	1	-	1	-	-	1	-	-	-	49	8	109	107	21
48	Logan	249	2	-	-	-	-	-	-	-	-	3	32	5	133	131	43
49	Love	61	1	1	-	-	-	-	-	-	-	-	8	1	34	34	10
50	McClain	109	2	-	-	-	-	-	-	-	-	2	16	-	63	63	19
51	McCurtain	267	11	1	-	-	-	-	-	1	2	2	34	8	132	128	35
52	McIntosh	159	7	-	-	2	-	-	1	-	-	1	17	1	63	62	15
53	Major	100	1	-	-	-	-	-	-	-	1	1	16	4	37	37	14
54	Marshall	79	3	-	-	-	-	-	-	-	1	-	12	-	43	41	12
55	Mayes	174	4	-	-	-	-	1	-	-	-	1	25	4	81	79	21
56	Murray	132	4	1	-	-	-	-	-	1	-	-	18	1	65	64	16
57	Muskogee	720	13	7	-	1	-	2	-	2	-	2	101	8	343	323	80
58	Noble	126	2	-	1	-	-	1	-	1	-	-	25	2	57	53	11
59	Nowata	136	1	2	-	-	-	2	-	-	-	1	19	1	72	68	23
60	Okfuskee	182	4	-	-	-	-	-	-	1	-	2	18	2	85	77	21
61	Oklahoma	2,705	53	16	-	1	-	1	2	8	1	8	389	34	1,336	1,287	358
62	Okmulgee	439	9	4	-	-	-	1	-	-	1	4	67	6	196	179	56
63	Osage	305	11	4	-	-	-	-	-	-	2	2	40	9	143	133	35
64	Ottawa	340	27	1	-	-	-	-	-	-	-	2	45	5	146	138	38
65	Pawnee	150	3	1	-	-	-	1	-	-	-	2	28	3	70	70	19
66	Payne	305	4	-	-	-	-	-	2	-	-	2	51	4	153	147	36
67	Pittsburg	352	3	-	-	-	-	2	1	-	2	1	53	6	166	164	57
68	Pontotoc	306	8	1	-	-	-	1	-	-	1	-	38	5	148	144	44
69	Pottawatomie	457	11	3	-	-	-	-	1	-	-	3	61	9	259	251	80
70	Pushmataha	114	-	-	-	-	-	-	-	-	1	-	16	-	61	59	15
71	Roger Mills	57	-	-	-	-	-	-	-	-	-	-	11	-	30	30	11
72	Rogers	182	8	-	-	-	-	-	-	-	-	1	23	2	86	85	19
73	Seminole	321	7	2	-	2	-	-	-	1	-	1	38	7	156	149	34
74	Sequoyah	175	7	1	-	-	-	-	-	1	1	1	20	1	80	77	16
75	Stephens	314	3	2	-	-	-	-	-	-	1	-	45	5	157	152	41
76	Texas	81	-	1	-	-	-	-	-	-	-	2	10	1	44	42	7
77	Tillman	187	3	-	-	-	2	-	-	1	-	1	25	3	97	95	26
78	Tulsa	2,231	50	10	-	-	1	1	1	10	2	6	294	26	1,137	1,084	257
79	Wagoner	149	1	-	-	-	-	-	-	-	-	-	23	2	74	70	18
80	Washington	287	7	1	-	-	-	2	-	1	-	3	41	5	131	122	37
81	Washita	125	3	-	-	-	-	-	1	-	-	1	20	1	66	62	22
82	Woods	158	1	-	-	2	-	-	-	-	-	-	18	1	93	88	18
83	Woodward	144	4	-	-	-	-	-	-	-	-	-	26	1	76	72	21

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	130	-	3	-	3	7	2	1	3	1	-	4	8	7	7	13	3	-	18	1
-	187	3	26	1	3	13	1	1	7	-	-	4	21	4	27	24	7	-	43	2
-	102	1	8	-	5	5	1	-	1	-	1	4	6	4	6	8	4	-	18	3
21	6,248	211	415	127	380	686	96	89	144	71	51	278	917	558	551	997	176	108	1,603	4
4	1,551	57	113	31	102	136	31	30	39	21	7	85	300	104	129	203	53	41	370	5
17	4,697	154	302	96	278	550	65	59	105	50	44	193	617	454	422	794	123	67	1,233	6
1	40	1	2	-	1	5	-	1	-	-	1	-	6	7	5	7	-	1	14	7
-	47	2	6	1	-	8	-	-	-	1	1	2	4	2	1	3	-	-	8	8
-	33	1	1	-	2	5	1	-	1	-	-	1	2	5	5	8	1	2	6	9
-	25	-	2	-	1	2	-	-	-	-	-	-	5	2	3	1	-	-	6	10
-	53	1	4	1	1	8	3	-	-	1	-	1	14	1	4	16	2	2	18	11
-	45	3	3	-	3	3	-	1	-	-	1	2	9	5	2	14	-	1	13	12
-	108	3	7	-	4	7	1	2	4	-	1	2	15	9	2	15	-	2	24	13
2	97	4	7	1	2	11	1	1	1	1	1	7	10	12	10	25	3	1	34	14
-	83	2	1	2	1	9	-	-	2	-	-	2	7	17	2	10	4	1	20	15
-	104	1	7	2	9	12	3	-	4	-	-	10	9	6	14	12	4	1	27	16
1	38	2	1	2	-	7	-	-	-	3	1	3	4	2	2	7	-	-	9	17
1	81	3	8	1	6	13	1	2	2	-	2	3	7	7	3	9	3	2	10	18
-	7	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-	1	-	2	19
-	93	3	7	1	2	6	1	1	2	1	1	4	18	3	9	15	2	-	23	20
-	15	-	-	-	-	3	-	-	1	-	1	1	2	5	2	4	-	-	7	21
1	83	3	8	4	4	15	4	3	2	-	1	11	35	10	11	21	6	6	28	22
-	20	1	1	1	2	5	-	-	1	-	-	-	3	-	2	7	-	-	4	23
-	58	-	3	2	4	6	2	-	1	-	-	-	5	6	4	5	-	1	14	24
-	131	2	6	1	10	14	3	1	3	2	-	6	16	12	8	24	2	5	39	25
-	73	-	11	2	2	6	1	1	-	-	-	5	18	11	5	11	1	-	25	26
-	53	1	-	1	3	8	1	-	-	1	2	1	3	3	6	6	-	-	12	27
-	32	1	1	-	1	4	1	-	-	2	-	-	3	2	7	6	1	-	11	28
-	20	1	5	1	3	3	-	-	2	-	-	-	3	2	2	3	-	-	4	29
1	163	4	7	3	8	11	1	3	2	1	2	8	14	14	11	20	7	-	37	30
-	88	3	6	3	2	16	-	-	4	-	-	5	9	2	8	12	1	1	22	31
1	118	2	9	3	6	11	3	2	3	-	1	1	11	8	5	19	1	1	29	32
-	39	1	5	-	-	-	-	-	1	-	-	2	1	2	3	4	-	-	13	33
-	36	2	4	-	2	4	-	-	-	-	-	1	3	6	4	13	1	-	9	34
-	9	-	2	-	1	-	1	-	-	-	1	1	3	4	1	5	-	1	4	35
-	24	-	3	2	3	1	-	1	-	-	-	2	2	1	3	-	-	-	5	36
-	30	-	1	1	2	7	-	-	-	-	-	-	2	3	2	4	-	-	9	37
-	62	4	2	2	8	5	1	1	2	-	-	2	5	8	2	14	1	-	16	38
-	54	3	4	3	5	8	2	2	1	2	-	4	4	2	6	11	1	3	24	39
-	26	1	3	-	2	-	-	-	-	-	-	-	2	2	3	1	1	-	14	40
-	29	1	-	-	1	3	-	1	-	1	2	-	4	3	6	4	1	-	4	41
-	146	5	6	5	11	14	7	2	2	3	1	14	17	2	12	29	1	1	43	42
-	54	-	4	-	-	3	1	-	1	-	-	-	2	3	8	5	2	-	10	43
-	65	-	2	1	2	4	1	-	2	-	-	2	10	5	3	8	4	1	11	44
-	18	2	1	-	3	6	-	-	1	1	-	1	3	-	2	1	-	-	9	45
-	83	4	7	-	6	16	1	2	4	4	-	4	17	9	3	19	1	-	22	46
-	77	1	8	-	2	5	1	-	3	-	-	1	6	1	9	13	4	2	18	47
1	84	2	1	-	2	4	2	-	2	-	-	3	10	3	8	19	2	1	20	48
1	20	2	1	-	-	1	-	-	-	-	-	1	1	3	2	2	-	-	6	49
-	39	1	4	-	-	6	-	-	-	-	1	2	4	-	2	6	-	-	5	50
-	89	1	3	-	4	14	1	1	1	1	1	3	10	6	7	17	5	3	6	51
-	42	3	-	2	1	7	-	1	2	-	-	2	11	19	4	8	1	3	9	52
-	19	1	3	-	-	7	-	-	1	-	-	1	5	3	4	5	2	-	12	53
-	27	-	1	1	2	2	-	-	-	1	-	-	1	2	-	7	-	1	6	54
-	55	-	2	1	2	9	1	-	1	-	1	1	6	5	8	9	2	1	14	55
-	44	-	4	-	1	5	1	1	1	-	-	1	4	4	6	8	2	2	7	56
1	217	12	10	3	20	15	2	7	3	1	6	5	35	25	15	47	6	2	72	57
-	32	4	4	2	4	2	-	-	1	-	-	1	3	6	5	8	2	1	8	58
-	42	2	-	1	4	1	-	1	3	-	-	1	5	3	3	10	-	-	11	59
-	50	2	2	2	8	6	-	1	3	1	-	2	10	5	5	13	3	1	20	60
2	830	25	55	17	49	73	10	16	28	13	2	53	170	53	81	111	29	23	194	61
1	113	3	3	3	17	25	2	6	2	5	2	7	24	18	3	23	3	3	28	62
-	88	1	4	5	10	7	-	-	5	1	2	3	13	12	10	16	5	1	21	63
-	88	3	6	3	8	9	-	1	5	1	-	6	10	9	11	18	6	2	36	64
-	44	1	3	3	-	7	1	-	-	1	-	-	9	5	3	4	-	-	12	65
-	92	3	12	4	6	11	1	-	3	2	2	2	16	9	13	8	1	1	20	66
-	96	4	4	3	2	19	1	1	-	2	2	4	12	11	7	19	3	3	34	67
1	84	3	9	3	4	22	1	1	2	1	-	1	17	10	11	14	1	2	21	68
-	150	5	11	5	8	8	3	-	3	2	2	4	14	8	12	16	2	-	36	69
-	38	1	4	1	2	4	-	2	-	-	1	2	-	6	9	3	1	-	8	70
-	17	-	1	1	-	3	1	-	2	1	-	-	3	3	1	1	-	-	3	71
1	58	2	5	-	1	4	1	1	2	1	-	4	7	11	3	8	1	-	19	72
-	103	7	2	3	7	12	1	5	-	1	-	5	12	20	14	19	1	3	14	73
-	58	-	3	-	3	9	1	-	1	1	1	6	6	8	7	10	1	1	11	74
-	100	3	8	-	5	9	-	-	4	1	1	5	17	8	19	12	3	1	21	75
-	30	2	2	1	2	2	-	1	1	-	-	3	4	1	5	4	-	-	2	76
-	62	4	3	-	2	13	2	-	1	-	1	1	6	6	3	8	2	-	12	77
2	721	32	58	14	53	63	21	14	11	8	5	32	130	51	48	92	24	18	176	78
1	46	3	2	-	4	7	-	-	-	1	-	2	10	5	1	8	2	-	13	79
-	77	2	4	2	9	19	1	1	2	1	-	4	11	4	8	15	5	-	25	80
1	35	-	3	1	4	5	-	-	2	-	1	1	-	4	5	3	1	-	11	81
-	63	1	6	-	5	1	-	-	1	-	-	1	5	3	4	10	-	-	18	82
1	35	8	7	-	4	1	-	1	1	-	-	-	3	4	3	5	4	-	15	83

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
1	OREGON	14,549	206	55	2	1	11	1	12	12	7	39	2,085	182	7,736	7,598	1,605
2	Metropolitan counties	6,673	122	26	1	-	10	-	3	3	2	16	1,027	88	3,649	3,593	748
3	Nonmetropolitan counties	7,876	84	29	1	1	1	1	9	9	5	23	1,058	94	4,087	4,005	857
4	Baker	187	3	-	-	-	1	-	-	-	-	1	21	2	108	106	11
5	Benton	203	2	-	-	-	-	-	-	-	-	1	20	1	108	105	23
6	Clackamas	750	13	1	-	-	-	-	1	-	-	2	120	15	381	372	58
7	Clatsop	328	4	-	-	-	-	-	1	-	-	2	50	6	163	161	35
8	Columbia	214	-	-	-	-	-	-	-	-	-	-	36	1	121	117	27
9	Coos	400	5	1	-	-	-	-	-	-	-	2	47	6	203	199	38
10	Crook	55	-	-	-	-	-	-	-	-	-	-	2	1	25	25	5
11	Curry	68	-	-	-	-	-	-	-	-	-	-	7	1	27	26	8
12	Deschutes	169	1	1	-	-	-	-	-	-	-	3	26	4	77	77	18
13	Douglas	462	7	3	-	-	-	-	-	-	-	1	62	2	205	201	53
14	Gilliam	22	1	-	-	-	-	-	-	-	-	-	2	-	8	8	-
15	Grant	69	-	-	-	-	-	-	-	-	1	-	9	-	31	30	6
16	Harney	71	1	-	-	-	-	-	-	-	-	-	6	-	35	35	12
17	Hood River	98	2	-	-	-	-	-	-	-	-	1	11	2	60	60	11
18	Jackson	564	4	5	-	-	-	-	-	1	1	2	77	6	297	294	65
19	Jefferson	44	-	-	-	-	-	-	-	-	-	-	3	-	20	19	3
20	Josephine	287	1	3	-	-	-	-	-	1	-	-	39	6	155	151	40
21	Klamath	342	11	1	-	1	-	-	-	-	1	2	30	4	174	173	30
22	Lake	62	-	-	-	-	-	-	-	-	-	-	5	-	28	27	8
23	Lane	978	8	1	-	-	-	-	5	-	-	2	143	12	486	480	96
24	Lincoln	207	2	2	-	-	-	-	-	-	-	2	25	2	119	117	24
25	Linn	447	5	2	-	-	-	-	-	1	-	-	57	8	231	228	46
26	Malheur	145	2	1	-	-	-	-	-	1	-	-	23	1	63	63	18
27	Marion	893	12	5	-	-	-	-	-	-	-	-	137	18	527	518	113
28	Morrow	44	-	-	-	-	-	-	-	-	1	-	4	1	21	19	3
29	Multnomah	5,383	106	25	1	-	10	-	2	2	2	11	824	67	2,960	2,918	630
30	Polk	201	-	-	-	-	-	-	-	1	-	1	17	3	112	106	18
31	Sherman	20	-	-	-	-	-	-	-	-	-	-	2	-	12	12	-
32	Tillamook	179	1	-	1	-	-	-	-	-	-	-	17	-	92	90	22
33	Umatilla	341	6	1	-	-	-	1	1	2	1	1	59	3	152	147	27
34	Union	200	1	2	-	-	-	-	-	-	-	1	32	3	121	110	33
35	Wallowa	64	1	-	-	-	-	-	-	-	-	-	7	-	31	30	3
36	Wasco	154	2	1	-	-	-	-	-	1	-	1	20	-	80	80	20
37	Washington	540	3	-	-	-	-	-	-	1	-	3	83	6	308	303	60
38	Wheeler	23	-	-	-	-	-	-	-	-	-	-	4	-	11	11	3
39	Yamhill	335	2	-	-	-	-	-	2	1	-	-	58	1	184	180	38
40	PENNSYLVANIA	111,426	2,352	430	8	6	14	27	61	42	27	277	16,675	2,368	62,360	60,457	11,511
41	Metropolitan counties	86,694	1,983	354	6	6	9	9	41	36	20	220	13,214	1,775	48,408	46,902	8,609
42	Nonmetropolitan counties	24,732	369	78	2	-	5	18	20	6	7	57	3,461	593	13,952	13,555	2,902
43	Adams	446	9	2	-	-	-	-	-	-	-	1	52	10	271	252	62
44	Allegheny	16,219	401	63	1	1	3	3	5	3	6	40	2,394	295	8,891	8,700	1,601
45	Armstrong	780	4	2	-	-	1	-	-	1	-	1	138	13	389	379	78
46	Beaver	1,640	38	8	-	-	-	1	-	3	1	7	241	25	814	792	180
47	Bedford	423	5	1	-	-	-	1	1	-	-	2	57	7	254	228	45
48	Berks	2,838	65	4	-	-	-	-	2	-	2	8	423	88	1,597	1,565	299
49	Blair	1,646	22	7	-	-	-	-	-	4	-	8	214	34	988	957	187
50	Bradford	630	4	1	-	-	-	-	-	-	-	1	81	6	393	391	63
51	Bucks	1,391	17	3	-	-	-	-	-	1	-	3	224	36	809	793	143
52	Butler	936	17	3	1	-	-	1	2	-	-	6	123	21	542	532	116
53	Cambria	1,920	30	11	-	-	-	-	2	2	2	6	283	25	1,036	1,002	203
54	Cameron	49	1	-	-	-	-	-	-	-	-	-	5	-	32	31	7
55	Carbon	655	11	-	-	-	-	1	-	-	-	2	101	18	356	345	54
56	Centre	484	5	1	-	-	-	-	-	-	-	-	66	8	268	264	61
57	Chester	1,587	27	10	-	-	-	-	1	-	-	3	230	25	882	844	162
58	Clarion	373	3	-	-	-	-	-	1	-	-	-	46	13	201	196	43
59	Clearfield	926	12	3	-	-	-	2	1	2	-	3	117	14	556	536	102
60	Clinton	350	2	-	-	-	1	-	-	-	1	-	46	9	208	206	52
61	Columbia	540	11	3	-	-	-	-	-	-	-	-	78	9	324	318	67
62	Crawford	920	7	10	-	-	-	-	-	-	1	2	116	14	522	514	124
63	Cumberland	883	15	5	-	-	-	1	1	-	-	2	144	17	520	507	118
64	Dauphin	2,106	41	10	-	-	-	-	1	-	-	5	308	51	1,204	1,180	214
65	Delaware	3,738	64	13	-	-	-	-	2	3	1	13	618	87	2,109	2,041	337
66	Elk	348	4	1	-	-	-	-	1	-	-	2	45	7	195	191	31
67	Erie	2,262	47	12	-	-	-	1	-	2	1	7	345	47	1,255	1,235	282
68	Fayette	1,861	33	9	-	-	2	1	1	-	-	4	254	48	1,025	993	202
69	Forest	56	-	-	-	-	-	-	-	-	-	1	6	-	34	34	10
70	Franklin	722	24	2	-	-	-	-	-	-	-	2	99	14	417	410	89
71	Fulton	86	2	-	-	-	-	-	-	-	-	-	11	1	43	38	11
72	Greene	415	9	1	-	-	-	-	-	-	-	-	54	4	226	213	54
73	Huntingdon	429	7	-	-	-	-	-	-	-	-	1	40	7	265	262	48
74	Indiana	749	14	1	-	-	-	-	1	-	1	-	114	18	427	410	83
75	Jefferson	569	9	1	-	-	-	-	-	-	-	2	85	16	316	309	68
76	Juniata	155	6	-	-	-	-	1	-	-	-	-	15	3	93	86	17
77	Lackawanna	2,991	73	6	-	-	-	-	1	-	1	8	455	59	1,634	1,593	258
78	Lancaster	2,403	45	7	1	-	1	-	2	1	1	8	341	57	1,422	1,392	311
79	Lawrence	1,049	17	5	-	-	1	3	1	1	1	1	150	22	573	557	138
80	Lebanon	834	7	-	-	-	-	-	1	-	-	2	124	26	510	499	104
81	Lehigh	2,049	30	9	-	-	-	-	1	2	1	3	315	44	1,184	1,170	199
82	Luzerne	4,361	115	12	-	1	-	1	3	2	1	9	654	111	2,296	2,195	379
83	Lycoming	1,136	10	7	-	-	-	2	3	-	-	3	161	34	686	665	165
84	McKean	551	5	4	-	-	-	-	-	-	-	-	70	13	306	300	68
85	Mercer	1,118	10	4	-	-	-	-	-	2	-	3	153	20	633	617	149

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
16	5,324	90	455	108	138	475	82	44	131	23	4	183	530	234	467	785	235	27	980	1
8	2,567	37	175	58	56	226	39	17	79	6	2	78	201	136	140	250	108	10	434	2
8	2,757	53	280	50	82	249	43	27	52	17	2	105	329	98	327	535	127	17	546	3
-	91	2	2	-	2	2	1	1	3	1	-	1	5	-	3	8	6	-	20	4
-	74	2	6	-	3	7	2	-	2	-	-	4	8	5	8	14	8	-	13	5
2	287	4	16	5	9	26	4	4	8	1	2	14	23	28	15	36	15	1	40	6
-	102	1	17	6	2	5	4	2	-	-	-	4	13	5	11	28	3	1	26	7
-	85	1	3	1	4	5	-	-	3	1	1	2	8	3	4	11	4	-	14	8
-	146	3	10	2	4	13	2	3	1	-	-	6	29	4	18	36	4	-	20	9
-	18	-	2	-	-	-	-	-	-	-	-	3	4	3	3	5	2	-	7	10
-	17	-	1	-	1	3	1	-	-	-	-	-	1	-	7	11	1	-	9	11
-	47	1	7	4	-	2	-	-	4	1	-	4	6	2	12	11	4	1	10	12
-	135	2	8	3	4	14	1	1	3	1	-	8	19	3	38	53	10	1	30	13
-	7	-	1	-	-	-	-	1	-	-	-	1	2	2	-	2	-	-	3	14
1	21	-	2	-	1	1	1	1	1	-	-	3	1	1	5	8	4	-	2	15
-	20	-	2	1	-	4	1	1	-	1	-	-	3	2	5	3	-	1	8	16
-	47	-	2	-	-	1	-	-	-	-	-	-	7	1	2	4	2	-	5	17
1	199	7	20	2	3	26	2	1	5	3	-	5	18	3	20	39	12	3	34	18
-	16	-	-	-	1	4	-	1	-	-	-	1	2	3	1	5	1	1	2	19
-	92	3	16	-	4	11	2	1	3	-	-	1	8	4	12	13	3	3	21	20
1	129	2	8	3	1	14	1	-	2	-	-	3	17	2	15	29	9	1	25	21
-	19	-	-	-	1	3	1	-	1	-	-	1	1	1	-	10	3	-	8	22
1	334	11	27	11	6	25	4	3	9	1	-	19	55	13	50	59	15	1	67	23
-	83	1	7	2	2	2	2	1	-	-	-	4	5	2	8	16	2	-	13	24
-	156	3	21	2	3	20	2	2	1	-	-	4	22	3	10	34	5	2	38	25
-	38	-	6	1	-	6	-	2	1	-	-	3	5	2	10	9	-	-	16	26
2	343	8	46	6	9	32	6	2	5	1	-	14	20	8	21	26	8	-	51	27
-	13	1	2	-	2	2	-	-	1	-	-	-	3	1	2	4	1	1	2	28
5	2,078	24	138	43	42	178	32	12	64	5	-	59	158	105	117	193	88	9	353	29
-	73	-	13	2	6	5	1	-	-	2	-	4	14	2	4	12	3	-	20	30
-	9	-	2	1	-	1	-	-	1	-	-	-	2	1	-	1	-	-	-	31
-	62	-	6	-	2	5	1	-	-	-	-	1	13	1	12	24	1	-	10	32
1	105	-	13	1	5	12	2	1	1	-	-	6	12	13	16	20	5	1	25	33
-	68	2	7	-	11	5	1	1	1	-	-	-	4	1	3	10	4	-	9	34
-	25	-	1	1	1	3	-	-	-	1	-	-	3	1	6	2	2	-	7	35
-	52	1	7	-	-	4	3	1	1	-	-	1	4	2	12	8	2	-	11	36
1	202	9	21	10	5	22	3	1	7	-	-	5	20	3	8	21	5	-	41	37
-	8	-	-	-	-	2	1	-	-	-	-	-	1	2	-	1	-	-	1	38
1	123	2	15	1	4	10	1	1	3	3	1	2	14	2	9	19	3	-	19	39
143	44,443	1,013	2,726	621	1,903	3,422	602	366	1,114	244	151	1,282	3,824	910	1,794	4,037	1,083	296	7,654	40
121	34,844	823	1,990	515	1,506	2,696	486	267	938	180	100	995	2,998	765	1,282	3,051	811	259	5,785	41
22	9,599	190	736	106	397	726	116	99	176	64	51	287	826	145	512	986	272	37	1,869	42
-	174	6	8	2	19	10	-	1	1	5	-	3	16	3	14	15	5	-	28	43
30	6,558	104	336	71	191	567	86	47	224	36	21	174	591	342	220	606	166	53	980	44
-	288	2	11	-	10	31	7	7	6	1	2	10	31	3	19	42	9	1	62	45
3	541	7	46	15	22	62	13	3	15	3	3	24	84	37	45	85	18	7	103	46
1	162	3	14	3	26	12	4	-	3	2	1	7	21	2	7	12	5	1	20	47
3	1,151	35	64	13	32	77	16	9	30	7	1	33	75	51	39	97	44	1	169	48
2	682	15	62	9	31	45	6	5	17	1	2	26	50	13	30	63	13	2	96	49
-	290	2	34	2	2	14	4	3	1	2	3	10	25	1	11	22	7	1	40	50
1	572	15	57	5	16	27	7	7	4	1	2	14	48	2	33	41	16	2	94	51
2	667	10	28	9	10	30	5	-	6	4	2	13	39	4	23	47	10	1	36	52
2	728	17	39	13	34	65	8	5	15	5	3	35	77	10	41	90	15	2	152	53
-	22	-	2	-	1	-	-	1	-	-	-	1	3	-	1	1	-	-	4	54
-	270	4	14	3	11	19	4	2	9	5	2	5	14	3	11	24	7	1	60	55
-	185	6	12	-	4	13	3	3	2	1	2	8	24	3	9	23	6	2	37	56
3	610	18	41	10	38	53	8	7	9	2	2	29	61	3	49	60	21	6	99	57
-	138	2	11	2	5	14	-	1	1	1	1	7	16	1	13	18	4	-	32	58
2	401	4	26	1	20	39	1	3	6	2	3	14	29	6	10	25	6	-	72	59
1	144	2	6	1	2	13	2	2	2	-	1	5	15	3	8	10	4	-	18	60
-	225	3	19	4	6	11	2	1	5	-	1	8	19	4	12	12	2	1	37	61
3	347	8	31	1	8	22	2	3	11	3	4	12	40	6	23	36	10	1	75	62
2	358	4	21	4	13	21	2	3	5	1	1	19	22	5	14	31	10	-	44	63
1	896	26	35	8	24	55	13	5	20	5	1	22	82	16	34	70	18	6	139	64
2	1,522	43	120	17	68	86	26	11	29	13	9	55	139	12	52	115	26	10	245	65
1	142	3	9	5	4	9	-	2	5	1	2	2	19	2	9	13	2	-	27	66
4	892	13	32	12	20	67	14	9	21	1	-	32	94	22	36	74	21	3	151	67
-	731	10	44	6	32	58	13	11	17	2	4	24	75	11	34	84	16	15	120	68
-	18	1	5	-	-	-	-	1	-	1	-	2	1	-	4	2	-	-	4	69
-	285	7	25	4	7	22	2	3	2	4	-	7	20	1	15	34	9	-	45	70
-	24	-	3	-	5	1	-	-	-	1	1	1	4	1	2	4	1	-	13	71
-	144	4	10	1	13	27	1	-	3	-	1	1	14	-	8	32	4	-	30	72
-	188	4	20	2	3	14	1	3	3	-	-	2	18	1	8	11	6	1	41	73
2	311	4	6	4	17	21	2	2	9	-	-	15	20	6	16	30	8	-	44	74
-	217	5	17	2	7	25	2	1	2	-	1	9	17	1	12	18	5	1	46	75
-	60	-	9	-	7	4	-	-	3	-	1	-	8	2	3	6	1	-	9	76
5	1,210	20	84	16	41	88	16	5	33	6	2	46	100	13	31	103	23	2	286	77
6	946	22	87	20	30	54	15	8	9	6	4	22	81	7	36	83	23	2	167	78
-	357	8	51	3	16	32	3	3	13	6	4	9	30	4	28	38	7	3	94	79
1	370	7	15	2	11	13	5	4	3	2	3	12	18	1	23	23	13	-	44	80
3	896	10	47	15	14	47	15	11	16	4	3	18	63	9	33	69	35	3	134	81
9	1,644	34	106	23	101	88	22	15	44	11	1	49	114	37	52	175	29	4	515	82
1	446	12	35	6	21	27	9	6	5	4	2	11	33	5	24	33	14	1	56	83
-	203	4	21	4	6	18	3	5	6	1	1	9	21	4	19	24	8	-	34	84
2	425	8	26	7	16	32	9	3	14	-	1	15	59	5	32	26	10	2	87	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	PENNSYLVANIA—Con.																
1	Mifflin	448	8	3	-	-	-	1	-	-	-	-	51	15	254	241	48
2	Monroe	355	7	-	-	-	-	-	-	-	-	-	63	11	196	183	29
3	Montgomery	3,576	66	10	1	1	1	-	3	1	-	8	601	66	2,072	2,019	364
4	Montour	189	-	-	-	-	-	-	-	-	-	-	30	4	111	108	15
5	Northampton	1,905	37	10	-	-	-	-	-	-	-	5	273	49	1,125	1,099	217
6	Northumberland	1,304	21	4	-	-	-	-	-	-	-	5	187	34	715	698	123
7	Perry	257	6	1	-	-	-	-	-	-	-	2	51	9	134	127	41
8	Philadelphia	24,377	741	132	2	2	4	1	13	2	1	53	3,837	474	13,557	12,928	2,095
9	Pike	122	3	-	-	-	-	-	-	-	-	1	23	3	72	71	10
10	Potter	199	-	1	-	-	-	-	-	-	1	1	31	5	107	105	24
11	Schuylkill	2,329	52	5	-	-	-	-	2	1	-	5	307	68	1,254	1,221	274
12	Snyder	213	2	-	-	-	-	1	-	-	-	-	30	11	122	119	31
13	Somerset	804	8	4	-	-	-	-	-	-	-	4	106	17	440	433	112
14	Sullivan	83	1	-	-	-	-	-	-	-	-	-	13	2	41	40	16
15	Susquehanna	373	3	-	-	-	-	-	-	-	-	1	42	7	208	207	47
16	Tioga	382	3	1	-	-	-	-	1	-	-	-	68	7	200	194	38
17	Union	251	2	-	-	-	-	1	1	-	-	2	36	10	142	139	29
18	Venango	738	10	-	1	-	-	1	-	1	2	1	109	27	402	395	99
19	Warren	459	4	3	-	-	-	2	1	-	-	2	74	9	253	244	58
20	Washington	2,094	33	5	-	1	-	-	1	2	2	5	331	52	1,154	1,122	243
21	Wayne	357	6	1	-	-	-	-	2	-	-	-	61	10	200	195	37
22	Westmoreland	2,837	32	6	-	-	-	1	2	5	-	7	432	60	1,602	1,561	296
23	Wyoming	201	3	-	-	-	-	-	-	-	-	1	31	6	109	109	21
24	York	1,949	26	3	1	-	-	-	1	1	-	5	292	36	1,184	1,157	260
25	RHODE ISLAND	8,156	143	26	-	2	-	-	5	2	1	24	1,275	243	4,714	4,599	831
26	Metropolitan counties	7,164	138	26	-	1	-	-	3	1	1	19	1,132	217	4,146	4,043	723
27	Nonmetropolitan counties	992	5	-	-	1	-	-	2	1	-	5	143	26	568	556	108
28	Bristol	243	3	1	-	-	-	-	1	-	-	1	50	8	136	134	34
29	Kent	786	7	5	-	-	-	-	-	-	-	3	134	30	450	437	69
30	Newport	560	2	-	-	-	-	-	1	1	-	2	85	16	334	326	62
31	Providence	6,135	128	20	-	1	-	-	2	1	1	15	948	179	3,560	3,472	620
32	Washington	432	3	-	-	1	-	-	1	-	-	3	58	10	234	230	46
33	SOUTH CAROLINA	17,854	372	84	5	12	11	37	20	5	2	86	1,772	257	8,926	8,497	2,350
34	Metropolitan counties	4,580	112	27	-	3	3	8	4	3	-	13	485	57	2,196	2,091	495
35	Nonmetropolitan counties	13,274	260	57	5	9	8	29	16	2	2	73	1,287	200	6,730	6,406	1,855
36	Abbeville	201	2	1	-	-	-	-	-	-	-	1	22	3	114	108	33
37	Aiken	487	11	2	-	-	-	1	2	1	-	1	55	5	251	236	65
38	Allendale	119	1	-	-	-	-	-	-	-	-	-	13	1	58	57	6
39	Anderson	722	13	-	-	-	-	-	-	-	1	2	91	17	364	352	95
40	Bamberg	163	5	-	-	-	-	-	-	-	-	2	14	-	92	90	29
41	Barnwell	149	-	-	-	-	-	-	-	-	-	1	13	-	95	91	38
42	Beaufort	270	6	2	-	-	-	1	-	-	-	3	33	-	122	108	36
43	Berkeley	229	8	1	-	-	-	-	1	-	-	-	18	1	103	99	33
44	Calhoun	140	-	-	-	-	-	-	-	-	-	1	4	2	82	81	20
45	Charleston	1,502	40	9	-	1	-	-	-	1	-	4	160	17	616	571	138
46	Cherokee	246	2	1	-	-	-	1	-	-	-	1	27	2	143	133	39
47	Chester	235	3	1	-	-	-	2	-	-	-	1	29	1	126	118	46
48	Chesterfield	273	6	-	-	-	-	1	2	-	-	-	23	1	119	113	23
49	Clarendon	270	12	-	-	-	-	-	-	-	-	2	20	3	127	122	43
50	Colleton	231	5	2	-	-	-	-	-	-	-	2	20	3	127	127	26
51	Darlington	442	8	7	-	1	2	-	-	-	-	1	37	7	196	185	50
52	Dillon	274	9	2	-	-	1	-	-	-	-	2	20	1	143	137	44
53	Dorchester	217	4	2	-	-	-	-	-	-	-	2	17	1	110	100	26
54	Edgefield	146	2	-	-	-	-	2	-	-	-	1	9	3	93	92	33
55	Fairfield	139	3	-	-	-	-	3	-	-	-	-	20	5	66	65	21
56	Florence	680	18	2	1	-	1	2	-	-	-	5	69	8	349	338	86
57	Georgetown	268	6	-	-	1	1	1	1	-	-	2	25	1	144	136	50
58	Greenville	1,309	20	10	4	1	2	2	1	-	-	5	154	14	663	635	130
59	Greenwood	347	6	1	-	-	-	-	-	-	-	1	45	8	167	157	40
60	Hampton	209	8	1	-	-	-	-	2	-	-	-	14	3	115	112	27
61	Horry	421	11	4	-	-	-	1	-	-	-	1	25	8	200	176	51
62	Jasper	86	1	1	-	-	-	-	-	-	-	2	5	-	44	41	14
63	Kershaw	303	7	1	-	1	1	1	-	-	-	2	33	8	150	144	34
64	Lancaster	262	5	-	-	-	-	-	1	-	-	-	31	2	121	114	26
65	Laurens	384	3	2	-	-	-	-	-	1	-	2	41	11	217	195	54
66	Lee	190	4	2	-	1	-	-	-	-	-	1	20	4	93	92	32
67	Lexington	412	3	-	-	-	1	2	2	-	1	2	36	6	220	212	57
68	McCormick	100	2	-	1	-	-	1	-	-	-	4	8	2	42	42	9
69	Marion	319	6	1	-	-	-	3	-	-	-	3	22	2	177	170	70
70	Marlboro	326	4	-	1	-	-	1	1	-	-	2	29	5	166	165	45
71	Newberry	273	4	1	-	1	-	-	-	-	-	1	22	4	171	166	46
72	Oconee	307	3	1	-	-	-	-	-	-	-	1	39	9	161	144	36
73	Orangeburg	684	16	1	-	1	-	2	-	-	-	7	58	15	327	318	105
74	Pickens	301	2	1	-	-	1	-	-	-	-	3	34	9	161	156	42
75	Richland	1,282	41	6	-	1	1	5	1	1	-	3	116	21	666	649	162
76	Saluda	117	1	1	-	-	-	-	1	-	-	-	10	2	65	64	20
77	Spartanburg	1,154	27	5	-	1	-	-	2	1	-	4	138	18	560	530	128
78	Sumter	548	14	-	-	-	-	2	-	-	-	2	52	6	270	252	81
79	Union	252	4	4	-	1	-	-	-	-	-	1	28	5	120	113	28
80	Williamsburg	330	6	3	1	1	-	2	1	-	-	1	23	5	152	138	46
81	York	535	10	6	1	-	-	1	2	-	-	4	50	8	258	253	87

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	169	1	20	1	13	12	1	2	3	-	-	6	23	1	7	20	5	-	36	1
-	136	7	9	2	13	14	1	-	3	-	-	1	8	1	10	20	4	-	16	2
4	1,496	20	111	24	53	92	16	7	37	5	4	34	105	13	60	122	38	3	210	3
-	81	1	9	2	3	5	1	1	3	-	-	4	8	-	-	8	2	-	12	4
-	798	16	54	14	26	43	19	4	13	4	2	22	54	8	28	61	24	4	120	5
-	517	11	47	-	17	29	9	6	11	3	-	9	29	7	31	67	6	-	131	6
1	81	1	2	1	7	4	2	2	-	1	-	2	12	-	8	13	2	-	8	7
37	9,852	338	418	188	629	896	140	79	310	54	27	234	795	125	241	798	188	130	1,541	8
-	53	-	7	1	1	1	-	1	-	-	-	-	1	-	-	6	1	-	10	9
-	75	2	4	-	2	1	1	4	1	-	2	1	8	1	5	9	3	-	17	10
2	840	22	72	11	33	65	15	7	21	4	3	9	67	17	35	85	23	3	281	11
-	84	1	2	1	3	9	-	1	-	-	-	-	7	3	2	4	7	-	14	12
-	291	8	19	3	7	21	4	3	10	3	1	15	36	2	21	30	7	3	69	13
-	24	-	-	-	1	1	-	-	-	-	-	1	3	1	5	6	4	-	5	14
1	134	4	19	2	1	8	1	2	2	-	-	3	8	12	12	21	9	1	33	15
1	139	5	8	3	6	12	1	1	1	1	1	6	12	1	8	19	6	-	33	16
-	99	2	8	1	3	6	-	-	1	1	-	5	7	4	2	7	8	1	15	17
1	265	7	14	9	7	25	4	2	2	2	1	9	20	3	11	30	11	-	64	18
-	173	2	9	2	9	18	2	1	3	2	-	13	11	9	3	15	11	1	22	19
-	786	14	71	8	32	56	11	9	23	5	2	26	77	16	47	84	20	9	123	20
-	137	1	17	3	5	13	2	-	1	2	-	6	7	1	3	12	1	-	29	21
1	1,174	21	61	8	41	111	15	6	26	4	5	24	113	9	63	115	26	4	169	22
-	83	2	3	-	-	4	1	1	-	-	2	5	5	6	4	5	2	1	15	23
1	816	15	53	12	27	43	5	6	14	3	3	27	78	10	45	53	20	1	92	24
13	3,435	61	221	38	115	143	63	36	110	16	7	113	276	33	87	253	72	7	505	25
13	3,019	50	205	33	103	120	57	28	101	13	5	100	234	30	74	216	62	6	434	26
-	416	11	16	5	12	23	6	8	9	3	2	13	42	3	13	37	10	1	71	27
1	78	3	14	4	2	2	2	-	2	2	-	4	6	1	3	2	1	-	18	28
1	338	7	19	3	13	9	8	8	9	5	-	14	21	7	5	22	7	1	41	29
-	250	5	6	3	8	12	3	6	8	-	-	8	23	1	8	10	4	1	35	30
11	2,603	40	172	26	88	109	47	20	90	6	5	82	207	22	66	192	54	5	375	31
-	166	6	10	2	4	11	3	2	1	3	2	5	19	2	5	27	6	-	36	32
32	5,472	196	349	98	429	749	76	182	89	47	86	220	1,166	688	660	797	130	225	1,150	33
6	1,440	40	77	33	105	161	22	38	21	13	15	56	319	245	185	205	45	67	277	34
26	4,032	156	272	65	324	588	54	144	68	34	71	164	847	443	475	592	85	158	873	35
-	65	7	2	1	6	4	-	1	2	1	-	4	6	5	6	11	3	2	13	36
-	150	3	12	6	15	20	1	2	3	-	2	4	16	13	30	23	2	9	33	37
-	47	2	2	-	1	5	-	-	-	1	2	-	1	6	8	4	2	3	14	38
1	227	10	14	5	12	35	8	6	6	1	3	11	32	2	27	35	8	4	56	39
-	54	6	1	-	2	10	1	-	2	-	-	1	13	2	6	1	1	3	10	40
-	45	4	4	-	4	4	1	2	2	-	1	2	1	8	5	7	2	1	4	41
-	66	2	4	-	14	13	-	3	2	-	1	3	11	27	4	15	-	7	17	42
1	50	6	8	1	4	12	-	1	-	-	-	2	9	32	6	12	1	3	19	43
1	57	-	3	-	1	3	-	4	1	-	1	2	7	13	4	13	1	-	2	44
2	392	10	22	7	45	31	7	8	4	9	3	22	108	212	58	88	9	24	71	45
2	86	4	2	-	10	12	1	2	1	-	1	3	12	1	6	9	2	3	16	46
-	65	3	4	-	8	7	2	3	1	-	2	-	8	2	17	10	2	-	18	47
1	84	1	2	2	6	19	1	4	1	3	2	4	26	6	8	17	2	3	25	48
-	66	4	7	2	5	11	1	3	-	3	2	1	20	24	11	15	-	4	11	49
1	89	4	6	1	-	14	-	1	3	1	1	1	7	15	8	7	1	6	7	50
2	116	4	11	2	11	26	1	9	2	1	1	6	45	4	22	25	4	7	30	51
-	81	5	6	1	6	13	1	9	1	3	3	3	24	6	7	8	1	-	17	52
-	70	1	3	-	10	13	-	5	3	-	2	1	10	8	6	17	1	4	11	53
1	56	-	2	-	1	4	2	1	-	1	-	-	5	5	2	4	-	2	10	54
-	42	1	1	-	1	3	-	3	-	-	-	3	6	3	4	5	-	2	13	55
2	233	7	9	1	11	27	1	5	5	4	2	8	55	23	18	24	1	10	42	56
-	78	2	3	3	8	12	-	1	2	1	3	5	12	12	11	13	-	5	9	57
2	454	14	23	12	28	56	9	10	6	4	5	14	98	11	44	52	17	17	94	58
2	109	2	3	1	10	14	-	3	-	-	1	6	22	2	19	19	3	5	25	59
-	76	4	4	1	3	11	2	1	3	-	1	1	10	6	5	6	3	6	11	60
1	110	5	3	6	24	30	2	7	1	-	2	6	36	14	24	21	2	7	19	61
-	25	-	1	1	3	-	1	3	-	1	-	-	2	10	3	6	1	1	5	62
2	96	3	7	2	6	7	2	1	-	-	-	2	22	3	12	16	1	-	33	63
-	83	2	3	-	7	14	2	5	1	-	1	4	20	6	14	14	3	2	16	64
1	115	7	14	4	22	7	2	4	4	1	3	7	21	4	20	8	1	8	17	65
-	51	3	4	2	1	12	-	3	1	1	1	-	19	2	4	2	1	3	16	66
-	140	1	14	-	8	7	1	2	2	1	2	5	25	13	20	23	2	4	32	67
-	28	1	4	-	-	1	1	-	1	-	1	-	12	8	3	4	3	2	4	68
-	88	4	8	-	7	16	-	5	-	2	3	2	22	10	4	15	-	3	23	69
1	101	9	7	2	1	16	1	11	-	-	4	5	20	5	16	10	1	6	22	70
-	108	1	10	1	5	6	1	-	2	-	-	3	14	3	13	12	-	-	15	71
-	94	4	7	3	17	19	2	3	1	-	3	2	11	2	10	15	4	2	19	72
2	183	6	17	5	9	35	-	5	5	1	1	9	63	44	16	26	1	9	42	73
1	96	5	10	2	5	16	1	3	-	1	2	4	17	5	7	7	4	2	21	74
2	444	13	20	8	17	54	5	18	8	-	5	16	97	9	53	42	17	17	79	75
-	40	1	3	-	1	7	-	-	1	-	1	1	8	7	1	4	1	1	5	76
3	358	11	21	9	30	45	8	5	6	2	7	26	70	22	40	50	14	11	92	77
-	166	1	4	-	18	26	4	9	2	1	7	5	36	28	17	27	1	3	36	78
1	67	3	12	2	7	10	2	2	1	1	1	3	19	2	16	11	3	2	16	79
-	80	5	5	2	14	23	1	1	-	1	2	4	25	32	9	16	2	4	15	80
-	141	5	17	3	5	19	1	8	3	1	1	9	43	11	16	28	2	8	45	81

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
1	SOUTH DAKOTA	5,838	88	11	-	-	-	3	-	8	4	15	848	95	3,042	2,963	704
2	Metropolitan counties	621	5	1	-	-	-	-	-	1	-	1	100	11	314	310	82
3	Nonmetropolitan counties	5,217	83	10	-	-	-	3	-	7	4	14	748	84	2,728	2,653	622
4	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Aurora	38	2	-	-	-	-	-	-	-	-	-	3	1	18	18	3
6	Beadle	181	2	1	-	-	-	-	-	-	-	-	31	4	96	91	24
7	Bennett	37	3	-	-	-	-	-	-	-	-	-	9	-	15	15	4
8	Bon Homme	104	-	1	-	-	-	-	-	-	-	1	10	4	63	62	18
9	Brookings	137	3	-	-	-	-	-	-	-	-	-	24	4	61	60	11
10	Brown	277	1	2	-	-	-	-	-	-	-	-	40	6	156	156	32
11	Brule	73	1	-	-	-	-	-	-	-	-	-	9	1	37	37	13
12	Buffalo	14	3	1	-	-	-	-	-	-	1	-	1	-	3	3	-
13	Butte	94	2	-	-	-	-	-	-	-	-	-	9	1	49	47	8
14	Campbell	24	-	-	-	-	-	-	-	-	-	-	2	-	15	15	5
15	Charles Mix	119	3	1	-	-	-	-	-	1	-	-	18	1	55	53	15
16	Clark	91	-	-	-	-	-	-	-	1	-	-	13	-	50	49	10
17	Clay	101	1	-	-	-	-	-	-	-	-	-	15	5	59	58	19
18	Codington	173	1	-	-	-	-	-	-	-	-	-	18	4	102	99	22
19	Corson	42	3	-	-	-	-	-	-	-	-	-	5	-	18	17	4
20	Custer	53	-	-	-	-	-	-	-	-	-	-	7	2	31	30	5
21	Davison	162	-	-	-	-	-	-	-	-	-	-	17	2	91	89	15
22	Day	105	-	1	-	-	-	-	-	-	-	-	20	2	51	48	21
23	Deuel	71	-	-	-	-	-	-	-	1	-	-	6	2	40	39	14
24	Dewey	45	3	-	-	-	-	-	-	-	1	1	7	1	22	21	3
25	Douglas	38	-	-	-	-	-	-	-	-	-	-	9	-	21	21	7
26	Edmunds	52	-	-	-	-	-	-	-	-	-	-	6	-	31	27	9
27	Fall River	119	1	1	-	-	-	-	-	-	-	-	12	2	59	56	14
28	Faulk	46	-	-	-	-	-	-	-	-	-	-	8	-	24	23	3
29	Grant	86	1	-	-	-	-	-	-	-	-	-	10	1	54	52	13
30	Gregory	88	-	-	-	-	-	-	-	-	-	1	14	4	47	46	9
31	Haakon	37	1	-	-	-	-	-	-	-	-	-	4	-	23	23	6
32	Hamlin	68	-	-	-	-	-	-	-	-	-	-	14	2	42	39	13
33	Hand	69	-	-	-	-	-	-	-	1	-	-	11	1	35	34	8
34	Hanson	34	2	-	-	-	-	-	-	1	-	-	5	-	16	16	2
35	Harding	20	-	-	-	-	-	-	-	-	-	-	1	-	11	11	4
36	Hughes	79	-	-	-	-	-	-	-	-	-	1	15	1	35	35	6
37	Hutchinson	93	-	-	-	-	-	-	-	1	-	-	18	1	54	53	13
38	Hyde	25	-	-	-	-	-	-	-	-	-	-	4	-	15	15	1
39	Jackson	16	1	-	-	-	-	-	-	-	-	-	3	-	10	10	2
40	Jerauld	38	-	-	-	-	-	-	-	-	-	-	5	-	23	22	3
41	Jones	16	-	-	-	-	-	-	-	-	-	-	2	-	10	10	1
42	Kingsbury	95	1	-	-	-	-	-	-	-	-	1	17	2	54	51	10
43	Lake	117	-	-	-	-	-	-	-	-	-	-	16	5	55	52	8
44	Lawrence	158	4	-	-	-	-	-	-	-	-	-	21	-	94	92	14
45	Lincoln	130	1	-	-	-	-	-	-	-	-	-	20	1	71	70	22
46	Lyman	39	-	-	-	-	-	-	-	-	1	1	3	1	20	20	3
47	McCook	75	-	-	-	-	-	-	-	-	-	-	15	-	41	40	14
48	McPherson	56	1	-	-	-	-	-	-	-	-	1	10	1	29	28	8
49	Marshall	70	2	-	-	-	-	-	-	1	-	1	12	-	35	35	12
50	Meade	102	1	-	-	-	-	-	-	-	-	1	24	4	49	47	12
51	Mellette	40	5	-	-	-	-	1	-	-	-	1	1	-	11	11	3
52	Miner	37	1	-	-	-	-	-	-	-	-	-	7	1	21	21	5
53	Minnehaha	621	5	1	-	-	-	-	-	1	-	1	100	11	314	310	82
54	Moody	89	-	-	-	-	-	-	-	-	-	-	14	3	47	45	6
55	Pennington	296	4	-	-	-	-	-	-	-	1	-	37	1	132	130	26
56	Perkins	47	-	-	-	-	-	-	-	-	-	-	7	-	28	27	8
57	Potter	38	-	-	-	-	-	-	-	-	-	-	6	-	21	20	6
58	Roberts	138	2	1	-	-	-	-	-	-	-	-	16	2	63	63	17
59	Sanborn	48	-	-	-	-	-	-	-	-	-	-	10	1	23	23	7
60	Shannon	69	9	-	-	-	-	-	-	-	-	-	9	1	17	15	3
61	Spink	126	1	-	-	-	-	-	-	-	-	-	14	2	85	84	17
62	Stanley	15	1	-	-	-	-	-	-	-	-	-	1	-	7	6	1
63	Sully	13	-	-	-	-	-	-	-	-	-	-	4	-	3	3	1
64	Todd	50	4	-	-	-	-	1	-	-	-	2	5	-	4	3	-
65	Tripp	86	3	-	-	-	-	-	-	-	-	-	14	2	38	38	5
66	Turner	97	-	-	-	-	-	-	-	-	-	-	12	1	60	60	12
67	Union	103	1	1	-	-	-	-	-	-	-	-	15	3	58	55	19
68	Walworth	57	-	-	-	-	-	-	-	-	-	-	10	-	31	29	6
69	Washabaugh	9	-	-	-	-	-	1	-	-	-	-	2	1	2	2	1
70	Yankton	127	1	-	-	-	-	-	-	-	-	1	20	-	78	74	16
71	Ziebach	25	7	-	-	-	-	-	-	-	-	1	1	-	9	9	-
72	TENNESSEE	29,584	1,021	133	4	28	13	38	32	33	17	135	3,621	300	14,090	13,484	3,806
73	Metropolitan counties	12,597	423	76	1	9	3	9	12	18	5	58	1,576	132	5,878	5,671	1,554
74	Nonmetropolitan counties	16,987	598	57	3	19	10	29	20	15	12	77	2,045	168	8,212	7,813	2,252
75	Anderson	356	14	-	-	-	-	-	2	2	-	3	41	1	141	137	39
76	Bedford	254	7	-	-	-	-	-	-	-	-	2	33	3	128	119	31
77	Benton	121	5	-	-	1	-	-	-	-	-	1	16	1	56	56	19
78	Bledsoe	62	2	-	-	-	-	-	-	-	-	1	3	1	17	17	4
79	Blount	336	13	2	-	-	-	-	-	-	1	1	45	3	174	172	47
80	Bradley	251	4	1	-	1	-	-	-	1	-	4	34	3	114	107	35
81	Campbell	280	8	3	-	2	-	1	-	-	1	-	25	-	107	97	26
82	Cannon	80	3	-	-	-	-	-	-	-	-	-	11	-	43	43	11
83	Carroll	252	12	2	-	-	-	-	-	-	-	1	41	2	136	126	40
84	Carter	293	4	1	-	1	1	1	1	-	-	3	36	1	131	127	37
85	Cheatham	79	4	1	-	-	-	-	-	-	-	-	12	2	30	25	6

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
9	1,992	51	165	42	79	200	17	24	32	9	20	92	273	114	168	268	67	6	434	1
1	192	6	24	5	4	18	3	5	4	1	2	16	29	9	23	17	7	1	53	2
8	1,800	45	141	37	75	182	14	19	28	8	18	76	244	105	145	251	60	5	381	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	12	-	3	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	9	5
-	56	6	2	3	5	4	-	1	-	-	1	5	5	1	2	11	1	-	16	6
-	11	-	-	-	-	2	-	-	-	-	1	1	1	1	1	2	2	-	-	7
-	40	3	-	1	1	4	-	-	-	-	-	2	3	2	1	5	1	-	7	8
-	46	1	2	1	5	-	-	1	1	-	1	3	6	4	8	2	-	-	15	9
1	113	1	7	2	-	11	1	1	4	-	2	3	10	1	6	13	5	-	15	10
1	19	-	4	-	-	2	1	-	1	-	-	3	2	2	3	5	1	1	4	11
-	2	-	-	1	-	2	-	-	1	-	-	-	1	-	-	-	-	-	1	12
-	35	2	2	-	2	2	-	1	1	-	-	4	5	-	1	9	1	-	9	13
-	10	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	3	14
1	29	-	8	-	2	3	1	-	-	-	3	3	6	1	4	7	3	1	7	15
-	36	2	-	1	1	3	-	-	-	-	1	2	5	2	-	7	1	-	7	16
-	34	2	2	1	1	1	1	-	1	-	-	2	4	2	2	4	1	-	3	17
2	74	-	-	1	3	6	-	-	-	-	1	4	14	4	3	3	5	-	12	18
-	13	-	-	-	1	2	-	-	-	-	-	2	3	1	1	1	1	-	5	19
-	24	-	1	-	1	3	-	-	-	-	-	2	3	2	2	3	2	-	-	20
-	59	1	13	1	2	2	-	-	1	-	-	2	5	3	5	5	2	-	15	21
-	24	-	3	-	3	2	-	-	-	-	-	2	4	2	2	6	1	-	8	22
-	21	-	3	1	1	2	-	-	3	-	-	1	1	1	5	2	2	-	3	23
-	16	-	2	-	1	1	-	-	-	-	-	2	2	1	1	4	-	-	3	24
-	14	-	-	-	-	-	-	-	1	-	-	2	2	1	1	1	-	-	2	25
-	17	-	1	-	4	2	1	-	-	-	-	1	2	1	1	3	-	-	4	26
-	33	1	5	3	3	9	1	-	2	-	-	1	6	2	2	9	1	-	10	27
-	20	-	-	-	1	1	-	-	-	-	-	1	5	1	2	2	-	-	2	28
-	33	2	3	1	2	-	-	-	-	-	-	1	4	1	2	4	-	-	9	29
-	36	1	1	-	1	2	-	-	-	-	-	1	5	2	2	2	-	-	8	30
-	14	3	-	-	-	-	-	-	1	-	-	1	2	1	2	2	-	-	2	31
-	25	1	-	-	3	2	-	-	-	-	-	1	4	-	-	4	-	-	3	32
-	24	1	1	-	1	1	1	-	-	-	-	1	4	1	5	4	1	-	4	33
-	12	-	2	-	-	-	-	-	-	-	-	1	1	2	-	3	-	-	4	34
-	7	-	-	-	-	2	-	-	-	-	-	-	-	-	3	-	1	-	2	35
-	24	-	5	-	-	6	-	-	1	-	-	1	3	2	2	1	1	-	3	36
-	33	1	6	-	1	5	-	-	-	-	-	1	2	2	1	3	-	-	5	37
-	10	-	3	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	3	38
-	8	-	-	-	-	1	-	-	-	-	-	-	3	-	-	1	-	-	1	39
-	16	-	2	1	1	1	1	-	-	-	-	1	-	1	1	1	-	-	3	40
-	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	41
-	35	-	3	3	3	3	-	1	-	-	-	2	2	1	1	1	1	-	9	42
-	41	1	1	1	3	5	2	1	1	1	-	1	5	2	3	8	1	-	11	43
-	68	3	6	1	2	7	1	2	-	-	-	1	4	4	4	8	-	-	12	44
1	44	-	1	2	1	6	-	-	1	-	-	1	6	2	6	4	-	-	11	45
-	15	1	1	-	-	2	-	1	1	-	-	-	3	2	-	2	1	-	1	46
-	25	1	-	-	1	1	-	-	1	1	-	1	2	2	3	2	-	-	6	47
1	17	1	1	-	1	4	-	-	-	-	-	1	3	1	1	2	-	-	2	48
-	21	-	2	-	-	1	-	-	-	-	-	1	4	1	1	4	-	-	7	49
-	34	-	1	-	2	1	-	-	1	1	-	1	3	4	2	5	-	-	5	50
-	8	-	-	-	-	1	-	-	-	-	-	1	1	7	5	3	1	1	1	51
-	11	3	1	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	4	52
1	192	6	24	5	4	18	3	5	4	1	2	16	29	9	23	17	7	1	53	53
-	36	1	1	1	2	1	-	-	-	-	1	2	4	1	5	3	2	-	6	54
1	94	2	5	2	2	8	1	3	1	-	-	6	29	6	22	17	5	-	23	55
-	16	1	2	-	1	3	1	-	-	-	-	-	3	-	-	1	1	-	3	56
-	9	1	3	1	1	-	-	-	-	-	-	-	2	-	-	2	1	-	6	57
-	44	2	-	-	-	13	-	1	2	1	1	1	6	6	2	8	3	-	10	58
-	14	1	1	-	-	3	-	-	-	-	-	1	3	-	-	3	-	-	4	59
-	11	-	-	1	2	12	1	-	-	-	-	-	4	3	2	6	-	-	4	60
-	53	-	12	2	1	1	1	-	-	-	-	-	5	2	1	5	-	-	8	61
-	5	-	-	-	1	2	-	-	-	-	-	-	1	-	-	2	-	-	1	62
-	1	-	1	-	-	1	-	-	-	-	-	-	2	2	-	1	-	-	-	63
-	3	-	-	-	1	1	-	1	-	-	-	1	-	21	4	1	-	2	3	64
-	31	-	1	1	-	2	-	2	1	-	-	1	6	2	2	1	-	-	11	65
-	42	1	4	1	-	2	-	-	1	-	-	-	5	1	3	3	1	-	8	66
-	34	-	2	-	3	1	-	-	-	-	-	1	4	2	3	6	1	-	7	67
-	19	1	3	-	2	2	-	-	-	-	-	-	6	2	2	2	1	-	3	68
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	69
-	51	3	4	-	4	5	-	1	-	-	-	-	3	5	1	2	5	2	3	70
-	8	-	1	-	-	4	-	1	-	-	-	-	-	1	-	-	-	-	1	71
36	8,835	328	306	173	606	1,237	120	190	188	75	92	405	1,606	1,702	807	1,178	240	304	1,975	72
13	3,714	182	132	76	207	481	60	81	108	34	32	185	762	738	306	467	86	184	873	73
23	5,121	146	174	97	399	756	60	109	80	41	60	220	844	984	501	711	154	120	1,102	74
-	83	1	13	1	4	14	2	3	2	-	1	8	37	17	17	12	3	8	28	75
-	84	2	-	2	9	13	1	3	1	-	2	1	9	6	7	13	2	-	23	76
-	35	2	-	-	-	3	-	-	-	1	-	-	4	17	4	7	-	-	5	77
-	13	-	-	-	-	2	-	-	-	1	1	2	7	11	3	2	3	2	4	78
-	112	9	4	-	2	12	1	2	2	2	1	14	15	3	5	16	4	1	21	79
-	68	2	1	1	7	13	-	2	2	-	-	3	15	11	13	12	2	2	14	80
2	64	3	2	-	10	12	4	14	-	1	5	11	15	22	8	14	2	5	20	81
-	31	-	1	-	-	3	-	-	-	-	-	1	1	4	7	2	1	-	4	82
1	61	17	4	3	10	10	1	2	1	-	-	1	5	7	6	7	3	-	15	83
-	82	1	6	1	4	19	3	3	-	1	1	5	25	19	4	9	2	2	20	84
-	17	1	1	-	5	5	-	-	-	-	1	2	2	2	6	3	3	-	6	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	TENNESSEE—Continued																
1	Chester	86	3	-	-	1	-	-	-	-	-	-	14	-	45	45	17
2	Claiborne	218	10	2	-	-	1	-	-	-	-	-	36	4	84	83	33
3	Clay	72	6	-	-	-	-	-	1	-	-	1	5	-	34	32	11
4	Cocke	236	17	-	-	2	1	1	-	-	-	2	28	2	96	88	17
5	Coffee	225	11	-	-	-	-	1	-	-	1	-	27	3	106	103	31
6	Crockett	156	4	1	-	-	-	-	-	-	-	-	18	1	84	78	34
7	Cumberland	138	3	-	-	1	-	-	-	-	-	-	23	1	47	40	15
8	Davidson	3,069	103	18	-	3	2	4	3	5	2	19	364	41	1,473	1,425	430
9	Decatur	86	5	-	-	-	-	-	-	1	1	-	7	2	36	35	14
10	De Kalb	100	5	-	-	-	-	-	-	-	-	2	8	2	59	58	7
11	Dickson	176	12	-	-	-	-	-	-	-	-	-	23	-	92	86	16
12	Dyer	307	9	2	-	-	-	-	1	-	-	1	41	6	149	136	28
13	Fayette	227	8	1	-	-	2	-	1	-	-	1	19	-	109	105	39
14	Fentress	107	4	-	-	1	-	-	-	-	-	-	11	1	52	48	17
15	Franklin	234	15	-	-	-	-	1	1	-	-	-	26	2	108	105	36
16	Gibson	437	10	4	-	-	-	3	-	2	-	1	58	9	248	238	58
17	Giles	284	7	-	-	-	-	-	-	1	-	2	30	4	141	136	38
18	Grainger	108	5	-	-	-	-	-	1	-	-	2	8	-	55	52	23
19	Greene	325	8	1	-	-	-	-	1	-	-	-	36	2	179	169	38
20	Grundy	83	3	1	-	-	-	-	1	-	-	-	9	2	27	26	9
21	Hamblen	213	7	2	-	1	-	-	-	-	-	-	33	5	103	97	30
22	Hamilton	2,107	91	10	-	2	1	3	1	1	-	6	259	20	964	923	253
23	Hancock	71	4	-	-	-	-	1	-	-	-	-	11	-	29	25	8
24	Hardeman	219	6	1	-	1	-	1	1	-	-	-	24	5	113	108	42
25	Hardin	133	7	-	-	-	1	1	-	-	-	-	13	1	67	66	23
26	Hawkins	246	11	-	-	-	-	-	-	-	-	3	31	2	129	116	41
27	Haywood	258	10	5	-	-	-	1	-	-	1	2	20	1	125	116	34
28	Henderson	142	5	-	-	-	-	-	-	-	-	1	15	1	80	79	27
29	Henry	246	4	-	-	-	-	-	-	-	1	-	34	1	132	130	31
30	Hickman	119	5	-	-	-	-	-	-	-	-	-	18	-	54	52	19
31	Houston	57	1	1	-	-	-	1	-	-	-	-	5	1	25	25	5
32	Humphreys	93	2	1	-	-	-	-	-	-	-	-	17	-	49	48	9
33	Jackson	91	9	-	-	-	-	-	1	-	-	1	9	2	40	38	6
34	Jefferson	169	7	2	-	-	-	-	-	-	-	-	26	1	76	76	24
35	Johnson	89	1	-	-	-	-	-	-	1	-	1	8	-	46	42	16
36	Knox	1,913	59	6	-	-	-	1	4	1	-	7	240	18	934	876	224
37	Lake	126	4	-	-	-	-	1	-	-	-	-	9	1	53	50	10
38	Lauderdale	233	6	1	-	-	-	-	1	-	-	6	19	7	122	115	19
39	Lawrence	218	5	-	-	-	-	-	-	-	-	-	28	4	104	100	17
40	Lewis	55	3	-	-	-	-	-	-	-	-	-	9	-	22	20	3
41	Lincoln	247	5	-	-	-	-	-	-	-	-	1	26	3	138	132	39
42	Loudon	215	7	1	-	-	1	-	-	-	-	-	27	2	103	94	19
43	McMinn	247	9	1	-	-	-	-	1	2	1	1	36	1	106	100	34
44	McNairy	161	9	-	-	-	-	-	-	-	-	1	23	2	74	73	28
45	Macon	129	9	-	-	-	-	1	-	-	-	1	13	2	62	60	14
46	Madison	577	16	1	-	2	-	1	-	1	-	3	70	8	291	278	75
47	Marion	171	5	2	-	-	-	2	-	-	-	1	18	-	67	63	15
48	Marshall	197	8	-	-	1	-	-	-	-	-	1	18	1	110	102	28
49	Maury	412	15	1	-	-	-	-	-	1	-	2	45	2	218	213	48
50	Meigs	42	3	-	-	-	-	-	-	-	-	-	2	2	15	15	5
51	Monroe	187	10	-	-	-	-	1	-	-	-	1	26	1	64	64	19
52	Montgomery	362	9	2	-	-	-	-	3	-	2	1	35	3	181	164	52
53	Moore	44	3	-	-	-	-	-	-	-	-	1	6	1	25	24	6
54	Morgan	122	5	-	-	-	-	1	-	-	-	-	13	1	57	54	18
55	Obion	310	5	1	-	-	-	1	-	-	1	2	39	2	178	171	57
56	Overton	126	3	-	1	-	-	1	-	-	-	-	23	1	61	59	15
57	Perry	44	4	-	-	-	1	-	-	-	-	-	6	1	16	16	6
58	Pickett	26	1	-	-	-	-	-	-	-	-	-	2	-	15	15	3
59	Polk	104	4	-	-	-	-	-	-	1	-	-	8	1	48	41	18
60	Putnam	224	14	-	-	1	-	-	-	-	-	1	24	-	119	110	30
61	Rhea	157	6	1	-	-	-	-	1	-	-	2	18	2	65	57	16
62	Roane	282	14	1	-	-	1	-	-	-	-	2	41	1	122	116	25
63	Robertson	267	5	1	-	-	-	1	-	-	-	-	28	2	141	131	48
64	Rutherford	377	8	-	-	-	-	1	-	1	-	3	44	4	195	192	64
65	Scott	110	7	2	1	1	-	-	-	2	1	1	11	2	40	39	13
66	Sequatchie	53	2	-	-	1	-	-	-	-	-	1	8	2	13	13	2
67	Sevier	192	9	-	-	-	-	-	1	-	-	1	32	1	86	81	22
68	Shelby	4,816	143	40	1	4	-	1	2	9	2	22	627	49	2,192	2,138	561
69	Smith	135	9	-	-	-	-	-	-	-	-	-	18	2	63	62	14
70	Stewart	86	5	-	-	-	1	-	-	-	-	-	9	-	38	38	16
71	Sullivan	623	21	3	-	-	-	1	3	-	1	3	75	9	268	253	68
72	Sumner	304	11	1	-	-	-	-	-	-	-	2	37	-	168	167	50
73	Tipton	282	3	1	-	-	-	3	-	-	-	2	31	2	148	142	52
74	Trousdale	62	1	-	-	-	-	-	-	-	-	-	8	-	35	34	5
75	Unicoi	118	1	1	-	-	-	-	-	-	-	-	13	1	59	56	16
76	Union	71	2	-	-	-	-	-	-	-	-	-	7	1	36	34	13
77	Van Buren	32	2	-	-	-	-	-	-	-	-	-	5	-	9	9	3
78	Warren	210	9	1	-	-	-	-	-	-	-	-	23	1	97	95	29
79	Washington	511	16	3	-	-	-	-	-	1	-	1	80	7	220	202	54
80	Wayne	92	2	-	-	-	-	-	-	-	-	1	11	1	38	33	5
81	Weakley	323	10	-	-	1	-	-	-	-	-	1	31	3	195	188	49
82	White	172	3	-	-	-	-	-	-	-	-	2	26	2	72	70	25
83	Williamson	259	9	-	1	-	-	1	-	-	1	-	32	2	129	126	38
84	Wilson	267	8	-	-	-	-	-	-	-	-	-	30	3	145	144	42

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	25	1	2	-	-	6	-	-	1	-	-	-	4	2	1	2	1	-	6	1
-	48	1	1	-	1	5	-	1	-	-	-	3	10	20	5	13	-	1	23	2
-	20	-	1	-	2	3	-	-	-	-	-	-	2	1	4	5	-	-	10	3
2	61	2	6	-	8	23	-	1	2	-	2	3	11	18	8	8	2	2	7	4
-	65	2	3	2	3	14	2	2	2	-	3	2	8	9	7	6	1	2	18	5
-	38	1	3	2	6	10	-	1	-	-	3	-	10	5	6	3	1	-	9	6
-	21	1	2	1	7	10	2	1	1	-	3	3	10	12	8	3	1	1	8	7
3	899	38	31	24	48	124	16	16	29	10	6	45	182	134	74	122	24	45	205	8
-	18	-	2	1	1	8	-	1	-	2	-	3	4	7	2	3	2	-	2	9
1	49	1	-	-	1	4	1	-	-	-	-	-	1	6	4	4	3	-	1	10
1	63	2	3	1	6	6	1	-	3	1	-	1	12	4	5	5	2	1	8	11
-	101	3	3	1	13	6	3	-	1	-	-	2	20	11	3	21	4	1	26	12
1	57	3	5	-	4	6	-	-	1	2	2	1	11	36	8	4	1	2	12	13
-	29	-	2	-	4	1	1	3	1	-	1	2	6	9	4	3	-	2	5	14
-	63	3	1	2	3	15	-	2	2	2	-	2	12	8	12	9	-	-	17	15
1	170	4	5	-	10	18	-	3	-	2	1	5	9	8	6	13	2	4	31	16
1	93	1	2	1	5	20	-	-	-	1	1	1	11	18	7	9	2	2	27	17
-	26	-	2	1	3	4	1	1	-	-	-	1	8	7	2	4	1	-	8	18
1	128	-	2	-	10	11	1	3	-	-	1	2	19	15	14	12	5	-	15	19
-	17	-	-	-	1	5	-	1	-	-	-	5	4	9	2	3	1	1	9	20
1	59	5	2	-	6	7	1	1	2	-	-	3	15	6	3	11	2	-	11	21
4	608	18	27	13	41	127	3	23	23	4	7	33	97	113	53	64	15	47	140	22
-	15	-	1	1	4	1	-	1	-	-	-	2	4	15	2	1	-	-	-	23
-	60	-	4	2	5	10	-	1	-	-	1	-	14	18	6	3	1	1	12	24
-	39	-	2	2	1	9	1	1	-	-	1	2	7	3	2	4	-	1	12	25
-	69	1	4	1	13	10	1	-	1	-	-	4	7	11	7	8	4	1	16	26
-	80	2	-	-	9	5	-	4	2	3	1	-	10	38	4	10	2	3	11	27
-	47	-	4	1	1	10	-	1	-	-	1	4	3	9	2	2	-	-	8	28
-	93	4	2	-	2	5	1	-	1	-	-	3	6	11	9	19	5	2	12	29
-	31	1	1	-	2	4	-	1	-	-	-	-	8	7	8	3	2	-	9	30
-	16	2	1	1	-	5	-	-	-	-	2	-	1	7	1	5	1	-	1	31
-	37	2	-	-	1	3	1	-	1	-	-	3	2	3	2	4	-	-	5	32
-	30	1	1	-	2	-	-	1	-	-	-	2	3	8	2	3	-	2	8	33
1	46	4	1	-	-	7	1	1	-	-	2	3	4	8	5	10	-	-	16	34
-	26	-	-	-	4	3	-	-	-	2	-	4	1	8	4	4	3	-	3	35
-	590	26	28	8	58	58	12	15	14	5	5	34	97	92	56	77	16	27	135	36
1	37	-	-	2	3	8	-	2	1	-	2	2	9	5	6	14	1	2	6	37
1	84	2	1	8	7	13	2	1	2	1	-	2	10	5	4	11	3	2	15	38
-	78	3	2	-	4	5	-	-	1	1	1	1	14	20	4	11	3	2	14	39
-	16	1	-	-	2	2	-	-	1	-	-	-	1	8	1	3	1	-	4	40
-	91	2	-	-	6	6	2	4	1	-	1	1	17	13	9	7	-	1	12	41
-	71	3	1	-	9	8	-	2	-	-	-	5	13	10	10	4	6	1	15	42
-	61	1	2	2	6	10	2	3	1	2	-	4	10	17	2	16	5	-	17	43
-	42	1	-	2	1	5	1	1	-	-	-	1	4	15	6	4	1	4	10	44
-	38	2	5	1	2	2	-	-	-	1	-	6	4	10	2	5	2	-	9	45
1	185	5	8	4	13	19	2	3	5	4	-	5	35	39	19	9	3	6	35	46
1	44	2	1	-	4	10	-	2	2	-	-	3	17	15	8	9	-	1	9	47
-	67	1	5	1	8	10	1	1	-	-	-	2	5	2	6	11	3	1	16	48
2	156	4	2	1	5	18	3	1	1	-	2	7	25	19	10	12	1	2	27	49
-	9	-	-	1	-	1	-	-	-	-	-	3	4	3	1	2	3	-	3	50
-	40	-	2	3	-	11	-	2	2	3	-	7	8	15	5	11	2	4	14	51
-	100	4	5	3	17	19	-	2	2	1	-	2	20	20	9	21	1	5	24	52
-	16	-	2	-	1	-	-	2	1	-	-	-	2	1	1	-	-	-	1	53
-	34	1	1	-	3	3	-	-	-	-	-	5	4	6	8	8	1	3	7	54
1	107	1	4	1	7	11	1	-	1	1	-	4	12	6	16	10	1	2	16	55
-	44	-	-	-	2	10	-	-	-	-	1	-	3	7	3	3	3	-	6	56
-	10	-	-	-	-	1	-	-	-	-	-	-	4	1	-	2	1	-	7	57
-	12	-	-	-	-	1	-	-	-	-	-	-	1	4	-	1	-	-	1	58
-	22	-	-	1	7	5	1	3	2	-	1	2	7	6	6	3	-	3	3	59
1	72	-	4	3	9	10	-	2	3	-	-	2	7	19	8	2	1	1	10	60
-	38	2	-	1	8	4	2	-	2	-	4	-	6	8	10	8	1	2	15	61
-	84	3	4	-	6	12	2	1	-	-	-	-	8	20	2	8	16	5	1	25	62
-	78	2	2	1	10	14	-	1	3	1	1	1	12	8	4	19	2	1	22	63
-	120	1	5	2	3	21	1	1	1	-	1	5	24	7	11	18	3	5	25	64
-	23	2	-	1	1	3	-	2	-	-	1	4	5	12	-	4	1	1	9	65
-	11	-	-	-	-	3	-	-	-	-	-	-	7	2	5	7	-	-	2	66
-	53	-	3	3	5	11	2	2	-	-	1	2	10	8	5	7	2	-	12	67
6	1,422	90	29	30	54	146	26	24	38	13	12	51	334	379	101	176	24	56	344	68
-	47	-	-	1	1	7	2	-	-	-	-	2	3	9	6	4	-	-	10	69
-	22	-	-	-	-	3	-	1	1	-	-	-	5	8	3	6	-	-	6	70
-	168	2	8	7	15	28	2	4	4	1	-	14	59	17	23	29	3	8	47	71
1	107	7	-	2	1	12	-	1	2	-	2	3	15	10	7	12	3	3	15	72
-	80	2	1	7	6	10	-	-	5	-	-	2	13	27	9	8	1	3	14	73
-	27	1	-	1	1	4	1	-	-	-	-	1	-	2	-	2	1	2	5	74
-	33	-	7	-	3	4	-	1	-	-	1	5	5	9	5	3	2	-	8	75
-	18	2	1	-	2	-	1	1	1	-	-	1	3	7	1	3	1	-	6	76
-	6	-	-	-	-	1	-	-	-	-	-	2	4	7	-	2	-	-	-	77
1	62	-	1	2	2	10	-	-	2	-	-	1	7	24	-	15	4	2	14	78
-	141	4	1	2	18	31	3	1	3	-	2	7	20	20	16	33	5	5	37	79
-	28	-	-	-	5	8	-	1	-	1	1	-	4	10	4	1	2	1	6	80
-	127	5	6	1	7	12	-	-	1	1	1	2	15	8	5	9	2	-	26	81
-	40	1	2	2	2	8	-	1	-	1	1	-	15	18	2	14	-	-	7	82
-	84	3	-	1	3	15	2	1	2	1	1	2	8	10	6	15	1	2	18	83
-	93	1	5	3	1	13	-	3	2	2	-	2	8	9	4	11	6	4	17	84

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
1	TEXAS	67,236	1,939	380	13	434	31	111	53	183	101	339	8,363	886	29,632	28,446	6,669
2	Metropolitan counties	29,843	951	190	3	58	14	27	29	86	24	119	3,985	414	13,092	12,639	2,852
3	Nonmetropolitan counties	37,395	988	190	10	376	17	84	24	97	77	220	4,378	472	16,540	15,807	3,817
4	Anderson	333	3	-	-	-	-	1	1	-	-	1	39	6	174	151	42
5	Andrews	27	-	-	-	-	-	-	-	-	-	-	1	-	12	12	3
6	Angelina	315	8	3	-	-	-	-	-	-	2	3	43	1	161	155	33
7	Aransas	42	-	2	-	-	-	-	-	-	-	-	4	-	21	19	5
8	Archer	43	-	-	-	-	-	-	-	-	-	-	6	1	15	15	5
9	Armstrong	12	-	-	-	1	-	-	-	-	-	-	-	-	7	7	1
10	Atascosa	171	10	1	-	3	-	-	-	-	-	-	15	-	61	60	17
11	Austin	154	1	-	-	-	-	-	-	-	-	-	25	1	89	85	20
12	Bailey	41	-	-	-	-	-	-	-	-	-	-	4	2	23	22	1
13	Bandera	35	-	-	-	-	1	-	-	1	-	1	7	-	14	14	3
14	Bastrop	199	8	-	-	1	-	-	-	-	-	-	27	-	102	99	23
15	Baylor	58	3	1	-	-	-	-	-	-	-	-	9	-	29	29	4
16	Bee	202	11	-	-	16	1	1	-	1	-	1	31	2	62	58	17
17	Bell	523	8	6	-	1	1	2	1	1	1	1	66	9	252	244	70
18	Bexar	4,520	227	26	-	8	3	5	4	15	3	24	584	70	1,881	1,815	401
19	Blanco	36	-	-	-	-	-	-	-	-	-	-	8	-	15	14	1
20	Borden	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
21	Bosque	131	1	-	-	-	-	-	-	-	-	-	18	3	80	76	21
22	Bowie	566	12	5	-	1	-	5	-	1	-	4	71	9	280	263	68
23	Brazoria	322	5	-	-	2	-	-	1	-	1	2	35	2	127	123	31
24	Brazos	276	4	-	-	1	-	-	1	-	-	1	23	3	140	134	21
25	Brewster	82	3	1	-	1	-	3	-	-	-	-	7	1	19	19	1
26	Briscoe	19	-	-	-	-	-	-	-	-	-	-	3	1	3	3	2
27	Brooks	63	-	-	-	-	-	1	-	1	-	1	6	3	22	21	4
28	Brown	274	7	1	1	-	-	-	-	-	1	-	42	4	134	130	20
29	Burleson	151	4	2	-	3	-	-	-	-	-	1	18	1	84	76	21
30	Burnet	89	-	-	-	-	-	-	-	-	-	-	16	1	49	48	11
31	Caldwell	269	12	-	-	2	1	-	-	1	1	1	25	1	126	122	28
32	Calhoun	78	-	1	-	1	-	-	-	-	-	-	11	-	39	38	11
33	Callahan	83	2	-	-	-	-	-	-	1	-	-	7	1	40	38	5
34	Cameron	1,362	58	8	2	72	2	2	-	9	19	25	67	13	334	318	47
35	Camp	102	5	1	-	-	1	-	-	-	-	3	16	1	45	44	10
36	Carson	35	1	-	-	-	-	-	-	-	-	1	4	1	13	11	1
37	Cass	234	3	2	-	-	-	-	-	1	2	4	24	-	118	116	38
38	Castro	32	-	1	-	-	-	-	-	-	-	-	3	-	12	12	6
39	Chambers	70	1	2	-	-	-	-	-	1	-	1	10	-	35	34	8
40	Cherokee	337	7	5	-	-	1	-	-	-	-	1	35	5	175	169	37
41	Childress	95	-	-	-	-	-	-	-	1	-	2	13	-	37	35	8
42	Clay	92	-	1	-	-	-	-	-	-	-	-	13	2	51	50	16
43	Cochran	38	-	-	-	1	-	-	-	-	-	-	4	1	18	18	5
44	Coke	37	-	-	-	-	-	-	-	-	-	-	3	1	16	16	3
45	Coleman	162	1	1	-	-	-	-	-	1	-	-	20	3	85	83	19
46	Collin	443	3	2	-	-	-	-	1	1	-	1	67	7	239	234	66
47	Collingsworth	91	1	1	-	-	-	-	-	-	-	-	11	4	43	42	13
48	Colorado	188	5	1	-	-	-	-	-	1	-	-	30	-	86	79	31
49	Comal	175	6	-	-	-	-	-	-	1	-	2	16	2	79	75	20
50	Comanche	137	2	1	-	-	-	-	-	-	-	1	26	3	72	68	25
51	Concho	44	2	1	-	-	-	-	-	-	-	-	9	-	16	14	2
52	Cooke	218	3	1	-	-	-	-	-	-	-	-	31	8	113	110	29
53	Coryell	165	1	-	-	1	-	-	-	1	-	-	17	2	91	86	31
54	Cottle	58	-	1	-	-	1	-	-	-	-	-	4	1	20	20	6
55	Crane	16	-	-	-	-	-	-	-	-	-	1	2	-	7	7	-
56	Crockett	23	1	1	-	1	-	-	-	-	-	-	-	-	10	10	6
57	Crosby	86	2	-	-	-	-	1	-	-	-	1	7	2	37	35	12
58	Culberson	20	-	-	-	-	-	-	-	-	-	-	3	1	7	7	1
59	Dallam	60	1	-	-	-	-	-	-	-	-	1	9	1	28	28	4
60	Dallas	5,053	106	27	-	6	3	7	4	9	1	20	730	73	2,479	2,397	582
61	Dawson	155	2	-	-	-	-	3	-	-	-	-	17	-	48	47	9
62	Deaf Smith	64	-	-	-	1	-	-	-	-	-	1	9	-	31	30	4
63	Delta	95	2	1	1	-	-	1	-	-	-	1	11	2	45	43	13
64	Denton	312	3	-	-	-	-	-	-	1	-	4	46	1	177	177	45
65	De Witt	267	5	1	-	1	-	-	-	1	-	2	30	5	132	131	28
66	Dickens	75	2	1	-	1	-	-	-	1	-	-	8	2	34	33	9
67	Dimmit	112	8	-	-	5	-	-	-	-	3	-	9	-	26	25	9
68	Donley	64	3	-	-	-	-	-	-	-	-	1	10	3	30	26	7
69	Duval	106	6	-	-	2	-	-	-	-	-	-	10	3	37	36	7
70	Eastland	266	5	-	1	-	-	-	-	-	-	1	53	8	118	114	27
71	Ector	244	3	1	-	-	-	1	-	7	3	3	10	-	66	61	8
72	Edwards	26	2	-	-	-	-	-	-	-	-	1	1	-	12	12	7
73	Ellis	482	16	3	-	4	-	5	-	1	-	-	58	2	229	222	52
74	El Paso	1,650	83	7	1	4	2	-	1	2	1	7	160	24	569	538	148
75	Erath	179	2	-	-	1	-	-	-	1	-	3	26	2	91	89	27
76	Falls	325	8	-	-	2	-	-	-	-	2	1	35	3	161	147	42
77	Fannin	352	6	3	-	-	-	-	-	1	-	1	47	6	195	184	41
78	Fayette	269	6	2	-	-	-	-	-	-	-	3	30	7	126	117	33
79	Fisher	82	1	1	-	-	-	-	-	-	-	-	10	-	41	40	9
80	Floyd	78	1	-	-	-	-	-	-	-	-	1	8	1	35	34	13
81	Foard	44	1	-	-	-	-	-	-	-	-	-	6	2	21	21	4
82	Fort Bend	350	7	-	-	3	-	-	-	-	-	2	35	10	147	142	27
83	Franklin	52	-	-	-	-	-	-	-	-	-	1	2	2	35	35	11
84	Freestone	184	5	-	-	-	-	-	1	-	-	-	17	2	98	92	14
85	Frio	97	8	-	-	2	-	-	-	-	-	-	9	-	37	37	8
86	Gaines	44	1	1	-	2	-	-	-	-	-	-	4	-	11	10	4
87	Galveston	1,099	20	11	-	1	-	1	1	2	-	5	149	19	543	527	89
88	Garza	52	-	-	-	-	-	1	-	-	-	-	5	-	25	24	7

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
71	19,746	607	968	385	1,186	2,783	284	1,302	512	214	206	985	4,324	1,827	2,659	3,245	651	792	4,989	1
34	8,872	265	406	210	453	1,102	153	484	313	66	85	528	2,229	476	1,078	1,365	313	447	2,212	2
37	10,874	342	562	175	733	1,681	131	818	199	148	121	457	2,095	1,351	1,581	1,880	338	345	2,777	3
-	106	2	-	1	23	15	1	1	5	6	-	4	17	10	12	15	3	3	16	4
-	9	-	-	-	-	3	-	-	-	-	-	2	4	-	1	1	-	1	2	5
-	112	3	2	5	6	10	-	4	2	1	-	6	19	3	12	16	2	3	16	6
-	13	1	-	-	2	-	-	1	-	-	-	-	4	-	4	1	-	-	5	7
-	10	-	-	-	-	1	1	-	-	-	-	1	2	4	6	1	-	-	5	8
-	6	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	9
-	40	-	1	2	1	12	-	13	-	-	-	5	9	14	5	10	-	1	12	10
-	59	2	4	-	4	4	-	-	1	-	-	-	4	3	7	6	1	1	11	11
1	19	1	-	-	1	1	-	-	-	-	-	1	4	1	3	-	1	1	-	12
-	10	1	-	-	-	2	-	1	1	-	-	-	1	2	-	2	-	-	2	13
-	71	-	5	-	3	4	1	4	-	-	-	-	11	4	6	11	3	2	15	14
-	22	-	-	3	-	-	-	1	-	-	-	1	4	2	-	-	4	1	3	15
-	37	-	3	1	4	17	-	9	1	1	1	3	10	6	6	7	-	1	14	16
-	154	9	7	4	8	20	1	4	1	1	1	11	31	22	25	19	6	2	30	17
4	1,294	19	66	31	66	231	27	154	55	11	11	74	366	34	120	182	41	49	315	18
-	11	-	2	-	1	1	-	1	-	-	-	1	1	-	4	1	-	-	4	19
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	20
-	48	3	4	-	4	3	-	-	1	1	-	-	3	3	2	9	3	1	3	21
-	175	8	8	4	17	22	1	4	4	2	2	5	25	21	20	28	6	4	34	22
-	85	-	7	-	4	11	2	4	2	-	-	8	22	16	21	23	5	5	28	23
-	104	6	1	2	6	8	1	7	2	3	-	5	21	13	7	9	4	1	22	24
-	15	-	3	-	-	-	1	2	1	1	-	2	11	3	5	8	2	4	7	25
1	-	-	-	-	-	1	-	1	-	-	1	-	2	1	1	2	-	1	2	26
1	14	1	1	-	1	4	-	5	1	-	1	1	5	3	4	2	-	1	2	27
-	103	3	4	-	4	11	1	1	3	-	-	5	8	10	10	11	4	-	20	28
-	52	1	-	2	8	3	-	1	1	-	-	-	4	15	2	6	1	1	4	29
1	32	1	3	-	1	3	-	-	-	-	-	-	3	2	3	4	-	1	7	30
-	89	-	4	1	4	16	1	10	-	-	1	4	15	13	9	9	2	4	15	31
-	22	3	1	1	1	2	-	3	-	-	-	1	11	-	2	2	-	2	3	32
-	28	1	3	1	2	3	1	-	1	-	-	1	2	6	5	8	2	1	2	33
1	251	5	9	5	16	110	6	124	9	4	5	16	125	119	36	80	9	11	97	34
-	32	-	2	-	1	4	1	-	-	1	-	-	3	5	2	6	-	1	7	35
-	8	-	-	2	2	2	-	-	1	1	-	-	1	2	3	3	-	-	2	36
-	72	-	5	1	2	6	-	-	3	-	-	3	13	9	18	9	-	5	14	37
-	3	-	3	-	-	1	-	-	-	-	-	-	6	1	1	4	2	-	1	38
-	25	1	-	-	1	4	1	-	2	-	-	1	4	-	2	-	-	-	6	39
1	119	5	2	5	6	10	2	1	4	3	2	5	15	13	13	16	2	1	21	40
-	26	-	1	-	2	-	-	-	1	1	-	2	10	1	3	10	2	-	12	41
-	29	1	3	1	1	4	-	-	-	-	1	-	2	4	1	3	-	1	9	42
-	12	-	1	-	-	2	-	-	-	-	-	-	3	-	4	4	-	-	1	43
-	11	1	-	1	-	1	-	-	-	-	-	2	3	2	5	1	1	-	2	44
-	55	3	5	1	2	3	1	3	-	-	1	1	9	-	7	7	2	-	17	45
1	149	10	7	1	5	20	4	3	1	1	-	2	10	10	22	17	1	4	27	46
-	28	1	-	-	1	3	-	1	-	-	2	2	5	1	3	5	1	-	8	47
-	45	-	3	-	7	6	-	2	-	-	-	3	6	16	10	6	1	1	14	48
-	49	2	3	1	4	5	3	3	1	1	-	2	8	5	11	10	3	-	17	49
-	38	-	4	1	4	6	1	-	1	1	-	3	1	3	3	2	2	-	9	50
-	10	-	1	1	2	1	-	-	-	-	1	3	2	1	1	2	-	1	4	51
-	75	5	1	3	6	-	-	-	1	1	-	1	9	15	4	4	2	1	18	52
-	53	2	-	5	3	-	-	5	-	-	-	5	9	2	5	5	-	-	18	53
-	12	-	2	-	3	-	-	4	-	-	-	3	11	3	1	-	-	1	5	54
-	6	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	3	55
-	4	-	-	-	-	1	-	1	-	-	-	-	2	1	3	-	1	-	1	56
-	20	-	2	1	2	3	-	-	1	-	-	1	6	1	3	8	-	-	13	57
-	6	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1	4	58
-	24	-	-	-	-	-	-	-	-	1	-	1	3	1	4	5	-	1	4	59
5	1,650	56	62	42	82	127	32	24	51	7	7	67	305	67	160	242	45	91	363	60
-	36	-	2	-	1	5	1	5	1	-	1	5	16	5	19	16	-	1	10	61
-	23	1	1	1	1	-	-	2	1	-	-	1	5	-	5	1	1	1	5	62
-	26	2	2	-	2	5	-	1	-	1	-	-	1	4	2	6	1	1	9	63
-	122	4	6	-	7	7	1	2	1	-	1	6	11	4	8	11	2	4	22	64
-	98	-	5	-	1	9	1	3	2	1	1	1	15	11	7	10	3	2	24	65
-	23	1	-	-	1	6	-	2	-	-	2	1	3	-	2	7	-	-	3	66
-	15	1	-	-	1	14	-	7	-	1	1	1	10	5	9	3	1	-	9	67
-	19	-	-	-	4	1	-	-	1	-	-	-	1	1	2	5	1	-	5	68
-	25	-	3	1	1	8	-	1	-	-	-	2	6	13	5	5	-	1	7	69
-	82	1	3	1	4	10	-	2	1	1	1	2	5	12	15	16	1	-	14	70
-	49	2	2	-	5	7	3	6	1	-	1	5	27	6	31	29	3	8	23	71
-	5	-	-	-	-	-	-	1	-	-	-	-	2	-	1	3	-	-	3	72
-	162	3	4	1	7	24	2	10	1	1	2	7	20	15	21	16	2	8	35	73
4	331	16	21	18	31	100	12	73	27	2	11	44	193	30	72	64	9	10	142	74
-	54	3	5	-	2	11	1	1	-	-	-	1	3	5	6	6	2	-	17	75
2	93	3	6	1	14	22	1	5	-	-	2	2	14	18	5	15	3	3	23	76
-	125	9	7	2	11	17	-	1	1	-	-	2	10	5	8	15	5	2	27	77
-	72	5	7	-	9	14	-	-	3	1	1	3	8	11	5	15	6	-	28	78
-	29	-	1	1	1	2	-	5	1	-	-	1	5	1	4	3	-	-	7	79
-	18	-	3	-	1	6	-	-	-	-	-	5	6	2	1	7	2	-	3	80
-	14	-	3	-	-	-	-	-	-	-	-	-	2	3	-	5	-	1	3	81
1	98	4	12	-	5	39	1	9	3	1	-	1	23	7	12	17	3	7	23	82
-	17	-	7	-	-	5	-	-	-	-	-	-	-	-	-	1	-	-	6	83
-	72	2	3	1	6	11	1	2	2	-	1	3	3	9	6	2	3	2	16	84
-	26	1	2	-	-	3	1	9	1	-	-	1	8	2	2	6	1	-	7	85
-	6	-	-	-	1	3	-	2	-	1	-	-	4	2	5	4	2	-	2	86
1	387	18	17	15	18	39	6	4	7	6	3	22	62	14	35	64	14	14	57	87
-	13	-	4	-	1	1	1	1	-	-	-	2	7	-	4	4	-	-	1	88

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	TEXAS—Continued																
1	Gillespie	105	1	-	-	1	-	-	-	-	-	-	14	-	55	53	17
2	Glasscock	5	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1
3	Goliad	65	3	-	-	-	-	-	-	-	-	1	7	2	26	22	7
4	Gonzales	231	4	1	-	1	-	1	-	-	1	2	36	2	106	101	21
5	Gray	186	2	1	-	-	-	-	-	-	-	-	28	5	88	87	18
6	Grayson	690	5	6	-	-	2	-	-	2	-	2	86	17	370	359	82
7	Gregg	501	8	5	-	-	-	1	-	1	1	2	70	5	216	203	42
8	Grimes	208	8	2	-	2	-	-	1	-	-	1	9	4	113	102	32
9	Guadalupe	258	14	2	-	5	-	-	3	-	-	2	23	-	110	102	20
10	Hale	200	4	2	-	1	-	-	-	1	1	-	24	5	73	66	11
11	Hall	106	2	-	-	-	-	1	-	-	-	-	11	2	39	39	13
12	Hamilton	113	1	-	-	-	-	-	-	-	-	-	20	2	58	58	12
13	Hansford	30	1	-	-	-	-	-	-	-	-	-	5	1	12	12	3
14	Hardeman	109	3	-	-	-	-	-	-	-	-	1	26	3	49	49	17
15	Hardin	170	3	-	-	-	-	-	-	-	-	-	17	3	76	73	24
16	Harris	6,320	204	59	-	1	3	1	10	21	4	22	922	85	2,747	2,668	635
17	Harrison	453	15	-	-	2	-	1	-	-	-	1	49	3	226	211	68
18	Hartley	14	-	-	-	-	-	-	-	-	-	-	1	-	5	5	1
19	Haskell	126	2	-	-	1	-	-	-	1	-	1	17	-	56	54	16
20	Hays	165	11	1	-	2	-	-	-	2	1	1	17	-	67	67	16
21	Hemphill	24	-	-	-	-	-	-	-	-	-	-	3	-	16	13	4
22	Henderson	224	2	1	-	-	-	1	-	1	-	-	37	5	119	112	30
23	Hidalgo	1,532	98	4	1	107	-	4	1	16	14	21	105	16	357	349	67
24	Hill	319	8	1	-	1	-	-	-	1	-	4	39	3	173	169	42
25	Hockley	119	-	-	-	-	-	-	-	-	-	-	16	1	41	41	8
26	Hood	52	-	1	-	-	-	-	-	-	-	-	9	-	34	30	9
27	Hopkins	257	5	2	-	-	-	-	-	-	-	-	37	5	143	141	38
28	Houston	204	3	2	-	-	-	-	-	-	1	2	22	1	115	104	22
29	Howard	206	5	1	-	1	-	-	-	1	-	2	20	3	83	82	19
30	Hudspeth	29	2	-	-	1	-	-	-	-	-	-	4	-	4	3	1
31	Hunt	454	10	2	-	2	-	2	-	-	-	2	53	5	244	230	52
32	Hutchinson	191	3	1	-	-	-	1	-	4	-	1	24	2	73	66	15
33	Irion	16	-	-	-	1	-	-	-	-	-	-	2	-	4	4	2
34	Jack	76	3	-	-	-	-	1	-	-	-	-	9	3	36	31	12
35	Jackson	125	3	3	-	-	-	-	-	-	-	1	12	2	62	60	11
36	Jasper	166	2	1	-	1	-	-	-	-	1	-	22	1	77	71	15
37	Jeff Davis	13	-	-	-	-	-	1	-	1	-	-	1	-	4	4	2
38	Jefferson	1,513	26	14	-	2	-	4	-	6	3	4	215	30	701	664	138
39	Jim Hogg	34	3	-	-	-	-	-	-	-	-	-	4	-	10	10	1
40	Jim Wells	189	9	-	-	5	-	1	1	-	3	-	19	3	52	48	16
41	Johnson	341	2	1	-	1	-	-	-	-	-	-	34	6	193	191	43
42	Jones	189	6	-	-	-	-	3	1	-	1	2	32	3	73	70	19
43	Karnes	178	12	1	-	-	-	1	-	-	2	4	20	3	60	58	12
44	Kaufman	357	5	-	-	2	1	2	-	-	2	3	46	5	180	180	46
45	Kendall	58	1	-	-	-	-	-	-	-	-	1	8	1	24	23	2
46	Kenedy	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	Kent	20	-	-	-	-	-	-	-	1	-	-	2	1	12	11	1
48	Kerr	174	14	-	-	-	-	-	-	-	-	1	24	1	71	68	24
49	Kimble	45	1	-	-	1	-	-	-	-	-	-	5	-	21	20	4
50	King	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
51	Kinney	31	1	-	-	-	-	-	-	-	-	-	2	1	15	15	5
52	Kleberg	176	11	1	-	1	-	2	-	-	1	2	13	3	54	50	9
53	Knox	92	3	-	-	2	-	-	-	1	-	-	6	-	38	35	11
54	Lamar	420	9	2	-	-	-	-	-	-	-	3	61	2	229	221	61
55	Lamb	136	-	-	-	4	-	-	-	-	2	1	17	2	48	43	7
56	Lampasas	103	2	-	-	-	-	-	-	1	-	1	12	-	58	58	14
57	La Salle	70	5	-	-	-	-	-	-	-	-	-	11	-	22	22	4
58	Lavaca	256	2	2	-	2	-	-	-	1	-	-	27	5	148	124	24
59	Lee	103	3	1	-	-	-	-	-	1	-	-	9	-	56	53	19
60	Leon	139	5	1	-	-	-	-	-	-	-	1	15	1	73	62	10
61	Liberty	220	3	2	-	-	-	2	-	-	-	-	36	3	77	74	22
62	Limestone	266	7	1	-	1	-	1	-	-	-	-	23	-	158	150	33
63	Lipscomb	24	1	-	-	-	-	-	-	-	-	-	4	1	8	8	1
64	Live Oak	71	5	-	-	2	-	1	-	-	-	-	6	-	24	22	9
65	Llano	65	-	-	-	-	-	-	-	-	-	-	15	-	38	37	12
66	Loving	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
67	Lubbock	682	18	4	-	5	1	1	1	5	2	-	69	9	214	207	49
68	Lynn	103	1	-	-	-	-	-	-	1	-	1	9	2	40	39	11
69	McCulloch	117	1	1	-	-	-	-	-	-	-	3	14	2	70	70	13
70	McLennan	1,191	31	4	-	4	1	1	1	2	1	7	163	17	543	532	134
71	McMullen	12	1	1	-	-	-	-	-	-	-	-	1	-	4	3	2
72	Madison	84	1	-	-	-	-	-	-	-	-	-	15	2	34	32	8
73	Marion	114	2	1	-	1	-	-	-	-	-	-	6	2	65	60	15
74	Martin	41	1	1	-	-	-	-	-	-	-	-	4	-	20	19	2
75	Mason	37	1	-	-	-	-	-	-	-	-	-	7	-	17	14	4
76	Matagorda	217	8	4	-	-	-	1	-	1	-	-	29	4	94	91	20
77	Maverick	112	11	-	-	3	-	-	-	-	-	-	11	1	28	28	4
78	Medina	177	13	-	-	1	-	-	-	-	-	-	26	2	59	55	12
79	Menard	38	1	-	-	2	-	-	1	-	1	-	6	-	17	17	3
80	Midland	202	8	-	-	4	-	1	-	-	-	2	29	-	53	52	14
81	Milam	264	3	-	1	2	1	-	-	-	1	1	35	2	128	124	29
82	Mills	42	2	-	-	-	-	-	-	-	-	-	5	-	20	20	6
83	Mitchell	109	4	-	-	-	-	-	-	-	-	-	11	4	36	34	12
84	Montague	151	1	2	-	1	-	-	-	1	-	-	27	3	78	75	16
85	Montgomery	242	6	1	-	2	-	-	3	-	-	2	23	3	111	108	33
86	Moore	56	2	-	-	-	-	-	-	-	-	1	5	-	21	20	7
87	Morris	77	5	1	-	-	-	-	-	-	-	2	10	-	40	40	11
88	Motley	41	-	-	-	-	-	-	-	-	-	-	6	-	19	18	2

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	31	-	3	2	2	5	-	1	-	2	-	4	1	4	4	1	3	-	9	1
-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	2
-	14	1	-	-	4	-	-	3	-	1	-	-	4	5	2	4	-	1	6	3
1	70	3	5	1	5	8	-	7	6	-	3	1	12	7	6	9	1	1	16	4
-	62	1	4	2	1	9	2	-	-	-	1	4	14	-	9	6	1	3	13	5
3	251	8	10	5	11	17	6	2	5	-	-	8	27	19	23	35	6	5	47	6
-	149	5	5	2	13	13	3	3	2	4	1	10	32	17	36	25	5	9	32	7
1	67	1	1	-	11	8	-	8	-	1	2	2	9	2	7	14	-	2	13	8
1	74	2	4	1	8	9	-	10	2	3	-	4	16	10	16	8	7	3	11	9
-	50	1	3	1	7	10	-	4	1	3	-	3	22	5	4	15	2	2	18	10
-	26	-	-	-	-	4	1	2	1	-	-	3	14	3	8	6	2	-	7	11
-	45	-	1	-	-	5	1	-	1	-	-	1	3	2	-	3	1	-	15	12
-	9	-	-	-	-	1	-	-	-	-	-	-	2	-	5	-	-	-	3	13
-	32	-	-	-	-	4	-	-	-	-	-	-	5	2	6	4	-	1	5	14
-	45	2	2	-	3	8	-	1	1	-	-	3	16	8	8	9	-	4	13	15
11	1,833	63	82	44	79	161	21	47	69	10	22	111	477	101	245	279	90	144	464	16
1	134	4	2	2	15	21	1	2	1	2	-	4	23	21	21	23	3	6	28	17
-	4	-	-	-	-	-	-	-	-	-	-	1	5	-	1	1	-	-	-	18
-	33	-	5	-	2	4	-	7	1	-	-	2	8	2	8	6	3	2	5	19
-	44	2	4	1	-	9	-	13	-	-	-	2	10	6	6	4	1	-	12	20
-	9	-	-	-	3	-	-	-	-	-	-	-	2	-	1	2	-	-	-	21
-	78	1	3	-	7	8	-	-	-	1	-	1	8	4	6	5	-	3	22	22
-	269	2	6	5	8	112	3	131	6	6	15	21	150	47	68	94	16	17	102	23
1	118	2	4	2	4	10	2	2	1	-	-	2	13	8	13	12	2	3	21	24
-	32	-	-	1	-	5	-	8	1	-	1	-	9	2	12	15	-	1	7	25
-	18	-	1	2	4	-	-	-	-	-	-	-	1	-	-	2	-	-	5	26
-	99	2	1	1	2	12	-	-	-	-	-	3	6	4	6	9	1	-	24	27
-	74	4	4	-	11	7	-	-	1	2	-	2	3	10	7	6	1	8	11	28
-	56	-	3	4	1	8	-	1	-	2	2	3	12	7	15	12	2	7	19	29
-	2	-	-	-	1	2	-	1	-	-	-	2	6	-	3	2	1	1	-	30
1	153	9	14	1	14	10	3	6	5	4	1	2	16	6	12	21	1	5	42	31
1	48	1	1	-	7	3	1	-	2	-	1	4	25	3	15	13	3	2	10	32
-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	5	1	-	-	1	33
-	15	2	1	1	5	3	-	-	-	-	-	1	6	-	4	2	1	1	6	34
-	42	3	4	-	2	8	1	3	-	-	1	-	5	2	-	6	2	3	11	35
-	50	1	3	2	6	6	1	1	1	1	1	1	14	6	7	4	-	3	15	36
-	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	2	37
2	479	19	19	7	37	68	7	10	11	3	6	31	103	13	56	56	15	12	117	38
1	7	1	-	-	-	2	-	3	-	-	-	-	2	3	2	-	2	-	4	39
-	31	1	-	-	4	9	-	22	3	4	-	4	13	5	4	12	2	2	14	40
-	141	1	3	3	2	9	2	3	1	-	1	2	11	8	11	26	1	2	27	41
-	45	1	4	1	3	8	2	1	3	1	4	5	4	4	6	8	2	3	17	42
-	42	2	1	1	2	10	-	11	1	-	1	4	6	11	5	8	3	3	12	43
-	121	7	5	1	-	18	1	3	1	1	1	1	13	4	10	19	4	4	31	44
-	16	-	4	1	1	1	-	1	1	-	-	1	5	1	3	5	-	-	5	45
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	46
-	10	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	47
1	38	-	4	1	3	3	3	-	-	-	-	1	9	7	6	13	2	-	19	48
-	16	-	-	-	1	-	-	1	1	-	-	-	4	-	5	4	1	-	1	49
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	10	-	-	-	-	3	-	-	2	1	-	-	-	4	-	1	-	-	1	51
-	36	2	1	2	4	16	3	11	-	-	-	4	19	10	3	10	1	1	10	52
-	22	1	-	1	3	2	-	6	1	-	-	-	11	2	5	3	2	-	8	53
-	143	5	9	3	8	23	-	1	-	3	1	5	16	8	12	12	3	2	28	54
-	35	1	-	-	5	7	-	3	1	2	-	3	14	1	8	8	3	1	11	55
-	40	1	2	1	-	1	1	-	-	-	-	1	4	4	4	6	1	-	7	56
-	17	-	-	1	-	2	-	1	1	-	-	-	8	8	4	-	1	1	6	57
-	88	7	4	1	24	10	1	-	-	1	2	3	8	8	1	11	4	-	20	58
-	31	-	2	1	3	3	1	-	-	-	-	-	2	7	4	2	2	1	11	59
-	50	-	1	1	11	7	-	1	-	2	-	2	2	7	5	6	-	1	10	60
-	49	-	3	-	3	5	1	1	-	2	1	1	18	11	21	17	1	3	15	61
1	99	9	5	3	8	13	-	2	-	1	2	3	6	6	14	9	-	-	19	62
-	7	-	-	-	-	2	-	-	-	-	-	-	-	1	2	4	-	-	1	63
-	13	-	-	-	2	4	-	2	-	-	3	-	9	4	4	4	-	-	3	64
-	22	1	1	1	1	-	-	-	1	-	-	-	-	1	-	4	2	-	4	65
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	143	3	6	6	7	38	4	29	8	3	2	16	67	20	42	46	5	14	59	67
1	26	-	1	-	1	2	-	2	-	-	-	2	6	5	12	9	2	-	9	68
-	56	1	-	-	-	5	-	-	-	-	1	1	4	2	1	3	-	-	9	69
1	354	8	22	13	11	47	6	7	13	3	1	15	62	47	43	54	5	14	99	70
-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	2	-	-	1	71
-	22	-	1	1	2	3	1	-	-	1	-	1	2	5	5	6	3	-	5	72
-	42	1	2	-	5	6	-	-	2	-	-	-	5	5	2	5	1	3	8	73
1	14	-	1	1	1	2	-	1	-	-	-	-	4	1	3	2	1	-	1	74
-	10	-	-	-	3	3	-	1	-	-	-	-	1	-	-	1	1	-	5	75
-	64	2	5	-	3	7	2	4	-	1	2	2	14	3	6	13	3	2	17	76
-	22	-	1	1	-	13	-	7	-	-	1	3	14	1	5	5	1	-	8	77
-	39	-	4	-	4	19	-	9	1	-	-	1	10	5	10	6	1	2	12	78
-	10	1	3	-	-	3	-	1	-	-	-	1	1	2	-	-	1	-	1	79
-	31	3	3	1	1	9	-	8	1	-	-	4	18	5	21	17	3	6	13	80
-	84	4	4	3	4	18	2	-	4	1	1	1	4	19	8	10	2	2	18	81
-	12	-	2	-	-	2	-	-	-	-	-	1	3	-	2	2	1	-	4	82
-	19	2	1	-	2	4	-	-	1	-	3	1	14	4	9	9	-	-	9	83
1	55	1	1	1	3	1	2	1	1	-	-	-	5	6	5	10	-	-	7	84
-	69	2	2	-	5	8	-	5	-	2	1	1	13	9	15	14	-	9	14	85
-	13	-	-	-	1	2	-	-	1	-	-	2	5	-	6	6	2	-	3	86
-	28	-	-	1	-	4	-	-	-	-	-	1	1	-	3	2	-	1	7	87
-	12	-	4	-	1	3	-	-	1	1	-	-	1	-	1	3	-	1	5	88

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	TEXAS—Continued																
1	Nacogdoches	277	9	3	-	7	-	-	-	-	-	2	39	7	128	122	34
2	Navarro	486	9	5	-	3	-	1	-	2	-	3	58	6	239	233	80
3	Newton	92	-	2	-	-	-	-	-	-	-	-	9	2	40	37	11
4	Nolan	170	4	1	-	-	-	2	-	-	1	1	26	4	67	64	14
5	Nueces	1,168	60	6	-	7	-	1	-	6	5	6	138	11	400	389	76
6	Ochiltree	31	-	-	-	-	-	-	-	1	-	-	2	1	13	13	4
7	Oldham	8	-	-	-	-	-	-	-	-	-	-	1	-	7	7	2
8	Orange	259	4	1	-	-	-	-	-	1	1	1	39	3	95	92	22
9	Palo Pinto	253	6	4	-	-	-	-	-	-	1	1	29	5	116	107	24
10	Panola	172	3	-	-	-	-	-	-	-	-	1	18	1	80	77	19
11	Parker	229	2	-	-	-	-	-	1	-	-	2	32	5	114	107	28
12	Parmer	36	1	-	-	-	-	-	-	-	-	-	5	-	16	15	6
13	Pecos	63	1	1	-	-	-	-	-	-	-	-	3	1	16	15	2
14	Polk	182	5	1	-	-	-	-	-	1	-	-	21	2	82	75	16
15	Potter	656	6	4	-	-	-	1	2	4	2	1	82	6	288	277	61
16	Presidio	30	3	-	-	-	1	1	-	-	-	-	-	-	11	11	3
17	Rains	35	1	-	-	-	-	-	-	-	1	1	2	-	16	16	5
18	Randall	56	-	-	-	-	-	-	-	-	-	-	6	-	31	30	8
19	Reagan	19	-	1	-	-	-	-	-	-	-	-	1	-	5	5	2
20	Real	20	-	-	-	-	-	-	-	-	-	-	-	2	12	12	2
21	Red River	215	3	2	-	-	-	2	-	-	1	-	24	1	114	107	18
22	Reeves	97	5	-	-	5	-	-	-	-	-	2	7	1	31	30	2
23	Refugio	85	3	1	-	-	-	-	-	-	-	1	4	3	35	33	11
24	Roberts	10	-	-	-	-	-	-	-	-	-	-	-	-	6	6	2
25	Robertson	242	4	1	-	3	1	1	-	-	-	-	33	3	108	103	15
26	Rockwall	66	1	-	-	-	-	1	-	-	-	-	7	-	31	31	3
27	Runnels	166	4	1	-	-	-	-	1	2	-	1	18	2	73	72	21
28	Rusk	375	3	3	-	-	-	2	-	-	1	3	45	1	192	188	31
29	Sabine	74	1	-	-	-	-	-	-	-	-	-	11	1	28	28	14
30	San Augustine	80	-	-	-	-	-	-	-	-	-	-	10	2	45	44	16
31	San Jacinto	82	-	-	-	1	-	-	-	-	-	-	8	1	45	44	19
32	San Patricio	337	24	2	-	7	-	3	-	-	2	4	33	3	84	78	20
33	San Saba	87	2	-	-	-	-	1	-	-	-	-	14	-	38	36	6
34	Schleicher	17	1	-	-	1	-	-	-	-	-	-	2	-	5	5	2
35	Scurry	122	2	-	-	1	-	-	-	1	-	1	16	1	37	36	7
36	Shackelford	44	2	-	-	-	-	-	-	-	-	-	11	-	18	18	3
37	Shelby	218	3	2	-	1	-	1	-	-	1	2	19	1	113	110	15
38	Sherman	9	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1
39	Smith	697	17	8	-	2	-	4	1	1	-	2	100	4	336	321	71
40	Somervell	30	2	-	-	-	-	-	-	-	-	-	4	2	13	13	3
41	Starr	93	5	1	-	2	1	-	-	1	-	2	7	1	18	17	3
42	Stephens	104	2	2	-	-	-	-	-	-	-	-	13	2	53	50	15
43	Sterling	9	1	-	-	-	-	-	-	-	-	-	2	-	1	1	1
44	Stonewall	28	-	-	-	-	-	-	-	-	-	-	3	-	11	11	1
45	Sutton	31	4	-	-	-	-	-	-	-	-	-	4	-	10	10	1
46	Swisher	43	1	-	-	-	-	-	-	-	-	-	2	1	24	23	2
47	Tarrant	3,140	57	9	-	7	-	2	2	10	-	11	416	41	1,535	1,479	303
48	Taylor	461	8	-	-	2	-	1	-	1	-	1	58	6	231	224	43
49	Terrell	24	1	-	-	2	-	-	-	-	-	-	3	-	10	9	2
50	Terry	126	3	-	-	2	-	1	-	1	-	-	13	-	27	27	1
51	Throckmorton	29	-	-	-	-	-	-	-	-	-	-	3	-	16	15	6
52	Titus	156	6	2	-	-	-	-	-	1	-	2	15	2	83	82	15
53	Tom Green	435	18	2	-	2	-	-	1	2	-	5	57	4	178	168	31
54	Travis	1,175	42	9	-	4	-	3	1	2	-	3	157	12	502	480	104
55	Trinity	99	1	-	-	-	-	-	-	-	-	-	14	2	53	53	9
56	Tyler	91	5	-	-	-	-	-	-	-	-	1	12	2	37	37	8
57	Upshur	196	7	1	-	1	-	-	-	-	-	2	21	3	100	92	29
58	Upton	34	-	-	-	-	-	-	1	-	-	-	5	-	12	11	1
59	Uvalde	173	8	-	-	4	-	1	-	-	-	1	21	3	64	63	13
60	Val Verde	170	10	-	-	-	-	1	-	1	-	2	17	2	59	57	20
61	Van Zandt	235	2	1	1	-	-	-	-	-	-	-	27	5	137	125	27
62	Victoria	278	14	1	-	3	1	-	-	1	-	2	27	4	105	101	32
63	Walker	152	5	2	1	-	-	-	-	-	-	-	19	-	70	69	24
64	Waller	90	1	1	-	-	-	1	-	-	-	-	12	1	50	47	18
65	Ward	94	2	2	-	-	-	-	-	-	-	3	13	-	29	29	3
66	Washington	246	2	-	-	-	-	1	-	-	-	2	33	3	135	128	25
67	Webb	505	40	3	1	7	1	-	-	-	-	1	62	7	146	143	27
68	Wharton	291	6	1	-	-	-	1	-	2	-	2	38	5	124	114	31
69	Wheeler	78	-	1	-	-	-	-	-	-	-	1	14	1	39	37	9
70	Wichita	680	13	5	1	-	-	-	1	-	2	3	75	6	335	325	66
71	Wilbarger	159	2	1	-	1	-	-	-	1	-	-	33	5	64	60	17
72	Willacy	196	6	1	1	25	-	1	-	1	-	2	12	-	41	40	5
73	Williamson	393	11	1	-	-	-	-	2	1	-	2	52	7	180	163	37
74	Wilson	126	8	1	-	2	-	-	1	-	-	-	11	3	47	47	7
75	Winkler	64	1	-	-	-	-	-	-	-	-	1	10	-	19	19	4
76	Wise	174	2	-	-	-	-	-	-	-	-	-	36	4	77	74	15
77	Wood	182	2	1	-	-	-	-	-	-	-	1	26	4	85	79	16
78	Yoakum	16	1	-	-	-	-	-	-	-	-	-	1	-	4	3	-
79	Young	159	4	-	-	-	-	-	-	1	-	-	17	-	72	69	10
80	Zapata	19	1	-	-	1	-	-	-	-	-	-	1	-	6	6	2
81	Zavala	127	10	1	-	2	-	1	-	-	-	-	9	1	29	29	9

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E900-E902, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	79	2	6	1	6	11	-	-	1	1	1	3	14	5	9	11	3	1	22	1
-	132	6	14	1	6	13	-	2	4	1	1	2	18	21	22	27	3	4	42	2
-	24	2	-	-	3	9	4	-	1	-	-	1	3	3	4	5	-	1	8	3
2	42	2	4	-	3	5	2	4	1	3	1	4	14	6	4	4	2	1	13	4
2	296	4	7	4	11	54	2	58	9	9	11	31	141	13	46	46	12	13	83	5
-	8	-	-	1	-	2	-	-	-	-	-	-	2	1	1	5	-	-	3	6
-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	67	3	-	-	3	14	-	3	2	3	1	2	24	9	11	23	1	2	19	8
-	80	1	2	-	9	8	4	4	4	-	1	4	10	12	8	13	3	-	20	9
-	51	2	5	-	3	7	1	1	1	2	2	1	11	12	4	10	1	1	15	10
-	70	-	9	-	7	5	-	1	1	1	-	4	4	8	8	13	1	2	25	11
-	9	-	-	-	1	-	1	-	-	-	-	-	2	1	2	3	1	-	4	12
-	12	-	1	-	1	5	-	-	-	-	1	2	9	8	6	4	-	-	6	13
-	53	4	1	1	7	5	-	1	1	-	2	1	11	12	4	18	-	1	14	14
-	196	1	13	6	11	19	4	5	6	1	-	10	61	10	25	35	13	9	62	15
-	8	-	-	-	-	1	-	-	-	-	-	1	-	2	2	1	-	1	6	16
-	8	1	2	-	-	4	1	1	-	-	-	-	1	1	2	1	-	-	3	17
-	22	-	-	-	1	1	-	-	-	1	-	1	3	2	2	4	1	-	4	18
-	3	-	-	-	-	1	-	-	-	-	-	1	2	-	5	3	-	-	-	19
-	9	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	20
1	79	5	3	1	7	6	-	-	2	-	-	2	8	12	8	6	-	4	20	21
-	26	1	1	-	1	8	-	7	-	1	-	1	9	-	4	7	1	1	7	22
-	21	-	1	-	2	2	-	2	-	-	-	-	9	2	7	5	-	1	10	23
-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	24
1	78	3	6	-	5	16	-	6	3	11	-	1	5	12	8	5	-	5	16	25
-	24	3	1	-	-	8	-	1	-	-	-	1	5	-	1	2	-	1	7	26
-	45	1	3	2	1	9	-	3	1	1	2	5	8	9	5	7	4	-	10	27
-	146	4	1	6	4	17	2	1	2	3	1	1	21	18	10	15	3	7	24	28
-	12	-	2	-	-	3	-	-	-	-	-	1	6	1	7	10	-	2	3	29
-	26	-	2	-	1	4	-	1	-	-	-	-	4	1	2	1	2	1	7	30
-	17	1	6	1	1	4	1	-	1	-	-	-	2	6	3	3	2	1	4	31
-	51	4	3	-	6	22	2	24	2	-	1	1	47	13	16	12	3	4	28	32
-	26	1	2	1	2	7	-	-	2	-	-	1	2	6	1	5	3	1	4	33
-	3	-	-	-	-	2	-	-	-	-	-	-	2	1	1	-	-	-	2	34
-	24	2	2	1	1	5	-	2	1	2	2	2	10	4	12	8	3	1	11	35
-	14	1	-	-	-	-	-	1	-	-	-	-	-	3	3	3	1	-	2	36
-	87	3	4	1	3	10	1	-	2	-	-	2	-	6	12	11	16	2	12	37
-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	2	-	-	-	1	38
1	225	4	12	8	15	18	1	5	2	2	2	8	29	9	36	36	8	7	59	39
-	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	1	2	40
1	10	1	-	2	1	4	2	9	2	-	1	2	5	10	5	7	2	1	5	41
-	34	1	-	-	3	5	1	-	-	1	-	-	3	3	6	6	-	1	6	42
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	43
-	10	-	-	-	-	3	1	-	-	-	-	-	-	-	5	2	2	-	1	44
-	8	1	-	-	-	3	1	-	-	-	-	-	1	1	-	2	-	2	3	45
1	19	-	1	-	1	-	-	-	-	-	-	-	2	1	3	2	-	-	7	46
1	1,080	40	48	7	56	90	15	24	32	6	5	44	191	58	123	155	37	48	222	47
-	165	1	11	4	7	13	1	2	2	2	1	11	20	15	26	19	3	1	37	48
1	6	-	-	-	1	1	-	-	-	-	-	-	3	2	1	-	-	-	1	49
-	23	1	1	1	-	8	2	9	1	1	1	3	18	8	12	5	1	2	8	50
-	9	-	-	-	1	-	-	-	-	-	-	1	-	2	2	1	-	-	4	51
-	58	4	5	-	1	5	-	1	-	-	-	1	4	3	16	6	2	1	6	52
-	115	2	16	4	10	13	2	8	2	-	3	13	29	9	15	28	9	4	31	53
1	341	12	17	5	22	48	6	19	12	2	-	26	72	24	45	55	9	14	108	54
-	40	2	1	1	-	5	-	-	-	-	-	-	1	5	4	5	1	1	7	55
-	23	2	3	1	-	3	-	-	-	-	-	2	5	6	2	8	-	1	7	56
-	60	1	2	-	8	10	-	1	1	-	1	2	8	5	4	5	4	-	20	57
-	10	-	-	-	1	1	-	1	-	-	-	1	1	1	3	7	1	-	-	58
1	44	3	2	-	1	17	1	2	-	4	1	4	4	3	7	10	1	1	16	59
-	35	-	2	-	2	20	1	8	3	-	1	1	10	4	6	4	1	-	19	60
-	85	3	9	1	12	4	-	2	2	-	-	-	4	10	5	14	-	3	18	61
-	66	-	3	-	4	6	1	17	1	1	-	3	23	15	8	7	1	3	34	62
1	41	1	2	-	1	5	-	1	-	-	-	1	6	22	6	6	-	3	5	63
-	24	3	2	-	3	5	-	-	-	1	-	2	2	1	2	3	1	-	7	64
1	24	1	-	-	-	4	-	-	-	-	-	2	5	2	11	10	2	1	8	65
-	97	3	1	2	7	11	1	3	1	1	1	3	5	7	3	10	2	4	18	66
2	107	2	3	2	3	42	3	20	2	-	2	14	52	24	12	19	2	4	41	67
-	72	3	5	3	10	7	-	6	1	-	1	8	19	12	11	12	3	4	28	68
-	25	-	2	1	2	2	-	1	-	-	-	1	4	1	2	8	1	-	2	69
-	244	2	7	6	10	24	6	2	9	2	1	9	45	10	37	36	6	7	45	70
-	40	2	1	-	4	8	-	2	3	1	2	2	11	2	2	8	1	1	9	71
-	30	4	1	-	1	21	1	14	1	1	1	2	23	6	13	10	-	-	13	72
-	111	3	8	4	17	13	2	10	2	3	1	4	16	11	11	26	7	1	30	73
-	40	-	-	-	-	9	-	3	-	1	-	5	4	8	5	3	1	1	13	74
-	13	-	2	-	-	1	-	4	-	-	-	2	11	-	4	5	1	-	5	75
-	45	2	12	-	3	10	-	1	2	2	-	-	2	5	10	8	-	1	14	76
-	55	4	3	1	6	11	1	-	-	-	1	2	7	5	5	7	4	2	18	77
-	2	1	-	-	1	-	-	-	-	-	-	1	1	-	4	2	-	-	2	78
-	52	5	1	1	3	5	2	1	1	1	1	4	9	6	9	11	2	-	13	79
-	2	2	-	-	-	2	-	1	-	-	-	1	1	3	-	1	-	-	1	80
-	20	-	-	-	-	10	-	17	1	1	-	1	11	10	4	5	1	1	12	81

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuber-culo-sis, all forms 001-019	Syph-ilis and its seque-lae 020-029	Ty-phoid fever 040	Dysen-tery, all forms 045-048	Diph-the-ria 055	Whoop-ing cough 056	Menin-gococ-cal infec-tions 057	Acute polio-mye-litis 080	Mea-sles 085	All other infective and para-sitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lym-phatic and hemato-poietic tissues 140-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Diseases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334
1	UTAH	5,111	61	20	-	1	1	3	7	43	2	20	595	86	2,346	2,296	430
2	Metropolitan counties	2,827	33	13	-	-	1	-	5	22	1	9	349	51	1,319	1,298	247
3	Nonmetropolitan counties	2,284	28	7	-	1	-	3	2	21	1	11	246	35	1,027	998	183
4	Beaver	41	-	-	-	-	-	-	-	-	-	-	7	1	20	19	3
5	Box Elder	132	-	1	-	-	-	-	-	1	-	1	21	-	60	60	13
6	Cache	225	-	-	-	-	-	-	-	1	-	3	23	3	123	120	28
7	Carbon	146	3	-	-	-	-	-	-	1	-	1	17	3	50	50	6
8	Daggett	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
9	Davis	197	1	1	-	-	-	-	-	4	-	1	19	4	87	85	10
10	Duchesne	69	-	1	-	-	-	-	-	-	-	1	3	1	33	32	5
11	Emery	49	-	-	-	-	-	-	-	2	-	-	7	-	23	23	3
12	Garfield	30	-	-	-	-	-	-	-	-	-	-	3	-	16	16	2
13	Grand	19	-	-	-	-	-	-	-	-	-	-	2	-	11	10	3
14	Iron	71	1	-	-	-	-	-	1	-	-	-	11	2	24	23	4
15	Juab	47	3	-	-	-	-	-	-	-	-	-	5	-	22	22	6
16	Kane	16	1	-	-	-	-	-	-	-	-	-	1	-	9	9	2
17	Millard	67	-	-	-	-	-	-	-	1	-	-	9	-	27	25	7
18	Morgan	15	-	-	-	-	-	1	-	-	-	-	1	-	11	11	-
19	Piute	12	-	-	-	-	-	-	-	-	-	-	2	-	7	7	1
20	Rich	11	-	-	-	-	-	-	-	-	-	-	1	-	7	6	1
21	Salt Lake	2,207	22	12	-	-	1	-	4	19	1	6	283	43	1,008	989	187
22	San Juan	56	5	-	-	1	-	1	1	1	1	-	2	-	7	7	2
23	Sanpete	137	-	1	-	-	-	-	-	1	-	1	14	4	71	67	13
24	Sevier	107	2	-	-	-	-	-	-	-	-	-	11	1	50	50	14
25	Summit	71	-	-	-	-	-	-	-	-	-	-	9	-	41	39	6
26	Tooele	100	5	-	-	-	-	-	-	-	-	-	10	2	41	39	9
27	Uintah	74	3	-	-	-	-	-	-	-	-	-	9	1	23	22	2
28	Utah	464	4	1	-	-	-	-	-	7	-	3	41	12	209	205	32
29	Wasatch	43	-	1	-	-	-	-	-	1	-	-	6	-	17	14	2
30	Washington	69	-	1	-	-	-	1	-	-	-	-	11	1	32	32	9
31	Wayne	15	-	-	-	-	-	-	-	1	-	-	1	-	5	4	-
32	Weber	620	11	1	-	-	-	-	1	3	-	3	66	8	311	309	60
33	VERMONT	4,284	74	11	-	2	-	1	7	1	2	6	577	62	2,481	2,423	532
34	Nonmetropolitan counties	4,284	74	11	-	2	-	1	7	1	2	6	577	62	2,481	2,423	532
35	Addison	205	2	-	-	-	-	-	-	-	-	2	17	3	135	134	30
36	Bennington	303	4	-	-	-	-	-	-	-	-	1	45	4	178	172	29
37	Caledonia	320	4	2	-	-	-	-	-	1	-	-	41	2	192	188	41
38	Chittenden	616	15	-	-	-	-	-	1	-	-	2	92	6	339	338	68
39	Essex	85	-	-	-	-	-	-	-	-	-	-	9	1	51	49	13
40	Franklin	309	2	2	-	1	-	1	1	-	-	-	32	8	174	164	43
41	Grand Isle	40	-	-	-	-	-	-	-	-	-	-	4	-	26	26	4
42	Lamoille	133	1	-	-	-	-	-	-	-	-	-	16	3	87	85	18
43	Orange	208	5	-	-	-	-	-	-	-	-	-	29	1	128	127	45
44	Orleans	267	5	2	-	-	-	-	1	-	2	-	33	6	136	130	33
45	Rutland	570	11	-	-	-	-	-	3	-	-	1	88	7	335	329	51
46	Washington	433	18	-	-	1	-	-	1	-	-	-	67	6	225	220	53
47	Windham	366	3	2	-	-	-	-	-	-	-	-	43	7	218	212	55
48	Windsor	429	4	3	-	-	-	-	-	-	-	-	61	8	257	249	49
49	VIRGINIA[2]	29,512	835	195	1	19	9	47	37	11	22	93	3,522	347	15,255	14,700	3,652
50	Metropolitan counties	10,142	301	70	-	4	4	8	7	4	4	33	1,341	114	5,259	5,088	1,190
51	Nonmetropolitan counties	19,370	534	125	1	15	5	39	30	7	18	60	2,181	233	9,996	9,612	2,462
52	Accomack	441	11	2	-	3	-	2	-	-	-	1	39	11	232	218	60
53	Albemarle	271	7	3	-	-	-	-	-	-	-	-	31	3	150	148	42
54	Alleghany	169	6	-	-	-	-	-	-	-	1	-	18	-	91	85	21
55	Amelia	98	4	-	-	-	-	-	-	-	-	-	13	1	54	53	21
56	Amherst	166	-	2	-	1	-	1	-	-	-	-	12	3	95	94	21
57	Appomattox	107	1	-	-	-	-	-	-	1	-	-	17	1	61	60	8
58	Arlington	750	8	3	-	-	-	-	1	2	-	3	147	6	385	379	77
59	Augusta	309	7	2	-	-	-	1	-	-	-	-	40	2	167	164	40
60	Bath	65	-	1	-	-	-	-	-	-	-	-	10	-	29	23	2
61	Bedford	299	5	1	-	-	-	1	1	-	-	2	33	2	177	167	68
62	Bland	34	-	-	-	-	-	-	-	-	1	1	5	1	20	19	4
63	Botetourt	158	5	-	-	-	-	-	-	-	-	-	15	4	89	88	21
64	Brunswick	191	5	1	-	1	-	1	-	-	-	-	22	3	96	95	23
65	Buchanan	196	10	1	-	2	-	-	4	-	-	1	14	2	56	56	10
66	Buckingham	134	3	-	-	-	-	1	-	-	-	-	15	1	71	67	19
67	Campbell	249	9	-	-	-	-	-	-	-	-	-	28	4	125	121	40
68	Caroline	141	5	1	-	-	-	-	-	-	-	-	11	-	85	82	30
69	Carroll	160	2	1	-	-	-	-	-	-	-	1	25	3	75	72	29
70	Charles City	54	2	1	-	-	-	2	1	-	-	1	2	2	26	24	11
71	Charlotte	138	4	-	-	-	-	-	-	-	-	-	12	1	77	74	27
72	Chesterfield	292	7	1	-	-	-	-	-	-	-	1	34	3	160	157	34
73	Clarke	96	2	-	-	-	-	-	1	-	-	-	10	2	59	58	13
74	Craig	34	2	-	-	-	-	-	-	-	-	-	7	-	17	17	8
75	Culpeper	157	4	1	-	-	-	-	-	-	-	-	20	2	85	84	27
76	Cumberland	73	1	1	-	-	-	-	-	-	-	-	6	1	43	35	7
77	Dickenson	162	2	1	-	-	1	-	2	-	1	2	17	1	65	64	11
78	Dinwiddie	165	7	1	-	-	-	1	-	-	-	1	11	3	87	84	33
79	Elizabeth City	341	2	-	-	-	-	-	1	-	-	1	59	1	174	167	28
80	Essex	71	1	-	-	-	-	-	-	-	-	-	6	-	44	43	14
81	Fairfax	465	8	3	-	-	1	-	-	-	1	2	63	2	232	227	62

[2]Independent cities have the same status as counties and are listed after the counties.

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
24	1,684	27	88	43	50	144	37	21	39	15	11	112	329	242	205	307	55	8	401	1
12	936	19	56	28	21	75	23	7	25	8	3	66	160	149	111	135	31	7	224	2
12	748	8	32	15	29	69	14	14	14	7	8	46	169	93	94	172	24	1	177	3
1	14	-	-	1	1	-	-	-	-	-	-	1	2	-	1	4	1	-	4	4
1	39	-	5	2	-	3	-	-	-	-	-	1	10	7	3	13	1	-	10	5
2	83	-	6	1	3	10	2	-	-	3	-	3	7	14	6	11	-	-	16	6
-	41	1	2	-	-	5	-	-	6	-	1	3	13	4	6	17	2	1	13	7
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
1	71	-	2	1	2	2	1	2	1	-	2	4	22	3	11	13	5	-	14	9
1	24	-	-	2	1	2	-	-	-	-	1	3	6	1	3	8	1	-	5	10
1	17	1	1	-	-	-	1	-	-	-	-	-	1	-	5	5	1	-	4	11
-	11	-	2	1	-	1	-	-	-	-	-	1	3	1	2	1	1	-	1	12
-	7	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	-	-	2	13
-	19	-	-	-	1	4	2	1	-	-	-	4	4	2	5	2	-	-	8	14
-	15	-	-	1	-	-	1	1	-	1	-	1	3	1	3	4	-	-	2	15
-	6	1	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	16
-	17	-	1	-	2	1	1	-	2	-	-	3	8	7	2	5	1	-	-	17
-	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	18
-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	19
-	5	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	20
9	724	12	36	21	19	60	18	5	22	8	3	51	125	114	90	105	23	4	180	21
-	5	-	-	-	-	4	1	6	1	-	-	1	2	9	6	4	-	-	3	22
1	52	-	1	-	4	3	-	-	-	1	1	-	1	12	2	11	3	-	11	23
-	32	-	4	-	-	3	1	-	1	-	1	5	9	4	3	5	-	-	11	24
-	30	-	2	1	2	3	-	-	-	1	-	2	1	2	1	5	2	-	4	25
-	29	-	1	-	2	6	-	1	1	-	-	2	11	2	3	5	1	-	10	26
-	19	-	-	1	1	7	1	-	-	-	-	3	10	1	8	4	1	-	3	27
3	160	4	3	3	4	12	3	1	2	-	1	8	45	17	14	35	2	-	47	28
1	10	1	-	-	3	-	-	-	-	1	-	-	3	-	4	7	1	-	2	29
-	20	-	2	1	-	2	-	1	-	-	1	-	5	4	2	6	-	-	2	30
-	4	-	-	-	1	-	-	1	-	-	-	-	1	1	-	1	1	-	3	31
3	212	7	20	7	2	15	5	2	3	-	-	15	35	35	21	30	8	3	44	32
4	1,672	44	150	21	58	166	25	14	33	7	4	45	154	37	87	162	44	2	280	33
4	1,672	44	150	21	58	166	25	14	33	7	4	45	154	37	87	162	44	2	280	34
-	93	1	10	-	1	7	2	-	2	-	-	1	9	-	3	9	1	-	12	35
-	132	4	6	1	6	18	1	1	2	1	-	3	9	2	5	5	2	-	22	36
-	124	1	19	3	4	11	1	3	3	-	-	4	14	5	4	14	2	-	17	37
-	237	8	21	4	1	23	6	1	3	2	1	9	23	5	11	30	4	-	43	38
-	32	2	2	-	2	6	1	-	2	1	-	2	4	-	1	5	-	-	2	39
1	101	4	14	1	10	18	1	1	2	1	-	6	9	4	6	15	3	1	21	40
-	20	-	1	1	-	-	-	-	1	-	-	1	1	3	1	1	-	-	2	41
-	61	2	4	-	2	8	-	-	-	-	1	-	1	-	2	4	2	-	8	42
-	69	1	11	1	1	6	-	-	-	-	-	1	7	3	9	3	4	-	12	43
-	85	3	7	2	6	12	2	2	2	-	-	3	17	1	6	11	1	1	24	44
2	243	5	21	7	6	16	5	2	5	2	1	5	12	4	14	14	6	-	39	45
-	146	6	14	1	5	13	1	1	1	-	-	5	28	6	9	20	6	-	25	46
-	143	5	9	-	6	9	2	2	4	-	1	1	7	3	7	21	7	-	29	47
1	186	2	11	-	8	19	3	1	6	-	-	4	13	1	9	10	6	-	24	48
28	9,940	294	587	199	555	1,119	120	200	212	65	91	422	1,794	355	920	1,219	324	289	1,989	49
14	3,500	117	186	81	171	332	46	50	107	19	29	152	635	75	268	399	108	101	672	50
14	6,440	177	401	118	384	787	74	150	105	45	62	270	1,159	280	652	820	216	188	1,317	51
-	146	3	7	2	14	18	1	3	3	1	1	1	23	10	14	24	3	5	33	52
1	94	1	10	-	2	10	-	-	-	-	-	3	14	4	8	11	4	5	18	53
-	61	2	-	1	6	7	1	-	-	-	-	2	6	4	6	6	2	-	19	54
-	25	2	5	-	1	3	1	1	-	-	-	1	4	1	6	1	1	-	7	55
-	67	1	4	1	1	7	-	-	1	-	-	2	10	1	2	10	1	1	17	56
-	43	3	5	1	1	3	1	1	-	-	-	1	3	-	6	5	1	-	5	57
-	272	6	16	8	6	10	4	2	5	-	1	20	48	-	12	32	15	3	43	58
-	111	1	9	3	3	9	1	1	1	1	1	6	10	4	11	9	10	1	25	59
-	20	-	1	-	6	3	-	-	3	-	-	-	5	2	2	2	1	-	7	60
-	89	3	5	2	10	15	-	-	1	2	-	3	11	1	10	13	6	2	13	61
-	14	-	-	1	1	-	1	-	-	-	-	-	1	-	-	2	-	-	2	62
-	63	-	2	2	1	4	2	3	-	-	-	2	7	-	4	4	3	3	13	63
-	64	1	7	-	1	11	1	1	-	-	1	3	19	2	4	7	-	3	10	64
2	40	1	2	1	-	6	1	6	1	-	-	6	26	7	11	17	4	1	20	65
-	46	-	2	-	4	4	-	-	-	-	-	4	7	2	5	6	2	4	9	66
-	69	2	9	1	4	10	1	-	-	-	1	2	16	11	9	17	1	4	11	67
-	48	-	4	-	3	3	-	-	1	-	-	3	2	4	10	6	-	-	10	68
-	41	1	1	-	3	10	2	-	-	1	-	2	4	4	4	6	4	5	11	69
-	10	1	2	-	2	3	-	-	-	-	-	2	2	1	3	4	-	1	1	70
-	41	-	3	3	3	5	-	-	-	-	1	3	9	9	3	2	-	-	12	71
1	108	4	9	1	3	14	1	2	2	-	1	3	21	1	11	7	5	1	17	72
-	39	1	4	1	1	1	-	1	1	-	1	-	2	-	4	4	2	1	5	73
-	8	1	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	1	2	74
-	53	2	2	-	1	8	-	1	1	1	-	2	7	1	1	8	3	2	10	75
-	23	4	1	-	8	2	-	1	-	-	-	1	4	2	2	5	1	2	1	76
-	48	1	1	3	1	3	-	3	-	-	-	3	20	7	7	11	2	-	14	77
-	48	-	3	-	3	8	-	2	2	-	1	4	14	-	5	4	2	2	10	78
-	121	4	11	3	7	10	1	3	3	3	-	2	17	1	9	20	5	4	25	79
-	26	2	1	-	1	2	-	-	1	-	-	1	4	1	2	2	1	1	5	80
-	156	1	6	2	5	11	3	-	3	1	1	7	37	10	17	22	11	2	28	81

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-139	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	VIRGINIA[2]—Continued																
1	Fauquier	227	5	1	-	-	-	-	-	-	-	1	32	2	106	105	22
2	Floyd	110	1	-	-	-	-	-	-	-	-	1	11	-	62	57	18
3	Fluvanna	70	-	1	-	-	-	-	-	-	-	-	10	2	44	44	11
4	Franklin	191	5	-	-	-	-	-	1	-	-	-	16	5	89	87	23
5	Frederick	163	6	3	-	-	-	-	2	-	-	-	16	2	88	80	14
6	Giles	148	4	-	-	-	-	-	1	-	-	-	11	2	72	72	20
7	Gloucester	104	1	1	-	-	-	-	-	-	-	-	10	2	56	56	16
8	Goochland	90	3	1	-	-	-	-	-	-	-	1	8	1	51	50	9
9	Grayson	184	4	1	-	-	-	1	1	-	-	1	25	1	94	87	14
10	Greene	51	1	-	-	-	-	-	-	-	-	-	6	-	35	35	13
11	Greensville	136	6	-	-	1	1	-	-	-	-	1	12	-	70	68	21
12	Halifax	378	12	4	1	-	-	-	1	-	-	1	43	2	186	184	68
13	Hanover	226	5	-	-	-	-	1	-	-	-	2	22	3	126	124	35
14	Henrico	380	6	1	-	-	-	-	-	-	-	1	44	2	211	202	40
15	Henry	233	8	1	-	-	-	-	-	-	-	3	21	1	88	87	21
16	Highland	45	-	-	-	-	-	-	1	-	-	1	3	1	26	26	3
17	Isle of Wight	147	6	2	-	-	-	-	-	-	-	1	9	3	77	77	24
18	James City	85	4	2	-	-	-	1	-	-	-	-	9	3	31	29	9
19	King and Queen	72	2	-	-	-	-	-	-	-	-	-	10	-	29	29	4
20	King George	61	3	-	-	-	-	-	-	-	-	1	7	1	23	23	3
21	King William	97	4	1	-	-	-	-	-	-	-	1	11	2	53	52	20
22	Lancaster	97	-	-	-	-	-	-	-	-	-	-	11	2	47	45	15
23	Lee	295	12	1	-	1	-	-	-	-	-	1	31	3	119	114	26
24	Loudoun	206	6	1	-	-	-	1	-	-	-	1	33	3	105	103	19
25	Louisa	155	7	1	-	-	-	-	-	-	-	1	8	3	87	84	22
26	Lunenburg	142	-	4	-	1	-	-	-	-	-	-	9	2	77	73	13
27	Madison	98	1	-	-	-	-	1	-	-	-	-	9	1	68	67	19
28	Mathews	90	1	2	-	-	-	-	-	-	-	-	11	1	62	61	13
29	Mecklenburg	316	7	-	-	-	-	1	-	-	1	2	36	1	158	151	47
30	Middlesex	80	-	-	-	-	-	-	-	-	-	-	3	1	60	55	14
31	Montgomery	244	4	-	-	-	-	-	1	1	1	1	26	2	132	121	29
32	Nansemond	333	20	5	-	-	-	2	1	-	1	1	26	6	172	159	45
33	Nelson	150	3	-	-	-	-	1	-	-	-	2	14	6	89	83	15
34	New Kent	40	1	1	-	-	-	-	-	-	-	-	4	-	22	19	6
35	Norfolk	533	17	3	-	-	2	-	1	-	-	1	75	6	237	228	48
36	Northampton	218	7	2	-	-	-	-	-	-	-	1	23	1	115	112	40
37	Northumberland	102	3	3	-	-	-	-	-	-	-	1	8	1	57	56	15
38	Nottoway	177	5	1	-	-	-	-	-	-	-	-	16	2	84	75	25
39	Orange	138	1	3	-	-	-	1	-	-	-	-	18	1	74	72	19
40	Page	176	3	-	-	-	-	-	-	-	-	1	22	4	94	85	20
41	Patrick	117	2	-	-	-	-	-	-	-	-	1	12	2	62	62	18
42	Pittsylvania	492	13	2	-	-	2	2	1	-	-	1	34	7	238	229	56
43	Powhatan	71	3	-	-	-	-	1	-	-	-	-	5	1	37	36	14
44	Prince Edward	168	3	2	-	1	-	-	-	1	-	-	20	3	77	72	15
45	Prince George	121	6	-	-	-	-	-	-	-	1	-	14	-	61	54	12
46	Prince William	187	6	3	-	-	-	-	-	-	-	-	22	1	89	85	21
47	Princess Anne	324	7	-	-	-	-	1	-	-	-	4	37	5	151	144	31
48	Pulaski	234	9	-	-	-	-	-	-	1	-	-	36	4	119	112	10
49	Rappahannock	74	1	1	-	-	-	1	-	-	-	1	9	1	45	43	14
50	Richmond	77	2	1	-	-	-	-	-	-	-	-	12	-	43	40	14
51	Roanoke	335	4	1	-	-	-	-	-	-	-	3	38	5	190	185	48
52	Rockbridge	197	5	1	-	-	-	1	-	-	-	-	31	1	102	97	15
53	Rockingham	316	18	-	-	-	-	-	-	1	-	1	44	4	181	172	41
54	Russell	222	4	-	-	-	-	-	2	-	2	1	23	2	113	108	26
55	Scott	221	6	-	-	-	-	-	-	-	-	1	21	4	122	119	30
56	Shenandoah	221	6	5	-	-	-	1	-	-	-	-	29	4	134	127	21
57	Smyth	214	4	-	-	-	-	-	-	-	-	-	25	1	111	108	28
58	Southampton	261	10	1	-	2	-	-	1	-	-	1	28	-	131	124	38
59	Spotsylvania	108	1	1	-	-	-	2	-	-	-	1	12	3	58	56	16
60	Stafford	107	5	1	-	-	-	1	-	-	-	-	10	2	62	58	8
61	Surry	71	4	1	-	-	-	-	-	-	-	-	6	1	42	40	12
62	Sussex	138	7	-	-	-	-	2	-	-	-	-	9	1	62	61	26
63	Tazewell	387	17	3	-	-	-	2	2	-	-	2	32	10	170	165	40
64	Warren	119	3	2	-	-	-	-	-	-	-	-	13	3	71	69	10
65	Warwick	215	8	3	-	-	-	-	1	-	-	-	21	1	86	81	23
66	Washington	282	4	-	-	-	1	-	1	-	-	2	29	5	166	162	34
67	Westmoreland	88	5	1	-	-	-	-	-	-	-	-	9	-	44	43	9
68	Wise	487	11	3	-	-	-	4	-	-	1	6	59	3	196	190	40
69	Wythe	209	5	2	-	1	-	-	1	2	2	1	24	2	101	97	17
70	York	117	4	1	-	-	-	-	-	-	-	-	19	1	55	50	14
	Independent Cities																
71	Alexandria	516	10	2	-	-	-	-	-	-	-	1	69	6	242	235	52
72	Bristol	137	3	-	-	-	-	-	-	-	-	1	27	3	67	64	18
73	Buena Vista	29	-	-	-	-	-	-	-	-	-	-	3	1	18	15	3
74	Charlottesville	236	7	4	-	-	-	-	-	-	-	-	35	5	113	113	27
75	Clifton Forge	60	-	-	-	-	-	-	-	-	-	-	12	-	31	31	2
76	Colonial Heights	40	1	-	-	-	-	-	-	-	-	-	6	1	26	25	5
77	Danville	400	4	3	-	-	-	-	-	-	-	-	46	7	205	201	58
78	Falls Church	99	-	-	-	-	-	-	-	-	-	-	15	-	45	44	10
79	Fredericksburg	117	2	-	-	-	-	-	-	-	-	-	21	2	55	54	6
80	Hampton	88	4	1	-	-	-	-	-	-	-	-	5	-	51	50	13
81	Harrisonburg	110	5	2	-	-	-	-	-	-	-	-	14	-	57	52	13
82	Hopewell	70	1	-	-	-	-	-	-	-	-	-	10	3	35	33	12
83	Lynchburg	452	12	2	-	-	-	-	-	-	-	-	64	2	262	256	69
84	Martinsville	105	3	1	-	-	-	-	-	-	-	-	13	1	47	47	10
85	Newport News	492	13	6	-	-	-	2	2	-	-	3	56	2	251	246	59

[2]Independent cities have the same status as counties and are listed after the counties.

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	74	1	3	5	1	12	-	1	1	-	-	3	18	2	8	16	3	1	15	1
-	38	-	1	5	5	5	-	-	-	1	-	2	2	3	7	6	1	2	6	2
-	29	2	1	1	-	1	-	1	-	-	-	-	-	1	2	5	-	-	3	3
-	56	1	5	2	2	9	-	1	2	-	1	2	15	5	6	11	6	1	16	4
-	59	4	3	-	8	13	-	2	-	-	2	1	4	1	3	8	3	-	9	5
-	49	-	3	-	-	8	2	-	-	1	1	4	14	-	7	10	2	1	8	6
-	37	2	1	-	-	4	-	-	-	4	1	2	1	2	2	5	-	-	13	7
-	40	-	1	-	1	3	-	-	-	-	1	-	6	-	4	4	-	2	5	8
-	69	2	2	-	7	6	2	-	2	1	-	1	8	2	9	9	2	1	13	9
-	20	-	2	-	-	1	-	2	-	-	-	1	1	-	1	-	1	-	2	10
-	43	2	2	-	2	9	-	2	-	2	2	2	7	5	4	7	2	-	1	11
-	99	-	7	10	2	24	-	4	1	-	3	5	28	5	8	13	2	6	29	12
-	78	3	6	2	2	4	2	3	2	1	3	4	11	2	6	13	2	2	12	13
-	146	6	7	3	9	10	3	1	5	-	3	6	28	4	13	14	3	1	26	14
-	63	1	-	2	1	14	-	-	2	-	-	5	25	4	8	15	4	13	20	15
-	23	-	-	-	-	4	-	1	-	-	1	2	1	1	1	-	1	-	1	16
-	48	2	2	1	-	8	-	2	1	-	1	5	10	4	4	3	1	-	10	17
-	16	-	3	1	2	3	2	-	2	2	-	2	7	4	5	5	-	1	2	18
-	22	-	3	-	-	3	-	-	-	-	-	1	3	2	9	3	1	-	9	19
-	17	-	3	-	-	2	1	-	-	1	-	1	2	2	6	5	-	-	6	20
-	30	-	2	-	1	3	-	-	1	-	-	1	2	-	2	6	1	-	9	21
-	28	-	2	-	2	4	2	-	-	-	-	-	9	2	5	4	-	2	9	22
-	81	2	5	-	5	17	1	6	2	2	1	7	35	3	14	12	2	1	24	23
-	71	1	11	1	2	6	-	1	2	-	-	2	9	2	9	10	1	3	11	24
-	55	1	5	1	3	5	-	-	1	-	-	2	9	4	3	10	1	-	13	25
-	56	1	2	1	4	11	-	2	1	-	1	-	11	4	7	5	1	1	5	26
1	44	2	1	-	1	1	1	1	-	-	-	1	1	-	1	9	-	-	3	27
-	44	1	3	-	1	-	-	-	-	1	-	-	1	-	2	1	1	-	7	28
-	90	3	10	1	7	15	-	3	1	2	1	9	20	6	8	13	6	4	22	29
-	33	2	4	2	5	-	-	-	-	1	-	1	5	3	-	2	-	-	4	30
-	84	2	3	3	11	8	2	-	2	-	1	5	15	4	7	7	6	2	17	31
-	108	2	2	2	13	28	-	1	1	-	-	3	21	-	10	12	1	3	19	32
-	62	2	3	1	6	9	-	-	-	-	-	-	3	-	6	6	-	-	11	33
-	11	1	1	-	3	2	1	-	-	1	-	-	2	1	1	1	-	-	3	34
1	163	4	5	7	9	25	3	3	6	-	4	15	42	3	22	22	2	8	36	35
-	62	4	4	2	3	9	2	2	1	-	-	-	8	7	9	12	2	4	13	36
-	32	1	6	2	1	2	1	-	-	-	-	-	7	2	1	7	2	1	6	37
1	41	2	5	1	9	15	-	3	1	-	-	4	12	1	10	6	2	2	13	38
-	46	1	5	1	2	3	1	-	-	-	-	2	9	8	8	3	3	-	3	39
-	60	-	4	1	9	7	-	1	-	-	3	2	10	1	8	5	1	-	14	40
2	41	1	-	-	-	7	2	1	-	-	-	2	6	1	6	4	2	-	7	41
-	154	3	13	3	9	23	1	4	4	2	2	9	50	3	25	16	7	7	39	42
-	19	2	-	1	1	-	-	-	1	-	-	-	8	1	1	6	1	1	5	43
-	48	3	5	1	5	7	-	2	2	1	3	1	8	5	8	6	2	2	14	44
-	38	-	2	2	7	3	-	1	2	-	-	2	8	2	8	4	2	1	6	45
1	54	2	7	-	4	5	-	1	3	-	1	3	12	-	16	7	5	1	12	46
-	106	3	2	2	7	14	-	2	3	-	1	1	18	2	19	22	6	5	26	47
-	100	1	1	-	7	9	-	1	2	-	1	6	8	1	13	11	2	2	9	48
-	25	1	3	-	2	2	1	-	-	-	-	-	3	2	1	1	-	1	4	49
-	21	-	5	-	3	-	-	1	1	-	-	2	3	-	3	2	2	3	2	50
-	128	1	2	6	5	8	-	1	5	1	-	8	18	1	11	14	4	5	18	51
-	73	2	6	1	5	10	-	2	2	-	1	5	7	1	5	6	3	2	12	52
-	122	4	3	2	9	5	1	2	2	-	-	2	17	4	9	5	2	-	18	53
-	73	2	5	2	5	6	3	4	2	1	1	3	16	9	5	9	1	3	12	54
-	78	4	4	3	3	12	-	2	1	-	-	2	10	3	8	15	2	3	9	55
-	91	4	11	-	7	4	1	1	-	-	1	3	5	1	4	5	1	-	16	56
1	68	5	3	3	3	11	2	-	1	-	3	6	14	5	5	10	3	-	13	57
1	76	4	2	3	7	14	-	3	-	1	2	2	23	2	10	10	2	3	15	58
-	37	-	1	2	2	4	1	1	-	-	-	-	3	-	8	5	1	-	7	59
-	48	-	2	-	4	3	1	1	-	-	-	1	3	-	5	2	1	-	9	60
-	24	2	1	1	2	2	-	1	-	-	-	-	4	1	2	2	-	2	3	61
-	35	-	-	-	1	6	1	5	-	-	-	1	15	4	5	5	1	4	10	62
-	115	4	6	-	5	20	3	11	2	2	1	7	37	5	6	20	4	1	30	63
1	47	5	5	1	2	4	-	-	-	2	-	-	5	-	5	6	1	1	3	64
-	53	2	1	2	5	6	1	3	1	-	1	7	22	1	16	5	4	8	20	65
-	116	1	9	2	4	15	-	1	-	-	2	7	11	2	5	7	2	-	22	66
-	31	1	-	2	1	8	1	1	1	-	1	-	6	1	3	3	1	-	3	67
2	143	3	1	1	6	22	3	16	3	2	3	6	59	10	17	27	6	1	29	68
-	74	2	4	-	4	7	1	2	1	-	-	1	14	2	8	9	2	2	19	69
-	31	2	3	-	5	1	1	-	-	-	1	-	9	1	6	6	-	3	9	70
1	169	3	6	4	7	13	3	1	3	1	1	11	44	9	21	36	8	7	28	71
-	42	1	2	1	3	6	1	-	1	-	-	3	6	2	3	5	1	1	7	72
-	10	-	2	-	3	1	-	-	-	-	-	-	1	1	-	2	-	-	2	73
-	77	2	4	3	-	14	2	1	3	-	-	1	5	2	6	12	3	3	20	74
-	28	-	1	-	-	1	1	1	2	-	-	-	3	-	-	3	2	-	4	75
-	19	1	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	1	2	76
-	135	1	6	1	4	22	2	2	5	1	1	7	22	4	10	20	6	4	29	77
-	34	-	-	-	1	3	-	-	1	-	2	6	13	2	3	-	1	-	8	78
-	46	2	-	-	1	3	1	-	-	-	-	1	11	1	6	2	3	1	8	79
-	32	2	3	-	1	2	-	-	-	-	-	2	5	-	5	4	1	-	8	80
-	37	-	-	2	5	5	-	1	3	-	-	-	6	-	1	3	1	-	12	81
-	20	-	1	-	2	2	-	1	-	-	-	2	3	-	2	2	-	3	5	82
-	160	3	18	6	6	10	2	-	2	2	-	8	22	5	7	11	4	3	34	83
1	34	-	2	-	-	6	-	1	-	-	1	4	7	5	2	4	2	1	7	84
-	171	6	8	2	5	23	1	4	2	2	2	9	28	9	14	24	3	9	27	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-139	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	VIRGINIA[2]—Continued																
	Independent Cities—Con.																
1	Norfolk	2,016	101	20	-	3	-	-	2	2	1	4	239	21	1,006	974	244
2	Petersburg	437	14	3	-	-	-	-	-	-	-	1	63	3	228	222	54
3	Portsmouth	732	23	7	-	-	-	4	1	-	-	3	96	9	367	350	104
4	Radford	87	1	-	-	-	-	-	-	-	-	-	13	1	51	48	9
5	Richmond	2,695	78	21	-	1	-	1	2	-	1	9	363	32	1,485	1,440	324
6	Roanoke	875	31	8	-	-	-	-	-	-	-	2	109	16	477	457	98
7	South Norfolk	130	1	-	-	-	1	2	-	-	-	-	12	1	71	66	18
8	Staunton	201	4	1	-	1	-	-	-	-	-	1	36	4	118	114	21
9	Suffolk	170	8	3	-	-	-	-	-	-	-	2	20	2	79	76	24
10	Waynesboro	77	4	-	-	-	-	-	-	-	-	-	10	1	41	40	9
11	Williamsburg	43	2	2	-	-	-	-	-	-	-	-	6	-	21	21	2
12	Winchester	144	4	1	-	-	-	-	-	-	-	-	15	1	84	75	18
13	WASHINGTON	23,323	326	98	1	7	4	6	17	17	13	58	3,350	386	12,683	12,419	2,956
14	Metropolitan counties	13,266	201	56	1	2	3	-	13	9	3	24	1,971	194	7,363	7,245	1,701
15	Nonmetropolitan counties	10,057	125	42	-	5	1	6	4	8	10	34	1,379	192	5,320	5,174	1,255
16	Adams	54	-	-	-	-	-	-	-	-	-	-	8	1	26	25	6
17	Asotin	130	-	-	-	-	-	-	-	1	-	2	17	3	80	80	20
18	Benton	291	2	-	-	-	-	-	1	1	-	-	38	3	143	140	39
19	Chelan	363	4	-	-	-	-	-	-	-	2	-	51	16	201	191	51
20	Clallam	253	6	2	-	-	-	-	-	1	-	1	31	4	135	127	28
21	Clark	768	9	2	-	-	-	-	-	1	-	1	106	18	425	419	88
22	Columbia	51	1	-	-	-	-	-	-	-	-	-	14	-	25	25	3
23	Cowlitz	436	2	3	-	-	1	-	-	-	2	3	60	4	220	214	47
24	Douglas	73	-	-	-	-	-	1	-	-	-	-	11	3	41	40	7
25	Ferry	34	4	1	-	-	-	-	-	-	-	1	4	-	16	15	6
26	Franklin	94	2	-	-	-	-	-	-	-	-	-	16	1	43	43	4
27	Garfield	29	1	-	-	-	-	-	-	-	-	-	8	1	12	12	2
28	Grant	143	2	1	-	-	-	-	-	-	-	4	14	-	57	57	16
29	Grays Harbor	682	7	6	-	-	-	-	-	1	2	3	90	18	341	326	74
30	Island	109	-	-	-	-	-	-	-	-	-	-	23	7	56	56	16
31	Jefferson	91	1	1	-	-	-	-	-	-	-	1	8	-	45	45	9
32	King	7,605	130	39	1	2	1	-	9	8	2	14	1,206	114	4,148	4,074	916
33	Kitsap	667	8	-	-	-	-	-	1	1	1	2	100	10	348	335	74
34	Kittitas	217	3	-	-	-	-	-	-	-	-	-	29	3	110	105	25
35	Klickitat	107	3	-	-	-	-	-	-	-	-	1	10	3	49	48	14
36	Lewis	492	2	6	-	-	-	-	-	-	-	2	69	8	260	254	58
37	Lincoln	86	1	-	-	-	-	-	-	-	-	-	9	2	53	51	8
38	Mason	131	1	-	-	-	-	-	-	-	-	-	16	1	76	75	13
39	Okanogan	233	5	1	-	1	-	3	1	-	1	1	26	-	104	101	26
40	Pacific	177	1	1	-	-	-	-	-	-	-	-	26	5	92	90	19
41	Pend Oreille	86	1	-	-	-	-	1	-	-	-	-	7	2	46	46	11
42	Pierce	2,579	32	4	-	-	1	-	1	-	1	5	350	35	1,444	1,424	358
43	San Juan	37	-	-	-	-	-	-	-	-	-	-	8	-	20	19	5
44	Skagit	497	6	3	-	1	-	-	-	1	-	2	56	6	279	266	81
45	Skamania	49	1	-	-	-	-	-	-	-	-	-	8	-	28	27	4
46	Snohomish	1,204	20	5	-	-	-	1	-	1	-	2	173	23	668	663	181
47	Spokane	2,314	30	11	-	-	1	-	3	-	-	4	309	27	1,346	1,328	339
48	Stevens	203	4	1	-	-	-	-	-	-	-	3	27	1	115	113	31
49	Thurston	411	2	1	-	-	-	-	-	-	-	1	68	9	201	198	48
50	Wahkiakum	34	1	-	-	-	-	-	-	-	-	-	3	3	12	12	5
51	Walla Walla	386	6	2	-	1	-	-	-	-	-	-	56	8	203	193	45
52	Whatcom	804	11	2	-	1	-	-	1	-	-	1	119	20	468	458	110
53	Whitman	254	1	1	-	1	-	-	-	1	-	-	27	6	144	139	34
54	Yakima	1,149	16	5	-	-	-	-	-	-	2	4	149	21	603	585	135
55	WEST VIRGINIA	17,029	418	89	2	9	6	28	23	12	5	66	2,144	212	8,254	7,973	1,946
56	Metropolitan counties	5,476	134	26	1	2	3	6	9	5	2	24	751	68	2,726	2,613	624
57	Nonmetropolitan counties	11,553	284	63	1	7	3	22	14	7	3	42	1,393	144	5,528	5,360	1,322
58	Barbour	158	4	-	-	1	-	-	-	-	-	-	27	3	70	70	23
59	Berkeley	302	6	4	-	-	-	-	1	-	-	1	33	8	181	175	32
60	Boone	204	6	2	-	-	-	2	-	1	-	1	19	2	71	70	15
61	Braxton	144	4	-	-	-	-	-	-	-	-	-	15	1	65	64	16
62	Brooke	234	1	1	-	-	-	-	-	-	-	-	37	7	125	119	32
63	Cabell	994	27	4	-	-	-	1	1	5	-	6	158	16	485	468	104
64	Calhoun	71	1	-	-	1	-	-	-	-	-	1	9	-	29	27	8
65	Clay	82	1	-	-	-	-	-	-	-	-	-	8	-	32	30	6
66	Doddridge	84	-	1	-	-	-	1	-	-	-	-	11	3	40	40	16
67	Fayette	648	16	3	-	-	1	-	1	-	1	4	75	4	299	284	69
68	Gilmer	81	3	-	-	-	-	-	-	-	-	-	13	-	33	32	9
69	Grant	60	1	-	-	-	-	-	-	-	1	-	14	2	26	25	6
70	Greenbrier	355	10	1	-	-	-	1	1	-	-	1	44	2	179	164	42
71	Hampshire	112	3	-	-	-	-	-	-	-	-	-	19	2	54	52	13
72	Hancock	289	6	2	-	-	-	-	1	-	-	1	43	8	133	129	22
73	Hardy	101	3	-	-	-	-	-	1	-	-	-	15	1	48	48	18
74	Harrison	779	9	3	-	-	-	1	1	-	-	3	84	8	444	426	107
75	Jackson	135	1	1	-	-	-	-	-	-	-	1	16	3	72	69	16
76	Jefferson	196	9	3	-	-	-	-	-	1	-	1	17	3	87	83	13
77	Kanawha	1,792	53	9	-	2	2	5	5	-	1	7	219	21	835	810	176
78	Lewis	209	3	1	-	-	-	-	-	-	-	-	35	3	103	99	34
79	Lincoln	172	4	-	-	-	-	-	-	1	-	-	21	2	83	82	15
80	Logan	586	23	3	-	1	-	1	-	2	1	5	55	4	191	184	42

[2]Independent cities have the same status as counties and are listed after the counties.

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	635	29	48	13	32	84	15	9	22	6	3	33	124	15	44	102	23	26	111	1
-	153	4	9	2	6	16	3	4	1	-	2	4	26	6	8	12	2	4	37	2
3	222	7	11	3	17	40	3	8	3	3	3	9	49	3	11	24	3	9	54	3
-	34	1	4	-	3	1	-	-	1	-	1	1	1	-	4	3	-	2	7	4
3	1,002	36	52	23	45	70	10	11	37	6	6	23	144	17	61	76	17	31	193	5
-	317	14	20	8	20	26	1	8	11	1	2	8	41	8	19	20	10	2	75	6
-	42	3	2	1	5	4	-	2	1	-	1	2	10	-	4	8	-	1	9	7
-	86	2	5	-	4	3	2	-	2	-	-	1	3	2	4	5	4	-	10	8
-	45	4	3	-	3	4	1	2	1	-	1	3	7	2	3	8	2	3	19	9
-	28	2	1	-	1	3	-	-	1	-	-	2	6	-	1	3	1	-	4	10
-	18	1	-	-	-	2	-	-	-	-	-	-	-	2	2	2	-	-	4	11
-	54	-	2	1	9	4	-	-	3	-	-	2	8	-	2	5	1	1	13	12
25	8,555	187	543	153	264	721	128	61	201	28	21	274	885	317	595	1,186	357	58	1,525	13
12	5,035	116	288	93	118	403	80	31	125	15	9	155	476	110	302	599	218	30	873	14
13	3,520	71	255	60	146	318	48	30	76	13	12	119	409	207	293	587	139	28	652	15
-	19	-	-	-	1	-	1	-	1	1	-	-	4	1	2	3	2	-	4	16
-	55	3	2	-	-	2	1	-	-	-	-	1	4	7	2	4	-	-	6	17
-	90	5	4	2	3	13	-	1	3	-	-	5	23	2	19	18	4	-	15	18
-	125	3	10	2	10	12	2	-	3	-	2	3	14	3	10	11	4	1	24	19
-	87	2	9	1	8	5	1	1	1	1	1	5	4	5	10	12	8	3	16	20
1	294	4	27	5	6	18	4	1	4	3	-	10	29	9	26	32	11	1	58	21
-	20	1	1	-	-	1	-	-	-	1	-	-	-	1	2	1	-	-	5	22
-	146	7	9	5	6	16	1	-	-	2	-	3	22	5	17	30	7	1	37	23
-	30	-	2	1	1	2	-	-	-	-	1	-	3	-	3	7	1	-	-	24
-	9	-	-	-	1	1	-	-	-	-	-	-	1	1	1	2	-	-	2	25
-	38	-	1	-	-	1	-	-	-	-	-	3	9	-	4	5	1	2	7	26
-	10	-	-	-	-	2	-	-	-	-	-	1	1	-	1	-	-	-	2	27
-	36	2	3	-	-	5	-	-	1	-	-	6	14	4	8	12	4	-	11	28
-	228	6	15	3	15	28	2	2	5	-	1	6	29	15	19	48	10	-	49	29
-	38	-	1	1	-	1	-	-	-	-	-	1	1	-	1	13	1	-	5	30
-	32	-	2	2	-	3	-	1	1	-	-	1	4	1	6	9	2	-	7	31
8	2,868	81	136	65	74	268	50	19	91	2	6	87	254	40	156	343	125	15	477	32
2	235	5	14	5	13	25	4	2	7	-	1	8	37	20	13	30	10	1	38	33
-	71	-	6	3	5	8	1	-	1	-	1	3	8	2	10	15	5	1	17	34
-	30	-	4	-	1	1	1	1	2	-	-	6	8	2	5	9	2	-	4	35
1	174	5	15	1	6	16	4	1	-	-	-	3	16	10	13	31	4	1	46	36
1	37	-	5	-	2	2	-	-	1	-	-	-	1	1	1	7	2	-	6	37
-	56	-	4	2	1	3	1	-	1	-	-	1	8	1	3	9	3	-	7	38
1	70	2	2	-	3	8	2	3	1	1	-	5	16	7	15	20	2	-	10	39
-	70	1	-	-	2	4	2	-	2	-	-	1	5	1	1	22	2	3	9	40
-	30	-	2	3	-	-	1	2	1	-	-	2	2	-	4	10	3	-	4	41
1	965	17	68	15	20	56	11	7	21	5	2	33	115	44	71	117	44	10	170	42
-	12	-	2	-	1	1	-	-	-	-	-	-	2	-	-	3	1	-	2	43
1	176	-	5	3	13	16	3	1	3	2	2	6	20	10	10	29	5	-	36	44
-	22	1	-	-	1	3	-	-	-	-	-	2	4	-	1	-	-	-	2	45
1	424	10	37	10	5	33	5	5	15	1	-	10	45	36	19	57	18	4	63	46
2	908	14	57	8	18	63	15	4	9	5	1	25	78	17	49	107	38	4	168	47
2	73	1	3	3	2	6	1	-	2	2	-	2	5	1	4	14	-	-	15	48
-	132	1	15	2	3	16	2	3	2	-	1	7	14	11	10	23	7	1	32	49
-	6	-	-	1	-	2	-	-	-	-	-	-	-	2	-	5	1	-	5	50
-	134	1	12	1	10	17	2	-	3	-	1	3	10	10	10	19	9	1	25	51
2	300	10	34	2	10	32	1	1	7	-	-	7	12	12	11	31	5	1	61	52
-	101	-	3	1	5	6	-	-	1	-	-	3	6	7	10	16	7	2	15	53
2	404	5	33	6	18	27	10	6	12	2	1	15	57	29	48	62	9	6	65	54
31	5,422	166	318	90	281	758	78	117	130	45	51	294	891	385	454	1,033	202	99	1,224	55
6	1,807	48	100	28	113	208	30	36	57	18	9	87	241	70	159	303	73	30	398	56
25	3,615	118	218	62	168	550	48	81	73	27	42	207	650	315	295	730	129	69	826	57
-	34	5	7	1	-	10	1	-	-	-	-	1	8	14	1	9	1	-	8	58
-	136	3	3	1	6	9	1	-	-	1	-	1	11	4	7	16	3	-	15	59
-	52	2	1	-	1	6	3	3	1	1	2	10	20	7	4	18	1	2	22	60
-	39	4	3	2	1	7	3	-	1	4	1	1	11	8	3	4	1	1	14	61
-	75	4	5	3	6	6	-	2	2	1	1	5	10	-	5	9	8	1	13	62
2	333	7	14	8	17	40	10	5	7	6	3	10	47	9	19	41	10	3	81	63
-	17	1	1	-	2	3	-	-	-	-	-	-	3	15	-	6	-	-	3	64
-	23	1	-	-	2	4	-	1	-	-	-	1	6	11	5	2	1	1	9	65
-	23	-	-	1	-	6	-	-	1	-	1	1	4	2	1	4	2	-	6	66
-	194	10	10	1	15	25	3	6	4	3	2	12	31	18	22	48	10	9	51	67
1	20	-	1	1	1	6	-	-	-	-	-	1	3	8	1	7	-	-	6	68
-	18	-	1	-	1	3	-	-	1	-	-	1	3	3	-	2	-	-	3	69
-	111	5	4	2	15	14	1	1	6	-	3	7	16	4	10	25	3	4	22	70
-	38	-	1	-	2	10	1	-	-	2	-	1	2	-	4	4	2	-	8	71
-	102	2	3	-	4	11	2	1	5	-	-	4	12	4	19	12	5	1	19	72
1	24	1	3	1	-	5	-	2	1	-	-	1	6	-	2	4	4	-	8	73
4	290	9	13	3	18	33	5	3	6	1	2	16	38	7	20	33	12	-	50	74
-	46	1	6	-	3	6	1	-	-	-	-	-	1	-	6	6	2	-	19	75
1	63	2	4	-	4	15	1	-	-	-	-	3	11	2	8	15	4	-	16	76
-	573	15	38	8	25	76	10	17	24	2	3	32	82	18	59	129	27	12	142	77
-	57	-	7	1	4	10	-	1	2	-	-	4	7	5	6	12	2	-	15	78
-	64	2	1	-	1	12	-	2	-	1	-	3	11	5	7	13	-	1	6	79
2	132	1	4	3	7	24	1	24	8	1	2	19	57	30	25	55	3	7	44	80

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	WEST VIRGINIA--Con.																
1	McDowell	701	26	11	-	1	1	1	4	2	-	1	62	5	286	284	57
2	Marion	683	12	7	-	-	-	1	-	-	-	1	90	9	340	335	76
3	Marshall	334	7	-	-	-	-	-	-	-	-	1	54	5	177	169	50
4	Mason	199	2	1	-	-	1	2	-	-	-	4	17	5	110	108	33
5	Mercer	624	20	3	-	-	-	1	3	-	-	-	81	6	307	299	75
6	Mineral	186	1	-	-	-	-	-	-	-	-	-	23	1	111	108	17
7	Mingo	311	12	1	-	-	-	1	-	-	-	3	36	4	105	100	27
8	Monongalia	546	10	1	-	-	-	-	-	-	-	1	68	8	268	261	68
9	Monroe	116	3	1	-	-	-	2	-	-	-	2	18	1	58	53	14
10	Morgan	87	5	-	-	-	-	-	-	-	-	1	9	2	34	33	12
11	Nicholas	209	4	-	-	-	-	1	-	-	-	-	21	3	98	97	22
12	Ohio	890	10	6	-	-	-	-	1	-	-	3	130	7	511	484	118
13	Pendleton	77	2	-	-	-	-	-	-	-	-	-	4	1	37	35	7
14	Pleasants	70	-	-	-	-	-	-	-	-	-	-	5	2	44	44	20
15	Pocahontas	129	4	1	-	-	-	-	-	-	-	-	25	3	59	56	15
16	Preston	249	3	1	-	-	-	-	-	-	1	1	35	4	116	115	23
17	Putnam	170	4	-	-	-	-	-	-	-	-	1	18	4	79	79	16
18	Raleigh	697	27	5	-	1	-	3	-	-	-	2	73	6	335	319	69
19	Randolph	277	5	2	-	-	-	1	-	-	-	-	39	5	122	115	29
20	Ritchie	135	5	-	1	-	-	-	-	-	-	-	18	-	70	69	20
21	Roane	167	5	1	-	-	-	-	-	-	-	-	21	5	79	75	26
22	Summers	189	1	-	-	-	-	-	-	-	-	1	28	3	89	86	26
23	Taylor	216	4	1	-	-	-	-	-	-	-	1	28	2	92	89	21
24	Tucker	108	2	1	-	-	-	-	-	-	-	-	15	-	53	53	15
25	Tyler	98	1	-	-	-	-	-	1	-	-	-	13	2	64	63	12
26	Upshur	198	4	1	-	1	-	-	1	-	-	1	26	1	85	84	17
27	Wayne	295	14	1	1	-	-	-	-	-	-	2	35	-	161	150	53
28	Webster	142	5	2	-	-	-	-	-	-	-	1	21	1	57	54	11
29	Wetzel	202	5	1	-	1	1	-	-	-	-	2	18	5	117	114	36
30	Wirt	49	-	-	-	-	-	-	-	-	-	-	4	1	32	31	11
31	Wood	681	14	2	-	-	-	2	1	-	-	3	101	7	391	380	106
32	Wyoming	206	7	1	-	-	-	1	-	-	-	2	21	1	84	83	10
33	WISCONSIN	33,653	341	88	1	4	2	2	23	81	6	89	5,375	632	18,886	18,492	4,183
34	Metropolitan counties	13,176	184	38	-	2	-	-	15	44	3	31	2,276	253	7,287	7,159	1,436
35	Nonmetropolitan counties	20,477	157	50	1	2	2	2	8	37	3	58	3,099	379	11,599	11,333	2,747
36	Adams	89	-	-	-	-	-	-	-	-	-	-	18	-	40	40	10
37	Ashland	227	4	1	-	-	1	-	-	-	-	2	34	3	131	126	32
38	Barron	332	2	-	-	-	-	-	-	-	-	1	45	3	195	192	59
39	Bayfield	169	6	1	-	-	-	-	-	-	-	1	31	4	97	95	21
40	Brown	949	3	4	-	-	-	-	2	-	2	1	137	18	501	488	139
41	Buffalo	153	1	1	-	-	-	-	-	-	-	-	25	4	74	73	19
42	Burnett	108	-	-	-	-	-	-	-	-	-	-	20	1	64	63	19
43	Calumet	175	1	-	-	-	-	-	-	-	-	1	33	2	93	87	27
44	Chippewa	383	5	3	-	-	-	-	-	4	-	2	62	11	199	198	50
45	Clark	296	1	-	-	-	-	-	-	2	-	2	51	7	170	169	43
46	Columbia	374	1	-	-	-	-	-	1	-	-	-	62	5	206	197	40
47	Crawford	174	1	-	-	-	-	1	-	-	-	-	15	2	115	114	20
48	Dane	1,359	12	3	-	-	-	-	1	-	-	3	228	27	741	724	151
49	Dodge	562	5	2	-	-	1	-	-	3	-	1	95	5	331	323	78
50	Door	201	1	-	-	-	-	-	-	1	-	-	36	2	100	98	23
51	Douglas	569	10	-	-	-	-	-	1	-	-	1	92	11	307	300	56
52	Dunn	270	-	2	-	-	-	-	-	1	-	1	38	5	154	152	33
53	Eau Claire	473	3	1	-	-	-	-	1	5	-	-	86	11	262	258	52
54	Florence	33	-	-	-	-	-	-	-	-	-	-	5	-	22	22	6
55	Fond du Lac	717	8	2	-	-	-	-	-	-	-	-	124	16	392	385	94
56	Forest	99	-	-	-	-	-	-	-	-	-	3	17	1	44	44	15
57	Grant	468	2	1	-	-	-	-	1	-	-	1	53	3	270	266	65
58	Green	287	-	-	-	-	-	-	-	-	-	-	38	5	158	157	36
59	Green Lake	147	3	1	-	-	-	-	-	-	-	1	24	3	84	82	26
60	Iowa	238	-	1	-	-	-	-	-	-	-	1	34	4	120	120	27
61	Iron	95	5	-	-	-	-	-	-	-	-	2	11	3	57	56	7
62	Jackson	177	-	1	-	-	-	-	-	-	-	-	18	2	105	104	28
63	Jefferson	485	2	-	-	-	-	-	-	1	-	3	76	12	287	281	67
64	Juneau	221	2	1	-	-	-	-	-	-	-	-	27	4	130	128	26
65	Kenosha	703	9	3	-	-	-	-	1	1	1	-	130	16	367	354	79
66	Kewaunee	165	-	2	-	-	-	-	-	-	-	1	18	5	95	92	20
67	La Crosse	647	5	-	-	1	-	1	2	2	-	1	98	11	360	348	88
68	Lafayette	194	3	-	-	-	-	-	-	-	-	-	27	1	110	108	19
69	Langlade	241	2	1	-	-	-	-	-	-	-	-	33	10	136	126	27
70	Lincoln	261	-	-	-	-	-	-	-	-	-	1	49	1	134	132	30
71	Manitowoc	604	4	-	-	-	-	-	-	2	-	1	102	10	348	338	82
72	Marathon	662	4	3	-	-	-	-	-	1	-	1	90	9	375	359	89
73	Marinette	358	1	2	-	-	-	-	-	-	-	-	58	9	200	195	43
74	Marquette	112	3	1	-	-	-	-	-	-	-	-	14	3	61	61	11
75	Milwaukee	8,523	139	28	-	2	-	-	10	42	-	21	1,485	167	4,812	4,743	896
76	Monroe	301	1	1	-	-	-	-	-	-	-	-	38	5	164	153	22
77	Oconto	260	-	1	-	-	-	-	-	-	-	-	36	7	160	156	28
78	Oneida	215	1	1	-	-	-	-	-	2	-	-	32	5	118	118	30
79	Outagamie	660	8	-	-	1	-	-	-	1	-	2	92	20	381	370	97
80	Ozaukee	224	-	-	-	-	-	-	-	1	-	2	40	8	107	104	21
81	Pepin	75	1	-	-	-	-	-	-	-	-	-	9	-	48	46	8
82	Pierce	216	-	1	-	-	-	-	-	-	-	-	32	5	128	124	37
83	Polk	236	4	1	-	-	-	-	-	-	1	-	40	6	138	133	35
84	Portage	342	4	-	-	-	-	-	-	-	-	2	61	5	167	166	41
85	Price	186	2	-	-	-	-	-	-	-	-	-	22	6	109	107	32

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1	207	6	8	5	2	27	2	7	2	-	4	16	66	19	21	72	3	14	48	1
-	233	9	13	4	5	42	5	3	5	-	3	9	32	8	15	37	15	4	45	2
-	104	2	12	1	8	10	1	-	2	-	-	6	15	4	13	14	4	-	21	3
1	61	7	3	1	4	8	-	-	1	1	2	2	12	2	4	10	2	-	13	4
2	203	4	12	3	8	29	2	5	5	1	1	12	40	8	8	37	3	5	47	5
-	84	1	5	1	3	7	2	1	2	-	1	4	10	2	2	5	1	-	13	6
1	64	3	4	1	5	17	-	6	2	1	5	6	25	8	11	33	5	5	25	7
2	164	6	18	3	5	35	4	4	3	2	-	7	28	6	15	44	6	1	37	8
-	32	1	4	2	5	5	-	-	1	-	-	2	5	4	3	4	1	-	6	9
-	19	-	2	-	1	6	-	-	1	-	-	3	11	-	2	4	2	-	7	10
-	66	2	6	1	1	11	-	1	-	-	3	7	16	11	5	13	6	-	9	11
4	335	7	14	6	27	28	2	4	13	6	-	11	33	5	15	38	7	4	56	12
-	26	1	-	1	2	3	-	1	-	-	-	2	4	2	6	4	4	2	5	13
1	20	1	1	1	-	6	-	-	1	-	-	-	1	1	-	6	-	-	4	14
-	35	1	4	1	3	5	-	-	-	-	-	1	2	1	4	9	1	-	14	15
-	79	4	8	1	1	14	1	-	-	1	-	7	17	8	4	15	2	1	18	16
-	57	3	2	1	-	11	-	1	-	1	-	3	9	4	7	11	1	-	16	17
4	224	5	12	5	16	27	-	1	9	3	4	9	42	11	14	52	9	11	51	18
-	73	2	9	2	7	9	2	-	-	-	2	3	15	16	14	13	4	5	20	19
1	43	2	3	-	1	5	1	1	1	-	-	4	2	4	1	5	1	1	15	20
-	44	1	4	-	4	7	-	-	-	-	2	3	11	3	1	11	3	-	15	21
-	59	1	-	-	3	10	-	1	1	1	-	4	6	4	10	16	1	1	12	22
-	57	3	6	2	3	17	2	-	-	-	-	4	7	7	4	18	5	-	24	23
-	31	-	7	-	-	6	1	-	3	-	1	-	4	4	2	4	-	-	12	24
-	48	1	1	1	1	4	-	-	1	-	-	2	-	-	3	2	-	-	5	25
-	61	3	3	-	1	7	-	1	-	-	-	2	9	20	6	12	3	-	18	26
-	91	1	4	1	11	12	2	1	-	-	-	7	11	12	7	12	2	-	15	27
-	37	4	1	1	3	9	4	1	-	-	-	3	7	15	1	3	2	1	9	28
-	71	1	5	1	3	8	-	-	1	-	1	7	3	7	2	7	2	-	14	29
-	19	-	1	-	1	1	-	2	1	-	-	-	-	2	-	2	-	-	4	30
2	245	5	15	7	11	19	1	4	4	4	-	10	28	10	16	27	4	-	33	31
1	66	4	1	1	1	12	1	4	2	1	2	4	20	3	4	19	2	2	13	32
28	13,015	253	853	160	394	788	221	127	268	42	44	477	1,383	235	803	1,201	360	40	2,134	33
5	5,324	84	247	63	128	278	108	59	143	16	17	186	549	50	272	408	133	23	801	34
23	7,691	169	606	97	266	510	113	68	125	26	27	291	834	185	531	793	227	17	1,333	35
-	28	-	2	-	-	5	2	-	-	-	-	2	2	3	2	12	-	-	3	36
1	72	6	13	2	5	1	3	1	-	2	-	1	14	1	3	10	2	-	13	37
-	122	2	9	-	3	8	1	2	-	-	-	5	15	5	8	17	2	1	22	38
1	69	-	4	-	2	2	-	-	1	-	-	3	6	-	4	4	1	-	8	39
1	312	11	21	4	13	23	10	6	4	1	1	23	60	10	23	36	12	2	70	40
-	48	4	1	1	1	10	-	-	-	-	1	4	8	1	7	6	2	1	8	41
-	42	1	-	1	1	3	-	1	1	-	1	2	1	-	2	2	1	-	9	42
-	50	-	8	2	6	4	2	-	1	-	-	2	9	3	6	5	3	-	10	43
-	138	1	9	-	1	6	2	-	1	-	-	5	26	2	6	20	2	-	27	44
1	109	1	14	1	1	7	2	-	1	-	-	4	4	6	6	10	2	-	21	45
-	133	8	14	2	9	7	2	2	-	-	1	4	17	11	11	18	3	-	23	46
-	89	2	3	-	1	5	5	-	-	-	1	-	7	1	1	6	1	-	13	47
1	533	10	24	5	17	35	13	4	6	1	-	22	65	12	28	51	14	-	93	48
-	228	3	13	1	8	8	2	1	2	3	1	3	19	6	13	14	9	-	38	49
-	69	2	3	1	2	2	3	1	-	-	-	2	9	2	11	12	1	-	18	50
1	229	3	9	2	7	13	6	1	10	-	2	8	16	-	15	34	2	-	40	51
1	112	3	3	-	2	11	1	-	1	-	-	2	12	2	11	11	1	1	16	52
-	179	5	21	1	4	7	3	3	-	-	-	6	22	3	6	20	2	1	28	53
-	15	-	1	-	-	1	-	-	1	-	-	-	1	-	1	2	-	-	-	54
1	251	10	28	1	7	16	4	1	7	2	1	14	26	7	20	20	13	-	44	55
-	26	2	1	-	-	5	2	-	1	1	-	-	5	-	2	6	-	-	12	56
-	178	5	15	3	4	10	3	-	2	-	-	5	31	7	10	22	7	-	40	57
-	107	1	11	2	1	10	4	-	2	-	-	8	15	-	8	12	7	-	20	58
1	51	-	4	-	2	4	1	-	-	1	-	-	3	2	2	5	-	-	13	59
-	80	1	10	2	-	5	1	3	1	1	-	1	8	9	15	10	6	1	17	60
-	46	1	1	1	1	1	-	-	-	1	-	1	2	-	2	2	2	-	6	61
-	61	1	14	-	1	9	-	2	-	-	-	-	7	8	5	6	1	2	11	62
2	194	3	13	2	6	13	2	1	3	-	1	4	15	2	8	23	5	-	27	63
-	95	3	3	1	2	5	1	2	1	-	-	2	6	2	12	7	4	-	15	64
-	262	3	9	1	13	11	3	5	6	2	2	5	35	6	13	17	9	-	61	65
-	58	1	12	1	3	2	1	-	-	1	-	4	9	-	5	4	3	-	15	66
-	234	5	20	1	12	13	5	-	2	1	2	11	44	2	11	23	8	-	44	67
-	79	4	5	1	2	9	-	1	2	1	-	4	9	2	3	11	2	-	9	68
1	89	4	4	1	10	9	2	-	5	1	-	1	11	1	8	5	3	-	13	69
1	89	2	10	-	2	7	-	3	1	1	4	6	7	7	15	9	-	-	16	70
-	228	7	16	5	10	17	4	1	7	-	1	4	22	4	8	27	6	-	36	71
1	236	9	19	5	16	13	4	3	6	1	-	17	26	11	20	18	11	-	49	72
-	137	3	10	2	5	4	3	-	4	1	-	7	19	-	10	11	4	2	23	73
-	45	-	5	-	-	6	1	1	-	-	-	1	5	-	3	5	1	-	7	74
2	3,598	49	151	47	69	175	67	38	108	10	11	110	326	18	152	250	86	18	468	75
1	124	4	1	1	11	12	1	5	-	-	1	2	7	5	11	15	3	2	28	76
-	120	2	5	1	4	8	-	3	3	1	-	2	10	4	3	9	5	-	8	77
1	78	1	7	1	-	13	2	-	1	-	-	-	7	-	8	9	3	1	12	78
-	251	3	13	6	11	11	5	5	3	-	1	17	29	4	14	22	3	1	40	79
1	76	1	5	-	3	7	1	-	1	-	-	5	11	-	7	14	4	-	16	80
-	33	-	5	-	2	3	-	-	2	-	-	4	3	-	-	1	-	-	4	81
-	73	3	7	4	4	6	-	1	1	-	-	1	7	5	2	16	1	-	10	82
2	82	2	11	1	5	6	-	-	1	-	-	1	6	3	7	7	4	-	11	83
-	118	1	4	2	1	15	-	1	2	-	-	2	14	2	11	15	6	1	34	84
-	64	-	11	-	2	5	-	-	2	-	2	3	7	3	10	4	5	-	6	85

Table 59. Deaths From 33 Selected Causes: United States, Each State and Coun-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334
	WISCONSIN—Continued																
1	Racine	1,073	11	-	-	-	-	-	-	1	-	5	204	14	559	550	115
2	Richland	215	1	1	-	-	-	-	-	-	-	1	25	5	125	124	45
3	Rock	908	7	3	-	-	-	-	1	-	-	4	140	12	533	520	112
4	Rusk	146	2	-	-	-	-	-	-	-	-	1	22	5	86	85	22
5	St. Croix	248	2	1	-	-	-	-	-	-	-	2	40	1	142	139	31
6	Sauk	380	2	1	-	-	-	-	1	1	-	3	55	5	228	223	65
7	Sawyer	93	4	1	-	-	-	-	-	2	-	-	19	1	43	41	13
8	Shawano	349	2	-	-	-	-	-	-	1	1	2	55	7	198	195	53
9	Sheboygan	789	7	1	-	-	-	-	-	1	-	1	107	13	452	442	114
10	Taylor	147	-	-	-	-	-	-	-	1	-	1	21	5	81	76	12
11	Trempealeau	245	1	1	-	-	-	-	1	-	-	-	34	4	140	134	45
12	Vernon	279	-	1	-	-	-	-	-	-	1	-	35	1	161	159	17
13	Vilas	95	4	-	-	-	-	-	-	-	-	-	22	1	44	44	13
14	Walworth	500	1	1	-	-	-	-	-	-	-	1	78	7	296	292	57
15	Washburn	132	2	1	-	-	-	-	-	-	-	-	19	1	74	71	20
16	Washington	285	1	-	-	-	-	-	-	1	-	1	50	7	162	159	42
17	Waukesha	816	6	1	-	-	-	-	-	3	-	2	121	15	483	478	107
18	Waupaca	430	4	2	-	-	-	-	-	-	-	-	74	7	257	252	77
19	Waushara	156	-	-	-	-	-	-	-	-	-	-	13	7	100	92	22
20	Winnebago	923	12	2	1	-	-	-	-	1	-	2	130	23	514	506	137
21	Wood	429	3	1	-	-	-	-	-	-	-	4	70	8	241	235	60
22	WYOMING	2,346	27	15	-	1	1	6	1	34	2	4	315	48	1,051	1,023	241
23	Nonmetropolitan counties	2,346	27	15	-	1	1	6	1	34	2	4	315	48	1,051	1,023	241
24	Albany	135	2	-	-	-	-	1	-	2	-	-	16	3	52	52	8
25	Big Horn	100	2	-	-	-	-	-	-	-	-	-	11	3	46	43	14
26	Campbell	48	-	-	-	-	-	-	-	-	-	-	8	1	21	21	8
27	Carbon	127	1	1	-	-	-	2	-	1	-	-	11	1	56	50	8
28	Converse	60	-	1	-	-	-	-	-	-	-	-	12	1	32	31	3
29	Crook	31	-	-	-	-	-	-	-	-	-	-	3	1	14	14	3
30	Fremont	188	7	1	-	-	1	-	-	1	-	1	22	2	64	62	11
31	Goshen	108	3	1	-	-	-	-	-	-	-	-	12	2	58	58	17
32	Hot Springs	47	-	-	-	1	-	-	-	-	-	-	6	-	25	25	5
33	Johnson	39	-	-	-	-	-	-	-	1	-	-	8	2	23	22	7
34	Laramie	304	2	2	-	-	-	1	-	6	-	-	38	11	128	123	34
35	Lincoln	69	-	1	-	-	-	-	-	-	-	-	14	2	25	25	6
36	Natrona	292	1	4	-	-	-	-	1	6	1	3	35	7	124	118	27
37	Niobrara	30	-	-	-	-	-	-	-	-	-	-	4	1	16	16	1
38	Park	92	-	-	-	-	-	1	-	1	-	-	13	1	36	36	12
39	Platte	93	1	-	-	-	-	-	-	9	-	-	13	2	36	35	8
40	Sheridan	212	2	2	-	-	-	-	-	3	1	-	28	3	124	122	33
41	Sublette	6	-	-	-	-	-	-	-	1	-	-	-	-	4	4	1
42	Sweetwater	175	5	1	-	-	-	1	-	2	-	-	31	4	74	74	24
43	Teton	18	-	-	-	-	-	-	-	1	-	-	4	-	11	11	1
44	Uinta	67	1	-	-	-	-	-	-	-	-	-	12	-	32	32	4
45	Washakie	54	-	1	-	-	-	-	-	-	-	-	6	1	24	24	2
46	Weston	50	-	-	-	-	-	-	-	-	-	-	8	-	25	24	4
47	Yellowstone Nat. Park (pt.)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
48	Yellowstone Nat. Park (total)[1]	5	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-

[1]Yellowstone National Park is located in Idaho, Montana, and Wyoming. Figures are included in the total for the State in which the deaths occurred, but the total for the Park is shown under Wyoming which contained the largest proportion of its population.

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census, except in New England where the counties are those in the "metropolitan State economic areas," also defined by the Bureau of the Census. The category "nonmetropolitan counties" includes all other counties in the State.

ty; and Metropolitan and Nonmetropolitan Counties in Each State, 1951—Con.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
-	390	8	33	4	9	21	9	5	9	2	1	18	47	4	41	40	10	3	69	1
-	74	-	4	1	1	6	-	1	4	-	-	4	11	1	1	11	4	-	14	2
-	376	9	18	5	13	16	9	6	4	1	2	17	40	2	20	31	8	1	51	3
-	57	1	5	-	1	3	-	-	1	2	-	2	5	-	2	6	-	-	9	4
3	92	4	6	3	3	12	2	-	-	-	1	2	9	-	6	9	2	-	17	5
-	146	-	9	3	5	10	1	-	3	-	-	6	8	1	9	14	6	-	26	6
-	28	-	-	-	2	3	-	-	1	-	-	1	-	3	4	7	-	-	4	7
2	118	3	17	2	3	12	2	1	4	-	-	5	12	1	8	21	1	1	15	8
1	308	4	13	2	10	26	3	7	6	-	-	11	25	6	13	30	15	1	64	9
-	61	-	3	-	5	2	2	-	-	-	-	2	14	1	5	2	2	-	8	10
-	83	1	5	-	6	11	-	3	4	-	-	1	8	4	3	10	2	-	18	11
-	135	1	2	4	2	8	-	-	1	-	2	3	12	6	13	11	4	-	20	12
-	28	-	2	1	-	3	1	-	-	2	-	2	1	2	2	4	1	-	6	13
-	202	6	22	5	4	8	2	1	5	1	-	11	20	1	13	16	5	-	33	14
-	48	1	2	-	3	2	1	-	3	-	-	5	5	-	3	3	2	-	11	15
-	107	3	6	1	3	2	2	-	1	-	-	4	11	2	12	4	4	-	21	16
1	323	7	33	7	5	20	4	-	2	-	1	6	36	8	31	34	5	-	38	17
-	157	5	10	3	5	12	3	1	4	-	2	6	12	3	5	17	3	-	18	18
-	64	1	5	-	8	2	1	-	1	-	-	1	4	-	10	5	2	-	10	19
-	331	3	32	3	8	16	4	3	8	1	1	21	39	6	20	37	7	-	75	20
-	147	3	24	1	6	5	1	1	1	-	-	9	19	2	13	14	5	-	32	21
9	706	18	38	11	28	71	20	6	14	5	6	35	152	43	129	139	46	9	166	22
9	706	18	38	11	28	71	20	6	14	5	6	35	152	43	129	139	46	9	166	23
-	39	3	1	1	-	5	2	-	1	-	1	2	13	1	11	9	3	2	9	24
-	26	1	2	-	3	1	1	-	-	-	-	-	4	3	9	11	1	-	8	25
2	9	-	2	-	-	-	1	-	-	1	-	-	5	1	3	2	-	-	5	26
-	38	2	2	-	6	2	1	-	2	-	-	1	13	2	5	10	2	2	14	27
-	28	-	-	-	1	-	-	-	-	1	-	-	-	-	6	1	1	-	5	28
-	10	1	-	-	-	1	-	-	1	-	-	1	2	1	1	3	2	-	1	29
1	48	1	1	-	2	11	-	-	-	1	1	4	8	18	10	13	4	1	18	30
1	38	-	2	-	-	4	-	-	2	-	-	-	9	-	9	6	-	-	2	31
-	18	-	1	1	-	-	-	-	-	-	-	1	5	-	2	2	2	-	3	32
-	13	-	1	1	1	1	-	-	-	-	-	-	1	-	1	1	-	-	1	33
1	77	2	8	1	5	15	2	-	2	-	3	8	27	3	11	13	8	1	23	34
-	18	-	1	-	-	-	1	-	-	-	-	1	8	4	3	4	-	-	6	35
-	83	1	5	2	6	14	3	1	3	-	-	5	15	-	14	28	3	2	22	36
-	15	-	-	-	-	1	1	-	-	-	-	1	-	-	2	-	1	-	3	37
-	20	1	2	1	-	3	1	-	-	-	1	3	9	3	7	5	4	-	4	38
-	25	1	1	-	1	1	2	2	-	-	-	2	4	-	1	11	4	-	5	39
-	80	3	3	3	2	5	1	-	1	-	-	3	6	1	10	4	3	-	15	40
-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	41
1	47	1	1	-	-	4	1	1	2	1	-	2	11	3	10	10	3	-	9	42
1	9	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	-	-	-	43
-	24	1	3	-	-	1	2	-	-	-	-	1	2	2	4	2	3	-	5	44
2	19	-	1	-	-	2	1	1	-	1	-	-	7	-	1	-	1	1	7	45
-	19	-	-	1	1	-	-	1	-	-	-	-	3	1	7	3	1	-	1	46
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	48

Table 60. Deaths by Marital Status, Age, Race, and Sex: United States, 1951

(Exclusive of fetal deaths and of deaths among armed forces overseas)

AGE AND RACE	BOTH SEXES						MALE						FEMALE					
	Total	Single	Married	Widowed	Di-vorced	Not stated	Total	Single	Married	Widowed	Di-vorced	Not stated	Total	Single	Married	Widowed	Di-vorced	Not stated
ALL RACES---	1,482,099	301,638	678,467	446,094	41,486	14,414	845,233	184,619	457,778	162,328	28,984	11,524	636,866	117,019	220,689	283,766	12,502	2,890
Under 15 years-	140,668	140,662	4	1	1	-	81,017	81,014	1	1	1	-	59,651	59,648	3	-	-	-
15-19 years---	11,309	9,988	1,118	40	42	121	7,459	7,091	254	14	14	86	3,850	2,897	864	26	28	35
20-24 years---	16,074	8,896	6,496	124	311	247	10,557	6,913	3,237	48	151	208	5,517	1,983	3,259	76	160	39
25-34 years---	42,066	10,548	27,976	874	2,108	560	25,258	7,643	15,563	323	1,267	442	16,808	2,905	12,393	551	841	118
35-44 years---	76,956	11,608	55,834	3,521	4,968	1,025	45,853	8,171	32,609	1,060	3,207	806	31,103	3,437	23,225	2,461	1,761	219
45-54 years---	149,202	17,512	106,401	14,893	8,398	1,998	93,113	12,709	67,751	5,089	5,913	1,651	56,089	4,803	38,650	9,804	2,485	347
55-59 years---	115,112	11,957	79,645	17,109	5,098	1,303	73,840	8,741	53,983	6,309	3,702	1,105	41,272	3,216	25,662	10,800	1,396	198
60-64 years---	141,728	14,449	90,509	29,825	5,236	1,709	88,634	10,354	61,963	11,033	3,838	1,446	53,094	4,095	28,546	18,792	1,398	263
65-69 years---	170,945	17,299	97,622	48,784	5,227	2,013	102,978	11,887	67,233	18,396	3,786	1,676	67,967	5,412	30,389	30,388	1,441	337
70-74 years---	178,499	17,695	86,739	68,181	4,145	1,739	100,641	10,754	60,658	24,865	2,991	1,373	77,858	6,941	26,081	43,316	1,154	366
75-79 years---	175,159	17,006	67,477	86,115	3,101	1,460	92,565	9,125	48,857	31,288	2,185	1,110	82,594	7,881	18,620	54,827	916	350
80-84 years---	141,354	13,395	39,171	85,889	1,822	1,077	69,214	6,163	29,841	31,172	1,241	777	72,140	7,212	9,330	54,717	581	300
85 and over---	121,714	10,386	19,107	90,366	1,004	851	53,294	3,878	15,553	32,606	669	588	68,420	6,508	3,554	57,760	335	263
Not stated----	1,313	237	368	372	25	311	810	156	255	124	19	256	503	81	113	248	6	55
WHITE----------	1,302,969	253,782	603,804	397,327	37,018	11,038	747,049	155,426	411,504	144,782	26,257	9,080	555,920	98,356	192,300	252,545	10,761	1,958
Under 15 years----	110,706	110,702	2	1	1	-	64,186	64,183	1	1	1	-	46,520	46,519	1	-	-	-
15-19 years-------	8,993	8,043	819	21	29	81	5,161	5,889	197	7	10	58	2,832	2,154	622	14	19	23
20-24 years-------	12,312	6,933	4,882	71	251	175	8,443	5,576	2,552	26	128	161	3,869	1,357	2,330	45	123	14
25-34 years-------	31,645	7,846	21,355	444	1,666	334	19,631	5,800	12,351	162	1,035	283	12,014	2,046	9,004	282	631	51
35-44 years-------	59,512	8,917	44,143	1,750	4,091	611	36,795	6,321	26,622	590	2,748	514	22,717	2,596	17,521	1,160	1,343	97
45-54 years-------	121,041	14,650	88,998	8,840	7,218	1,335	77,829	10,606	57,625	3,241	5,199	1,158	43,212	4,044	31,373	5,599	2,019	177
55-59 years-------	99,039	10,699	70,623	12,216	4,539	962	64,666	7,798	48,017	4,674	3,335	842	34,373	2,901	22,606	7,542	1,204	120
60-64 years-------	125,636	13,269	82,488	23,740	4,794	1,345	79,587	9,484	56,501	8,893	3,536	1,173	46,049	3,785	25,987	14,847	1,258	172
65-69 years-------	153,726	16,176	89,753	41,313	4,862	1,622	93,310	11,059	61,701	15,634	3,532	1,384	60,416	5,117	28,052	25,679	1,330	238
70-74 years-------	164,775	16,879	81,355	61,185	3,906	1,450	93,067	10,203	56,711	22,156	2,825	1,172	71,708	6,676	24,644	39,029	1,081	278
75-79 years-------	164,871	16,404	63,964	80,314	2,950	1,239	86,897	8,743	46,145	28,969	2,084	956	77,974	7,661	17,819	51,345	866	283
80-84 years-------	134,684	13,026	37,307	81,688	1,740	923	65,637	5,953	28,356	29,486	1,177	665	69,047	7,073	8,951	52,202	563	258
85 and over-------	115,048	10,038	17,855	85,478	949	728	50,227	3,680	14,545	30,659	630	513	64,821	6,358	3,310	54,619	319	215
Not stated--------	981	200	260	266	22	233	613	131	180	84	17	201	368	69	80	182	5	32
NONWHITE--------	179,130	47,856	74,663	48,767	4,468	3,376	98,184	29,193	46,274	17,546	2,727	2,444	80,946	18,663	28,389	31,221	1,741	932
Under 15 years----	29,962	29,960	2	-	-	-	16,831	16,831	-	-	-	-	13,131	13,129	2	-	-	-
15-19 years-------	2,316	1,945	299	19	13	40	1,298	1,202	57	7	4	28	1,018	743	242	12	9	12
20-24 years-------	3,762	1,963	1,614	53	60	72	2,114	1,337	685	22	23	47	1,648	626	929	31	37	25
25-34 years-------	10,421	2,702	6,621	430	442	226	5,627	1,843	3,232	161	232	159	4,794	859	3,389	269	210	67
35-44 years-------	17,444	2,691	11,691	1,771	877	414	9,058	1,850	5,987	470	459	292	8,386	841	5,704	1,301	418	122
45-54 years-------	28,161	2,862	17,403	6,053	1,180	663	15,284	2,103	10,126	1,848	714	493	12,877	759	7,277	4,205	466	170
55-59 years-------	16,073	1,258	9,022	4,893	559	341	9,174	943	5,966	1,635	367	263	6,899	315	3,056	3,258	192	78
60-64 years-------	16,092	1,180	8,021	6,085	442	364	9,047	870	5,462	2,140	302	273	7,045	310	2,559	3,945	140	91
65-69 years-------	17,219	1,123	7,869	7,471	365	391	9,668	828	5,532	2,762	254	292	7,551	295	2,337	4,709	111	99
70-74 years-------	13,724	816	5,384	6,996	239	289	7,574	551	3,947	2,709	166	201	6,150	265	1,437	4,287	73	88
75-79 years-------	10,288	602	3,513	5,801	151	221	5,668	382	2,712	2,319	101	154	4,620	220	801	3,482	50	67
80-84 years-------	6,670	369	1,864	4,201	82	154	3,577	230	1,485	1,686	64	112	3,093	139	379	2,515	18	42
85 and over-------	6,666	348	1,252	4,888	55	123	3,067	198	1,008	1,747	39	75	3,599	150	244	3,141	16	48
Not stated--------	332	37	108	106	3	78	197	25	75	40	2	55	135	12	33	66	1	23

U. S. GOVERNMENT PRINTING OFFICE : O—1954