

**Table 10. Estimated numbers of persons living with AIDS, by year and selected characteristics, 2001–2005—United States and dependent areas (Revised June 2007)**

	2001	2002	2003	2004	2005
<b>Data for 50 states and the District of Columbia</b>					
<b>Age at end of year (yrs)</b>					
<13	2,541	2,303	1,998	1,670	1,393
13–14	620	689	753	802	793
15–19	1,266	1,493	1,722	2,002	2,301
20–24	3,765	3,926	4,334	4,727	5,261
25–29	13,036	12,739	12,805	13,195	13,924
30–34	37,342	35,669	34,017	32,335	30,573
35–39	71,123	70,411	68,521	65,598	63,441
40–44	75,036	80,881	86,788	91,981	95,415
45–49	58,853	65,334	71,992	78,130	85,572
50–54	36,042	41,706	47,343	53,921	60,374
55–59	17,042	20,416	24,484	28,739	34,167
60–64	8,166	9,833	11,451	13,474	15,642
≥65	6,651	7,851	9,304	11,009	13,018
<b>Race/ethnicity</b>					
White, not Hispanic	124,389	130,510	136,501	142,884	149,658
Black, not Hispanic	141,904	152,536	163,683	174,363	185,988
Hispanic	59,466	63,871	68,388	72,823	78,054
Asian/Pacific Islander	2,825	3,158	3,532	3,891	4,276
American Indian/Alaska Native	1,169	1,266	1,378	1,481	1,581
<b>Transmission category</b>					
<b>Male adult or adolescent</b>					
Male-to-male sexual contact	149,245	159,143	169,479	180,061	191,362
Injection drug use	56,070	58,089	59,909	61,582	63,864
Male-to-male sexual contact and injection drug use	23,313	24,030	24,678	25,307	25,961
High-risk heterosexual contact <sup>a</sup>	24,398	27,531	30,593	33,571	36,784
Other <sup>b</sup>	3,650	3,760	3,849	3,979	4,154
Subtotal	256,676	272,553	288,509	304,500	322,125
<b>Female adult or adolescent</b>					
Injection drug use	27,140	28,176	29,230	30,232	31,521
High-risk heterosexual contact <sup>a</sup>	42,074	46,743	51,884	56,760	61,938
Other <sup>b</sup>	1,875	2,012	2,149	2,321	2,500
Subtotal	71,089	76,930	83,224	89,313	95,959
<b>Child (&lt;13 yrs at diagnosis)</b>					
Perinatal	3,580	3,631	3,648	3,640	3,661
Other <sup>c</sup>	134	132	127	126	126
Subtotal	3,714	3,763	3,775	3,766	3,787
<b>Region of residence</b>					
Northeast	102,684	107,929	113,508	119,055	126,637
Midwest	33,992	36,443	39,070	41,675	44,997
South	127,418	137,359	147,597	158,005	167,880
West	67,389	71,519	75,337	78,845	82,360
<b>Subtotal for 50 states and the District of Columbia</b>	<b>331,482</b>	<b>353,249</b>	<b>375,511</b>	<b>397,582</b>	<b>421,873</b>
<b>Data for U.S dependent areas</b>	<b>9,528</b>	<b>9,911</b>	<b>10,374</b>	<b>10,669</b>	<b>11,031</b>
<b>Total<sup>d</sup></b>	<b>341,302</b>	<b>363,496</b>	<b>386,310</b>	<b>408,875</b>	<b>433,760</b>

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts have been adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk factor, but not for incomplete reporting.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

<sup>b</sup> Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

<sup>c</sup> Includes hemophilia, blood transfusion, and risk factor not reported or not identified.

<sup>d</sup> Includes persons of unknown race or multiple races and persons of unknown sex. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.