

March 2003

**Division of HIV/AIDS Prevention – Surveillance and Epidemiology  
2002 Publications**

Names in bold are those of staff or contractors in DHAP-SE.

**Aral SO, Peterman TA.** STD diagnosis and treatment as an HIV prevention strategy. In: O’Leary A, ed. *Beyond Condoms: Alternative Approaches to HIV Prevention*. New York: Kluwer Academic/Plenum; 2002:77-90.

**Blair JM, Fleming PL, Karon JM.** Trends in AIDS incidence and survival among racial/ethnic minority men who have sex with men, United States, 1990–1999. *Journal of Acquired Immune Deficiency Syndromes* 2002; 31:339-347.

**Bulterys M, Fowler MG,** Shaffer N, Tih PM, **Greenberg AE,** Karita E, Coovadia H, De Cock KM. Role of traditional birth attendants in preventing perinatal transmission of HIV. *British Medical Journal* 2002; 324:222-225.

**Bulterys M, Nolan ML, Jamieson DJ, Dominguez K, Fowler MG.** Advances in the prevention of mother-to-child HIV-1 transmission: current issues, future challenges. *AIDScience* [Web only]. Available at <http://aidsscience.org/Articles/aidsscience017.asp>.

**Burstein GR,** Berman SM, Blumer JL, Moran JS. Ciprofloxacin for the treatment of uncomplicated gonorrhea infection in adolescents: does the benefit outweigh the risk? *Clinical Infectious Diseases* 2002; 35(suppl 2):S191-S199.

Castrucci BC, **Kamb ML, Hunt K.** Assessing the Center for Disease Control and Prevention’s 1994 HIV Counseling, Testing, and Referral: Standards and Guidelines: how closely does practice conform to existing recommendations? *Sexually Transmitted Diseases* 2002; 29:417-421.

Centers for Disease Control and Prevention [**Sansom S, Fowler M, Onorato I,** Anderson J]. HIV testing among pregnant women—United States and Canada, 1998–2001. *MMWR* 2002; 51:1013-1016.

Centers for Disease Control and Prevention [**MacKellar DA, Valleroy LA, Secura GS, Janssen RS**]. Unrecognized HIV infection, risk behaviors, and perceptions of risk among young black men who have sex with men—six U.S. cities, 1994–1998. *MMWR* 2002; 51:733-736.

Centers for Disease Control and Prevention [**Klevens RM, Neal JJ**]. Update: AIDS — United States, 2000. *MMWR* 2002; 51:592-595.

Centers for Disease Control and Prevention [**Fowler MG**]. U.S. Public Health Service Task Force Recommendations for use of antiretroviral drugs in pregnant HIV-1 – infected women for maternal health and interventions to reduce perinatal HIV-1 transmission in the United States. *MMWR* 2002; 51 (No. RR-18):1-38. Regularly updated document available at <http://hivatis.org/trtgdlns.html>.

Chearskul S, Chotpitayasunondh T, **Simonds RJ**, Wanprapar N, Waranawat N, Punpanich W, Chokeyhaibulkit K, Mock PA, Neeyapun K, Jetsawang B, Teeraratkul A, Supapol W, **Mastro TD**, **Shaffer N**, for the Bangkok Collaborative Perinatal HIV Transmission Study Group. Survival, disease manifestations, and early predictors of disease progression among children with perinatal human immunodeficiency virus infection, Thailand. *Pediatrics* 2002; 110(2). Available at <http://www.pediatrics.org/cgi/content/full/110/2/e25>.

Choopanya K, Des Jarlais DC, Vanichseni S, Kitayaporn D, Mock PA, Raktham S, Hireanras K, Heyward WL, Sujarita S, **Mastro TD**. Incarceration and risk for HIV infection among injection drug users in Bangkok. *Journal of Acquired Immune Deficiency Syndromes* 2002; 29:86-94.

Chorba TL, **Nkengasong J**, **Roels TH**, Monga B, Maurice C, Maran M, Djomand G. Assessing eosinophil count as a marker of immune activity among persons infected with HIV in sub-Saharan Africa. *Clinical Infectious Diseases* 2002; 34:1264-1266.

Colfax GN, **Lehman JS**, Bindman AB, Vittinghoff E, Vranizan K, **Fleming PL**, Chesney M, Osmond D, Hecht FM, and the Multisite Evaluation of Surveillance of HIV (MESH) Study Group. What happened to home HIV test collection kits? Intent to use kits, actual use, and barriers to use among persons at risk for HIV infection. *AIDS Care* 2002; 14:675-682.

**Conley LJ**, **Ellerbrock TV**, **Bush TJ**, Chiasson MA, Sawo D, Wright TC. HIV-1 infection and risk of vulvovaginal and perianal condylomata acuminata and intraepithelial neoplasia: a prospective cohort study. *Lancet* 2002; 359:108-113.

**Crepaz N**, **Marks G**. Towards an understanding of sexual risk behavior in people living with HIV: a review of social, psychological, and medical findings [editorial review]. *AIDS* 2002; 16:135-149.

Crosby RJ, **Miller KS**. Family influences on adolescent females' sexual health. In: Wingood G, DiClemente R, eds. *Handbook of Women's Sexual and Reproductive Health*. New York: Kluwer Academic/Plenum; 2002:113-127.

**Dean HD**, **Lansky A**, **Fleming PL**. HIV surveillance methods for the incarcerated population. *AIDS Education and Prevention* 2002; 14(suppl B):65-74.

DiClemente RJ, Funkhouser E, Wingood G, Fawal H, **Holmberg SD**, Vermund SH. Protease inhibitor combination therapy and decreased condom use among gay men. *Southern Medical Journal* 2002; 95:421-425.

Downer MV, Hodge T, **Smith DK**, Qari SH, Schuman P, Mayer KH, Klein RS, Vlahov D, **Gardner LI**, McNicholl JM. Regional variation in CCR5-Δ32 gene distribution among women from the US HIV Epidemiology Research Study (HERS) [brief communication]. *Genes and Immunity* 2002; 3:295-298.

Ekpini RA, **Nkengasong JN**, Sibailly T, Maurice C, Adje C, Monga BB, **Roels TH**, **Greenberg AE**, Wiktor SZ. Changes in plasma HIV-1 RNA viral load and CD4 cell counts, and lack of zidovudine resistance among pregnant women receiving short-course zidovudine. *AIDS* 2002; 16:625-630.

Ellenberger DL, Li B, Lupo LD, Owen SM, Nkengasong J, Kadio-Morokro MS, Smith S, Robinson H, **Ackers M**, **Greenberg A**, Folks T, Butera S. Generation of a consensus sequence from prevalent and incident HIV-1 infections in West Africa to guide AIDS vaccine development. *Virology* 2002; 302:155-163.

Ethier KA, Ickovics JR, Fernandez MI, Wilson TE, Royce RA, **Koenig LJ**, for the Perinatal Guidelines Evaluation Project Group. The Perinatal Guidelines Evaluation Project HIV and Pregnancy Study: project overview and cohort description. *Public Health Reports* 2002; 117:137-147.

**Fowler MG**, Newell ML. Breast-feeding and HIV-1 transmission in resource-limited settings [rapid communication]. *Journal of Acquired Immune Deficiency Syndromes* 2002; 30:230-239.

**Gardner LI**, **Holmberg SD**, **Moore J**, Arnsten JH, Mayer KH, Rompalo A, Schuman P, **Smith DK**, for the HIV Epidemiology Research Study Group. Use of highly active antiretroviral therapy in HIV-infected women: impact of HIV specialist care. *Journal of Acquired Immune Deficiency Syndromes* 2002; 29:69-75.

Ghys PD, Diallo MO, Ettiègne-Traoré V, Kalé K, Tawil O, Caraël M, Traoré M, Mah-bi G, De Cock KM, Wiktor SZ, Laga M, **Greenberg AE**. Increase in condom use and decline in HIV and sexually transmitted diseases among female sex workers in Abidjan, Côte d'Ivoire, 1991 – 1998. *AIDS* 2002; 16:251-258.

Gottlieb SL, Douglas JM Jr, Schmid DS, Bolan G, Iatesta M, Malotte CK, Zenilman J, Foster M, Barón AE, Steiner JF, **Peterman TA**, **Kamb ML**, for the Project RESPECT Study Group. Seroprevalence and correlates of herpes simplex virus type 2 infection in five sexually transmitted disease clinics. *Journal of Infectious Diseases* 2002; 186:1381-1389.

**Hader SL**, Hodge TW, Buchacz KA, Bray RA, Padian NS, Rausa A, Slaviniski SA, **Holmberg SD**. Discordance at human leukocyte antigen-DRB3 and protection from human immunodeficiency virus type 1 transmission. *Journal of Infectious Diseases* 2002; 187:1761-1766.

**Harris NS**, Thompson SJ, Ball R, Hussey J, Sy F. Zidovudine and perinatal human immunodeficiency virus type 1 transmission: a population-based approach. *Pediatrics* 2002;

109:e60. Available at <http://www.pediatrics.org/cgi/content/full/109/4/e60>.

**Holmberg SD, Moorman AC, Williamson JM, Tong TC, Ward DJ, Wood KC, Greenberg AE, Janssen RS,** and the HIV Outpatient Study (HOPS) Investigators. Protease inhibitors and cardiovascular outcomes in patients with HIV-1 [research letter]. *Lancet* 2002; 360:1747-1748.

Howard AA, Arnsten JH, Lo Y, Vlahov D, Rich JD, Schuman P, Stone VE, **Smith DK,** Schoenbaum EE for the HER Study Group. A prospective study of adherence and viral load in a large multi-center cohort of HIV-infected women. *AIDS* 2002; 16:2175-2182.

**Hu DJ,** Subbarao S, Vanichseni S, Mock PA, van Griensven F, **Nelson R,** Nguyen L, Kitayaporn D, **Young NL,** Des Jarlais D, **Byers R Jr,** Choopanya K, **Mastro TD.** Higher viral loads and other risk factors associated with HIV-1 seroconversion during a period of high incidence among injection drug users in Bangkok. *Journal of Acquired Immune Deficiency Syndromes* 2002; 30:240-247.

Hudgens MG, Longini IM, Vanichseni S, **Hu DJ,** Kitayaporn D, Mock PA, Halloran ME, **Satten GA,** Choopanya K, **Mastro TD.** HIV-1 subtype-specific transmission probabilities among injecting drug users in Bangkok, Thailand. *American Journal of Epidemiology* 2002; 155:159-168.

Ickovics JR, Wilson TE, Royce RA, Minkoff HL, Fernandez MI, Fox-Tierney R, **Koenig LJ** for the Perinatal Guidelines Evaluation Group. Prenatal and postpartum zidovudine adherence among pregnant women with HIV [brief report]. *Journal of Acquired Immune Deficiency Syndromes* 2002; 30:311-315.

Jenkins RA, Manopaiboon C, Samuel AP, Jeeyapunt S, Carey JW, Kilmarx PH, Utaivoravit W, **van Griensven F.** Condom use among vocational school students in Chiang Rai, Thailand. *AIDS Education and Prevention* 2002; 14:228-245.

Jennes W, Sawadogo S, Koblavi-Dème S, Vulsteke B, Maurice C, **Roels TH, Chorba T, Nkengasong JN,** Kestens L. Positive association between  $\beta$ -chemokine – producing T cells and HIV type 1 viral load in HIV-infected subjects in Abidjan, Côte d'Ivoire. *AIDS Research and Human Retroviruses* 2002; 18:171-177.

Kanshana S, **Simonds RJ.** National program for preventing mother–child HIV transmission in Thailand: successful implementation and lessons learned [editorial review]. *AIDS* 2002; 16:953-959.

Kapadia F, Vlahov D, Des Jarlais DC, Strathdee SA, Ouellet L, Kerndt P, Morse EV, Williams I, **Garfein RS** for the Second Collaborative Injection Drug User Study (CIDUS-II) Group. Does bleach disinfection of syringes protect against hepatitis C infection among young adult injection drug users? *Epidemiology* 2002; 13:738-741.

**Kellerman SE, Lehman JS, Lansky A, Stevens MR,** Hecht FM, Bindman AB, Wortley PM.

HIV testing within at-risk populations in the United States and the reasons for seeking or avoiding HIV testing. *Journal of Acquired Immune Deficiency Syndromes* 2002; 31:202-210.

**Koenig LJ, Whitaker DJ, Royce RA, Wilson TE, Callahan MR, Fernandez MI**, for the Perinatal Guidelines Evaluation Project Group. Violence during pregnancy among women with or at risk for HIV infection. *American Journal of Public Health* 2002; 92:367-370.

**Lansky A, Lehman JS**, Gatwood J, Hecht FM, **Fleming PL**. Changes in HIV testing after implementation of name-based HIV case surveillance in New Mexico [brief]. *American Journal of Public Health* 2002; 92:1757.

Lennox JL, Villanueva JM, Bush TJ, **Ellerbrock TV**, Hart CE. Reply to Reichelderfer et al., letter re "The menstrual cycle does not affect human immunodeficiency virus type 1 levels in vaginal secretions" [letter]. *Journal of Infectious Diseases* 2002; 186:726.

Leroy V, **Karon JM**, Alioum A, Ekpini ER, Meda N, **Greenberg AE**, Msellati P, Hudgens M, Dabis F, **Wiktor SZ**, for the West Africa PMTCT Study Group. Twenty-four month efficacy of a maternal short-course zidovudine regimen to prevent mother-to-child transmission of HIV-1 in West Africa. *AIDS* 2002; 16:631-641.

**MacKellar DA, Valleroy LA, Secura GM, Bartholow BN**, McFarland W, Shehan D, Ford W, LaLota M, Celentano DD, Koblin BA, Torian LV, Perdue TE, **Janssen RS**, for the Young Men's Survey Study Group. Repeat HIV testing, risk behaviors, and HIV seroconversion among young men who have sex with men. *Journal of Acquired Immune Deficiency Syndromes* 2002; 29:76-85.

**Mansergh G**. Paradigm shift for HIV prevention in the United States. *AIDScience* 2002; 2(10). Available at <http://www.aidsscience.org/Articles/AIDScience021.asp>.

**Mansergh G, Marks G**, Colfax GN, Guzman R, **Rader M**, Buchbinder S. "Barebacking" in a diverse sample of men who have sex with men. *AIDS* 2002; 16:653-659.

**Marks G**, Richardson JL, **Crepaz N**, Stoyanoff S, Milam J, Kemper C, Larsen RA, Bolan R, Weismuller P, Hollander H, McCutchan A. Are HIV care providers talking with patients about safer sex and disclosure?: a multi-clinic assessment. *AIDS* 2002; 14:1953-1957.

**Moore JS, Rogers M**. Female-controlled prevention technologies. In O'Leary A, ed. *Beyond Condoms: Alternative Strategies for HIV Prevention*. New York: Kluwer Academic/Plenum; 2002:47-76.

**Murrill CS, Weeks H, Castrucci BS, Weinstock HS**, Bell BP, Spruill C, Gwinn M. Age-specific trends in seroprevalence of HIV, hepatitis B virus, and hepatitis C virus infection among injection drug users admitted to drug treatment in 6 US cities. *American Journal of Public Health* 2002; 92:385-387.

Nguyen L, **Hu DJ**, Choopanya K, Vanichseni S, Kitayaporn D, van Griensven F, Mock PA, Kittikraisak W, **Young NL**, **Mastro TD**, Subbarao S. Genetic analysis of incident HIV-1 strains among injection drug users in Bangkok: evidence for multiple transmission clusters during a period of high incidence. *Journal of Acquired Immune Deficiency Syndromes* 2002; 30:248-256.

**Nolan M**, **Fowler MG**, Mofenson LM. Antiretroviral prophylaxis of perinatal HIV-1 transmission and the potential impact of antiretroviral resistance. *Journal of Acquired Immune Deficiency Syndromes* 2002; 30:216-229.

**Nolan ML**, **Greenberg AE**, **Fowler MG**. A review of clinical trials to prevent mother-to-child HIV-1 transmission in Africa and inform rational intervention strategies. *AIDS* 2002; 16:1-9.

O'Leary A, **Peterman TA**, Aral SO. Prevention triage: optimizing multiple HIV prevention strategies. In: O'Leary A, ed. *Beyond Condoms: Alternative Strategies for HIV Prevention*. New York: Kluwer Academic/Plenum; 2002: 221-231.

Palella FJ Jr, Chmiel J, **Moorman AC**, **Holmberg SD**, and the HIV Outpatient Study Investigators. Durability and predictors of success of highly active antiretroviral therapy for ambulatory HIV-infected patients. *AIDS* 2002; 16:1617-1626.

Parekh BS, Kennedy MS, Dobbs T, Pau C-P, Byers R, Green T, **Hu DJ**, Vanichseni S, **Young NL**, Choopanya K, **Mastro TD**, McDougal JS. Quantitative detection of increasing HIV type 1 antibodies after seroconversion: a simple assay for detecting recent HIV infection and estimating incidence. *AIDS Research and Human Retroviruses* 2002; 18:295-307.

Park JC, Buono D, **Smith DK**, Peipert JE, Sobel J, Rompalo A, Klein RS. Urinary tract infections in women with or at risk for human immunodeficiency virus infection. *American Journal of Obstetrics and Gynecology* 2002; 187:581-588.

**Paxton L**, **Janssen R**. HIV treatment advances as prevention. In: O'Leary A, ed. *Beyond Condoms: Alternative Strategies for HIV Prevention*. New York: Kluwer Academic/Plenum; 2002:91-108.

**Peterman TA**. Can we measure STD risk behavior or STD as surrogates for HIV risk? *Bundesgesundheitsbl - Gesundheitsforsch - Gesundheitsschutz* 2002; 45:286-290.

Public Health Service Task Force Perinatal HIV Guidelines Working Group [**Fowler MG**, **Jamieson DJ**]. Summary of the updated recommendations from the Public Health Service Task Force to Reduce Perinatal Human Immunodeficiency Virus-1 Transmission in the United States. *Obstetrics and Gynecology* 2002; 99:1117-1126.

**Quan VM**, Steketee RW, **Valleroy L**, **Weinstock H**, **Karon J**, **Janssen R**. HIV incidence in the United States, 1978-1999. *Journal of Acquired Immune Deficiency Syndromes* 2002; 31:188-201.

Ramos A, **Hu DJ**, Nguyen L, Phan K-O, Vanichseni S, Promadej N, Choopanya K, Callahan M, **Young NL**, McNicholl J, **Mastro TD**, Folks TM, Subbarao S. Intersubtype human immunodeficiency virus type 1 superinfection following seroconversion to primary infection in two injection drug users. *Journal of Virology* 2002; 76:7444-7452.

Robbins KE, **Weidle P**, Brown T, Saekhou AM, Coles B, **Holmberg SD**, Folks TM, Kalish M. Molecular analysis in support of an investigation of a cluster of HIV-1– infected women [sequence note]. *AIDS Research and Human Retroviruses* 2002; 18:1157-1161.

Sattah MV, Supawitkul S, **Dondero TJ**, Kilmarx PH, **Young NL**, **Mastro TD**, Chaikummao S, Manopaiboon C, **van Griensven F**. Prevalence of and risk factors for methamphetamine use in northern Thai youth: results of an audio-computer – assisted self-interviewing survey with urine testing. *Addiction* 2002; 97:801-808.

**Satten GA**, **Janssen RS**, Stramer S, Busch MP. Development and validation of a serologic testing algorithm for recent HIV seroconversion (STARHS). In: Kaplan EH, Brookmeyer R, eds. *Quantitative Evaluation of HIV Prevention Programs*. New Haven, Conn.: Yale University Press; 2002:290-304.

Schwarcz SK, Kellogg TA, McFarland W, Louie B, Klausner J, **Withum DG**, Katz MH. Characterization of sexually transmitted disease clinic patients with recent human immunodeficiency virus infection [concise communication]. *Journal of Infectious Diseases* 2002; 186:1019-1022.

**Selik RM**, **Byers RH Jr**, **Dworkin MS**. Trends in diseases reported on US death certificates that mentioned HIV infection, 1987–1999. *Journal of Acquired Immune Deficiency Syndromes* 2002; 29:378-387.

Sheu M, Hogan J, Allsworth J, Stein M, Vlahov D, Schoenbaum EE, Schuman P, **Gardner L**, Flanigan T. Continuity of medical care and risk of incarceration in HIV-positive and high-risk HIV-negative women. *Journal of Women's Health* 2002; 11:743-750.

Sklar PA, Ward DJ, Baker RK, Wood KC, Gafoor Z, Alzola CF, **Moorman AC**, **Holmberg SD**, and the HIV Outpatient Study (HOPS) Investigators. Prevalence and clinical correlates of HIV viremia ('blips') in patients with previous viral suppression below the limits of quantification. *AIDS* 2002; 16:2035-2041.

**Sullivan PS**, Buskin SE, Turner JH, Cheingsong R, Saekhou A, Kalish ML, **Jones JL**, Respass R, Kovacs A, Heneine W. Low prevalence of antiretroviral resistance among persons recently infected with human immunodeficiency virus in two US cities. *International Journal of STD & AIDS* 2002; 13:554-558.

Thorpe LE, Ouellet LJ, Hershov R, Bailey SL, Williams IT, **Williamson J**, **Monterroso ER**, **Garfein RS**. Risk of hepatitis C virus infection among young adult injection drug users who share injection equipment. *American Journal of Epidemiology* 2002; 155:645-653.

Tuomala RE, Shapiro DE, Mofenson LM, Bryson Y, Culnane M, Hughes MD, O'Sullivan MJ, Scott G, Stek AM, Wara D, **Bulterys M**. Antiretroviral therapy during pregnancy and the risk of an adverse outcome. *New England Journal of Medicine* 2002; 346:1863-1870.

Vanichseni S, Choopanya K, Des Jarlais DC, Sukuntanaga P, Kitayaporn D, Sujarita S, Raktham S, Hiranrus K, Wasi C, Mock PA, **Mastro TD**. HIV among injecting drug users in Bangkok: the first decade. *International Journal of Drug Policy* 2002; 13:39-44.

**Varghese B, Maher JE, Peterman TA, Branson BM, Steketee RW**. Reducing the risk of sexual HIV transmission: quantifying the per-act risk for HIV infection based on choice of partner, sex act and condom use. *Sexually Transmitted Diseases* 2002; 29:38-43.

Villanueva JM, **Ellerbrock TV**, Lennox JL, **Bush TJ**, Wright TC, Pratt-Palmore M, Evans-Strickfaden TM, **Conley LJ**, Schnell C, Hart CE. The menstrual cycle does not affect human immunodeficiency virus type 1 levels in vaginal secretions. *Journal of Infectious Diseases* 2002; 185:170-177.

**Warner L**, Steiner MJ. Condom access does not ensure condom use: you've got to be putting me on [research letter]. *Sexually Transmitted Infections* 2002; 78:225.

**Weidle PJ**, Malamba S, Mwebaze R, Sozi C, Rukundo G, Downing R, **Hanson D**, Ochola D, Mugenyi P, Mermin J, Samb B, Lackritz E. Assessment of a pilot antiretroviral drug therapy programme in Uganda: patients' response, survival, and drug resistance. *Lancet* 2002; 360:34-40.

**Weidle PJ, Mastro TD**, Grant AD, **Nkengasong J**, Macharia D. HIV/AIDS treatment and HIV vaccines for Africa. *Lancet* 2002; 359:2261-2267.

**Weinstock H, Dale M, Linley L, Gwinn M**. Undiagnosed HIV among patients attending sexually transmitted disease clinics. *American Journal of Public Health* 2002; 92:280-283.

**Williamson JM**, Lin H-M, **Bush TJ**. A simple two-sample rank test for multivariate survival outcomes with left truncation and right censoring. *Biometrical Journal* 2002; 44:213-225.

Wolitski RJ, **Branson BM**. "Gray area behaviors" and partner selection strategies. In: O'Leary A, ed. *Beyond Condoms: Alternative Approaches to HIV Prevention*. New York: Kluwer Academic/Plenum: 2002:173-198.

Xu F, Kilmarx PH, Supawitkul S, Manopaiboon C, Yanpaisarn S, Limpakarnjanarat K, Chaikummao S, Mock PA, **Young NL, Mastro TD**. Incidence of HIV-1 infection and effects of clinic-based counseling on HIV preventive behaviors among married women in northern Thailand. *Journal of Acquired Immune Deficiency Syndromes* 2002; 29:284-288.