

**2007 NHIS LINKED MORTALITY PUBLIC-USE FILES**  
**Tabular data**

**Table 1: Number of survey participants by  
mortality followup, eligibility status and NDI match status:  
NHIS 1986-2000 survey years**

Survey Year	Sample Total	Eligibility Status			Assumed Deceased
		Eligible	Ineligible, under 18	Ineligible, insufficient data	
1986 <sup>1</sup>	62,052	43,837	17,393	822	8,492
1987	122,859	86,653	34,625	1,581	15,776
1988	122,310	86,851	33,945	1,514	14,695
1989	116,929	83,064	32,357	1,508	12,956
1990	119,631	85,090	33,243	1,298	12,061
1991	120,032	84,763	33,668	1,601	11,014
1992 <sup>2</sup>	128,412	89,903	36,541	1,968	10,596
1993	109,671	77,439	30,512	1,720	8,130
1994	116,179	81,486	32,460	2,233	7,911
1995	102,467	70,963	29,711	1,793	5,762
1996	63,402	43,892	18,128	1,382	3,004
1997	103,477	67,764	29,792	5,921	4,007
1998	98,785	63,082	28,122	7,581	3,009
1999	97,059	62,137	27,271	7,651	2,192
2000	100,618	64,267	28,495	7,856	1,531

<sup>1</sup> The 1986 and 1996 NHIS was fielded with a one-half sample.

<sup>2</sup> In 1992 the NHIS oversampled Hispanics yielding about 7,000 more persons in the survey than in other years.

## 2007 NHIS LINKED MORTALITY PUBLIC-USE FILES

### Tabular data

**Table 2: Number of 'assumed' deaths by year of death: NHIS 1986-2000 survey years<sup>1</sup>**

Year of Death	Survey Year														
	1986 <sup>2</sup>	1987	1988	1989	1990	1991	1992 <sup>3</sup>	1993	1994	1995	1996 <sup>2</sup>	1997	1998	1999	2000
1986	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	410	386	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	498	855	377	-	-	-	-	-	-	-	-	-	-	-	-
1989	498	941	870	361	-	-	-	-	-	-	-	-	-	-	-
1990	512	915	900	801	339	-	-	-	-	-	-	-	-	-	-
1991	478	960	908	842	826	331	-	-	-	-	-	-	-	-	-
1992	504	946	920	897	891	791	390	-	-	-	-	-	-	-	-
1993	547	977	1,067	971	950	879	908	306	-	-	-	-	-	-	-
1994	537	1,095	1,035	901	941	947	955	757	332	-	-	-	-	-	-
1995	503	1,111	1,021	995	888	980	903	804	822	309	-	-	-	-	-
1996	534	1,045	1,025	1,028	983	942	1,015	812	946	725	182	-	-	-	-
1997	529	1,014	1,035	994	952	949	1,010	866	883	738	390	280	-	-	-
1998	564	1,061	1,095	994	1,068	1,049	1,009	893	892	719	475	692	269	-	-
1999	538	1,045	1,160	1,090	1,043	991	1,038	849	995	736	482	734	629	251	-
2000	552	1,109	1,095	1,030	1,057	1,030	1,122	926	1,032	837	479	749	676	637	244
2001	571	1,158	1,093	1,052	1,070	1,054	1,037	929	980	846	504	740	715	654	641
2002	537	1,158	1,094	1,000	1,053	1,071	1,209	988	1,029	852	492	812	720	650	646
Total	8,492	15,776	14,695	12,956	12,061	11,014	10,596	8,130	7,911	5,762	3,004	4,007	3,009	2,192	1,531

<sup>1</sup>The total number of 'assumed' deaths for each survey year is equal to the total number of records for each survey that have a value of '1' (assumed deceased) for the variable MORTSTAT.

<sup>2</sup>The 1986 and 1996 NHIS was fielded with a one-half sample.

<sup>3</sup>In 1992 the NHIS oversampled Hispanics yielding about 7,000 more persons in the survey than in other years.

# 2007 NHIS LINKED MORTALITY PUBLIC-USE FILES

## Tabular data

**Table 3: Percent of missing data for eligible respondents by sex: NHIS survey years 1986-2000**

	Survey Year														
	1986 <sup>4</sup>	1987	1988	1989	1990	1991	1992 <sup>5</sup>	1993	1994	1995	1996	1997	1998	1999	2000
<b>MALE</b>															
First Name <sup>1</sup>	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Middle Name <sup>1,2</sup>	18.4	18.7	19.4	19.6	21.2	21.3	23.1	21.8	21.7	25.3	27.4	30.7	38.7	43.2	46.4
Last Name <sup>1</sup>	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.6
SSN <sup>1,3</sup>	17.4	18.9	21.5	24.4	26.3	28.8	30.2	27.8	30.1	32.3	37.4	41.6	49.5	52.8	56.4
Date of Birth <sup>1</sup>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.5	1.7	1.4
Father's Surname <sup>1</sup>	0.6	0.8	0.7	0.8	1.0	1.2	0.9	0.7	1.0	1.1	1.2	2.2	4.3	4.7	5.9
Race	0.3	0.4	0.5	0.5	0.6	0.6	0.7	0.7	1.3	1.4	1.5	0.4	0.1	0.3	0.0
Marital Status	0.2	0.3	0.3	0.3	0.4	0.4	0.5	0.4	0.5	0.6	0.7	0.4	0.3	0.3	0.2
Sex	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
State of Birth	1.1	1.3	1.3	1.1	1.2	1.2	1.2	1.0	1.2	1.4	1.5	0.6	0.6	0.6	0.2
State of Residence	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.7	0.0	0.0	0.0	0.0
<b>Female</b>															
First Name <sup>1</sup>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Middle Name <sup>1,2</sup>	18.9	18.7	20.2	19.9	21.3	21.8	23.4	22.5	22.7	25.5	27.5	30.5	38.6	44.7	46.3
Last Name <sup>1</sup>	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
SSN <sup>1,3</sup>	15.2	16.1	17.8	21.4	23.2	25.3	27.3	25.7	27.8	30.3	35.6	39.6	47.5	51.4	54.9
Date of Birth <sup>1</sup>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	1.5	1.2
Father's Surname <sup>1</sup>	0.8	0.8	0.9	1.0	1.0	1.1	0.9	0.7	1.1	1.2	1.3	81.3	84.1	84.0	83.8
Race	0.4	0.4	0.5	0.6	0.6	0.5	0.6	0.6	1.4	1.6	1.4	0.5	0.1	0.2	0.0
Marital Status	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.4	0.6	0.6	0.7	0.4	0.3	0.2	0.2
Sex	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
State of Birth	1.3	1.4	1.5	1.1	1.1	1.2	1.2	1.0	1.2	1.5	1.4	0.5	0.5	0.5	0.2
State of Residence	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0

<sup>1</sup> Name, SSN, Date of Birth are used to select potential match records. All variables are utilized by the probabilistic scoring algorithm.

<sup>2</sup> Blank middle initial is considered a valid code.

<sup>3</sup> SSN: Social Security Number

<sup>4</sup> The 1986 and 1996 NHIS was fielded with a one-half sample.

<sup>5</sup> In 1992 the NHIS oversampled Hispanics yielding about 7,000 more persons in the survey than in other years.