

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
AL	18-24	199	7.3	1.93	3.5	11.1	31,824	14,810	48,837
	25-34	374	4.2	1.12	2.0	6.4	25,229	11,918	38,541
	35-44	467	5.8	1.25	3.3	8.2	37,233	21,037	53,429
	45-54	433	5.2	1.08	3.1	7.4	30,046	17,697	42,394
	55-64	315	8.5	1.66	5.3	11.8	34,573	20,834	48,312
	65+	431	6.7	1.36	4.0	9.4	39,125	23,041	55,209
AK	18-24	198	8.1	2.63	2.9	13.3	4,535	1,539	7,531
	25-34	413	4.3	1.45	1.5	7.2	4,148	1,354	6,943
	35-44	569	4.6	1.06	2.6	6.7	5,229	2,866	7,592
	45-54	481	8.5	1.69	5.2	11.8	7,069	4,251	9,887
	55-64	213	13.1	4.17	4.9	21.3	6,447	2,003	10,892
	65+	190	7.0	2.09	2.9	11.1	2,548	1,020	4,077
AZ	18-24	256	6.3	1.91	2.5	10.0	27,974	11,703	44,245
	25-34	476	3.8	1.17	1.5	6.1	25,460	9,617	41,304
	35-44	472	11.2	2.53	6.3	16.2	81,984	43,587	120,382
	45-54	474	10.5	4.68	1.4	19.7	63,563	2,571	124,555
	55-64	352	13.4	4.06	5.4	21.4	55,888	19,072	92,704
	65+	621	7.6	1.73	4.2	11.0	48,520	25,990	71,050
AR	18-24	269	8.2	1.95	4.4	12.1	19,906	10,245	29,567
	25-34	474	6.2	1.30	3.6	8.8	20,706	11,876	29,536
	35-44	584	5.9	1.07	3.8	8.0	21,092	13,368	28,816
	45-54	548	6.2	1.09	4.0	8.3	20,261	13,078	27,443
	55-64	461	8.6	1.45	5.7	11.4	20,766	13,570	27,961
	65+	649	5.8	1.01	3.8	7.8	22,412	14,592	30,232
CA	18-24	388	9.8	1.62	6.6	13.0	301,113	198,991	403,235
	25-34	812	7.9	1.02	5.9	9.9	391,766	289,126	494,406
	35-44	913	6.2	0.98	4.3	8.1	347,866	237,359	458,374
	45-54	738	5.9	1.05	3.9	8.0	267,706	172,565	362,848
	55-64	462	8.9	1.51	6.0	11.9	241,867	158,831	324,902
	65+	585	6.6	1.04	4.6	8.6	243,680	167,370	319,990

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
CO	18-24	247	4.9	1.54	1.9	7.9	17,883	6,704	29,061
	25-34	544	6.2	1.28	3.6	8.7	36,296	21,187	51,406
	35-44	720	9.0	1.42	6.2	11.8	63,981	43,305	84,657
	45-54	626	7.8	1.39	5.0	10.5	43,689	27,849	59,529
	55-64	412	3.4	1.08	1.3	5.5	12,175	4,618	19,732
	65+	485	5.0	1.39	2.3	7.7	22,458	10,009	34,907
CT	18-24	294	11.1	2.12	6.9	15.3	31,215	18,771	43,659
	25-34	747	7.7	1.04	5.7	9.8	33,806	24,643	42,969
	35-44	924	8.4	0.98	6.4	10.3	45,028	34,334	55,722
	45-54	728	7.2	1.03	5.2	9.2	31,866	22,683	41,050
	55-64	489	6.8	1.18	4.5	9.1	21,205	13,786	28,625
	65+	658	7.2	1.13	5.0	9.5	32,994	22,538	43,449
DE	18-24	269	14.2	3.13	8.1	20.4	10,675	5,637	15,714
	25-34	457	5.6	1.21	3.2	8.0	5,838	3,324	8,352
	35-44	623	6.9	1.29	4.3	9.4	8,065	5,015	11,115
	45-54	484	6.3	1.26	3.8	8.8	6,327	3,820	8,833
	55-64	397	5.6	1.29	3.1	8.1	3,947	2,143	5,750
	65+	498	5.4	1.28	2.9	7.9	5,400	2,848	7,952
DC	18-24	186	11.3	2.86	5.7	16.9	5,826	2,747	8,904
	25-34	428	7.5	1.41	4.7	10.3	6,023	3,741	8,305
	35-44	346	8.3	1.66	5.0	11.6	7,351	4,337	10,365
	45-54	306	7.6	1.55	4.5	10.6	5,441	3,203	7,678
	55-64	180	9.1	2.52	4.1	14.1	4,392	1,872	6,912
	65+	257	4.8	1.39	2.0	7.5	3,103	1,289	4,917
FL	18-24	422	7.6	1.60	4.5	10.8	90,609	51,672	129,546
	25-34	862	5.7	0.88	4.0	7.4	112,947	77,926	147,967
	35-44	1,083	4.3	0.62	3.1	5.6	100,555	72,014	129,096
	45-54	884	7.6	1.11	5.4	9.8	142,703	99,998	185,408
	55-64	688	4.9	0.87	3.2	6.6	79,828	51,303	108,352
	65+	1,223	5.3	0.71	3.9	6.7	144,976	106,117	183,835

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
GA	18-24	366	8.6	1.85	5.0	12.2	66,750	37,173	96,327
	25-34	833	6.4	1.24	4.0	8.8	74,819	45,400	104,238
	35-44	936	5.3	0.78	3.7	6.8	66,326	46,772	85,880
	45-54	760	6.3	0.96	4.4	8.2	66,210	45,924	86,495
	55-64	522	6.7	1.34	4.1	9.3	45,195	26,880	63,510
	65+	649	4.7	0.90	3.0	6.5	39,530	24,611	54,450
HI	18-24	450	8.7	1.60	5.6	11.9	9,433	5,898	12,968
	25-34	976	6.5	0.96	4.6	8.4	11,177	7,860	14,493
	35-44	1,358	8.1	1.08	6.0	10.3	15,251	11,090	19,413
	45-54	1,306	6.3	0.87	4.6	8.0	9,891	7,156	12,626
	55-64	747	6.3	1.27	3.8	8.8	7,413	4,423	10,403
	65+	1,134	7.9	1.27	5.4	10.4	11,919	7,934	15,904
ID	18-24	573	8.7	1.48	5.8	11.7	9,893	6,435	13,350
	25-34	932	7.1	0.88	5.4	8.8	11,297	8,487	14,107
	35-44	1,108	5.5	0.79	4.0	7.1	9,999	7,113	12,885
	45-54	939	7.8	0.98	5.9	9.8	13,011	9,720	16,302
	55-64	615	9.4	1.33	6.8	12.0	10,235	7,275	13,194
	65+	772	8.6	1.22	6.2	11.0	13,331	9,483	17,180
IL	18-24	162	10.7	2.95	4.8	16.5	121,855	51,010	192,701
	25-34	362	8.1	1.93	4.3	11.9	135,859	68,952	202,766
	35-44	451	7.7	1.56	4.7	10.8	148,425	87,043	209,807
	45-54	361	6.1	1.27	3.6	8.6	99,857	58,817	140,898
	55-64	221	6.2	1.57	3.1	9.3	67,962	33,731	102,194
	65+	293	8.9	1.73	5.5	12.3	139,416	84,474	194,358
IN	18-24	240	14.2	2.56	9.2	19.2	84,379	51,983	116,776
	25-34	561	6.4	1.04	4.3	8.4	49,761	33,494	66,028
	35-44	643	5.5	0.91	3.7	7.3	49,615	33,287	65,943
	45-54	513	9.0	1.40	6.3	11.8	70,817	48,294	93,340
	55-64	369	8.4	1.60	5.2	11.5	48,129	29,200	67,058
	65+	562	7.1	1.19	4.8	9.5	53,246	35,158	71,334

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
IA	18-24	292	6.6	1.80	3.1	10.1	18,416	8,152	28,680
	25-34	542	7.6	1.19	5.2	9.9	27,255	18,678	35,832
	35-44	777	6.0	0.95	4.1	7.9	24,718	16,791	32,646
	45-54	649	6.4	1.06	4.4	8.5	23,677	15,854	31,500
	55-64	466	5.2	1.05	3.2	7.3	13,668	8,192	19,143
	65+	854	6.1	0.93	4.3	8.0	27,206	18,887	35,525
KS	18-24	418	11.8	1.90	8.1	15.6	30,187	20,044	40,330
	25-34	751	7.0	0.94	5.2	8.8	24,699	18,063	31,334
	35-44	912	7.8	0.96	5.9	9.7	31,586	23,693	39,480
	45-54	764	7.3	1.01	5.3	9.3	24,598	17,712	31,484
	55-64	502	7.1	1.31	4.5	9.7	16,156	10,060	22,252
	65+	855	6.9	0.92	5.1	8.8	25,697	18,817	32,576
KY	18-24	514	8.2	1.46	5.3	11.0	31,659	20,194	43,125
	25-34	978	5.4	0.92	3.6	7.2	28,356	18,624	38,087
	35-44	1,276	6.7	0.92	4.9	8.5	40,941	29,675	52,206
	45-54	1,229	8.3	1.06	6.2	10.4	45,032	33,358	56,707
	55-64	1,004	10.4	1.55	7.3	13.4	38,010	26,023	49,996
	65+	1,376	8.8	0.96	6.9	10.6	45,999	35,821	56,178
LA	18-24	571	5.3	0.98	3.4	7.2	23,080	14,536	31,625
	25-34	916	5.1	0.84	3.4	6.7	30,478	20,392	40,564
	35-44	1,040	4.3	0.66	3.0	5.6	27,609	19,098	36,120
	45-54	932	5.5	0.89	3.7	7.2	29,844	20,017	39,671
	55-64	632	4.9	1.00	2.9	6.9	17,828	10,458	25,198
	65+	858	5.4	0.90	3.7	7.2	27,797	18,456	37,139
ME	18-24	303	10.8	2.56	5.8	15.9	12,687	6,547	18,826
	25-34	690	10.5	1.86	6.9	14.2	17,056	10,880	23,232
	35-44	975	8.6	1.34	5.9	11.2	17,041	11,662	22,421
	45-54	974	8.6	1.53	5.6	11.6	15,085	9,605	20,565
	55-64	651	5.5	1.07	3.4	7.6	6,347	3,938	8,756
	65+	978	9.2	1.77	5.7	12.7	15,927	9,617	22,237

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
MD	18-24	385	11.5	2.05	7.5	15.6	51,412	32,661	70,164
	25-34	873	8.2	1.22	5.8	10.6	61,914	43,115	80,713
	35-44	1,054	6.4	0.89	4.7	8.2	55,961	40,387	71,535
	45-54	951	6.5	0.95	4.6	8.4	47,241	33,308	61,174
	55-64	556	6.9	1.22	4.5	9.3	33,598	21,651	45,545
	65+	708	5.5	0.98	3.6	7.4	32,284	20,799	43,769
MA	18-24	701	10.6	1.39	7.9	13.4	64,290	46,976	81,604
	25-34	1,708	8.3	0.75	6.9	9.8	72,233	59,237	85,229
	35-44	1,896	8.5	0.76	7.0	10.0	84,406	68,926	99,887
	45-54	1,451	9.3	0.96	7.4	11.2	76,870	60,528	93,212
	55-64	923	9.4	1.06	7.3	11.5	51,575	39,687	63,463
	65+	1,358	5.9	0.71	4.5	7.3	50,826	38,549	63,104
MI	18-24	236	9.4	2.54	4.4	14.4	89,759	39,064	140,454
	25-34	467	5.6	1.11	3.4	7.7	74,116	44,660	103,572
	35-44	554	6.7	1.24	4.2	9.1	101,509	62,971	140,047
	45-54	518	8.1	1.29	5.6	10.6	108,639	73,422	143,855
	55-64	343	10.9	1.89	7.2	14.7	95,995	61,543	130,447
	65+	468	5.2	1.08	3.0	7.3	64,143	37,319	90,968
MN	18-24	251	11.4	2.36	6.8	16.1	47,691	26,956	68,426
	25-34	545	5.1	1.04	3.1	7.2	34,326	20,197	48,455
	35-44	670	6.6	1.13	4.4	8.8	49,553	32,366	66,741
	45-54	492	5.6	1.10	3.4	7.7	35,948	21,667	50,229
	55-64	365	9.1	1.68	5.8	12.4	38,112	23,672	52,552
	65+	519	7.7	1.27	5.2	10.2	46,335	30,724	61,945
MS	18-24	197	8.5	2.21	4.1	12.9	23,753	11,069	36,438
	25-34	390	6.6	1.57	3.6	9.7	25,054	12,935	37,173
	35-44	481	6.1	1.20	3.7	8.4	23,894	14,372	33,415
	45-54	395	6.3	2.09	2.2	10.4	21,098	6,552	35,643
	55-64	308	7.4	1.50	4.4	10.3	17,197	10,165	24,230
	65+	382	6.3	1.46	3.5	9.2	21,978	11,722	32,234

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
MO	18-24	394	11.3	2.22	6.9	15.6	57,590	33,981	81,199
	25-34	719	6.1	1.13	3.9	8.3	44,245	27,745	60,746
	35-44	946	7.7	1.18	5.4	10.0	63,953	44,291	83,616
	45-54	798	6.3	1.27	3.8	8.8	45,123	26,651	63,596
	55-64	539	8.2	1.38	5.4	10.9	41,676	27,632	55,720
	65+	963	5.4	0.87	3.7	7.1	41,976	28,528	55,424
MT	18-24	227	10.3	2.74	5.0	15.8	7,922	3,571	12,273
	25-34	415	8.5	1.69	5.2	11.8	9,142	5,424	12,860
	35-44	675	9.5	1.56	6.4	12.6	12,636	8,393	16,880
	45-54	645	7.9	1.42	5.1	10.7	9,799	6,230	13,368
	55-64	416	8.3	1.90	4.6	12.0	6,667	3,552	9,782
	65+	625	5.9	1.13	3.7	8.1	7,080	4,351	9,809
NE	18-24	311	7.9	2.15	3.7	12.2	12,421	5,414	19,427
	25-34	508	7.9	1.26	5.5	10.4	17,069	11,594	22,545
	35-44	619	5.0	0.89	3.2	6.7	12,350	7,962	16,739
	45-54	557	5.2	0.98	3.3	7.1	10,480	6,526	14,435
	55-64	330	7.4	1.97	3.6	11.3	10,765	4,884	16,646
	65+	724	7.3	1.18	5.0	9.7	17,401	11,713	23,088
NV	18-24	216	10.8	2.93	5.0	16.6	16,890	7,198	26,582
	25-34	412	7.4	1.53	4.4	10.4	19,395	11,372	27,418
	35-44	465	6.3	1.44	3.5	9.2	20,013	10,900	29,126
	45-54	424	6.7	1.64	3.5	9.9	18,394	9,391	27,397
	55-64	245	10.7	2.55	5.7	15.7	19,150	9,891	28,409
	65+	325	10.4	2.80	4.9	15.9	23,871	10,413	37,329
NH	18-24	105	6.5	2.29	2.0	11.1	7,580	2,213	12,947
	25-34	334	7.1	1.56	4.1	10.2	12,067	6,733	17,401
	35-44	531	7.4	1.32	4.8	10.0	14,984	9,553	20,415
	45-54	400	12.7	1.93	8.9	16.5	21,063	14,361	27,764
	55-64	250	6.8	1.62	3.6	10.0	7,360	3,819	10,901
	65+	319	8.6	1.64	5.4	11.8	12,475	7,611	17,339

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
NJ	18-24	281	10.4	2.03	6.4	14.4	70,713	42,113	99,312
	25-34	680	7.9	1.17	5.6	10.2	88,654	61,748	115,559
	35-44	943	5.0	0.76	3.5	6.5	65,529	45,655	85,402
	45-54	684	5.0	0.86	3.3	6.7	56,738	37,463	76,014
	55-64	465	4.9	0.99	2.9	6.8	38,407	22,789	54,025
	65+	677	5.3	0.89	3.6	7.1	60,907	40,538	81,276
NM	18-24	283	9.1	1.89	5.4	12.8	14,402	8,276	20,528
	25-34	502	7.7	1.20	5.4	10.1	18,672	12,817	24,526
	35-44	746	6.2	0.94	4.4	8.1	16,961	11,800	22,121
	45-54	653	5.5	0.89	3.8	7.3	12,257	8,314	16,201
	55-64	448	6.0	1.16	3.7	8.3	8,679	5,317	12,041
	65+	599	7.3	1.13	5.1	9.5	14,619	10,076	19,161
NY	18-24	294	9.0	1.75	5.6	12.5	147,377	88,773	205,981
	25-34	679	7.2	1.01	5.2	9.2	181,891	131,094	232,688
	35-44	820	7.0	1.00	5.1	9.0	202,715	144,491	260,938
	45-54	581	9.2	1.41	6.4	11.9	222,723	152,919	292,527
	55-64	392	7.0	1.30	4.5	9.6	120,458	75,700	165,215
	65+	534	6.7	1.50	3.8	9.7	166,510	90,191	242,830
NC	18-24	246	8.2	2.12	4.0	12.4	63,982	30,067	97,897
	25-34	540	5.9	1.01	4.0	7.9	64,433	42,522	86,343
	35-44	623	5.2	0.91	3.4	7.0	62,903	40,764	85,041
	45-54	554	9.1	1.44	6.3	11.9	95,669	64,443	126,894
	55-64	406	6.2	1.25	3.8	8.7	44,753	26,707	62,799
	65+	621	8.4	1.20	6.1	10.8	83,975	59,577	108,373
ND	18-24	225	12.5	2.67	7.2	17.7	8,246	4,538	11,954
	25-34	299	6.5	1.53	3.4	9.5	5,291	2,745	7,837
	35-44	408	6.0	1.24	3.6	8.4	5,522	3,228	7,816
	45-54	340	4.4	1.20	2.1	6.8	3,344	1,528	5,160
	55-64	243	8.4	1.79	4.9	11.9	4,350	2,463	6,236
	65+	375	8.0	1.52	5.0	11.0	7,135	4,376	9,894

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
OH	18-24	277	5.8	1.90	2.1	9.6	62,679	21,422	103,935
	25-34	622	9.7	1.71	6.4	13.1	143,841	91,938	195,745
	35-44	696	11.6	1.75	8.2	15.1	199,341	137,320	261,363
	45-54	644	8.6	1.52	5.6	11.6	126,721	81,418	172,024
	55-64	389	5.6	1.43	2.8	8.4	57,919	28,536	87,302
	65+	592	8.4	1.67	5.1	11.6	128,078	75,840	180,316
OK	18-24	346	7.9	1.46	5.0	10.7	25,367	15,896	34,838
	25-34	616	6.7	1.09	4.5	8.8	29,641	19,932	39,350
	35-44	741	6.2	0.91	4.4	8.0	30,798	21,710	39,887
	45-54	584	6.7	1.06	4.6	8.8	29,334	20,029	38,639
	55-64	543	6.7	1.20	4.3	9.1	20,866	13,285	28,447
	65+	836	4.7	0.77	3.2	6.2	22,057	14,853	29,261
OR	18-24	330	5.9	1.28	3.4	8.5	16,985	9,663	24,307
	25-34	718	7.0	1.02	5.0	9.0	30,010	21,155	38,865
	35-44	754	9.3	1.11	7.2	11.5	49,098	37,353	60,844
	45-54	735	9.8	1.20	7.5	12.2	46,279	34,739	57,818
	55-64	511	9.8	1.39	7.0	12.5	30,052	21,291	38,813
	65+	663	8.2	1.15	6.0	10.5	37,260	26,699	47,821
PA	18-24	276	7.9	1.62	4.7	11.1	88,172	51,931	124,414
	25-34	569	7.0	1.09	4.9	9.2	108,169	74,506	141,832
	35-44	797	6.4	0.92	4.6	8.2	115,508	82,189	148,826
	45-54	715	6.1	0.95	4.3	8.0	97,334	66,966	127,701
	55-64	476	6.4	1.11	4.2	8.6	74,241	48,333	100,148
	65+	672	6.0	1.06	4.0	8.1	113,991	73,737	154,245
RI	18-24	295	7.0	1.72	3.6	10.4	6,898	3,420	10,376
	25-34	587	10.3	1.43	7.5	13.1	13,491	9,641	17,342
	35-44	846	9.7	1.14	7.5	12.0	15,518	11,814	19,223
	45-54	665	8.7	1.17	6.4	11.0	11,229	8,195	14,263
	55-64	428	10.4	1.66	7.1	13.7	9,141	6,128	12,154
	65+	671	5.4	0.93	3.6	7.3	8,046	5,292	10,800

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
SC	18-24	321	7.7	1.63	4.5	10.9	30,826	17,522	44,129
	25-34	651	5.7	0.96	3.8	7.6	31,041	20,556	41,527
	35-44	727	6.3	0.97	4.4	8.2	37,283	25,793	48,772
	45-54	628	5.7	0.93	3.9	7.6	29,994	20,249	39,739
	55-64	450	9.2	1.50	6.3	12.2	31,619	21,123	42,114
	65+	507	7.3	1.23	4.9	9.7	34,577	22,762	46,393
SD	18-24	454	5.7	1.15	3.4	7.9	3,920	2,321	5,520
	25-34	766	5.4	1.00	3.4	7.3	5,006	3,117	6,894
	35-44	1,117	4.5	0.68	3.1	5.8	4,687	3,263	6,110
	45-54	899	5.0	0.78	3.4	6.5	4,471	3,071	5,871
	55-64	658	7.2	1.08	5.1	9.3	4,370	3,038	5,702
	65+	1,068	6.5	0.82	4.9	8.1	6,931	5,188	8,674
TN	18-24	266	6.9	1.59	3.8	10.1	36,841	19,872	53,809
	25-34	558	4.1	0.87	2.4	5.8	30,682	17,760	43,605
	35-44	655	6.5	1.00	4.5	8.5	55,175	38,090	72,261
	45-54	587	8.6	1.23	6.1	11.0	65,216	46,252	84,179
	55-64	409	9.6	1.75	6.1	13.0	49,706	30,914	68,499
	65+	533	8.9	1.48	6.0	11.8	65,002	42,718	87,285
TX	18-24	558	9.8	1.47	6.9	12.7	193,743	133,712	253,775
	25-34	1,064	5.6	0.74	4.2	7.0	168,191	124,133	212,249
	35-44	1,126	5.9	0.77	4.4	7.4	186,590	137,815	235,365
	45-54	943	5.6	0.78	4.0	7.1	139,523	100,582	178,463
	55-64	558	6.9	1.07	4.8	9.0	114,155	78,725	149,584
	65+	726	6.3	0.94	4.5	8.2	138,889	97,245	180,533
UT	18-24	401	8.5	2.23	4.1	12.9	19,037	8,611	29,463
	25-34	596	7.3	1.30	4.8	9.9	20,084	12,871	27,297
	35-44	613	8.1	1.45	5.3	11.0	24,350	15,486	33,215
	45-54	523	8.0	1.52	5.0	10.9	19,701	12,132	27,270
	55-64	302	6.9	2.05	2.9	11.0	10,561	4,185	16,938
	65+	439	6.7	1.41	4.0	9.5	12,981	7,514	18,448

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
VT	18-24	278	8.7	1.75	5.3	12.2	5,390	3,221	7,559
	25-34	612	8.1	1.19	5.8	10.5	6,223	4,371	8,075
	35-44	817	7.2	0.92	5.4	9.0	6,883	5,104	8,661
	45-54	739	6.5	1.00	4.6	8.5	5,385	3,718	7,051
	55-64	479	5.1	1.04	3.1	7.2	2,731	1,620	3,842
	65+	670	7.1	1.15	4.8	9.3	5,146	3,444	6,848
VA	18-24	151	8.7	3.54	1.7	15.7	57,931	8,176	107,686
	25-34	393	7.4	1.41	4.7	10.2	74,613	46,012	103,213
	35-44	513	7.6	1.30	5.1	10.2	86,615	57,112	116,117
	45-54	387	6.2	1.36	3.5	8.9	59,034	32,668	85,400
	55-64	234	7.6	1.83	4.0	11.2	46,477	23,583	69,370
	65+	287	5.1	1.25	2.6	7.5	40,305	20,580	60,030
WA	18-24	329	11.7	1.90	7.9	15.4	59,468	39,496	79,440
	25-34	692	6.9	1.00	4.9	8.9	54,341	38,459	70,224
	35-44	814	8.6	1.04	6.5	10.6	81,596	61,562	101,629
	45-54	693	7.9	1.10	5.8	10.1	64,604	46,403	82,804
	55-64	457	9.4	1.56	6.4	12.5	48,762	32,141	65,382
	65+	581	6.1	1.02	4.1	8.1	42,752	28,323	57,180
WV	18-24	177	10.5	2.42	5.7	15.3	18,083	9,491	26,675
	25-34	406	10.4	1.67	7.1	13.7	23,658	15,782	31,533
	35-44	470	6.0	1.13	3.8	8.2	15,549	9,664	21,434
	45-54	481	8.6	1.39	5.8	11.3	21,755	14,527	28,983
	55-64	329	9.0	1.65	5.8	12.3	16,410	10,338	22,482
	65+	469	7.8	1.29	5.2	10.3	21,579	14,346	28,812
WI	18-24	194	8.2	1.98	4.3	12.1	40,282	20,605	59,960
	25-34	487	8.4	1.33	5.8	11.1	58,768	40,152	77,385
	35-44	636	8.1	1.34	5.5	10.8	65,851	43,592	88,109
	45-54	561	6.1	1.07	4.0	8.2	42,424	27,418	57,429
	55-64	349	9.1	2.08	5.0	13.2	41,598	21,553	61,644
	65+	471	7.0	1.22	4.6	9.4	50,163	32,472	67,854

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,857	9.0	0.39	8.3	9.8	2,303,925	2,102,215	2,505,635
	25-34	31,930	6.9	0.23	6.4	7.3	2,605,903	2,426,466	2,785,339
	35-44	39,467	6.8	0.22	6.4	7.2	2,922,753	2,730,030	3,115,476
	45-54	33,883	7.1	0.25	6.6	7.6	2,570,566	2,387,784	2,753,349
	55-64	22,782	7.5	0.29	6.9	8.1	1,852,459	1,708,187	1,996,731
	65+	32,696	6.6	0.24	6.2	7.1	2,349,108	2,179,445	2,518,771
WY	18-24	235	10.6	2.35	6.0	15.2	4,376	2,356	6,395
	25-34	394	10.8	1.63	7.6	14.0	6,665	4,608	8,722
	35-44	537	6.9	1.12	4.7	9.1	5,127	3,444	6,809
	45-54	527	8.5	1.23	6.0	10.9	5,484	3,873	7,096
	55-64	283	7.5	1.76	4.1	11.0	3,082	1,615	4,549
	65+	386	8.4	1.51	5.4	11.3	4,553	2,873	6,232
PR	18-24	366	6.7	1.40	4.0	9.5	31,896	18,589	45,203
	25-34	656	8.0	1.27	5.5	10.5	48,488	32,886	64,090
	35-44	762	7.9	1.15	5.6	10.1	40,049	28,209	51,889
	45-54	788	6.9	1.02	4.9	8.9	30,242	21,365	39,119
	55-64	663	7.4	1.22	5.0	9.8	23,593	15,767	31,419
	65+	965	8.1	1.02	6.1	10.1	32,352	24,220	40,484

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.