

**Table C5**

**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and Prevalence (Number) by Race/Ethnicity and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race and Ethnicity	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	Wh non-Hisp	141,451	7.4	0.12	7.2	7.6	11,084,606	10,724,569	11,444,643
	Bl non-Hisp	14,118	8.5	0.40	7.7	9.2	1,666,863	1,506,453	1,827,273
	Hispanic	12,099	5.2	0.31	4.6	5.8	1,251,386	1,100,973	1,401,800
	Other non-Hisp	8,907	6.6	0.57	5.5	7.7	588,272	484,983	691,561
AL	Wh non-Hisp	1,632	5.6	0.60	4.5	6.8	136,242	107,679	164,804
	Bl non-Hisp	499	6.6	1.35	4.0	9.3	44,976	26,533	63,419
	Hispanic	48	9.2				7,845		
	Other non-Hisp	48	13.8	6.47	0.8	26.8	10,165	0	20,701
AK	Wh non-Hisp	1,475	6.9	0.89	5.2	8.7	22,276	16,626	27,925
	Bl non-Hisp	40	10.2				1,094		
	Hispanic	79	3.8				811		
	Other non-Hisp	427	7.6	2.59	2.5	12.7	5,019	1,441	8,597
AZ	Wh non-Hisp	1,980	10.4	1.59	7.3	13.5	260,028	176,335	343,721
	Bl non-Hisp	45	1.2				791		
	Hispanic	455	4.0	1.02	2.0	6.0	30,240	15,666	44,814
	Other non-Hisp	162	6.1	3.12	0.0	12.3	12,006	0	24,361
AR	Wh non-Hisp	2,482	6.8	0.59	5.6	7.9	107,222	88,776	125,669
	Bl non-Hisp	371	5.8	1.21	3.4	8.2	12,922	7,529	18,314
	Hispanic	55	6.8				2,729		
	Other non-Hisp	79	4.4				2,270		
CA	Wh non-Hisp	2,438	8.8	0.66	7.5	10.1	1,144,813	970,332	1,319,294
	Bl non-Hisp	232	12.1	2.57	7.0	17.1	189,048	104,489	273,608
	Hispanic	912	3.9	0.65	2.7	5.2	302,439	203,029	401,848
	Other non-Hisp	316	6.8	1.73	3.4	10.2	157,698	76,315	239,081
CO	Wh non-Hisp	2,555	7.0	0.67	5.7	8.4	169,699	138,124	201,275
	Bl non-Hisp	59	6.8				5,582		
	Hispanic	350	5.3	1.53	2.3	8.4	24,153	10,269	38,037
	Other non-Hisp	73	0.2				166		
CT	Wh non-Hisp	3,117	7.5	0.54	6.5	8.6	149,293	128,186	170,399
	Bl non-Hisp	243	13.3	2.64	8.1	18.5	19,498	11,234	27,763
	Hispanic	359	7.8	1.44	5.0	10.7	19,816	12,518	27,113
	Other non-Hisp	129	4.4	1.65	1.1	7.7	4,012	1,024	7,000
DE	Wh non-Hisp	2,188	6.7	0.73	5.3	8.1	30,106	23,564	36,648
	Bl non-Hisp	366	10.2	1.97	6.4	14.1	7,454	4,527	10,381
	Hispanic	89	4.8				1,134		
	Other non-Hisp	78	9.1	4.79	0.0	18.6	1,567	0	3,304
DC	Wh non-Hisp	563	7.2	1.28	4.7	9.7	9,519	6,072	12,966
	Bl non-Hisp	913	8.6	1.05	6.6	10.7	18,747	14,133	23,361
	Hispanic	122	8.3	2.92	2.6	14.1	2,555	700	4,409
	Other non-Hisp	93	6.3	2.44	1.5	11.2	1,386	312	2,461

**Table C5**

**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and Prevalence (Number) by Race/Ethnicity and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race and Ethnicity	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	Wh non-Hisp	141,451	7.4	0.12	7.2	7.6	11,084,606	10,724,569	11,444,643
	Bl non-Hisp	14,118	8.5	0.40	7.7	9.2	1,666,863	1,506,453	1,827,273
	Hispanic	12,099	5.2	0.31	4.6	5.8	1,251,386	1,100,973	1,401,800
	Other non-Hisp	8,907	6.6	0.57	5.5	7.7	588,272	484,983	691,561
FL	Wh non-Hisp	3,708	5.7	0.44	4.9	6.6	473,446	402,187	544,705
	Bl non-Hisp	539	5.2	1.40	2.5	8.0	61,174	27,885	94,462
	Hispanic	788	6.2	0.87	4.5	7.9	127,130	91,358	162,903
	Other non-Hisp	124	3.6				9,847		
GA	Wh non-Hisp	2,794	6.3	0.55	5.2	7.4	247,899	205,455	290,343
	Bl non-Hisp	1,091	6.1	1.08	4.0	8.2	91,514	58,450	124,578
	Hispanic	107	6.0	2.29	1.4	10.5	11,775	2,950	20,601
	Other non-Hisp	71	5.3				6,466		
HI	Wh non-Hisp	2,157	6.5	0.75	5.1	8.0	16,850	12,937	20,763
	Bl non-Hisp	74	4.8				716		
	Hispanic	684	9.9	1.55	6.9	12.9	10,625	7,203	14,047
	Other non-Hisp	3,063	7.3	0.65	6.0	8.6	37,407	30,725	44,088
ID	Wh non-Hisp	4,532	7.7	0.47	6.8	8.6	62,387	54,929	69,844
	Bl non-Hisp	11	4.6				85		
	Hispanic	239	6.7	1.76	3.2	10.2	2,899	1,357	4,440
	Other non-Hisp	149	8.7	2.59	3.6	13.8	2,444	944	3,944
IL	Wh non-Hisp	1,441	8.1	0.89	6.4	9.9	538,027	418,560	657,495
	Bl non-Hisp	211	9.4	2.31	4.9	14.0	108,555	53,698	163,412
	Hispanic	134	5.0	1.63	1.7	8.2	45,771	15,936	75,605
	Other non-Hisp	57	4.3				12,687		
IN	Wh non-Hisp	2,627	7.8	0.61	6.6	9.0	304,521	256,902	352,141
	Bl non-Hisp	166	14.2	2.99	8.3	20.1	38,715	21,487	55,943
	Hispanic	60	3.4				4,139		
	Other non-Hisp	48	9.4				8,167		
IA	Wh non-Hisp	3,433	6.4	0.48	5.5	7.3	129,970	110,577	149,363
	Bl non-Hisp	41	8.2				2,034		
	Hispanic	72	5.5				2,294		
	Other non-Hisp	36	2.5				642		
KS	Wh non-Hisp	3,751	7.9	0.49	6.9	8.8	135,522	118,593	152,452
	Bl non-Hisp	164	9.9	2.69	4.6	15.2	6,815	2,970	10,661
	Hispanic	198	5.4	1.78	1.9	8.9	6,188	2,078	10,298
	Other non-Hisp	94	7.3	2.86	1.6	13.0	3,272	654	5,890
KY	Wh non-Hisp	6,023	7.6	0.45	6.7	8.5	206,393	181,974	230,812
	Bl non-Hisp	268	9.9	2.57	4.8	14.9	17,835	8,238	27,432
	Hispanic	47	8.3				1,801		
	Other non-Hisp	42	6.4				1,726		

**Table C5**

**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and Prevalence (Number) by Race/Ethnicity and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race and Ethnicity	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	Wh non-Hisp	141,451	7.4	0.12	7.2	7.6	11,084,606	10,724,569	11,444,643
	Bl non-Hisp	14,118	8.5	0.40	7.7	9.2	1,666,863	1,506,453	1,827,273
	Hispanic	12,099	5.2	0.31	4.6	5.8	1,251,386	1,100,973	1,401,800
	Other non-Hisp	8,907	6.6	0.57	5.5	7.7	588,272	484,983	691,561
LA	Wh non-Hisp	3,309	4.1	0.36	3.4	4.8	83,667	69,088	98,245
	Bl non-Hisp	1,329	7.0	0.88	5.3	8.7	57,671	42,888	72,455
	Hispanic	214	6.3	1.75	2.9	9.8	9,781	4,345	15,217
	Other non-Hisp	111	8.6	2.88	2.9	14.3	6,647	2,031	11,264
ME	Wh non-Hisp	4,431	8.9	0.72	7.5	10.3	80,460	67,635	93,285
	Bl non-Hisp	10	7.9				178		
	Hispanic	79	8.6	3.59	1.4	15.7	1,816	340	3,293
	Other non-Hisp	43	8.5				1,177		
MD	Wh non-Hisp	3,311	7.0	0.55	5.9	8.0	175,570	148,087	203,053
	Bl non-Hisp	929	8.7	1.11	6.5	10.9	85,638	63,665	107,611
	Hispanic	157	6.0	2.27	1.6	10.5	11,156	2,672	19,639
	Other non-Hisp	137	5.6	2.55	0.5	10.6	9,630	673	18,586
MA	Wh non-Hisp	6,450	8.4	0.41	7.6	9.2	332,252	300,351	364,154
	Bl non-Hisp	437	8.6	1.70	5.2	11.9	14,274	8,463	20,085
	Hispanic	878	10.1	1.34	7.5	12.7	42,843	31,286	54,401
	Other non-Hisp	287	5.9	1.57	2.8	9.0	10,258	4,773	15,742
MI	Wh non-Hisp	2,106	7.8	0.69	6.5	9.2	469,219	385,720	552,719
	Bl non-Hisp	297	3.6	1.07	1.5	5.7	26,803	11,112	42,493
	Hispanic	70	8.1	3.66	0.8	15.4	17,175	1,023	33,327
	Other non-Hisp	103	6.0	2.88	0.2	11.7	18,432	78	36,785
MN	Wh non-Hisp	2,642	7.2	0.59	6.0	8.4	234,724	196,695	272,754
	Bl non-Hisp	67	5.7				4,180		
	Hispanic	52	6.1				4,001		
	Other non-Hisp	78	8.5	3.30	1.9	15.1	8,363	1,726	15,000
MS	Wh non-Hisp	1,456	6.3	0.84	4.7	8.0	81,678	59,563	103,793
	Bl non-Hisp	626	7.4	1.21	5.1	9.8	44,033	29,516	58,551
	Hispanic	51	12.3	5.92	0.4	24.2	6,989	0	14,306
	Other non-Hisp	27	4.5				1,381		
MO	Wh non-Hisp	3,927	7.1	0.56	6.0	8.2	252,922	213,924	291,920
	Bl non-Hisp	263	8.6	2.23	4.2	13.0	31,029	14,476	47,582
	Hispanic	90	4.0				3,289		
	Other non-Hisp	81	7.6	4.96	0.0	17.5	6,331	0	15,041
MT	Wh non-Hisp	2,591	7.8	0.70	6.5	9.2	46,250	38,109	54,391
	Bl non-Hisp	6	38.7				523		
	Hispanic	81	13.6	5.40	2.9	24.3	2,036	303	3,769
	Other non-Hisp	319	11.8	3.40	5.1	18.5	3,887	1,488	6,286

**Table C5**

**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and Prevalence (Number) by Race/Ethnicity and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race and Ethnicity	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	Wh non-Hisp	141,451	7.4	0.12	7.2	7.6	11,084,606	10,724,569	11,444,643
	Bl non-Hisp	14,118	8.5	0.40	7.7	9.2	1,666,863	1,506,453	1,827,273
	Hispanic	12,099	5.2	0.31	4.6	5.8	1,251,386	1,100,973	1,401,800
	Other non-Hisp	8,907	6.6	0.57	5.5	7.7	588,272	484,983	691,561
NE	Wh non-Hisp	2,825	6.6	0.58	5.5	7.7	73,062	60,172	85,951
	Bl non-Hisp	71	11.5	3.66	4.2	18.8	2,704	931	4,476
	Hispanic	125	6.0	1.96	2.2	9.9	3,587	1,254	5,919
	Other non-Hisp	63	3.9				1,134		
NV	Wh non-Hisp	1,632	7.6	0.95	5.8	9.5	79,501	59,643	99,359
	Bl non-Hisp	86	17.0	4.49	8.1	25.9	16,105	7,301	24,909
	Hispanic	212	5.6	1.89	1.9	9.3	8,704	2,830	14,578
	Other non-Hisp	152	10.7	3.27	4.2	17.1	13,122	4,837	21,406
NH	Wh non-Hisp	1,866	8.4	0.72	7.0	9.8	72,320	59,961	84,679
	Bl non-Hisp	8	6.2				376		
	Hispanic	40	10.6				2,212		
	Other non-Hisp	24	6.3				807		
NJ	Wh non-Hisp	2,648	6.4	0.52	5.4	7.4	275,575	231,465	319,685
	Bl non-Hisp	356	7.9	1.57	4.8	11.0	41,465	24,818	58,113
	Hispanic	546	5.5	1.21	3.2	7.9	58,264	32,482	84,045
	Other non-Hisp	173	2.3				6,870		
NM	Wh non-Hisp	1,711	7.4	0.66	6.1	8.7	44,569	36,578	52,560
	Bl non-Hisp	33	28.9	9.39	9.8	48.0	3,748	756	6,739
	Hispanic	1,247	5.2	0.69	3.8	6.5	26,740	19,601	33,880
	Other non-Hisp	223	10.2	2.29	5.7	14.8	9,718	5,298	14,138
NY	Wh non-Hisp	2,381	7.6	0.62	6.3	8.8	680,877	569,665	792,089
	Bl non-Hisp	386	8.3	1.59	5.1	11.4	145,604	88,719	202,488
	Hispanic	365	8.7	1.69	5.4	12.0	177,185	106,772	247,599
	Other non-Hisp	152	5.3	2.19	1.0	9.6	41,563	6,628	76,498
NC	Wh non-Hisp	2,270	7.0	0.60	5.8	8.2	308,342	255,580	361,104
	Bl non-Hisp	587	7.1	1.26	4.7	9.6	79,691	51,228	108,155
	Hispanic	60	11.6	5.10	1.4	21.8	17,211	1,533	32,889
	Other non-Hisp	82	6.9	2.83	1.3	12.5	12,325	2,055	22,596
ND	Wh non-Hisp	1,797	7.3	0.70	6.0	8.7	31,676	25,699	37,653
	Bl non-Hisp	11	14.9				384		
	Other non-Hisp	66	12.8	4.20	4.4	21.2	2,255	707	3,802
OH	Wh non-Hisp	2,779	8.3	0.73	6.8	9.7	607,809	502,106	713,511
	Bl non-Hisp	323	10.4	2.77	4.9	15.8	68,367	30,222	106,511
	Hispanic	69	5.9				9,704		
	Other non-Hisp	49	18.9	7.11	4.6	33.1	27,464	5,063	49,866

**Table C5**

**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and Prevalence (Number) by Race/Ethnicity and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race and Ethnicity	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	Wh non-Hisp	141,451	7.4	0.12	7.2	7.6	11,084,606	10,724,569	11,444,643
	Bl non-Hisp	14,118	8.5	0.40	7.7	9.2	1,666,863	1,506,453	1,827,273
	Hispanic	12,099	5.2	0.31	4.6	5.8	1,251,386	1,100,973	1,401,800
	Other non-Hisp	8,907	6.6	0.57	5.5	7.7	588,272	484,983	691,561
OK	Wh non-Hisp	3,047	5.9	0.45	5.0	6.7	119,837	101,951	137,724
	Bl non-Hisp	237	10.4	2.31	5.8	14.9	16,245	8,749	23,740
	Hispanic	150	4.2	1.46	1.3	7.1	5,106	1,597	8,615
	Other non-Hisp	242	9.1	2.15	4.9	13.3	15,525	7,963	23,086
OR	Wh non-Hisp	3,233	9.1	0.55	8.1	10.2	191,439	168,762	214,116
	Bl non-Hisp	40	10.5				2,560		
	Hispanic	282	2.7	0.80	1.1	4.3	6,813	2,847	10,779
	Other non-Hisp	151	8.5	2.33	3.9	13.1	8,240	3,620	12,860
PA	Wh non-Hisp	3,070	6.2	0.47	5.3	7.2	494,635	420,925	568,344
	Bl non-Hisp	265	11.0	2.10	6.9	15.1	72,321	43,934	100,708
	Hispanic	98	10.0	3.00	4.1	16.0	29,712	11,668	47,756
	Other non-Hisp	67	1.4				2,754		
RI	Wh non-Hisp	2,988	8.4	0.56	7.3	9.5	52,394	45,433	59,355
	Bl non-Hisp	129	7.1	2.43	2.3	12.0	2,070	636	3,504
	Hispanic	290	9.2	2.10	5.1	13.4	7,094	3,774	10,415
	Other non-Hisp	80	8.8	3.20	2.4	15.1	1,888	514	3,262
SC	Wh non-Hisp	2,446	6.2	0.52	5.2	7.2	125,423	104,495	146,351
	Bl non-Hisp	702	8.4	1.11	6.2	10.6	58,459	42,864	74,054
	Hispanic	76	3.3				3,142		
	Other non-Hisp	60	10.2	4.18	1.8	18.5	6,209	872	11,545
SD	Wh non-Hisp	4,638	5.3	0.37	4.6	6.1	25,999	22,433	29,565
	Hispanic	69	9.0	4.20	0.6	17.4	705	11	1,399
	Other non-Hisp	229	9.1	2.04	5.1	13.1	2,387	1,297	3,476
TN	Wh non-Hisp	2,496	7.0	0.56	5.9	8.1	238,722	200,855	276,589
	Bl non-Hisp	439	10.5	1.75	7.1	14.0	61,640	40,368	82,912
	Other non-Hisp	29	1.2				595		
TX	Wh non-Hisp	3,123	7.9	0.53	6.9	8.9	680,793	589,830	771,756
	Bl non-Hisp	415	8.4	1.42	5.6	11.2	89,902	59,370	120,434
	Hispanic	1,253	3.4	0.61	2.2	4.6	146,043	94,306	197,780
	Other non-Hisp	183	5.7	1.65	2.4	8.9	30,257	12,575	47,939
UT	Wh non-Hisp	2,643	7.6	0.70	6.2	9.0	96,034	78,188	113,880
	Hispanic	153	7.4	2.95	1.6	13.2	5,802	1,044	10,560
	Other non-Hisp	67	13.1	5.03	3.1	23.2	4,878	964	8,792
VT	Wh non-Hisp	3,464	7.2	0.49	6.2	8.1	30,566	26,492	34,640
	Hispanic	55	6.6				425		
	Other non-Hisp	47	7.9				555		

**Table C5**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Race/Ethnicity and State: BRFSS 2000**

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Race and Ethnicity	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	Wh non-Hisp	141,451	7.4	0.12	7.2	7.6	11,084,606	10,724,569	11,444,643
	Bl non-Hisp	14,118	8.5	0.40	7.7	9.2	1,666,863	1,506,453	1,827,273
	Hispanic	12,099	5.2	0.31	4.6	5.8	1,251,386	1,100,973	1,401,800
	Other non-Hisp	8,907	6.6	0.57	5.5	7.7	588,272	484,983	691,561
VA	Wh non-Hisp	1,478	6.5	0.68	5.2	7.9	251,199	199,786	302,612
	Bl non-Hisp	317	10.7	3.00	4.8	16.6	86,293	34,270	138,315
	Hispanic	77	4.6				11,159		
	Other non-Hisp	92	7.3	2.69	2.0	12.7	19,449	5,052	33,846
WA	Wh non-Hisp	3,094	8.3	0.54	7.2	9.3	305,004	265,831	344,178
	Bl non-Hisp	76	8.9	3.61	1.7	16.1	7,628	1,299	13,957
	Hispanic	162	8.1	2.33	3.5	12.7	17,762	7,260	28,264
	Other non-Hisp	206	7.9	1.89	4.2	11.6	20,431	10,557	30,306
WV	Wh non-Hisp	2,221	8.4	0.64	7.2	9.7	109,080	92,815	125,345
	Bl non-Hisp	49	9.0				2,305		
	Hispanic	44	9.4				3,103		
	Other non-Hisp	24	11.1				1,934		
WI	Wh non-Hisp	2,303	7.5	0.64	6.3	8.8	260,667	217,315	304,018
	Bl non-Hisp	216	11.9	2.51	6.9	16.8	17,044	9,835	24,252
	Hispanic	52	8.6				6,941		
	Other non-Hisp	125	8.8	2.98	2.9	14.7	14,497	4,312	24,682
WY	Wh non-Hisp	2,179	9.1	0.67	7.8	10.4	28,128	23,992	32,264
	Bl non-Hisp	16	3.0				68		
	Hispanic	126	2.9				544		
	Other non-Hisp	46	4.6				364		
PR	Wh non-Hisp	53	8.1				2,558		
	Bl non-Hisp	7	24.7				1,424		
	Hispanic	4,135	7.5	0.50	6.5	8.5	203,406	176,678	230,135

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply because of the small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.