

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	< \$15,000	18,167	9.9	0.42	9.1	10.8	1,907,610	1,743,386	2,071,835
	\$15-\$24,999	29,721	8.1	0.27	7.5	8.6	2,600,886	2,427,317	2,774,456
	\$25-\$49,999	54,598	7.1	0.19	6.7	7.4	4,277,045	4,040,112	4,513,978
	\$50-\$74,999	25,276	6.3	0.24	5.8	6.7	1,940,043	1,791,492	2,088,594
	>=\$75,000	24,584	5.9	0.26	5.4	6.4	1,917,378	1,747,107	2,087,648
AL	< \$15,000	357	7.4	1.43	4.6	10.3	34,130	21,239	47,022
	\$15-\$24,999	390	10.2	1.85	6.5	13.8	58,015	36,221	79,808
	\$25-\$49,999	687	6.1	1.01	4.1	8.1	63,038	42,186	83,890
	\$50-\$74,999	275	3.5	1.06	1.5	5.6	15,564	6,283	24,845
	>=\$75,000	273	1.5				6,255		
AK	< \$15,000	169	8.5	2.49	3.6	13.5	2,785	1,239	4,331
	\$15-\$24,999	311	10.9	3.58	3.8	17.9	6,461	1,909	11,014
	\$25-\$49,999	646	7.0	1.41	4.2	9.7	9,414	5,570	13,257
	\$50-\$74,999	373	3.5	1.08	1.3	5.6	2,564	985	4,143
	>=\$75,000	413	5.2	1.25	2.7	7.7	5,217	2,739	7,696
AZ	< \$15,000	188	17.7	9.83	0.0	37.0	46,307	0	104,972
	\$15-\$24,999	608	7.2	1.65	4.0	10.5	50,472	27,300	73,644
	\$25-\$49,999	848	7.9	1.45	5.0	10.7	86,978	54,843	119,112
	\$50-\$74,999	304	7.0	2.72	1.6	12.4	36,239	7,314	65,164
	>=\$75,000	223	9.4	3.21	3.1	15.8	33,619	9,945	57,293
AR	< \$15,000	418	12.6	1.90	8.9	16.4	27,844	19,152	36,535
	\$15-\$24,999	621	5.2	0.99	3.2	7.1	19,618	12,059	27,177
	\$25-\$49,999	979	6.2	0.87	4.5	7.9	41,237	29,618	52,855
	\$50-\$74,999	362	5.4	1.22	3.0	7.8	12,997	7,061	18,933
	>=\$75,000	292	5.7	1.71	2.3	9.0	11,102	4,268	17,936
CA	< \$15,000	566	7.9	1.21	5.5	10.3	307,699	212,921	402,478
	\$15-\$24,999	556	7.0	1.05	4.9	9.0	265,336	186,671	344,002
	\$25-\$49,999	965	8.1	1.05	6.1	10.2	494,251	364,279	624,223
	\$50-\$74,999	651	6.4	1.01	4.4	8.4	244,632	167,100	322,164
	>=\$75,000	882	7.8	1.17	5.5	10.1	393,199	272,743	513,655
CO	< \$15,000	278	10.0	2.84	4.4	15.6	24,203	10,009	38,397
	\$15-\$24,999	509	6.9	1.58	3.8	10.0	29,752	16,157	43,347
	\$25-\$49,999	1,027	6.6	1.07	4.5	8.7	61,893	41,906	81,879
	\$50-\$74,999	491	6.1	1.27	3.7	8.6	35,595	20,898	50,293
	>=\$75,000	490	3.6	0.86	1.9	5.3	21,915	11,576	32,253

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	< \$15,000	18,167	9.9	0.42	9.1	10.8	1,907,610	1,743,386	2,071,835
	\$15-\$24,999	29,721	8.1	0.27	7.5	8.6	2,600,886	2,427,317	2,774,456
	\$25-\$49,999	54,598	7.1	0.19	6.7	7.4	4,277,045	4,040,112	4,513,978
	\$50-\$74,999	25,276	6.3	0.24	5.8	6.7	1,940,043	1,791,492	2,088,594
	>=\$75,000	24,584	5.9	0.26	5.4	6.4	1,917,378	1,747,107	2,087,648
CT	< \$15,000	240	10.7	2.13	6.5	14.9	14,878	8,823	20,933
	\$15-\$24,999	429	9.2	1.50	6.3	12.2	25,221	16,843	33,599
	\$25-\$49,999	941	8.2	0.99	6.3	10.1	48,902	36,949	60,854
	\$50-\$74,999	618	7.4	1.23	5.0	9.8	28,699	18,934	38,464
	>=\$75,000	968	6.9	0.99	5.0	8.8	43,314	30,667	55,961
DE	< \$15,000	186	5.6	1.94	1.7	9.4	1,502	454	2,549
	\$15-\$24,999	429	9.0	1.91	5.2	12.7	6,743	3,796	9,691
	\$25-\$49,999	830	7.6	1.17	5.4	9.9	12,107	8,394	15,821
	\$50-\$74,999	432	5.1	1.16	2.8	7.4	4,891	2,671	7,111
	>=\$75,000	452	8.0	1.83	4.4	11.6	9,697	5,131	14,264
DC	< \$15,000	166	10.4	2.81	4.9	16.0	3,981	1,734	6,228
	\$15-\$24,999	264	10.2	2.31	5.7	14.7	6,337	3,341	9,333
	\$25-\$49,999	487	8.7	1.54	5.7	11.7	9,741	6,225	13,258
	\$50-\$74,999	254	5.4	1.36	2.7	8.1	3,159	1,586	4,732
	>=\$75,000	324	7.0	1.53	4.0	10.0	5,576	3,101	8,050
FL	< \$15,000	563	7.7	1.22	5.3	10.1	89,014	60,566	117,463
	\$15-\$24,999	943	6.8	1.01	4.9	8.8	141,585	99,085	184,084
	\$25-\$49,999	1,670	5.9	0.67	4.6	7.2	225,597	173,973	277,221
	\$50-\$74,999	675	3.6	0.73	2.2	5.1	58,405	35,291	81,520
	>=\$75,000	704	4.0	0.81	2.4	5.6	63,859	37,930	89,788
GA	< \$15,000	427	12.0	1.96	8.1	15.8	58,637	38,702	78,571
	\$15-\$24,999	660	6.8	1.18	4.5	9.1	60,077	39,065	81,089
	\$25-\$49,999	1,234	5.1	0.67	3.8	6.5	85,172	63,161	107,184
	\$50-\$74,999	612	5.1	1.03	3.1	7.2	48,109	28,858	67,360
	>=\$75,000	548	5.2	1.47	2.4	8.1	51,060	21,962	80,157
HI	< \$15,000	753	10.5	1.56	7.5	13.6	9,695	6,749	12,641
	\$15-\$24,999	799	7.6	1.26	5.1	10.0	8,224	5,435	11,013
	\$25-\$49,999	1,834	6.7	0.83	5.1	8.3	18,026	13,503	22,550
	\$50-\$74,999	837	6.3	1.09	4.2	8.5	7,942	5,181	10,703
	>=\$75,000	795	4.9	0.98	3.0	6.9	6,432	3,858	9,007

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	< \$15,000	18,167	9.9	0.42	9.1	10.8	1,907,610	1,743,386	2,071,835
	\$15-\$24,999	29,721	8.1	0.27	7.5	8.6	2,600,886	2,427,317	2,774,456
	\$25-\$49,999	54,598	7.1	0.19	6.7	7.4	4,277,045	4,040,112	4,513,978
	\$50-\$74,999	25,276	6.3	0.24	5.8	6.7	1,940,043	1,791,492	2,088,594
	>=\$75,000	24,584	5.9	0.26	5.4	6.4	1,917,378	1,747,107	2,087,648
ID	< \$15,000	618	12.1	1.48	9.2	15.0	11,080	8,291	13,870
	\$15-\$24,999	1,018	7.9	0.91	6.1	9.7	13,548	10,394	16,702
	\$25-\$49,999	1,810	6.9	0.73	5.4	8.3	22,885	17,954	27,817
	\$50-\$74,999	693	5.7	0.99	3.8	7.7	7,480	4,889	10,070
	>=\$75,000	433	6.8	1.39	4.1	9.5	5,902	3,465	8,338
IL	< \$15,000	148	13.6	3.69	6.3	20.9	97,835	40,445	155,226
	\$15-\$24,999	256	7.1	1.77	3.6	10.6	97,122	48,145	146,098
	\$25-\$49,999	565	7.1	1.11	4.9	9.3	192,728	132,709	252,747
	\$50-\$74,999	304	7.3	1.60	4.2	10.5	107,400	59,970	154,830
	>=\$75,000	367	4.7	1.14	2.5	7.0	77,984	40,692	115,277
IN	< \$15,000	264	14.2	2.30	9.7	18.8	46,947	31,244	62,651
	\$15-\$24,999	468	9.3	1.63	6.1	12.5	61,359	39,041	83,677
	\$25-\$49,999	920	8.4	1.07	6.3	10.5	116,181	85,899	146,463
	\$50-\$74,999	508	6.1	1.16	3.8	8.4	50,356	31,031	69,680
	>=\$75,000	410	6.2	1.52	3.2	9.2	41,115	20,405	61,825
IA	< \$15,000	354	7.6	1.43	4.8	10.4	13,153	8,192	18,114
	\$15-\$24,999	656	7.0	1.18	4.7	9.3	25,548	16,810	34,285
	\$25-\$49,999	1,286	7.0	0.86	5.3	8.7	53,543	40,167	66,919
	\$50-\$74,999	504	6.3	1.16	4.0	8.6	20,616	12,921	28,311
	>=\$75,000	406	2.9	0.90	1.1	4.7	7,655	2,879	12,431
KS	< \$15,000	283	13.1	2.24	8.7	17.5	15,005	9,680	20,331
	\$15-\$24,999	712	9.7	1.39	7.0	12.4	28,921	20,307	37,534
	\$25-\$49,999	1,274	7.6	0.81	6.0	9.2	46,063	36,204	55,923
	\$50-\$74,999	612	8.2	1.25	5.8	10.7	24,911	17,139	32,683
	>=\$75,000	474	5.7	1.12	3.5	7.9	13,381	8,162	18,600
KY	< \$15,000	902	14.8	1.56	11.7	17.9	42,445	33,129	51,760
	\$15-\$24,999	1,299	9.2	1.31	6.6	11.7	50,090	35,207	64,972
	\$25-\$49,999	1,729	5.7	0.66	4.4	7.0	48,732	37,608	59,857
	\$50-\$74,999	569	5.1	1.28	2.6	7.6	16,568	8,241	24,895
	>=\$75,000	386	5.8	1.53	2.8	8.8	14,025	6,506	21,544

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	< \$15,000	18,167	9.9	0.42	9.1	10.8	1,907,610	1,743,386	2,071,835
	\$15-\$24,999	29,721	8.1	0.27	7.5	8.6	2,600,886	2,427,317	2,774,456
	\$25-\$49,999	54,598	7.1	0.19	6.7	7.4	4,277,045	4,040,112	4,513,978
	\$50-\$74,999	25,276	6.3	0.24	5.8	6.7	1,940,043	1,791,492	2,088,594
	>=\$75,000	24,584	5.9	0.26	5.4	6.4	1,917,378	1,747,107	2,087,648
LA	< \$15,000	723	9.8	1.26	7.3	12.2	39,118	28,882	49,353
	\$15-\$24,999	985	5.0	0.81	3.4	6.6	30,460	20,612	40,308
	\$25-\$49,999	1,444	3.7	0.52	2.7	4.7	34,793	25,043	44,544
	\$50-\$74,999	572	4.1	0.88	2.4	5.8	15,258	8,672	21,844
	>=\$75,000	521	3.3	1.08	1.2	5.4	11,029	3,729	18,328
ME	< \$15,000	561	12.9	2.30	8.4	17.4	12,449	7,871	17,028
	\$15-\$24,999	855	11.6	2.08	7.5	15.7	20,684	12,963	28,405
	\$25-\$49,999	1,527	7.2	1.08	5.1	9.3	22,334	15,615	29,053
	\$50-\$74,999	639	6.1	1.33	3.5	8.7	8,909	5,040	12,778
	>=\$75,000	440	11.2	2.47	6.4	16.1	11,217	6,058	16,376
MD	< \$15,000	268	11.9	2.43	7.1	16.7	24,503	14,321	34,685
	\$15-\$24,999	547	6.6	1.18	4.2	8.9	29,464	18,916	40,013
	\$25-\$49,999	1,263	10.0	1.12	7.8	12.2	102,245	78,738	125,752
	\$50-\$74,999	830	6.2	1.07	4.1	8.3	44,314	28,688	59,939
	>=\$75,000	1,052	5.0	0.78	3.5	6.6	48,369	33,458	63,280
MA	< \$15,000	647	10.7	1.38	8.0	13.4	31,628	23,439	39,817
	\$15-\$24,999	1,003	10.6	1.18	8.3	12.9	52,418	40,441	64,395
	\$25-\$49,999	2,058	8.6	0.74	7.1	10.0	100,115	82,591	117,640
	\$50-\$74,999	1,228	7.7	0.88	6.0	9.4	59,428	45,634	73,223
	>=\$75,000	1,667	7.7	0.79	6.1	9.2	85,241	67,372	103,110
MI	< \$15,000	201	12.9	3.38	6.2	19.6	68,345	29,859	106,830
	\$15-\$24,999	392	8.8	1.76	5.3	12.3	89,680	52,424	126,936
	\$25-\$49,999	790	5.9	1.06	3.8	8.0	130,293	82,972	177,615
	\$50-\$74,999	429	7.8	1.37	5.1	10.5	98,570	63,409	133,730
	>=\$75,000	446	6.1	1.16	3.8	8.4	79,898	49,536	110,259
MN	< \$15,000	177	15.8	3.13	9.6	22.0	26,890	15,613	38,168
	\$15-\$24,999	396	8.8	1.82	5.2	12.4	36,910	21,164	52,657
	\$25-\$49,999	1,027	6.4	0.85	4.8	8.1	81,347	59,774	102,920
	\$50-\$74,999	502	6.0	1.12	3.8	8.2	39,459	24,623	54,296
	>=\$75,000	446	5.9	1.36	3.3	8.6	34,638	18,466	50,810

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	< \$15,000	18,167	9.9	0.42	9.1	10.8	1,907,610	1,743,386	2,071,835
	\$15-\$24,999	29,721	8.1	0.27	7.5	8.6	2,600,886	2,427,317	2,774,456
	\$25-\$49,999	54,598	7.1	0.19	6.7	7.4	4,277,045	4,040,112	4,513,978
	\$50-\$74,999	25,276	6.3	0.24	5.8	6.7	1,940,043	1,791,492	2,088,594
	>=\$75,000	24,584	5.9	0.26	5.4	6.4	1,917,378	1,747,107	2,087,648
MS	< \$15,000	324	9.7	1.95	5.9	13.6	26,604	15,626	37,582
	\$15-\$24,999	439	7.2	1.38	4.5	9.9	29,587	18,137	41,038
	\$25-\$49,999	657	6.6	1.14	4.4	8.8	38,811	25,217	52,404
	\$50-\$74,999	241	3.1	1.12	0.9	5.3	6,837	1,913	11,761
	>=\$75,000	187	2.5				4,335		
MO	< \$15,000	771	10.9	1.53	7.9	13.9	63,308	45,008	81,607
	\$15-\$24,999	762	7.4	1.23	5.0	9.8	47,039	31,158	62,919
	\$25-\$49,999	1,292	6.9	1.02	4.9	8.9	86,360	60,611	112,110
	\$50-\$74,999	594	5.9	1.29	3.4	8.4	36,700	20,552	52,847
	>=\$75,000	382	7.4	1.74	4.0	10.9	36,294	19,062	53,526
MT	< \$15,000	288	11.1	2.29	6.6	15.7	5,693	3,323	8,064
	\$15-\$24,999	634	8.1	1.37	5.4	10.8	9,335	6,140	12,529
	\$25-\$49,999	900	7.3	1.09	5.2	9.5	15,050	10,556	19,545
	\$50-\$74,999	319	6.3	1.89	2.6	10.0	4,333	1,685	6,981
	>=\$75,000	200	11.3	3.11	5.2	17.5	5,675	2,402	8,949
NE	< \$15,000	242	9.4	1.93	5.6	13.2	6,817	3,968	9,665
	\$15-\$24,999	530	7.5	1.71	4.2	10.9	14,528	7,684	21,373
	\$25-\$49,999	1,032	7.8	0.98	5.9	9.7	32,160	23,938	40,381
	\$50-\$74,999	401	3.8	0.96	1.9	5.7	6,733	3,354	10,111
	>=\$75,000	306	4.9	1.35	2.2	7.5	6,090	2,675	9,505
NV	< \$15,000	146	9.7	3.65	2.5	16.9	8,909	2,069	15,749
	\$15-\$24,999	305	7.7	1.68	4.4	11.0	15,890	9,083	22,696
	\$25-\$49,999	704	9.2	1.61	6.1	12.4	43,768	28,028	59,508
	\$50-\$74,999	372	9.6	2.26	5.2	14.1	25,493	13,263	37,722
	>=\$75,000	373	3.5	0.94	1.6	5.3	8,652	4,014	13,289
NH	< \$15,000	107	12.4	3.44	5.6	19.2	5,508	2,387	8,629
	\$15-\$24,999	252	13.6	2.56	8.5	18.6	16,734	10,172	23,296
	\$25-\$49,999	573	7.0	1.08	4.9	9.1	18,681	12,923	24,440
	\$50-\$74,999	356	9.3	1.71	6.0	12.7	15,409	9,628	21,190
	>=\$75,000	363	5.0	1.35	2.4	7.7	8,119	3,703	12,535

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	< \$15,000	18,167	9.9	0.42	9.1	10.8	1,907,610	1,743,386	2,071,835
	\$15-\$24,999	29,721	8.1	0.27	7.5	8.6	2,600,886	2,427,317	2,774,456
	\$25-\$49,999	54,598	7.1	0.19	6.7	7.4	4,277,045	4,040,112	4,513,978
	\$50-\$74,999	25,276	6.3	0.24	5.8	6.7	1,940,043	1,791,492	2,088,594
	>=\$75,000	24,584	5.9	0.26	5.4	6.4	1,917,378	1,747,107	2,087,648
NJ	< \$15,000	230	8.5	1.98	4.6	12.4	28,214	14,874	41,554
	\$15-\$24,999	442	9.1	1.57	6.0	12.2	66,936	43,467	90,404
	\$25-\$49,999	920	5.7	0.91	3.9	7.5	86,222	58,431	114,014
	\$50-\$74,999	558	5.6	1.00	3.6	7.5	50,438	32,390	68,486
	>=\$75,000	947	5.2	0.73	3.7	6.6	76,752	55,263	98,241
NM	< \$15,000	481	8.0	1.30	5.5	10.6	13,198	8,888	17,507
	\$15-\$24,999	693	6.6	1.04	4.6	8.7	17,505	11,969	23,041
	\$25-\$49,999	1,024	8.3	0.92	6.5	10.1	33,538	26,084	40,992
	\$50-\$74,999	374	4.9	1.17	2.6	7.2	7,244	3,764	10,723
	>=\$75,000	374	4.2	1.15	1.9	6.4	5,849	2,620	9,078
NY	< \$15,000	259	6.5	1.71	3.1	9.8	71,302	33,417	109,187
	\$15-\$24,999	491	9.7	1.50	6.8	12.7	200,820	137,404	264,235
	\$25-\$49,999	924	9.0	1.12	6.8	11.2	333,270	248,191	418,349
	\$50-\$74,999	465	7.6	1.25	5.1	10.0	142,997	95,687	190,307
	>=\$75,000	656	5.8	0.93	3.9	7.6	146,922	99,511	194,334
NC	< \$15,000	338	11.6	1.98	7.7	15.5	62,892	40,642	85,141
	\$15-\$24,999	557	9.3	1.42	6.5	12.1	96,702	66,580	126,824
	\$25-\$49,999	866	5.5	0.82	3.9	7.1	96,795	68,279	125,311
	\$50-\$74,999	416	5.3	1.15	3.0	7.6	48,179	27,319	69,039
	>=\$75,000	356	4.9	1.44	2.1	7.8	35,307	14,522	56,091
ND	< \$15,000	238	11.0	2.49	6.1	15.9	5,276	2,777	7,774
	\$15-\$24,999	333	8.7	1.70	5.3	12.0	6,732	4,058	9,406
	\$25-\$49,999	675	6.9	1.13	4.7	9.1	11,767	7,834	15,701
	\$50-\$74,999	238	4.9	1.41	2.1	7.6	3,096	1,299	4,893
	>=\$75,000	144	2.7				929		
OH	< \$15,000	275	13.7	3.04	7.7	19.7	69,637	37,121	102,153
	\$15-\$24,999	545	13.4	2.07	9.3	17.5	172,818	117,392	228,243
	\$25-\$49,999	995	7.8	1.30	5.2	10.3	202,542	133,658	271,426
	\$50-\$74,999	515	7.7	1.52	4.7	10.7	109,876	66,052	153,700
	>=\$75,000	422	4.8	1.34	2.1	7.4	52,566	23,023	82,109

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	< \$15,000	18,167	9.9	0.42	9.1	10.8	1,907,610	1,743,386	2,071,835
	\$15-\$24,999	29,721	8.1	0.27	7.5	8.6	2,600,886	2,427,317	2,774,456
	\$25-\$49,999	54,598	7.1	0.19	6.7	7.4	4,277,045	4,040,112	4,513,978
	\$50-\$74,999	25,276	6.3	0.24	5.8	6.7	1,940,043	1,791,492	2,088,594
	>=\$75,000	24,584	5.9	0.26	5.4	6.4	1,917,378	1,747,107	2,087,648
OK	< \$15,000	373	9.4	1.55	6.4	12.5	21,704	14,545	28,863
	\$15-\$24,999	740	7.2	0.99	5.2	9.1	34,785	25,210	44,359
	\$25-\$49,999	1,134	7.2	0.85	5.6	8.9	56,595	43,187	70,003
	\$50-\$74,999	424	4.1	1.02	2.1	6.1	12,136	6,074	18,198
	>=\$75,000	256	4.4	1.43	1.6	7.2	7,582	2,662	12,502
OR	< \$15,000	464	12.3	1.65	9.1	15.6	35,968	26,150	45,786
	\$15-\$24,999	635	7.4	1.09	5.2	9.5	31,285	22,006	40,563
	\$25-\$49,999	1,253	9.2	0.89	7.5	11.0	76,199	61,304	91,095
	\$50-\$74,999	558	7.3	1.14	5.0	9.5	28,833	19,724	37,943
	>=\$75,000	502	7.2	1.18	4.9	9.5	23,894	16,037	31,751
PA	< \$15,000	348	10.3	1.94	6.5	14.1	81,901	50,010	113,792
	\$15-\$24,999	593	7.7	1.22	5.3	10.1	119,912	81,503	158,321
	\$25-\$49,999	1,089	5.7	0.72	4.3	7.2	165,629	124,124	207,135
	\$50-\$74,999	548	5.0	0.93	3.1	6.8	72,463	45,285	99,640
	>=\$75,000	544	6.1	1.10	3.9	8.3	82,857	52,712	113,002
RI	< \$15,000	331	11.9	1.99	8.0	15.8	7,233	4,756	9,710
	\$15-\$24,999	546	8.6	1.26	6.1	11.1	10,041	7,067	13,016
	\$25-\$49,999	953	7.4	0.91	5.7	9.2	15,397	11,630	19,164
	\$50-\$74,999	529	11.9	1.60	8.8	15.1	13,591	9,796	17,386
	>=\$75,000	584	7.0	1.14	4.7	9.2	8,647	5,784	11,511
SC	< \$15,000	337	10.7	1.65	7.4	13.9	28,294	19,551	37,036
	\$15-\$24,999	550	8.2	1.33	5.6	10.9	39,330	26,453	52,207
	\$25-\$49,999	1,098	6.3	0.79	4.8	7.9	60,952	45,799	76,105
	\$50-\$74,999	441	5.2	1.15	2.9	7.5	20,436	11,374	29,499
	>=\$75,000	411	4.7	1.14	2.5	6.9	17,131	8,802	25,460
SD	< \$15,000	465	8.4	1.32	5.8	11.0	3,581	2,457	4,705
	\$15-\$24,999	933	7.0	0.92	5.2	8.8	6,583	4,838	8,328
	\$25-\$49,999	1,726	4.5	0.57	3.4	5.7	8,501	6,366	10,636
	\$50-\$74,999	648	6.2	1.12	4.0	8.4	4,556	2,885	6,227
	>=\$75,000	418	5.2	1.38	2.4	7.9	2,380	1,084	3,676

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	< \$15,000	18,167	9.9	0.42	9.1	10.8	1,907,610	1,743,386	2,071,835
	\$15-\$24,999	29,721	8.1	0.27	7.5	8.6	2,600,886	2,427,317	2,774,456
	\$25-\$49,999	54,598	7.1	0.19	6.7	7.4	4,277,045	4,040,112	4,513,978
	\$50-\$74,999	25,276	6.3	0.24	5.8	6.7	1,940,043	1,791,492	2,088,594
	>=\$75,000	24,584	5.9	0.26	5.4	6.4	1,917,378	1,747,107	2,087,648
TN	< \$15,000	250	11.9	2.17	7.6	16.2	34,329	21,590	47,068
	\$15-\$24,999	518	10.3	1.58	7.2	13.4	70,169	47,726	92,613
	\$25-\$49,999	857	5.3	0.86	3.6	7.0	65,725	44,399	87,051
	\$50-\$74,999	319	4.7	1.23	2.2	7.1	21,488	10,078	32,897
	>=\$75,000	264	5.2	1.47	2.3	8.1	20,434	8,880	31,988
TX	< \$15,000	558	7.4	1.15	5.2	9.7	122,636	84,977	160,296
	\$15-\$24,999	909	5.4	0.82	3.8	7.0	148,433	103,471	193,394
	\$25-\$49,999	1,545	7.6	0.76	6.2	9.1	337,595	269,631	405,558
	\$50-\$74,999	685	6.1	0.90	4.3	7.9	118,765	83,399	154,131
	>=\$75,000	748	5.1	0.88	3.4	6.9	106,350	69,808	142,892
UT	< \$15,000	222	13.6	2.72	8.3	19.0	10,422	6,125	14,719
	\$15-\$24,999	433	8.5	1.68	5.2	11.8	16,520	9,875	23,166
	\$25-\$49,999	996	7.1	1.02	5.1	9.1	34,219	24,335	44,103
	\$50-\$74,999	496	5.4	1.49	2.5	8.3	14,125	6,209	22,040
	>=\$75,000	454	5.8	1.45	3.0	8.7	13,451	6,676	20,226
VT	< \$15,000	332	10.2	1.77	6.7	13.7	3,576	2,370	4,781
	\$15-\$24,999	621	7.3	1.17	5.0	9.6	5,443	3,671	7,215
	\$25-\$49,999	1,169	7.1	0.82	5.5	8.8	10,293	7,919	12,667
	\$50-\$74,999	546	5.8	1.11	3.7	8.0	4,164	2,561	5,766
	>=\$75,000	474	4.2	0.93	2.4	6.1	2,598	1,464	3,731
VA	< \$15,000	143	9.4	2.88	3.7	15.1	32,942	11,817	54,066
	\$15-\$24,999	251	9.3	1.95	5.5	13.2	62,880	36,216	89,544
	\$25-\$49,999	563	6.4	1.37	3.7	9.1	96,429	54,623	138,234
	\$50-\$74,999	321	6.5	1.50	3.5	9.4	56,383	29,935	82,832
	>=\$75,000	461	6.6	1.26	4.2	9.1	75,140	46,400	103,880
WA	< \$15,000	309	17.3	2.53	12.4	22.3	54,921	37,596	72,246
	\$15-\$24,999	488	9.1	1.35	6.4	11.7	49,400	34,462	64,338
	\$25-\$49,999	1,152	7.0	0.81	5.4	8.6	96,057	73,891	118,223
	\$50-\$74,999	595	8.8	1.26	6.4	11.3	66,959	47,382	86,536
	>=\$75,000	624	5.5	0.90	3.8	7.3	44,169	29,760	58,578

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	< \$15,000	18,167	9.9	0.42	9.1	10.8	1,907,610	1,743,386	2,071,835
	\$15-\$24,999	29,721	8.1	0.27	7.5	8.6	2,600,886	2,427,317	2,774,456
	\$25-\$49,999	54,598	7.1	0.19	6.7	7.4	4,277,045	4,040,112	4,513,978
	\$50-\$74,999	25,276	6.3	0.24	5.8	6.7	1,940,043	1,791,492	2,088,594
	>=\$75,000	24,584	5.9	0.26	5.4	6.4	1,917,378	1,747,107	2,087,648
WV	< \$15,000	442	13.3	1.80	9.8	16.8	29,908	21,498	38,319
	\$15-\$24,999	510	8.3	1.27	5.8	10.8	24,189	16,689	31,688
	\$25-\$49,999	719	6.4	0.97	4.5	8.3	28,667	19,989	37,344
	\$50-\$74,999	255	6.2	1.70	2.9	9.6	9,610	4,267	14,952
	>=\$75,000	157	8.2	2.46	3.4	13.1	7,571	2,888	12,254
WI	< \$15,000	163	8.9	2.26	4.5	13.4	18,561	9,006	28,116
	\$15-\$24,999	457	9.9	1.75	6.5	13.3	67,680	42,716	92,643
	\$25-\$49,999	1,054	7.2	0.85	5.5	8.9	107,987	82,402	133,572
	\$50-\$74,999	435	6.8	1.31	4.3	9.4	42,030	25,739	58,321
	>=\$75,000	321	7.1	1.90	3.4	10.9	33,504	15,016	51,992
WY	< \$15,000	274	12.6	2.12	8.4	16.8	4,205	2,753	5,656
	\$15-\$24,999	448	9.0	1.48	6.1	11.9	5,567	3,703	7,430
	\$25-\$49,999	887	7.8	1.00	5.8	9.8	10,219	7,562	12,876
	\$50-\$74,999	353	9.7	1.71	6.3	13.1	5,110	3,246	6,974
	>=\$75,000	244	6.9	1.71	3.6	10.3	2,481	1,243	3,720
PR	< \$15,000	2,242	8.9	0.73	7.5	10.4	105,960	88,731	123,189
	\$15-\$24,999	840	7.7	1.16	5.4	10.0	47,978	33,376	62,580
	\$25-\$49,999	446	7.5	1.48	4.6	10.4	28,118	16,878	39,358
	\$50-\$74,999	62	4.0				2,509		
	>=\$75,000	43	2.0				1,011		

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.