

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
AL	18-24	200	11.6	2.37	7.0	16.3	51,047	29,791	72,304
	25-34	374	6.9	1.46	4.0	9.7	41,071	23,566	58,576
	35-44	468	9.8	1.57	6.7	12.9	63,277	42,549	84,006
	45-54	434	8.6	1.50	5.6	11.5	49,311	31,784	66,838
	55-64	316	9.8	1.77	6.3	13.3	39,648	24,953	54,344
	65+	432	8.8	1.52	5.8	11.8	51,043	32,901	69,184
AK	18-24	200	17.6	4.51	8.7	26.5	9,920	4,246	15,593
	25-34	413	11.9	3.09	5.8	18.0	11,418	5,034	17,802
	35-44	570	6.5	1.17	4.2	8.8	7,300	4,696	9,904
	45-54	481	11.6	2.13	7.4	15.8	9,640	6,005	13,276
	55-64	213	16.2	4.39	7.6	24.8	7,971	3,203	12,739
	65+	190	7.6	2.13	3.4	11.8	2,748	1,189	4,306
AZ	18-24	257	10.2	2.55	5.2	15.2	45,833	24,086	67,579
	25-34	476	6.7	1.56	3.6	9.8	45,514	24,172	66,856
	35-44	474	14.3	2.70	9.0	19.6	104,425	63,020	145,831
	45-54	476	12.0	4.67	2.8	21.2	72,375	10,652	134,098
	55-64	352	14.5	4.10	6.4	22.6	60,613	23,215	98,012
	65+	623	10.4	1.90	6.6	14.1	66,207	41,361	91,053
AR	18-24	269	11.9	2.21	7.5	16.2	28,683	17,619	39,747
	25-34	474	8.9	1.49	6.0	11.9	29,932	19,698	40,166
	35-44	585	9.8	1.39	7.1	12.6	35,514	25,251	45,777
	45-54	549	10.9	1.48	8.0	13.8	36,009	25,971	46,047
	55-64	463	10.4	1.59	7.3	13.5	25,266	17,275	33,258
	65+	651	8.7	1.19	6.3	11.0	33,617	24,253	42,982
CA	18-24	388	16.0	2.06	12.0	20.1	493,484	358,996	627,971
	25-34	812	11.3	1.20	8.9	13.7	562,622	440,640	684,605
	35-44	916	10.0	1.16	7.8	12.3	563,818	430,328	697,308
	45-54	739	9.8	1.25	7.3	12.2	440,632	325,610	555,654
	55-64	464	14.9	2.04	10.9	18.9	404,887	288,014	521,761
	65+	586	9.9	1.27	7.4	12.4	366,709	272,711	460,706

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
CO	18-24	248	10.1	2.31	5.5	14.6	36,753	19,673	53,832
	25-34	545	9.1	1.56	6.0	12.1	53,474	34,950	71,998
	35-44	720	10.8	1.52	7.8	13.8	76,857	54,682	99,031
	45-54	627	11.6	1.73	8.2	15.0	65,175	45,163	85,187
	55-64	413	5.7	1.46	2.8	8.6	20,177	9,836	30,517
	65+	485	7.4	1.66	4.2	10.7	33,366	18,393	48,340
CT	18-24	296	18.6	2.81	13.1	24.2	52,591	34,981	70,201
	25-34	752	12.1	1.27	9.7	14.6	53,481	42,023	64,939
	35-44	925	10.6	1.11	8.4	12.8	56,872	44,614	69,130
	45-54	728	8.7	1.10	6.6	10.9	38,604	28,762	48,446
	55-64	490	8.5	1.34	5.8	11.1	26,483	17,963	35,003
	65+	659	9.0	1.25	6.5	11.5	41,021	29,310	52,731
DE	18-24	273	18.8	3.31	12.3	25.4	14,260	8,762	19,757
	25-34	460	10.6	2.32	6.1	15.2	11,130	5,980	16,280
	35-44	624	8.9	1.40	6.2	11.7	10,499	7,145	13,853
	45-54	486	9.8	1.59	6.6	12.9	9,857	6,610	13,103
	55-64	397	8.9	1.71	5.5	12.3	6,245	3,805	8,686
	65+	499	7.5	1.55	4.4	10.5	7,448	4,312	10,585
DC	18-24	188	13.0	2.93	7.2	18.7	6,745	3,556	9,933
	25-34	430	10.9	1.67	7.6	14.2	8,830	6,069	11,591
	35-44	347	9.3	1.73	5.9	12.7	8,231	5,093	11,370
	45-54	306	13.8	2.20	9.5	18.2	9,941	6,641	13,240
	55-64	182	11.8	2.71	6.4	17.1	5,733	2,975	8,491
	65+	258	8.1	1.89	4.4	11.8	5,304	2,778	7,830
FL	18-24	424	13.4	1.97	9.5	17.3	159,841	110,499	209,184
	25-34	867	9.8	1.09	7.6	11.9	195,796	151,361	240,230
	35-44	1,085	7.4	0.86	5.8	9.1	172,834	132,894	212,773
	45-54	884	11.5	1.35	8.8	14.1	215,643	162,742	268,544
	55-64	689	7.5	1.05	5.4	9.5	122,252	87,412	157,092
	65+	1,227	7.6	0.82	6.0	9.2	208,808	162,831	254,786

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
GA	18-24	368	15.0	2.42	10.2	19.8	116,827	76,445	157,208
	25-34	833	10.0	1.43	7.1	12.8	116,263	81,614	150,912
	35-44	941	8.8	1.07	6.7	10.9	111,651	84,242	139,060
	45-54	762	8.0	1.10	5.9	10.2	84,824	61,559	108,088
	55-64	525	8.9	1.52	5.9	11.9	60,226	38,944	81,508
	65+	652	8.1	1.25	5.7	10.6	68,175	46,916	89,433
HI	18-24	452	16.2	2.12	12.0	20.3	17,541	12,621	22,461
	25-34	977	12.8	1.41	10.1	15.6	22,074	16,977	27,170
	35-44	1,362	11.8	1.20	9.4	14.1	22,150	17,463	26,837
	45-54	1,306	9.1	1.03	7.0	11.1	14,184	10,943	17,425
	55-64	747	8.8	1.45	5.9	11.6	10,284	6,834	13,735
	65+	1,135	10.2	1.40	7.4	12.9	15,376	10,929	19,823
ID	18-24	576	14.4	1.83	10.9	18.0	16,518	12,053	20,983
	25-34	932	10.2	1.06	8.2	12.3	16,301	12,876	19,726
	35-44	1,111	9.4	1.05	7.3	11.4	17,050	13,151	20,949
	45-54	941	10.7	1.12	8.5	12.9	17,817	14,016	21,619
	55-64	616	11.3	1.49	8.4	14.2	12,363	9,004	15,721
	65+	774	10.3	1.28	7.8	12.8	15,986	11,915	20,057
IL	18-24	162	15.0	3.31	8.5	21.5	171,256	89,920	252,592
	25-34	363	13.2	2.22	8.8	17.6	221,704	142,505	300,903
	35-44	451	10.1	1.70	6.8	13.5	194,627	126,883	262,371
	45-54	361	7.4	1.42	4.6	10.2	121,014	74,557	167,471
	55-64	221	7.0	1.63	3.8	10.2	76,264	40,704	111,825
	65+	294	10.9	2.23	6.5	15.3	170,205	96,881	243,529
IN	18-24	241	20.4	2.92	14.6	26.1	121,479	82,972	159,985
	25-34	563	10.2	1.52	7.2	13.2	80,034	55,352	104,716
	35-44	645	9.6	1.55	6.5	12.6	86,575	57,195	115,955
	45-54	513	10.2	1.46	7.4	13.1	80,422	56,908	103,935
	55-64	370	9.5	1.68	6.2	12.8	54,896	34,985	74,807
	65+	562	9.2	1.37	6.5	11.9	68,493	47,502	89,484

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
IA	18-24	293	10.3	2.17	6.0	14.6	28,984	16,232	41,735
	25-34	544	9.6	1.33	7.0	12.2	34,743	25,023	44,462
	35-44	778	7.9	1.28	5.4	10.4	32,655	21,778	43,533
	45-54	653	9.2	1.24	6.8	11.6	34,011	24,690	43,332
	55-64	467	6.9	1.21	4.6	9.3	18,175	11,826	24,524
	65+	854	7.4	1.00	5.5	9.4	32,838	23,842	41,833
KS	18-24	420	17.2	2.13	13.0	21.4	44,040	32,387	55,692
	25-34	751	11.4	1.42	8.6	14.2	40,378	29,884	50,872
	35-44	913	9.8	1.07	7.7	11.9	40,042	31,151	48,933
	45-54	765	10.2	1.21	7.8	12.6	34,483	26,147	42,820
	55-64	503	10.2	1.53	7.2	13.2	23,306	16,075	30,536
	65+	857	8.4	1.03	6.4	10.5	31,296	23,543	39,049
KY	18-24	515	14.7	2.29	10.2	19.2	57,526	38,284	76,768
	25-34	980	9.8	1.32	7.3	12.4	52,034	37,672	66,396
	35-44	1,277	8.8	1.11	6.6	10.9	53,451	39,614	67,289
	45-54	1,231	10.2	1.15	8.0	12.5	55,393	42,643	68,143
	55-64	1,005	12.6	1.63	9.4	15.8	46,193	33,475	58,911
	65+	1,380	10.0	1.00	8.0	12.0	52,585	41,839	63,331
LA	18-24	573	10.0	1.34	7.4	12.7	43,864	31,959	55,770
	25-34	921	8.8	1.09	6.7	11.0	53,247	39,681	66,813
	35-44	1,042	8.7	0.94	6.9	10.6	56,185	43,806	68,565
	45-54	932	6.6	0.95	4.7	8.4	35,889	25,457	46,320
	55-64	634	7.0	1.17	4.7	9.3	25,571	16,822	34,320
	65+	859	6.9	0.99	4.9	8.8	35,288	25,015	45,562
ME	18-24	305	19.4	3.70	12.1	26.7	22,769	13,191	32,346
	25-34	691	15.5	2.23	11.1	19.9	25,096	17,491	32,701
	35-44	977	10.7	1.42	7.9	13.4	21,202	15,488	26,917
	45-54	975	10.7	1.61	7.6	13.9	18,809	13,036	24,583
	55-64	652	7.4	1.32	4.8	10.0	8,451	5,460	11,443
	65+	978	12.4	2.01	8.4	16.3	21,362	14,043	28,682

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
MD	18-24	386	18.3	2.68	13.0	23.6	81,746	55,818	107,673
	25-34	875	12.9	1.57	9.9	16.0	97,437	72,437	122,438
	35-44	1,055	9.2	1.04	7.2	11.3	80,700	62,472	98,929
	45-54	953	9.8	1.25	7.3	12.2	71,081	52,366	89,796
	55-64	557	8.8	1.36	6.2	11.5	43,221	29,763	56,678
	65+	708	6.3	1.06	4.3	8.4	37,205	24,718	49,692
MA	18-24	702	17.7	1.78	14.3	21.2	107,605	84,464	130,747
	25-34	1,710	12.2	1.01	10.2	14.1	105,468	87,156	123,779
	35-44	1,899	11.6	0.89	9.9	13.3	115,582	97,219	133,946
	45-54	1,455	12.5	1.07	10.4	14.6	103,829	85,235	122,423
	55-64	926	11.7	1.17	9.4	14.0	64,663	51,393	77,933
	65+	1,362	7.6	0.81	6.0	9.2	65,560	51,466	79,655
MI	18-24	237	12.2	2.77	6.7	17.6	117,128	60,809	173,447
	25-34	468	9.5	1.66	6.2	12.8	126,680	80,863	172,498
	35-44	556	10.2	1.45	7.4	13.1	156,100	110,128	202,072
	45-54	521	10.0	1.40	7.3	12.8	135,238	96,628	173,848
	55-64	344	14.4	2.07	10.3	18.4	126,547	88,145	164,949
	65+	469	7.2	1.27	4.7	9.7	89,337	57,373	121,301
MN	18-24	253	17.4	2.95	11.6	23.2	74,602	46,504	102,699
	25-34	547	6.8	1.16	4.5	9.1	45,732	29,878	61,585
	35-44	671	8.7	1.24	6.2	11.1	64,955	46,031	83,880
	45-54	492	7.6	1.24	5.1	10.0	48,844	32,610	65,079
	55-64	365	11.1	1.79	7.5	14.6	46,358	30,843	61,874
	65+	520	9.0	1.38	6.3	11.7	54,194	37,070	71,319
MS	18-24	198	10.8	2.42	6.1	15.6	30,606	16,444	44,768
	25-34	390	10.4	1.87	6.7	14.1	39,340	24,566	54,115
	35-44	481	10.4	1.58	7.3	13.5	41,064	28,188	53,941
	45-54	395	9.2	2.27	4.8	13.7	31,057	14,931	47,183
	55-64	310	10.5	1.84	6.9	14.2	24,677	15,831	33,522
	65+	384	7.9	1.57	4.8	11.0	27,538	16,367	38,709

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
MO	18-24	394	15.0	2.44	10.2	19.8	76,764	50,305	103,224
	25-34	720	10.8	1.45	7.9	13.6	78,140	56,460	99,820
	35-44	949	11.7	1.42	9.0	14.5	97,436	73,157	121,715
	45-54	799	9.7	1.73	6.3	13.1	70,126	44,205	96,047
	55-64	539	11.5	1.78	8.0	15.0	58,523	39,998	77,048
	65+	966	6.8	0.95	4.9	8.7	53,013	38,167	67,860
MT	18-24	228	15.2	3.11	9.0	21.3	11,635	6,600	16,671
	25-34	417	12.4	2.00	8.5	16.3	13,497	8,986	18,007
	35-44	676	12.1	1.71	8.7	15.5	16,118	11,408	20,827
	45-54	646	11.6	1.73	8.2	15.0	14,316	9,881	18,752
	55-64	417	11.5	2.25	7.1	16.0	9,341	5,540	13,142
	65+	626	7.3	1.30	4.7	9.9	8,825	5,663	11,987
NE	18-24	311	11.9	2.39	7.2	16.6	18,725	10,791	26,659
	25-34	508	10.9	1.55	7.9	14.0	23,545	16,611	30,479
	35-44	619	6.6	1.03	4.6	8.6	16,295	11,162	21,429
	45-54	558	7.5	1.17	5.2	9.8	15,108	10,323	19,893
	55-64	330	9.2	2.07	5.1	13.3	13,319	7,066	19,573
	65+	724	8.0	1.21	5.7	10.4	19,034	13,183	24,885
NV	18-24	216	16.7	3.28	10.2	23.1	26,053	14,796	37,309
	25-34	416	12.8	1.98	8.9	16.7	34,034	23,276	44,791
	35-44	465	11.6	2.47	6.8	16.5	36,718	20,038	53,397
	45-54	424	11.5	2.26	7.1	15.9	31,748	19,001	44,496
	55-64	247	17.8	3.62	10.7	24.9	32,046	18,062	46,029
	65+	326	13.1	2.94	7.3	18.9	30,140	15,857	44,424
NH	18-24	105	12.5	3.17	6.2	18.8	14,514	6,961	22,068
	25-34	336	14.5	2.26	10.0	18.9	24,602	16,423	32,781
	35-44	531	10.2	1.48	7.3	13.1	20,514	14,351	26,678
	45-54	401	15.7	2.09	11.6	19.8	26,057	18,687	33,427
	55-64	250	9.8	1.95	5.9	13.6	10,537	6,219	14,855
	65+	319	9.0	1.66	5.7	12.3	13,020	8,100	17,940

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
NJ	18-24	282	15.9	2.45	11.1	20.7	109,016	73,092	144,940
	25-34	680	10.9	1.44	8.1	13.7	122,821	88,889	156,753
	35-44	945	7.5	0.93	5.7	9.4	99,072	74,601	123,544
	45-54	685	7.9	1.15	5.6	10.2	89,262	62,966	115,557
	55-64	465	6.7	1.18	4.4	9.1	53,388	34,645	72,131
	65+	677	5.7	0.91	3.9	7.5	65,222	44,432	86,012
NM	18-24	283	13.7	2.51	8.8	18.6	21,711	13,235	30,188
	25-34	502	10.7	1.40	7.9	13.4	25,905	18,968	32,843
	35-44	747	9.1	1.12	6.9	11.3	24,906	18,705	31,107
	45-54	655	8.9	1.16	6.7	11.2	19,778	14,580	24,976
	55-64	451	9.4	1.44	6.6	12.2	13,652	9,384	17,920
	65+	602	9.1	1.27	6.6	11.6	18,257	13,051	23,464
NY	18-24	296	14.9	2.16	10.7	19.2	245,390	171,136	319,643
	25-34	681	11.0	1.30	8.4	13.5	278,743	211,929	345,556
	35-44	823	9.5	1.15	7.3	11.8	275,246	207,456	343,036
	45-54	582	12.4	1.61	9.3	15.6	303,033	222,489	383,578
	55-64	392	9.4	1.59	6.3	12.5	160,996	105,399	216,593
	65+	534	7.9	1.57	4.8	11.0	195,338	115,160	275,515
NC	18-24	247	11.7	2.48	6.8	16.6	91,998	51,452	132,545
	25-34	540	9.4	1.26	7.0	11.9	102,188	74,783	129,594
	35-44	624	8.5	1.29	6.0	11.1	103,928	71,859	135,997
	45-54	554	12.1	1.61	8.9	15.3	127,304	91,866	162,742
	55-64	406	8.7	1.49	5.8	11.7	62,554	40,669	84,439
	65+	622	10.6	1.33	8.0	13.2	106,071	78,686	133,455
ND	18-24	225	15.2	2.88	9.5	20.9	10,044	5,985	14,103
	25-34	299	10.1	1.91	6.3	13.9	8,277	5,036	11,518
	35-44	408	7.3	1.36	4.6	10.0	6,727	4,201	9,254
	45-54	340	5.4	1.31	2.8	8.0	4,066	2,073	6,059
	55-64	243	9.8	1.92	6.1	13.6	5,108	3,070	7,146
	65+	376	8.8	1.58	5.7	11.9	7,807	4,932	10,683

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
OH	18-24	277	9.4	2.25	5.0	13.9	101,171	51,852	150,490
	25-34	624	11.2	1.79	7.7	14.7	165,646	110,936	220,356
	35-44	697	13.8	1.84	10.2	17.5	237,481	171,426	303,537
	45-54	645	11.6	1.78	8.1	15.1	172,262	117,911	226,613
	55-64	390	6.9	1.65	3.7	10.2	72,026	37,796	106,257
	65+	593	10.7	1.79	7.2	14.2	163,882	107,135	220,628
OK	18-24	347	14.1	2.07	10.1	18.2	45,663	31,738	59,588
	25-34	617	10.1	1.33	7.5	12.7	44,935	32,867	57,004
	35-44	742	9.6	1.15	7.4	11.9	47,917	36,229	59,605
	45-54	585	8.4	1.19	6.1	10.7	36,997	26,418	47,577
	55-64	543	8.1	1.29	5.6	10.7	25,380	17,181	33,580
	65+	836	6.0	0.86	4.3	7.7	28,134	20,015	36,253
OR	18-24	335	13.4	1.98	9.5	17.3	39,029	27,069	50,990
	25-34	720	10.3	1.19	8.0	12.7	44,591	34,119	55,064
	35-44	757	12.7	1.33	10.1	15.3	67,413	52,854	81,972
	45-54	735	12.8	1.33	10.2	15.5	60,523	47,557	73,490
	55-64	512	14.0	1.64	10.8	17.2	43,119	32,539	53,699
	65+	663	9.9	1.24	7.5	12.3	44,827	33,332	56,323
PA	18-24	277	16.3	2.40	11.5	21.0	181,239	124,893	237,585
	25-34	569	10.3	1.39	7.6	13.0	158,241	114,467	202,015
	35-44	799	8.0	1.00	6.0	10.0	145,412	108,594	182,230
	45-54	716	7.6	1.08	5.5	9.7	120,538	85,734	155,342
	55-64	477	8.4	1.29	5.8	10.9	97,682	67,322	128,041
	65+	672	7.7	1.18	5.4	10.1	145,900	100,606	191,194
RI	18-24	297	15.2	2.39	10.5	19.9	15,192	10,092	20,291
	25-34	588	13.6	1.62	10.4	16.8	17,870	13,425	22,315
	35-44	850	12.7	1.27	10.3	15.2	20,365	16,186	24,545
	45-54	669	10.8	1.27	8.3	13.3	13,904	10,612	17,195
	55-64	429	12.6	1.78	9.1	16.1	11,119	7,843	14,395
	65+	673	7.3	1.07	5.2	9.4	10,924	7,717	14,131

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
SC	18-24	323	16.1	2.40	11.4	20.8	64,859	44,035	85,682
	25-34	651	9.0	1.19	6.6	11.3	49,081	35,988	62,173
	35-44	728	9.5	1.27	7.1	12.0	56,539	41,177	71,902
	45-54	629	8.5	1.18	6.2	10.8	44,549	32,053	57,046
	55-64	452	11.3	1.62	8.1	14.5	38,795	27,379	50,211
	65+	507	9.6	1.40	6.9	12.4	45,601	31,979	59,223
SD	18-24	456	9.9	1.67	6.6	13.1	6,855	4,456	9,255
	25-34	768	8.4	1.15	6.1	10.6	7,837	5,628	10,045
	35-44	1,119	7.0	0.84	5.4	8.7	7,412	5,632	9,191
	45-54	900	7.2	1.13	5.0	9.4	6,475	4,373	8,578
	55-64	659	8.4	1.15	6.1	10.6	5,108	3,678	6,538
	65+	1,071	8.3	0.91	6.5	10.1	8,803	6,853	10,753
TN	18-24	266	12.4	2.37	7.7	17.1	65,929	39,639	92,220
	25-34	560	8.2	1.29	5.7	10.8	61,704	42,071	81,337
	35-44	656	10.2	1.29	7.6	12.7	86,814	64,440	109,188
	45-54	592	11.4	1.42	8.6	14.1	87,031	64,682	109,380
	55-64	409	11.1	1.84	7.5	14.7	57,547	37,777	77,318
	65+	533	10.3	1.55	7.3	13.3	75,460	51,954	98,966
TX	18-24	560	15.7	1.76	12.3	19.2	311,092	237,045	385,139
	25-34	1,066	9.8	0.96	7.9	11.7	295,242	236,848	353,635
	35-44	1,127	9.4	0.95	7.5	11.3	296,433	235,497	357,369
	45-54	943	9.2	1.03	7.2	11.2	231,414	178,775	284,052
	55-64	561	10.9	1.39	8.2	13.7	181,755	134,233	229,276
	65+	727	9.2	1.15	6.9	11.5	202,324	150,457	254,191
UT	18-24	403	13.3	2.47	8.4	18.1	29,851	18,011	41,690
	25-34	597	10.0	1.46	7.1	12.8	27,325	19,158	35,492
	35-44	614	10.8	1.64	7.6	14.1	32,652	22,473	42,830
	45-54	524	10.2	1.66	6.9	13.5	25,289	16,932	33,646
	55-64	302	8.4	2.11	4.2	12.5	12,703	6,106	19,300
	65+	440	8.6	1.56	5.5	11.7	16,588	10,492	22,683

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
VT	18-24	279	12.1	1.99	8.2	16.0	7,511	5,017	10,005
	25-34	614	11.0	1.36	8.3	13.7	8,414	6,277	10,552
	35-44	819	10.1	1.09	8.0	12.3	9,761	7,625	11,897
	45-54	739	9.3	1.24	6.9	11.8	7,732	5,618	9,846
	55-64	479	6.8	1.18	4.5	9.1	3,620	2,348	4,892
	65+	670	8.5	1.22	6.1	10.9	6,174	4,358	7,990
VA	18-24	152	16.6	4.10	8.5	24.7	111,292	49,868	172,715
	25-34	395	11.0	1.67	7.7	14.3	110,459	76,181	144,738
	35-44	515	9.6	1.43	6.8	12.4	108,637	75,899	141,375
	45-54	389	11.3	1.79	7.8	14.8	108,933	73,156	144,709
	55-64	234	9.7	2.04	5.7	13.7	59,335	33,678	84,991
	65+	288	6.2	1.38	3.5	8.9	49,610	27,607	71,613
WA	18-24	331	16.0	2.17	11.7	20.2	82,152	58,774	105,531
	25-34	693	10.3	1.21	7.9	12.6	81,074	61,643	100,504
	35-44	816	13.5	1.35	10.9	16.2	128,893	101,932	155,854
	45-54	695	10.6	1.31	8.0	13.1	86,513	64,416	108,611
	55-64	457	13.6	1.78	10.2	17.1	70,542	51,165	89,919
	65+	582	8.8	1.22	6.4	11.2	62,095	44,561	79,628
WV	18-24	178	18.2	3.07	12.1	24.2	31,422	20,078	42,766
	25-34	407	15.2	2.04	11.1	19.2	34,615	24,640	44,589
	35-44	470	9.3	1.37	6.6	12.0	23,944	16,750	31,138
	45-54	482	11.3	1.55	8.2	14.3	28,658	20,507	36,809
	55-64	330	9.6	1.69	6.2	12.9	17,396	11,152	23,639
	65+	470	9.4	1.39	6.7	12.1	26,154	18,274	34,033
WI	18-24	194	14.3	2.64	9.1	19.5	70,298	43,164	97,431
	25-34	490	11.3	1.51	8.3	14.3	78,770	57,384	100,157
	35-44	636	9.7	1.41	7.0	12.5	78,869	55,188	102,550
	45-54	563	9.1	1.30	6.6	11.7	64,118	45,507	82,730
	55-64	350	11.4	2.20	7.1	15.7	52,634	30,988	74,281
	65+	471	9.1	1.41	6.3	11.9	65,276	44,649	85,902

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Age and State: BRFSS 2000

Note 1: CI designates confidence interval.

Note 2: US total includes 50 states plus the District of Columbia and excludes Puerto Rico.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
US Total	18-24	15,922	14.6	0.47	13.7	15.6	3,748,153	3,492,883	4,003,424
	25-34	32,001	10.5	0.28	10.0	11.1	3,996,656	3,775,585	4,217,727
	35-44	39,543	9.9	0.26	9.3	10.4	4,245,977	4,016,694	4,475,261
	45-54	33,944	10.0	0.29	9.4	10.6	3,636,571	3,420,723	3,852,419
	55-64	22,830	10.3	0.35	9.6	10.9	2,533,173	2,353,120	2,713,226
	65+	32,752	8.7	0.27	8.1	9.2	3,075,864	2,878,194	3,273,535
WY	18-24	236	17.1	2.89	11.4	22.8	7,103	4,491	9,715
	25-34	395	15.0	1.91	11.3	18.8	9,302	6,825	11,780
	35-44	538	9.2	1.28	6.7	11.7	6,855	4,915	8,795
	45-54	529	10.4	1.34	7.8	13.0	6,756	4,992	8,520
	55-64	285	10.9	2.04	6.9	14.9	4,478	2,738	6,217
	65+	386	10.4	1.73	7.0	13.8	5,675	3,732	7,617
PR	18-24	366	18.5	2.48	13.6	23.4	88,072	62,852	113,293
	25-34	656	16.6	1.78	13.1	20.1	101,432	78,775	124,089
	35-44	762	16.3	1.63	13.1	19.5	83,000	65,606	100,395
	45-54	788	13.9	1.37	11.2	16.6	60,618	48,585	72,652
	55-64	663	14.2	1.63	11.0	17.4	45,386	34,682	56,091
	65+	966	14.3	1.36	11.7	17.0	57,218	46,114	68,323

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.