

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	17,675	9.1	0.39	(8.3 - 9.8)		2,553,439	(2,329,525 - 2,777,354)
U.S. Total**	25-34	39,023	7.3	0.22	(6.9 - 7.7)		2,826,460	(2,656,452 - 2,996,467)
U.S. Total**	35-44	50,334	7.2	0.21	(6.7 - 7.6)		3,158,556	(2,973,855 - 3,343,256)
U.S. Total**	45-54	52,510	7.9	0.22	(7.5 - 8.3)		3,136,884	(2,959,138 - 3,314,630)
U.S. Total**	55-64	40,563	8.0	0.25	(7.5 - 8.5)		2,263,890	(2,117,230 - 2,410,550)
U.S. Total**	65+	54,562	7.2	0.20	(6.8 - 7.6)		2,620,745	(2,474,087 - 2,767,403)
AL	18-24	231	11.1	2.47	(6.2 - 15.9)		50,790	(27,296 - 74,284)
AL	25-34	508	5.6	1.03	(3.6 - 7.6)		32,675	(20,594 - 44,756)
AL	35-44	584	5.8	1.04	(3.7 - 7.8)		37,679	(24,041 - 51,317)
AL	45-54	646	9.1	1.24	(6.6 - 11.5)		55,364	(39,978 - 70,749)
AL	55-64	598	7.1	1.03	(5.1 - 9.1)		32,236	(22,853 - 41,618)
AL	65+	741	7.3	1.11	(5.2 - 9.5)		44,473	(30,797 - 58,149)
AK	18-24	225	8.7	2.28	(4.2 - 13.2)		5,521	(2,585 - 8,456)
AK	25-34	489	9.8	2.08	(5.7 - 13.8)		8,253	(4,627 - 11,879)
AK	35-44	615	6.8	1.67	(3.5 - 10.1)		7,206	(3,585 - 10,827)
AK	45-54	653	10.0	1.82	(6.4 - 13.5)		10,518	(6,564 - 14,472)
AK	55-64	371	8.3	1.82	(4.8 - 11.9)		4,487	(2,493 - 6,482)
AK	65+	277	12.0	2.67	(6.7 - 17.2)		5,072	(2,716 - 7,427)
AZ	18-24	194	11.3	3.38	(4.7 - 18.0)		58,419	(22,311 - 94,527)
AZ	25-34	451	6.8	1.47	(3.9 - 9.7)		53,471	(30,297 - 76,646)
AZ	35-44	556	8.5	1.61	(5.3 - 11.7)		68,103	(41,928 - 94,278)
AZ	45-54	613	7.6	1.49	(4.6 - 10.5)		51,143	(30,776 - 71,510)
AZ	55-64	550	7.2	1.33	(4.6 - 9.8)		37,514	(23,570 - 51,458)
AZ	65+	828	9.4	1.44	(6.6 - 12.3)		70,904	(48,706 - 93,102)
AR	18-24	278	3.4	1.05	(1.4 - 5.5)		9,315	(3,625 - 15,006)
AR	25-34	594	8.3	1.23	(5.9 - 10.7)		28,753	(20,059 - 37,447)
AR	35-44	736	7.4	1.06	(5.3 - 9.4)		28,241	(20,058 - 36,423)
AR	45-54	863	9.6	1.13	(7.4 - 11.8)		33,863	(25,715 - 42,011)
AR	55-64	731	9.7	1.30	(7.1 - 12.2)		26,957	(19,414 - 34,499)
AR	65+	959	5.4	0.82	(3.8 - 7.0)		21,155	(14,679 - 27,632)
CA	18-24	375	9.7	1.96	(5.8 - 13.5)		332,247	(191,697 - 472,796)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	25-34	792	7.3	1.01	(5.3 - 9.3)		376,496	(271,140 - 481,853)
CA	35-44	929	7.4	0.93	(5.6 - 9.2)		411,382	(307,764 - 515,000)
CA	45-54	837	8.9	1.15	(6.7 - 11.2)		426,125	(314,920 - 537,329)
CA	55-64	642	9.3	1.42	(6.5 - 12.1)		287,054	(196,668 - 377,440)
CA	65+	879	8.6	1.06	(6.5 - 10.7)		332,542	(250,250 - 414,834)
CO	18-24	292	10.9	2.27	(6.4 - 15.4)		48,425	(27,268 - 69,583)
CO	25-34	668	7.6	1.09	(5.5 - 9.8)		50,146	(35,710 - 64,582)
CO	35-44	855	7.0	0.89	(5.3 - 8.7)		51,337	(38,278 - 64,396)
CO	45-54	920	8.1	1.00	(6.2 - 10.1)		55,268	(41,487 - 69,048)
CO	55-64	615	9.8	1.27	(7.3 - 12.3)		41,021	(30,162 - 51,881)
CO	65+	681	7.2	1.04	(5.2 - 9.3)		32,748	(23,294 - 42,203)
CT	18-24	291	14.0	2.16	(9.8 - 18.3)		36,515	(24,820 - 48,211)
CT	25-34	786	9.0	1.09	(6.8 - 11.1)		39,317	(29,596 - 49,039)
CT	35-44	1,168	7.6	0.81	(6.0 - 9.2)		42,462	(33,391 - 51,532)
CT	45-54	1,104	7.9	0.89	(6.1 - 9.6)		37,927	(29,300 - 46,554)
CT	55-64	779	9.2	1.18	(6.9 - 11.5)		32,740	(24,171 - 41,309)
CT	65+	1,063	5.1	0.78	(3.6 - 6.7)		24,942	(17,358 - 32,525)
DE	18-24	298	5.5	1.40	(2.7 - 8.2)		4,424	(2,192 - 6,657)
DE	25-34	600	11.5	1.77	(8.0 - 14.9)		11,845	(8,046 - 15,644)
DE	35-44	841	7.0	1.04	(4.9 - 9.0)		8,804	(6,175 - 11,432)
DE	45-54	774	7.3	1.19	(5.0 - 9.7)		8,028	(5,392 - 10,664)
DE	55-64	695	7.2	1.18	(4.9 - 9.5)		5,876	(3,937 - 7,815)
DE	65+	796	6.1	1.10	(3.9 - 8.2)		6,615	(4,201 - 9,030)
DC	18-24	149	9.8	2.38	(5.1 - 14.5)		6,459	(3,364 - 9,553)
DC	25-34	450	7.7	1.39	(5.0 - 10.5)		7,690	(4,914 - 10,467)
DC	35-44	401	7.5	1.66	(4.3 - 10.8)		6,565	(3,621 - 9,510)
DC	45-54	370	7.6	1.72	(4.2 - 11.0)		5,095	(2,746 - 7,444)
DC	55-64	288	8.1	2.07	(4.0 - 12.2)		4,419	(2,091 - 6,748)
DC	65+	333	6.8	1.80	(3.3 - 10.3)		4,864	(2,244 - 7,483)
FL	18-24	291	6.6	1.92	(2.8 - 10.3)		95,724	(39,567 - 151,881)
FL	25-34	600	4.1	0.87	(2.4 - 5.9)		84,293	(49,569 - 119,017)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	35-44	813	6.3	1.29	(3.7 - 8.8)		156,997	(91,714 - 222,281)
FL	45-54	924	7.4	1.33	(4.8 - 10.0)		165,019	(104,812 - 225,227)
FL	55-64	912	6.3	1.29	(3.8 - 8.9)		109,373	(64,458 - 154,289)
FL	65+	1,429	6.0	0.92	(4.2 - 7.8)		183,820	(127,340 - 240,301)
GA	18-24	580	9.1	2.20	(4.8 - 13.4)		80,853	(40,151 - 121,556)
GA	25-34	1,230	8.0	1.19	(5.7 - 10.3)		102,143	(71,117 - 133,168)
GA	35-44	1,464	5.7	0.72	(4.3 - 7.1)		79,450	(59,513 - 99,387)
GA	45-54	1,617	5.8	0.70	(4.4 - 7.2)		67,076	(50,898 - 83,253)
GA	55-64	1,228	7.8	0.97	(5.9 - 9.7)		61,339	(45,909 - 76,768)
GA	65+	1,425	6.5	0.85	(4.9 - 8.2)		55,842	(41,185 - 70,499)
HI	18-24	316	7.9	1.57	(4.8 - 11.0)		9,382	(5,631 - 13,134)
HI	25-34	694	7.5	1.33	(4.9 - 10.1)		12,517	(7,999 - 17,036)
HI	35-44	827	5.5	1.06	(3.4 - 7.6)		10,320	(6,305 - 14,335)
HI	45-54	938	4.3	0.75	(2.8 - 5.8)		7,738	(5,074 - 10,402)
HI	55-64	644	5.8	1.13	(3.5 - 8.0)		7,298	(4,430 - 10,166)
HI	65+	882	3.9	0.69	(2.5 - 5.2)		6,803	(4,422 - 9,185)
ID	18-24	425	7.6	1.47	(4.7 - 10.5)		11,411	(6,920 - 15,902)
ID	25-34	796	5.4	0.90	(3.6 - 7.2)		9,334	(6,217 - 12,451)
ID	35-44	948	7.8	1.02	(5.8 - 9.8)		14,579	(10,694 - 18,463)
ID	45-54	1,004	9.5	1.25	(7.0 - 11.9)		17,220	(12,530 - 21,910)
ID	55-64	754	10.1	1.28	(7.6 - 12.6)		12,501	(9,255 - 15,747)
ID	65+	1,019	7.5	0.91	(5.7 - 9.3)		11,672	(8,808 - 14,535)
IL	18-24	430	8.7	1.40	(5.9 - 11.4)		106,997	(71,972 - 142,022)
IL	25-34	870	8.4	1.04	(6.3 - 10.4)		145,923	(109,046 - 182,800)
IL	35-44	1,135	5.5	0.67	(4.2 - 6.8)		106,422	(80,710 - 132,134)
IL	45-54	1,036	6.2	0.78	(4.7 - 7.7)		108,311	(80,931 - 135,691)
IL	55-64	782	9.4	1.13	(7.2 - 11.6)		124,884	(94,271 - 155,496)
IL	65+	997	7.1	0.92	(5.3 - 8.9)		99,479	(73,614 - 125,344)
IN	18-24	423	9.6	1.44	(6.8 - 12.4)		60,892	(42,385 - 79,400)
IN	25-34	895	8.4	0.98	(6.5 - 10.4)		67,129	(51,330 - 82,928)
IN	35-44	1,069	7.2	0.83	(5.6 - 8.8)		66,191	(50,822 - 81,560)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IN	45-54	1,122	8.6	0.89	(6.8 - 10.3)		73,426	(57,946 - 88,905)
IN	55-64	825	8.1	1.02	(6.1 - 10.1)		47,970	(35,729 - 60,212)
IN	65+	1,101	6.9	0.83	(5.2 - 8.5)		53,807	(40,570 - 67,044)
IA	18-24	319	7.2	1.61	(4.0 - 10.3)		22,539	(12,273 - 32,805)
IA	25-34	667	8.0	1.20	(5.6 - 10.3)		27,755	(19,239 - 36,271)
IA	35-44	959	5.5	0.82	(3.9 - 7.1)		22,466	(15,732 - 29,199)
IA	45-54	990	6.3	0.93	(4.5 - 8.1)		25,687	(18,080 - 33,295)
IA	55-64	769	5.6	0.97	(3.7 - 7.5)		15,696	(10,187 - 21,204)
IA	65+	1,269	5.3	0.70	(3.9 - 6.7)		23,987	(17,635 - 30,339)
KS	18-24	282	10.4	1.87	(6.7 - 14.1)		29,617	(18,692 - 40,542)
KS	25-34	728	7.3	1.07	(5.2 - 9.4)		24,552	(17,238 - 31,865)
KS	35-44	903	8.4	1.02	(6.4 - 10.4)		32,672	(24,560 - 40,784)
KS	45-54	998	6.3	0.80	(4.7 - 7.8)		23,182	(17,217 - 29,147)
KS	55-64	619	7.3	1.15	(5.0 - 9.5)		17,918	(12,189 - 23,647)
KS	65+	1,036	6.2	0.83	(4.6 - 7.8)		22,801	(16,682 - 28,921)
KY	18-24	412	10.8	2.09	(6.7 - 14.9)		44,212	(26,580 - 61,845)
KY	25-34	1,065	8.3	1.18	(5.9 - 10.6)		45,153	(32,084 - 58,222)
KY	35-44	1,359	9.6	1.09	(7.5 - 11.8)		59,672	(46,047 - 73,296)
KY	45-54	1,500	9.1	1.07	(7.0 - 11.2)		51,973	(39,471 - 64,474)
KY	55-64	1,338	11.0	1.20	(8.6 - 13.3)		45,892	(35,608 - 56,177)
KY	65+	1,894	10.8	0.95	(8.9 - 12.7)		57,285	(47,057 - 67,513)
LA	18-24	429	8.1	1.43	(5.3 - 10.9)		40,205	(25,807 - 54,603)
LA	25-34	789	6.2	1.01	(4.2 - 8.2)		35,995	(24,182 - 47,808)
LA	35-44	978	4.9	0.76	(3.4 - 6.4)		31,885	(22,033 - 41,736)
LA	45-54	1,009	5.7	0.86	(4.0 - 7.4)		34,241	(23,867 - 44,615)
LA	55-64	854	6.5	0.90	(4.8 - 8.3)		27,111	(19,619 - 34,603)
LA	65+	983	6.6	0.87	(4.9 - 8.3)		35,322	(25,941 - 44,702)
ME	18-24	139	11.6	2.92	(5.9 - 17.4)		13,372	(6,389 - 20,354)
ME	25-34	325	10.2	1.86	(6.6 - 13.9)		14,787	(9,257 - 20,316)
ME	35-44	497	9.8	1.52	(6.8 - 12.7)		19,719	(13,385 - 26,052)
ME	45-54	503	10.2	1.57	(7.1 - 13.3)		19,982	(13,633 - 26,331)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
ME	55-64	409	9.2	1.60	(6.1 - 12.4)		12,868	(8,293 - 17,444)
ME	65+	476	9.0	1.32	(6.4 - 11.6)		17,374	(12,230 - 22,518)
MD	18-24	255	14.5	2.85	(8.9 - 20.2)		63,058	(36,757 - 89,359)
MD	25-34	695	7.0	1.05	(4.9 - 9.1)		50,710	(35,529 - 65,892)
MD	35-44	991	7.3	1.09	(5.2 - 9.5)		67,031	(46,830 - 87,232)
MD	45-54	901	6.9	1.04	(4.8 - 8.9)		54,148	(37,551 - 70,744)
MD	55-64	733	7.1	1.33	(4.5 - 9.7)		44,313	(27,393 - 61,232)
MD	65+	774	7.2	1.04	(5.2 - 9.2)		40,945	(29,070 - 52,820)
MA	18-24	493	12.9	1.83	(9.3 - 16.5)		76,538	(53,867 - 99,209)
MA	25-34	1,413	10.8	1.01	(8.8 - 12.7)		91,036	(73,668 - 108,405)
MA	35-44	1,632	9.5	0.96	(7.6 - 11.4)		98,098	(77,755 - 118,441)
MA	45-54	1,455	10.5	1.00	(8.5 - 12.5)		91,881	(73,892 - 109,871)
MA	55-64	1,048	9.1	1.07	(7.0 - 11.2)		57,295	(43,553 - 71,037)
MA	65+	1,369	7.7	0.86	(6.0 - 9.4)		67,998	(52,572 - 83,424)
MI	18-24	236	11.8	2.18	(7.5 - 16.1)		116,169	(71,866 - 160,472)
MI	25-34	482	7.6	1.28	(5.1 - 10.1)		97,526	(64,528 - 130,523)
MI	35-44	651	8.6	1.26	(6.2 - 11.1)		131,534	(92,341 - 170,727)
MI	45-54	732	10.2	1.28	(7.7 - 12.7)		145,316	(107,817 - 182,816)
MI	55-64	594	9.6	1.34	(7.0 - 12.3)		99,837	(71,276 - 128,398)
MI	65+	824	8.2	1.06	(6.1 - 10.3)		98,812	(72,819 - 124,805)
MN	18-24	253	12.0	2.26	(7.5 - 16.4)		59,311	(35,985 - 82,638)
MN	25-34	594	6.0	1.03	(4.0 - 8.0)		37,894	(24,772 - 51,015)
MN	35-44	828	7.1	0.93	(5.3 - 8.9)		56,216	(41,339 - 71,093)
MN	45-54	795	7.1	1.02	(5.1 - 9.1)		51,779	(36,839 - 66,719)
MN	55-64	552	3.9	0.85	(2.2 - 5.6)		18,149	(10,270 - 26,028)
MN	65+	830	5.0	0.78	(3.5 - 6.6)		31,243	(21,531 - 40,955)
MS	18-24	319	7.6	1.84	(3.9 - 11.2)		24,393	(12,176 - 36,611)
MS	25-34	703	5.6	0.95	(3.7 - 7.4)		20,821	(13,640 - 28,003)
MS	35-44	829	8.0	1.09	(5.9 - 10.2)		32,276	(23,285 - 41,266)
MS	45-54	882	6.4	0.89	(4.6 - 8.1)		23,465	(16,865 - 30,065)
MS	55-64	691	7.6	1.06	(5.5 - 9.7)		20,385	(14,661 - 26,108)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
MS	65+	950	6.6	0.90	(4.8 - 8.4)		23,842	(17,280 - 30,405)
MO	18-24	326	10.9	2.24	(6.5 - 15.3)		61,832	(36,049 - 87,614)
MO	25-34	609	7.6	1.23	(5.2 - 10.0)		53,811	(36,259 - 71,364)
MO	35-44	772	6.8	1.21	(4.4 - 9.2)		57,792	(37,140 - 78,445)
MO	45-54	790	10.0	1.55	(7.0 - 13.1)		75,872	(51,613 - 100,130)
MO	55-64	628	8.3	1.65	(5.1 - 11.6)		46,903	(27,839 - 65,966)
MO	65+	1,080	5.5	0.87	(3.8 - 7.2)		43,026	(29,392 - 56,661)
MT	18-24	244	8.8	2.06	(4.7 - 12.8)		8,166	(4,286 - 12,047)
MT	25-34	505	9.7	1.70	(6.4 - 13.0)		9,886	(6,362 - 13,411)
MT	35-44	753	7.0	1.20	(4.6 - 9.3)		8,881	(5,809 - 11,953)
MT	45-54	923	7.2	0.98	(5.3 - 9.1)		10,009	(7,274 - 12,744)
MT	55-64	670	6.9	1.24	(4.5 - 9.3)		6,572	(4,184 - 8,960)
MT	65+	882	8.6	1.28	(6.1 - 11.1)		10,925	(7,615 - 14,236)
NE	18-24	352	7.7	1.47	(4.8 - 10.6)		14,089	(8,637 - 19,541)
NE	25-34	730	6.0	0.87	(4.3 - 7.7)		12,992	(9,234 - 16,750)
NE	35-44	968	7.1	0.88	(5.3 - 8.8)		17,424	(13,018 - 21,830)
NE	45-54	963	6.9	0.92	(5.1 - 8.7)		16,390	(11,972 - 20,808)
NE	55-64	697	8.4	1.20	(6.0 - 10.7)		13,127	(9,286 - 16,969)
NE	65+	1,223	7.2	0.83	(5.6 - 8.8)		17,254	(13,211 - 21,297)
NV	18-24	226	5.5	1.75	(2.0 - 8.9)		10,316	(3,722 - 16,911)
NV	25-34	476	7.1	1.60	(3.9 - 10.2)		22,523	(12,258 - 32,788)
NV	35-44	584	5.9	1.45	(3.1 - 8.7)		20,576	(10,387 - 30,765)
NV	45-54	598	7.6	1.52	(4.6 - 10.5)		23,145	(13,798 - 32,492)
NV	55-64	467	7.7	1.82	(4.1 - 11.2)		17,808	(9,174 - 26,442)
NV	65+	598	5.6	1.16	(3.3 - 7.9)		14,177	(8,359 - 19,995)
NH	18-24	244	9.4	2.04	(5.4 - 13.5)		11,094	(6,148 - 16,040)
NH	25-34	700	9.6	1.19	(7.3 - 12.0)		14,050	(10,524 - 17,575)
NH	35-44	1,094	9.2	0.94	(7.3 - 11.0)		19,559	(15,461 - 23,656)
NH	45-54	1,166	8.7	0.89	(6.9 - 10.4)		16,642	(13,155 - 20,128)
NH	55-64	820	7.0	1.00	(5.0 - 8.9)		9,206	(6,532 - 11,880)
NH	65+	917	7.0	0.91	(5.2 - 8.8)		10,983	(8,072 - 13,894)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	18-24	553	9.2	1.37	(6.5 - 11.9)		64,696	(44,961 - 84,430)
NJ	25-34	1,556	8.4	0.80	(6.8 - 10.0)		92,715	(74,731 - 110,700)
NJ	35-44	2,440	5.6	0.50	(4.6 - 6.6)		77,680	(63,687 - 91,674)
NJ	45-54	2,350	7.6	0.64	(6.4 - 8.9)		90,716	(75,454 - 105,979)
NJ	55-64	1,693	6.8	0.70	(5.4 - 8.2)		58,582	(46,434 - 70,731)
NJ	65+	2,473	6.1	0.56	(5.0 - 7.2)		71,414	(58,256 - 84,573)
NM	18-24	375	8.2	1.65	(4.9 - 11.4)		15,468	(9,072 - 21,865)
NM	25-34	792	5.0	0.83	(3.4 - 6.6)		11,575	(7,760 - 15,391)
NM	35-44	989	7.0	0.90	(5.2 - 8.8)		18,720	(13,844 - 23,597)
NM	45-54	1,185	8.3	0.91	(6.5 - 10.1)		21,628	(16,793 - 26,463)
NM	55-64	901	5.1	0.79	(3.6 - 6.7)		9,240	(6,427 - 12,054)
NM	65+	1,223	6.7	0.85	(5.0 - 8.3)		15,124	(11,229 - 19,019)
NY	18-24	388	8.9	1.56	(5.8 - 11.9)		159,006	(101,696 - 216,317)
NY	25-34	877	7.8	0.97	(5.9 - 9.7)		201,331	(151,072 - 251,590)
NY	35-44	1,089	7.5	0.89	(5.7 - 9.2)		221,848	(168,528 - 275,168)
NY	45-54	1,128	7.8	0.90	(6.1 - 9.6)		203,067	(156,248 - 249,886)
NY	55-64	855	9.1	1.23	(6.7 - 11.5)		170,720	(123,305 - 218,135)
NY	65+	1,110	5.8	0.77	(4.3 - 7.3)		146,521	(107,811 - 185,231)
NC	18-24	583	7.5	1.63	(4.3 - 10.7)		62,597	(35,129 - 90,066)
NC	25-34	1,413	5.7	0.84	(4.1 - 7.4)		67,864	(48,166 - 87,562)
NC	35-44	1,785	7.1	0.86	(5.4 - 8.8)		92,208	(69,693 - 114,724)
NC	45-54	1,844	6.5	0.86	(4.9 - 8.2)		73,894	(54,432 - 93,357)
NC	55-64	1,531	7.0	0.92	(5.2 - 8.8)		58,464	(42,965 - 73,962)
NC	65+	2,207	8.6	0.87	(6.9 - 10.3)		89,705	(71,205 - 108,205)
ND	18-24	236	7.9	1.74	(4.5 - 11.3)		5,980	(3,312 - 8,647)
ND	25-34	394	7.8	1.48	(4.9 - 10.7)		5,710	(3,506 - 7,914)
ND	35-44	550	5.3	0.97	(3.3 - 7.2)		4,538	(2,855 - 6,220)
ND	45-54	640	5.6	0.94	(3.8 - 7.4)		4,884	(3,253 - 6,515)
ND	55-64	442	7.9	1.32	(5.3 - 10.5)		4,511	(2,979 - 6,042)
ND	65+	727	8.0	1.10	(5.8 - 10.1)		7,613	(5,488 - 9,739)
OH	18-24	303	5.3	1.76	(1.9 - 8.8)		57,719	(19,202 - 96,236)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	25-34	600	6.5	1.13	(4.3 - 8.7)		93,677	(60,908 - 126,447)
OH	35-44	722	6.9	1.15	(4.6 - 9.1)		116,229	(76,776 - 155,682)
OH	45-54	813	8.7	1.15	(6.4 - 10.9)		138,445	(101,099 - 175,791)
OH	55-64	605	8.6	1.34	(6.0 - 11.2)		99,860	(68,220 - 131,499)
OH	65+	731	6.4	1.12	(4.2 - 8.6)		97,560	(63,131 - 131,988)
OK	18-24	528	8.7	1.39	(6.0 - 11.4)		32,719	(21,984 - 43,454)
OK	25-34	1,059	7.1	0.90	(5.3 - 8.9)		31,484	(23,414 - 39,555)
OK	35-44	1,382	7.9	0.82	(6.3 - 9.5)		38,827	(30,632 - 47,022)
OK	45-54	1,443	8.5	0.88	(6.7 - 10.2)		39,821	(31,317 - 48,325)
OK	55-64	1,247	7.4	0.81	(5.8 - 9.0)		25,664	(19,968 - 31,361)
OK	65+	1,912	6.1	0.58	(4.9 - 7.2)		28,995	(23,407 - 34,583)
OR	18-24	286	11.6	2.15	(7.4 - 15.8)		39,717	(24,365 - 55,070)
OR	25-34	627	8.7	1.22	(6.3 - 11.1)		41,160	(29,436 - 52,884)
OR	35-44	724	10.8	1.25	(8.3 - 13.3)		54,762	(41,700 - 67,824)
OR	45-54	817	8.5	1.04	(6.5 - 10.5)		44,934	(33,811 - 56,056)
OR	55-64	649	7.8	1.11	(5.7 - 10.0)		28,176	(20,127 - 36,226)
OR	65+	871	8.4	1.01	(6.4 - 10.4)		38,499	(29,019 - 47,979)
PA	18-24	247	8.3	2.03	(4.3 - 12.3)		95,652	(47,425 - 143,879)
PA	25-34	497	8.9	1.35	(6.2 - 11.5)		128,401	(88,828 - 167,974)
PA	35-44	761	7.2	0.98	(5.2 - 9.1)		131,157	(94,973 - 167,340)
PA	45-54	749	9.0	1.24	(6.6 - 11.4)		157,398	(112,955 - 201,841)
PA	55-64	542	8.4	1.43	(5.6 - 11.2)		119,352	(77,619 - 161,085)
PA	65+	825	8.6	1.13	(6.3 - 10.8)		153,184	(111,632 - 194,736)
RI	18-24	243	13.1	2.44	(8.3 - 17.9)		14,427	(8,821 - 20,034)
RI	25-34	663	9.7	1.23	(7.3 - 12.1)		12,802	(9,508 - 16,096)
RI	35-44	856	10.1	1.13	(7.8 - 12.3)		16,678	(12,862 - 20,495)
RI	45-54	760	9.8	1.18	(7.5 - 12.1)		14,311	(10,816 - 17,807)
RI	55-64	628	10.1	1.37	(7.4 - 12.8)		10,459	(7,554 - 13,364)
RI	65+	830	6.0	0.86	(4.3 - 7.7)		9,293	(6,631 - 11,955)
SC	18-24	383	4.4	1.16	(2.1 - 6.7)		18,949	(8,978 - 28,920)
SC	25-34	947	4.9	0.71	(3.5 - 6.3)		26,907	(19,236 - 34,578)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SC	35-44	1,124	6.0	0.77	(4.5 - 7.5)		36,658	(27,208 - 46,108)
SC	45-54	1,193	6.7	0.84	(5.1 - 8.4)		37,808	(28,251 - 47,364)
SC	55-64	996	6.7	0.89	(4.9 - 8.4)		28,433	(20,731 - 36,134)
SC	65+	1,213	7.8	0.96	(5.9 - 9.6)		40,588	(30,325 - 50,850)
SD	18-24	356	11.1	2.34	(6.5 - 15.7)		9,209	(5,091 - 13,326)
SD	25-34	656	5.3	0.93	(3.4 - 7.1)		4,660	(3,012 - 6,309)
SD	35-44	983	6.8	0.94	(4.9 - 8.6)		7,200	(5,175 - 9,226)
SD	45-54	1,023	5.4	0.76	(3.9 - 6.9)		5,556	(3,997 - 7,116)
SD	55-64	798	7.6	1.02	(5.6 - 9.6)		5,164	(3,748 - 6,581)
SD	65+	1,396	8.3	0.86	(6.6 - 10.0)		9,266	(7,303 - 11,229)
TN	18-24	164	8.2	2.38	(3.5 - 12.9)		46,526	(18,982 - 74,070)
TN	25-34	387	7.8	1.75	(4.3 - 11.2)		60,862	(32,580 - 89,144)
TN	35-44	512	8.3	1.42	(5.5 - 11.1)		73,553	(47,988 - 99,119)
TN	45-54	530	8.4	1.32	(5.8 - 11.0)		68,571	(46,627 - 90,515)
TN	55-64	465	7.4	1.33	(4.7 - 10.0)		51,473	(32,588 - 70,357)
TN	65+	511	7.7	1.31	(5.1 - 10.3)		49,574	(32,480 - 66,669)
TX	18-24	512	7.8	1.54	(4.8 - 10.9)		180,236	(107,545 - 252,927)
TX	25-34	1,144	7.1	0.79	(5.5 - 8.6)		223,585	(173,477 - 273,693)
TX	35-44	1,215	6.4	0.92	(4.6 - 8.2)		211,726	(149,448 - 274,005)
TX	45-54	1,138	6.7	0.84	(5.1 - 8.4)		191,327	(143,342 - 239,312)
TX	55-64	871	6.3	0.85	(4.6 - 8.0)		118,413	(86,250 - 150,576)
TX	65+	1,081	7.0	0.87	(5.3 - 8.7)		157,171	(117,919 - 196,424)
UT	18-24	422	10.2	1.99	(6.2 - 14.1)		30,931	(18,413 - 43,450)
UT	25-34	821	6.8	1.09	(4.6 - 8.9)		24,977	(16,896 - 33,058)
UT	35-44	766	6.8	1.30	(4.3 - 9.4)		20,177	(12,386 - 27,967)
UT	45-54	782	7.2	1.13	(5.0 - 9.4)		18,828	(12,882 - 24,774)
UT	55-64	531	5.4	1.08	(3.3 - 7.5)		8,948	(5,391 - 12,505)
UT	65+	699	6.5	1.13	(4.3 - 8.8)		12,738	(8,326 - 17,149)
VT	18-24	217	12.4	2.46	(7.5 - 17.2)		7,905	(4,596 - 11,215)
VT	25-34	523	10.9	1.55	(7.8 - 13.9)		7,439	(5,225 - 9,653)
VT	35-44	912	9.3	1.02	(7.3 - 11.3)		8,856	(6,891 - 10,821)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	45-54	953	7.2	0.85	(5.5 - 8.9)		7,062	(5,385 - 8,740)
VT	55-64	694	6.2	0.99	(4.3 - 8.2)		4,110	(2,787 - 5,433)
VT	65+	909	5.2	0.78	(3.7 - 6.8)		4,248	(2,976 - 5,519)
VA	18-24	363	9.1	1.74	(5.7 - 12.5)		64,696	(39,626 - 89,766)
VA	25-34	795	5.8	0.89	(4.1 - 7.6)		57,724	(40,295 - 75,153)
VA	35-44	1,128	8.5	1.40	(5.8 - 11.3)		101,614	(67,272 - 135,956)
VA	45-54	1,166	6.9	0.87	(5.2 - 8.6)		72,199	(53,985 - 90,413)
VA	55-64	905	6.4	0.90	(4.7 - 8.2)		47,710	(34,528 - 60,892)
VA	65+	1,016	9.3	1.26	(6.8 - 11.8)		78,912	(56,902 - 100,923)
WA	18-24	1,400	10.0	1.02	(8.0 - 12.0)		59,132	(46,766 - 71,497)
WA	25-34	2,709	9.1	0.68	(7.8 - 10.5)		74,126	(62,834 - 85,417)
WA	35-44	3,530	8.1	0.53	(7.1 - 9.2)		76,833	(66,784 - 86,881)
WA	45-54	3,921	8.9	0.54	(7.8 - 9.9)		81,018	(71,053 - 90,984)
WA	55-64	3,035	10.9	0.69	(9.5 - 12.2)		64,445	(56,112 - 72,778)
WA	65+	3,911	8.1	0.54	(7.0 - 9.1)		56,468	(48,775 - 64,160)
WV	18-24	203	6.2	1.74	(2.8 - 9.7)		10,947	(4,792 - 17,102)
WV	25-34	454	7.7	1.35	(5.0 - 10.3)		16,882	(10,843 - 22,922)
WV	35-44	553	8.6	1.22	(6.1 - 11.0)		21,311	(15,137 - 27,484)
WV	45-54	672	8.8	1.16	(6.6 - 11.1)		24,101	(17,681 - 30,522)
WV	55-64	647	8.7	1.16	(6.4 - 10.9)		17,446	(12,688 - 22,203)
WV	65+	800	8.0	1.01	(6.1 - 10.0)		23,183	(17,325 - 29,042)
WI	18-24	300	10.9	2.11	(6.7 - 15.1)		60,334	(36,376 - 84,292)
WI	25-34	651	7.4	1.08	(5.3 - 9.5)		49,073	(34,763 - 63,382)
WI	35-44	863	6.1	1.00	(4.2 - 8.1)		51,527	(34,539 - 68,514)
WI	45-54	838	6.6	0.95	(4.8 - 8.5)		51,079	(36,421 - 65,737)
WI	55-64	555	7.6	1.28	(5.1 - 10.2)		39,871	(26,356 - 53,385)
WI	65+	802	7.4	1.13	(5.2 - 9.7)		54,041	(37,348 - 70,735)
WY	18-24	286	7.8	1.67	(4.5 - 11.1)		4,306	(2,442 - 6,169)
WY	25-34	554	6.9	1.15	(4.7 - 9.2)		4,026	(2,682 - 5,370)
WY	35-44	711	7.0	1.04	(4.9 - 9.0)		4,915	(3,438 - 6,393)
WY	45-54	939	5.7	0.82	(4.1 - 7.3)		4,404	(3,131 - 5,677)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2003

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WY	55-64	670	8.1	1.14	(5.9 - 10.3)		4,100	(2,926 - 5,275)
WY	65+	800	9.7	1.16	(7.4 - 12.0)		5,932	(4,475 - 7,390)
Territories								
GU	18-24	96	6.8	2.84	(1.1 - 12.4)		1,167	(168 - 2,166)
GU	25-34	190	5.6	1.87	(1.9 - 9.3)		1,396	(448 - 2,343)
GU	35-44	214	7.2	1.86	(3.6 - 10.9)		1,739	(836 - 2,642)
GU	45-54	155	8.0	2.27	(3.6 - 12.5)		1,449	(623 - 2,276)
GU	55-64	76	4.7				556	
GU	65+	65	6.4				573	
PR	18-24	362	12.5	2.12	(8.3 - 16.7)		52,312	(33,775 - 70,849)
PR	25-34	537	13.2	1.83	(9.6 - 16.8)		71,897	(51,125 - 92,670)
PR	35-44	813	8.9	1.17	(6.6 - 11.2)		46,714	(34,320 - 59,109)
PR	45-54	731	10.8	1.35	(8.2 - 13.5)		51,423	(38,366 - 64,481)
PR	55-64	740	11.3	1.31	(8.7 - 13.9)		44,089	(33,797 - 54,382)
PR	65+	978	8.1	0.99	(6.2 - 10.0)		37,351	(28,262 - 46,440)
VI	18-24	133	11.5	4.09	(3.4 - 19.5)		1,243	(293 - 2,193)
VI	25-34	336	4.6	1.36	(1.9 - 7.3)		640	(259 - 1,020)
VI	35-44	483	4.4	1.14	(2.2 - 6.6)		644	(312 - 975)
VI	45-54	424	3.1	1.05	(1.1 - 5.2)		415	(138 - 692)
VI	55-64	350	0.8				83	
VI	65+	276	2.4	0.98	(0.5 - 4.3)		233	(46 - 421)

Notes:

*CI denotes confidence interval.

**U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.