

Table C2.2
Adult Self-Reported Current Asthma Prevalence Rate (Number)
by Sex and State: BRFSS 1999

Note 1: CI designates confidence interval.

State	Male				Female			
	Sample Size	Prevalence (number)	Lower 95% CI	Upper 95% CI	Sample Size	Prevalence (number)	Lower 95% CI	Upper 95% CI
AZ	710	76,455	36,774	116,136	1,028	113,152	73,886	152,419
AR	1,165	47,389	32,499	62,280	1,826	90,008	73,966	106,050
DC	456	9,249	5,069	13,430	801	18,203	13,555	22,850
ID	2,084	29,026	22,202	35,850	2,853	39,656	33,578	45,735
IA	1,375	60,682	45,871	75,493	2,124	98,238	80,579	115,896
LA	659	57,020	27,400	86,639	1,000	95,350	68,370	122,330
ME	732	32,196	22,091	42,301	930	44,577	33,586	55,567
MS	835	38,818	23,471	54,165	1,302	57,954	44,489	71,419
MO	1,696	121,809	87,824	155,795	2,524	171,824	142,614	201,034
NE	1,074	28,958	20,958	36,958	1,635	46,938	38,075	55,801
NH	485	21,484	11,981	30,987	720	54,602	41,553	67,652
PA	1,388	225,464	156,747	294,182	2,091	383,052	321,540	444,564
SC	1,365	58,657	40,985	76,329	2,030	102,731	85,005	120,456
UT	1,368	39,598	28,917	50,278	1,812	63,609	51,710	75,508
VT	1,245	12,988	9,808	16,168	1,846	21,764	17,755	25,773
WA	1,570	97,048	74,596	119,500	1,955	195,549	165,732	225,365
WI	912	107,220	75,140	139,299	1,254	174,303	133,442	215,164
WY	1,061	8,821	6,460	11,183	1,334	15,400	12,419	18,381

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply because of the small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.