

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 1999

Note 1: CI designates confidence interval.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
AZ	< \$15,000	88	6.4	3.11	0.3	12.6	8,594	256	16,931
	\$15-\$24,999	365	2.4	0.76	0.9	3.9	16,412	6,423	26,401
	\$25-\$49,999	555	4.4	1.19	2.1	6.8	49,032	22,842	75,223
	\$50-\$74,999	140	6.7	2.95	0.9	12.6	22,837	2,501	43,174
	>=\$75,000	59	3.0				3,526		
AR	< \$15,000	417	11.4	1.74	8.0	14.8	25,588	17,543	33,633
	\$15-\$24,999	636	9.5	1.49	6.6	12.5	38,888	26,274	51,502
	\$25-\$49,999	1,039	6.4	0.97	4.5	8.3	43,421	30,158	56,685
	\$50-\$74,999	362	4.2	1.03	2.2	6.2	10,023	5,089	14,957
	>=\$75,000	244	3.1	1.11	0.9	5.3	4,479	1,234	7,724
DC	< \$15,000	78	10.4	3.80	2.9	18.0	2,757	676	4,838
	\$15-\$24,999	211	10.4	2.21	6.1	14.8	7,058	4,024	10,092
	\$25-\$49,999	365	5.2	1.37	2.5	7.8	6,176	2,879	9,473
	\$50-\$74,999	115	6.6	2.41	1.9	11.4	2,492	642	4,343
	>=\$75,000	109	6.0	2.24	1.6	10.5	2,152	533	3,771
ID	< \$15,000	734	14.3	2.33	9.8	18.9	15,779	10,120	21,439
	\$15-\$24,999	999	6.7	0.92	4.9	8.5	11,377	8,233	14,521
	\$25-\$49,999	1,807	7.2	0.73	5.7	8.6	23,124	18,383	27,866
	\$50-\$74,999	641	7.0	1.10	4.9	9.2	8,702	5,950	11,454
	>=\$75,000	390	6.4	1.82	2.9	10.0	5,007	2,100	7,913
IA	< \$15,000	403	15.5	2.59	10.4	20.6	30,572	19,423	41,720
	\$15-\$24,999	653	7.4	1.16	5.1	9.6	25,644	17,495	33,792
	\$25-\$49,999	1,206	6.9	0.81	5.3	8.5	49,830	38,090	61,570
	\$50-\$74,999	612	6.9	1.12	4.7	9.1	28,240	19,068	37,411
	>=\$75,000	339	4.2	1.28	1.7	6.8	9,654	3,798	15,511
LA	< \$15,000	242	7.3	2.11	3.2	11.5	28,011	11,471	44,551
	\$15-\$24,999	340	5.2	1.49	2.2	8.1	32,444	13,402	51,487
	\$25-\$49,999	479	3.1	0.85	1.4	4.7	27,859	12,515	43,203
	\$50-\$74,999	194	4.4	1.46	1.5	7.3	17,007	5,692	28,322
	>=\$75,000	165	4.6	2.09	0.4	8.7	14,550	990	28,110
ME	< \$15,000	224	9.4	2.13	5.2	13.6	9,701	5,199	14,203
	\$15-\$24,999	327	10.4	2.06	6.4	14.5	18,711	11,140	26,282
	\$25-\$49,999	573	6.2	1.11	4.0	8.4	20,579	13,180	27,978
	\$50-\$74,999	210	8.2	2.13	4.0	12.4	10,170	4,718	15,621
	>=\$75,000	139	6.3	2.16	2.0	10.6	4,795	1,449	8,142

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 1999

Note 1: CI designates confidence interval.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
MS	< \$15,000	350	9.4	1.69	6.1	12.7	26,519	16,851	36,188
	\$15-\$24,999	407	5.5	1.26	3.1	8.0	19,839	10,764	28,915
	\$25-\$49,999	647	3.7	0.94	1.8	5.5	22,325	10,939	33,710
	\$50-\$74,999	241	2.7	1.05	0.6	4.8	6,041	1,327	10,756
	>=\$75,000	163	4.6	1.97	0.7	8.5	6,857	897	12,816
MO	< \$15,000	870	10.8	1.50	7.9	13.8	71,175	50,697	91,653
	\$15-\$24,999	752	7.2	1.15	4.9	9.5	46,524	31,605	61,443
	\$25-\$49,999	1,277	6.3	1.07	4.3	8.4	80,666	53,044	108,287
	\$50-\$74,999	511	5.3	1.25	2.8	7.8	29,821	15,688	43,953
	>=\$75,000	327	7.6	1.88	3.9	11.3	31,370	15,675	47,065
NE	< \$15,000	290	7.5	1.59	4.3	10.6	8,043	4,612	11,474
	\$15-\$24,999	578	6.1	1.05	4.0	8.1	13,901	9,080	18,721
	\$25-\$49,999	849	7.5	0.98	5.6	9.5	29,564	21,778	37,351
	\$50-\$74,999	340	5.0	1.21	2.6	7.4	8,406	4,318	12,494
	>=\$75,000	201	7.7	2.07	3.6	11.8	7,088	3,191	10,984
NH	< \$15,000	94	13.1	3.88	5.4	20.8	7,917	3,095	12,739
	\$15-\$24,999	167	11.1	2.66	5.9	16.4	12,021	6,088	17,953
	\$25-\$49,999	357	10.7	1.95	6.9	14.6	28,368	17,737	39,000
	\$50-\$74,999	187	6.0	1.59	2.9	9.1	8,262	3,920	12,604
	>=\$75,000	211	8.6	2.36	4.0	13.3	13,236	5,720	20,752
PA	< \$15,000	321	12.3	2.63	7.1	17.5	90,600	49,074	132,127
	\$15-\$24,999	521	6.3	1.16	4.0	8.6	85,091	53,448	116,735
	\$25-\$49,999	983	6.7	0.86	5.1	8.4	177,915	132,380	223,451
	\$50-\$74,999	410	4.9	1.16	2.7	7.2	52,293	27,653	76,933
	>=\$75,000	392	5.8	1.40	3.0	8.5	56,201	28,617	83,785
SC	< \$15,000	335	10.1	2.01	6.1	14.0	26,176	15,292	37,061
	\$15-\$24,999	573	6.2	1.04	4.2	8.3	29,108	19,494	38,722
	\$25-\$49,999	992	5.1	0.79	3.5	6.6	41,517	28,587	54,447
	\$50-\$74,999	436	5.7	1.17	3.4	8.0	20,565	12,127	29,004
	>=\$75,000	360	3.3	1.08	1.2	5.4	9,666	3,412	15,921
UT	< \$15,000	266	7.8	1.97	3.9	11.7	7,607	3,987	11,227
	\$15-\$24,999	509	6.6	1.26	4.1	9.1	14,067	8,743	19,391
	\$25-\$49,999	1,122	7.7	1.04	5.7	9.8	36,742	26,778	46,706
	\$50-\$74,999	539	5.9	1.17	3.6	8.2	15,396	9,318	21,473
	>=\$75,000	357	7.6	2.01	3.6	11.5	11,971	5,505	18,437

Table C7
Adult Self-Reported Current Asthma Prevalence Rate (Percent) and
Prevalence (Number) by Income and State: BRFSS 1999

Note 1: CI designates confidence interval.

State	Income	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
VT	< \$15,000	284	11.8	2.53	6.8	16.8	4,085	2,246	5,923
	\$15-\$24,999	478	11.2	1.81	7.6	14.7	7,363	4,867	9,860
	\$25-\$49,999	960	7.9	0.98	6.0	9.9	11,005	8,267	13,743
	\$50-\$74,999	387	4.3	1.12	2.0	6.5	2,419	1,138	3,700
	>=\$75,000	332	7.2	1.63	4.0	10.4	3,422	1,843	5,001
WA	< \$15,000	321	10.8	1.84	7.2	14.4	36,359	24,196	48,522
	\$15-\$24,999	524	8.4	1.27	5.9	10.9	50,523	35,418	65,628
	\$25-\$49,999	1,174	6.3	0.79	4.7	7.9	87,632	65,756	109,509
	\$50-\$74,999	514	7.6	1.23	5.1	10.0	45,899	30,686	61,113
	>=\$75,000	547	6.3	1.07	4.2	8.4	41,642	27,501	55,783
WI	< \$15,000	163	12.0	2.82	6.4	17.6	37,316	19,315	55,318
	\$15-\$24,999	381	6.8	1.46	3.9	9.6	43,771	24,713	62,829
	\$25-\$49,999	874	6.7	1.07	4.6	8.8	103,802	70,149	137,455
	\$50-\$74,999	303	6.5	1.45	3.7	9.4	36,190	20,047	52,332
	>=\$75,000	221	8.2	2.43	3.4	13.0	33,965	13,142	54,789
WY	< \$15,000	306	12.6	2.14	8.3	16.8	4,971	3,223	6,720
	\$15-\$24,999	499	8.4	1.34	5.7	11.0	5,856	3,953	7,758
	\$25-\$49,999	838	5.1	0.81	3.5	6.7	6,315	4,327	8,304
	\$50-\$74,999	382	5.2	1.16	2.9	7.5	2,944	1,614	4,274
	>=\$75,000	205	8.1	2.05	4.0	12.1	2,271	1,086	3,457

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply because of the small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.