

Table L2.2
Adult Self-Reported Lifetime Asthma Prevalence Rate (Number)
by Sex and State: BRFSS 1999

Note 1: CI designates confidence interval.

| State | Male | | | | Female | | | |
|-------|-------------|---------------------|--------------|--------------|-------------|---------------------|--------------|--------------|
| | Sample Size | Prevalence (number) | Lower 95% CI | Upper 95% CI | Sample Size | Prevalence (number) | Lower 95% CI | Upper 95% CI |
| AZ | 710 | 116,484 | 69,147 | 163,820 | 1,029 | 150,665 | 105,580 | 195,749 |
| AR | 1,166 | 84,888 | 66,407 | 103,369 | 1,830 | 129,309 | 110,852 | 147,766 |
| DC | 456 | 17,875 | 12,199 | 23,551 | 802 | 29,525 | 23,748 | 35,302 |
| ID | 2,092 | 44,553 | 36,723 | 52,383 | 2,859 | 54,494 | 47,533 | 61,456 |
| IA | 1,382 | 104,119 | 84,461 | 123,777 | 2,135 | 136,932 | 116,589 | 157,274 |
| LA | 659 | 135,627 | 92,652 | 178,602 | 1,001 | 149,355 | 116,622 | 182,088 |
| ME | 734 | 56,414 | 42,793 | 70,035 | 930 | 62,316 | 49,677 | 74,956 |
| MS | 836 | 96,926 | 71,692 | 122,160 | 1,306 | 86,167 | 69,770 | 102,564 |
| MO | 1,699 | 198,622 | 153,940 | 243,303 | 2,529 | 247,218 | 211,623 | 282,814 |
| NE | 1,075 | 48,251 | 37,740 | 58,762 | 1,637 | 65,279 | 54,937 | 75,620 |
| NH | 489 | 50,722 | 33,905 | 67,538 | 724 | 74,192 | 59,352 | 89,032 |
| PA | 1,394 | 418,288 | 331,866 | 504,711 | 2,095 | 547,185 | 470,982 | 623,388 |
| SC | 1,369 | 108,394 | 83,953 | 132,834 | 2,036 | 163,654 | 139,780 | 187,529 |
| UT | 1,369 | 77,982 | 62,913 | 93,052 | 1,816 | 93,229 | 78,567 | 107,890 |
| VT | 1,247 | 22,413 | 17,786 | 27,040 | 1,847 | 28,757 | 24,275 | 33,238 |
| WA | 1,573 | 201,370 | 165,038 | 237,703 | 1,966 | 296,307 | 258,641 | 333,973 |
| WI | 917 | 171,731 | 131,364 | 212,099 | 1,254 | 221,515 | 177,422 | 265,609 |
| WY | 1,063 | 15,520 | 12,331 | 18,709 | 1,336 | 20,495 | 17,118 | 23,871 |

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply because of the small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.