

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Age and State: BRFSS 1999**

Note 1: CI designates confidence interval.

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
AZ	18-24	156	15.8	4.25	7.4	24.2	70,492	29,904	111,079
	25-34	264	2.9	1.02	0.9	4.9	19,263	6,105	32,421
	35-44	300	8.2	2.35	3.6	12.8	59,688	24,676	94,699
	45-54	314	6.6	1.92	2.9	10.4	39,304	16,234	62,374
	55-64	234	8.8	2.65	3.6	14.0	35,046	13,463	56,630
	65+	465	6.5	1.42	3.7	9.3	41,883	23,752	60,014
AR	18-24	259	13.7	2.67	8.4	18.9	32,540	18,904	46,176
	25-34	541	9.5	1.47	6.6	12.4	32,059	21,845	42,273
	35-44	584	11.6	1.47	8.7	14.5	42,273	31,220	53,327
	45-54	604	12.5	1.52	9.5	15.5	40,341	30,177	50,505
	55-64	422	13.4	1.95	9.6	17.2	31,769	21,970	41,568
	65+	576	8.8	1.21	6.4	11.2	34,863	25,115	44,612
DC	18-24	135	20.2	4.05	12.2	28.2	10,512	5,999	15,025
	25-34	280	12.3	2.07	8.3	16.4	10,265	6,787	13,744
	35-44	234	10.8	2.11	6.6	14.9	9,584	5,729	13,439
	45-54	200	10.7	2.35	6.1	15.4	7,207	3,945	10,469
	55-64	159	9.5	2.29	5.0	14.1	4,499	2,294	6,704
	65+	244	8.0	1.79	4.5	11.6	5,333	2,927	7,738
ID	18-24	511	13.9	1.81	10.3	17.4	15,567	11,389	19,745
	25-34	939	13.4	1.71	10.1	16.8	21,064	15,266	26,862
	35-44	1,078	10.7	1.25	8.2	13.1	19,620	14,841	24,399
	45-54	898	10.3	1.14	8.1	12.5	16,423	12,713	20,133
	55-64	621	10.4	1.47	7.5	13.3	10,872	7,717	14,028
	65+	893	9.8	1.17	7.5	12.1	15,405	11,674	19,135
IA	18-24	301	15.8	2.43	11.0	20.5	43,630	29,293	57,968
	25-34	575	11.3	1.62	8.1	14.5	40,380	28,357	52,402
	35-44	708	8.7	1.28	6.2	11.2	35,735	25,008	46,462
	45-54	619	10.6	1.38	7.9	13.3	38,212	28,031	48,393
	55-64	445	12.0	1.82	8.5	15.6	29,290	19,997	38,583
	65+	867	12.4	1.43	9.6	15.2	53,803	40,783	66,823
LA	18-24	181	16.5	3.56	9.4	23.5	71,908	37,840	105,975
	25-34	324	9.5	1.86	5.9	13.2	57,857	34,565	81,150
	35-44	353	5.5	1.22	3.1	7.9	35,953	19,973	51,933
	45-54	284	10.1	2.02	6.1	14.1	52,943	31,094	74,792
	55-64	195	6.5	1.80	2.9	10.0	23,239	10,190	36,289
	65+	314	8.2	1.85	4.6	11.9	43,082	23,112	63,052

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Age and State: BRFSS 1999**

*Note 1: CI designates confidence interval.*

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
ME	18-24	112	24.4	4.59	15.3	33.5	27,561	16,137	38,984
	25-34	236	10.7	2.12	6.6	14.9	17,467	10,423	24,511
	35-44	395	12.5	1.74	9.1	15.9	24,800	17,705	31,896
	45-54	332	10.8	1.85	7.2	14.4	18,341	11,866	24,816
	55-64	229	7.8	1.85	4.2	11.5	8,650	4,498	12,801
	65+	356	12.3	2.22	7.9	16.7	21,637	13,302	29,971
MS	18-24	223	12.2	2.70	6.9	17.6	35,234	18,828	51,639
	25-34	379	9.2	2.02	5.2	13.2	34,355	18,663	50,046
	35-44	474	9.2	1.43	6.3	12.0	35,641	24,319	46,962
	45-54	391	8.1	1.44	5.3	11.0	26,254	16,807	35,702
	55-64	290	10.1	1.98	6.3	14.1	22,861	13,618	32,105
	65+	379	8.2	1.48	5.3	11.1	28,748	18,246	39,250
MO	18-24	390	14.5	2.69	9.2	19.8	72,777	43,631	101,923
	25-34	688	12.6	1.85	9.0	16.2	92,375	63,761	120,988
	35-44	937	9.7	1.24	7.3	12.1	79,774	59,107	100,440
	45-54	692	8.9	1.47	6.0	11.8	59,376	39,371	79,380
	55-64	569	13.3	1.89	9.6	17.0	65,917	46,199	85,636
	65+	927	9.3	1.33	6.7	11.9	72,798	51,552	94,043
NE	18-24	259	12.6	2.24	8.2	17.1	19,059	12,074	26,045
	25-34	475	10.4	1.51	7.4	13.3	22,330	15,670	28,990
	35-44	485	9.5	1.42	6.7	12.3	22,379	15,494	29,263
	45-54	453	10.2	1.51	7.2	13.2	20,453	14,238	26,669
	55-64	321	8.0	1.60	4.9	11.2	10,929	6,502	15,355
	65+	706	7.7	1.06	5.7	9.8	18,158	13,140	23,177
NH	18-24	75	26.2	5.72	14.8	37.6	28,275	13,986	42,564
	25-34	226	16.3	3.09	10.2	22.4	27,356	15,978	38,735
	35-44	310	14.0	2.05	10.0	18.0	27,621	19,293	35,949
	45-54	238	11.5	2.33	7.0	16.1	18,120	10,554	25,685
	55-64	142	9.0	2.54	3.9	14.0	9,044	3,801	14,286
	65+	218	9.9	2.11	5.8	14.1	13,845	7,818	19,872

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Age and State: BRFSS 1999**

*Note 1: CI designates confidence interval.*

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
PA	18-24	278	19.8	3.00	13.9	25.7	215,995	142,443	289,547
	25-34	618	11.8	1.39	9.1	14.6	180,887	137,049	224,726
	35-44	827	7.2	0.96	5.3	9.1	130,315	95,519	165,110
	45-54	635	12.3	1.45	9.4	15.1	182,070	137,668	226,471
	55-64	413	9.0	1.50	6.0	11.9	101,343	66,809	135,876
	65+	689	8.1	1.15	5.8	10.3	153,810	109,290	198,331
SC	18-24	328	12.7	2.38	8.0	17.4	49,100	29,638	68,561
	25-34	687	8.3	1.13	6.1	10.5	45,010	32,650	57,369
	35-44	758	11.5	1.39	8.8	14.3	67,261	50,376	84,146
	45-54	673	9.4	1.29	6.9	11.9	45,730	32,886	58,573
	55-64	419	9.0	1.48	6.1	12.0	29,509	19,642	39,377
	65+	518	7.3	1.15	5.1	9.6	34,382	23,455	45,309
UT	18-24	379	11.1	1.86	7.5	14.8	23,465	15,710	31,220
	25-34	638	11.9	1.67	8.6	15.2	33,973	24,184	43,762
	35-44	744	13.4	1.71	10.1	16.8	40,169	29,564	50,773
	45-54	522	14.6	2.02	10.6	18.5	34,531	24,597	44,465
	55-64	348	13.6	2.46	8.8	18.5	19,363	12,136	26,590
	65+	544	9.9	1.66	6.7	13.2	19,711	12,992	26,430
VT	18-24	219	17.9	2.89	12.2	23.6	10,942	7,120	14,764
	25-34	521	13.3	1.82	9.7	16.9	9,958	7,057	12,858
	35-44	738	10.9	1.40	8.2	13.7	10,516	7,714	13,319
	45-54	625	9.8	1.28	7.2	12.3	7,597	5,556	9,638
	55-64	373	13.6	2.03	9.6	17.6	6,866	4,711	9,021
	65+	592	6.8	1.12	4.6	9.0	4,899	3,255	6,544
WA	18-24	359	14.0	2.18	9.7	18.3	69,003	46,917	91,089
	25-34	698	12.3	1.45	9.4	15.1	96,363	73,740	118,985
	35-44	837	10.4	1.12	8.2	12.6	97,555	76,073	119,038
	45-54	640	10.9	1.37	8.2	13.5	83,778	62,462	105,093
	55-64	403	12.5	1.75	9.1	16.0	61,105	43,945	78,265
	65+	600	12.9	1.68	9.6	16.2	89,874	64,878	114,869

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent) and**  
**Prevalence (Number) by Age and State: BRFSS 1999**

*Note 1: CI designates confidence interval.*

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	Lower 95% CI	Upper 95% CI	Prevalence (number)	Lower 95% CI	Upper 95% CI
WI	18-24	189	16.3	2.89	10.6	22.0	79,180	50,271	108,088
	25-34	399	8.9	1.53	5.9	11.9	63,219	41,334	85,103
	35-44	525	10.2	1.56	7.1	13.2	82,790	56,506	109,074
	45-54	392	11.2	2.21	6.8	15.5	74,655	43,299	106,011
	55-64	258	9.5	1.97	5.6	13.3	42,437	24,275	60,598
	65+	398	7.0	1.34	4.3	9.6	50,967	31,095	70,838
WY	18-24	250	13.1	2.33	8.5	17.7	5,476	3,477	7,476
	25-34	415	10.1	1.61	7.0	13.3	6,286	4,238	8,334
	35-44	549	7.6	1.16	5.3	9.9	5,869	4,078	7,660
	45-54	471	11.9	1.60	8.7	15.0	7,555	5,441	9,669
	55-64	305	15.9	2.26	11.4	20.3	6,418	4,480	8,356
	65+	398	7.6	1.42	4.8	10.4	4,265	2,636	5,894

Footnote 1: If values for the standard error and the 95% confidence intervals are not provided, the normal approximation to the binomial distribution does not apply because of the small sample size.

Footnote 2: When the sample size is less than 50, estimates are not precise and should be interpreted with caution.