

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	17,783	16.4	0.48	(15.5 - 17.4)		4,743,377	(4,451,374 - 5,035,380)
U.S. Total**	25-34	45,749	13.0	0.28	(12.5 - 13.6)		5,181,567	(4,953,602 - 5,409,532)
U.S. Total**	35-44	62,137	11.6	0.22	(11.2 - 12.1)		5,066,656	(4,866,745 - 5,266,568)
U.S. Total**	45-54	71,895	12.0	0.24	(11.5 - 12.5)		4,900,521	(4,698,810 - 5,102,232)
U.S. Total**	55-64	63,105	12.5	0.25	(12.0 - 12.9)		3,683,365	(3,531,989 - 3,834,741)
U.S. Total**	65+	85,806	10.4	0.21	(10.0 - 10.8)		3,820,374	(3,660,895 - 3,979,852)
AL	18-24	148	15.6	3.50	(8.7 - 22.6)		71,461	(37,417 - 105,506)
AL	25-34	429	9.6	1.65	(6.4 - 12.9)		57,111	(37,022 - 77,201)
AL	35-44	524	10.0	1.46	(7.1 - 12.8)		63,873	(44,823 - 82,924)
AL	45-54	653	13.9	1.58	(10.8 - 17.0)		86,757	(66,136 - 107,379)
AL	55-64	607	10.4	1.32	(7.8 - 13.0)		50,053	(37,156 - 62,949)
AL	65+	802	8.6	1.15	(6.4 - 10.9)		52,235	(37,921 - 66,548)
AK	18-24	216	16.8	3.86	(9.2 - 24.4)		10,973	(5,601 - 16,346)
AK	25-34	462	11.6	1.94	(7.8 - 15.4)		9,931	(6,532 - 13,330)
AK	35-44	594	12.6	2.01	(8.6 - 16.5)		12,489	(8,307 - 16,671)
AK	45-54	744	10.7	1.63	(7.5 - 13.9)		11,295	(7,785 - 14,806)
AK	55-64	430	14.4	2.14	(10.2 - 18.7)		9,149	(6,338 - 11,960)
AK	65+	331	8.6	2.19	(4.3 - 12.9)		3,786	(1,818 - 5,754)
AZ	18-24	228	8.9	2.29	(4.3 - 13.4)		50,291	(25,638 - 74,945)
AZ	25-34	616	16.6	2.88	(10.9 - 22.2)		135,959	(84,610 - 187,308)
AZ	35-44	770	6.9	1.21	(4.5 - 9.2)		53,909	(35,149 - 72,669)
AZ	45-54	876	15.2	2.38	(10.5 - 19.9)		109,815	(72,799 - 146,831)
AZ	55-64	835	13.5	1.96	(9.7 - 17.4)		72,481	(50,580 - 94,382)
AZ	65+	1,335	11.8	1.32	(9.2 - 14.4)		88,123	(67,992 - 108,254)
AR	18-24	246	15.8	2.62	(10.7 - 21.0)		43,729	(28,184 - 59,274)
AR	25-34	627	12.4	1.53	(9.4 - 15.4)		44,274	(32,880 - 55,669)
AR	35-44	903	10.7	1.10	(8.5 - 12.9)		40,551	(32,007 - 49,095)
AR	45-54	1,027	10.6	1.04	(8.5 - 12.6)		38,445	(30,742 - 46,147)
AR	55-64	1,061	11.6	1.09	(9.5 - 13.8)		34,273	(27,612 - 40,934)
AR	65+	1,370	9.1	0.88	(7.3 - 10.8)		35,186	(28,180 - 42,192)
CA	18-24	420	15.3	1.98	(11.4 - 19.2)		552,382	(403,625 - 701,138)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	25-34	984	13.9	1.26	(11.4 - 16.3)		729,856	(592,835 - 866,878)
CA	35-44	1,259	10.2	0.97	(8.3 - 12.1)		567,452	(458,132 - 676,771)
CA	45-54	1,206	14.9	1.29	(12.4 - 17.5)		741,042	(607,597 - 874,487)
CA	55-64	978	13.7	1.28	(11.2 - 16.2)		457,738	(371,041 - 544,436)
CA	65+	1,282	12.1	1.30	(9.5 - 14.6)		470,497	(365,485 - 575,510)
CO	18-24	305	17.8	2.38	(13.1 - 22.5)		80,688	(57,568 - 103,808)
CO	25-34	931	15.6	1.26	(13.1 - 18.1)		110,924	(92,221 - 129,627)
CO	35-44	1,180	11.7	0.98	(9.8 - 13.6)		83,213	(68,816 - 97,611)
CO	45-54	1,351	13.3	1.02	(11.3 - 15.3)		88,681	(74,529 - 102,833)
CO	55-64	992	10.2	1.00	(8.3 - 12.2)		45,341	(36,310 - 54,371)
CO	65+	1,166	10.8	0.98	(8.9 - 12.7)		49,556	(40,308 - 58,803)
CT	18-24	199	18.7	3.40	(12.0 - 25.4)		54,067	(33,358 - 74,775)
CT	25-34	631	15.8	1.75	(12.3 - 19.2)		66,599	(51,141 - 82,058)
CT	35-44	994	11.8	1.13	(9.6 - 14.0)		65,439	(52,672 - 78,205)
CT	45-54	1,123	9.7	0.99	(7.7 - 11.6)		49,689	(39,452 - 59,926)
CT	55-64	921	11.9	1.30	(9.3 - 14.4)		44,757	(34,612 - 54,902)
CT	65+	1,280	9.8	0.98	(7.8 - 11.7)		47,032	(37,375 - 56,688)
DE	18-24	270	21.1	3.34	(14.6 - 27.7)		17,510	(11,396 - 23,623)
DE	25-34	577	14.2	1.76	(10.7 - 17.6)		15,316	(11,397 - 19,235)
DE	35-44	741	10.7	1.39	(7.9 - 13.4)		13,161	(9,643 - 16,680)
DE	45-54	838	11.4	1.38	(8.6 - 14.1)		13,132	(9,879 - 16,386)
DE	55-64	779	9.7	1.49	(6.8 - 12.6)		8,501	(5,821 - 11,181)
DE	65+	940	10.4	1.25	(8.0 - 12.9)		11,540	(8,705 - 14,374)
DC	18-24	203	24.8	4.20	(16.5 - 33.1)		15,340	(9,296 - 21,384)
DC	25-34	721	18.0	1.87	(14.3 - 21.7)		18,981	(14,683 - 23,280)
DC	35-44	746	12.2	1.50	(9.3 - 15.1)		10,295	(7,682 - 12,907)
DC	45-54	656	12.0	1.49	(9.1 - 14.9)		8,103	(6,034 - 10,171)
DC	55-64	646	13.8	1.62	(10.6 - 16.9)		7,792	(5,884 - 9,700)
DC	65+	698	11.3	1.44	(8.5 - 14.1)		7,722	(5,683 - 9,762)
FL	18-24	404	14.5	2.36	(9.9 - 19.1)		220,862	(144,499 - 297,225)
FL	25-34	920	10.5	1.26	(8.0 - 12.9)		223,453	(169,181 - 277,725)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	35-44	1,347	12.2	1.17	(9.9 - 14.4)		304,745	(244,678 - 364,811)
FL	45-54	1,489	11.1	1.06	(9.1 - 13.2)		263,369	(211,877 - 314,861)
FL	55-64	1,548	14.0	1.30	(11.4 - 16.6)		258,676	(207,822 - 309,530)
FL	65+	2,391	9.8	0.80	(8.3 - 11.4)		296,955	(247,497 - 346,413)
GA	18-24	344	15.7	2.55	(10.6 - 20.7)		140,612	(92,090 - 189,134)
GA	25-34	830	12.8	1.54	(9.8 - 15.8)		171,692	(128,766 - 214,619)
GA	35-44	1,030	9.8	1.13	(7.5 - 12.0)		135,736	(103,980 - 167,493)
GA	45-54	1,249	9.9	1.03	(7.9 - 11.9)		116,942	(92,217 - 141,668)
GA	55-64	1,062	11.7	1.19	(9.4 - 14.0)		97,369	(77,112 - 117,626)
GA	65+	1,489	9.9	0.94	(8.0 - 11.7)		85,525	(69,181 - 101,870)
HI	18-24	355	18.9	2.54	(13.9 - 23.9)		22,708	(16,107 - 29,309)
HI	25-34	799	17.5	1.77	(14.0 - 20.9)		29,273	(22,910 - 35,636)
HI	35-44	1,163	11.7	1.13	(9.5 - 13.9)		21,325	(17,137 - 25,512)
HI	45-54	1,364	13.5	1.19	(11.2 - 15.9)		24,647	(20,165 - 29,128)
HI	55-64	1,207	14.9	1.46	(12.0 - 17.8)		21,004	(16,659 - 25,350)
HI	65+	1,466	10.2	0.99	(8.3 - 12.1)		17,747	(14,235 - 21,259)
ID	18-24	335	14.4	2.32	(9.8 - 18.9)		22,127	(14,776 - 29,478)
ID	25-34	870	13.2	1.41	(10.5 - 16.0)		24,406	(18,985 - 29,828)
ID	35-44	991	12.0	1.21	(9.6 - 14.4)		22,606	(17,910 - 27,302)
ID	45-54	1,165	11.1	1.00	(9.1 - 13.0)		20,682	(16,900 - 24,465)
ID	55-64	1,001	11.4	1.13	(9.2 - 13.7)		15,695	(12,525 - 18,864)
ID	65+	1,321	8.5	0.85	(6.9 - 10.2)		13,762	(10,999 - 16,525)
IL	18-24	270	12.0	2.19	(7.7 - 16.3)		151,275	(94,551 - 207,998)
IL	25-34	704	12.1	1.27	(9.6 - 14.6)		214,065	(168,496 - 259,633)
IL	35-44	992	10.0	1.01	(8.1 - 12.0)		190,457	(151,892 - 229,022)
IL	45-54	1,055	10.6	1.12	(8.4 - 12.8)		190,058	(149,353 - 230,763)
IL	55-64	839	11.0	1.23	(8.6 - 13.5)		137,486	(106,025 - 168,947)
IL	65+	1,198	8.2	0.82	(6.6 - 9.8)		126,400	(101,128 - 151,672)
IN	18-24	331	17.3	2.37	(12.6 - 21.9)		111,505	(78,496 - 144,514)
IN	25-34	875	13.4	1.27	(10.9 - 15.9)		108,592	(87,100 - 130,085)
IN	35-44	1,099	11.8	1.04	(9.8 - 13.9)		105,936	(86,816 - 125,057)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IN	45-54	1,146	12.0	1.10	(9.8 - 14.1)		102,879	(83,344 - 122,414)
IN	55-64	935	11.6	1.12	(9.4 - 13.8)		72,506	(58,117 - 86,895)
IN	65+	1,189	10.5	0.97	(8.6 - 12.4)		81,251	(65,903 - 96,600)
IA	18-24	226	20.2	3.00	(14.3 - 26.1)		58,461	(39,394 - 77,527)
IA	25-34	675	13.1	1.37	(10.4 - 15.8)		51,176	(40,043 - 62,308)
IA	35-44	821	10.3	1.22	(7.9 - 12.7)		41,594	(31,332 - 51,856)
IA	45-54	1,039	9.9	1.09	(7.7 - 12.0)		41,780	(32,260 - 51,300)
IA	55-64	876	10.2	1.14	(8.0 - 12.5)		30,998	(23,880 - 38,116)
IA	65+	1,367	8.6	0.86	(6.9 - 10.3)		37,655	(29,991 - 45,318)
KS	18-24	401	14.7	1.99	(10.8 - 18.7)		43,387	(30,969 - 55,805)
KS	25-34	1,064	11.6	1.10	(9.5 - 13.8)		41,193	(33,172 - 49,215)
KS	35-44	1,519	10.3	0.84	(8.6 - 11.9)		39,107	(32,555 - 45,659)
KS	45-54	1,758	10.6	0.79	(9.1 - 12.2)		40,748	(34,506 - 46,990)
KS	55-64	1,431	11.0	0.89	(9.2 - 12.7)		29,249	(24,352 - 34,146)
KS	65+	2,410	7.3	0.57	(6.2 - 8.4)		26,049	(21,925 - 30,173)
KY	18-24	285	17.7	2.99	(11.9 - 23.6)		71,930	(45,526 - 98,333)
KY	25-34	798	12.1	1.46	(9.2 - 14.9)		68,572	(51,581 - 85,563)
KY	35-44	1,134	14.6	1.40	(11.8 - 17.3)		89,374	(71,418 - 107,330)
KY	45-54	1,370	11.8	1.05	(9.8 - 13.9)		70,755	(58,186 - 83,324)
KY	55-64	1,219	13.1	1.24	(10.6 - 15.5)		58,179	(46,821 - 69,537)
KY	65+	1,787	11.9	0.92	(10.1 - 13.7)		62,572	(52,799 - 72,345)
LA	18-24	199	17.8	3.08	(11.7 - 23.8)		75,685	(47,196 - 104,174)
LA	25-34	439	8.5	1.49	(5.6 - 11.5)		43,939	(28,395 - 59,484)
LA	35-44	524	12.2	1.63	(9.0 - 15.4)		66,938	(48,341 - 85,536)
LA	45-54	650	8.0	1.15	(5.8 - 10.3)		45,512	(32,306 - 58,718)
LA	55-64	509	9.4	1.43	(6.6 - 12.3)		36,131	(24,923 - 47,338)
LA	65+	610	9.6	1.32	(7.0 - 12.2)		42,619	(30,591 - 54,648)
ME	18-24	162	27.0	3.96	(19.2 - 34.8)		33,020	(21,866 - 44,174)
ME	25-34	483	15.9	1.86	(12.3 - 19.6)		23,292	(17,585 - 28,999)
ME	35-44	721	15.2	1.56	(12.1 - 18.2)		30,267	(23,680 - 36,853)
ME	45-54	914	12.3	1.21	(10.0 - 14.7)		25,391	(20,271 - 30,511)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
ME	55-64	749	12.9	1.37	(10.2 - 15.6)		20,350	(15,859 - 24,842)
ME	65+	882	10.4	1.15	(8.1 - 12.7)		20,217	(15,632 - 24,801)
MD	18-24	393	20.9	2.77	(15.4 - 26.3)		98,040	(68,993 - 127,086)
MD	25-34	1,145	14.5	1.19	(12.2 - 16.9)		109,820	(91,000 - 128,641)
MD	35-44	1,712	12.9	1.02	(10.9 - 14.9)		114,814	(95,847 - 133,781)
MD	45-54	1,856	12.8	0.94	(11.0 - 14.6)		102,183	(86,772 - 117,595)
MD	55-64	1,580	11.2	0.95	(9.3 - 13.1)		66,247	(54,711 - 77,783)
MD	65+	1,810	8.3	0.75	(6.9 - 9.8)		54,052	(44,302 - 63,803)
MA	18-24	405	18.0	2.46	(13.1 - 22.8)		108,067	(76,318 - 139,815)
MA	25-34	1,203	16.4	1.41	(13.6 - 19.2)		140,017	(114,619 - 165,416)
MA	35-44	1,789	13.0	1.02	(10.9 - 15.0)		130,554	(109,081 - 152,027)
MA	45-54	1,870	13.5	1.01	(11.5 - 15.5)		119,443	(101,087 - 137,799)
MA	55-64	1,563	15.5	1.20	(13.2 - 17.9)		104,035	(87,034 - 121,036)
MA	65+	1,885	10.7	0.92	(8.9 - 12.5)		93,213	(76,854 - 109,572)
MI	18-24	589	18.2	1.78	(14.7 - 21.7)		182,084	(143,415 - 220,753)
MI	25-34	1,399	14.5	1.08	(12.4 - 16.7)		188,462	(158,986 - 217,939)
MI	35-44	2,119	15.0	0.91	(13.3 - 16.8)		225,810	(197,052 - 254,568)
MI	45-54	2,575	12.4	0.75	(11.0 - 13.9)		182,504	(159,758 - 205,251)
MI	55-64	2,274	12.4	0.77	(10.9 - 13.9)		129,324	(112,661 - 145,987)
MI	65+	3,082	11.6	0.69	(10.3 - 13.0)		146,753	(128,697 - 164,808)
MN	18-24	109	20.9	4.04	(12.9 - 28.9)		108,629	(62,946 - 154,311)
MN	25-34	378	12.1	1.84	(8.5 - 15.7)		80,490	(54,903 - 106,077)
MN	35-44	503	10.9	1.44	(8.1 - 13.7)		84,716	(61,701 - 107,730)
MN	45-54	615	7.2	1.01	(5.3 - 9.2)		55,009	(39,725 - 70,293)
MN	55-64	528	11.0	1.50	(8.1 - 14.0)		55,464	(39,827 - 71,100)
MN	65+	688	11.2	1.31	(8.7 - 13.8)		70,340	(53,537 - 87,143)
MS	18-24	220	8.2	2.17	(4.0 - 12.5)		26,627	(12,208 - 41,045)
MS	25-34	571	12.9	1.76	(9.4 - 16.3)		49,496	(35,161 - 63,831)
MS	35-44	734	10.4	1.24	(8.0 - 12.8)		41,245	(31,158 - 51,331)
MS	45-54	954	12.1	1.18	(9.8 - 14.4)		46,533	(37,193 - 55,873)
MS	55-64	830	12.7	1.34	(10.0 - 15.3)		35,866	(27,937 - 43,795)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MS	65+	1,094	10.1	1.05	(8.1 - 12.2)		36,186	(28,505 - 43,868)
MO	18-24	284	24.0	4.10	(15.9 - 32.1)		137,432	(83,745 - 191,118)
MO	25-34	641	13.7	1.93	(10.0 - 17.5)		100,891	(71,122 - 130,660)
MO	35-44	823	14.9	1.70	(11.6 - 18.3)		123,602	(93,981 - 153,223)
MO	45-54	1,031	10.7	1.26	(8.2 - 13.2)		85,577	(65,204 - 105,951)
MO	55-64	900	13.1	1.86	(9.4 - 16.7)		77,962	(54,286 - 101,637)
MO	65+	1,445	11.2	1.10	(9.0 - 13.3)		86,882	(69,431 - 104,334)
MT	18-24	257	16.1	2.85	(10.5 - 21.8)		15,337	(9,618 - 21,056)
MT	25-34	565	15.0	1.91	(11.3 - 18.8)		16,142	(11,801 - 20,483)
MT	35-44	860	11.3	1.35	(8.6 - 13.9)		13,880	(10,447 - 17,313)
MT	45-54	1,145	10.2	1.07	(8.1 - 12.3)		14,715	(11,587 - 17,843)
MT	55-64	960	14.0	1.46	(11.1 - 16.9)		14,849	(11,559 - 18,139)
MT	65+	1,142	10.3	1.10	(8.1 - 12.4)		13,231	(10,318 - 16,144)
NE	18-24	377	15.3	2.32	(10.7 - 19.8)		28,181	(19,053 - 37,310)
NE	25-34	1,016	11.3	1.20	(8.9 - 13.6)		25,714	(20,118 - 31,309)
NE	35-44	1,382	10.1	1.02	(8.1 - 12.1)		24,227	(19,214 - 29,241)
NE	45-54	1,728	10.5	0.93	(8.7 - 12.4)		25,842	(21,177 - 30,507)
NE	55-64	1,393	9.7	0.93	(7.9 - 11.5)		16,322	(13,167 - 19,477)
NE	65+	2,359	8.4	0.69	(7.0 - 9.7)		19,750	(16,488 - 23,012)
NV	18-24	219	15.5	3.74	(8.2 - 22.9)		31,999	(15,305 - 48,693)
NV	25-34	404	11.6	2.36	(7.0 - 16.2)		39,901	(22,959 - 56,843)
NV	35-44	559	13.2	2.22	(8.9 - 17.6)		47,326	(30,635 - 64,017)
NV	45-54	638	13.9	2.02	(10.0 - 17.9)		43,828	(30,571 - 57,086)
NV	55-64	620	13.3	2.10	(9.2 - 17.4)		32,219	(21,595 - 42,843)
NV	65+	701	8.4	1.56	(5.4 - 11.5)		22,759	(14,176 - 31,343)
NH	18-24	234	21.1	3.03	(15.1 - 27.0)		21,194	(14,591 - 27,798)
NH	25-34	757	17.7	1.52	(14.7 - 20.7)		30,375	(24,839 - 35,911)
NH	35-44	1,185	14.1	1.11	(11.9 - 16.3)		29,836	(24,961 - 34,711)
NH	45-54	1,370	13.9	1.06	(11.9 - 16.0)		28,160	(23,727 - 32,593)
NH	55-64	1,099	13.0	1.17	(10.7 - 15.3)		18,852	(15,319 - 22,385)
NH	65+	1,293	10.7	1.03	(8.7 - 12.8)		17,259	(13,847 - 20,670)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NJ	18-24	511	16.6	2.15	(12.3 - 20.8)		122,027	(87,703 - 156,351)
NJ	25-34	1,621	12.6	0.99	(10.7 - 14.6)		136,747	(114,703 - 158,791)
NJ	35-44	2,583	10.4	0.72	(9.0 - 11.8)		145,240	(124,849 - 165,631)
NJ	45-54	2,823	11.1	0.77	(9.6 - 12.6)		138,501	(118,882 - 158,120)
NJ	55-64	2,440	11.8	0.92	(10.0 - 13.6)		103,682	(86,912 - 120,453)
NJ	65+	3,405	9.6	0.66	(8.3 - 10.9)		111,088	(95,382 - 126,795)
NM	18-24	313	18.5	2.82	(13.0 - 24.1)		36,624	(24,294 - 48,955)
NM	25-34	715	14.7	1.69	(11.3 - 18.0)		34,759	(26,231 - 43,287)
NM	35-44	914	14.1	1.40	(11.4 - 16.9)		36,634	(29,069 - 44,198)
NM	45-54	1,100	12.8	1.16	(10.5 - 15.1)		34,579	(28,113 - 41,044)
NM	55-64	1,046	16.3	1.51	(13.3 - 19.2)		32,021	(25,608 - 38,434)
NM	65+	1,478	12.2	1.00	(10.2 - 14.1)		28,330	(23,537 - 33,123)
NY	18-24	340	20.1	2.52	(15.2 - 25.1)		366,606	(267,125 - 466,086)
NY	25-34	996	14.1	1.18	(11.8 - 16.4)		369,275	(305,619 - 432,930)
NY	35-44	1,526	14.1	1.03	(12.0 - 16.1)		417,076	(353,467 - 480,685)
NY	45-54	1,597	13.3	1.08	(11.2 - 15.4)		347,694	(288,674 - 406,714)
NY	55-64	1,365	11.7	0.98	(9.8 - 13.6)		235,546	(195,059 - 276,032)
NY	65+	1,843	11.1	1.05	(9.1 - 13.2)		283,004	(227,110 - 338,897)
NC	18-24	818	12.1	1.40	(9.4 - 14.8)		101,999	(77,687 - 126,312)
NC	25-34	2,403	10.1	0.75	(8.6 - 11.5)		122,640	(103,959 - 141,321)
NC	35-44	3,191	9.2	0.60	(8.0 - 10.3)		117,390	(101,832 - 132,949)
NC	45-54	3,327	9.9	0.61	(8.7 - 11.1)		114,960	(100,545 - 129,375)
NC	55-64	3,140	10.4	0.65	(9.1 - 11.7)		90,481	(78,829 - 102,132)
NC	65+	4,239	9.7	0.53	(8.6 - 10.7)		101,410	(90,131 - 112,690)
ND	18-24	212	18.4	2.95	(12.6 - 24.2)		13,733	(8,939 - 18,526)
ND	25-34	498	13.8	1.62	(10.6 - 17.0)		10,992	(8,292 - 13,693)
ND	35-44	719	8.9	1.18	(6.6 - 11.2)		7,277	(5,293 - 9,262)
ND	45-54	870	8.1	1.04	(6.1 - 10.1)		7,295	(5,394 - 9,196)
ND	55-64	648	8.3	1.19	(6.0 - 10.6)		5,239	(3,705 - 6,773)
ND	65+	1,014	10.0	1.01	(8.0 - 12.0)		9,407	(7,469 - 11,345)
OH	18-24	413	14.0	2.84	(8.4 - 19.6)		156,528	(89,001 - 224,056)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OH	25-34	999	13.7	1.63	(10.5 - 16.9)		198,818	(149,540 - 248,096)
OH	35-44	1,293	10.1	1.23	(7.6 - 12.5)		164,491	(123,561 - 205,420)
OH	45-54	1,548	9.8	1.11	(7.6 - 11.9)		163,516	(125,825 - 201,206)
OH	55-64	1,326	13.7	1.51	(10.7 - 16.6)		162,735	(124,756 - 200,713)
OH	65+	1,846	8.4	0.94	(6.6 - 10.3)		129,830	(100,715 - 158,945)
OK	18-24	686	15.2	2.19	(10.9 - 19.5)		57,471	(40,017 - 74,926)
OK	25-34	1,641	14.4	1.25	(11.9 - 16.8)		67,261	(55,189 - 79,332)
OK	35-44	2,115	12.8	1.16	(10.5 - 15.1)		61,325	(49,727 - 72,922)
OK	45-54	2,593	11.9	0.99	(9.9 - 13.8)		57,570	(47,639 - 67,501)
OK	55-64	2,586	13.9	1.00	(11.9 - 15.9)		50,791	(43,252 - 58,330)
OK	65+	4,011	12.1	0.79	(10.6 - 13.7)		57,264	(49,594 - 64,934)
OR	18-24	612	21.2	1.82	(17.6 - 24.8)		73,423	(59,592 - 87,253)
OR	25-34	1,543	16.1	1.02	(14.1 - 18.1)		80,760	(69,958 - 91,561)
OR	35-44	1,877	14.6	0.88	(12.9 - 16.4)		74,561	(65,161 - 83,961)
OR	45-54	2,422	14.9	0.82	(13.3 - 16.5)		79,965	(70,750 - 89,180)
OR	55-64	2,458	14.1	0.75	(12.6 - 15.5)		55,210	(49,058 - 61,362)
OR	65+	3,068	12.4	0.63	(11.1 - 13.6)		57,910	(51,810 - 64,010)
PA	18-24	706	19.2	2.28	(14.7 - 23.7)		229,675	(170,291 - 289,059)
PA	25-34	1,679	14.9	1.31	(12.4 - 17.5)		218,291	(178,111 - 258,470)
PA	35-44	2,313	12.7	0.96	(10.8 - 14.6)		227,702	(192,118 - 263,285)
PA	45-54	2,627	11.7	0.90	(9.9 - 13.4)		208,056	(174,911 - 241,201)
PA	55-64	2,372	10.1	0.85	(8.4 - 11.7)		135,816	(112,305 - 159,326)
PA	65+	3,516	8.0	0.60	(6.9 - 9.2)		155,251	(131,846 - 178,656)
RI	18-24	187	24.1	3.48	(17.2 - 31.0)		27,656	(18,899 - 36,414)
RI	25-34	503	13.7	1.73	(10.3 - 17.1)		18,895	(13,941 - 23,849)
RI	35-44	770	15.8	1.52	(12.8 - 18.7)		25,961	(20,658 - 31,264)
RI	45-54	855	13.4	1.28	(10.9 - 15.9)		20,537	(16,517 - 24,557)
RI	55-64	657	13.7	1.51	(10.7 - 16.7)		15,503	(11,962 - 19,043)
RI	65+	948	13.3	1.24	(10.9 - 15.7)		20,453	(16,519 - 24,386)
SC	18-24	403	13.2	1.90	(9.5 - 16.9)		57,060	(39,823 - 74,298)
SC	25-34	1,027	11.0	1.06	(8.9 - 13.1)		61,721	(49,527 - 73,915)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SC	35-44	1,485	11.1	0.92	(9.3 - 12.9)		67,173	(55,611 - 78,735)
SC	45-54	1,682	10.5	0.80	(8.9 - 12.0)		59,727	(50,385 - 69,069)
SC	55-64	1,641	11.6	0.87	(9.9 - 13.3)		52,664	(44,445 - 60,883)
SC	65+	2,110	10.1	0.76	(8.7 - 11.6)		53,844	(45,569 - 62,119)
SD	18-24	319	12.9	2.40	(8.2 - 17.6)		10,919	(6,616 - 15,222)
SD	25-34	869	10.9	1.19	(8.6 - 13.2)		10,093	(7,851 - 12,334)
SD	35-44	1,136	8.6	1.06	(6.6 - 10.7)		8,847	(6,615 - 11,079)
SD	45-54	1,353	10.3	0.94	(8.5 - 12.2)		11,125	(9,050 - 13,200)
SD	55-64	1,164	11.8	1.10	(9.6 - 13.9)		8,541	(6,898 - 10,185)
SD	65+	2,015	9.8	0.75	(8.3 - 11.3)		10,783	(9,094 - 12,473)
TN	18-24	232	11.2	2.43	(6.4 - 16.0)		64,089	(36,055 - 92,122)
TN	25-34	618	10.1	1.67	(6.8 - 13.4)		81,911	(54,331 - 109,492)
TN	35-44	856	11.4	1.34	(8.8 - 14.0)		100,274	(76,270 - 124,278)
TN	45-54	950	12.8	1.72	(9.4 - 16.1)		106,092	(75,453 - 136,732)
TN	55-64	884	12.4	1.32	(9.8 - 15.0)		79,449	(62,305 - 96,593)
TN	65+	1,171	11.3	1.22	(8.9 - 13.7)		85,189	(66,149 - 104,229)
TX	18-24	415	13.7	2.09	(9.6 - 17.8)		326,228	(221,008 - 431,447)
TX	25-34	1,011	9.3	1.04	(7.3 - 11.4)		307,930	(238,055 - 377,804)
TX	35-44	1,194	11.1	1.09	(8.9 - 13.2)		367,326	(293,512 - 441,139)
TX	45-54	1,226	10.4	0.97	(8.5 - 12.3)		302,193	(245,262 - 359,125)
TX	55-64	1,106	13.0	1.20	(10.7 - 15.4)		261,675	(211,303 - 312,046)
TX	65+	1,486	10.9	0.92	(9.1 - 12.7)		246,482	(203,639 - 289,326)
UT	18-24	420	18.7	2.36	(14.0 - 23.3)		56,198	(40,664 - 71,731)
UT	25-34	1,001	11.8	1.23	(9.4 - 14.2)		47,504	(37,217 - 57,792)
UT	35-44	928	10.0	1.11	(7.8 - 12.2)		29,318	(22,679 - 35,956)
UT	45-54	1,019	13.8	1.37	(11.1 - 16.5)		36,085	(28,606 - 43,565)
UT	55-64	733	13.3	1.49	(10.4 - 16.2)		23,104	(17,689 - 28,518)
UT	65+	998	10.2	1.18	(7.9 - 12.5)		21,281	(16,182 - 26,380)
VT	18-24	274	23.4	3.05	(17.4 - 29.4)		14,915	(10,435 - 19,394)
VT	25-34	769	17.7	1.47	(14.8 - 20.6)		12,619	(10,385 - 14,854)
VT	35-44	1,196	14.7	1.09	(12.6 - 16.8)		13,554	(11,462 - 15,646)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VT	45-54	1,478	14.1	0.99	(12.2 - 16.1)		13,985	(11,952 - 16,018)
VT	55-64	1,303	11.8	0.98	(9.9 - 13.7)		8,677	(7,185 - 10,170)
VT	65+	1,648	10.0	0.79	(8.4 - 11.5)		8,217	(6,895 - 9,539)
VA	18-24	292	21.4	3.06	(15.4 - 27.4)		159,740	(109,637 - 209,843)
VA	25-34	683	14.7	1.63	(11.5 - 17.9)		147,934	(113,810 - 182,057)
VA	35-44	980	12.0	1.41	(9.2 - 14.7)		139,358	(105,241 - 173,475)
VA	45-54	1,192	12.7	1.51	(9.7 - 15.6)		137,447	(103,377 - 171,517)
VA	55-64	1,014	14.8	1.66	(11.5 - 18.0)		118,057	(89,987 - 146,127)
VA	65+	1,281	11.7	1.28	(9.1 - 14.2)		100,930	(78,017 - 123,843)
WA	18-24	1,255	20.7	1.43	(17.9 - 23.5)		127,437	(108,277 - 146,596)
WA	25-34	2,885	15.6	0.84	(14.0 - 17.3)		132,924	(117,924 - 147,925)
WA	35-44	4,023	12.8	0.62	(11.5 - 14.0)		120,816	(108,666 - 132,965)
WA	45-54	4,801	13.3	0.59	(12.2 - 14.5)		124,972	(113,581 - 136,363)
WA	55-64	4,548	13.8	0.64	(12.6 - 15.1)		89,901	(81,188 - 98,614)
WA	65+	5,701	13.0	0.55	(11.9 - 14.1)		93,033	(84,811 - 101,255)
WV	18-24	170	23.8	3.63	(16.6 - 30.9)		41,469	(27,204 - 55,733)
WV	25-34	464	10.2	1.53	(7.2 - 13.2)		22,910	(15,829 - 29,991)
WV	35-44	577	11.9	1.48	(9.0 - 14.8)		29,420	(21,841 - 37,000)
WV	45-54	743	11.3	1.19	(9.0 - 13.7)		31,326	(24,624 - 38,029)
WV	55-64	641	13.3	1.47	(10.4 - 16.2)		28,945	(22,286 - 35,604)
WV	65+	939	12.6	1.20	(10.3 - 14.9)		35,614	(28,614 - 42,615)
WI	18-24	284	14.9	2.58	(9.9 - 20.0)		84,041	(53,607 - 114,476)
WI	25-34	666	17.3	1.84	(13.6 - 20.9)		119,614	(92,196 - 147,033)
WI	35-44	896	13.6	1.32	(11.0 - 16.2)		111,408	(89,190 - 133,626)
WI	45-54	1,060	12.8	1.20	(10.4 - 15.1)		101,116	(81,583 - 120,650)
WI	55-64	809	10.7	1.30	(8.2 - 13.3)		60,039	(45,052 - 75,027)
WI	65+	1,117	9.4	1.05	(7.3 - 11.5)		67,915	(52,481 - 83,349)
WY	18-24	287	18.2	2.56	(13.1 - 23.2)		9,939	(6,902 - 12,976)
WY	25-34	644	13.2	1.42	(10.4 - 16.0)		8,054	(6,248 - 9,860)
WY	35-44	847	10.5	1.11	(8.4 - 12.7)		7,031	(5,517 - 8,544)
WY	45-54	1,174	12.8	1.09	(10.7 - 15.0)		10,261	(8,445 - 12,076)

Notes:
*CI denotes confidence interval.
**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2005

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WY	55-64	852	11.3	1.18	(9.0 - 13.6)		6,425	(5,040 - 7,810)
WY	65+	1,159	10.1	0.97	(8.2 - 12.0)		6,281	(5,048 - 7,514)
Territories								
PR	18-24	277	24.7	2.78	(19.2 - 30.2)		102,606	(77,711 - 127,501)
PR	25-34	412	20.2	2.31	(15.7 - 24.8)		110,838	(83,923 - 137,752)
PR	35-44	656	19.3	1.88	(15.6 - 23.0)		101,589	(80,280 - 122,897)
PR	45-54	720	19.8	1.75	(16.4 - 23.3)		93,484	(76,073 - 110,896)
PR	55-64	741	13.8	1.56	(10.8 - 16.9)		55,571	(42,486 - 68,657)
PR	65+	959	17.9	1.47	(15.0 - 20.8)		84,951	(70,343 - 99,559)
VI	18-24	187	14.1	2.91	(8.4 - 19.8)		1,222	(686 - 1,757)
VI	25-34	383	11.2	2.09	(7.1 - 15.3)		1,545	(943 - 2,148)
VI	35-44	514	8.9	1.31	(6.4 - 11.5)		1,408	(994 - 1,822)
VI	45-54	528	7.5	1.26	(5.1 - 10.0)		1,075	(713 - 1,437)
VI	55-64	454	7.9	1.52	(4.9 - 10.9)		906	(550 - 1,263)
VI	65+	301	4.3	1.12	(2.1 - 6.6)		396	(193 - 598)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the two territories. Data for Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.