

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	18,116	8.3	0.32	(7.7 - 8.9)		2,318,828	(2,140,084 - 2,497,573)
U.S. Total**	25-34	38,610	7.4	0.22	(6.9 - 7.8)		2,890,766	(2,721,141 - 3,060,390)
U.S. Total**	35-44	48,779	7.1	0.20	(6.7 - 7.5)		3,124,189	(2,950,936 - 3,297,442)
U.S. Total**	45-54	48,023	7.7	0.20	(7.3 - 8.1)		2,980,630	(2,823,154 - 3,138,107)
U.S. Total**	55-64	34,718	7.8	0.25	(7.3 - 8.3)		2,062,459	(1,928,673 - 2,196,244)
U.S. Total**	65+	49,666	7.1	0.23	(6.7 - 7.6)		2,499,309	(2,337,651 - 2,660,967)
AL	18-24	221	6.1	1.68	(2.8 - 9.4)		27,306	(12,093 - 42,518)
AL	25-34	485	8.0	1.37	(5.3 - 10.7)		46,647	(30,554 - 62,740)
AL	35-44	582	5.8	1.02	(3.8 - 7.8)		38,724	(25,161 - 52,287)
AL	45-54	608	8.2	1.17	(5.9 - 10.5)		49,770	(35,389 - 64,152)
AL	55-64	484	8.5	1.46	(5.7 - 11.4)		38,178	(24,832 - 51,524)
AL	65+	688	7.0	1.08	(4.9 - 9.1)		40,169	(27,624 - 52,715)
AK	18-24	243	6.9	3.30	(0.4 - 13.5)		4,097	(42 - 8,151)
AK	25-34	493	5.3	1.23	(2.9 - 7.7)		4,657	(2,541 - 6,772)
AK	35-44	661	7.6	1.64	(4.4 - 10.8)		8,264	(4,628 - 11,901)
AK	45-54	633	8.6	2.21	(4.3 - 12.9)		8,515	(3,972 - 13,058)
AK	55-64	345	9.4	2.18	(5.1 - 13.7)		4,581	(2,438 - 6,725)
AK	65+	292	7.7	2.04	(3.7 - 11.7)		2,737	(1,284 - 4,191)
AZ	18-24	253	14.1	3.37	(7.5 - 20.7)		77,657	(37,965 - 117,349)
AZ	25-34	418	8.8	1.75	(5.4 - 12.2)		66,763	(40,313 - 93,213)
AZ	35-44	546	9.0	1.78	(5.5 - 12.5)		70,249	(41,890 - 98,609)
AZ	45-54	590	9.3	1.66	(6.0 - 12.5)		62,595	(39,939 - 85,251)
AZ	55-64	538	6.6	1.39	(3.9 - 9.3)		32,663	(19,118 - 46,207)
AZ	65+	853	6.3	1.08	(4.2 - 8.5)		44,023	(28,996 - 59,050)
AR	18-24	272	6.3	1.61	(3.1 - 9.5)		16,974	(8,234 - 25,714)
AR	25-34	585	8.6	1.55	(5.6 - 11.7)		29,698	(18,640 - 40,757)
AR	35-44	664	6.4	1.12	(4.2 - 8.6)		24,571	(15,806 - 33,337)
AR	45-54	776	7.9	1.11	(5.7 - 10.0)		28,198	(20,137 - 36,258)
AR	55-64	649	8.3	1.29	(5.8 - 10.8)		23,089	(15,732 - 30,446)
AR	65+	916	7.9	0.99	(6.0 - 9.9)		29,467	(21,954 - 36,981)
CA	18-24	379	6.4	1.34	(3.8 - 9.0)		225,108	(130,789 - 319,426)
CA	25-34	776	5.4	0.89	(3.6 - 7.1)		280,629	(188,443 - 372,816)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	35-44	957	6.4	0.83	(4.8 - 8.0)		349,267	(258,709 - 439,824)
CA	45-54	785	5.8	0.83	(4.1 - 7.4)		264,799	(189,515 - 340,083)
CA	55-64	562	7.7	1.25	(5.2 - 10.1)		220,250	(148,166 - 292,334)
CA	65+	745	8.0	1.48	(5.1 - 10.9)		293,716	(182,341 - 405,091)
CO	18-24	357	9.2	1.66	(5.9 - 12.5)		41,890	(26,474 - 57,305)
CO	25-34	747	6.9	1.03	(4.9 - 9.0)		46,287	(32,386 - 60,188)
CO	35-44	826	7.9	0.97	(6.0 - 9.8)		58,538	(44,072 - 73,004)
CO	45-54	858	7.8	1.00	(5.9 - 9.8)		51,122	(38,064 - 64,180)
CO	55-64	562	8.2	1.26	(5.7 - 10.7)		30,766	(21,163 - 40,370)
CO	65+	665	6.0	1.00	(4.1 - 8.0)		25,753	(17,209 - 34,297)
CT	18-24	325	11.2	2.00	(7.2 - 15.1)		30,086	(19,079 - 41,092)
CT	25-34	853	10.3	1.23	(7.9 - 12.7)		45,846	(34,666 - 57,027)
CT	35-44	1,202	8.4	0.93	(6.6 - 10.2)		46,661	(36,246 - 57,075)
CT	45-54	1,159	8.3	0.97	(6.4 - 10.2)		39,096	(29,768 - 48,424)
CT	55-64	813	7.2	1.17	(4.9 - 9.5)		23,962	(16,095 - 31,828)
CT	65+	1,093	6.9	0.88	(5.2 - 8.6)		32,086	(23,829 - 40,342)
DE	18-24	308	8.9	2.48	(4.0 - 13.8)		6,985	(3,013 - 10,957)
DE	25-34	609	7.1	1.46	(4.3 - 10.0)		7,666	(4,483 - 10,849)
DE	35-44	834	8.0	1.34	(5.4 - 10.6)		10,016	(6,590 - 13,441)
DE	45-54	704	6.3	1.13	(4.1 - 8.5)		6,844	(4,402 - 9,286)
DE	55-64	620	8.6	1.49	(5.6 - 11.5)		6,635	(4,278 - 8,993)
DE	65+	920	7.2	1.07	(5.1 - 9.3)		7,370	(5,151 - 9,590)
DC	18-24	174	10.0	2.34	(5.4 - 14.7)		7,467	(4,006 - 10,928)
DC	25-34	606	9.4	2.10	(5.3 - 13.6)		9,216	(4,876 - 13,555)
DC	35-44	461	11.1	2.12	(6.9 - 15.3)		9,158	(5,474 - 12,841)
DC	45-54	398	6.6	1.39	(3.9 - 9.4)		4,724	(2,767 - 6,681)
DC	55-64	299	7.6	1.50	(4.7 - 10.6)		3,986	(2,432 - 5,540)
DC	65+	404	9.7	1.79	(6.1 - 13.2)		6,694	(4,141 - 9,248)
FL	18-24	475	7.6	1.27	(5.1 - 10.1)		105,351	(69,748 - 140,954)
FL	25-34	857	6.0	0.97	(4.1 - 7.9)		126,083	(85,255 - 166,910)
FL	35-44	1,146	6.6	0.91	(4.8 - 8.4)		160,963	(116,218 - 205,709)
FL	45-54	1,083	7.2	0.94	(5.4 - 9.1)		155,492	(114,441 - 196,543)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	55-64	940	6.4	0.99	(4.5 - 8.3)		110,491	(75,844 - 145,137)
FL	65+	1,544	5.8	0.69	(4.5 - 7.2)		166,446	(126,687 - 206,205)
GA	18-24	434	8.5	1.72	(5.1 - 11.8)		74,915	(45,162 - 104,668)
GA	25-34	923	7.7	1.03	(5.7 - 9.7)		99,935	(72,995 - 126,875)
GA	35-44	1,045	6.2	0.91	(4.4 - 8.0)		82,621	(58,353 - 106,890)
GA	45-54	986	7.7	1.12	(5.5 - 9.9)		86,149	(60,556 - 111,742)
GA	55-64	724	8.5	1.24	(6.1 - 11.0)		62,672	(44,144 - 81,200)
GA	65+	884	6.2	0.91	(4.5 - 8.0)		49,849	(35,287 - 64,410)
HI	18-24	448	6.6	1.23	(4.1 - 9.0)		7,748	(4,834 - 10,662)
HI	25-34	887	7.4	1.07	(5.3 - 9.5)		12,397	(8,765 - 16,029)
HI	35-44	1,157	7.1	0.86	(5.4 - 8.8)		13,380	(10,138 - 16,621)
HI	45-54	1,314	5.5	0.78	(4.0 - 7.1)		9,644	(6,905 - 12,383)
HI	55-64	886	9.9	1.46	(7.1 - 12.8)		11,504	(8,024 - 14,985)
HI	65+	1,244	5.4	1.02	(3.4 - 7.4)		8,760	(5,426 - 12,093)
ID	18-24	415	11.2	1.74	(7.8 - 14.6)		16,268	(11,081 - 21,456)
ID	25-34	831	8.1	1.11	(5.9 - 10.3)		13,679	(9,871 - 17,487)
ID	35-44	966	5.8	0.79	(4.3 - 7.3)		11,101	(8,089 - 14,113)
ID	45-54	998	7.0	0.96	(5.1 - 8.9)		12,192	(8,808 - 15,576)
ID	55-64	702	7.1	0.97	(5.2 - 9.0)		8,427	(6,144 - 10,710)
ID	65+	1,068	7.8	0.96	(5.9 - 9.7)		11,625	(8,724 - 14,525)
IL	18-24	464	9.2	1.40	(6.5 - 12.0)		114,984	(80,274 - 149,694)
IL	25-34	899	7.2	0.88	(5.4 - 8.9)		126,568	(95,432 - 157,703)
IL	35-44	1,155	5.0	0.70	(3.6 - 6.4)		96,711	(69,509 - 123,913)
IL	45-54	1,033	7.1	0.92	(5.3 - 8.9)		119,731	(88,552 - 150,910)
IL	55-64	681	8.3	1.17	(6.0 - 10.5)		91,824	(65,453 - 118,194)
IL	65+	990	7.6	0.94	(5.7 - 9.4)		112,824	(84,474 - 141,174)
IN	18-24	465	7.7	1.39	(5.0 - 10.4)		48,245	(30,577 - 65,914)
IN	25-34	977	7.2	0.91	(5.4 - 9.0)		58,162	(43,420 - 72,903)
IN	35-44	1,226	8.2	0.89	(6.4 - 9.9)		75,934	(59,075 - 92,792)
IN	45-54	1,151	8.0	0.90	(6.3 - 9.8)		66,037	(51,126 - 80,947)
IN	55-64	794	6.8	0.95	(5.0 - 8.7)		38,942	(28,051 - 49,832)
IN	65+	1,092	6.9	0.84	(5.2 - 8.6)		51,343	(38,654 - 64,033)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IA	18-24	280	6.0	1.61	(2.8 - 9.1)		18,083	(8,251 - 27,916)
IA	25-34	531	5.2	1.02	(3.2 - 7.2)		18,106	(10,977 - 25,236)
IA	35-44	671	8.8	1.60	(5.7 - 12.0)		37,942	(23,556 - 52,329)
IA	45-54	714	6.1	0.97	(4.2 - 8.0)		24,293	(16,629 - 31,958)
IA	55-64	519	6.3	1.24	(3.9 - 8.8)		17,433	(10,508 - 24,358)
IA	65+	916	6.0	0.99	(4.1 - 7.9)		25,658	(17,077 - 34,238)
KS	18-24	340	11.3	1.85	(7.7 - 15.0)		31,399	(20,841 - 41,957)
KS	25-34	767	7.5	1.02	(5.5 - 9.5)		25,557	(18,603 - 32,511)
KS	35-44	954	7.2	0.88	(5.5 - 8.9)		29,274	(22,102 - 36,447)
KS	45-54	981	6.5	0.81	(4.9 - 8.1)		23,204	(17,410 - 28,998)
KS	55-64	612	8.1	1.14	(5.8 - 10.3)		18,897	(13,486 - 24,308)
KS	65+	889	6.1	0.89	(4.4 - 7.9)		21,401	(15,134 - 27,668)
KY	18-24	441	11.0	2.53	(6.1 - 16.0)		45,592	(23,833 - 67,351)
KY	25-34	970	8.9	1.26	(6.5 - 11.4)		49,054	(35,201 - 62,906)
KY	35-44	1,289	8.6	1.13	(6.4 - 10.8)		53,739	(39,379 - 68,099)
KY	45-54	1,343	10.0	1.13	(7.7 - 12.2)		56,738	(43,679 - 69,798)
KY	55-64	1,148	10.8	1.28	(8.3 - 13.3)		43,231	(32,792 - 53,670)
KY	65+	1,813	8.5	0.80	(7.0 - 10.1)		42,544	(34,542 - 50,546)
LA	18-24	514	7.4	1.25	(5.0 - 9.9)		35,818	(23,692 - 47,944)
LA	25-34	821	5.8	0.91	(4.0 - 7.6)		33,566	(22,971 - 44,162)
LA	35-44	956	5.8	0.91	(4.0 - 7.6)		38,938	(26,691 - 51,184)
LA	45-54	961	6.8	0.85	(5.1 - 8.4)		40,003	(29,933 - 50,072)
LA	55-64	710	5.5	0.96	(3.6 - 7.4)		22,239	(14,497 - 29,981)
LA	65+	1,022	4.8	0.76	(3.3 - 6.3)		24,470	(16,686 - 32,253)
ME	18-24	161	11.9	2.94	(6.0 - 17.7)		12,655	(6,015 - 19,296)
ME	25-34	350	9.8	1.68	(6.5 - 13.1)		15,036	(9,749 - 20,323)
ME	35-44	508	7.2	1.20	(4.8 - 9.5)		14,905	(9,856 - 19,954)
ME	45-54	543	11.5	1.52	(8.5 - 14.5)		22,503	(16,378 - 28,628)
ME	55-64	374	12.3	1.82	(8.7 - 15.8)		16,372	(11,339 - 21,406)
ME	65+	475	9.3	1.45	(6.5 - 12.2)		16,993	(11,584 - 22,401)
MD	18-24	306	8.4	1.62	(5.2 - 11.6)		35,721	(21,876 - 49,565)
MD	25-34	691	9.9	1.54	(6.8 - 12.9)		72,977	(49,462 - 96,491)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MD	35-44	996	7.1	1.03	(5.1 - 9.1)		64,516	(45,482 - 83,550)
MD	45-54	896	8.7	1.21	(6.3 - 11.0)		65,993	(47,341 - 84,645)
MD	55-64	668	7.4	1.12	(5.2 - 9.6)		38,273	(26,630 - 49,916)
MD	65+	764	7.9	1.41	(5.2 - 10.7)		47,825	(30,327 - 65,322)
MA	18-24	554	12.7	1.86	(9.0 - 16.3)		74,697	(51,544 - 97,851)
MA	25-34	1,368	9.8	1.07	(7.7 - 11.9)		87,936	(68,299 - 107,572)
MA	35-44	1,636	8.1	0.87	(6.4 - 9.8)		83,273	(64,983 - 101,563)
MA	45-54	1,423	9.6	0.95	(7.8 - 11.5)		83,645	(66,905 - 100,385)
MA	55-64	914	8.7	1.04	(6.6 - 10.7)		50,857	(38,543 - 63,171)
MA	65+	1,403	6.0	0.76	(4.5 - 7.5)		51,243	(38,080 - 64,406)
MI	18-24	429	9.9	1.60	(6.7 - 13.0)		93,590	(62,637 - 124,543)
MI	25-34	934	7.9	1.08	(5.8 - 10.1)		104,946	(76,321 - 133,570)
MI	35-44	1,249	8.2	0.97	(6.3 - 10.1)		126,596	(96,088 - 157,104)
MI	45-54	1,215	8.4	0.99	(6.5 - 10.4)		117,078	(89,126 - 145,030)
MI	55-64	876	10.3	1.36	(7.6 - 12.9)		95,045	(68,823 - 121,266)
MI	65+	1,171	8.9	1.05	(6.9 - 11.0)		108,016	(82,094 - 133,938)
MN	18-24	287	7.2	1.89	(3.5 - 11.0)		35,039	(16,503 - 53,574)
MN	25-34	741	9.2	1.22	(6.8 - 11.6)		60,262	(43,859 - 76,665)
MN	35-44	933	7.9	0.94	(6.0 - 9.7)		63,129	(47,817 - 78,441)
MN	45-54	931	6.4	0.90	(4.6 - 8.1)		44,605	(31,989 - 57,222)
MN	55-64	629	5.6	0.92	(3.8 - 7.5)		24,654	(16,573 - 32,736)
MN	65+	934	8.1	1.06	(6.1 - 10.2)		47,630	(34,928 - 60,332)
MS	18-24	312	3.5	1.07	(1.4 - 5.6)		10,857	(4,204 - 17,510)
MS	25-34	609	7.3	1.28	(4.8 - 9.8)		27,281	(17,621 - 36,941)
MS	35-44	777	5.2	0.81	(3.6 - 6.8)		21,585	(14,932 - 28,238)
MS	45-54	810	6.1	0.96	(4.2 - 8.0)		22,505	(15,337 - 29,673)
MS	55-64	642	8.2	1.20	(5.8 - 10.5)		21,616	(15,165 - 28,067)
MS	65+	892	6.9	0.93	(5.1 - 8.8)		23,720	(17,341 - 30,098)
MO	18-24	380	12.9	2.49	(8.0 - 17.8)		70,409	(41,699 - 99,120)
MO	25-34	700	8.7	1.38	(6.0 - 11.5)		62,744	(42,538 - 82,951)
MO	35-44	879	7.1	1.12	(4.9 - 9.3)		60,726	(41,402 - 80,051)
MO	45-54	872	9.0	1.22	(6.6 - 11.4)		68,018	(49,392 - 86,644)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MO	55-64	703	9.2	1.44	(6.3 - 12.0)		49,978	(34,032 - 65,925)
MO	65+	1,138	5.8	0.86	(4.1 - 7.5)		43,728	(30,829 - 56,626)
MT	18-24	303	9.7	2.36	(5.1 - 14.3)		8,333	(4,125 - 12,541)
MT	25-34	533	7.0	1.42	(4.2 - 9.8)		7,015	(4,186 - 9,844)
MT	35-44	785	8.5	1.52	(5.5 - 11.5)		11,674	(7,376 - 15,972)
MT	45-54	894	11.0	1.51	(8.0 - 13.9)		14,662	(10,481 - 18,842)
MT	55-64	627	8.5	1.51	(5.6 - 11.5)		7,812	(4,993 - 10,632)
MT	65+	842	8.0	1.22	(5.6 - 10.4)		9,505	(6,577 - 12,433)
NE	18-24	309	11.1	2.10	(7.0 - 15.2)		19,859	(12,143 - 27,575)
NE	25-34	687	5.9	0.99	(4.0 - 7.9)		12,809	(8,491 - 17,126)
NE	35-44	859	6.5	0.98	(4.6 - 8.4)		16,521	(11,495 - 21,547)
NE	45-54	806	6.5	0.97	(4.6 - 8.4)		15,126	(10,610 - 19,642)
NE	55-64	539	7.5	1.34	(4.9 - 10.1)		11,373	(7,219 - 15,527)
NE	65+	1,146	6.6	0.86	(4.9 - 8.2)		15,024	(11,058 - 18,990)
NV	18-24	260	3.8	1.30	(1.3 - 6.4)		7,527	(2,546 - 12,508)
NV	25-34	462	8.7	1.81	(5.2 - 12.3)		27,822	(16,045 - 39,598)
NV	35-44	690	6.9	1.41	(4.1 - 9.6)		23,067	(13,506 - 32,629)
NV	45-54	653	8.1	1.65	(4.9 - 11.3)		24,381	(14,247 - 34,515)
NV	55-64	466	11.9	1.99	(8.0 - 15.8)		26,152	(17,243 - 35,060)
NV	65+	599	5.5	1.16	(3.2 - 7.8)		12,870	(7,429 - 18,311)
NH	18-24	303	9.8	1.96	(5.9 - 13.6)		10,478	(6,149 - 14,808)
NH	25-34	752	11.0	1.27	(8.5 - 13.5)		17,440	(13,302 - 21,578)
NH	35-44	1,204	9.7	0.95	(7.8 - 11.6)		21,315	(17,044 - 25,586)
NH	45-54	1,062	7.7	0.91	(5.9 - 9.4)		14,202	(10,779 - 17,625)
NH	55-64	741	7.5	1.01	(5.5 - 9.5)		9,072	(6,608 - 11,536)
NH	65+	888	6.4	0.86	(4.7 - 8.1)		9,590	(6,983 - 12,197)
NJ	18-24	323	7.6	2.95	(1.8 - 13.4)		53,280	(11,111 - 95,450)
NJ	25-34	991	10.8	2.32	(6.2 - 15.3)		124,706	(68,429 - 180,984)
NJ	35-44	1,333	7.6	1.44	(4.8 - 10.4)		105,281	(65,064 - 145,498)
NJ	45-54	1,262	6.7	1.55	(3.6 - 9.7)		77,699	(41,081 - 114,317)
NJ	55-64	843	4.9	1.59	(1.8 - 8.0)		39,890	(13,806 - 65,973)
NJ	65+	1,298	7.8	1.55	(4.7 - 10.8)		85,774	(50,775 - 120,773)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NM	18-24	365	10.5	2.01	(6.5 - 14.4)		19,131	(11,481 - 26,781)
NM	25-34	644	6.3	0.94	(4.5 - 8.2)		14,473	(10,225 - 18,720)
NM	35-44	871	8.3	1.07	(6.2 - 10.4)		22,789	(16,845 - 28,732)
NM	45-54	991	7.4	0.94	(5.5 - 9.2)		18,849	(14,019 - 23,678)
NM	55-64	740	6.8	1.03	(4.8 - 8.8)		11,604	(8,066 - 15,142)
NM	65+	1,032	8.2	1.02	(6.2 - 10.2)		17,300	(12,926 - 21,674)
NY	18-24	330	6.7	1.32	(4.1 - 9.3)		119,643	(72,329 - 166,958)
NY	25-34	827	7.3	0.93	(5.5 - 9.2)		195,291	(145,729 - 244,854)
NY	35-44	932	8.3	1.10	(6.1 - 10.5)		242,289	(176,735 - 307,842)
NY	45-54	884	8.5	1.12	(6.3 - 10.7)		218,291	(160,114 - 276,468)
NY	55-64	597	9.2	1.34	(6.6 - 11.8)		166,355	(117,016 - 215,695)
NY	65+	819	7.3	1.04	(5.3 - 9.4)		177,630	(126,333 - 228,927)
NC	18-24	484	5.0	1.29	(2.4 - 7.5)		41,865	(20,319 - 63,411)
NC	25-34	1,135	5.3	0.91	(3.5 - 7.1)		63,730	(41,911 - 85,550)
NC	35-44	1,316	7.2	1.29	(4.6 - 9.7)		90,496	(57,093 - 123,899)
NC	45-54	1,325	8.6	1.32	(6.0 - 11.2)		95,565	(65,309 - 125,822)
NC	55-64	976	6.9	1.22	(4.5 - 9.3)		54,436	(34,786 - 74,087)
NC	65+	1,423	5.8	0.99	(3.8 - 7.7)		55,716	(36,265 - 75,167)
ND	18-24	302	8.1	1.76	(4.6 - 11.5)		5,957	(3,311 - 8,602)
ND	25-34	393	9.0	1.56	(6.0 - 12.1)		6,680	(4,323 - 9,038)
ND	35-44	616	7.2	1.11	(5.1 - 9.4)		6,782	(4,685 - 8,878)
ND	45-54	601	5.1	0.98	(3.2 - 7.0)		4,350	(2,669 - 6,030)
ND	55-64	413	7.4	1.43	(4.6 - 10.2)		4,184	(2,539 - 5,829)
ND	65+	641	7.4	1.18	(5.1 - 9.7)		6,723	(4,544 - 8,902)
OH	18-24	305	7.6	1.73	(4.2 - 11.0)		81,751	(43,884 - 119,617)
OH	25-34	658	8.3	1.18	(5.9 - 10.6)		121,174	(85,941 - 156,407)
OH	35-44	859	5.3	0.95	(3.5 - 7.2)		93,003	(59,563 - 126,443)
OH	45-54	871	7.9	1.07	(5.8 - 10.0)		123,695	(89,574 - 157,815)
OH	55-64	570	8.2	1.29	(5.6 - 10.7)		87,619	(59,449 - 115,790)
OH	65+	771	7.7	1.11	(5.5 - 9.8)		113,690	(80,372 - 147,009)
OK	18-24	481	7.0	1.29	(4.5 - 9.5)		25,588	(16,080 - 35,096)
OK	25-34	975	8.6	1.11	(6.4 - 10.7)		37,561	(27,576 - 47,547)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OK	35-44	1,189	6.6	0.82	(5.0 - 8.2)		33,361	(24,938 - 41,784)
OK	45-54	1,232	6.4	0.77	(4.9 - 7.9)		29,561	(22,457 - 36,664)
OK	55-64	1,157	5.9	0.73	(4.5 - 7.4)		20,109	(15,156 - 25,063)
OK	65+	1,674	7.8	0.71	(6.4 - 9.2)		34,984	(28,490 - 41,477)
OR	18-24	223	7.1	1.69	(3.8 - 10.4)		24,251	(12,726 - 35,776)
OR	25-34	488	7.8	1.23	(5.4 - 10.2)		36,070	(24,624 - 47,516)
OR	35-44	585	7.1	1.07	(5.0 - 9.2)		36,630	(25,674 - 47,586)
OR	45-54	637	11.2	1.42	(8.4 - 14.0)		58,535	(43,204 - 73,867)
OR	55-64	485	11.2	1.63	(8.0 - 14.4)		37,002	(25,806 - 48,198)
OR	65+	619	7.7	1.19	(5.4 - 10.0)		34,009	(23,293 - 44,724)
PA	18-24	851	13.4	1.61	(10.2 - 16.6)		148,719	(111,243 - 186,195)
PA	25-34	2,034	8.1	0.80	(6.6 - 9.7)		122,171	(97,718 - 146,625)
PA	35-44	2,754	7.4	0.64	(6.1 - 8.6)		138,238	(114,087 - 162,389)
PA	45-54	2,724	7.1	0.65	(5.8 - 8.3)		119,764	(97,292 - 142,237)
PA	55-64	1,983	6.8	0.74	(5.3 - 8.2)		81,290	(63,290 - 99,291)
PA	65+	2,975	6.6	0.59	(5.5 - 7.8)		125,245	(102,581 - 147,908)
RI	18-24	279	11.6	2.03	(7.6 - 15.6)		12,638	(8,137 - 17,139)
RI	25-34	677	8.2	1.27	(5.7 - 10.7)		11,288	(7,733 - 14,844)
RI	35-44	843	8.8	1.04	(6.7 - 10.8)		14,557	(11,061 - 18,052)
RI	45-54	736	9.8	1.22	(7.5 - 12.2)		13,900	(10,396 - 17,405)
RI	55-64	491	8.6	1.35	(5.9 - 11.2)		8,268	(5,633 - 10,903)
RI	65+	749	7.2	1.03	(5.2 - 9.2)		11,033	(7,820 - 14,245)
SC	18-24	313	7.1	1.86	(3.4 - 10.7)		29,835	(13,905 - 45,765)
SC	25-34	744	6.5	1.45	(3.6 - 9.3)		35,747	(19,388 - 52,106)
SC	35-44	895	6.1	1.04	(4.0 - 8.1)		37,227	(24,329 - 50,124)
SC	45-54	886	6.3	1.17	(4.0 - 8.6)		35,330	(21,929 - 48,731)
SC	55-64	718	5.2	0.97	(3.2 - 7.1)		20,877	(12,986 - 28,767)
SC	65+	896	3.8	0.76	(2.3 - 5.3)		18,328	(10,950 - 25,705)
SD	18-24	317	5.6	1.28	(3.1 - 8.1)		4,403	(2,381 - 6,424)
SD	25-34	731	7.3	1.39	(4.6 - 10.0)		6,465	(3,947 - 8,983)
SD	35-44	931	5.9	0.86	(4.2 - 7.5)		6,550	(4,627 - 8,473)
SD	45-54	925	6.1	0.98	(4.1 - 8.0)		6,055	(4,066 - 8,044)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SD	55-64	661	4.9	0.94	(3.0 - 6.7)		3,260	(1,995 - 4,526)
SD	65+	1,188	5.6	0.70	(4.3 - 7.0)		5,976	(4,501 - 7,451)
TN	18-24	244	5.2	1.39	(2.5 - 8.0)		29,304	(13,852 - 44,757)
TN	25-34	559	8.3	1.31	(5.7 - 10.8)		66,047	(44,976 - 87,117)
TN	35-44	612	8.6	1.22	(6.2 - 11.0)		75,327	(53,511 - 97,143)
TN	45-54	631	10.2	1.39	(7.5 - 12.9)		82,617	(59,457 - 105,776)
TN	55-64	463	7.9	1.41	(5.1 - 10.7)		45,244	(28,798 - 61,690)
TN	65+	670	8.1	1.17	(5.8 - 10.4)		57,252	(40,446 - 74,058)
TX	18-24	586	8.6	1.27	(6.1 - 11.0)		198,196	(138,834 - 257,558)
TX	25-34	1,230	5.2	0.65	(3.9 - 6.5)		163,783	(122,706 - 204,861)
TX	35-44	1,302	6.7	0.78	(5.1 - 8.2)		218,352	(166,643 - 270,061)
TX	45-54	1,129	7.2	0.83	(5.6 - 8.8)		197,967	(152,231 - 243,703)
TX	55-64	772	8.3	1.32	(5.7 - 10.9)		146,797	(99,253 - 194,341)
TX	65+	1,028	8.1	0.91	(6.3 - 9.9)		171,493	(132,669 - 210,318)
UT	18-24	463	9.1	1.71	(5.8 - 12.5)		30,101	(18,658 - 41,544)
UT	25-34	800	7.3	1.10	(5.1 - 9.5)		23,902	(16,643 - 31,162)
UT	35-44	842	9.0	1.58	(5.9 - 12.1)		26,555	(16,920 - 36,190)
UT	45-54	757	7.5	1.19	(5.1 - 9.8)		18,682	(12,670 - 24,695)
UT	55-64	507	8.6	1.65	(5.3 - 11.8)		13,060	(7,914 - 18,207)
UT	65+	684	6.1	1.04	(4.1 - 8.1)		11,955	(7,889 - 16,021)
VT	18-24	263	10.2	2.05	(6.2 - 14.3)		5,904	(3,457 - 8,352)
VT	25-34	643	10.1	1.26	(7.7 - 12.6)		7,332	(5,461 - 9,202)
VT	35-44	904	9.7	1.16	(7.4 - 11.9)		9,590	(7,220 - 11,959)
VT	45-54	948	6.3	0.84	(4.7 - 8.0)		6,050	(4,443 - 7,657)
VT	55-64	613	9.2	1.29	(6.7 - 11.7)		5,653	(4,028 - 7,278)
VT	65+	819	7.4	0.95	(5.6 - 9.3)		5,722	(4,242 - 7,203)
VA	18-24	331	7.1	1.72	(3.7 - 10.5)		50,364	(25,937 - 74,791)
VA	25-34	701	8.5	1.31	(6.0 - 11.1)		87,582	(60,500 - 114,664)
VA	35-44	949	6.3	0.98	(4.4 - 8.3)		75,322	(52,072 - 98,573)
VA	45-54	927	8.4	1.29	(5.9 - 11.0)		86,080	(59,522 - 112,638)
VA	55-64	632	7.4	1.31	(4.8 - 10.0)		50,169	(32,154 - 68,185)
VA	65+	800	5.2	0.83	(3.6 - 6.8)		41,302	(28,380 - 54,224)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	18-24	391	9.1	1.91	(5.4 - 12.9)		52,904	(30,069 - 75,738)
WA	25-34	819	10.2	1.28	(7.7 - 12.7)		84,522	(62,632 - 106,412)
WA	35-44	1,005	8.0	1.03	(6.0 - 10.0)		76,746	(56,578 - 96,914)
WA	45-54	1,048	9.0	1.16	(6.8 - 11.3)		80,593	(59,488 - 101,698)
WA	55-64	671	8.0	1.20	(5.6 - 10.3)		43,048	(29,936 - 56,161)
WA	65+	913	8.7	1.11	(6.6 - 10.9)		58,358	(43,382 - 73,334)
WV	18-24	220	9.0	2.03	(5.0 - 13.0)		15,663	(8,445 - 22,882)
WV	25-34	469	10.1	1.42	(7.3 - 12.9)		22,099	(15,744 - 28,455)
WV	35-44	639	8.3	1.21	(5.9 - 10.7)		21,732	(15,287 - 28,177)
WV	45-54	638	10.8	1.38	(8.1 - 13.5)		29,403	(21,615 - 37,191)
WV	55-64	516	9.2	1.27	(6.7 - 11.7)		18,071	(13,029 - 23,113)
WV	65+	838	7.4	1.01	(5.4 - 9.4)		19,937	(14,449 - 25,426)
WI	18-24	346	9.4	1.88	(5.7 - 13.1)		49,364	(29,143 - 69,585)
WI	25-34	721	8.4	1.13	(6.2 - 10.6)		58,645	(42,698 - 74,593)
WI	35-44	931	7.6	1.11	(5.4 - 9.8)		65,057	(45,720 - 84,395)
WI	45-54	861	9.4	1.20	(7.0 - 11.7)		70,752	(52,072 - 89,432)
WI	55-64	613	8.3	1.24	(5.9 - 10.7)		40,941	(28,516 - 53,365)
WI	65+	845	8.6	1.10	(6.5 - 10.8)		60,255	(44,587 - 75,922)
WY	18-24	287	9.5	1.94	(5.6 - 13.3)		4,828	(2,800 - 6,856)
WY	25-34	509	8.2	1.29	(5.7 - 10.7)		4,712	(3,210 - 6,214)
WY	35-44	657	6.5	1.01	(4.5 - 8.5)		4,948	(3,411 - 6,485)
WY	45-54	830	6.7	1.07	(4.6 - 8.8)		5,027	(3,389 - 6,666)
WY	55-64	530	7.5	1.24	(5.1 - 10.0)		3,605	(2,413 - 4,797)
WY	65+	694	6.2	0.97	(4.3 - 8.1)		3,551	(2,445 - 4,658)
Territories								
GU	18-24	106	8.7	3.13	(2.4 - 14.9)		1,345	(338 - 2,352)
GU	25-34	231	9.8	2.32	(5.2 - 14.4)		1,889	(963 - 2,816)
GU	35-44	213	2.5	1.02	(0.5 - 4.5)		553	(100 - 1,006)
GU	45-54	143	4.1	1.59	(1.0 - 7.3)		759	(178 - 1,339)
GU	55-64	88	6.3	2.54	(1.2 - 11.3)		636	(116 - 1,156)
GU	65+	46	3.4				340	
PR	18-24	405	12.6	1.83	(9.0 - 16.2)		60,640	(42,409 - 78,871)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2002**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	25-34	624	8.8	1.34	(6.2 - 11.5)		47,198	(32,620 - 61,776)
PR	35-44	830	14.8	1.55	(11.8 - 17.9)		76,700	(59,776 - 93,624)
PR	45-54	721	12.4	1.42	(9.6 - 15.1)		56,822	(43,504 - 70,140)
PR	55-64	653	8.8	1.26	(6.4 - 11.3)		31,066	(22,086 - 40,047)
PR	65+	877	11.2	1.30	(8.7 - 13.8)		47,924	(36,558 - 59,290)
VI	18-24	156	9.8	2.95	(4.0 - 15.7)		1,063	(397 - 1,730)
VI	25-34	427	5.5	1.12	(3.3 - 7.7)		762	(456 - 1,068)
VI	35-44	504	4.7	1.14	(2.5 - 7.0)		686	(355 - 1,017)
VI	45-54	469	4.1	1.07	(2.0 - 6.2)		566	(275 - 858)
VI	55-64	403	2.0	0.79	(0.4 - 3.6)		173	(36 - 310)
VI	65+	264	1.6				173	

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.