

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2002**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	< \$15,000	23,808	10.5	0.36	(9.8 - 11.2)		2,138,741	(1,993,928 - 2,283,554)
U.S. Total**	\$15-\$24,999	37,976	8.4	0.25	(7.9 - 8.8)		2,737,080	(2,573,579 - 2,900,580)
U.S. Total**	\$25-\$49,999	69,293	7.3	0.17	(6.9 - 7.6)		4,337,629	(4,138,879 - 4,536,379)
U.S. Total**	\$50-\$74,999	35,226	6.5	0.23	(6.1 - 6.9)		2,092,629	(1,945,437 - 2,239,820)
U.S. Total**	>=\$75,000	39,147	6.3	0.20	(5.9 - 6.7)		2,487,731	(2,328,106 - 2,647,357)
AL	< \$15,000	451	13.6	2.12	(9.4 - 17.7)		57,096	(38,305 - 75,887)
AL	\$15-\$24,999	601	8.5	1.28	(6.0 - 11.0)		53,870	(37,468 - 70,272)
AL	\$25-\$49,999	901	6.1	0.83	(4.5 - 7.7)		62,218	(45,337 - 79,100)
AL	\$50-\$74,999	394	6.2	1.33	(3.6 - 8.8)		29,267	(16,596 - 41,939)
AL	>=\$75,000	374	5.0	1.12	(2.8 - 7.2)		21,079	(11,688 - 30,470)
AK	< \$15,000	244	8.7	2.43	(3.9 - 13.5)		2,662	(1,178 - 4,146)
AK	\$15-\$24,999	393	9.6	2.94	(3.8 - 15.4)		5,626	(2,006 - 9,246)
AK	\$25-\$49,999	786	10.8	2.14	(6.6 - 15.0)		13,132	(7,683 - 18,581)
AK	\$50-\$74,999	455	6.5	1.85	(2.9 - 10.1)		4,991	(2,098 - 7,884)
AK	>=\$75,000	548	5.0	1.23	(2.6 - 7.4)		5,463	(2,792 - 8,135)
AZ	< \$15,000	321	5.2	1.40	(2.4 - 7.9)		14,903	(7,102 - 22,704)
AZ	\$15-\$24,999	521	8.5	2.17	(4.2 - 12.8)		52,423	(25,008 - 79,839)
AZ	\$25-\$49,999	1,003	8.3	1.26	(5.9 - 10.8)		94,520	(65,770 - 123,269)
AZ	\$50-\$74,999	473	10.4	1.91	(6.6 - 14.1)		74,143	(46,208 - 102,077)
AZ	>=\$75,000	422	7.4	1.91	(3.6 - 11.1)		49,156	(23,412 - 74,900)
AR	< \$15,000	534	12.0	1.73	(8.6 - 15.4)		29,522	(20,753 - 38,291)
AR	\$15-\$24,999	762	9.8	1.44	(7.0 - 12.7)		38,679	(27,009 - 50,350)
AR	\$25-\$49,999	1,137	6.9	0.88	(5.2 - 8.6)		42,240	(31,336 - 53,144)
AR	\$50-\$74,999	503	5.0	0.96	(3.1 - 6.9)		13,640	(8,433 - 18,847)
AR	>=\$75,000	454	4.8	1.23	(2.3 - 7.2)		12,201	(5,855 - 18,548)
CA	< \$15,000	539	6.1	1.10	(4.0 - 8.3)		232,812	(150,250 - 315,375)
CA	\$15-\$24,999	554	6.5	1.15	(4.2 - 8.8)		233,091	(150,592 - 315,590)
CA	\$25-\$49,999	1,055	6.3	0.82	(4.7 - 7.9)		383,736	(284,930 - 482,542)
CA	\$50-\$74,999	661	6.7	1.10	(4.5 - 8.8)		252,482	(168,930 - 336,034)
CA	>=\$75,000	1,093	6.7	0.79	(5.2 - 8.3)		412,625	(315,227 - 510,022)
CO	< \$15,000	337	9.2	1.93	(5.4 - 13.0)		25,459	(14,719 - 36,198)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2002**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
CO	\$15-\$24,999	522	7.4	1.27	(4.9 - 9.9)		31,420	(20,568 - 42,273)
CO	\$25-\$49,999	1,172	7.6	0.86	(5.9 - 9.3)		72,591	(56,003 - 89,179)
CO	\$50-\$74,999	723	6.7	1.01	(4.7 - 8.7)		40,275	(28,095 - 52,456)
CO	>=\$75,000	928	7.6	0.93	(5.8 - 9.5)		59,239	(44,721 - 73,757)
CT	< \$15,000	275	18.0	3.36	(11.4 - 24.6)		22,445	(13,278 - 31,611)
CT	\$15-\$24,999	600	9.9	1.50	(7.0 - 12.9)		28,256	(19,618 - 36,894)
CT	\$25-\$49,999	1,279	8.5	0.95	(6.7 - 10.4)		49,195	(38,164 - 60,226)
CT	\$50-\$74,999	929	7.1	1.00	(5.1 - 9.1)		29,794	(21,344 - 38,243)
CT	>=\$75,000	1,581	7.9	0.78	(6.4 - 9.4)		59,242	(47,409 - 71,075)
DE	< \$15,000	379	7.9	1.77	(4.4 - 11.4)		3,688	(2,055 - 5,321)
DE	\$15-\$24,999	321	10.9	2.08	(6.8 - 15.0)		4,473	(2,976 - 5,971)
DE	\$25-\$49,999	963	7.9	1.22	(5.6 - 10.3)		10,102	(6,959 - 13,246)
DE	\$50-\$74,999	539	6.5	1.53	(3.5 - 9.5)		5,307	(2,793 - 7,820)
DE	>=\$75,000	666	5.1	1.14	(2.9 - 7.3)		6,458	(3,570 - 9,345)
DC	< \$15,000	176	12.3	4.47	(3.4 - 21.1)		4,947	(1,013 - 8,881)
DC	\$15-\$24,999	272	8.7	2.10	(4.5 - 12.8)		5,421	(2,766 - 8,076)
DC	\$25-\$49,999	596	8.2	1.34	(5.6 - 10.8)		9,688	(6,566 - 12,809)
DC	\$50-\$74,999	349	11.9	2.34	(7.3 - 16.5)		7,503	(4,395 - 10,612)
DC	>=\$75,000	714	7.5	1.30	(5.0 - 10.1)		8,791	(5,701 - 11,880)
FL	< \$15,000	559	11.8	1.88	(8.1 - 15.5)		128,866	(85,676 - 172,057)
FL	\$15-\$24,999	1,017	7.4	0.97	(5.5 - 9.3)		158,851	(116,663 - 201,038)
FL	\$25-\$49,999	1,839	5.4	0.61	(4.2 - 6.6)		207,880	(161,009 - 254,752)
FL	\$50-\$74,999	840	6.4	1.02	(4.4 - 8.4)		117,649	(79,631 - 155,666)
FL	>=\$75,000	897	4.8	0.81	(3.2 - 6.4)		91,919	(60,942 - 122,896)
GA	< \$15,000	582	11.5	1.92	(7.7 - 15.2)		69,135	(46,703 - 91,567)
GA	\$15-\$24,999	837	9.4	1.29	(6.9 - 12.0)		89,948	(65,051 - 114,845)
GA	\$25-\$49,999	1,500	6.2	0.78	(4.6 - 7.7)		114,181	(85,319 - 143,042)
GA	\$50-\$74,999	714	5.5	1.00	(3.5 - 7.4)		51,451	(32,494 - 70,407)
GA	>=\$75,000	793	5.0	0.88	(3.3 - 6.7)		56,052	(36,368 - 75,736)
HI	< \$15,000	593	9.7	1.54	(6.6 - 12.7)		7,006	(4,729 - 9,284)
HI	\$15-\$24,999	588	7.0	1.22	(4.6 - 9.4)		6,132	(4,014 - 8,250)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2002**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
HI	\$25-\$49,999	1,406	7.8	1.04	(5.7 - 9.8)		15,705	(11,413 - 19,998)
HI	\$50-\$74,999	788	6.6	1.04	(4.6 - 8.7)		8,418	(5,785 - 11,050)
HI	>=\$75,000	790	7.6	1.24	(5.1 - 10.0)		10,209	(6,805 - 13,614)
ID	< \$15,000	628	12.0	1.67	(8.7 - 15.2)		12,192	(8,673 - 15,711)
ID	\$15-\$24,999	1,004	7.6	0.98	(5.7 - 9.5)		13,851	(10,269 - 17,433)
ID	\$25-\$49,999	1,671	6.6	0.73	(5.2 - 8.1)		21,315	(16,619 - 26,012)
ID	\$50-\$74,999	661	6.9	1.13	(4.6 - 9.1)		9,380	(6,253 - 12,507)
ID	>=\$75,000	558	5.9	1.09	(3.8 - 8.0)		7,111	(4,470 - 9,752)
IL	< \$15,000	412	10.2	1.73	(6.8 - 13.7)		71,770	(47,030 - 96,510)
IL	\$15-\$24,999	780	7.6	1.07	(5.5 - 9.6)		107,034	(76,629 - 137,439)
IL	\$25-\$49,999	1,419	7.4	0.76	(5.9 - 8.9)		181,804	(144,230 - 219,378)
IL	\$50-\$74,999	869	5.3	0.77	(3.8 - 6.8)		80,719	(57,307 - 104,131)
IL	>=\$75,000	1,071	5.9	0.75	(4.4 - 7.3)		109,335	(81,430 - 137,241)
IN	< \$15,000	556	13.1	1.58	(10.0 - 16.2)		53,101	(39,941 - 66,262)
IN	\$15-\$24,999	915	8.9	1.11	(6.7 - 11.1)		62,869	(46,818 - 78,920)
IN	\$25-\$49,999	1,735	7.0	0.70	(5.6 - 8.4)		94,861	(75,685 - 114,038)
IN	\$50-\$74,999	945	5.4	0.85	(3.7 - 7.1)		41,441	(28,344 - 54,538)
IN	>=\$75,000	865	5.7	0.84	(4.0 - 7.3)		41,370	(29,077 - 53,663)
IA	< \$15,000	325	6.7	1.63	(3.5 - 10.0)		11,272	(5,777 - 16,767)
IA	\$15-\$24,999	630	9.0	1.40	(6.2 - 11.7)		31,501	(21,490 - 41,512)
IA	\$25-\$49,999	1,254	6.0	0.99	(4.1 - 8.0)		46,653	(31,051 - 62,256)
IA	\$50-\$74,999	586	5.4	1.00	(3.4 - 7.3)		20,318	(12,763 - 27,872)
IA	>=\$75,000	460	6.7	1.36	(4.1 - 9.4)		19,956	(11,793 - 28,119)
KS	< \$15,000	301	9.9	1.77	(6.4 - 13.4)		11,338	(7,265 - 15,411)
KS	\$15-\$24,999	766	10.8	1.35	(8.1 - 13.4)		33,946	(25,124 - 42,769)
KS	\$25-\$49,999	1,541	7.7	0.79	(6.1 - 9.2)		51,179	(40,454 - 61,904)
KS	\$50-\$74,999	743	5.0	0.82	(3.4 - 6.6)		17,452	(11,760 - 23,144)
KS	>=\$75,000	693	7.2	1.05	(5.2 - 9.3)		21,817	(15,405 - 28,230)
KY	< \$15,000	945	20.0	2.31	(15.5 - 24.6)		62,921	(48,373 - 77,470)
KY	\$15-\$24,999	1,086	12.5	1.73	(9.1 - 15.9)		55,257	(39,250 - 71,264)
KY	\$25-\$49,999	1,586	8.4	1.09	(6.2 - 10.5)		60,026	(44,133 - 75,920)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2002**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
KY	\$50-\$74,999	727	3.5	0.83	(1.9 - 5.2)		15,075	(8,134 - 22,016)
KY	>=\$75,000	478	5.7	1.29	(3.1 - 8.2)		16,535	(9,108 - 23,962)
LA	< \$15,000	631	10.0	1.35	(7.3 - 12.6)		36,851	(26,742 - 46,959)
LA	\$15-\$24,999	998	6.1	0.87	(4.4 - 7.9)		39,787	(28,483 - 51,092)
LA	\$25-\$49,999	1,449	5.5	0.68	(4.2 - 6.9)		52,984	(39,913 - 66,056)
LA	\$50-\$74,999	597	4.8	1.17	(2.5 - 7.1)		19,418	(9,920 - 28,916)
LA	>=\$75,000	627	4.4	0.85	(2.7 - 6.1)		19,214	(11,817 - 26,611)
ME	< \$15,000	339	18.4	2.59	(13.3 - 23.5)		21,015	(14,584 - 27,446)
ME	\$15-\$24,999	434	13.2	1.79	(9.7 - 16.8)		22,125	(15,886 - 28,363)
ME	\$25-\$49,999	738	7.9	1.08	(5.8 - 10.1)		24,561	(17,840 - 31,281)
ME	\$50-\$74,999	339	7.7	1.55	(4.7 - 10.8)		11,438	(6,778 - 16,099)
ME	>=\$75,000	303	7.2	1.78	(3.7 - 10.7)		9,519	(4,685 - 14,353)
MD	< \$15,000	235	13.0	2.62	(7.9 - 18.2)		24,011	(14,395 - 33,628)
MD	\$15-\$24,999	505	9.8	1.67	(6.5 - 13.1)		45,386	(29,629 - 61,143)
MD	\$25-\$49,999	1,076	9.3	1.25	(6.8 - 11.7)		93,096	(67,142 - 119,050)
MD	\$50-\$74,999	748	8.0	1.20	(5.6 - 10.3)		50,270	(34,959 - 65,581)
MD	>=\$75,000	1,235	7.0	0.81	(5.4 - 8.6)		81,787	(62,931 - 100,644)
MA	< \$15,000	652	14.3	1.89	(10.6 - 18.0)		45,656	(32,918 - 58,394)
MA	\$15-\$24,999	943	8.8	1.22	(6.4 - 11.2)		49,661	(35,543 - 63,778)
MA	\$25-\$49,999	1,775	7.5	0.75	(6.0 - 9.0)		84,962	(67,766 - 102,158)
MA	\$50-\$74,999	1,148	9.2	1.20	(6.8 - 11.6)		74,637	(54,384 - 94,891)
MA	>=\$75,000	1,734	8.6	0.84	(7.0 - 10.3)		112,260	(89,923 - 134,597)
MI	< \$15,000	434	11.7	1.95	(7.9 - 15.5)		59,612	(40,023 - 79,202)
MI	\$15-\$24,999	819	9.0	1.19	(6.7 - 11.4)		92,175	(67,504 - 116,846)
MI	\$25-\$49,999	1,752	9.2	0.91	(7.4 - 10.9)		196,806	(156,971 - 236,642)
MI	\$50-\$74,999	983	6.7	0.93	(4.9 - 8.5)		83,129	(60,093 - 106,164)
MI	>=\$75,000	1,142	8.7	1.03	(6.6 - 10.7)		127,677	(96,846 - 158,508)
MN	< \$15,000	264	12.3	3.46	(5.5 - 19.1)		22,971	(9,370 - 36,572)
MN	\$15-\$24,999	515	6.4	1.17	(4.1 - 8.7)		24,226	(15,416 - 33,035)
MN	\$25-\$49,999	1,338	7.4	0.90	(5.7 - 9.2)		78,378	(59,084 - 97,672)
MN	\$50-\$74,999	807	7.9	1.02	(5.9 - 9.9)		55,369	(40,927 - 69,811)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2002**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
MN	>=\$75,000	985	5.8	0.75	(4.3 - 7.3)		50,450	(37,392 - 63,508)
MS	< \$15,000	752	11.8	1.38	(9.1 - 14.5)		40,970	(31,185 - 50,755)
MS	\$15-\$24,999	750	5.8	0.92	(4.0 - 7.6)		23,892	(16,401 - 31,383)
MS	\$25-\$49,999	1,139	4.2	0.76	(2.7 - 5.7)		25,641	(16,355 - 34,926)
MS	\$50-\$74,999	437	3.8	0.93	(2.0 - 5.6)		8,468	(4,344 - 12,591)
MS	>=\$75,000	385	5.3	1.27	(2.8 - 7.8)		10,680	(5,506 - 15,855)
MO	< \$15,000	592	15.8	2.32	(11.3 - 20.4)		59,245	(40,824 - 77,666)
MO	\$15-\$24,999	914	11.1	1.64	(7.9 - 14.3)		78,488	(54,148 - 102,827)
MO	\$25-\$49,999	1,453	8.0	1.04	(6.0 - 10.1)		101,222	(74,431 - 128,012)
MO	\$50-\$74,999	634	5.2	1.06	(3.2 - 7.3)		34,287	(20,517 - 48,056)
MO	>=\$75,000	524	5.2	1.12	(3.0 - 7.4)		35,098	(19,933 - 50,264)
MT	< \$15,000	473	10.9	1.81	(7.3 - 14.5)		6,897	(4,557 - 9,238)
MT	\$15-\$24,999	817	8.7	1.47	(5.8 - 11.6)		11,499	(7,530 - 15,468)
MT	\$25-\$49,999	1,380	8.3	1.04	(6.3 - 10.4)		19,510	(14,609 - 24,410)
MT	\$50-\$74,999	549	9.7	2.02	(5.7 - 13.7)		9,863	(5,561 - 14,165)
MT	>=\$75,000	327	7.4	1.89	(3.7 - 11.1)		4,693	(2,254 - 7,131)
NE	< \$15,000	355	10.2	1.80	(6.6 - 13.7)		9,260	(5,961 - 12,559)
NE	\$15-\$24,999	871	9.5	1.26	(7.0 - 11.9)		22,457	(16,459 - 28,454)
NE	\$25-\$49,999	1,329	6.1	0.80	(4.5 - 7.6)		23,676	(17,357 - 29,996)
NE	\$50-\$74,999	635	7.3	1.22	(5.0 - 9.7)		14,437	(9,557 - 19,318)
NE	>=\$75,000	529	3.9	0.88	(2.2 - 5.6)		6,397	(3,507 - 9,287)
NV	< \$15,000	230	6.2	2.15	(2.0 - 10.5)		7,124	(2,181 - 12,067)
NV	\$15-\$24,999	481	8.1	1.61	(5.0 - 11.3)		22,043	(13,388 - 30,698)
NV	\$25-\$49,999	973	8.0	1.28	(5.5 - 10.5)		38,050	(25,726 - 50,375)
NV	\$50-\$74,999	499	6.7	1.61	(3.6 - 9.9)		17,205	(8,905 - 25,505)
NV	>=\$75,000	566	8.9	1.78	(5.4 - 12.4)		25,626	(15,159 - 36,093)
NH	< \$15,000	329	11.8	1.91	(8.0 - 15.5)		5,992	(4,012 - 7,973)
NH	\$15-\$24,999	600	9.7	1.36	(7.0 - 12.4)		10,424	(7,444 - 13,404)
NH	\$25-\$49,999	1,412	9.4	0.97	(7.5 - 11.3)		24,683	(19,454 - 29,912)
NH	\$50-\$74,999	876	8.1	1.04	(6.1 - 10.1)		14,150	(10,442 - 17,858)
NH	>=\$75,000	1,113	7.5	0.89	(5.7 - 9.2)		16,761	(12,726 - 20,795)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2002**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
NJ	< \$15,000	294	11.9	3.14	(5.7 - 18.0)		41,642	(19,051 - 64,234)
NJ	\$15-\$24,999	630	12.1	3.09	(6.0 - 18.1)		98,040	(45,016 - 151,064)
NJ	\$25-\$49,999	1,256	6.9	1.44	(4.0 - 9.7)		94,018	(54,166 - 133,869)
NJ	\$50-\$74,999	948	5.6	1.41	(2.8 - 8.4)		56,561	(27,966 - 85,156)
NJ	>=\$75,000	1,957	6.5	1.42	(3.7 - 9.3)		118,636	(65,783 - 171,489)
NM	< \$15,000	623	7.4	1.10	(5.3 - 9.6)		11,591	(8,173 - 15,009)
NM	\$15-\$24,999	947	8.2	1.28	(5.7 - 10.8)		22,545	(15,350 - 29,740)
NM	\$25-\$49,999	1,390	8.3	0.89	(6.6 - 10.1)		33,110	(25,924 - 40,297)
NM	\$50-\$74,999	644	6.3	1.02	(4.3 - 8.3)		12,015	(8,130 - 15,899)
NM	>=\$75,000	601	7.8	1.24	(5.4 - 10.2)		14,027	(9,520 - 18,533)
NY	< \$15,000	440	12.7	1.97	(8.9 - 16.6)		186,800	(126,947 - 246,653)
NY	\$15-\$24,999	669	7.8	1.07	(5.7 - 9.9)		169,880	(123,345 - 216,414)
NY	\$25-\$49,999	1,200	8.3	0.87	(6.6 - 10.0)		319,179	(251,476 - 386,882)
NY	\$50-\$74,999	677	7.9	1.28	(5.4 - 10.4)		164,477	(110,011 - 218,943)
NY	>=\$75,000	941	5.6	0.77	(4.1 - 7.1)		164,754	(119,777 - 209,731)
NC	< \$15,000	676	9.3	1.48	(6.4 - 12.2)		52,089	(35,655 - 68,523)
NC	\$15-\$24,999	1,098	6.9	1.37	(4.3 - 9.6)		70,070	(42,019 - 98,120)
NC	\$25-\$49,999	1,711	7.4	1.04	(5.3 - 9.4)		122,152	(87,248 - 157,057)
NC	\$50-\$74,999	744	5.4	1.51	(2.4 - 8.3)		40,648	(17,423 - 63,874)
NC	>=\$75,000	879	3.3	0.77	(1.8 - 4.8)		26,005	(14,113 - 37,897)
ND	< \$15,000	344	12.6	1.97	(8.7 - 16.5)		6,529	(4,428 - 8,630)
ND	\$15-\$24,999	548	8.0	1.38	(5.3 - 10.8)		6,653	(4,311 - 8,995)
ND	\$25-\$49,999	975	6.7	0.90	(4.9 - 8.5)		10,775	(7,860 - 13,690)
ND	\$50-\$74,999	454	6.8	1.32	(4.2 - 9.4)		5,318	(3,238 - 7,399)
ND	>=\$75,000	312	4.8	1.26	(2.3 - 7.3)		2,459	(1,162 - 3,756)
OH	< \$15,000	414	10.5	1.73	(7.0 - 13.9)		87,292	(58,444 - 116,140)
OH	\$15-\$24,999	616	8.2	1.25	(5.7 - 10.7)		100,716	(69,586 - 131,847)
OH	\$25-\$49,999	1,245	7.2	0.83	(5.5 - 8.8)		187,539	(143,788 - 231,290)
OH	\$50-\$74,999	629	5.7	1.12	(3.5 - 7.9)		74,991	(45,370 - 104,613)
OH	>=\$75,000	636	5.6	1.10	(3.4 - 7.7)		77,124	(46,454 - 107,794)
OK	< \$15,000	855	10.7	1.21	(8.3 - 13.1)		29,639	(22,935 - 36,344)

Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2002**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
OK	\$15-\$24,999	1,417	7.7	0.89	(6.0 - 9.5)		41,757	(31,993 - 51,520)
OK	\$25-\$49,999	2,083	6.6	0.66	(5.3 - 7.9)		53,868	(43,004 - 64,731)
OK	\$50-\$74,999	810	5.1	0.92	(3.3 - 6.9)		16,759	(10,689 - 22,829)
OK	>=\$75,000	665	4.6	0.80	(3.1 - 6.2)		12,763	(8,412 - 17,115)
OR	< \$15,000	354	11.8	1.84	(8.2 - 15.5)		34,377	(23,566 - 45,187)
OR	\$15-\$24,999	542	10.7	1.45	(7.8 - 13.5)		49,300	(35,694 - 62,905)
OR	\$25-\$49,999	933	7.5	0.96	(5.6 - 9.4)		59,186	(43,956 - 74,416)
OR	\$50-\$74,999	429	8.5	1.46	(5.6 - 11.3)		32,030	(20,724 - 43,337)
OR	>=\$75,000	471	8.0	1.30	(5.4 - 10.5)		33,086	(22,145 - 44,028)
PA	< \$15,000	1,268	11.5	1.23	(9.0 - 13.9)		93,917	(73,481 - 114,353)
PA	\$15-\$24,999	2,236	9.7	1.01	(7.7 - 11.7)		148,147	(115,879 - 180,415)
PA	\$25-\$49,999	3,991	7.7	0.58	(6.5 - 8.8)		213,999	(181,455 - 246,544)
PA	\$50-\$74,999	2,051	6.8	0.70	(5.5 - 8.2)		99,327	(78,964 - 119,690)
PA	>=\$75,000	2,142	5.5	0.69	(4.1 - 6.8)		83,056	(61,721 - 104,391)
RI	< \$15,000	360	16.4	2.21	(12.1 - 20.8)		10,493	(7,493 - 13,493)
RI	\$15-\$24,999	571	8.4	1.32	(5.8 - 11.0)		9,567	(6,491 - 12,642)
RI	\$25-\$49,999	1,031	8.1	1.03	(6.1 - 10.2)		17,627	(13,075 - 22,180)
RI	\$50-\$74,999	594	9.7	1.36	(7.0 - 12.4)		12,629	(8,979 - 16,279)
RI	>=\$75,000	705	7.3	1.08	(5.2 - 9.4)		11,743	(8,230 - 15,256)
SC	< \$15,000	603	12.2	2.13	(8.1 - 16.4)		42,764	(27,104 - 58,424)
SC	\$15-\$24,999	791	6.7	1.54	(3.7 - 9.7)		36,034	(19,008 - 53,060)
SC	\$25-\$49,999	1,308	4.9	0.81	(3.3 - 6.5)		45,082	(30,217 - 59,948)
SC	\$50-\$74,999	646	3.7	0.90	(1.9 - 5.4)		16,691	(8,491 - 24,891)
SC	>=\$75,000	582	3.7	0.99	(1.7 - 5.6)		15,777	(7,263 - 24,292)
SD	< \$15,000	470	9.4	1.57	(6.3 - 12.5)		4,799	(3,183 - 6,415)
SD	\$15-\$24,999	930	5.9	0.86	(4.2 - 7.6)		5,948	(4,203 - 7,694)
SD	\$25-\$49,999	1,707	6.9	0.83	(5.3 - 8.5)		13,939	(10,546 - 17,332)
SD	\$50-\$74,999	714	3.0	0.66	(1.7 - 4.3)		2,677	(1,507 - 3,848)
SD	>=\$75,000	491	4.2	1.04	(2.1 - 6.2)		2,483	(1,237 - 3,729)
TN	< \$15,000	275	21.7	2.93	(16.0 - 27.5)		65,588	(45,745 - 85,431)
TN	\$15-\$24,999	602	9.7	1.40	(7.0 - 12.5)		80,051	(56,644 - 103,459)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2002**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
TN	\$25-\$49,999	899	7.6	0.96	(5.7 - 9.5)		93,108	(69,338 - 116,879)
TN	\$50-\$74,999	354	7.5	1.52	(4.5 - 10.5)		37,255	(21,946 - 52,564)
TN	>=\$75,000	372	4.5	1.24	(2.1 - 6.9)		24,233	(10,805 - 37,660)
TX	< \$15,000	748	7.4	1.02	(5.4 - 9.4)		140,216	(101,518 - 178,914)
TX	\$15-\$24,999	1,047	6.8	0.87	(5.1 - 8.5)		189,160	(141,288 - 237,031)
TX	\$25-\$49,999	1,727	7.8	0.77	(6.3 - 9.4)		337,904	(270,874 - 404,934)
TX	\$50-\$74,999	786	7.9	1.18	(5.5 - 10.2)		155,399	(107,527 - 203,271)
TX	>=\$75,000	1,024	6.0	0.79	(4.4 - 7.5)		152,111	(111,636 - 192,586)
UT	< \$15,000	284	9.1	3.22	(2.8 - 15.5)		9,351	(2,465 - 16,236)
UT	\$15-\$24,999	592	6.3	1.17	(4.0 - 8.6)		14,359	(9,166 - 19,552)
UT	\$25-\$49,999	1,363	8.2	1.02	(6.2 - 10.2)		41,846	(31,369 - 52,323)
UT	\$50-\$74,999	794	6.5	1.29	(4.0 - 9.1)		19,367	(11,553 - 27,180)
UT	>=\$75,000	685	9.7	1.53	(6.7 - 12.7)		26,142	(17,633 - 34,652)
VT	< \$15,000	372	15.0	2.35	(10.4 - 19.6)		5,444	(3,606 - 7,282)
VT	\$15-\$24,999	653	9.0	1.32	(6.4 - 11.5)		5,971	(4,163 - 7,779)
VT	\$25-\$49,999	1,311	8.0	0.86	(6.3 - 9.7)		11,892	(9,293 - 14,490)
VT	\$50-\$74,999	672	6.5	1.06	(4.4 - 8.6)		5,040	(3,370 - 6,711)
VT	>=\$75,000	716	8.5	1.12	(6.3 - 10.7)		7,054	(5,158 - 8,950)
VA	< \$15,000	363	13.6	2.43	(8.8 - 18.4)		47,004	(30,334 - 63,673)
VA	\$15-\$24,999	623	10.7	1.61	(7.5 - 13.8)		74,490	(51,346 - 97,634)
VA	\$25-\$49,999	1,327	6.2	0.88	(4.5 - 7.9)		97,062	(69,708 - 124,416)
VA	\$50-\$74,999	626	3.8	0.78	(2.2 - 5.3)		33,546	(19,928 - 47,164)
VA	>=\$75,000	812	6.8	1.21	(4.4 - 9.2)		82,336	(53,284 - 111,387)
WA	< \$15,000	439	13.7	1.87	(10.0 - 17.4)		49,876	(35,954 - 63,799)
WA	\$15-\$24,999	635	11.3	1.57	(8.2 - 14.4)		60,379	(42,950 - 77,808)
WA	\$25-\$49,999	1,419	8.6	1.06	(6.5 - 10.7)		115,194	(86,251 - 144,138)
WA	\$50-\$74,999	840	5.3	0.79	(3.8 - 6.9)		42,285	(29,923 - 54,646)
WA	>=\$75,000	982	8.8	1.17	(6.5 - 11.1)		82,270	(59,738 - 104,801)
WV	< \$15,000	516	13.8	1.75	(10.3 - 17.2)		24,254	(17,808 - 30,700)
WV	\$15-\$24,999	673	9.4	1.22	(7.0 - 11.8)		25,753	(18,998 - 32,507)
WV	\$25-\$49,999	1,005	8.4	0.93	(6.5 - 10.2)		36,367	(28,173 - 44,562)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C7**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2002**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
WV	\$50-\$74,999	399	5.6	1.22	(3.2 - 8.0)		10,527	(5,904 - 15,151)
WV	>=\$75,000	301	7.6	1.68	(4.3 - 10.9)		10,425	(5,725 - 15,125)
WI	< \$15,000	295	15.2	2.92	(9.5 - 21.0)		31,421	(18,559 - 44,283)
WI	\$15-\$24,999	756	11.0	1.46	(8.1 - 13.9)		68,341	(49,480 - 87,201)
WI	\$25-\$49,999	1,584	8.7	0.82	(7.1 - 10.3)		131,656	(106,686 - 156,626)
WI	\$50-\$74,999	648	5.7	1.08	(3.6 - 7.9)		38,015	(23,645 - 52,386)
WI	>=\$75,000	547	5.0	0.92	(3.2 - 6.9)		28,656	(18,230 - 39,082)
WY	< \$15,000	372	8.3	1.70	(4.9 - 11.6)		2,914	(1,731 - 4,098)
WY	\$15-\$24,999	584	8.9	1.50	(6.0 - 11.9)		5,111	(3,340 - 6,881)
WY	\$25-\$49,999	1,171	6.2	0.82	(4.6 - 7.8)		7,526	(5,537 - 9,514)
WY	\$50-\$74,999	616	7.4	1.10	(5.3 - 9.6)		5,095	(3,579 - 6,611)
WY	>=\$75,000	471	7.4	1.37	(4.7 - 10.1)		3,872	(2,416 - 5,328)
Territories								
GU	< \$15,000	115	5.7	2.56	(0.6 - 10.8)		787	(70 - 1,503)
GU	\$15-\$24,999	159	5.8	2.07	(1.7 - 9.8)		1,101	(303 - 1,899)
GU	\$25-\$49,999	261	6.7	1.68	(3.4 - 10.0)		1,990	(997 - 2,982)
GU	\$50-\$74,999	109	5.8	2.36	(1.1 - 10.5)		661	(119 - 1,204)
GU	>=\$75,000	76	3.5				288	
PR	< \$15,000	1,928	13.2	0.96	(11.3 - 15.1)		144,309	(122,984 - 165,634)
PR	\$15-\$24,999	919	10.9	1.26	(8.4 - 13.4)		72,703	(55,487 - 89,919)
PR	\$25-\$49,999	665	11.3	1.48	(8.4 - 14.2)		58,321	(42,646 - 73,996)
PR	\$50-\$74,999	114	7.3	2.56	(2.2 - 12.4)		6,406	(1,846 - 10,966)
PR	>=\$75,000	84	8.1	3.52	(1.1 - 15.1)		5,125	(517 - 9,733)
VI	< \$15,000	292	5.3	1.96	(1.5 - 9.2)		556	(140 - 971)
VI	\$15-\$24,999	465	3.9	1.07	(1.8 - 6.0)		628	(287 - 969)
VI	\$25-\$49,999	752	2.8	0.56	(1.7 - 3.9)		624	(384 - 865)
VI	\$50-\$74,999	256	6.9	1.84	(3.3 - 10.5)		533	(245 - 822)
VI	>=\$75,000	203	5.0	2.01	(1.1 - 9.0)		303	(59 - 546)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.