

**U.S. Nuclear Regulatory Commission  
Human Factors Information System (HFIS)  
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 22

National Average: 43

2x National Average: 86

National Median: 21

Average for Selected Dockets: 22

---

**Facility Name: Prairie Island 2 Docket (050- 00306)**

Details	Department	Work Type	Docket/Report
<b>Communications / IR</b>			
54 - No communication	T - Training	A - Administrative	050-00306/2004-007
54 - No communication	T - Training	A - Administrative	050-00306/2004-007
<b>Number of Items for this Docket:</b> 2			
<b>Percent of Total for this Docket:</b> 9			
<b>Management and Supervision / IR</b>			
44 - Corrective Action program LTA	G - Engineering	M - Maint / Repair	050-00306/2004-003
44 - Corrective Action program LTA	G - Engineering	M - Maint / Repair	050-00306/2004-005
<b>Number of Items for this Docket:</b> 2			
<b>Percent of Total for this Docket:</b> 9			
<b>Procedures and Reference Document / IR</b>			
11 - No procedure / reference documents	G - Engineering	G - Design	050-00306/2004-005
12 - Procedure technical content LTA	G - Engineering	G - Design	050-00306/2004-005
12 - Procedure technical content LTA	G - Engineering	G - Design	050-00306/2004-005
13 - Procedure has human factors deficiencies	P - Procedure Writers	P - Procedure Dev	050-00306/2004-002
13 - Procedure has human factors deficiencies	P - Procedure Writers	P - Procedure Dev	050-00306/2004-003
<b>Number of Items for this Docket:</b> 5			
<b>Percent of Total for this Docket:</b> 23			
<b>Training / IR</b>			
02 - Training LTA	T - Training	Q - Fire Protection	050-00306/2004-002
<b>Number of Items for this Docket:</b> 1			
<b>Percent of Total for this Docket:</b> 5			
<b>Work Factors / IR</b>			
83 - Work practice or craft skill LTA	G - Engineering	T - Testing	050-00306/2004-005
83 - Work practice or craft skill LTA	H - Health Physics	Q - Fire Protection	050-00306/2004-002
83 - Work practice or craft skill LTA	I - Instrumentation & Control	C - Calibration	050-00306/2004-003
83 - Work practice or craft skill LTA	I - Instrumentation & Control	C - Calibration	050-00306/2004-003
83 - Work practice or craft skill LTA	I - Instrumentation & Control	C - Calibration	050-00306/2004-003
83 - Work practice or craft skill LTA	I - Instrumentation & Control	C - Calibration	050-00306/2004-007
84 - Non-conserv. decision / Questioning LTA	O - Operations	Q - Fire Protection	050-00306/2004-002
91 - Verification / plant tours LTA	O - Operations	B - Bal of Plant Ops	050-00306/2004-005
<b>Number of Items for this Docket:</b> 8			
<b>Percent of Total for this Docket:</b> 36			

---

**U.S. Nuclear Regulatory Commission  
Human Factors Information System (HFIS)  
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 22

National Average: 43

2x National Average: 86

National Median: 21

Average for Selected Dockets: 22

---

**Facility Name: Prairie Island 2 Docket (050- 00306)**

Details	Department	Work Type	Docket/Report
<b>Procedures and Reference Document / LER</b>			
12 - Procedure technical content LTA	I - Instrumentation & Control	C - Calibration	050-00306/2004-001-00
12 - Procedure technical content LTA	I - Instrumentation & Control	C - Calibration	050-00306/2004-001-00
13 - Procedure has human factors deficiencies	I - Instrumentation & Control	C - Calibration	050-00306/2004-001-00
<b>Number of Items for this Docket: 3</b>			
<b>Percent of Total for this Docket: 14</b>			
<hr/>			
<b>Work Factors / LER</b>			
92 - Self check LTA	I - Instrumentation & Control	C - Calibration	050-00306/2004-001-00
<b>Number of Items for this Docket: 1</b>			
<b>Percent of Total for this Docket: 5</b>			
<hr/>			
<b>Total Items for this Docket: 22</b>			

---