NATIONAL TOXICOLOGY PROGRAM BOARD OF SCIENTIFIC COUNSELORS

Technical Reports Review Subcommittee Meeting Tentative Agenda

May 16-17, 2007 8:30 a.m. – 5:00 p.m.

National Institute of Environmental Health Sciences Rodbell Auditorium, Rall Building 111 TW Alexander Dr. Research Triangle Park, NC

Welcome		Dr. Allen Dearry, NIEHS Dr. Nancy Kerkvliet, Oregon State University, Chair
Chemical, CASNR	Report No.	Primary Use Route and Species
May 16, 2007		
Sodium Dichromate Dihydrate, 7789-12-0	TR 546	Inorganic compound containing hexavalent chromium. Used as a corrosion inhibitor, in the production of pigments, in electroplating, leather tanning, wood preservation, and textile manufacturing. Found as a contaminant in drinking water supplies. Drinking water, male and female rats and mice
Formamide, 75-12-7	TR 541	Used as a solvent, water softener, in water-soluble inks and as an intermediate in organic syntheses. Gavage, male and female rats and mice
Ethinyl Estradiol, 57-63-6 Multigenerational Study	TR 547	Synthetic steroidal estrogen; used as a component of oral contraceptives. Feed, male and female rats
Ethinyl Estradiol, 57-63-6 2-year bioassay	TR 548	Synthetic steroidal estrogen; used as a component of oral contraceptives. Feed, male and female rats
Cumene, 98-82-8	TR 542	Used as a solvent and in the production of phenol, acetone and a-methylstyrene. Inhalation, male and female rats and mice
May 17, 2007		
Cresols, 1319-77-3	TR 550	Used as solvents, disinfectants, preservatives, and in the production of fragrances, antioxidants, dyes, pesticides, and resins. Feed, male rats and female mice
Propargyl Alcohol, 107-19-7	TR 552	Used as a chemical intermediate, corrosion inhibitor, solvent stabilizer, and polymer modifier. Inhalation, male and female rats and mice