Figure 5. Projected number^{*} of cancer cases for 2000 through 2050 based on projected census population estimates[†] and age-specific cancer incidence rates, SEER and NPCR areas as reported by NAACCR,[‡] 1995-1999.

| Year | | | Ages | | |
|------|-----------|-----------|-----------|-----------|-----------|
| | <50 | 50-64 | 65-74 | 75-84 | 85+ |
| 2000 | 188,492.0 | 361,345.0 | 365,135.0 | 295,346.0 | 93,214.0 |
| 2010 | 187,277.0 | 508,404.0 | 416,896.8 | 309,509.2 | 129,969.7 |
| 2020 | 180,988.3 | 575,401.9 | 623,250.2 | 376,789.0 | 153,097.6 |
| 2030 | 196,867.9 | 521,791.0 | 754,156.6 | 577,297.7 | 203,943.0 |
| 2040 | 208,781.7 | 551,774.9 | 679,610.5 | 710,852.9 | 328,485.3 |
| 2050 | 219,618.1 | 605,921.6 | 719,301.7 | 654,560.0 | 447,394.1 |

* Projections based on current (1995-1999) age-specific incidence rates applied to projected census populations for 2000 to 2050.

- [†] Source: Census populations 2000 2050.
- ‡ Source: SEER and NPCR areas reported by NAACCR as meeting high data quality standards: California, Colorado, Connecticut, Delaware, Georgia: Atlanta area, Hawaii, Idaho, Illinois, Iowa, Kentucky, Louisiana, Michigan, Minnesota, Nebraska, New Jersey, New Mexico, New York, North Carolina, Pennsylvania, Rhode Island, Utah, Washington: Seattle area, West Virginia, Wisconsin, Wyoming.