

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

F1_M3

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

C Number: C99017

Lock Date: 08/01/2006

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 2.0.0

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 6 5 6 7 7 5 7 5 7 7 7 7 7 7 4 7 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 3 2 3 8 2 6 2 3 3 2 3 3 2 9 3 2 0 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 0 3 2 9 0 9 9 1 9 0 1 9 0 0 9 1 0 5 9 9 9 0 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | M + + + + + M M + + M + + + + + + + + + + + M M + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Serosa, Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + + + + + + + + + + + + + + M + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Serosa, Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|------------------------|
| | 7 7 6 5 6 7 7 5 7 5 7 7 7 7 7 7 4 7 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 3 2 3 8 2 6 2 3 3 2 3 3 2 9 3 2 0 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 0 3 2 9 0 9 9 1 9 0 1 9 0 0 9 1 0 5 9 9 9 0 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |

Squamous Cell Carcinoma

X

Serosa, Mesothelioma Malignant, Metastatic, Peritoneum

Stomach, Glandular

+ +

Tooth

+ +

Odontoma

X

CARDIOVASCULAR SYSTEM

Heart

+ +

Hemangiosarcoma

Hepatoblastoma, Metastatic, Liver

X

Histiocytic Sarcoma

X

Pericardium, Alveolar/Bronchiolar Carcinoma, Metastatic, Lung

ENDOCRINE SYSTEM

Adrenal Cortex

+ +

Adenoma

Capsule, Mesothelioma Malignant, Metastatic, Peritoneum

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 7 | 7 | 6 | 5 | 6 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | |
| DAY ON TEST | | 2 | 2 | 2 | 8 | 3 | 2 | 3 | 8 | 2 | 6 | 2 | 3 | 3 | 2 | 3 | 3 | 2 | 9 | 3 | 2 | 0 | 2 | 2 | 3 | 2 |
| DAY ON TEST | | 9 | 9 | 0 | 3 | 2 | 9 | 0 | 9 | 9 | 1 | 9 | 0 | 1 | 9 | 0 | 0 | 9 | 1 | 0 | 5 | 9 | 9 | 9 | 0 | 9 |
| B6C3F1 MICE MALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| CONTROL | | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Capsule, Sarcoma, Metastatic, Uncertain
 Primary Site

Subcapsular, Adenoma

X

X

Adrenal Medulla

+ +

Islets, Pancreatic

+ +

Adenoma

X

Parathyroid Gland

M M + + + + M M + + M M + + M + + M + M + M + + +

Pituitary Gland

+ +

Thyroid Gland

+ +

GENERAL BODY SYSTEM

Peritoneum

Mesothelioma Malignant

GENITAL SYSTEM

Epididymis

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 6 5 6 7 7 5 7 5 7 7 7 7 7 7 4 7 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 3 2 3 8 2 6 2 3 3 2 3 3 2 9 3 2 0 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 0 3 2 9 0 9 9 1 9 0 1 9 0 0 9 1 0 5 9 9 9 0 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | X | | X | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | M | M | M | M | + | M | + | + | M | M | M | M | + | M | + | + | M | M | M | + | + | + | M | M | M |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M | M | M | + | + | M | M | + | M | M | M | + | + | + | M | M | M | M | + | M | M | + | + | M | M |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 6 | 5 | 6 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 0 | |
| | 2 | 2 | 2 | 8 | 3 | 2 | 3 | 8 | 2 | 6 | 2 | 3 | 3 | 2 | 3 | 3 | 2 | 9 | 3 | 2 | 0 | 2 | 2 | 3 | 2 | |
| | 9 | 9 | 0 | 3 | 2 | 9 | 0 | 9 | 9 | 1 | 9 | 0 | 1 | 9 | 0 | 0 | 9 | 1 | 0 | 5 | 9 | 9 | 9 | 0 | 9 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mediastinal | + | + | + | + | M | + | M | + | + | + | + | + | + | M | + | + | M | M | + | + | + | M | M | + | + |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | X | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | X | | |
| Capsule, Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | M | M | M | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | M | + | + | + | + | + |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Sarcoma, Metastatic, Uncertain Primary | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 6 | 5 | 6 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | |
| | | 2 | 2 | 2 | 8 | 3 | 2 | 3 | 8 | 2 | 6 | 2 | 3 | 3 | 2 | 3 | 3 | 2 | 9 | 3 | 2 | 0 | 2 | |
| | | 9 | 9 | 0 | 3 | 2 | 9 | 0 | 9 | 9 | 1 | 9 | 0 | 1 | 9 | 0 | 0 | 9 | 1 | 0 | 5 | 9 | 9 | |
| B6C3F1 MICE MALE CONTROL | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 |

males (cont...)

Site

INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin

+ +

Subcutaneous Tissue, Hemangiosarcoma

Subcutaneous Tissue, Sarcoma

MUSCULOSKELETAL SYSTEM

Bone

+ +

Hemangiosarcoma

X

Skeletal Muscle

Alveolar/Bronchiolar Carcinoma, Metastatic, Lung

Sarcoma, Metastatic, Uncertain Primary Site

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

Brain +

Meningioma Benign

RESPIRATORY SYSTEM

| | |
|---|---|
| Larynx | + |
| Lung | + |
| Alveolar/Bronchiolar Adenoma | X X |
| Alveolar/Bronchiolar Carcinoma | X X X |
| Carcinoma, Metastatic, Intestine Small, Jejunum | |
| Hepatoblastoma, Metastatic, Liver | X |
| Hepatocellular Carcinoma, Metastatic, Liver | X X X |
| Histiocytic Sarcoma | X |
| Sarcoma, Metastatic, Uncertain Primary Site | |
| Mediastinum, Mesothelioma Malignant, Metastatic, Peritoneum | |
| Nose | + |
| Pleura | |
| Histiocytic Sarcoma | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| DAY ON TEST | | 7 | 7 | 6 | 5 | 6 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | | |
| | | 2 | 2 | 2 | 8 | 3 | 2 | 3 | 8 | 2 | 6 | 2 | 3 | 3 | 2 | 3 | 3 | 2 | 9 | 3 | 2 | 0 | 2 | 2 | 3 | 2 |
| | | 9 | 9 | 0 | 3 | 2 | 9 | 0 | 9 | 9 | 1 | 9 | 0 | 1 | 9 | 0 | 0 | 9 | 1 | 0 | 5 | 9 | 9 | 9 | 0 | 9 |
| B6C3F1 MICE MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | X | | | | | | X | | | | | | | | |
| Carcinoma | | | | | | | | | | X | | | | X | X | X | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 6 | 5 | 6 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 8 | 3 | 2 | 3 | 8 | 2 | 6 | 2 | 3 | 3 | 2 | 3 | 3 | 2 | 9 | 3 | 2 | 0 | 2 | 2 | 3 | 2 |
| | 9 | 9 | 0 | 3 | 2 | 9 | 0 | 9 | 9 | 1 | 9 | 0 | 1 | 9 | 0 | 0 | 9 | 1 | 0 | 5 | 9 | 9 | 9 | 0 | 9 |
| B6C3F1 MICE MALE | ----- | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Mesothelioma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
l .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE CONTROL | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 7 | 6 | |
| | 2 | 3 | 0 | 3 | 3 | 7 | 7 | 3 | 3 | 2 | 0 | 0 | 3 | 2 | 2 | 8 | 2 | 5 | 3 | 0 | 0 | 0 | 3 | 3 | 7 |
| | 9 | 0 | 3 | 0 | 0 | 6 | 3 | 1 | 0 | 9 | 9 | 2 | 0 | 9 | 9 | 4 | 9 | 6 | 0 | 6 | 5 | 6 | 0 | 0 | 6 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Gallbladder | M | + | M | M | + | + | + | + | M | + | + | + | + | + | M | + | + | + | M | + | + | M | + | M | + | 36 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Serosa, Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | | | X | | | | 1 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | X | | | | | | | | | | | 2 |
| Serosa, Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|
| | 0729 | 0770 | 0753 | 0775 | 0776 | 0766 | 0766 | 0777 | 0777 | 0777 | 0766 | 0777 | 0777 | 0777 | 0757 | 0776 | 0776 | 0776 | 0767 | 0766 | 0777 | 0776 | 0776 | 0737 | | 0737 | 0776 |
| B6C3F1 MICE MALE | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | |
| CONTROL | 206 | 277 | 288 | 229 | 230 | 311 | 322 | 333 | 334 | 335 | 336 | 337 | 338 | 339 | 400 | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 | 409 | 400 | 400 | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | | | | X | X | X | X | | | | | | | | | X | X | | | | | | | 14 |
| Hepatocellular Adenoma, Multiple | | X | | X | X | | | | | | | | X | X | X | X | | X | | | | | X | X | | | 14 |
| Hepatocellular Carcinoma | | | | X | X | | | | | | | X | X | | | | | X | | | | | | | | | 14 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | X | | | | | | | | X | | | | X | | | | 6 |
| Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |
| Mesentery | | | | | | + | | | | | + | | | | | + | | | + | + | + | | | | | | 10 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | X | | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | X | | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 7 | 6 | 0 | |
| 2 | 3 | 0 | 3 | 3 | 7 | 7 | 3 | 3 | 2 | 0 | 0 | 3 | 2 | 2 | 8 | 2 | 5 | 3 | 0 | 0 | 0 | 3 | 3 | 7 | 0 | |
| 9 | 0 | 3 | 0 | 0 | 6 | 3 | 1 | 0 | 9 | 9 | 2 | 0 | 9 | 9 | 4 | 9 | 6 | 0 | 6 | 5 | 6 | 0 | 0 | 6 | 0 | |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 0 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|---|
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | X | 2 | |
| Serosa, Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | + | 6 |
| Odontoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pericardium, Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|---|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Capsule, Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 5 7 7 6 6 7 7 7 6 7 7 7 5 7 6 7 6 7 6 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE CONTROL | 2 3 0 3 3 7 7 3 3 2 0 0 3 2 2 8 2 5 3 0 0 0 3 3 7 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 0 3 0 0 6 3 1 0 9 9 2 0 9 9 4 9 6 0 6 5 6 0 0 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| ANIMAL ID | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Capsule, Sarcoma, Metastatic, Uncertain Primary Site | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcapsular, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Islets, Pancreatic Adenoma | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Parathyroid Gland | + M + M + + + M M + M M + M M M M + + M M + + + + | | | | | | | | | | | | | | | | | | | | | | | | 28 |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Peritoneum | + | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesothelioma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Epididymis | + + + + + M + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
|------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|--|
| | 7 7 5 7 7 6 6 7 7 7 6 7 7 7 5 7 6 7 6 7 6 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 0 3 3 7 7 3 3 2 0 0 3 2 2 8 2 5 3 0 0 0 3 3 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 3 0 0 6 3 1 0 9 9 2 0 9 9 4 9 6 0 6 5 6 0 0 6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node, Bronchial | M | + | + | M | M | + | M | M | M | + | + | M | M | M | M | + | M | M | + | + | + | M | + | + | M | 20 |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | M | M | M | M | M | M | + | M | M | + | M | M | M | M | + | + | M | + | M | M | + | M | M | M | 16 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|
| | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | 0751 | 0752 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | * TOTALS |
| Lymph Node, Mediastinal | M | M | + | M | M | + | + | M | + | + | + | + | + | + | M | + | M | + | M | + | + | + | + | M | 33 |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | X | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | X | | | | | | | | | | | | | | | | | X | | | | | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Capsule, Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | X | | | | | | | 1 |
| Thymus | M | + | + | + | + | M | M | + | + | + | M | + | + | + | + | + | + | + | M | + | + | + | + | M | 38 |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 7 | 6 |
| B6C3F1 MICE MALE CONTROL | 2 | 3 | 0 | 3 | 3 | 7 | 7 | 3 | 3 | 2 | 0 | 0 | 3 | 2 | 2 | 8 | 2 | 5 | 3 | 0 | 0 | 0 | 3 | 3 | 7 |
| | 9 | 0 | 3 | 0 | 0 | 6 | 3 | 1 | 0 | 9 | 9 | 2 | 0 | 9 | 9 | 4 | 9 | 6 | 0 | 6 | 5 | 6 | 0 | 0 | 6 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

Site

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, Hemangiosarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skeletal Muscle | | | | + | | | | | | | | | | + | | | | | | | | | | | | 2 |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | X | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | X | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----|
| | 7 7 5 7 7 6 6 7 7 7 6 7 7 7 5 7 6 7 6 7 6 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 0 3 3 7 7 3 3 2 0 0 3 2 2 8 2 5 3 0 0 0 3 3 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 3 0 0 6 3 1 0 9 9 2 0 9 9 4 9 6 0 6 5 6 0 0 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 1 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Meningioma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | X | | X | | | | | | | | | 4 |
| Alveolar/Bronchiolar Carcinoma | | | X | | | | X | X | | X | | | | | | | | | | | X | | | X | | 12 |
| Carcinoma, Metastatic, Intestine Small, Jejunum | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | X | | | | | | X | | | | | | | | | | | X | | | 8 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Mediastinum, Mesothelioma Malignant, Metastatic, Peritoneum | | | | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---|
| | DAY ON TEST | 0 7 2 9 | 0 7 3 0 | 0 5 0 3 | 0 7 3 0 | 0 7 7 6 | 0 6 7 6 | 0 7 7 3 | 0 7 3 1 | 0 7 3 0 | 0 7 2 9 | 0 7 0 9 | 0 7 2 9 | 0 7 2 9 | 0 5 8 4 | 0 7 2 9 | 0 6 5 6 | 0 7 3 0 | 0 6 0 6 | 0 7 0 5 | 0 6 0 6 | 0 7 3 0 | 0 7 3 0 | 0 6 7 0 | * TOTALS | |
| B6C3F1 MICE MALE | ANIMAL ID | 0 0 0 2 6 | 0 0 0 2 7 | 0 0 0 2 8 | 0 0 0 3 9 | 0 0 0 3 0 | 0 0 0 3 1 | 0 0 0 3 2 | 0 0 0 3 3 | 0 0 0 3 4 | 0 0 0 3 5 | 0 0 0 3 6 | 0 0 0 3 7 | 0 0 0 3 8 | 0 0 0 4 9 | 0 0 0 4 0 | 0 0 0 4 1 | 0 0 0 4 2 | 0 0 0 4 3 | 0 0 0 4 4 | 0 0 0 4 5 | 0 0 0 4 6 | 0 0 0 4 7 | 0 0 0 4 8 | 0 0 0 4 9 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | X | | | | | | | | | | X | | 4 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
|---------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|----------|
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|----------|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

SYSTEMIC LESIONS

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 7 | 6 | | |
| | 2 | 3 | 0 | 3 | 3 | 7 | 7 | 3 | 3 | 2 | 0 | 0 | 3 | 2 | 2 | 8 | 2 | 5 | 3 | 0 | 0 | 0 | 3 | 3 | 7 | |
| | 9 | 0 | 3 | 0 | 0 | 6 | 3 | 1 | 0 | 9 | 9 | 2 | 0 | 9 | 9 | 4 | 9 | 6 | 0 | 6 | 5 | 6 | 0 | 0 | 6 | |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Mesothelioma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 6 7 5 7 7 7 7 4 7 6 7 7 7 7 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 2 3 2 2 2 3 2 1 1 2 8 3 6 3 2 2 3 2 3 2 2 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 0 9 0 9 0 9 6 9 8 0 9 4 0 6 1 9 9 1 9 0 9 9 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 16 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + + M M + + + + + M + + + + M + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum Carcinoma | + X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon Serosa, Carcinoma, Metastatic, Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum Serosa, Carcinoma, Metastatic, Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum Carcinoma Serosa, Carcinoma, Metastatic, Pancreas | + X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | |
| | 3 | 3 | 3 | 2 | 3 | 2 | 2 | 2 | 3 | 2 | 1 | 1 | 2 | 8 | 3 | 6 | 3 | 2 | 2 | 3 | 2 | 3 | 2 | 8 | |
| | 1 | 1 | 0 | 9 | 0 | 9 | 0 | 9 | 6 | 9 | 8 | 0 | 9 | 4 | 0 | 6 | 1 | 9 | 9 | 1 | 9 | 0 | 9 | 4 | |
| B6C3F1 MICE MALE 16 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

males
(cont...)

Lymphoma Malignant

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X | X | | X | | X | | X | | | | X | X | X | | X | | | X | X | | X | X | X |
| Hepatocellular Adenoma, Multiple | | | | | X | | | | | | X | | | | | | X | X | | | | | | |
| Hepatocellular Carcinoma | | | | X | | | X | X | | | X | | | | X | X | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | X | X | | | | | | | | | X | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | X |
| Mesentery | | | | + | | | | | | | | | | + | | | | | | | | | | + |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) | |
|-------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|--|
| | 0 7 3 1 | 0 7 3 1 | 0 7 3 0 | 0 7 2 9 | 0 7 3 0 | 0 7 2 9 | 0 6 2 0 | 0 7 2 9 | 0 5 3 6 | 0 7 2 9 | 0 7 1 8 | 0 7 1 0 | 0 7 2 9 | 0 4 8 4 | 0 7 3 0 | 0 6 6 6 | 0 7 3 1 | 0 7 2 9 | 0 7 2 1 | 0 7 3 9 | 0 7 2 0 | 0 7 3 9 | 0 7 2 9 | 0 7 2 4 | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Stomach, Glandular Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tooth Histiocytic Sarcoma | | | + | | | | | | | | | + | | | | | | | | + | | | | |
| Odontoma | | | | | | | | | | | | X | | | | | | | X | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel Aorta, Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 6 7 5 7 7 7 7 4 7 6 7 7 7 7 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 2 3 2 2 2 3 2 1 1 2 8 3 6 3 2 2 3 2 3 2 2 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 0 9 0 9 0 9 6 9 8 0 9 4 0 6 1 9 9 1 9 0 9 9 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 16 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Adrenal Medulla

+ +

Islets, Pancreatic

+ +

Adenoma

Carcinoma, Metastatic, Pancreas

Parathyroid Gland

+ M M + + + + M + + M M + + + M + M M + M + + + +

Pituitary Gland

+ +

Thyroid Gland

Follicular Cell, Adenoma

+
X

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Coagulating Gland

Carcinoma, Metastatic, Pancreas

Epididymis

Carcinoma, Metastatic, Pancreas

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | |
| ANIMAL ID | 3 | 3 | 3 | 2 | 3 | 2 | 2 | 2 | 3 | 2 | 1 | 1 | 2 | 8 | 3 | 6 | 3 | 2 | 2 | 3 | 2 | 3 | 2 | 8 | |
| | 1 | 1 | 0 | 9 | 0 | 9 | 0 | 9 | 6 | 9 | 8 | 0 | 9 | 4 | 0 | 6 | 1 | 9 | 9 | 1 | 9 | 0 | 9 | 4 | |
| B6C3F1 MICE MALE 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Iliac, Renal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 6 7 5 7 7 7 7 4 7 6 7 7 7 7 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 2 3 2 2 2 3 2 1 1 2 8 3 6 3 2 2 3 2 3 2 2 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 0 9 0 9 0 9 6 9 8 0 9 4 0 6 1 9 9 1 9 0 9 9 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 16 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lymph Node, Bronchial | + M M M M + + M + + M + M + + + + M + + M + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M M + M + I + M M + M M I M M + + + M M + M M M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | + + M + M I M + M M + + + M + + + M + + M M + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + + + + + + + + + M + M + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Intestine Large, Cecum | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 6 7 5 7 7 7 7 4 7 6 7 7 7 7 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 2 3 2 2 2 3 2 1 1 2 8 3 6 3 2 2 3 2 3 2 2 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 0 9 0 9 0 9 6 9 8 0 9 4 0 6 1 9 9 1 9 0 9 9 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 16 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Skeletal Muscle +
 Carcinoma, Metastatic, Pancreas
 Hemangiosarcoma X

NERVOUS SYSTEM

Brain +
 Meninges, Lymphoma Malignant X

Peripheral Nerve

Spinal Cord

RESPIRATORY SYSTEM

Larynx +

Lung +
 Alveolar/Bronchiolar Adenoma X X X X
 Alveolar/Bronchiolar Carcinoma X X
 Carcinoma, Metastatic, Harderian Gland
 Carcinoma, Metastatic, Pancreas
 Hepatoblastoma, Metastatic, Liver
 Hepatocellular Carcinoma, Metastatic, X X X X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 6 7 5 7 7 7 7 4 7 6 7 7 7 7 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 2 3 2 2 2 3 2 1 1 2 8 3 6 3 2 2 3 2 3 2 2 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 0 9 0 9 0 9 6 9 8 0 9 4 0 6 1 9 9 1 9 0 9 9 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 16 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Liver
Histiocytic Sarcoma

Nose +

Trachea +

SPECIAL SENSES SYSTEM

Eye +

Harderian Gland +

Adenoma X

Carcinoma X X X

URINARY SYSTEM

Kidney +

Alveolar/Bronchiolar Carcinoma, Metastatic, Lung

Carcinoma, Metastatic, Pancreas

Histiocytic Sarcoma

Lymphoma Malignant X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | 0 | |
|----------------------------|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| | 7 7 7 7 7 7 6 7 5 7 7 7 7 4 7 6 7 7 7 7 7 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | | | 6 |
| 16 PPM | 3 3 3 2 3 2 2 2 3 2 1 1 2 8 3 6 3 2 2 3 2 3 2 2 2 8 | | | | | | | | | | | | | | | | | | | | | | | | | 8 | |
| | 1 1 0 9 0 9 0 9 6 9 8 0 9 4 0 6 1 9 9 1 9 0 9 9 4 | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| B6C3F1 MICE MALE 16 PPM | ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | | + | | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Multiple Organ | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 6 7 5 5 6 7 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 8 3 4 6 4 3 3 2 3 3 3 2 1 2 3 3 2 3 2 3 2 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 4 0 1 1 8 0 0 9 0 0 0 9 0 9 0 0 9 0 9 0 9 1 0 9 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 16 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + M + + + M + + + + M + + + + + + + + + + + + + + M | | | | | | | | | | | | | | | | | | | | | | | | 42 |
| Intestine Large, Cecum Carcinoma | + | | | | | | | | | | | | | | | | | | | | | | | | 50 1 |
| Intestine Large, Colon Serosa, Carcinoma, Metastatic, Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | 50 1 |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Duodenum Serosa, Carcinoma, Metastatic, Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | 50 1 |
| Intestine Small, Ileum Carcinoma Serosa, Carcinoma, Metastatic, Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | 50 1 1 |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----------|
| | 7 6 7 5 5 6 7 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 8 3 4 6 4 3 3 2 3 3 3 2 1 2 3 3 2 3 2 3 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 0 4 0 1 1 8 0 0 9 0 0 0 9 0 9 0 0 9 0 9 0 9 1 0 9 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Tooth | | + | | | | | | | | + | | | | | | | | | | | | | | | | 6 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Odontoma | | | | | | | | | X | | | | | | | | | | | | | | | | | 3 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Aorta, Carcinoma, Metastatic, Pancreas | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | X | | | | | | | | | | | | | | | 3 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | X | | | | | | | | | | | | | | | | | | 1 |
| Subcapsular, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|-------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | | 7 | 6 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 8 | 3 | 4 | 6 | 4 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | |
| | | 0 | 4 | 0 | 1 | 1 | 8 | 0 | 0 | 9 | 0 | 0 | 0 | 9 | 0 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 9 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

B6C3F1 MICE MALE
16 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|-----------|
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Carcinoma, Metastatic, Pancreas | | | | | | X | | | | | | | | | | | | | | | | | | 1 | | |
| Parathyroid Gland | + | M | + | M | + | + | + | + | M | + | + | + | + | M | M | + | + | + | M | + | M | M | + | + | M | 32 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma, Metastatic, Pancreas | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma, Metastatic, Pancreas | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | | 7 | 6 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 8 | 3 | 4 | 6 | 4 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | |
| | | 0 | 4 | 0 | 1 | 1 | 8 | 0 | 0 | 9 | 0 | 0 | 0 | 9 | 0 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 9 | 1 | 0 | |
| | 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | X | | | 2 |
| Lymph Node | | | | | | + | | | | | | | | + | | | | | | + | | | | | | 5 |
| Carcinoma, Metastatic, Pancreas | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Iliac, Renal, Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Renal, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | X | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 6 7 5 5 6 7 7 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 8 3 4 6 4 3 3 2 3 3 3 2 1 2 3 3 2 3 2 3 2 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 4 0 1 1 8 0 0 9 0 0 0 0 9 0 9 0 0 9 0 9 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 16 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lymph Node, Bronchial | + | M | + | M | + | + | + | M | M | + | M | M | M | M | + | + | + | M | + | M | M | + | + | M | + | 29 |
| Carcinoma, Metastatic, Pancreas | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | X | | | | | | | 2 |
| Lymph Node, Mandibular | + | + | M | M | + | + | + | M | M | M | + | M | M | + | + | M | M | + | M | + | M | + | M | M | M | 20 |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mediastinal | + | + | + | + | + | + | M | M | + | + | + | + | + | + | M | + | M | + | + | + | + | + | M | + | + | 35 |
| Carcinoma, Metastatic, Pancreas | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | X | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | | | 2 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 47 |
| Carcinoma, Metastatic, Intestine Large, Cecum | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma, Metastatic, Pancreas | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | X | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | X | | | | | | | 2 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE MALE 16 PPM | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----|
| | | 7 6 7 5 5 6 7 7 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 8 3 4 6 4 3 3 2 3 3 3 2 1 2 3 3 2 3 2 3 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 4 0 1 1 8 0 0 9 0 0 0 9 0 9 0 0 9 0 9 0 9 1 0 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | 2 2 2 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | X | X | | | | | | | | | | | | | | | | | | | | | | 4 | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | X | | 2 | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | X | | 2 | | | | | |
| Thymus | | + | + | + | M | + | M | + | + | M | + | M | M | + | M | + | M | M | + | M | + | + | + | + | + | + | + | 36 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | X | 2 | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Subcutaneous Tissue, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----------|
| | 7 6 7 5 5 6 7 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 8 3 4 6 4 3 3 2 3 3 3 2 1 2 3 3 2 3 2 3 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 0 4 0 1 1 8 0 0 9 0 0 0 9 0 9 0 0 9 0 9 0 9 1 0 9 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 16 PPM | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Alveolar/Bronchiolar Carcinoma | | | X | | X | | | X | | | X | X | | | | X | X | | | | | | X | | | | 10 | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, | | | | X | | | | | | | | | | | X | | | | | | | | | | | | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 6 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 8 | 3 | 4 | 6 | 4 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | |
| | 0 | 4 | 0 | 1 | 1 | 8 | 0 | 0 | 9 | 0 | 0 | 0 | 9 | 0 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 1 | 0 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | X | | | | | | | X | X | | | | | X | | X | | | | | | | 6 |
| Carcinoma | | | | | | | X | | | | | | | X | | | X | | | | X | | | | | 7 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | X | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma, Metastatic, Pancreas | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | X | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 6 7 5 5 6 7 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 16 PPM | 3 8 3 4 6 4 3 3 2 3 3 3 2 1 2 3 3 2 3 2 3 2 3 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 4 0 1 1 8 0 0 9 0 0 0 9 0 9 0 0 9 0 9 0 9 1 0 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | + | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| Multiple Organ | + | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 5 7 7 7 7 7 6 7 7 7 7 4 6 5 7 6 4 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 9 2 2 3 3 3 6 2 0 3 3 8 3 5 2 7 4 2 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 0 9 9 1 0 1 5 9 5 0 0 4 7 1 9 3 2 3 9 9 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 31 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + M M + + + + + + + M M + + + + M + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|--|
| | 0729 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | 0751 | 0752 | 0753 | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | males (cont...) | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|--|---|---|---|--|---|---|---|---|--|---|---|--|--|--|--|--|---|--|---|
| Hepatocellular Adenoma | | X | | X | | X | | X | | X | | | | | X | X | | | | | | X | | X |
| Hepatocellular Adenoma, Multiple | | | | | | | X | | | | X | X | X | | | | | | | | | | | X |
| Hepatocellular Carcinoma | X | | X | | | | | | | X | | | | | | | | | | | | X | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | X | | X | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Uncertain Primary Site | | | | | | + | | | | | | | | | + | | | | | | | + | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | |
| Odontoma | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 5 7 7 7 7 7 6 7 7 7 7 4 6 5 7 6 4 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 9 2 2 3 3 3 6 2 0 3 3 8 3 5 2 7 4 2 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 0 9 9 1 0 1 5 9 5 0 0 4 7 1 9 3 2 3 9 9 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 31 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | X | X | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | M | I | M | + | + | M | M | + | M | M | + | + | M | + | + | M | M | I | + | M | + | M | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 5 7 7 7 7 7 6 7 7 7 7 4 6 5 7 6 4 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 9 2 2 3 3 3 6 2 0 3 3 8 3 5 2 7 4 2 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 0 9 9 1 0 1 5 9 5 0 0 4 7 1 9 3 2 3 9 9 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |
| | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

Pars Distalis, Oligodendroglioma
Malignant, Metastatic, Brain

X

Thyroid Gland

+ + + + + + + I M + + + + + + + + + + + + + + + +

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis

+ +

Lymphoma Malignant

Preputial Gland

+ +

Prostate

+ +

Seminal Vesicle

+ +

Testes

+ +

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | DAY ON TEST | 0729 | 0731 | 0759 | 0772 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 |
| | | 2392 | 3922 | 9223 | 2233 | 2333 | 3333 | 3333 | 6362 | 2033 | 3383 | 8352 | 7642 | 7422 | 7422 | 7422 | 7422 | 7422 | 7422 | 7422 | 7422 | 7422 | 7422 | 7422 | 7422 | 7422 |
| | | 9109 | 1099 | 0991 | 0991 | 0991 | 0991 | 0991 | 5991 | 9590 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 |
| B6C3F1 MICE MALE | ANIMAL ID | 0041 | 0042 | 0043 | 0044 | 0045 | 0046 | 0047 | 0048 | 0049 | 0050 | 0051 | 0052 | 0053 | 0054 | 0055 | 0056 | 0057 | 0058 | 0059 | 0060 | 0061 | 0062 | 0063 | 0064 | 0065 |
| 31 PPM | | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 |
| | | 1234 | 2345 | 3456 | 4567 | 5678 | 6789 | 7890 | 8901 | 9012 | 0123 | 1234 | 2345 | 3456 | 4567 | 5678 | 6789 | 7890 | 8901 | 9012 | 0123 | 1234 | 2345 | 3456 | 4567 | 5678 |

males (cont...)

Histiocytic Sarcoma
Oligodendroglioma Malignant, Metastatic, Brain

X

Lymph Node
Deep Cervical, Iliac, Renal, Lymphoma Malignant
Iliac, Sarcoma, Metastatic, Uncertain Primary Site
Lumbar, Renal, Lymphoma Malignant
Renal, Lymphoma Malignant

+

Lymph Node, Bronchial
Hepatocellular Carcinoma, Metastatic, Liver
Lymphoma Malignant

M + M + + M + + M M + M + + + + + M + + + + M M +

Lymph Node, Mandibular
Lymphoma Malignant

M M + + M M M M M M M M + + + M M M M + M M + + M

Lymph Node, Mediastinal
Hepatocellular Carcinoma, Metastatic, Liver
Histiocytic Sarcoma
Lymphoma Malignant

M + + M + + I + + + + + + + + M M M M M + + I + + +

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 6 | 5 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 7 | 7 |
| ANIMAL ID | 2 | 3 | 9 | 2 | 2 | 3 | 3 | 3 | 6 | 2 | 0 | 3 | 3 | 8 | 3 | 5 | 2 | 7 | 4 | 2 | 2 | 2 | 3 | 2 | 2 |
| | 9 | 1 | 0 | 9 | 9 | 1 | 0 | 1 | 5 | 9 | 5 | 0 | 0 | 4 | 7 | 1 | 9 | 3 | 2 | 3 | 9 | 9 | 0 | 9 | 9 |
| B6C3F1 MICE MALE 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lymph Node, Mesenteric Carcinoma, Metastatic, Uncertain Primary Site | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | X | | | | | X | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | M | + | M | + | + | + | I | + | + | + | M | + | + | + | M | + | M | + | + | + | + | + | + | M | M | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 6 | 5 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 2 | 3 | 9 | 2 | 2 | 3 | 3 | 3 | 6 | 2 | 0 | 3 | 3 | 8 | 3 | 5 | 2 | 7 | 4 | 2 | 2 | 2 | 3 | 2 | 2 | |
| | 9 | 1 | 0 | 9 | 9 | 1 | 0 | 1 | 5 | 9 | 5 | 0 | 0 | 4 | 7 | 1 | 9 | 3 | 2 | 3 | 9 | 9 | 0 | 9 | 9 | |
| B6C3F1 MICE MALE | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | males (cont...) |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Subcutaneous Tissue, Fibroma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Oligodendroglioma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 5 7 7 7 7 7 6 7 7 7 7 4 6 5 7 6 4 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 9 2 2 3 3 3 6 2 0 3 3 8 3 5 2 7 4 2 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 0 9 9 1 0 1 5 9 5 0 0 4 7 1 9 3 2 3 9 9 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | X | | | | | | | X | | | | | | X | | | X | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | X | | | | | | | | X | | X | | | | | X | X | | | | | | | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Oligodendroglioma Malignant, Metastatic, Brain | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 6 | 5 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| ANIMAL ID | 2 | 3 | 9 | 2 | 2 | 3 | 3 | 3 | 6 | 2 | 0 | 3 | 3 | 8 | 3 | 5 | 2 | 7 | 4 | 2 | 2 | 2 | 3 | 2 | 2 | |
| | 9 | 1 | 0 | 9 | 9 | 1 | 0 | 1 | 5 | 9 | 5 | 0 | 0 | 4 | 7 | 1 | 9 | 3 | 2 | 3 | 9 | 9 | 0 | 9 | 9 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

males (cont...)

Adenoma X X
 Carcinoma

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Carcinoma | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Urethra | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bulbourethral Gland, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + |
| Nerve, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |
|----------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 6 | 5 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 2 | 3 | 9 | 2 | 2 | 3 | 3 | 3 | 6 | 2 | 0 | 3 | 3 | 8 | 3 | 5 | 2 | 7 | 4 | 2 | 2 | 2 | 3 | 2 | 2 | 0 | |
| 9 | 1 | 0 | 9 | 9 | 1 | 0 | 1 | 5 | 9 | 5 | 0 | 0 | 4 | 7 | 1 | 9 | 3 | 2 | 3 | 9 | 9 | 0 | 9 | 9 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Histiocytic Sarcoma
Lymphoma Malignant

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | |
| | 2 | 3 | 0 | 9 | 3 | 1 | 1 | 3 | 2 | 0 | 3 | 2 | 3 | 0 | 2 | 3 | 0 | 3 | 3 | 2 | 2 | 3 | 7 | 2 | 3 |
| | 9 | 1 | 5 | 0 | 0 | 8 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 8 | 9 | 1 | 6 | 0 | 0 | 9 | 9 | 0 | 8 | 1 | 0 |
| B6C3F1 MICE MALE 31 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Gallbladder | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | + | + | + | M | M | + | 41 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | X | | | | | X | | | | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | | |
| 2 | 3 | 0 | 9 | 3 | 1 | 1 | 3 | 2 | 0 | 3 | 2 | 3 | 0 | 2 | 3 | 0 | 3 | 3 | 2 | 2 | 3 | 7 | 2 | 3 | |
| 9 | 1 | 5 | 0 | 0 | 8 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 8 | 9 | 1 | 6 | 0 | 0 | 9 | 9 | 0 | 8 | 1 | 0 | |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 PPM | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Hepatocellular Adenoma | | X | | | X | | | | | | | | | X | X | | | | | X | X | | | | 15 |
| Hepatocellular Adenoma, Multiple | X | | | | | | X | X | X | X | X | | | | | X | | | | | | | X | | 13 |
| Hepatocellular Carcinoma | | X | X | X | | X | | | | | | | | | | | | | | | X | | X | X | 11 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | X | | | | | | | | | | | | | | | | 3 |
| Histiocytic Sarcoma | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Carcinoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | 8 |
| Odontoma | | | | | | | | | | | | | | | | | | | | | | | X | | 3 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | | 50 | |
| 2 | 3 | 0 | 9 | 3 | 1 | 1 | 3 | 2 | 0 | 3 | 2 | 3 | 0 | 2 | 3 | 0 | 3 | 3 | 2 | 2 | 3 | 7 | 2 | 3 | 1 | |
| 9 | 1 | 5 | 0 | 0 | 8 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 8 | 9 | 1 | 6 | 0 | 0 | 9 | 9 | 0 | 8 | 1 | 0 | 2 | |

B6C3F1 MICE MALE
31 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | X | | | X | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | X | | | | | | X | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | X | | | | | | | | | | | | | 4 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| Parathyroid Gland | M | M | M | + | M | M | M | + | M | + | + | + | + | + | M | M | + | M | + | M | M | + | + | + | + | + | 25 | |
| Pituitary Gland | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 7 7 6 7 6 6 7 7 6 7 7 7 5 7 7 5 7 7 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 0 9 3 1 1 3 2 0 3 2 3 0 2 3 0 3 3 2 2 3 7 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 5 0 0 8 0 1 9 9 0 9 0 8 9 1 6 0 0 9 9 0 8 1 0 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

Pars Distalis, Oligodendroglioma Malignant, Metastatic, Brain 1

Thyroid Gland 48

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis 50

Lymphoma Malignant 1

Preputial Gland 50

Prostate 50

Seminal Vesicle 50

Testes 50

HEMATOPOIETIC SYSTEM

Bone Marrow 50

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | | |
| | 7 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | | | |
| | 2 | 3 | 0 | 9 | 3 | 1 | 1 | 3 | 2 | 0 | 3 | 2 | 3 | 0 | 2 | 3 | 0 | 3 | 3 | 2 | 2 | 3 | 7 | 2 | 3 | | |
| | 9 | 1 | 5 | 0 | 0 | 8 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 8 | 9 | 1 | 6 | 0 | 0 | 9 | 9 | 0 | 8 | 1 | 0 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | |
| Oligodendroglioma Malignant, Metastatic, Brain | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | |
| Deep Cervical, Iliac, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Iliac, Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Lumbar, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | M | M | M | + | + | M | + | M | M | M | M | M | M | + | + | + | + | + | + | M | + | M | M | M | M | M | M | | 25 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | M | + | M | + | M | + | + | M | M | M | M | + | + | M | + | M | M | M | M | M | M | + | M | M | + | | | 18 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | + | + | M | M | + | + | + | + | + | M | + | + | M | + | + | + | + | + | I | + | + | + | + | + | + | + | + | | 36 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| | 7 7 7 6 7 6 6 7 7 6 7 7 7 5 7 7 5 7 7 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 0 9 3 1 1 3 2 0 3 2 3 0 2 3 0 3 3 2 2 3 7 2 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 5 0 0 8 0 1 9 9 0 9 0 8 9 1 6 0 0 9 9 0 8 1 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 49 | |
| Subcutaneous Tissue, Fibroma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Oligodendroglioma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | | |
| 2 | 3 | 0 | 9 | 3 | 1 | 1 | 3 | 2 | 0 | 3 | 2 | 3 | 0 | 2 | 3 | 0 | 3 | 3 | 2 | 2 | 3 | 7 | 2 | 3 | | |
| 9 | 1 | 5 | 0 | 0 | 8 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 8 | 9 | 1 | 6 | 0 | 0 | 9 | 9 | 0 | 8 | 1 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | | 5 |
| Alveolar/Bronchiolar Carcinoma | | | X | | | | | | X | | X | | | | | X | | | | | | | | | 9 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | X | | X | | X | | | | | | | | | | | | X | | X | | | 6 |
| Histiocytic Sarcoma | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Oligodendroglioma Malignant, Metastatic, Brain | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| B6C3F1 MICE MALE 31 PPM | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|----------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 |
| | | 2 | 3 | 0 | 9 | 3 | 1 | 1 | 3 | 2 | 0 | 3 | 2 | 3 | 0 | 2 | 3 | 0 | 3 | 3 | 2 | 2 | 3 | 7 | 2 | 3 |
| | | 9 | 1 | 5 | 0 | 0 | 8 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 8 | 9 | 1 | 6 | 0 | 0 | 9 | 9 | 0 | 8 | 1 | 0 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Carcinoma | | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | X | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Renal Tubule, Adenoma | | | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal Tubule, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Urethra | | | | | | | | | | | | + | | | | | | | | | | | | | | | 1 |
| Bulbourethral Gland, Carcinoma | | | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Nerve, Lymphoma Malignant | | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 |
| B6C3F1 MICE MALE | ANIMAL ID | 2 | 3 | 0 | 9 | 3 | 1 | 1 | 3 | 2 | 0 | 3 | 2 | 3 | 0 | 2 | 3 | 0 | 3 | 3 | 2 | 2 | 3 | 7 | 2 | 3 |
| | | 9 | 1 | 5 | 0 | 0 | 8 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 8 | 9 | 1 | 6 | 0 | 0 | 9 | 9 | 0 | 8 | 1 | 0 |
| 31 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|---|--|---|--|--|--|--|--|--|--|---|--|--|--|--|--|----------|
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | X | | X | | | | | | | | X | | | | | | 3 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------------------|
| | 0729 | 0771 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males (cont...) |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | M | + | + | + | + | + | M | + | + | + | + | + | M | M | M | + | + | M | + | + | + | + | M | + | M |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatocellular Adenoma | X | | X | X | | | X | X | X | | | | | X | | X | X | X | X | | | | X | X | |
| Hepatocellular Adenoma, Multiple | | X | | | X | X | | | | | | X | | | X | | | | | | | X | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 6 7 7 7 7 7 7 5 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 2 3 2 2 3 3 3 3 2 2 3 3 5 8 3 3 3 3 1 2 8 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 9 1 9 9 1 0 1 0 9 9 0 0 9 0 0 0 1 0 5 9 1 5 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|---|---|--|--|--|--|---|---|---|--|--|---|---|--|--|---|--|--|
| Hepatocellular Carcinoma | | | | | | | | X | X | | | | | X | X | X | | | X | X | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | X | | | | | | | | | X | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrous Histiocytoma, Metastatic, Skin Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 6 7 7 7 7 7 7 5 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 2 3 2 2 3 3 3 3 2 2 3 3 5 8 3 3 3 3 1 2 8 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 9 1 9 9 1 0 1 0 9 9 0 0 9 0 0 0 1 0 5 9 1 5 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

Heart +
 Histiocytic Sarcoma X

ENDOCRINE SYSTEM

Adrenal Cortex +
 Adenoma X
 Subcapsular, Adenoma X

Adrenal Medulla +
 Pheochromocytoma Benign X

Islets, Pancreatic +
 Adenoma X
 Carcinoma X

Parathyroid Gland + + + M + M + + M + M + M M M M M + + + M M + + M

Pituitary Gland +

Thyroid Gland +
 Sarcoma, Metastatic, Skeletal Muscle X

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | |
| | | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 5 | 8 | 3 | 3 | 3 | 3 | 1 | 2 | 8 | 5 | 2 |
| | | 9 | 1 | 9 | 1 | 9 | 9 | 1 | 0 | 1 | 0 | 9 | 9 | 0 | 0 | 9 | 0 | 0 | 0 | 1 | 0 | 5 | 9 | 1 | 5 | 9 |
| B6C3F1 MICE MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62.5 PPM | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males
(cont...)

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Penis | | | | | | | | | | | | | | | | | | | + | | | | | | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | X | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | X | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 6 7 7 7 7 7 7 5 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 2 3 2 2 3 3 3 3 2 2 3 3 5 8 3 3 3 3 1 2 8 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 9 1 9 9 1 0 1 0 9 9 0 0 9 0 0 0 1 0 5 9 1 5 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Bronchial | + | M | M | + | M | M | M | M | + | M | + | + | M | M | M | + | + | M | M | M | M | M | M | + | M |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymph Node, Mandibular | + | M | M | M | M | M | M | M | M | M | M | M | M | M | + | M | M | M | M | + | + | M | M | + | M |
| Lymph Node, Mediastinal | M | + | + | + | M | M | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | M | + | + | M | + | M | + | + | M | M | + | M | M | M | M | + |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Fibrous | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 6 7 7 7 7 7 7 5 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 62.5 PPM | 2 3 2 3 2 2 3 3 3 3 2 2 3 3 5 8 3 3 3 3 1 2 8 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 9 1 9 9 1 0 1 0 9 9 0 0 9 0 0 0 1 0 5 9 1 5 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

Histiocytoma

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Maxilla, Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrous Histiocytoma, Metastatic, Skin | X | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|-----------------|---|----------------------------|
| | 0729 | 0731 | 0801 | 0803 | 0805 | 0807 | 0809 | 0811 | 0813 | 0815 | 0817 | 0819 | 0821 | 0823 | 0825 | 0827 | 0829 | 0831 | 0833 | 0835 | 0837 | 0839 | 0841 | 0843 | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 62.5 PPM | 0 | males (cont...) |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | 6 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | X | X | X | | X | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 l .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | |
| | | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 5 | 8 | 3 | 3 | 3 | 3 | 1 | 2 | 8 | 5 | 2 |
| | | 9 | 1 | 9 | 1 | 9 | 9 | 1 | 0 | 1 | 0 | 9 | 9 | 0 | 0 | 9 | 0 | 0 | 0 | 1 | 0 | 5 | 9 | 1 | 5 | 9 |
| B6C3F1 MICE MALE 62.5 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

Multiple Organ

+ +

Histiocytic Sarcoma

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 6 | 7 | 7 | 5 | 6 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | | 7 |
| | 5 | 2 | 2 | 8 | 8 | 2 | 2 | 4 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 6 | 3 | 3 | 5 | 3 | 2 | 1 | 3 | 3 | |
| | 9 | 9 | 9 | 3 | 0 | 9 | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 3 | 1 | 0 | 4 | 0 | 9 | 7 | 0 | 0 | |
| B6C3F1 MICE MALE 62.5 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | M | + | + | M | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | 38 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | | | X | | | X | | | X | X | | | | | | X | X | | | | | X | 20 |
| Hepatocellular Adenoma, Multiple | | | | | | | X | | | X | | | | | X | X | | | | | | X | | | | 11 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0659 | 0679 | 0679 | 0658 | 0688 | 0622 | 0622 | 0643 | 0633 | 0633 | 0633 | 0633 | 0633 | 0663 | 0633 | 0633 | 0663 | 0633 | 0635 | 0633 | 0621 | 0633 | 0633 | 0604 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Hepatocellular Carcinoma | | | | | | X | X | X | | | | | | X | | X | X | | | | X | X | | | 16 |
| Hepatocellular Carcinoma, Multiple | X | | | X | | | | | | | | | | | | | | | | | | | | | 4 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | + | | | | | | | | | | + | + | | | | | + | | | | | 8 |
| Hemangiosarcoma | | | | | | | | | | | | | | X | | | | | | | | | | | 3 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tooth | | | | + | | | | | | | | | | | | | | | | | | | | | 5 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Blood Vessel | | | | + | | | | | | | | | | | | | | | | | | | | | 1 |
|--------------|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 5 | 6 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 |
| 5 | 2 | 2 | 8 | 8 | 2 | 2 | 4 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 6 | 3 | 3 | 5 | 3 | 2 | 1 | 3 | 3 | |
| 9 | 9 | 9 | 3 | 0 | 9 | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 3 | 1 | 0 | 4 | 0 | 9 | 7 | 0 | 0 | |
| B6C3F1 MICE MALE 62.5 PPM ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Parathyroid Gland | M | M | M | + | M | M | M | M | + | M | + | M | M | M | M | + | + | M | + | M | + | + | M | M | 21 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thyroid Gland | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 7 5 6 7 7 4 7 7 7 7 7 6 7 7 5 7 7 5 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 2 2 8 8 2 2 4 3 3 3 3 3 6 3 3 6 3 3 5 3 2 1 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 9 3 0 9 9 2 0 0 0 0 0 2 0 0 3 1 0 4 0 9 7 0 0 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 62.5 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Penis | + | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| DAY ON TEST | B6C3F1 MICE MALE 62.5 PPM | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | * TOTALS |
|-------------|------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|----------|
| | 0659 | 0679 | 0679 | 0658 | 0688 | 0688 | 0622 | 0622 | 0644 | 0633 | 0633 | 0633 | 0633 | 0633 | 0666 | 0633 | 0633 | 0666 | 0633 | 0633 | 0655 | 0633 | 0621 | 0633 | 0633 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 6 | 7 | 7 | 5 | 6 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 0 | | |
| | 5 | 2 | 2 | 8 | 8 | 2 | 2 | 4 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 6 | 3 | 3 | 5 | 3 | 2 | 1 | 3 | 3 | | |
| | 9 | 9 | 9 | 3 | 0 | 9 | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 3 | 1 | 0 | 4 | 0 | 9 | 7 | 0 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Lymph Node, Bronchial | M | + | + | + | M | + | + | + | + | M | + | M | + | M | + | + | + | + | M | + | M | + | M | + | + | 25 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | M | + | + | M | M | + | + | M | M | M | + | + | + | + | + | M | M | M | M | + | + | + | + | + | 20 | |
| Lymph Node, Mediastinal | + | + | + | + | + | + | + | M | M | + | M | + | M | + | M | + | M | + | + | + | + | M | + | + | M | 38 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | X | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Thymus | M | + | + | M | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | 37 | |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, Fibrous | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 6 7 7 5 6 7 7 4 7 7 7 7 7 6 7 7 5 7 7 5 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 62.5 PPM | 5 2 2 8 8 2 2 4 3 3 3 3 3 6 3 3 6 3 3 5 3 2 1 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 9 3 0 9 9 2 0 0 0 0 0 2 0 0 3 1 0 4 0 9 7 0 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

Histiocytoma

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Maxilla, Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 9 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 6 7 7 5 6 7 7 4 7 7 7 7 7 6 7 7 5 7 7 5 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 2 2 8 8 2 2 4 3 3 3 3 3 6 3 3 6 3 3 5 3 2 1 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 9 3 0 9 9 2 0 0 0 0 0 2 0 0 3 1 0 4 0 9 7 0 0 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | X | | | | | | | X | | | | | | | | X | X | 9 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 1 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma | | | X | | | | | X | | | | | | | | | | | | | | | | 3 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | | 6 | 7 | 7 | 5 | 6 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| 62.5 PPM | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

Multiple Organ
Histiocytic Sarcoma

+ +

50
1

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 6 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | |
| 4 | 8 | 8 | 3 | 0 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | |
| 9 | 8 | 4 | 1 | 5 | 2 | 9 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 7 | 3 | 3 | 3 | 2 | 3 | 5 | 1 | | |
| B6C3F1 MICE FEMALE CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | M | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Leiomyoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | X | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | 7 | 7 | 7 | 5 | 7 | 7 |
| | 4 | 8 | 8 | 3 | 0 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 0 | 3 |
| | 9 | 8 | 4 | 1 | 5 | 2 | 9 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 7 | 3 | 3 | 3 | 2 | 3 | 5 | 1 |

| B6C3F1 MICE FEMALE CONTROL | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Stomach, Forestomach
 Lymphoma Malignant
 Squamous Cell Carcinoma

+
 X
 X

Stomach, Glandular
 Lymphoma Malignant

+
 X

CARDIOVASCULAR SYSTEM

Blood Vessel
 Lymphoma Malignant

+
 +
 X

Heart
 Lymphoma Malignant

+ +

ENDOCRINE SYSTEM

Adrenal Cortex
 Adenoma
 Lymphoma Malignant

+
 X
 X

Adrenal Medulla
 Lymphoma Malignant

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 6 5 7 7 7 5 7 7 7 7 7 7 7 7 7 7 0 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 4 8 8 3 0 3 9 3 3 3 3 3 3 3 3 3 3 4 3 3 3 3 3 0 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 4 1 5 2 9 1 1 2 1 2 2 1 1 2 1 7 3 3 3 2 3 5 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | M | M | + | M | M | M | M | M | M | + | + | + | + | M | M | + | M | + | M | + | M | M | M |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | X | | | | | | | | X | X | | X | | | | | X | | | | | | |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | M | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Mammary Gland | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | 7 | 7 | 7 | 7 | 5 | 7 | 7 |
| | 4 | 8 | 8 | 3 | 0 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 0 | 3 |
| | 9 | 8 | 4 | 1 | 5 | 2 | 9 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 7 | 3 | 3 | 3 | 2 | 3 | 5 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | X | |
| Lymph Node, Mandibular | + | + | + | M | M | M | + | M | + | M | + | + | M | M | M | + | M | + | M | M | M | + | M | + | M | | |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymph Node, Mediastinal | + | M | + | M | + | + | + | + | + | + | + | + | + | + | M | M | M | + | + | M | M | M | + | + | M | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | | X | X | |
| Sarcoma, Metastatic, Skin | | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | | | X | X |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | | | X | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | | | X | | | | | | | | | | | | | | | | | | X | X | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | | | X | | | | | | | | | | | | | | | | | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 6 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | 7 | 7 | 7 | 7 | 5 | 7 | 7 |
| 4 | 8 | 8 | 3 | 0 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 0 | 3 |
| 9 | 8 | 4 | 1 | 5 | 2 | 9 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 7 | 3 | 3 | 3 | 2 | 3 | 5 | 1 | |
| B6C3F1 MICE FEMALE CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | X | | X | | | | | | | X | | | | | | | | | | | | | | | |
| Fibroadenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Subcutaneous Tissue, Sarcoma, Multiple | | | | | | | | X | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Sarcoma, Metastatic, Skin | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | | | | | | | + | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | X | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 0 |
| | | 4 | 8 | 8 | 3 | 0 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 |
| | | 9 | 8 | 4 | 1 | 5 | 2 | 9 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 7 | 3 | 3 | 3 | 2 | 3 | 5 | 1 | 1 |
| B6C3F1 MICE FEMALE CONTROL | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | |

females
(cont...)

Spinal Cord +
 Sarcoma, Metastatic, Skin X

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | X | | | | | | | | X | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Carcinoma, Metastatic, Mammary Gland | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinum, Hemangiosarcoma | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 6 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | 7 | 7 | 7 | 7 | 5 | 7 | 7 |
| | 4 | 8 | 8 | 3 | 0 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | |
| | 9 | 8 | 4 | 1 | 5 | 2 | 9 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 7 | 3 | 3 | 3 | 2 | 3 | 5 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X X |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | X | | | X | | | | | | | | | | | | | | | | | X X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 6 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 9 | 3 | 3 | 8 | 3 | 6 | 1 | 3 | 0 | 0 | 2 | 3 | 9 | 3 | 9 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 0 | 2 | 1 | 4 | 1 | 5 | 2 | 3 | 4 | 4 | 6 | 2 | 2 | 3 | 5 | 1 | 2 | 3 | 2 | 1 | 2 | 1 | 3 | 3 | 3 | | |
| B6C3F1 MICE FEMALE CONTROL | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Gallbladder | + | + | + | M | M | + | + | M | + | + | + | + | + | + | + | M | M | + | + | M | + | M | M | + | M | 38 |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | 2 | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Leiomyoma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | 2 | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0690 | 0730 | 0731 | 0754 | 0774 | 0744 | 0777 | 0777 | 0777 | 0676 | 0777 | 0777 | 0575 | 0777 | 0777 | 0777 | 0575 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocellular Adenoma | | | | | | | | | | | | | | X | | | | | | | X | X | | X | |
| Hepatocellular Adenoma, Multiple | | | | | X | | | X | | | | | | | | | | | | | | | | 6 | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | X | 2 | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | X | | X | 2 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | X | | | 4 | |
| Mesentery | | | | | + | | | + | + | | + | | | | | | | I | | | | + | + | 12 | |
| Hemangiosarcoma | | | | | | | | | X | | | | | | | | | | | | | | | 2 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | 1 | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | 3 | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 49 |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | X | | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 6 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | | 7 |
| | 9 | 3 | 3 | 8 | 3 | 6 | 1 | 3 | 0 | 0 | 2 | 3 | 9 | 3 | 9 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 2 | 1 | 4 | 1 | 5 | 2 | 3 | 4 | 4 | 6 | 2 | 2 | 3 | 5 | 1 | 2 | 3 | 2 | 1 | 2 | 1 | 3 | 3 | 3 | |
| B6C3F1 MICE FEMALE CONTROL | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | | 6 7 7 5 7 4 7 7 7 6 7 7 5 7 6 7 7 7 5 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ANIMAL ID | 9 3 3 8 3 6 1 3 0 0 2 3 9 3 9 3 3 3 2 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 2 1 4 1 5 2 3 4 4 6 2 2 3 5 1 2 3 2 1 2 1 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| CONTROL | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | | | 1 |
| Parathyroid Gland | M | M | + | M | M | + | + | M | + | + | + | + | M | + | M | M | M | + | + | M | M | + | + | + | M | 23 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | | | | | | X | | | | | | X | X | | | X | | | | | | | X | | 10 | |
| Pars Intermedia, Adenoma | X | | | | | | | | X | | | | | | | | | | | | | | | | | 2 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | + | + | + | 46 |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Carcinoma, Metastatic, Mammary Gland | | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| DAY ON TEST | | 6 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 |
| DAY ON TEST | | 9 | 3 | 3 | 8 | 3 | 6 | 1 | 3 | 0 | 0 | 2 | 3 | 9 | 3 | 9 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | |
| DAY ON TEST | | 0 | 2 | 1 | 4 | 1 | 5 | 2 | 3 | 4 | 4 | 6 | 2 | 2 | 3 | 5 | 1 | 2 | 3 | 2 | 1 | 2 | 1 | 3 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | ANIMAL ID | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | ANIMAL ID | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----------|
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | X | 3 | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | | | | | X | | | | | | | | | | | | 1 | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----------|----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | 1 | | | |
| Lymph Node | | | | | | | | | + | + | | | | | | | | | + | | | | | | | 5 |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | 1 | | | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | 2 | | | |
| Lumbar, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | 1 | | | |
| Lymph Node, Bronchial | + | M | + | + | + | + | M | M | + | M | M | M | M | M | + | M | + | M | + | M | + | M | M | + | | |
| Carcinoma, Metastatic, Mammary Gland | | | | | | | | | | | | | | | | X | | | | | | | 1 | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|----|----|
| | 0690 | 0733 | 0738 | 0753 | 0774 | 0774 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | | |
| B6C3F1 MICE FEMALE | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | 0010 | | | |
| CONTROL | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | 0011 | | | |
| | 2266 | 2277 | 2288 | 2299 | 2200 | 2211 | 2222 | 2233 | 2244 | 2255 | 2266 | 2277 | 2288 | 2299 | 2200 | 2211 | 2222 | 2233 | 2244 | 2255 | 2266 | 2277 | 2288 | 2299 | | | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | X | 4 | | | |
| Lymph Node, Mandibular | + | M | M | M | M | M | + | M | + | M | + | M | + | + | M | M | + | + | + | M | + | + | M | M | + | 23 | |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | X | | | | | | | | | X | | | | | | | | | | | | | X | | 4 | | |
| Lymph Node, Mediastinal | M | + | + | M | + | M | + | + | + | M | + | + | + | M | + | + | + | + | + | M | + | + | + | + | M | 34 | |
| Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | X | | | 5 | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | X | | | | | | | | | X | | | | | | | | | | | | | X | | | 6 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | X | | | | | | | | | X | X | | | | | | | | | | | | X | | | 8 | |
| Thymus | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | 47 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | 4 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| DAY ON TEST | 6 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | |
| | 9 | 3 | 3 | 8 | 3 | 6 | 1 | 3 | 0 | 0 | 2 | 3 | 9 | 3 | 9 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 2 | 1 | 4 | 1 | 5 | 2 | 3 | 4 | 4 | 6 | 2 | 2 | 3 | 5 | 1 | 2 | 3 | 2 | 1 | 2 | 1 | 3 | 3 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | * TOTALS |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Fibroadenoma | | | | | | | X | | | | | | | | | | | | | | | | | | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | X | X | | | | | | | | | | | | | | 3 |
| Subcutaneous Tissue, Sarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Meninges, Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 5 | 7 | 7 | 7 | 7 |
| | | 9 | 3 | 3 | 8 | 3 | 6 | 1 | 3 | 0 | 0 | 2 | 3 | 9 | 3 | 9 | 3 | 3 | 3 | 2 | 3 | 3 | 3 |
| | | 0 | 2 | 1 | 4 | 1 | 5 | 2 | 3 | 4 | 4 | 6 | 2 | 2 | 3 | 5 | 1 | 2 | 3 | 2 | 1 | 2 | 1 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |

| | |
|---------------------------|---|
| Spinal Cord | 1 |
| Sarcoma, Metastatic, Skin | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | X | | | | 1 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | X | X | | | | | | | | 3 |
| Carcinoma, Metastatic, Mammary Gland | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | X | | | | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | X | | | | 2 |
| Mediastinum, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

| | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------------|-------------|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | | 6 7 7 5 7 4 7 7 7 6 7 7 5 7 6 7 7 7 5 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE CONTROL | ANIMAL ID | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 2 2 2 2 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 5 | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | |
|--------------------|---|----|
| Eye | + | 50 |
| Harderian Gland | + | 50 |
| Adenoma | | 3 |
| Carcinoma | | 2 |
| Lymphoma Malignant | | 1 |

URINARY SYSTEM

| | | |
|---------------------|---|----|
| Kidney | + | 50 |
| Histiocytic Sarcoma | | 1 |
| Lymphoma Malignant | | 5 |
| Urinary Bladder | + | 50 |
| Lymphoma Malignant | | 2 |

SYSTEMIC LESIONS

| | | |
|---------------------|---|----|
| Multiple Organ | + | 50 |
| Histiocytic Sarcoma | | 1 |
| Lymphoma Malignant | | 8 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 3 | 2 | 7 | 6 | 3 | 3 | 3 | 3 | 3 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 3 | 7 | 6 | 4 | 1 | 3 | 2 | 2 | 3 | 4 | 7 | 2 | 1 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 16 PPM | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 5 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 2 | 7 | 6 | 3 | 3 | 3 | 3 | 3 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 3 | 7 | 6 | 4 | 1 | 3 | 2 | 2 | 3 | 4 | 7 | 2 | 1 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 1 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|--|---|--|---|---|---|--|---|---|---|---|--|--|---|---|---|--|---|---|--|--|--|--|---|--|
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | X | X | X | | | | X | X | | | | X | X | | X | X | | | | | | |
| Hepatocellular Adenoma, Multiple | | | | X | | | | | | | | | | | | | | | | | | | | X | |
| Hepatocellular Carcinoma | | X | | | | | | | X | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | | | | X | | | | | | X | | | | | X | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- l .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 5 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 3 | 2 | 7 | 6 | 3 | 3 | 3 | 3 | 3 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 3 | 7 | 6 | 4 | 1 | 3 | 2 | 2 | 3 | 4 | 7 | 2 | 1 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 1 | 1 | | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | 16 PPM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | females (cont...) | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Adenoma | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5 6 6 5 7 7 7 7 7 4 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 7 6 3 3 3 3 3 4 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 7 6 4 1 3 2 2 3 4 7 2 1 1 2 3 3 2 3 2 3 2 2 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cystadenocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Luteoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | X | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cystadenocarcinoma, Metastatic, Ovary | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Leiomyoma | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 3 | 2 | 7 | 6 | 3 | 3 | 3 | 3 | 3 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 3 | 7 | 6 | 4 | 1 | 3 | 2 | 2 | 3 | 4 | 7 | 2 | 1 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 1 | 1 |
| B6C3F1 MICE FEMALE 16 PPM ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

females (cont...)

Polyp Stromal
Sarcoma Stromal

X

X

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | |
| Iliac, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Iliac, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lumbar, Pancreatic, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + | + | + | + | + | + | M | + | + | M | + | + | + | + | M | M | I | + | + | M | + | + | M | M |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | X |
| Lymph Node, Mandibular | + | + | M | + | M | + | + | M | + | + | + | + | + | + | + | M | M | + | + | + | + | M | + | M |
| Lymphoma Malignant | | | | | | | X | | | | | | | | X | | | | | | X | | | X |
| Lymph Node, Mediastinal | M | M | + | M | + | + | + | M | + | M | + | + | M | M | + | + | I | M | M | + | + | + | + | + |
| Lymphoma Malignant | | | X | | | | X | | | | | | | | X | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|---------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----------------------|
| | 0 5 3 3 | 0 6 2 7 | 0 6 7 6 | 0 5 3 4 | 0 7 3 1 | 0 7 3 2 | 0 7 3 2 | 0 7 3 2 | 0 7 3 3 | 0 4 2 4 | 0 6 3 7 | 0 7 3 2 | 0 7 3 1 | 0 7 3 1 | 0 7 3 2 | 0 7 3 3 | 0 7 3 3 | 0 7 3 2 | 0 7 3 3 | 0 7 3 2 | 0 7 3 3 | 0 7 3 2 | 0 7 3 3 | 0 7 3 2 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mesenteric Lymphoma Malignant | + | + | + | M | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M |
| | | | X | | | | | X | | | | | | X | | | | | X | | | | X | |
| Spleen Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | X | | | | | X | | | | | | X | | | | X | | | | X | | X |
| Thymus Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | X | | | | | X | | | | | | X | | | | | | | | | | X |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland Carcinoma Sarcoma, Metastatic, Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 2 | 7 | 6 | 3 | 3 | 3 | 3 | 3 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 3 | 7 | 6 | 4 | 1 | 3 | 2 | 2 | 3 | 4 | 7 | 2 | 1 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 1 |

| B6C3F1 MICE FEMALE 16 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

Subcutaneous Tissue, Sarcoma

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | |
| Rhabdomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Meninges, Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | | | | | | | | | | | | | | |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 5 6 6 5 7 7 7 7 7 4 6 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 16 PPM | 3 2 7 6 3 3 3 3 3 4 2 3 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 7 6 4 1 3 2 2 3 4 7 2 1 1 2 3 3 2 3 2 3 2 2 1 1 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

Lymphoma Malignant

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X X X | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Nose | + A + | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

Lymphoma Malignant

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

Adenoma

Carcinoma

Lymphoma Malignant

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 3 | 2 | 7 | 6 | 3 | 3 | 3 | 3 | 3 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 3 | 7 | 6 | 4 | 1 | 3 | 2 | 2 | 3 | 4 | 7 | 2 | 1 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 1 | 1 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | X | | | | | | | | | | | | X | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | X | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | X | | | | X | | | | | | | X | | X | | | X | | | | X | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | 6 | 6 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | | |
| | 6 | 1 | 0 | 3 | 5 | 3 | 3 | 4 | 7 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | | |
| | 0 | 3 | 0 | 1 | 1 | 1 | 1 | 9 | 3 | 3 | 2 | 3 | 2 | 1 | 2 | 1 | 2 | 7 | 1 | 1 | 1 | 3 | 3 | 8 | | |
| B6C3F1 MICE FEMALE 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | M | + | 45 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Polyp Adenomatous | + | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 6 | 6 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | | |
| 6 | 1 | 0 | 3 | 5 | 3 | 3 | 4 | 7 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | | |
| 0 | 3 | 0 | 1 | 1 | 1 | 1 | 9 | 3 | 3 | 2 | 3 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 3 | 8 | | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16 PPM | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|---|---|--|--|---|---|--|--|---|---|---|--|---|---|---|---|--|--|---|--|-----------|
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | X | | | | X | | | | | | | X | | X | | | | | X | | | | | 14 |
| Hepatocellular Adenoma, Multiple | | | | | | | | X | | | | | X | | | | | X | | | | | | 5 |
| Hepatocellular Carcinoma | | | | | | | | | X | | | | | | | X | | | | | | X | | 5 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | X | | X | | | | | 7 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 16 |
| Fat, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | X | | | | | | | | | | | | | | | X | | | | | 6 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | X | | | | | | | | | | | | | | | | | | | | 2 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | X | | | | | | | | | | | | | | | | | | | | 2 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 6 | 6 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | | |
| 6 | 1 | 0 | 3 | 5 | 3 | 3 | 4 | 7 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 8 | | |
| 0 | 3 | 0 | 1 | 1 | 1 | 1 | 9 | 3 | 3 | 2 | 3 | 2 | 1 | 2 | 1 | 2 | 7 | 1 | 1 | 1 | 3 | 3 | 8 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | X | | | X | | | | | | | | | | | | | | | | | | | 2 |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Parathyroid Gland | M | + | M | M | + | + | + | + | M | + | M | + | M | + | M | M | M | + | + | M | + | + | M | 32 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | | | | | | | | | | X | | | | X | | | | | | | | | 5 |
| Pars Distalis, Carcinoma | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|---|
| | | 6 | 6 | 6 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | |
| | | 6 | 1 | 0 | 3 | 5 | 3 | 3 | 4 | 7 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 8 | | |
| | | 0 | 3 | 0 | 1 | 1 | 1 | 1 | 9 | 3 | 3 | 2 | 3 | 2 | 1 | 2 | 1 | 2 | 7 | 1 | 1 | 1 | 3 | 3 | 8 | |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 16 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ANIMAL ID | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | X | | | | | | | | | | | | | | | | | | | | 2 |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43 |
| Sarcoma, Metastatic, Skin | | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Cystadenoma | | | | | | X | | | | | | | | | | | | | | X | | | | | | 2 |
| Luteoma | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | X | | X | | | | | | | | | | | | | | | | | | | | | 4 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenocarcinoma, Metastatic, Ovary | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Leiomyoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | X | | X | | | | | | | | | | | | | | | | | | | | | 3 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----------|
| | 6 6 6 7 5 7 7 6 6 7 7 3 7 7 7 7 6 7 7 7 7 7 7 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 6 1 0 3 5 3 3 4 7 3 3 1 3 3 3 3 7 3 3 3 3 3 3 8 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0 3 0 1 1 1 1 9 3 3 2 3 2 1 2 1 2 7 1 1 1 3 3 3 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 16 PPM | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lymph Node, Mesenteric | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Lymphoma Malignant | | X | | | X | | X | | | | | X | | | | | | | | | X | | | | | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | X | | X | | | | X | X | | | | | | | | | X | | | X | | 13 |
| Thymus | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 47 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | X | | | | | 6 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 6 | 6 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 0 |
| 6 | 1 | 0 | 3 | 5 | 3 | 3 | 4 | 7 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 0 | |
| 0 | 3 | 0 | 1 | 1 | 1 | 1 | 9 | 3 | 3 | 2 | 3 | 2 | 1 | 2 | 1 | 2 | 7 | 1 | 1 | 1 | 3 | 3 | 3 | 8 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

Subcutaneous Tissue, Sarcoma X 1

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Rhabdomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Meninges, Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Meninges, Lymphoma Malignant | | X | | | X | | | | | | | | | | | | | | | | | | | | 2 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 6 | 6 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | | |
| 6 | 1 | 0 | 3 | 5 | 3 | 3 | 4 | 7 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | | |
| 0 | 3 | 0 | 1 | 1 | 1 | 1 | 9 | 3 | 3 | 2 | 3 | 2 | 1 | 2 | 1 | 2 | 7 | 1 | 1 | 1 | 3 | 3 | 8 | | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16 PPM | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lymphoma Malignant | X | | | X | | | | | | | | | | | | | | | | | | | | 2 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | X | | | | | | X | | | X | | | | | | | 3 |
| Alveolar/Bronchiolar Carcinoma | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | X | | | | | | | X | 2 |
| Lymphoma Malignant | X | | | X | | | | | | | | | | | | | | | | | | | | 5 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 6 | 6 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | | |
| 6 | 1 | 0 | 3 | 5 | 3 | 3 | 4 | 7 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | | |
| 0 | 3 | 0 | 1 | 1 | 1 | 1 | 9 | 3 | 3 | 2 | 3 | 2 | 1 | 2 | 1 | 2 | 7 | 1 | 1 | 1 | 3 | 3 | 3 | 8 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 16 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | X | | | | | | | | | | | | | X | | | | | | | 5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | X | | | | | | | | | | | | | | | | | | | | 4 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | X | | X | | | X | X | | | | | X | X | | X | | X | | | | 15 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 0 | 5 | 1 | 3 | 3 | 3 | 3 | 2 | 3 |
| | | 6 | 2 | 2 | 4 | 3 | 3 | 3 | 1 | 3 | 2 | 0 | 3 | 2 | 1 | 3 | 7 | 9 | 9 | 2 | 2 | 2 | 2 | 1 | 2 |
| B6C3F1 MICE FEMALE 31 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | M | + | + | + | + | M | M | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | X | | | | | X | | | | X | | | | | | | X | | X | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | X | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| | 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 0 | 5 | 1 | 3 | 3 | 3 | 3 | 2 | 3 | | |
| | 6 | 2 | 2 | 4 | 3 | 3 | 3 | 1 | 3 | 2 | 0 | 3 | 2 | 1 | 3 | 7 | 9 | 9 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | females (cont...) |
| Hepatocellular Carcinoma | | | | | | | | | | X | | | | | | X | | | | | | | | | X | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | X | X | | X | | X | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 0 | 5 | 1 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | |
| 6 | 2 | 2 | 4 | 3 | 3 | 3 | 1 | 3 | 2 | 0 | 3 | 2 | 1 | 3 | 7 | 9 | 9 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 PPM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 | |

CARDIOVASCULAR SYSTEM

Blood Vessel

Heart

Lymphoma Malignant

+
X X

ENDOCRINE SYSTEM

Adrenal Cortex

Lymphoma Malignant

+
X X X

Adrenal Medulla

Lymphoma Malignant

Pheochromocytoma Malignant

+
X
X

Islets, Pancreatic

Lymphoma Malignant

+
X X

Parathyroid Gland

+ + + M + + + M + + M M + M + + M M M M + + + + +

Pituitary Gland

Pars Distalis, Adenoma

Pars Distalis, Schwannoma Malignant,

+
X X X
X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 4 7 7 7 7 7 7 6 7 7 7 7 7 6 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 1 3 3 3 3 3 3 9 3 3 3 3 1 0 5 1 3 3 3 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 2 2 4 3 3 3 1 3 2 0 3 2 1 3 7 9 9 2 2 2 2 1 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Deep Cervical, Iliac, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Iliac, Pancreatic, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | M M + + M + + M + + + M + M M + + M + + M + M M M | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M + M M + + + + M + + + + M M + + M + + + M + + M | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | + + + + + + + + M + + + M + + + + + + + M + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE | | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 0 | 5 | 1 | 3 | 3 | 3 | 3 | 2 | 3 |
| | | 6 | 2 | 2 | 4 | 3 | 3 | 3 | 1 | 3 | 2 | 0 | 3 | 2 | 1 | 3 | 7 | 9 | 9 | 2 | 2 | 2 | 2 | 1 | 2 |
| | 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

Sarcoma, Metastatic, Skin

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mesenteric | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | X | | | X | | | | X | X | | X | | | X | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | X | | | | | | X | | X | | X | | | X | X | | X | | X | | X | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | + | + |
| Lymphoma Malignant | | X | | | | | | | | X | | | | X | | | X | | X | | X | | X | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Lymphoma Malignant | | | | | | | | | | | | | | | | X | | X | | | | | | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Sarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 0 | 5 | 1 | 3 | 3 | 3 | 3 | 2 | 3 |
| | 6 | 2 | 2 | 4 | 3 | 3 | 3 | 1 | 3 | 2 | 0 | 3 | 2 | 1 | 3 | 7 | 9 | 9 | 2 | 2 | 2 | 2 | 1 | 2 | 2 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| 31 PPM | | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cranium, Schwannoma Malignant, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Meninges, Schwannoma Malignant, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | X |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| DAY ON TEST | | 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 0 | 5 | 1 | 3 | 3 | 3 | 3 | 2 | 3 |
| DAY ON TEST | | 6 | 2 | 2 | 4 | 3 | 3 | 3 | 1 | 3 | 2 | 0 | 3 | 2 | 1 | 3 | 7 | 9 | 9 | 2 | 2 | 2 | 2 | 1 | 2 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | ANIMAL ID | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |
| 31 PPM | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

Alveolar/Bronchiolar Adenoma, Multiple X

Alveolar/Bronchiolar Carcinoma X

Hepatocellular Carcinoma, Metastatic, Liver X

Lymphoma Malignant X X X

Sarcoma, Metastatic, Skin X X X

Nose +

Trachea +

SPECIAL SENSES SYSTEM

Eye +

Lymphoma Malignant X

Harderian Gland +

Lymphoma Malignant X X X

URINARY SYSTEM

Kidney +

Lymphoma Malignant X X X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 1 | 0 | 5 | 1 | 3 | 3 | 3 | 3 | 2 | 3 | | |
| 6 | 2 | 2 | 4 | 3 | 3 | 3 | 1 | 3 | 2 | 0 | 3 | 2 | 1 | 3 | 7 | 9 | 9 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Urinary Bladder | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | X | | | | | | | | | X | | | | | X | | X | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | X | | | | | | X | | X | | X | | | X | X | | X | | X | | X | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|
| B6C3F1 MICE FEMALE 31 PPM | ANIMAL ID | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 7 | 3 | 3 | 3 | 8 | 3 | 3 | 1 | 8 | 3 | 1 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 3 | 3 | 2 | 1 | 0 | 2 | 2 | 8 | 9 | 2 | 8 | 6 | 1 | 1 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 2 | 1 | 1 | 3 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | 44 |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | 2 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | X | 2 |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | | X | | | | | | | | X | X | X | | X | | X | | X | X | X | | | | 14 |
| Hepatocellular Adenoma, Multiple | | | | | X | | | | | | | | | | | | X | | | | | | | | 3 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------|---|---|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|-----------|
| | 0 6 7 3 | 0 7 3 3 | 0 7 3 2 | 0 7 3 1 | 0 6 8 0 | 0 7 3 2 | 0 7 3 2 | 0 7 3 1 | 0 7 3 8 | 0 7 1 9 | 0 6 3 2 | 0 7 3 8 | 0 7 1 6 | 0 7 3 1 | 0 7 3 7 | 0 7 3 3 | 0 7 3 3 | 0 7 3 3 | 0 7 3 3 | 0 7 3 3 | 0 7 3 3 | 0 7 3 2 | 0 7 3 1 | 0 7 3 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 PPM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X | X | X | 6 | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | | | + | + | | | | | | | | | | | | | | | | | 15 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | X | | 7 | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | 3 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 7 7 6 7 7 7 6 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 31 PPM | 7 3 3 3 8 3 3 1 8 3 1 7 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 3 2 1 0 2 2 8 9 2 8 6 1 1 2 2 3 2 3 3 3 2 1 1 3 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Blood Vessel | + | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 3 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Parathyroid Gland | M + + + M + + + M + M + + M + + M M + + M + + + | | | | | | | | | | | | | | | | | | | | | | | | 33 |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Pars Distalis, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 6 |
| Pars Distalis, Schwannoma Malignant, | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 7 | 3 | 3 | 3 | 8 | 3 | 3 | 1 | 8 | 3 | 1 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 3 | 3 | 2 | 1 | 0 | 2 | 2 | 8 | 9 | 2 | 8 | 6 | 1 | 1 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 1 | 1 | 3 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

Metastatic, Uncertain Primary Site

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | I | + | + | + | + | 43 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Luteoma | | | | X | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| Periovarian Tissue, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | | | 3 | | |
| Polyp Stromal | | | | | | | | | | | | X | | | | | | | | X | | | | | | | | 2 | | |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 7 7 6 7 7 7 6 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 31 PPM | 7 3 3 3 8 3 3 1 8 3 1 7 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 3 2 1 0 2 2 8 9 2 8 6 1 1 2 2 3 2 3 3 3 2 1 1 3 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 31 PPM | 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 11 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Deep Cervical, Iliac, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Iliac, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Iliac, Pancreatic, Renal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lumbar, Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Bronchial | + M + M + M + + + + + + + + M M M M + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 31 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 9 |
| Lymph Node, Mandibular | + M M M + + + + + + M M + + M M + + M + M M + + M | | | | | | | | | | | | | | | | | | | | | | | | 30 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 11 |
| Lymph Node, Mediastinal | M + I + + + + + M + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 44 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 12 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 6 7 7 7 6 7 7 7 6 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 31 PPM | 7 3 3 3 8 3 3 1 8 3 1 7 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 3 3 2 1 0 2 2 8 9 2 8 6 1 1 2 2 3 2 3 3 3 2 1 1 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Sarcoma, Metastatic, Skin | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + + + + + + + + M + + + + + + + + + + M + M + + | | | | | | | | | | | | | | | | | | | | | | | | 46 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 10 |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 15 |
| Thymus | + + M + + M + M + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 45 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 8 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Mammary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Squamous Cell Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Subcutaneous Tissue, Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Subcutaneous Tissue, Sarcoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 6 7 7 7 6 7 7 7 6 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 31 PPM ANIMAL ID | 7 3 3 3 8 3 3 1 8 3 1 7 3 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 3 2 1 0 2 2 8 9 2 8 6 1 1 2 2 3 2 3 3 3 2 1 1 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | |
|--|---|----|
| Bone | + | 50 |
| Cranium, Schwannoma Malignant, Metastatic, Uncertain Primary Site | | 1 |
| Skeletal Muscle | | 2 |
| Lymphoma Malignant | | 2 |

NERVOUS SYSTEM

| | | |
|---|---|----|
| Brain | + | 50 |
| Meninges, Lymphoma Malignant | | 1 |
| Meninges, Schwannoma Malignant, Metastatic, Uncertain Primary Site | | 1 |

RESPIRATORY SYSTEM

| | | |
|------------------------------|---|----|
| Larynx | + | 50 |
| Lymphoma Malignant | | 2 |
| Lung | + | 50 |
| Alveolar/Bronchiolar Adenoma | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 7 | 3 | 3 | 3 | 8 | 3 | 3 | 1 | 8 | 3 | 1 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 3 | 3 | 2 | 1 | 0 | 2 | 2 | 8 | 9 | 2 | 8 | 6 | 1 | 1 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 2 | 1 | 1 | 3 | |
| B6C3F1 MICE FEMALE 31 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | X | | | | | | | | | | | | X | | X | | | | | | | | 4 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | X | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | X | | | | | | | | | | | | | | | | | | X | | 6 |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | X | | | | | | | X | | | | | | | | | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 7 | 3 | 3 | 3 | 8 | 3 | 3 | 1 | 8 | 3 | 1 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 3 | 3 | 2 | 1 | 0 | 2 | 2 | 8 | 9 | 2 | 8 | 6 | 1 | 1 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 1 | 1 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 31 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | X | | | | X | | | | | X | | | X | | | | | | X | X | 15 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 6 7 7 7 7 6 7 7 7 7 7 6 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 3 3 3 3 3 3 0 1 3 3 3 3 3 3 3 3 3 3 8 3 3 3 3 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 2 3 3 3 2 3 4 0 2 1 3 2 5 3 2 1 2 2 4 3 2 1 1 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 62.5 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + + + + + + M + + + + M + + + + + + + + + + + M + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 6 7 7 7 7 6 7 7 7 7 7 6 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 3 3 3 3 3 3 0 1 3 3 3 3 3 3 3 3 3 3 8 3 3 3 3 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 2 3 3 3 2 3 4 0 2 1 3 2 5 3 2 1 2 2 4 3 2 1 1 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

Hepatocellular Carcinoma

Hepatocellular Carcinoma, Multiple

Histiocytic Sarcoma

Lymphoma Malignant

Rhabdomyosarcoma, Metastatic, Skeletal Muscle

X X X X X X X

X

Mesentery

+ +

Carcinoma, Metastatic, Urinary Bladder

Hemangiosarcoma

X

Lymphoma Malignant

X

Rhabdomyosarcoma, Metastatic, Skeletal Muscle

X

Sarcoma, Metastatic, Intestine Small, Ileum

Pancreas

+ +

Carcinoma, Metastatic, Urinary Bladder

Lymphoma Malignant

X

X

X

X

Rhabdomyosarcoma, Metastatic, Skeletal Muscle

X

Sarcoma, Metastatic, Intestine Small, Ileum

Salivary Glands

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 6 |
| | | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 5 | 5 |
| | | 8 | 2 | 3 | 3 | 3 | 2 | 3 | 4 | 0 | 2 | 1 | 3 | 2 | 5 | 3 | 2 | 1 | 2 | 2 | 4 | 3 | 2 | 1 | 1 | 6 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62.5 PPM | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

Lymphoma Malignant

X

Stomach, Forestomach

+ +

Lymphoma Malignant

X

Squamous Cell Papilloma

Stomach, Glandular

+ +

Lymphoma Malignant

X

X

Tooth

Histiocytic Sarcoma

CARDIOVASCULAR SYSTEM

Heart

+ +

Histiocytic Sarcoma

Lymphoma Malignant

X

ENDOCRINE SYSTEM

Adrenal Cortex

+ +

Lymphoma Malignant

X

Capsule, Lymphoma Malignant

X

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 6 7 7 7 7 6 7 7 7 7 7 6 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 3 3 3 3 3 3 0 1 3 3 3 3 3 3 3 3 3 3 8 3 3 3 3 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 2 3 3 3 2 3 4 0 2 1 3 2 5 3 2 1 2 2 4 3 2 1 1 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Subcapsular, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla Pheochromocytoma Benign | + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic Adenoma | + X | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + + + M + + + M M + + + + + + + + + M + + + M + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland Pars Distalis, Adenoma Pars Intermedia, Adenoma | + + + + X X X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland Lymphoma Malignant | + X | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Peritoneum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 6 7 7 7 7 6 7 7 7 7 7 6 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 3 3 3 3 3 3 0 1 3 3 3 3 3 3 3 3 3 3 8 3 3 3 3 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 2 3 3 3 2 3 4 0 2 1 3 2 5 3 2 1 2 2 4 3 2 1 1 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | M | + | + | + | + | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Luteoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Periovarian Tissue, Carcinoma, Metastatic, Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Leiomyoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Intestine Small, Ileum | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | | | | | X |
| Lymph Node | | | | | | | | | + | + | | | | | | + | | | | | | | | | | | | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 |
| | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 5 |
| | 8 | 2 | 3 | 3 | 3 | 2 | 3 | 4 | 0 | 2 | 1 | 3 | 2 | 5 | 3 | 2 | 1 | 2 | 2 | 4 | 3 | 2 | 1 | 1 | 6 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

62.5 PPM

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lymphoma Malignant | X | | | | | | | X | X | X | X | | | | | X | X | X | | | | | | | | |
| Sarcoma, Metastatic, Intestine Small, Ileum | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | X | X | | X | X | | | X | | | | | X | X | | | | | | |
| Capsule, Carcinoma, Metastatic, Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Thymus | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | X | X | X | X | | | X | | | | | | X | X | | | | | | |
| Sarcoma, Metastatic, Intestine Small, Ileum | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | X | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 7 7 7 7 7 7 7 7 6 7 7 7 7 6 7 7 7 7 7 6 7 7 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 62.5 PPM | 0 3 3 3 3 3 3 0 1 3 3 3 3 3 3 3 3 3 3 8 3 3 3 3 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 2 3 3 3 2 3 4 0 2 1 3 2 5 3 2 1 2 2 4 3 2 1 1 6 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 62.5 PPM | 7 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 |

females (cont...)

Subcutaneous Tissue, Sarcoma

X

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Rhabdomyosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | + | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | |
| | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 5 | |
| | 8 | 2 | 3 | 3 | 3 | 2 | 3 | 4 | 0 | 2 | 1 | 3 | 2 | 5 | 3 | 2 | 1 | 2 | 2 | 4 | 3 | 2 | 1 | 1 | 6 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

Lymphoma Malignant

X

Lung

+ +

Alveolar/Bronchiolar Adenoma

X

X

X

Alveolar/Bronchiolar Carcinoma

Hepatocellular Carcinoma, Metastatic, Liver

Histiocytic Sarcoma

Lymphoma Malignant

X

X

X

Nose

+ +

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye

+ +

Harderian Gland

+ +

Adenoma

X

X

Carcinoma

X

X

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 0 |
| 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 5 |
| 8 | 2 | 3 | 3 | 3 | 2 | 3 | 4 | 0 | 2 | 1 | 3 | 2 | 5 | 3 | 2 | 1 | 2 | 2 | 4 | 3 | 2 | 1 | 1 | 6 | |

B6C3F1 MICE FEMALE

62.5 PPM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | X | X | | | | X | | | | | X | X | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | X | | | | | | X | X | X | | | X | | | | | | X | | | | |
| Transitional Epithelium, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | X | | | | | X | X | X | X | X | | X | X | X | X | X | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Diethylamine

CAS Number: 109-89-7

Date Report Requested: 10/23/2008

Time Report Requested: 13:20:12

First Dose M/F: 08/18/03 / 08/18/03

Lab: BNW

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|----------|-----------|
| DAY ON TEST | | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | | |
| | | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | | |
| | | 9 | 2 | 2 | 2 | 1 | 2 | 6 | 3 | 3 | 2 | 2 | 2 | 1 | 4 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 2 | 3 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| 62.5 PPM | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 8 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | 10 |
| Carcinoma, Metastatic, Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Intestine Small, Ileum | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma, Metastatic, Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Intestine Small, Ileum | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 7 7 6 7 7 7 7 7 7 6 7 7 7 6 7 7 7 7 6 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 3 3 3 3 3 2 3 3 3 3 3 3 6 3 3 3 5 3 3 3 3 6 3 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 2 2 2 1 2 6 3 3 2 2 2 2 1 4 2 2 2 3 3 1 3 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.5 PPM | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Squamous Cell Papilloma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | + | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Capsule, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99017 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Diethylamine
 CAS Number: 109-89-7

Date Report Requested: 10/23/2008
 Time Report Requested: 13:20:12
 First Dose M/F: 08/18/03 / 08/18/03
 Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 |
| ANIMAL ID | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 6 | 3 | 3 |
| | 9 | 2 | 2 | 2 | 1 | 2 | 6 | 3 | 3 | 2 | 2 | 2 | 1 | 4 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 2 | 3 |

**B6C3F1 MICE FEMALE
62.5 PPM**

*** TOTALS**

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|---|
| Subcapsular, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | 2 | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Pheochromocytoma Benign | X | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Parathyroid Gland | M | M | M | M | M | + | + | + | + | + | + | M | M | + | + | M | M | M | + | M | M | + | + | + | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Pars Distalis, Adenoma | | | | | X | X | | | | | | | | | | | | | | | | | | | | | 7 |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | X | 1 | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|--|
| | 7 7 7 7 7 6 7 7 7 7 7 7 6 7 7 7 6 7 7 7 7 6 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 3 3 3 3 2 3 3 3 3 3 3 6 3 3 3 5 3 3 3 3 6 3 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 2 2 2 1 2 6 3 3 2 2 2 1 4 2 2 2 3 3 1 3 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 62.5 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Luteoma | | | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | | | | | 2 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Periovarian Tissue, Carcinoma, Metastatic, Urinary Bladder | | | | | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Leiomyoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Sarcoma, Metastatic, Intestine Small, Ileum | | | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | | | + | 5 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|-----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | | |
| | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | | |
| | 9 | 2 | 2 | 2 | 1 | 2 | 6 | 3 | 3 | 2 | 2 | 2 | 1 | 4 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 2 | 3 | 2 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 62.5 PPM | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS | |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Lymph Node, Bronchial | + | M | + | M | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | | 38 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | X | | 6 |
| Lymph Node, Mandibular | M | + | + | M | + | + | M | + | M | M | + | M | + | + | + | + | + | M | M | + | M | + | + | + | M | | 33 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | X | | 6 |
| Mast Cell Tumor Malignant, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Lymph Node, Mediastinal | + | + | + | + | + | + | + | + | + | M | + | M | + | M | + | M | + | + | + | + | + | + | + | + | + | | 40 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | X | | 7 |
| Sarcoma, Metastatic, Intestine Small, Ileum | | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 49 |
| Carcinoma, Metastatic, Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-----------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|--|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | |
| B6C3F1 MICE FEMALE | 62.5 PPM | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 0 | | | |
| | | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 0 | | | |
| | | 9 | 2 | 2 | 2 | 1 | 2 | 6 | 3 | 3 | 2 | 2 | 2 | 1 | 4 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 2 | 3 | 2 | 0 | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 0 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | * TOTALS | | |

Lymphoma Malignant X 9

Sarcoma, Metastatic, Intestine Small, Ileum X 1

Spleen + 50

Histiocytic Sarcoma X 1

Lymphoma Malignant X 9

Capsule, Carcinoma, Metastatic, Urinary Bladder X 1

Capsule, Rhabdomyosarcoma, Metastatic, Skeletal Muscle 1

Thymus + + + + + + + + + + + + + + + + M + + + + + + + + 47

Histiocytic Sarcoma X 1

Lymphoma Malignant X X 10

Sarcoma, Metastatic, Intestine Small, Ileum X 1

INTEGUMENTARY SYSTEM

Mammary Gland + 49

Skin + 50

Subcutaneous Tissue, Lymphoma Malignant 2

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | | |
| | | 1 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | | |
| | | 9 | 2 | 2 | 2 | 1 | 2 | 6 | 3 | 3 | 2 | 2 | 2 | 1 | 4 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 2 | 3 | 2 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

Subcutaneous Tissue, Sarcoma

X

2

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Carcinoma, Metastatic, Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Rhabdomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 7 7 6 7 7 7 7 7 7 6 7 7 7 6 7 7 7 7 6 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 62.5 PPM | 1 3 3 3 3 3 2 3 3 3 3 3 3 6 3 3 3 5 3 3 3 3 6 3 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 2 2 2 1 2 6 3 3 2 2 2 2 1 4 2 2 2 3 3 1 3 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 4 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 0 |
| 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 0 |
| 9 | 2 | 2 | 2 | 1 | 2 | 6 | 3 | 3 | 2 | 2 | 2 | 1 | 4 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 2 | 3 | 2 | 0 |

B6C3F1 MICE FEMALE

62.5 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 6 |
| Transitional Epithelium, Carcinoma | | | | | | | | | | | | | X | | | | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymphoma Malignant | | | X | | | | | | | | | | X | | | | | | | | | | | | 13 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically