Breast Cancer, Genes, and the Environment

UNC-Chapel Hill

Center for Environmental Health and Susceptibility

Funded by the National Institute of Environmental Health Sciences (NIEHS), P30ES10126

Collaborators: Breast Cancer Coalition of North Carolina, University of Cincinnati




Goals

- To learn about breast cancer risks
- To learn how individual genetics and environmental factors may contribute to increased breast cancer risk
- To identify risk reduction activities

What Is Breast Cancer?

- Cells in the breast grow out of control and form a lump
- Lumps can either be benign or malignant
- Malignant growths are called breast cancer



Risks for Breast Cancer











Personal Estrogen-Related Risks

- Early menstruation
 Before 12yrs old -- increased risk
- Oral contraceptives
 Increased risk dissipates since time of last use
- Child bearing
 First child born after age 30 -- increased risk
 No children -- increased risk



Personal Estrogen-Related Risks

- Breastfeeding
 12+months -- decreased risk
- Late menopause
 After 55yrs old -- increased risk
- Long-term hormone replacement therapy

More than 5yrs -- increased risk



Other Personal Risks

- Being age 55 or older
- Having breast cancer previously
- Family history of breast cancer
- Some types of breast disease
- Dense breast tissue



Family History

- Shared genetic makeup
- Shared lifestyle
- Similar environmental exposure






A Quick Science Lesson

Genes: Present in all cells and help provide instructions for how to build and maintain a human.



A Quick Science Lesson





A Quick Science Lesson

Environment: Everything around you.


(air, water, diet, home, workplace, etc.)

Hereditary Genetic Risks

- 5-10% of breast cancer is caused by inherited genetic mutations.
- 2-5% caused by inherited mutations in BRCA 1 and BRCA 2 genes.



Gene-Environment Interaction



Environmental Risk Factors and Preventive Steps

Alcohol
 One or more drinks/day -- increased risk



Diet

High in fruits and vegetables -- decreased risk



Exercise

Regular exercise -- decreased risk

Weight

Maintaining healthy weight -- decreased risk



Environmental Risk

- Toxins can damage breast DNA. Over time damaged DNA can lead to cancer.
- Exposure to high doses of radiation, such as for treating Hodgkin's disease, in women under 30 shows increased risk for breast cancer.



Environmental Risk

Organochlorines such as DDT and PCBs

No association with increased breast cancer risk


Electromagnetic fields

No association with increased breast cancer risk



Environmental Risk

 Polycyclic aromatic hydrocarbons (PAHs)




Can damage DNA

Smoking

Passive smoking – long-term smoking spouse Smoking – teenager








Screening for Breast Cancer

- Breast self-exam
- Clinical breast exam
- Annual mammogram after age 40
- Early diagnosis increases chance of survival



Questions?

Kathleen Gray, Acting Director
UNC CEHS Community Outreach and Education Program
(919) 966-9799
kgray@unc.edu

Diana Degen, Research Associate
UNC CEHS Community Outreach and Education Program
(919) 966-2463
degen@email.unc.edu

