LIST OF ACRONYMS AND ABBREVIATIONS

| ALTBIB | Bibliography on Alternatives to Animal Testing |
|--------|---|
| ASTM | American Society for Testing and Materials |
| BCOP | Bovine Corneal Opacity and Permeability |
| BP | British Pharmacopoeia |
| BRD | Background Review Document |
| CAS | Chemical Abstract Service |
| CASRN | Chemical Abstracts Service Registry Number |
| CEET | Chicken Enucleated Eye Test |
| CGRP | Calcitonin Gene Related Peptide |
| СО | Corneal opacity |
| CPSC | U.S. Consumer Product Safety Commission |
| CS | Corneal swelling |
| CTFA | Cosmetic, Toiletries and Fragrance Association |
| CV | Coefficient of variation |
| °C | Degrees centigrade |
| DOD | U.S. Department of Defense |
| DOT | U.S. Department of Transportation |
| DTC | Days to clearing |
| EC | European Commission |
| EC/HO | European Commission/British Home Office |
| ECETOC | European Center for Ecotoxicology and Toxicology Of Chemicals |
| ECVAM | European Center for the Validation of Alternative Methods |
| EDTA | Ethylenediaminetetraacetic acid |
| EEC | European Economic Council |
| EPA | U.S. Environmental Protection Agency |
| EU | European Union |
| FDA | U.S. Food and Drug Administration |
| FIFRA | Federal Insecticide, Fungicide, and Rodenticide Act |
| FHSA | Federal Hazardous Substance Act |
| | |

| FR | Fluorescein retention |
|----------|---|
| FR | Federal Register |
| FRAME | Fund for the Replacement of Animals in Medical Experiments |
| g | Gram |
| GHS | Globally harmonized system |
| GLP | Good Laboratory Practice |
| HET-CAM | Hen's Egg Test-Chorioallantoic Membrane |
| ICCVAM | Interagency Coordinating Committee on the Validation of Alternative Methods |
| ICE | Isolated Chicken Eye |
| IL-1 | Interleukin-1 |
| I.N. | If necessary |
| INVITOXX | <i>In Vitro</i> Techniques in Toxicology (ERGATT FRAME ECVAM Data bank) |
| IRAG | Interagency Regulatory Alternatives Group |
| IR | Iritis |
| IRE | Isolated Rabbit Eye |
| kg | Kilogram |
| LVET | Low Volume Eye Test |
| MeSH | U.S. National Library of Medicine's Medical Subject Heading |
| mg | Milligram |
| min | Minutes |
| mL | Milliliter |
| MAS | Maximum average score |
| MMAS | Modified maximum average score |
| MMPs | Matrix metalloproteinases |
| N/A | Not available or not applicable |
| NI | Nonirritant |
| n.p. | Not provided |
| NS | Not specified |
| NICEATM | National Toxicology Program Center for the Evaluation of Alternative Toxicological Methods |

| NIEHS | National Institute of Environmental Health Sciences |
|------------------|--|
| NIH | National Institutes of Health |
| NTP | U.S. National Toxicology Program |
| OECD | Organisation for Economic Cooperation and Development |
| OPPTS | EPA Office of Prevention, Pesticides and Toxic Substances |
| OSHA | U.S. Occupational Safety & Hazards Administration |
| OTWG | Ocular Toxicity Working Group |
| P&G | The Proctor and Gamble Company |
| P.L. | Public Law |
| PLA ₂ | Phospholipase A ₂ |
| PMS | Polymethylsiloxane |
| QA | Quality Assurance |
| r | Correlation coefficient |
| RN | Registry number |
| SCNM | Study criteria not met |
| SD | Standard deviation |
| STN | Scientific and Technical Information Network |
| %SW | Percent corneal swelling |
| t | Time |
| TG | Test Guideline |
| TNF | Tumor necrosis factor |
| TNO | TNO Nutrition and Food Research |
| TSA | Test substance applicator |
| TSCA | Toxic Substances Control Act |
| μL | Microliter |
| UN | United Nations |
| w/v | Weight to volume ratio |
| ZEBET | German Center for Documentation and Evaluation of Alternative Methods to Animal Experiments |