

# PGI<sup>®</sup> Tools Guide

Parallel Tools for Scientists and Engineers

**All rights reserved.  
The Portland Group®  
STMicroelectronics  
Two Centerpointe Drive  
Lake Oswego, OR 97035**

While every precaution has been taken in the preparation of this document, The Portland Group™, a wholly-owned subsidiary of STMicroelectronics, makes no warranty for the use of its products and assumes no responsibility for any errors that may appear, or for damages resulting from the use of the information contained herein. The Portland Group retains the right to make changes to this information at any time, without notice. The software described in this document is distributed under license from STMicroelectronics and may be used or copied only in accordance with the terms of the license agreement. No part of this document may be reproduced or transmitted in any form or by any means, for any purpose other than the purchaser's personal use without the express written permission of The Portland Group.

Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this manual, The Portland Group was aware of a trademark claim. The designations have been printed in caps or initial caps. Thanks is given to the Parallel Tools Consortium and, in particular, to the High Performance Debugging Forum for their efforts.

PGF95, PGF95, PGC++, PVE, CDK and The Portland Group are trademarks and PGI, PGHPE, PGF77, PGCC, Cluster Development Kit, PGPROE and PGDBG are registered trademarks of STMicroelectronics, Inc. Other brands and names are the property of their respective owners. The use of STLport, a C++ Library, is licensed separately and license, distribution and copyright notice can be found in the online documentation for a given release of the PGI compilers and tools.

## PGI® Tools Guide

Copyright © 2004 – 2008 STMicroelectronics

All rights reserved.

Printed in the United States of America

First Printing: Release 5.2, June 2004

Second Printing: Release 6.0, March 2005

Third Printing: Release 6.1, December 2005

Fourth Printing: Release 6.2, August 2006

Fifth Printing: Release 7.0-1, December, 2006

Sixth Printing: Release 7.0-2, February, 2007

Seventh Printing: Release 7.1, October, 2007

Eighth Printing: Release 7.2 May, 2008

Ninth Printing: Release 8.0 November, 2008

Technical support: <http://www.pgroup.com/support/>

Sales: [sales@pgroup.com](mailto:sales@pgroup.com)

Web: <http://www.pgroup.com>

# Contents

<b>Preface</b> .....	xix
Intended Audience .....	xix
Supplementary Documentation .....	xix
Compatibility and Conformance to Standards .....	xix
Organization .....	xx
Conventions .....	xxii
Terminology .....	xxii
Related Publications .....	xxii
System Requirements .....	xxiii
<b>1. Getting Started with the PGDBG Debugger</b> .....	1
Definition of Terms .....	1
Building Applications for Debug .....	2
Debugging Optimized Code .....	2
Building for Debug on Windows .....	2
PGDBG Invocation and Initialization .....	2
Invoking PGDBG .....	2
Initializing PGDBG .....	3
Starting a Session .....	3
Using Command Line Options .....	3
PGDBG Graphical User Interface .....	3
PGDBG Command Language .....	4
Troubleshooting .....	4
Selecting a Version of Java .....	4
<b>2. The PGDBG Graphical User Interface</b> .....	5
Main Window .....	5
PGDBG Main Window Components .....	7
Command Prompt Panel .....	8
Focus Panel .....	8
Process/Thread Grid .....	8
Source Panel .....	11
Main Window Menus .....	11

Source Panel .....	12
Source Panel Menus .....	13
Source Panel Buttons .....	16
Source Panel Combo Boxes .....	16
Source Panel Messages .....	17
Source Panel Events .....	17
Source Panel Pop-Up Menus .....	17
Subwindows .....	19
Standard Subwindow Controls .....	20
Memory Subwindow .....	21
Disassembler Subwindow .....	21
Registers Subwindow .....	22
Custom Subwindow .....	23
Messages Subwindow .....	24
<b>3. PGDBG Command Line Options .....</b>	<b>25</b>
Command-Line Options Syntax .....	25
Command-Line Options .....	25
<b>4. PGDBG Command Language .....</b>	<b>27</b>
Command Overview .....	27
Command Syntax .....	27
Command Modes .....	27
Constants .....	28
Symbols .....	28
Scope Rules .....	28
Register Symbols .....	28
Source Code Locations .....	28
Lexical Blocks .....	29
Statements .....	30
Events .....	30
Expressions .....	33
Control-C .....	34
<b>5. PGDBG Command Summary .....</b>	<b>35</b>
Notation Used in Command Sections .....	35
Command Summary .....	36
<b>6. PGDBG Assembly-Level Debugging .....</b>	<b>47</b>
Assembly-Level Debugging Overview .....	47
Assembly-Level Debugging on Microsoft Windows Systems .....	47
Assembly-Level Debugging with Fortran .....	47
Assembly-Level Debugging with C++ .....	48
Assembly-Level Debugging Using the PGDBG GUI .....	48
Register Symbols .....	49
X86 Register Symbols .....	50
AMD64/EM64T Register Symbols .....	51

SSE Register Symbols .....	52
<b>7. PGDBG Source-Level Debugging .....</b>	<b>53</b>
Debugging Fortran .....	53
Fortran Types .....	53
Arrays .....	53
Operators .....	53
Name of the Main Routine .....	54
Common Blocks .....	54
Internal Procedures .....	54
Modules .....	55
Module Procedures .....	55
Debugging C++ .....	56
Calling C++ Instance Methods .....	56
<b>8. PGDBG Platform-Specific Features .....</b>	<b>57</b>
Pathname Conventions .....	57
Debugging with Core Files .....	57
Signals .....	58
Signals Used Internally by PGDBG .....	59
Signals Used by Linux Libraries .....	59
<b>9. PGDBG Parallel Debugging Overview .....</b>	<b>61</b>
Overview of Parallel Debugging Capability .....	61
Graphical Presentation of Threads and Processes .....	61
Basic Process and Thread Naming .....	61
Thread and Process Grouping and Naming .....	62
PGDBG Debug Modes .....	62
Threads-only Debugging .....	63
Process-only Debugging .....	63
Multilevel Debugging .....	63
Process/Thread Sets .....	64
Named p/t-sets .....	64
p/t-set Notation .....	64
Dynamic vs. Static p/t-sets .....	65
Current vs. Prefix p/t-set .....	66
p/t-set Commands .....	66
Command Set .....	69
Process Level Commands .....	70
Thread Level Commands .....	70
Global Commands .....	71
Process and Thread Control .....	71
Configurable Stop Mode .....	72
Configurable Wait Mode .....	72
Status Messages .....	75
The PGDBG Command Prompt .....	75
Parallel Events .....	76

Parallel Statements .....	77
Parallel Compound/Block Statements .....	77
Parallel If, Else Statements .....	77
Parallel While Statements .....	78
Return Statements .....	78
<b>10. PGDBG - Parallel Debugging with OpenMP .....</b>	<b>79</b>
OpenMP and Multi-thread Support .....	79
Multi-Thread and OpenMP Debugging .....	79
Debugging OpenMP Private Data .....	80
<b>11. PGDBG Parallel Debugging with MPI .....</b>	<b>83</b>
MPI and Multi-Process Support .....	83
Process Control .....	83
Process Synchronization .....	84
MPI Message Queues .....	84
MPI Groups .....	85
MPI Listener Processes .....	85
SSH and RSH .....	86
Multi-Process MPI Debugging .....	86
Invoking PGDBG for MPI Debugging .....	87
Using PGDBG for MPI Debugging .....	88
Debugging Support for MPICH-1 .....	89
Debugging Support for MPICH-2, MVAPICH, HPMPI, and MSMPI .....	89
<b>12. PGDBG Parallel Debugging of Hybrid Applications .....</b>	<b>91</b>
PGDBG Multilevel Debug Mode .....	91
Multilevel Debugging .....	91
<b>13. PGDBG Command Reference .....</b>	<b>93</b>
Notation Used in Command Sections .....	93
Process Control .....	94
<b>attach</b> .....	94
<b>cont</b> .....	94
<b>debug</b> .....	94
<b>detach</b> .....	94
<b>halt</b> .....	94
<b>next</b> .....	95
<b>nexti</b> .....	95
<b>proc</b> .....	95
<b>procs</b> .....	95
<b>quit</b> .....	95
<b>rerun</b> .....	95
<b>run</b> .....	95
<b>step</b> .....	96
<b>stepi</b> .....	96
<b>stepout</b> .....	96

<b>sync</b> .....	96
<b>synci</b> .....	96
<b>thread</b> .....	96
<b>threads</b> .....	96
<b>wait</b> .....	97
Process-Thread Sets .....	97
<b>defset</b> .....	97
<b>focus</b> .....	97
<b>undefset</b> .....	97
<b>viewset</b> .....	97
<b>whichsets</b> .....	97
Events .....	97
<b>break</b> .....	97
<b>breaki</b> .....	98
<b>breaks</b> .....	99
<b>catch</b> .....	99
<b>clear</b> .....	99
<b>delete</b> .....	99
<b>disable</b> .....	100
<b>do</b> .....	100
<b>doi</b> .....	100
<b>enable</b> .....	100
<b>hwatch</b> .....	100
<b>hwatchread</b> .....	101
<b>hwatchboth</b> .....	101
<b>ignore</b> .....	101
<b>status</b> .....	101
<b>stop</b> .....	101
<b>stopi</b> .....	101
<b>trace</b> .....	102
<b>tracei</b> .....	102
<b>track</b> .....	102
<b>tracki</b> .....	102
<b>unbreak</b> .....	102
<b>unbreaki</b> .....	103
<b>watch</b> .....	103
<b>watchi</b> .....	103
<b>when</b> .....	103
<b>wheni</b> .....	104
Program Locations .....	104
<b>arrive</b> .....	104
<b>cd</b> .....	104
<b>disasm</b> .....	104
<b>edit</b> .....	104
<b>file</b> .....	105

<b>lines</b> .....	105
<b>list</b> .....	105
<b>pwd</b> .....	105
<b>stacktrace</b> .....	105
<b>stackdump</b> .....	105
<b>where</b> .....	105
<b>/ (search forward)</b> .....	106
<b>? (search backward)</b> .....	106
Printing Variables and Expressions .....	106
<b>print</b> .....	106
<b>printf</b> .....	107
<b>ascii</b> .....	108
<b>bin</b> .....	108
<b>dec</b> .....	108
<b>display</b> .....	108
<b>hex</b> .....	108
<b>oct</b> .....	108
<b>string</b> .....	108
<b>undisplay</b> .....	108
Symbols and Expressions .....	109
<b>assign</b> .....	109
<b>call</b> .....	109
<b>declaration</b> .....	109
<b>entry</b> .....	110
<b>lval</b> .....	110
<b>rval</b> .....	110
<b>set</b> .....	110
<b>sizeof</b> .....	110
<b>type</b> .....	111
Scope .....	111
<b>decls</b> .....	111
<b>down</b> .....	111
<b>enter</b> .....	111
<b>files</b> .....	111
<b>global</b> .....	112
<b>names</b> .....	112
<b>scope</b> .....	112
<b>up</b> .....	112
<b>whereis</b> .....	112
<b>which</b> .....	112
Register Access .....	112
<b>fp</b> .....	112
<b>pc</b> .....	112
<b>regs</b> .....	113
<b>retaddr</b> .....	113



<b>sp</b> .....	113
Memory Access .....	113
<b>cread</b> .....	113
<b>dread</b> .....	113
<b>dump</b> .....	113
<b>fread</b> .....	114
<b>iread</b> .....	114
<b>lread</b> .....	115
<b>mqdump</b> .....	115
<b>sread</b> .....	115
Conversions .....	115
<b>addr</b> .....	115
<b>function</b> .....	115
<b>line</b> .....	115
Miscellaneous .....	116
<b>alias</b> .....	116
<b>directory</b> .....	116
<b>help</b> .....	116
<b>history</b> .....	117
<b>language</b> .....	117
<b>log</b> .....	117
<b>noprint</b> .....	117
<b>pgienv</b> .....	117
<b>repeat</b> .....	120
<b>script</b> .....	120
<b>setenv</b> .....	120
<b>shell</b> .....	120
<b>sleep</b> .....	120
<b>source</b> .....	121
<b>unalias</b> .....	121
<b>use</b> .....	121
<b>14. Getting Started with the PGPROF Profiler</b> .....	123
Methods of Profiling .....	123
Instrumentation-based Profiling .....	124
Sample-based Profiling .....	124
Select a Profile Method .....	126
Profiling on Non-Linux Platforms .....	126
Profiling on Linux Platforms .....	126
Collect Performance Data .....	126
Profiling Output File .....	126
Using System Environment Variables .....	127
Profiling MPI and Multi-threaded Programs .....	127
Profiling with Hardware Event Counters .....	127
Profiler Invocation and Initialization .....	127
Application Tuning .....	127

Troubleshooting .....	128
Selecting a Version of Java .....	128
Slow Network .....	128
<b>15. Using PGPROF .....</b>	<b>129</b>
Profile Navigation .....	130
HotSpot Navigation .....	131
Sorting Profile Data .....	132
Compiler Feedback .....	132
Special Feedback Messages .....	133
Profiling Parallel Programs .....	133
Profiling Multi-threaded Programs .....	134
Profiling MPI Programs .....	135
Scalability Comparison .....	136
Profiling Resource Utilization with Hardware Event Counters .....	138
Profiling with Hardware Event Counters (Linux Only) .....	138
Profiling with Hardware Event Counters using <b>pgcollect</b> .....	138
Profiling with Hardware Event Counters using PAPI .....	139
Analyzing Event Counter Profiles .....	140
<b>16. Command Line Options for Profiling .....</b>	<b>143</b>
Profiling Compilation Options .....	143
PGPROF Command Line Options .....	144
Profiler Invocation and Startup .....	146
<b>17. PGPROF Environment Variables .....</b>	<b>147</b>
System Environment Variables .....	147
<b>18. PGPROF Data and Precision .....</b>	<b>149</b>
Measuring Time .....	149
Profile Data .....	149
Caveats (Precision of Profiling Results) .....	150
Accuracy of Performance Data .....	150
Clock Granularity .....	151
Source Code Correlation .....	151
<b>19. PGPROF Reference .....</b>	<b>153</b>
PGPROF User Interface Overview .....	154
PGPROF Menus .....	154
File Menu .....	154
Settings Menu .....	155
Processes Menu .....	157
View Menu .....	158
Sort Menu .....	160
Search Menu .....	160
Help Menu .....	161

PGPROF Toolbar .....	162
PGPROF Statistics Table .....	163
Performance Data Views .....	163
Source Code Line Numbering .....	166
PGPROF Focus Panel .....	167
<b>20. The PGPROF Command Line Interface .....</b>	<b>171</b>
Command Description Syntax .....	171
PGPROF Command Summary .....	171
Command Reference .....	172
<b>21. pgcollect Reference .....</b>	<b>177</b>
Invoking pgcollect .....	177
System Access Requirements .....	177
Command-line Options .....	178
Overall Options .....	178
Predefined Performance Data Collection Options .....	178
User-Defined Performance Data Collection Options .....	179
Defining Custom Event Specifications .....	179
<b>Index .....</b>	<b>181</b>



# Figures

2.1. Default Appearance of PGDBG GUI .....	6
2.2. PGDBG GUI with All Control Panels Visible .....	7
2.3. Process Grid with Inner Thread Grid .....	10
2.4. PGDBG Help Utility .....	12
2.5. Opening a Subwindow with a Pop-up Menu .....	18
2.6. Data Pop-up Menu .....	19
2.7. Memory Subwindow .....	21
2.8. Disassembler Subwindow .....	22
2.9. Registers Subwindow .....	23
2.10. Custom Subwindow .....	24
9.1. Focus Group Dialog Box .....	68
9.2. Focus in the GUI .....	69
10.1. OpenMP Private Data in PGDBG GUI .....	81
11.1. Messages Subwindow .....	85
15.1. PGPROF Overview .....	130
15.2. View Navigation Buttons .....	131
15.3. HotSpot Navigation Controls .....	131
15.4. Time Sort View .....	132
15.5. Sample MPI Profile .....	136
15.6. Profile of an Application Run with 4 Threads .....	137
15.7. Profile with Hardware Event Counter .....	141
19.1. PGPROF User Interface .....	153
19.2. New Profile Session dialog box .....	155
19.3. Bar Chart Color Dialog Box .....	156
19.4. Font Chooser Dialog Box .....	157
19.5. View   Configure Dialog Box .....	159
19.6. PGPROF Help .....	161
19.7. PGPROF Toolbar .....	162
19.8. Routine-level View .....	164
19.9. Line-level View .....	165
19.10. Assembly-level View .....	166
19.11. Focus Panel Tabs .....	167
19.12. Parallelism Tab of Focus Panel .....	167

19.13. Histogram Tab of Focus Panel .....	168
19.14. Compiler Feedback Tab of Focus Panel .....	169
19.15. System Information Tab of Focus Panel .....	170

# Tables

2.1. Colors Describing Thread State .....	8
4.1. PGDBG Operators .....	33
5.1. PGDBG Commands .....	36
6.1. General Registers .....	50
6.2. x87 Floating-Point Stack Registers .....	50
6.3. Segment Registers .....	50
6.4. Special Purpose Registers .....	50
6.5. General Registers .....	51
6.6. Floating-Point Registers .....	51
6.7. Segment Registers .....	51
6.8. Special Purpose Registers .....	51
6.9. SSE Registers .....	52
9.1. PGDBG Debug Modes .....	62
9.2. p/t-set Commands .....	66
9.3. PGDBG Parallel Commands .....	69
9.4. PGDBG Stop Modes .....	72
9.5. PGDBG Wait Modes .....	73
9.6. PGDBG Wait Behavior .....	74
9.7. PGDBG Status Messages .....	75
10.1. Thread State Is Described Using Color .....	80
11.1. MPICH Support .....	89
13.1. pgienv Commands .....	118
20.1. PGPROF Commands .....	171





# Examples

9.1. Thread IDs in Threads-only Debug Mode .....	63
9.2. Process IDs in process-only debug mode .....	63
9.3. Thread IDs in multilevel debug mode .....	63
9.4. p/t-sets in Threads-only Debug Mode .....	65
9.5. p/t-sets in Process-only Debug Mode .....	65
9.6. p/t-sets in Multilevel Debug Mode .....	65
9.7. Defining a Dynamic p/t-set .....	65
9.8. Defining a Static p/t-set .....	65
12.1. Thread IDs in multilevel debug mode .....	91
13.1. Syntax examples .....	93
15.1. Partial Output from pgevents .....	140
21.1. Custom Event Example 1 .....	179
21.2. Custom Event Example 2 .....	179



# Preface

This guide describes how to use the PGPROF profiler and PGDBG debugger to tune and debug serial and parallel applications built with The Portland Group (PGI) Fortran, C, and C++ for X86, AMD64 and Intel 64 processor-based systems. It contains information about how to use the tools, as well as detailed reference information on commands and graphical interfaces.

## Intended Audience

This guide is intended for application programmers, scientists and engineers proficient in programming with the Fortran, C, and/or C++ languages. The PGI tools are available on a variety of operating systems for the X86, AMD64, and Intel 64 hardware platforms. This guide assumes familiarity with basic operating system usage.

## Supplementary Documentation

See <http://www.pgroup.com/docs.htm> for the PGDBG documentation updates. Documentation delivered with PGDBG should be accessible on an installed system by accessing docs/index.htm in the PGI installation directory. Typically the value of the environment variable PGI is set to the PGI installation directory. See <http://www.pgroup.com/faq/index.htm> for frequently asked PGDBG questions and answers.

## Compatibility and Conformance to Standards

The PGI compilers and tools run on a variety of systems. They produce and/or process code that conforms to the ANSI standards for FORTRAN 77, Fortran 95, C, and C++ and includes extensions from MIL-STD-1753, VAX/VMS Fortran, IBM/VS Fortran, SGI Fortran, Cray Fortran, and K&R C. PGF77, PGF90, PGCC ANSI C, and PGCPP support parallelization extensions based on the OpenMP defacto standard. PGHPF supports data parallel extensions based on the High Performance Fortran (HPF) defacto standard. The PGI Fortran Reference Manual describes Fortran statements and extensions as implemented in the PGI Fortran compilers. PGDBG permits debugging of serial and parallel (multi-threaded, OpenMP and/or MPI) programs compiled with PGI compilers. PGPROF permits profiling of serial and parallel (multi-threaded, OpenMP and/or MPI) programs compiled with PGI compilers.

For further information, refer to the following:

- American National Standard Programming Language FORTRAN, ANSI X3. -1978 (1978).

- ISO/IEC 1539:1991, Information technology – Programming Languages – Fortran, Geneva, 1991 (Fortran 90).
- ISO/IEC 1539:1997, Information technology – Programming Languages – Fortran, Geneva, 1997 (Fortran 95).
- High Performance Fortran Language Specification, Revision 1.0, Rice University, Houston, Texas (1993), <http://www.crpc.rice.edu/HPFF>.
- High Performance Fortran Language Specification, Revision 2.0, Rice University, Houston, Texas (1997), <http://www.crpc.rice.edu/HPFF>.
- OpenMP Application Program Interface, Version 2.5, May 2005, <http://www.openmp.org>.
- Programming in VAX Fortran, Version 4.0, Digital Equipment Corporation (September, 1984).
- IBM VS Fortran, IBM Corporation, Rev. GC26-4119.
- Military Standard, Fortran, DOD Supplement to American National Standard Programming Language Fortran, ANSI x.3-1978, MIL-STD-1753 (November 9, 1978).
- American National Standard Programming Language C, ANSI X3.159-1989.
- ISO/IEC 9899:1999, Information technology – Programming Languages – C, Geneva, 1999 (C99).
- HPDF Standard (High Performance Debugging Forum) <http://www.ptools.org/hpdf/draft/intro.html>

## Organization

This manual is organized as follows:

*Part I: The PGDBG Debugger* contains these thirteen chapters that describe PGDBG, a symbolic debugger for Fortran, C, C++ and assembly language programs.

### *Chapter 1, “Getting Started with the PGDBG Debugger”*

contains information on how to start using the debugger, including a description of how to build a target application for debug and how to invoke PGDBG.

### *Chapter 2, “The PGDBG Graphical User Interface”*

describes how to use the PGDBG graphical user interface (GUI).

### *Chapter 3, “PGDBG Command Line Options”*

describes the PGDBG command-line options.

### *Chapter 4, “PGDBG Command Language”*

provides detailed information about the PGDBG command language, which can be used from the command-line user interface or from the command panel of the graphical user interface.

### *Chapter 5, “PGDBG Command Summary”*

provides a brief summary table of the PGDBG debugger commands, providing a brief description of the command as well as information about the category of command use.

### *Chapter 6, “PGDBG Assembly-Level Debugging”*

contains information on assembly-level debugging; basic debugger operations, commands, and features that are useful for debugging assembly code; and how to access registers.

**Chapter 7, “*PGDBG Source-Level Debugging*”**

contains information on language-specific issues related to source debugging.

**Chapter 8, “*PGDBG Platform-Specific Features*”**

contains platform-specific information as it relates to debugging.

**Chapter 9, “*PGDBG Parallel Debugging Overview*”**

contains an overview of the parallel debugging capabilities of PGDBG.

**Chapter 10, “*PGDBG - Parallel Debugging with OpenMP*”**

describes the parallel debugging capabilities of PGDBG and how to use them with OpenMP.

**Chapter 11, “*PGDBG Parallel Debugging with MPI*”**

describes the parallel debugging capabilities of PGDBG and how to use them with MPI.

**Chapter 12, “*PGDBG Parallel Debugging of Hybrid Applications*”**

describes the parallel debugging capabilities of PGDBG and how to use them with hybrid applications.

**Chapter 13, “*PGDBG Command Reference*”**

provides reference information about each of the PGDBG commands, separated by area of use.

*Part II: The PGPROF Profiler* contains these ten chapters that describe the PGPROF Profiler, a tool for analyzing the performance characteristics of C, C++, F77, and F95 programs.

**Chapter 14, “*Getting Started with the PGPROF Profiler*”**

contains information on how to start using the profiler, including a description of the profiling process, information specific to certain how to profile MPI and OpenMP programs and how to profile with hardware event counters.

**Chapter 15, “*Using PGPROF*”**

describes how to use the PGPROF graphical user interface (GUI).

**Chapter 16, “*Command Line Options for Profiling*”**

describes the PGPROF command-line options.

**Chapter 17, “*PGPROF Environment Variables*”**

contains information on environment variables that you can set to control the way profiling is performed in PGPROF.

**Chapter 18, “*PGPROF Data and Precision*”**

contains descriptions of the profiling mechanism that measures time, how statistics are collected, and the precision of the profiling results.

**Chapter 19, “*PGPROF Reference*”**

provides reference information about the PGPROF graphical user interface, including information about the menus, the toolbars, and the subwindows.

**Chapter 20, “*The PGPROF Command Line Interface*”**

provides information about the PGPROF command language, giving reference information about each of the PGPROF commands, separated by area of use.

**Chapter 21, “*pgcollect Reference*”**

provides reference information about the **pgcollect** command.

## Conventions

This guide uses the following conventions:

*italic*

is used for emphasis.

Constant Width

is used for filenames, directories, arguments, options, examples, and for language statements in the text, including assembly language statements.

**Bold**

is used for commands.

[ item1 ]

in general, square brackets indicate optional items. In this case item1 is optional. In the context of p/t-sets, square brackets are required to specify a p/t-set.

{ item2 | item 3 }

braces indicate that a selection is required. In this case, you must select either item2 or item3.

filename ...

ellipsis indicate a repetition. Zero or more of the preceding item may occur. In this example, multiple filenames are allowed.

FORTRAN

Fortran language statements are shown in the text of this guide using a reduced fixed point size.

C/C++

C/C++ language statements are shown in the test of this guide using a reduced fixed point size.

The PGI compilers and tools are supported on both 32-bit and 64-bit variants of the Linux and Windows operating systems on a variety of x86-compatible processors. There are a wide variety of releases and distributions of each of these types of operating systems.

## Terminology

If there are terms in this guide with which you are unfamiliar, PGI provides a glossary of terms which you can access at [www.pgroup.com/support/definitions.htm](http://www.pgroup.com/support/definitions.htm)

## Related Publications

The following documents contain additional information related to the X86 architecture and the compilers and tools available from The Portland Group.

- PGI Fortran Reference Manual describes the FORTRAN 77, Fortran 90/95, and HPF statements, data types, input/output format specifiers, and additional reference material related to the use of PGI Fortran compilers.
- System V Application Binary Interface Processor Supplement by AT&T UNIX System Laboratories, Inc. (Prentice Hall, Inc.).

- FORTRAN 95 HANDBOOK, Complete ANSI/ISO Reference (The MIT Press, 1997).
- Programming in VAX Fortran, Version 4.0, Digital Equipment Corporation (September, 1984).
- IBM VS Fortran, IBM Corporation, Rev. GC26-4119.
- The C Programming Language by Kernighan and Ritchie (Prentice Hall).
- C: A Reference Manual by Samuel P. Harbison and Guy L. Steele Jr. (Prentice Hall, 1987).
- The Annotated C++ Reference Manual by Margaret Ellis and Bjarne Stroustrup, AT&T Bell Laboratories, Inc. (Addison-Wesley Publishing Co., 1990)
- PGI User's Guide, PGI Tools Guide, PGI Release Notes, FAQ, Tutorials, <http://www.pgroup.com/>
- MPI-CH <http://www.unix.mcs.anl.gov/MPI/mpich/>
- OpenMP <http://www.openmp.org/>
- PAPI (Performance Application Program Interface) <http://icl.cs.utk.edu/papi/>

## System Requirements

- Linux or Windows (See <http://www.pgroup.com/faq/install.htm> for supported releases)
- Intel x86 (and compatible), AMD Athlon or AMD64, or Intel 64 or Core2 processor
- Intel x86 (and compatible), AMD Athlon or AMD64, or Intel 64 or Core2 processor





# Part I. PGDBG Debugger

Part I of the *PGI Tools Guide* is about the PGDBG debugger. The information in this part describes PGDBG, a symbolic debugger for Fortran, C, C++, and assembly language programs.

- Chapter 1, “Getting Started with the PGDBG Debugger,” starting on page 1, contains information on how to start using the debugger, including a description of how to build a target application for debug, and how to invoke PGDBG.
- Chapter 2, “The PGDBG Graphical User Interface,” starting on page 5, describes how to use the PGDBG graphical user interface (GUI).
- Chapter 3, “PGDBG Command Line Options,” starting on page 25, describes the PGDBG command-line options and how they are interpreted.
- Chapter 4, “PGDBG Command Language,” starting on page 27, provides detailed information about the PGDBG command language, which can be used from the command-line user interface or from the command panel of the graphical user interface.
- Chapter 5, “PGDBG Command Summary,” starting on page 35, provides a brief, alphabetical, summary table of the PGDBG debugger commands. The table includes a brief description of the command as well as information about the category of command use.
- Chapter 6, “PGDBG Assembly-Level Debugging,” starting on page 47, contains information on machine-level debugging; basic debugger operations, commands, and features that are useful for debugging assembly code, as well as information on how to access registers.
- Chapter 7, “PGDBG Source-Level Debugging,” starting on page 53, contains information on language-specific issues related to source debugging.
- Chapter 8, “PGDBG Platform-Specific Features,” starting on page 57, contains platform-specific information as it relates to debugging.
- Chapter 9, “PGDBG Parallel Debugging Overview,” starting on page 61, contains an overview of the parallel debugging capabilities of PGDBG.
- Chapter 10, “PGDBG - Parallel Debugging with OpenMP,” starting on page 79, describes how to use the parallel debugging capabilities of PGDBG with OpenMP.
- Chapter 11, “PGDBG Parallel Debugging with MPI,” starting on page 83, describes how to use the parallel debugging capabilities of PGDBG with MPI.
- Chapter 12, “PGDBG Parallel Debugging of Hybrid Applications,” starting on page 91, describes how to use the parallel debugging capabilities of PGDBG in multilevel debug mode on hybrid applications.
- Chapter 13, “PGDBG Command Reference,” starting on page 93, provides reference information about each of the PGDBG commands, grouping the commands by category of use.



# Chapter 1. Getting Started with the PGDBG Debugger

PGDBG is a symbolic debugger for Fortran, C, C++ and assembly language programs. It provides debugger features, such as execution control using breakpoints, single-stepping, and examination and modification of application variables, memory locations, and registers.

PGDBG supports debugging of certain types of parallel applications, depending on the operating system on the target machine.

- linux86, linux86-64, osx86, osx86-64, Win32 and Win64 platforms:
  - Multi-threaded and OpenMP applications.
  - MPI applications
  - Hybrid applications, which use multiple threads or OpenMP as well as multiple MPI processes on Linux clusters.
- Windows Subsystem for Unix Applications (SFU, SUA32 and SUA64) [ and Mac OS X]:
  - Multi-threaded and OpenMP Windows applications.

Multi-threaded and OpenMP applications may be run using more threads than the available number of CPUs, and MPI applications may allocate more than one process to a cluster node. PGDBG supports debugging the listed types of applications regardless of how well the number of threads match the number of CPUs or how well the number of processes match the number of cluster nodes.

## Definition of Terms

Throughout Part I of this manual we use the term *host* to refer to the system on which PGDBG executes, *target*, to refer to the program being debugged, and *target machine* to refer to the system on which the target runs. For more detailed definitions of these terms, refer to the PGI glossary of terms which you can access at [www.pgroup.com/support/definitions.htm](http://www.pgroup.com/support/definitions.htm).

For an introduction to terminology used to describe parallel debugging, refer to [Chapter 9, “PGDBG Parallel Debugging Overview,”](#) on page 61.

## Building Applications for Debug

To build an application for debug, compile with the `-g` option. With this option, the compiler generates information about the symbols and source files in the program and includes it in the executable file. The `-g` option also sets the compiler optimization to level zero (no optimization) unless you specify optimization options such as `-O`, `-fast`, or `-fastsse` on the command line. Optimization options take effect whether they are listed before or after `-g` on the command line.

### Debugging Optimized Code

Programs built with `-g` and optimization levels higher than `-O0` can be debugged, but due to transformations made to the program during optimization, source-level debugging may not be reliable. Assembly-level debugging (e.g., accessing registers, viewing assembly code, etc.) is reliable, even with optimized code. Programs built without `-g` can be debugged; however, information about types, local variables, arguments and source file line numbers are not available. For more information on assembly-level debugging, refer to [Chapter 6, “PGDBG Assembly-Level Debugging”](#).

In programs built with both `-g` and optimization levels higher than `-O0`, some optimizations may be disabled or otherwise affected by the `-g` option, possibly changing the program behavior. An alternative option, `-gopt`, can be used to build programs with full debugging information, but without modifying program optimizations. Unlike `-g`, the `-gopt` option does not set optimization to level zero.

### Building for Debug on Windows

To build an application for debug on Windows platforms, applications must be linked with the `-g` option as well as compiled with `-g`. This process results in the generation of debug information stored in a `.dwarf` file and a `.pdb` file. The PGI compiler driver should always be used to link applications; except for special circumstances, the linker should not be invoked directly.

## PGDBG Invocation and Initialization

PGDBG includes both a command-line interface and a graphical user interface (GUI). Text commands are entered one line at a time through the command-line interface. The GUI interface supports command entry through a point-and-click interface, a view of source and assembly code, a full command-line interface panel, and several other graphical elements and features. [“PGDBG Command Language”](#) and [“PGDBG Command Reference”](#) describe in detail how to use the PGDBG command-line interface. [“The PGDBG Graphical User Interface”](#) describes how to use the PGDBG GUI.

### Invoking PGDBG

PGDBG is invoked using the `pgdbg` command as follows:

```
% pgdbg arguments target arg1 arg2 ... argn
```

where *arguments* may be any of the command-line arguments described in [Chapter 3, “PGDBG Command Line Options”](#). See [Chapter 11, “PGDBG Parallel Debugging with MPI,”](#) on page 83 for instructions on how to debug an MPI program [Linux and Windows CCS Only].

The *target* parameter is the name of the program executable file being debugged. The arguments *arg1* *arg2* ... *argn* are the command-line arguments to the target program. Invoking PGDBG as described starts

the PGDBG Graphical User Interface (GUI) (See [“PGDBG Graphical User Interface,”](#) on page 3). For users who prefer to use a command-line interface, PGDBG may be invoked with the `-text` parameter, as described in [Chapter 3, “PGDBG Command Line Options”](#) and [“PGDBG Command Language,”](#) on page 4.

### Note

---

The command shell interprets any I/O redirection specified on the PGDBG command line. Refer to [“Process Control,”](#) on page 83 for a description of how to redirect I/O using the `run` command.

Both 32-bit and 64-bit applications are supported. In general, the PATH is set to the native architecture. If the PATH environment variable is set to use the 32-bit PGI tools, a 64-bit application can be debugged by invoking PGDBG with the `-tp` option. Conversely, if the PATH environment variable is set to use the 64-bit PGI tools, you can debug a 32-bit application by invoking PGDBG with the `-tp` option. For more details, refer to [Chapter 3, “PGDBG Command Line Options”](#).

## Initializing PGDBG

Once PGDBG is started, it reads symbol information from the executable file, then loads the application into memory. For large applications this process can take a few moments. An initialization file is useful for defining common aliases, setting breakpoints, and for other startup commands.

If an initialization file named `.pgdbgrc` exists in the current directory or in the home directory, defined by the environment variable HOME, PGDBG opens this file and executes the commands in it.

If an initialization file is found in the current directory, then the initialization file in the home directory, if there is one, is ignored. However, a script command placed in the initialization file may execute the initialization file in the home directory, or execute PGDBG commands in any other file.

## Starting a Session

Once PGDBG is invoked and the initialization file is processed, PGDBG is ready to process commands. Normally, a session begins by setting one or more breakpoints, using the `break`, `stop` or `trace` commands, and then issuing a `run` command followed by `cont`, `step`, `trace` or `next`.

## Using Command Line Options

PGPROF can interpret command-line options. For information on these options and how they are interpreted, refer to [Chapter 16, “Command Line Options for Profiling,”](#) on page 143.

## PGDBG Graphical User Interface

The default user interface used by PGDBG is a Graphical User Interface (GUI). There may be minor variations in the appearance of the PGDBG GUI from host to host, depending on the type of display hardware available, the settings for various defaults and the window manager used. Except for differences caused by those factors, the basic interface remains the same across all systems. For more information on the PGDBG GUI, refer to [“The PGDBG Graphical User Interface”](#).

## PGDBG Command Language

PGDBG supports a command language that is capable of evaluating complex expressions. The command language can be used by invoking the PGDBG command-line interface with the `--text` option, or in the command prompt panel of the PGDBG graphical user interface. For more information on the command language, refer to “*PGDBG Command Language*” and “*PGDBG Command Reference*”.

## Troubleshooting

If you are having trouble during invocation or the initialization process, use the following sections for tips on what might be causing your problem.

### Selecting a Version of Java

The PGDBG graphical user interface (GUI) depends on Java. PGDBG command-line mode (`pgdbg -text`) does not depend on Java. PGDBG requires that the Java Virtual Machine be a specific minimum version or above. By default, PGDBG uses the version of Java installed with your PGI software; if you chose not to install Java when installing your PGI software, PGDBG looks for Java on your `PATH`. Both of these can be overridden by setting the `PGI_JAVA` environment variable to the full path of the Java executable you wish to use.

For example, on a Linux system using the bash shell, use this command to specify the location of Java:

```
$ export PGI_JAVA=/home/myuser/myjava/bin/java
```

# Chapter 2. The PGDBG Graphical User Interface


The default user interface used by PGDBG is a Graphical User Interface (GUI). There may be minor variations in the appearance of the PGDBG GUI from host to host, depending on the type of display hardware available, the settings for various defaults and the window manager used. Except for differences caused by those factors, the basic interface remains the same across all systems.

## Main Window

[Figure 2.1, “Default Appearance of PGDBG GUI”](#) shows the main window of PGDBG GUI when it is invoked for the first time. This window appears when PGDBG starts and remains throughout the debug session. The initial size of the main window is approximately 700 x 600. It can be resized according to the conventions of the window manager. Changes in window size and other settings are saved and used in subsequent invocations of PGDBG. To prevent this, uncheck the Save Settings on Exit item under the Settings menu. See [“Main Window Menus,” on page 11](#), for information on the Settings menu.

At the top of the GUI, illustrated in [Figure 2.1](#), are three horizontal divider bars, controlled by small up and down arrow icons. These dividers hide the following optional control panels: Command Prompt, Focus Panel, and the Process/Thread Grid. [Figure 2.2, “PGDBG GUI with All Control Panels Visible,” on page 7](#), shows the main window with these controls visible. The GUI remembers which control panels are visible when you exit and redisplay them when you reopen PGDBG. Below the dividers is the Source Panel, described in [“Source Panel,” on page 11](#).

Figure 2.1. Default Appearance of PGDBG GUI




A second window named the Program I/O window is displayed when PGDBG is started. Any input or output performed by the target program is entered and/or displayed in this window. When you first start PGDBG, this window includes information on the version of PGDBG that you are running as well as copyright information.

On Windows platforms, to maintain input focus in the main window, the Program I/O window is instantiated behind the DBG main window.



Figure 2.2. PGDBG GUI with All Control Panels Visible



## PGDBG Main Window Components

The panel components of the main window, illustrated in [Figure 2.2](#)) are these:

- Command Prompt Panel
- Focus Panel
- Process/Thread Grid
- Source Panel

## Command Prompt Panel

The Command Prompt Panel provides an interface in which to use the PGDBG command language. Commands entered in this window are executed, and the results are displayed. For a list of commands that can be entered in the command prompt panel, refer to [“Command Summary,” on page 36](#). The GUI also supports a “free-floating” version of this window, that is, a version that is not anchored to a particular location on the screen. To use the free-floating command prompt window, select the Command Window check box under the Window menu, as described in [“Source Panel Menus,” on page 13](#). Users who use only GUI controls may leave this panel hidden.

## Focus Panel

The Focus Panel can be used in a parallel debugging session to specify subsets of processes and/or threads known as p/t-sets. P/t-sets allow application of debugger commands to a subset of threads and/or processes. P/t-sets are displayed in the table labeled Focus, shown in [Figure 2.2](#). In this window the Focus table contains one p/t-set called ALL that represents all processes/threads. P/t-sets are covered in more detail in [“p/t-set Notation,” on page 64](#). Within the PGDBG GUI, to select a p/t set, use a left mouse click on the desired group in the Focus table. The selected group is known as the Current Focus. By default, the Current Focus is set to all processes/threads. Note that this panel has no use in serial debugging, debugging one single-threaded process.

For non-MPI applications, p/t-sets are used only for distinguishing threads.

## Process/Thread Grid

The Process/Thread Grid is another component of the interface used for parallel debugging. All active target processes and threads are represented in the Process/Thread Grid. If the target application consists of multiple processes, the grid is labeled Process Grid. If the target application is a single multi-threaded process, the grid is labeled Thread Grid. The colors of each element in the grid represent the state of the corresponding component of the target application; for example, green means running and red means stopped. The colors and their meanings are defined in [Table 2.1](#).

Table 2.1. Colors Describing Thread State

Option	Description
Stopped	Red
Signaled	Blue
Running	Green
Terminated	Black

In addition to the panels, notice the location of these selection areas that are labeled in [Figure 2.2, “PGDBG GUI with All Control Panels Visible,” on page 7](#):

- Source file selector
- Scope selector

- Stack frame selector
- Display mode selector


On Windows platforms, the Process/Thread Grid is used only for distinguishing threads.

In the Process/Thread Grid, each element is labeled with a numeric process identifier, as described in [“Process-only Debugging,” on page 63](#), and represents a single process. Each element is a button that can be pushed to select the corresponding process as the Current Process. The Current Process is highlighted with a thick black border.

For single-process/multi-threaded (e.g., OpenMP) targets, the grid is called the Thread Grid. Each element in the thread grid is labeled with a numeric thread identifier, as described in [“Threads-only Debugging,” on page 63](#). As with the process grid, clicking on an element in the thread grid selects that element as the Current Thread, which is highlighted with a thick black border.

For multi-process/multi-threaded (hybrid) targets, the grid is labeled the Process Grid. Selecting a process in the grid reveals an inner thread grid as illustrated in [Figure 2.3, “Process Grid with Inner Thread Grid”](#).

Figure 2.3. Process Grid with Inner Thread Grid



In this figure, process 0 has four threads labeled 0.0, 0.1, 0.2, and 0.3; where the integer to the left of the decimal point is the process identifier and the integer to the right of the decimal point is the thread identifier. See “[Multilevel Debugging](#),” on page 63 for more information on processes/thread identifiers.

For a textual representation of the Process/Thread grid, select the Summary tab under the grid. The text representation is essentially the output of the `threads` debugger command, discussed in “[Process Control](#),” on page 83. By default, a summary of all the processes/threads displays.

Use the slider to the right of the grid to zoom in and out on the grid. If the slider is not visible, increase the size of the Process/Thread grid’s panel.

## Source Panel

The Source Panel displays the source code for the current location. The current location is marked by an arrow icon under the PC column. Source line numbers are listed under the Line No. column. [Figure 2.2](#) shows some of the line numbers grayed-out. A grayed-out line number indicates that its respective source line is non-executable. Some examples of non-executable source lines are comments, non-applicable preprocessed code, some routine prologues, and some variable declarations. A line number in a black font represent an executable source line. Breakpoints may be set at any executable source line by clicking the left mouse button under the Event column of the source line. The breakpoints are marked by stop sign icons. An existing breakpoint may be deleted by clicking the left mouse button on the stop sign icon. The source panel is described in greater detail in [“Source Panel,” on page 12.](#)

## Main Window Menus


The main window includes three menus located at the top of the window: File, Settings, and Help. Below is a summary of each menu in the main window.

- **File Menu**
  - *Open Target...* – Select this option to begin a new debugging session. After selecting this option, select the program to debug (the target) from the file chooser dialog. The current target is closed and replaced with the target that you selected from the file chooser. Press the Cancel button in the file chooser to abort the operation. For more information, see the command [“debug,” on page 94.](#)
  - *Attach to Target...* – Select this option to attach to a running process. You can attach to a target running on a local or a remote host. For more information, refer to the command [“attach,” on page 94.](#)
  - *Detach Target* – Select this option to end the current debug session. This command does not terminate the target application. For more information, refer to the command [“detach,” on page 94.](#)
  - *Exit* – End the current debug session and close all the windows.
- **Settings Menu**
  - *Font...* – This option displays the font chooser dialog box. Use this dialog box to select the font and size used in the Command Prompt Panel, Focus Panel, and Source Panel. The default font is named monospace and the default size is 12.
  - *Show Tool Tips* – Select this check box to enable tool tips. Tool tips are small temporary messages that pop-up when you position the mouse pointer over a component in the GUI. They provide additional information on the functionality of the component. Deselect this check box to turn them off.
  - *Restore Factory Settings* – Select this option to restore the GUI to its initial state illustrated in [Figure 2.1, “Default Appearance of PGDBG GUI,” on page 6.](#)
  - *Restore Saved Settings* – Select this option to restore the GUI to the state that it was in at the start of the debug session.
  - *Save Settings on Exit* – By default, the PGDBG saves the state (size and settings) of the GUI when you exit. Uncheck this option to prevent PGDBG from saving the GUI state. This option must be unchecked prior to every exit since PGDBG always defaults to saving GUI state. When PGDBG saves state, it stores the size of the main window, the location of the main window on the desktop, the location of each control

panel divider, the tool tips preference, the font and size used. The GUI state is not shared across host machines.

- Help Menu
  - *PGDBG Help...* – This option starts up PGDBG’s integrated help utility as illustrated in [Figure 2.4](#). The help utility includes a summary of every PGDBG command. To find a command, use one of the following tabs in the left panel: The “book” tab presents a table of contents, the “index” tab presents an index of commands, and the “magnifying glass” tab presents a search engine. Each help page, displayed on the right, may contain hyperlinks, denoted in underlined blue, to terms referenced elsewhere in the help engine. Use the arrow buttons to navigate between visited pages. Use the printer buttons to print the current help page.
  - *About PGDBG...* – This option displays a dialog box with version and copyright information on PGDBG. It also contains sales and support points of contact.

Figure 2.4. PGDBG Help Utility



## Source Panel

As described in “[Source Panel](#),” on [page 12](#), the source panel is located in the lower portion of the GUI, below the Command Prompt, Focus Panel, and Process/Thread grids. Use the source panel to control the debug session, step through source files, set breakpoints, and browse source code. This Source Panel section consists of these subsections: Menus, Buttons, Combo Boxes, Messages, and Events.

## Source Panel Menus

The source panel contains the following four menus: Data, Window, Control, and Options. In the descriptions below, keyboard shortcuts are indicated by keystroke combinations (e.g., Control P) enclosed in parentheses.

### Data Menu

The items under this menu are enabled when a data item is selected in the source panel. Selecting and printing data in the source panel is explained in detail in [“Source Panel Pop-Up Menus,” on page 17](#). For more information on printing, also refer to [“Printing Variables and Expressions,” on page 106](#).

#### Print

Print the value of the selected item. (Control P).

#### Print \*

Dereference and print the value of the selected item.

#### String

Treat the selected value as a string and print its value.

#### Bin

Print the binary value of the selected item.

#### Oct

Print the octal value of the selected item.

#### Hex

Print the hexadecimal value of the selected item.

#### Dec

Print the decimal value of the selected item.

#### Ascii

Print the ASCII value of the selected item.

#### Addr

Print the address of the selected item.

#### Type Of

Print data type information for the selected item.

### Window Menu

The items under this menu select various subwindows associated with the target application. Subwindows are explained in greater detail in [“Source Panel Pop-Up Menus,” on page 17](#).

#### Registers

Display the registers subwindow. For more information, refer to the command: [“regs,” on page 113](#).

#### Stack

Display the stack subwindow. For more information, refer to the command [“stacktrace,” on page 105](#).

### Locals

Display a list of local variables that are currently in scope. For more information, refer to the command “[names](#),” on page 112.

### Custom

Bring up a custom subwindow.

### Disassembler

Bring up the PGDBG Disassembler subwindow.

### Memory

Bring up the memory dumper subwindow.

### Messages

[MPI Debugging Only] Display the MPI message queues. For more information on MPI message queues, refer to “[MPI Message Queues](#),” on page 84.

### Events

Display a list of currently active breakpoints, watchpoints, etc.

### Command Window

When this menu item’s check box is selected, the GUI displays a “free-floating” version of the command prompt window. See [Chapter 13, “PGDBG Command Reference”](#) for a description of each command that can be entered in the command prompt.

## Control Menu

The items under this menu control the execution of the target application. Many of the items under this menu have a corresponding button associated with them, described in “[Source Panel Buttons](#),” on page 16. When a control key is available, it is shown in parenthesis.

### Arrive

Display the current program location in the Source panel. For more information, refer to the command: “[arrive](#),” on page 104.

### Up

Enter the scope of routine up one level in the call stack. For more information, refer to the command: “[up](#),” on page 112 (Control U).

### Down

Enter the scope of routine down one level in the call stack. For more information, refer to the command “[down](#),” on page 111 (Control D).

### Run

Run or Rerun the target application. For more information, refer to the commands “[run](#),” on page 95 and “[rerun](#),” on page 95 (Control R).

### Run Arguments

Opens a dialog box that allows adding to or modifying the target’s runtime arguments.

### Halt

Halt the running processes or threads. For more information, refer to the command: “[halt](#),” on page 94 (Control H).



**Call...**

Open a dialog box to request a routine to call. For more information, refer to the command **“call,”** on page 109.

**Cont**

Continue execution from the current location. For more information, refer to the command: **“cont,”** on page 94 (Control G).

**Step**

Continue and stop after executing one source line, stepping into called routines. For more information, refer to the command: **“step,”** on page 96 (Control S).

**Next**

Continue and stop after executing one source line, stepping over called routines. For more information, refer to the command: **“next,”** on page 95 (Control N).

**Step Out**

Continue and stop after returning to the caller of the current routine. For more information, refer to the command: **“stepout,”** on page 96 (Control O).

**Stepi**

Continue and stop after executing one assembly-level instruction, stepping into called routines. For more information, refer to the command: **“stepi,”** on page 96 (Control I).

**Nexti**

Continue and stop after executing one assembly-level instruction, stepping over called routines. For more information, refer to the command: **“nexti,”** on page 95 (Control T).

**Options Menu**

This menu contains additional items that assist in the debug process.

**Search Forward...**

Select this option to perform a forward string search in the currently displayed source file (Control F).

**Search Backward...**

Select this option to perform a backward string search in the currently displayed source file (Control B).

**Search Again**

Select this option to repeat the last search that was performed on the source panel (Control E).

**Locate Routine...**

When this option is selected, PGDBG queries for the name of the routine that you wish to find. If PGDBG has symbol and source information for that routine, it displays the routine in the source panel. Refer to **“Source Panel Pop-Up Menus,”** on page 17.

**Set Breakpoint...**

When this option is selected, PGDBG queries for the name of a routine on which to set a breakpoint. The GUI then sets a breakpoint at the first executable source line in the specified routine.

**Disassemble**

Disassemble the data selected in the source panel. For more information, refer to the command: **“disasm,”** on page 104.

### Cascade Windows

If one or more subwindows are open, this option can be used to automatically stack subwindows in the upper left-hand corner of the desktop (Control W).

### Refresh

Repaint the process/thread grid and source panels (Control L).

## Source Panel Buttons

There are nine buttons located above the source panel's menus. Except for the Back button, these buttons function like the same menu item on the Control menu, described in [Control Menu](#).

Run	Step	Next
Halt	Stepi	Nexti
Cont	Stepo	

The Back button resets the source panel view to the current PC location, denoted by the left arrow icon under the PC column.

## Source Panel Combo Boxes

Depending on the state of the debug session, the source panel may contain one or more combo or drop-down boxes. A combo box is a combination text field and list component. In its closed or default state, it presents a text field of information with a small down arrow icon to its right. When the down arrow icon is selected by a left mouse click, the box opens and presents a list of choices that can be selected.

The source panel, illustrated in [Figure 2.2](#), contains five combo boxes that contain the values: All, Thread 0, omp.c, #0 main line: 12 in "omp.c" address: 0x4011f6, and Source. These combo boxes are called the Apply Selector, View Selector, Source File Selector, Scope Selector, and Display Mode Selector respectively. Below is a description of each combo box.

- Use the Apply Selector to select the set of processes and/or threads on which to operate. Any command entered in the source panel is applied to this set of processes/threads. These commands include setting breakpoints, selecting items under the Control menu, pressing one of the nine buttons mentioned in "[Source Panel Buttons](#)," on page 16, and so on. Depending on whether you are debugging a multi-threaded, multi-process, or multi-process/multi-threaded (hybrid) target, the following options may be available:

#### All

All processes/threads receive commands entered in the source panel (default).

#### Current Thread

Commands are applied to the current thread ID only.

#### Current Process

Commands are applied to all threads that are associated with the current process.

#### Current Process.Thread

*MPI only.* Commands are applied to the current thread in the current process only.

### Focus

Commands are applied to the focus group selected in the Focus Panel, described in “[Main Window,](#)” [on page 5](#)). Refer to “[Process/Thread Sets,](#)” [on page 64](#) for more information on this advanced feature.

This combo box is not displayed when debugging a serial program.

- The function of the View Selector is the same as for the Process/Thread Grid - to select the current Process, Thread, or Process.Thread. The current Process, Thread, or Process.Thread controls the display in the source panel; it can also be used as a selection for control and display operations. This combo box is not displayed when debugging a serial program.
- By default, the Source File Selector displays the source file that contains the current target location. It can be used to select another file for viewing in the Source Panel. When this combo box is closed, it displays the name of the source file displayed in the Source Panel. To select a different source file, open the combo box and select a file from the list. If the source file is available, the source file appears in the Source Panel.
- The Scope Selector displays the scope of the current Program Counter (PC). Open the combo box and select a different scope from the list or use the up and down buttons located on the right of the combo box. The up button is equivalent to the up debugger command and the down button is equivalent to the down debugger command. For more information on these commands, refer to the [up](#) and [down](#) commands in “[Scope,](#)” [on page 111](#).
- The Display Mode Selector is used to select three different source display modes: Source, Disassembly, and Mixed. The Source mode shows the source code of the current source file indicated by the File Selector. This is the default display mode if the source file is available. The Disassembly mode shows the assembly-level instructions of the current routine. This is the default display mode if the source file is not available. The Mixed mode shows assembly-level instructions annotated with source code. This mode is available only if the source file is available.

## Source Panel Messages

The source panel contains two message areas. The top center indicates the current process/thread ID (e.g., Thread 0 in [Figure 2.5](#)) and the bottom left displays status messages (e.g., Stopped at line 12... in [Figure 2.5](#)).

## Source Panel Events

Breakpoints are displayed under the Event column in the source panel. The stop sign icon denotes a breakpoint. Breakpoints are added through the source panel by clicking the left mouse button on the desired source line under the Event column. Clicking the left mouse button over a stop sign deletes the corresponding breakpoint. Selecting the Events item under the Window menu displays a global list of Events, such as breakpoints, watchpoints, and so on.

## Source Panel Pop-Up Menus

The PGDBG source panel supports two pop-up menus to provide quick access to commonly used features. One pop-up menu is used to invoke subwindows. It is accessed using a right mouse-click in a blank or vacant area of the source panel. See “[Subwindows,](#)” [on page 19](#) for more information on invoking subwindows using a pop-up menu. The other pop-up menu is accessed by first highlighting some text in the source panel, then

using a right mouse click to bring up the menu. The selections offered by this pop-up menu take the selected text as input.

To select text in the source panel, first click on the line of source containing the text. This action results in the display of a box surrounding the source line. Next, hold down the left mouse button and drag the cursor, or mouse pointer, across the text to be selected. The text should then be highlighted. Once the text is highlighted, menu selections from the Source Panel menus or from the Source Panel pop-up menu use the highlighted text as input. In [Figure 2.6](#), the variable `myid` is highlighted and the pop-up menu is used to print its value as a decimal integer. The data type of selected data items may also be displayed using the pop-up menu.

Figure 2.5. Opening a Subwindow with a Pop-up Menu





Figure 2.6. Data Pop-up Menu



The pop-up menu shown in [Figure 2.6](#) provides the Disassemble, Call, and Locate Routine selections, which use selected routine names as input. The Disassemble item opens a disassembler subwindow for the selected routine. The Call item can be used to manually call the selected routine. The Locate Routine option displays the source code in which the selected routine is defined.

For more information on each of these selections, refer to [“Source Panel Menus,”](#) on page 13.

## Subwindows

PGDBG provides some features that are subwindows, that is, windows that are not connected to the main frame of the PGDBG GUI. One example of a subwindow is the Program I/O window that is displayed at startup. Other

examples of subwindows can be found under the source panel's Window menu. These include the Registers, Stack, Locals, Custom, Disassembler, Memory, Messages, Events, and Command Window subwindows, as shown in [Figure 2.5, "Opening a Subwindow with a Pop-up Menu," on page 18](#). With the exception of the Command Window, all of these subwindows are controlled by similar mechanisms. The standard subwindow control mechanisms are described in ["Standard Subwindow Controls," on page 20](#). Specific details of other subwindows are described in subsequent sections. See the description of the Window menu, ["Source Panel Menus," on page 13](#) for more information on each subwindow.

The Window menu can be used to bring up a subwindow. You can invoke the same menu by clicking the right mouse button over a blank spot in the source panel. Subwindows are specific to the current process and/or thread. For example, in [Figure 2.5](#), selecting Registers displays the registers subwindow for thread 0, the current thread.

## Standard Subwindow Controls

The PGDBG graphical user interface supports a number of subwindows for displaying detailed information about the target application state. These subwindows include the memory subwindow, the disassembler subwindow, the registers subwindow, the custom subwindow that is used for displaying the output of arbitrary commands, and the messages subwindow that is used for displaying the MPI state.

[Figure 2.7](#) shows the Memory subwindow. This subwindow shows all of the possible controls that are available in a PGDBG subwindow. Not all subwindows have all of the components shown in this figure. However, nearly all have the following components: File menu, Options menu, Reset button, Close Button, Update button, and the Lock/Unlock toggle button.

The File menu contains the following items:

Save...

Save the text in this subwindow to a file.

Close

Close the subwindow.

The Options menu contains the following items:

Update

Clear and regenerate the data displayed in the subwindow.

Stop

Interrupt processing. This option comes in handy during long listings that can occur in the Disassembler and Memory subwindows. Control C is a hot key mapped to this menu item.

Reset

Clear the subwindow.

The Reset, Close, and Update buttons are synonymous with their menu item counterparts.


The contents of subwindows are generally updated whenever a process or thread stops, such as after a **step**, **next**, **cont**, or **halt** command. You can control updating by using the Lock/Unlock button. Whenever a subwindow is "Locked", its contents are not updated. [Figure 2.8](#) shows a subwindow in the "Locked" state,

with the Lock/Unlock button labeled "Unlock". Clicking this button toggles the state of the subwindow to "Unlocked", with the button labeled "Lock", as shown in [Figure 2.7](#). In the "Unlocked" state, the subwindow contents are updated whenever processes or threads stop.

In addition to the subwindow capabilities previously described, subwindows may also have one to three input fields. If the subwindow has one or more input fields, then it also contains Stop and Clear buttons. The Stop button is synonymous with the Stop item in the Options menu described above. The Clear button erases the input field(s).

For target applications with more than one process and/or thread, a View Selector displays in the bottom center illustrated in [Figure 2.7](#). You can use the View Selector to view data specific to a particular process/thread or a subset of process/threads when selecting Focus. Refer to [“Process/Thread Sets,” on page 64](#) for more information on Focus.

Figure 2.7. Memory Subwindow



## Memory Subwindow


The memory subwindow displays a region of memory using a format descriptor like that of the printf routine from the Standard C Library. In the Memory subwindow, inputs include the starting address in the Address field, the number of items in the Count field, and a printf-like format string in the Format field. See the explanation of the PGDBG **dump** command ([“Memory Access,” on page 113](#)) for a description of supported format strings. The Address field accepts a numeric address or a symbolic variable name.

## Disassembler Subwindow

[Figure 2.8](#) shows the Disassembler subwindow. Use this subwindow to disassemble a routine (or a text address) specified in the Request> input field. PGDBG defaults to the current routine if you specify nothing

in the Request> input field. After a request is made to the Disassembler, the GUI asks if you want to “Display Disassembly in the Source window”. Choosing “yes” causes the Disassembler window to disappear and the disassembly to appear in the source panel. Viewing the disassembly in the source panel allows setting breakpoints at the assembly-level instruction level. Choosing “no” dumps the disassembly in the Disassembler subwindow illustrated in [Figure 2.8](#).

Figure 2.8. Disassembler Subwindow




Specifying a text address, rather than a routine name, in the Request> field causes PGDBG to disassemble address locations until it runs out of memory or hits an invalid op code. This may cause very large machine language listings. For that case, the subwindow provides a Stop button. Press the Stop button to interrupt long listings that may occur with the Disassembler. Specify a count after the text address to limit the number of instructions dumped to the subwindow. For example, entering 0xabcd, 16 tells PGDBG to dump up to 16 instructions following address 0xabcd. The Request> field accepts the same arguments as the [disasm](#) command described in “[Program Locations](#),” on page 104.

## Registers Subwindow

[Figure 2.9](#) illustrates the Registers subwindow. You may view the registers on one or more processes and threads using the View Selector. The Registers subwindow is essentially a representation of the [regs](#) debugger command, described in “[Register Access](#),” on page 112.




Figure 2.9. Registers Subwindow



## Custom Subwindow

Figure 2.10 illustrates the Custom subwindow. The Custom subwindow is useful for repeatedly executing a sequence of debugger commands whenever a process/thread halts on a new location or when pressing the Update button. The commands, entered in the edit box labeled “Command>”, can be any debugger command mentioned in “*PGDBG Command Language*”, including a semicolon-delimited list of commands.

Figure 2.10. Custom Subwindow



## Messages Subwindow

You use the Messages subwindow for debugging MPI applications. Refer to [“MPI Message Queues,”](#) on page 84 for more information on the content and use of this subwindow.

# Chapter 3. PGDBG Command Line Options

As we stated in [Chapter 1](#), “*Getting Started with the PGDBG Debugger*”, PGDBG can interpret command-line options when present on the command line. This chapter describes these options and how they are interpreted.

## Command-Line Options Syntax

The `pgdbg` command accepts several command-line options.

These options must appear on the command line before the name of the program being debugged.

## Command-Line Options

The valid PGDBG options are these:

`-dbx`

Start the debugger in `dbx` mode, which provides a `dbx`-like debugger command language.

`-s startup`

Specify an alternate initialization file *startup*.

The default initialization file is `~/ .pgdbgrc`.

`-c “command”`

Execute the debugger *command* command, where the command must be in double quotes, before executing the commands in the startup file.

`-r`

Run the debugger without first waiting for a command. If the program being debugged runs successfully, the debugger terminates. Otherwise, the debugger is invoked and stops when an exception occurs.

`-mpi`

Debug an MPI application (except for MPICH-1).

`-text`

Run the debugger using a command-line interface (CLI). The default is for the debugger to launch in graphical user interface (GUI) mode.

`-tp px, -tp k8-32`

Debug a 32-bit program running on under a 64-bit operating system. This option is valid under the 64-bit version of PGDBG only.

`-tp p7-64, -tp k8-64`

Debug a 64-bit program running under a 64-bit operating system. This option is valid under the 64-bit version of PGDBG only.

`-help`

Display a list of command-line arguments (this list).

`-I <directory>`

Add `<directory>` to the list of directories that PGDBG uses to search for source files. You can use this option multiple times to add multiple directories to the search path.

# Chapter 4. PGDBG Command Language

PGDBG supports a command language that is capable of evaluating complex expressions. The command language is composed of commands, constants, symbols, locations, expressions, and statements.

You can use the command language by invoking the PGDBG command-line interface with the `-text` option, or in the command prompt panel of the PGDBG graphical user interface, as described in *“The PGDBG Graphical User Interface”*.

## Command Overview

Commands are named operations, which take zero or more arguments and perform some action. Commands may also return values that may be used in expressions or as arguments to other commands.

## Command Syntax

Commands are entered one line at a time.

- Lines are delimited by a carriage return.
- Each line must consist of a command and its arguments, if any.
- You can place multiple commands on a single line by using the semi-colon (;) as a delimiter.

## Command Modes

There are two command modes: **pgi** and **dbx**.

- The **pgi** command mode maintains the original PGDBG command interface.
- In **dbx** mode, the debugger uses commands compatible with the familiar **dbx** debugger.

**pgi** and **dbx** commands are available in both command modes, but some command behavior may be slightly different depending on the mode. The mode can be set when PGDBG is invoked by using command-line options, or while the debugger is running by using the **pgienv** command.

## Constants

PGDBG supports C language style integer (hex, octal and decimal), floating point, character, and string constants.

## Symbols

PGDBG uses the symbolic information contained in the executable object file to create a symbol table for the target program. The symbol table contains symbols to represent source files, subprograms (functions, and subroutines), types (including structure, union, pointer, array, and enumeration types), variables, and arguments. The PGDBG command-line interface is case-sensitive with respect to symbol names; a symbol name on the command line must match the name as it appears in the object file.

## Scope Rules

Since several symbols in a single application may have the same name, scope rules are used to bind program identifiers to symbols in the symbol table. PGDBG uses the concept of a search scope for looking up identifiers. The search scope represents a routine, a source file, or global scope. When the user enters a name, PGDBG first tries to find the symbol in the search scope. If the symbol is not found, the containing scope, (source file, or global) is searched, and so forth, until either the symbol is located or the global scope is searched and the symbol is not found.

Normally, the search scope is the same as the current scope, which is the routine where execution is currently stopped. The current scope and the search scope are both set to the current routine each time execution of the target program stops. However, you can use the **enter** command to change the search scope.

A scope qualifier operator @ allows selection of out-of-scope identifiers. For example, if f is a routine with a local variable i, then:

```
f@i
```

represents the variable i local to f. Identifiers at file scope can be specified using the quoted file name with this operator, for example:

```
"xyz.c"@i
```

represents the variable i defined in file xyz.c.

## Register Symbols

To provide access to the system registers, PGDBG maintains symbols for them. Register names generally begin with \$ to avoid conflicts with program identifiers. Each register symbol has a default type associated with it, and registers are treated like global variables of that type, except that their address may not be taken. See [“Register Symbols,” on page 49](#) for a complete list of the register symbols.

## Source Code Locations

Some commands must refer to source code locations. Source file names must be enclosed in double quotes. Source lines are indicated by number, and may be qualified by a quoted filename using the scope qualifier operator. Further, a range of lines is indicated using the range operator ":". Here are some examples:

```
break 37 sets a breakpoint at line 37 of the current source file.
break "xyz.c"@37 sets a breakpoint at line 37 of the source file xyz.c.
list 3:13 lists lines 3 through 13 of the current file.
list "xyz.c"@3:13 lists lines 3 through 13 of the source file xyz.c.
```

Some commands accept both line numbers and addresses as arguments. In these commands, it is not always obvious whether a numeric constant should be interpreted as a line number or an address. The description for these commands says which interpretation is used. However, PGDBG provides commands to convert from source line to address and vice versa. The **line** command converts an address to a line, and the **addr** command converts a line number to an address. Here are some examples:

```
line 37 means "line 37"
addr 0x1000 means "address 0x1000"
addr {line 37} means "the address associated with line 37"
line {addr 0x1000} means "the line associated with address 0x1000"
```

## Lexical Blocks

Line numbers are used to name lexical blocks. The line number of the first instruction contained by a lexical block is used to indicate the start scope of the lexical block. In the following example, there are two variables named `var`. One is declared in function `main`, and the other is declared in the lexical block starting at line 5. The lexical block has the unique name `"lex.c"@main@5`. The variable `var` declared in `"lex.c"@main@5` has the unique name `"lex.c"@main@5@var`. The output of the **whereis** command that follows shows how these identifiers can be distinguished.

```
lex.c:
1 main()
2 {
3   int var = 0;
4   {
5     int var = 1;
6     printf("var %d\n",var);
7   }
8   printf("var %d\n",var)
9 }
```

```
pgdbg> n
Stopped at 0x8048b10, function main, file
/home/demo/pgdbg/ctest/lex.c,
line 6
#6: printf("var %d\n",var);
pgdbg> print var
1
pgdbg> which var
"lex.c"@main@5@var
pgdbg> whereis var
variable: "lex.c"@main@var
variable: "lex.c"@main@5@var
pgdbg> names "lex.c"@main@5
var = 1
```

## Statements

Although PGDBG command-line input is processed one line at a time, statement constructs allow multiple commands per line, as well as conditional and iterative execution. The statement constructs roughly correspond to the analogous C language constructs. Statements may be of the following forms.

- *Simple Statement*: A command and its arguments. For example:

```
print i
```

- *Block Statement*: One or more statements separated by semicolons and enclosed in curly braces. Note: these may only be used as arguments to commands or as part of `if` or `while` statements. For example:

```
if(i>1) {print i; step }
```

- *If Statement*: The keyword `if`, followed by a parenthesized expression, followed by a block statement, followed by zero or more `else if` clauses, and at most one `else` clause. For example:

```
if(i>j) {print i} else if(i<j) {print j} else {print "i==j"}
```

- *While Statement*: The keyword `while`, followed by a parenthesized expression, followed by a block statement. For example:

```
while(i==0) {next}
```

Multiple statements may appear on a line separated by a semicolon. For example:

```
break main; break xyz; cont; where
```

sets breakpoints in routines `main` and `xyz`, continues, and prints the new current location. However, since the **where** command does not wait until the target application has halted, this statement displays the stack at some arbitrary execution point in the program. To control when the stack is printed, insert a **wait** command.

```
break main; break xyz; conwait; t; where
```

Any value returned by the last statement on a line is printed.

Statements can be parallelized across multiple threads of execution. See [“Parallel Statements,” on page 77](#) for details.

## Events

Breakpoints, watchpoints and other mechanisms used to define the response to certain conditions are collectively called events.

- An event is defined by the conditions under which the event occurs and by the action taken when the event occurs.
- A breakpoint occurs when execution reaches a particular address. The default action for a breakpoint is simply to halt execution and prompt the user for commands.
- A watchpoint occurs when the value of an expression changes.
- A hardware watchpoint occurs when the specified memory location is accessed or modified.



PGDBG supports six basic commands for defining events. Each command takes a required argument and may also take one or more optional arguments. The basic commands are **break**, **watch**, **hwatch**, **trace**, **track**, and **do**.

- The **break** command takes an argument specifying a breakpoint location. Execution stops when that location is reached.
- The **watch** command takes an expression argument. Execution stops and the new value is printed when the value of the expression changes.
- The **hwatch** command takes a data address argument, which can be either an identifier or a variable name. Execution stops when memory at that address is written.
- The **trace** command activates source line tracing, as specified by the arguments you supply.
- The **track** command is like watch except that execution continues after the new value is printed.
- The **do** command takes a list of commands as an argument. The commands are executed whenever the event occurs.

The **do** command takes a list of commands as an argument. The commands are executed whenever the event occurs.

The six event commands share a common set of optional arguments. The optional arguments provide the ability to make the event definition more specific. They are:

at *line*

Event occurs at indicated line.

at *addr*

Event occurs at indicated address.

in *routine*

Event occurs throughout indicated routine.

if (*condition*)

Event occurs only when condition is true.

do {*commands*}

When event occurs execute commands.

The optional arguments may appear in any order after the required argument and should not be delimited by commas.

Here are some event definition examples:

```
watch i at 37 if(y>1)
```

This event definition says to stop and print the value of I whenever line 37 is executed and the value of y is greater than 1.

```
do {print xyz} in f
```

This event definition says that at each line in the routine f print the value of xyz.

```
break func1 if (i==37)
do {print a[37]; stack}
```

This event definition says to print the value of `a[37]` and do a stack trace when `i` is equal to 37 in routine `func1`.

Event commands that do not explicitly define a location occur at each source line in the program. Here are some examples:

```
do {where} prints the current location at the start of each source line.
trace a.b prints the value of a.b each time the value has changed.
track a.b prints the value of a.b at the start of each source line if the
value has changed.
```

## Note

---

Events that occur at every line can be useful, but they can make program execution very slow. Restricting an event to a particular address minimizes the impact on program execution speed, and restricting an event that occurs at every line to a single routine causes execution to be slowed only when that routine is executed.

PGDBG supports instruction-level versions of several commands, such as **breaki**, **watchi**, **tracei**, **tracki**, and **doi**. The basic difference in the instruction-level version is that these commands interpret integers as addresses rather than line numbers, and events occur at each instruction rather than at each line.

When multiple events occur at the same location, all event actions are taken before the prompt for input. Defining event actions that resume execution is allowed but discouraged, since continuing execution may prevent or defer other event actions.

For example, the following syntax creates an ambiguous situation:

```
break 37 do {continue}
break 37 do {print i}
```

With this sequence, it is not clear whether `i` should ever be printed.

Events only occur after the **continue** and **run** commands. They are ignored by **step**, **next**, **call**, and other commands.

Identifiers and line numbers in events are bound to the current scope when the event is defined.

For example, the following command sets a breakpoint at line 37 in the current file.

```
break 37
```

The following command tracks the value of whatever variable `i` is currently in scope.

```
track i
```

If `i` is a local variable, then it is wise to add a location modifier (`at` or `in`) to restrict the event to a scope where `i` is defined. Scope qualifiers can also specify lines or variables that are not currently in scope. Events can be parallelized across multiple threads of execution. See [“Parallel Events,” on page 76](#) for details.

## Expressions

The debugger supports evaluation of expressions composed of constants, identifiers, commands that return values, and operators.

To use a value returned by a command in an expression, the command and arguments must be enclosed in curly braces. For example, the following command invokes the `pc` command to compute the current address, adds 8 to it, and sets a breakpoint at that address.

```
breaki {pc}+8
```

Similarly, the following command compares the start address of the current routine with the start address of routine `xyz`. It prints the value 1 if they are equal and 0 if they are not.

```
print {addr {func}}=={addr xyz}
```

The `@` operator, introduced previously, may be used as a scope qualifier. Its precedence is the same as the C language field selection operators `.` and `->`.

PGDBG recognizes a range operator `:` which indicates array sub-ranges or source line ranges. The precedence of `:` is between `||` and `'=`.

Here are a few examples that use the range operator:

```
print a[1:10]      prints elements 1 through 10 of the array a.
list 5:10          lists source lines 5 through 10.
list "xyz.c"@5:10 lists lines 5 through 10 in file xyz.c.
```

The general format for the range operator is `[ lo : hi : step ]` where:

- `lo` is the array or range lower bound for this expression.
- `hi` is the array or range upper bound for this expression.
- `step` is the step size between elements.

An expression can be evaluated across many threads of execution by using a prefix `p/t-set`. For more details, refer to [“Current vs. Prefix p/t-set,” on page 66](#).

[Table 4.1, “PGDBG Operators”](#) shows the C language operators that PGDBG supports. The operator precedence is the same as in the C language.

Table 4.1. PGDBG Operators

Operator	Description	Operator	Description
*	indirection	<=	less than or equal
.	direct field selection	>=	greater than or equal
->	indirect field selection	!=	not equal
[ ]	“C” array index	&&	logical and

Operator	Description	Operator	Description
()	routine call		logical or
&	address of	!	logical not
+	add		bitwise or
(type)	cast	&	bitwise and
-	subtract	~	bitwise not
/	divide	^	bitwise exclusive or
*	multiply	<<	left shift
=	assignment	>>	right shift
==	comparison	()	FORTTRAN array index
<<	left shift	%	FORTTRAN field selector
>>	right shift		

## Control-C

If the target application is not running, control-C can be used to interrupt long-running PGDBG commands. For example, a command requesting disassembly of thousands of instructions might run for a long time, and it can be interrupted by control-C. In such cases the target application is not affected.

If the target application is running, entering control-C at the PGDBG command prompt halts execution of the target. This is useful in cases where the target “hangs” due to an infinite loop or deadlock.

Sending a SIGINT (control-C) to a program while it is in the middle of initializing its threads, by calling `omp_set_num_threads()` or entering a parallel region, may kill some of the threads if the signal is sent before each thread is fully initialized. Avoid sending SIGINT in these situations. Note that when the number of threads employed by a program is large, thread initialization may take a while.

Sending SIGINT (control-C) to a running MPICH-1 program is not recommended. See [“MPI Listener Processes,” on page 85](#), for details. Use the PGDBG **halt** command as an alternative to sending SIGINT to a running program. The PGDBG command prompt must be available in order to issue a **halt** command. The PGDBG command prompt is available while threads are running if `pgienv threadwait none` is set.

When debugging an MPI job via the command:

```
pgdbg -mpi...
```

as described in [“Invoking PGDBG for MPI Debugging,” on page 87](#), PGDBG spawns the job in a manner that prevents console-generated interrupts from directly reaching the MPI job launcher or any of the MPI processes. In this case, typing Control-C only interrupts PGDBG, leaving the MPI processes running. When PGDBG’s thread wait mode is not set to none, you can halt the MPI job after using Control-C by entering PGDBG’s **halt** command, even if no PGDBG prompt is generated.

# Chapter 5. PGDBG Command Summary

This chapter contains a brief summary of the PGDBG debugger commands. For a detailed description of each command, grouped by category of use, refer to [Chapter 13, “PGDBG Command Reference”](#).

If you are viewing an online version of this manual, you can select the hyperlink under the selection category to jump to that section in the manual.

## Notation Used in Command Sections

The command sections that follow use these conventions for the command names and arguments, when the command accepts one.

- Command names may be abbreviated by omitting the portion of the command name enclosed in brackets ([]).
- Argument names are chosen to indicate what kind of argument is expected.
- Arguments enclosed in brackets([ ]) are optional.
- Two or more arguments separated by a vertical line (|) indicate that any one of the arguments is acceptable.
- An ellipsis (...) indicates an arbitrarily long list of arguments.
- Other punctuation (commas, quotes, etc.) should be entered as shown.

For example, the following syntax indicates that the command list may be abbreviated to `lis`, and that it can be invoked without any arguments or with *one* of the following arguments: an integer count, a line range, a routine name, or a line and a count.

```
lis[t] [count | lo:hi | routine | line,count]
```

## Command Summary

Table 5.1. PGDBG Commands

Name	Arguments	Category
<i>ad[dr]</i>	[ n   line n   routine   var   arg ]	<a href="#">“Conversions,” on page 115</a>
	Creates an address conversion under certain conditions.	
<i>al[ias]</i>	[ name [ string ] ]	<a href="#">“Miscellaneous,” on page 116</a>
	Create or print aliases.	
<i>arri[ve]</i>		<a href="#">“Program Locations,” on page 104</a>
	Print location information for the current location.	
<i>asc[ii]</i>	exp [...exp]	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	Evaluate and print as an ascii character.	
<i>as[sign]</i>	var=exp	<a href="#">“Symbols and Expressions,” on page 109</a>
	Set variable <code>var</code> to the value of the expression <code>exp</code> .	
<i>att[ach]</i>	pid [ exe [host] ]	<a href="#">“Process Control,” on page 94</a>
	Attach to a running process with process ID <code>pid</code> . If the process is not running on the local host, then specify the absolute path of the executable file <code>exe</code> and the host machine name.	
<i>bin</i>	exp [...exp]	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	Evaluate and print the expressions. Integer values are printed in binary.	
<i>b[reak]</i>	[line   routine ] [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	When arguments are specified, sets a breakpoint at the indicated line or routine. When no arguments are specified, prints the current breakpoints.	
<i>breaki</i>	[addr   routine ] [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	When arguments are specified, sets a breakpoint at the indicated address or routine. When no arguments are specified, prints the current breakpoints.	
<i>breaks</i>		<a href="#">“Events,” on page 97</a>
	Displays all the existing breakpoints	
<i>call</i>	routine [(exp,...)]	<a href="#">“Symbols and Expressions,” on page 109</a>
	Call the named routine.	

Name	Arguments	Category
<i>catch</i>	[number [,number...]]	“Events,” on page 97
	With arguments, catches the signals and runs target as though signal was not sent. With no arguments, prints the list of signals being caught.	
<i>cd</i>	[dir]	“Program Locations,” on page 104
	Change to the \$HOME directory or to the specified directory dir.	
<i>clear</i>	[all   routine   line   addr {addr} ]	“Events,” on page 97
	With arguments, clears the indicated breakpoints. When no arguments are specified, this command clears all breakpoints at the current location.	
<i>c[ont]</i>		“Process Control,” on page 94
	Continue execution from the current location.	
<i>cr[ead]</i>	addr	“Memory Access,” on page 113
	Fetch and return an 8-bit signed integer (character) from the specified address.	
<i>de[bug]</i>	[target [ arg1 _ argn]]	“Process Control,” on page 94
	Load the specified target program with optional command-line arguments.	
<i>dec</i>	exp [...exp]	“Printing Variables and Expressions,” on page 106
	Evaluate and print the expressions. Integer values are printed in decimal	
<i>decl[aration]</i>	name	“Symbols and Expressions,” on page 109
	Print the declaration for the symbol based on its type according to symbol table.	
<i>decls</i>	[routine   "sourcefile"   {global}]	“Scope,” on page 111
	Print the declarations of all identifiers defined in the indicated scope. If no scope is given, print the declarations for global scope	
<i>defset</i>	name [p/t-set]	“Process-Thread Sets,” on page 97
	Assign a name to a process/thread set. Define a named set.	
<i>del[ete]</i>	event-number   all   0   event-number [.,event-number.]	“Events,” on page 97
	Delete the event event-number or all events (delete 0 is the same as delete all). Multiple event numbers can be supplied if they are separated by commas.	
<i>det[ach]</i>		“Process Control,” on page 94
	Detach from the current running process.	
<i>dir[ectory]</i>	[pathname]	“Miscellaneous,” on page 116
	Add the directory pathname to the search path for source files. If no argument is specified, the currently defined directories are printed.	

Name	Arguments	Category
<i>dis[asm]</i>	[count   lo:hi   routine   addr, count]	<a href="#">“Program Locations,” on page 104</a>
	Disassemble memory. If no argument is given, disassemble four instructions starting at the current address.	
<i>disab[le]</i>	event-number   all	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	With arguments, disables the event <code>event-number</code> or all events. When no arguments are specified, prints both enabled and disabled events.	
<i>display</i>	exp [,...exp]	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	With an argument or several arguments, print expression <code>exp</code> at every breakpoint. Without arguments, list the expressions for PGDBG to automatically display at breakpoints.	
<i>do</i>	{commands} [at line   in routine] [if (condition)]	<a href="#">“Events,” on page 97</a>
	Define a do event. Without the optional arguments <code>at</code> or <code>in</code> , the commands are executed at each line in the program.	
<i>doi</i>	{commands} [at addr   in routine] [if (condition)]	<a href="#">“Events,” on page 97</a>
	Define a doi event. If neither the <code>at</code> or <code>in</code> argument is specified, then the commands are executed at each instruction in the program.	
<i>down</i>		<a href="#">“Scope,” on page 111</a>
	Enter scope of routine down one level or number levels on the call stack.	
<i>dr[ead]</i>	addr	<a href="#">“Memory Access,” on page 113</a>
	Fetch and return a 64 bit double from the specified address.	
<i>du[mp]</i>	address, count, "format-string"	<a href="#">“Memory Access,” on page 113</a>
	Dumps the contents of a region of memory. The output is formatted according to a printf-like format descriptor.	
<i>edit</i>	[filename   routine]	<a href="#">“Program Locations,” on page 104</a>
	Edit the specified file or file containing the routine. If no argument is supplied, edit the current file starting at the current location.	
<i>enab[le]</i>	event-number   all	<a href="#">“Events,” on page 97</a>
	With arguments, this command enables the event <code>event-number</code> or all events. When no arguments are specified, prints both enabled and disabled events.	
<i>en[ter]</i>	routine   "sourcefile"   {global}	<a href="#">“Scope,” on page 111</a>
	Set the search scope to be the indicated symbol, which may be a routine, source file or global. Using no argument is the same as using <code>enter global</code>	



Name	Arguments	Category
<i>entr[y]</i>	routine	<a href="#">“Symbols and Expressions,” on page 109</a>
	Return the address of the first executable statement in the program or specified routine.	
<i>fil[e]</i>		<a href="#">“Program Locations,” on page 104</a>
	Change the source file to the file filename and change the scope accordingly. With no argument, print the current file.	
<i>files</i>		<a href="#">“Scope,” on page 111</a>
	Return the list of known source files used to create the executable file	
<i>focus</i>	[p/t-set]	<a href="#">“Process-Thread Sets,” on page 97</a>
	Set the target process/thread set for commands. Subsequent commands are applied to the members of this set by default.	
<i>fp</i>		<a href="#">“Register Access,” on page 112</a>
	Return the current value of the frame pointer.	
<i>fr[ead]</i>	addr	<a href="#">“Memory Access,” on page 113</a>
	Fetch and print a 32-bit float from the specified address.	
<i>func[tion]</i>	[addr   line]	<a href="#">“Conversions,” on page 115</a>
	Return a routine symbol. If no argument is specified, return the current routine.	
<i>glob[al]</i>		<a href="#">“Global Commands,” on page 71</a>
	Return a symbol representing global scope.	
<i>halt</i>	[command]	<a href="#">“Process Control,” on page 94</a>
	Halt the running process or thread.	
<i>be[lp]</i>		<a href="#">“Miscellaneous,” on page 116</a>
	If no argument is specified, print a brief summary of all the commands. If a command name is specified, print more detailed information about the use of that command.	
<i>bex</i>	Exp [,...exp]	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	Evaluate and print expressions as hexadecimal integers.	
<i>bi[story]</i>	[num]	<a href="#">“Miscellaneous,” on page 116</a>
	List the most recently executed commands. With the num argument, resize the history list to hold num commands.	
<i>hwatch</i>	addr   var [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	Define a hardware watchpoint.	

<b>Name</b>	<b>Arguments</b>	<b>Category</b>
<i>bwatchb[otb]</i>	addr   var [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	Define a hardware read/write watchpoint.	
<i>bwatchr[eat]</i>	addr   var [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	Define a hardware read watchpoint.	
<i>ignore</i>	[number [,number...]]	<a href="#">“Events,” on page 97</a>
	Ignores the specified signals and does not deliver them to the target. When no arguments are specified, prints the list of signals being ignored.	
<i>ir[eat]</i>	addr	<a href="#">“Memory Access,” on page 113</a>
	Fetch and print a signed integer from the specified address.	
<i>language</i>		<a href="#">“Miscellaneous,” on page 116</a>
	Print the name of the language of the current file.	
<i>lin[e]</i>	[n   routine   addr]	<a href="#">“Conversions,” on page 115</a>
	Create a source line conversion. If no argument is given, return the current source line.	
<i>lines</i>	routine	<a href="#">“Program Locations,” on page 104</a>
	Print the lines table for the specified routine.	
<i>lis[t]</i>	[count   line,count   lo:hi   routine]	<a href="#">“Program Locations,” on page 104</a>
	With no argument, list 10 lines centered at the current source line. If an argument is specified, lists lines based on information requested.	
<i>lr[eat]</i>	addr	<a href="#">“Memory Access,” on page 113</a>
	Fetch and print an address from the specified address.	
<i>log</i>	filename	<a href="#">“Miscellaneous,” on page 116</a>
	Keep a log of all commands entered by the user and store it in the named file.	
<i>lv[al]</i>	exp	<a href="#">“Symbols and Expressions,” on page 109</a>
	Return the lvalue of the expression expr.	
<i>mq[dump]</i>		<a href="#">“Memory Access,” on page 113</a>
	Dump MPI message queue information for the current process.	
<i>names</i>	[routine   "sourcefile"   {global}]	<a href="#">“Scope,” on page 111</a>
	Print the names of all identifiers defined in the indicated scope. If no scope is specified, use the search scope.	

Name	Arguments	Category
<i>n[ext]</i>	[count]	<a href="#">“Process Control,” on page 94</a>
	Stop after executing one or count source line(s) in the current routine.	
<i>nexti</i>	[count]	<a href="#">“Process Control,” on page 94</a>
	Stop after executing one or count instruction(s) in the current routine.	
<i>nop[rint]</i>	exp	<a href="#">“Miscellaneous,” on page 116</a>
	Evaluate the expression but do not print the result.	
<i>oct</i>	exp [,...exp]	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	Evaluate and print expressions as octal integers.	
<i>pc</i>		<a href="#">“Register Access,” on page 112</a>
	Return the current program address.	
<i>pgienv</i>	[command]	<a href="#">“Miscellaneous,” on page 116</a>
	Define the debugger environment. With no arguments, display the debugger settings.	
<i>p[rint]</i>	exp1 [,...expn]	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	Evaluate and print one or more expressions.	
<i>printf</i>	"format_string", expr,...expr	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	Print expressions in the format indicated by the format string.	
<i>proc</i>	[ id ]	<a href="#">“Process Control,” on page 94</a>
	Set the current process to the process identified by id. When issued with no argument, proc lists the location of the current thread of the current process in the current program.	
<i>procs</i>		<a href="#">“Process Control,” on page 94</a>
	Print the status of all active processes, listing each process by its logical process ID.	
<i>pwd</i>		<a href="#">“Program Locations,” on page 104</a>
	Print the current working directory.	
<i>q[uit]</i>		<a href="#">“Process Control,” on page 94</a>
	Terminate the debugging session.	
<i>regs</i>	[x   f   d]	<a href="#">“Register Access,” on page 112</a>
	Print a formatted display of the names and values of the integer, float, and double registers. If the format parameter is omitted, then PGDBG prints all of the registers.	
<i>rep[eat]</i>	[first, last]   [first: last:n]   [num]   [-num]	<a href="#">“Miscellaneous,” on page 116</a>
	Repeat the execution of one or more previous history list commands.	

Name	Arguments	Category
<i>rer[un]</i>	[arg0 arg1 ... argn] [< inputfile] [[ >   >&   >>   >>& ] outputfile]	<a href="#">“Process Control,” on page 94</a>
	Like the <b>run</b> command, except if no args are specified, the previously used target arguments are not re-used.	
<i>ret[addr]</i>		<a href="#">“Register Access,” on page 112</a>
	Return the current return address.	
<i>ru[n]</i>	[arg0 arg1 ... argn] [< inputfile] [> outputfile]	<a href="#">“Process Control,” on page 94</a>
	Execute program from the beginning. If arguments arg0, arg1, and so on are specified, they are set up as the command-line arguments of the program.	
<i>rv[al]</i>	expr	<a href="#">“Symbols and Expressions,” on page 109</a>
	Return the rvalue of the expression expr.	
<i>sco[pe]</i>		<a href="#">“Scope,” on page 111</a>
	Return a symbol for the search scope.	
<i>scr[ipt]</i>	filename	<a href="#">“Miscellaneous,” on page 116</a>
	Open the indicated file and execute the contents as though they were entered as commands. If you use ~ before the filename, it is expanded to the value of the environment variable HOME.	
<i>set</i>	var = ep	<a href="#">“Symbols and Expressions,” on page 109</a>
	Set variable var to the value of expression.	
<i>setenv</i>	name   name value	<a href="#">“Miscellaneous,” on page 116</a>
	Print value of environment variable name. With a specified value, set name to value.	
<i>sh[ell]</i>	arg0 [... argn]	<a href="#">“Miscellaneous,” on page 116</a>
	Fork a shell (defined by \$SHELL) and give it the indicated arguments (the default shell is sh). Without arguments, invokes an interactive shell, and executes until a “^D” is entered.	
<i>siz[eof]</i>	name	<a href="#">“Symbols and Expressions,” on page 109</a>
	Return the size, in bytes, of the variable type name; or, if the name refers to a routine, returns the size in bytes of the subprogram.	
<i>sle[ep]</i>	time	<a href="#">“Miscellaneous,” on page 116</a>
	Pause for time seconds. If no time is specified, pause for one second	
<i>source</i>	filename	<a href="#">“Miscellaneous,” on page 116</a>
	Open the indicated file and execute the contents as though they were entered as commands. If you use ~ before the filename, it is expanded to the value of \$HOME.	

Name	Arguments	Category
<i>sp</i>		<a href="#">“Register Access,” on page 112</a>
	Return the current stack pointer address.	
<i>sr[ead]</i>	addr	<a href="#">“Memory Access,” on page 113</a>
	Fetch and print a short signed integer from the specified address	
<i>stackd[ump]</i>	[count]	<a href="#">“Program Locations,” on page 104</a>
	Print a formatted dump of the stack. This command displays a hex dump of the stack frame for each active routine.	
<i>stack[trace]</i>	[count]	<a href="#">“Program Locations,” on page 104</a>
	Print a stacktrace. For each active routine print the routine name, source file, line number, current address, provided that information is available.	
<i>stat[us]</i>		<a href="#">“Events,” on page 97</a>
	Display all the event definitions, including an event number by which the event can be identified.	
<i>s[tep]</i>	[count   up]	<a href="#">“Process Control,” on page 94</a>
	Step into the current routine and stop after executing one or count source line(s). If the up argument is specified, stops execution after stepping out of the current routine.	
<i>stepi</i>	[count   up]	<a href="#">“Process Control,” on page 94</a>
	Step into the current routine and stop after executing one or count source line(s). If the up argument is specified, stops execution after stepping out of the current routine.	
<i>stepo[ut]</i>		<a href="#">“Process Control,” on page 94</a>
	Stop after returning to the caller of the current routine.	
<i>stop</i>	[at line   in routine] [var] [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	Set a breakpoint at the indicated routine or line. Break when the value of the indicated variable var changes.	
<i>stopi</i>	[at addr   in routine] [var] [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	Set a breakpoint at the indicated address or routine. Break when the value of the indicated variable var changes.	
<i>sync</i>	[routine   line]	<a href="#">“Process Control,” on page 94</a>
	Advance the current process/thread to a specific program location, ignoring any user-defined events.	
<i>synci</i>	[routine   addr]	<a href="#">“Process Control,” on page 94</a>
	Advance the current process/thread to a specific program location, ignoring any user-defined events.	

<b>Name</b>	<b>Arguments</b>	<b>Category</b>
<i>str[ing]</i>	exp [...exp]	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	Evaluate and print expressions as null-terminated character strings, up to a maximum of 70 characters.	
<i>thread</i>	number	<a href="#">“Process Control,” on page 94</a>
	Set the current thread to the thread identified by number; where number is a logical thread id in the current process' active thread list. When issued with no argument, thread lists the current program location of the currently active thread.	
<i>threads</i>		<a href="#">“Process Control,” on page 94</a>
	Prints the status of all active threads, grouped by process.	
<i>trace</i>	[at line   in routine] [var   routine] [if (condition)] do {commands}	<a href="#">“Events,” on page 97</a>
	Activates source line tracing as specified by the arguments supplied.	
<i>tracei</i>	[at addr   in routine] [var] [if (condition)] do {commands}	<a href="#">“Events,” on page 97</a>
	Activates instruction tracing as specified by the arguments supplied.	
<i>track</i>	expression [at line   in routine] [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	Define a track event.	
<i>tracki</i>	expression [at addr   in routine] [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	Define an assembly-level track event.	
<i>type</i>	expr	<a href="#">“Symbols and Expressions,” on page 109</a>
	Return the type of the expression.	
<i>unal[ias]</i>	name	<a href="#">“Miscellaneous,” on page 116</a>
	Remove the alias definition for name, if one exists.	
<i>undefset</i>	[ name   -all ]	<a href="#">“Process-Thread Sets,” on page 97</a>
	Remove a previously defined process/thread set from the list of process/thread sets.	
<i>undisplay</i>	[ all   0   exp ]	<a href="#">“Printing Variables and Expressions,” on page 106</a>
	Remove all expressions specified by previous display commands. With an argument or several arguments, remove the expression exp from the list of display expressions.	

Name	Arguments	Category
<i>unb[reak]</i>	line   routine   all	<a href="#">“Events,” on page 97</a>
	Remove a breakpoint from the statement line, the routine <code>routine</code> , or remove all breakpoints.	
<i>unbreaki</i>	addr   routine   all	<a href="#">“Events,” on page 97</a>
	Remove a breakpoint from the address <code>addr</code> , the routine <code>routine</code> , or remove all breakpoints.	
<i>up</i>		<a href="#">“Scope,” on page 111</a>
	Enter scope of routine up one level or number levels on the call stack.	
<i>use</i>	[dir]	<a href="#">“Miscellaneous,” on page 116</a>
	Print the current list of directories or add <code>dir</code> to the list of directories to search. If the first character in <code>pathname</code> is <code>~</code> , the value of <code>\$HOME</code> is substituted for this character.	
<i>viewset</i>	name	<a href="#">“Process-Thread Sets,” on page 97</a>
	List the members of a process/thread set that currently exist as active threads or list defined p/t-sets.	
<i>wait</i>	[ any   all   none ]	<a href="#">“Process Control,” on page 94</a>
	Inserts explicit wait points in a command stream.	
<i>wa[tch]</i>	expression [at line   in routine] [if (condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	Define a watch event. The given expression is evaluated, and subsequently, each time the value of the expression changes, the program stops and the new value is printed.	
<i>watchi</i>	expression [at addr   in routine] [if(condition)] [do {commands}]	<a href="#">“Events,” on page 97</a>
	Define an assembly-level watch event.	
<i>wbatis</i>	[name]	<a href="#">“Symbols and Expressions,” on page 109</a>
	With no arguments, prints the declaration for the current routine. With argument <code>name</code> , prints the declaration for the symbol name.	
<i>wben</i>	[at line   in routine] [if (condition)] do {commands}	<a href="#">“Events,” on page 97</a>
	Execute <code>commands</code> at every line in the program, at a specified line in the program or in the specified routine.	
<i>wbeni</i>	[at addr   in routine] [if(condition)] do {commands}	<a href="#">“Events,” on page 97</a>
	Execute <code>commands</code> at each address in the program. If an <code>addr</code> is specified, the commands are executed each time the address is reached.	

<b>Name</b>	<b>Arguments</b>	<b>Category</b>
<i>w[here]</i>	[count]	<a href="#">“Program Locations,” on page 104</a>
	Print a stacktrace. For each active routine print the routine name, routine arguments, source file, line number, current address, provided that information is available.	
<i>whereis</i>	name	<a href="#">“Symbols and Expressions,” on page 109</a>
	Print all declarations for name.	
<i>which</i>	name	<a href="#">“Scope,” on page 111</a>
	Print full scope qualification of symbol name.	
<i>whichsets</i>	[ p/t-set]	<a href="#">“Process-Thread Sets,” on page 97</a>
	List all defined p/t-sets to which the members of a process/thread set belong.	
/	/ [string] /	<a href="#">“Program Locations,” on page 104</a>
	Search forward for a string ( <i>string</i> ) of characters in the current source file	
?	?[string] ?	<a href="#">“Program Locations,” on page 104</a>
	Search backward for a string ( <i>string</i> ) of characters in the current source file.	
!	History modification	<a href="#">“Miscellaneous,” on page 116</a>
	Executes a command from the command history list. The command executed depends on the information that follows the !.	
^	History modification	<a href="#">“Miscellaneous,” on page 116</a>
	Quick history command substitution ^old^new^<modifier> this is equivalent to !:s/old/new/	



# Chapter 6. PGDBG Assembly-Level Debugging

This section provides information about PGDBG assembly-level debugging, including an overview and what to expect if you are using assembly-level debugging or if you did not compile your program for debugging.

## Assembly-Level Debugging Overview

PGDBG does not require that the program under debug be compiled with debugging information, using `-g`. It can debug code that is lacking debug information, but because it is missing information about symbols and line numbers, it can only access the program at the assembly level.

As described in [“Building Applications for Debug,” on page 2](#), the most information is available when the program is compiled using `-g` or `-gopt` with no optimization. When a program is compiled at higher levels of optimization, less information about source-level symbols and line numbers is available, even if the program was compiled with `-g` or `-gopt`. In such cases, if you want to find the source of a problem without rebuilding the program, you may need to debug at the assembly level.

If a program has been "stripped" of all symbols, either by the linker or a separate utility, then debugging is at the assembly level. PGDBG is only able to examine or control the program in terms of memory addresses and registers.

## Assembly-Level Debugging on Microsoft Windows Systems

When applications are built without `-g` on Windows systems, the resulting binary, the `.exe` file, does not contain any symbol information. Microsoft stores symbol information in a program database, a `.pdb` file. To generate a `.pdb` file using the PGI compiler drivers, you must use `-g` during the link step. You can do this even if you did not use `-g` during the compile step. Having this `.pdb` file available provides PGDBG with enough symbol information to map addresses to routine names.

## Assembly-Level Debugging with Fortran

To refer to Fortran symbol names when debugging at the assembly level, you must translate the names to use the naming convention that matches the calling convention in use by the compiler. For code compiled by the

PGI compilers, in most cases this means translating to lower case and appending an underbar. For example, a routine that appears in the source code as "VADD" would be referred to in the debugger as "vadd\_".

On 32-bit Windows systems there are alternative calling conventions. The one described above matches the convention used when the compiler is invoked with `-Munix'` For details of other 32-bit Windows calling conventions, refer to the *PGI User's Guide*.

### Note

---

Name translation is only necessary for assembly-level debugging. When debugging at the source level, you may refer to symbol names as they appear in the source.

A special symbol, `MAIN_`, is created by PGI Fortran to refer to the main program. PGI Fortran generates this special symbol whether or not there is a `PROGRAM` statement. One way to run to the beginning of a Fortran program is to set a breakpoint on `MAIN_`, then run.

## Assembly-Level Debugging with C++

C++ symbol names are "mangled" names. For the names of C++ methods, the names are modified to include not only the name as it appears in the source code, but information about the enclosing class hierarchy, argument and return types, and other information. The names are long and arcane. At the source level these names are translated by PGDBG to the names as they appear in the source. At the assembly level, these names are in the mangled form. Translation is not easy and not recommended. If you have no other alternative, you can find information about name mangling in the *PGI User's Guide*.

## Assembly-Level Debugging Using the PGDBG GUI

This section describes some basic operations for assembly-level debugging using the PGDBG GUI. When you invoke PGDBG using this command:

```
pgdbg myprog
```

you are presented with a dialog telling you that PGDBG "Can't find main function compiled -g". No source is displayed.

To get into the program, you can select the Options | Set Breakpoint... menu option. To stop at program entry, for example, in Fortran you could enter `MAIN_` in response to the dialog query; in C or C++ you could enter `main`.

## Assembly-Level PGDBG Menu Options

PGDBG menu options that are useful in assembly-level debugging:

Window | Registers

Display all the registers

Window | Memory

Display memory locations

Window | Stack

Display a stack traceback

Window | Disassembly

Display disassembly

If disassembly is not automatically displayed in the code panel when the program stops at a breakpoint or after a single step, use Window | Disassembly and enter the name of the routine of interest. Answer "Yes" when asked if you want to display disassembly in the source window.

## Assembly-Level Debugging Using the PGDBG Command-line Interface

This section describes some basic operations for assembly-level debugging using the PGDBG command-line interface. When you invoke PGDBG using this command:

```
pgdbg -text myprog
```

you are presented with a message telling you that PGDBG "Can't find main function compiled - g" .

To get into the program, you can set a breakpoint at a named routine. To stop at program entry, for example, in Fortran you could use

```
break MAIN_
```

and in C/C++ you could use

```
break main
```

Some useful commands for assembly-level debugging using the PGDBG command-line interface include:

**run**

run the program from the beginning

**cont**

continue program execution from the current point

**nexti**

single-step one instruction, stepping over calls

**stepi**

single-step one instruction, stepping into calls

**breaki**

set a breakpoint at a given address

**regs**

display the registers

**print \$<regname>**

display the value of the specified register

For more information on register names, refer to [“Register Symbols,” on page 49](#).

**dump**

dump memory locations

**stacktrace**

display a stack traceback

**stackdump**

display a traceback/dump of stack frame

## Register Symbols

This section describes the register symbols defined for X86 processors and Intel 64/AMD64 processors operating in compatibility or legacy mode.

## X86 Register Symbols

This section describes the X86 register symbols.

Table 6.1. General Registers

Name	Type	Description
\$edi	unsigned	General purpose
\$esi	unsigned	General purpose
\$eax	unsigned	General purpose
\$ebx	unsigned	General purpose
\$ecx	unsigned	General purpose
\$edx	unsigned	General purpose

Table 6.2. x87 Floating-Point Stack Registers

Name	Type	Description
\$d0 - \$d7	80-bit IEEE	Floating-point

Table 6.3. Segment Registers

Name	Type	Description
\$gs	16-bit unsigned	Segment register
\$fs	16-bit unsigned	Segment register
\$es	16-bit unsigned	Segment register
\$ds	16-bit unsigned	Segment register
\$ss	16-bit unsigned	Segment register
\$cs	16-bit unsigned	Segment register

Table 6.4. Special Purpose Registers

Name	Type	Description
\$ebp	32-bit unsigned	Frame pointer
\$efl	32-bit unsigned	Flags register
\$eip	32-bit unsigned	Instruction pointer
\$esp	32-bit unsigned	Privileged-mode stack pointer
\$uesp	32-bit unsigned	User-mode stack pointer

## AMD64/EM64T Register Symbols

This section describes the register symbols defined for AMD64/EM64T processors operating in 64-bit mode.

Table 6.5. General Registers

Name	Type	Description
\$r8 - \$r15	64-bit unsigned	General purpose
\$rdi	64-bit unsigned	General purpose
\$rsi	64-bit unsigned	General purpose
\$rax	64-bit unsigned	General purpose
\$rbx	64-bit unsigned	General purpose
\$rcx	64-bit unsigned	General purpose
\$rdx	64-bit unsigned	General purpose

Table 6.6. Floating-Point Registers

Name	Type	Description
\$d0 - \$d7	80-bit IEEE	Floating-point

Table 6.7. Segment Registers

Name	Type	Description
\$gs	16-bit unsigned	Segment register
\$fs	16-bit unsigned	Segment register
\$es	16-bit unsigned	Segment register
\$ds	16-bit unsigned	Segment register
\$ss	16-bit unsigned	Segment register
\$cs	16-bit unsigned	Segment register

Table 6.8. Special Purpose Registers

Name	Type	Description
\$ebp	64-bit unsigned	Frame pointer
\$rip	64-bit unsigned	Instruction pointer
\$rsp	64-bit unsigned	Stack pointer
\$eflags	64-bit unsigned	Flags register

Table 6.9. SSE Registers

Name	Type	Description
\$mxcsr	64-bit unsigned	SIMD floating-point control
\$xmm0 - \$xmm15	Packed 4x32-bit IEEE Packed 2x64-bit IEEE	SSE floating-point registers

## SSE Register Symbols

On AMD64/EM64T, Pentium III, and compatible processors, an additional set of SSE (Streaming SIMD Enhancements) registers and a SIMD floating-point control and status register are available.

Each SSE register may contain four IEEE 754 compliant 32-bit single-precision floating-point values. The PGDBG regs command reports these values individually in both hexadecimal and floating-point format. PGDBG provides syntax to refer to these values individually, as members of a range, or all together. There is no support for SSE2 or packed integers.

The component values of each SSE register can be accessed using the same syntax that is used for array subscripting. Pictorially, the SSE registers can be thought of as follows:

127	96 95	64 63	32 31	0
\$xmm0(3)	\$xmm0(2)	\$xmm0(1)	\$xmm0(0)	
\$xmm1(3)	\$xmm1(2)	\$xmm1(1)	\$xmm1(0)	
\$xmm7(3)	\$xmm7(2)	\$xmm7(1)	\$xmm7(0)	

To access a \$xmm0(3), the 32-bit single-precision floating point value that occupies bits 96 – 127 of SSE register 0, use the following PGDBG command:

```
pgdbg> print $xmm0(3)
```

To set \$xmm2(0) to the value of \$xmm3(2), use the following PGDBG command:

```
pgdbg> set $xmm2(0) = $xmm3(2)
```

SSE registers can be subscripted with range expressions to specify runs of consecutive component values, and access an SSE register as a whole. For example, the following are legal PGDBG commands:

```
pgdbg> set $xmm0(0:1) = $xmm1(2:3)
pgdbg> set $xmm6 = 1.0/3.0
```

The first command above initializes elements 0 and 1 of \$xmm0 to the values in elements 2 and 3 respectively in \$xmm1. The second command above initializes all four elements of \$xmm6 to the constant 1.0/3.0 evaluated as a 32-bit floating-point constant.

In most cases, PGDBG detects when the target environment supports the SSE registers. In the the event PGDBG does not allow access to SSE registers on a system that should have them, set the PGDBG\_SSE environment variable to `on` to enable SSE support.

# Chapter 7. PGDBG Source-Level Debugging

This chapter describes source-level debugging, including debugging Fortran and Debugging C++.

## Debugging Fortran

### Fortran Types

PGDBG displays Fortran type declarations using Fortran type names. The only exception is Fortran character types, which are treated as arrays of the C type char.

### Arrays

Fortran array subscripts and ranges are accessed using the Fortran language syntax convention, denoting subscripts with parentheses and ranges with colons.

PGI compilers for the linux86-64 platform (AMD64 or Intel 64) support large arrays (arrays with an aggregate size greater than 2GB). You can enable large array support by compiling using these options: `-mmodel=medium -Mlarge_arrays`. PGDBG provides full support for large arrays and large subscripts.

PGDBG supports arrays with non-default lower bounds. Access to such arrays uses the same subscripts that are used in the target application.

PGDBG also supports adjustable arrays. Access to adjustable arrays may use the same subscripting that is used in the target application.

### Operators

In general, PGDBG uses C language style operators in expressions. The Fortran array index selector “()” and the Fortran field selector “%” for derived types are supported. However, `.eq.`, `.ne.`, and so forth are not supported. The analogous C operators `==`, `!=`, etc. must be used instead. Note that the precedence of operators matches the C language, which may in some cases be different than for Fortran. See [Table 5.1, “PGDBG Commands”](#) for a complete list of operators and their definition.

## Name of the Main Routine

If a **PROGRAM** statement is used, the name of the main routine is the name in the program statement. You can always use the following command to set a breakpoint at the start of the main routine.

```
break MAIN
```

## Common Blocks

Each subprogram that defines a common block has a local static variable symbol to define the common. The address of the variable is the address of the common block. The type of the variable is a locally-defined structure type with fields defined for each element of the common block. The name of the variable is the common block name, if the common block has a name, or `_BLNK_` otherwise.

For each member of the common block, a local static variable is declared which represents the common block variable. Thus given declarations:

```
common /xyz/ a, b
integer a
integer b
```

then the entire common block can be printed out using,

```
print xyz
```

Individual elements can be accessed by name. For example,;

```
print a, b
```

## Internal Procedures

To unambiguously reference an internal procedure, qualify its name with the name of its host using the scoping operator `@`.

For example:

```
subroutine sub1 ()
  call internal_proc ()
  contains
  subroutine internal_proc ()
    print *, "internal_proc in sub1"
  end subroutine internal_proc
end subroutine

subroutine sub2 ()
  call internal_proc ()
  contains
  subroutine internal_proc ()
    print *, "internal_proc in sub2"
  end subroutine internal_proc
end subroutine
program main
  call sub1 ()
  call sub2 ()
end program

pgdbg> whereis internal_proc
function:      "/path/ip.f90"@sub1@internal_proc
```



```

function:      "/path/ip.f90"@sub2@internal_proc

pgdbg> break sub1@internal_proc
(1)breakpoint set at: internal_proc line: "ip.f90"@5 address: 0x401E3C 1
pgdbg> break sub2@internal_proc
(2)breakpoint set at: internal_proc line: "ip.f90"@13 address: 0x401EEC 2

```

## Modules

A member of a Fortran 90 module can be accessed during debugging.

```

module mod
  integer iMod
end module

subroutine useMod()
  use mod
  iMod = 1000
end subroutine

program main
  call useMod()
end program

```

If the module is in the current scope, no qualification is required to access the module's members.

```

pgdbg> b useMod
(1)breakpoint set at: usemod line: "modv.f90"@7 address: 0x401CC4
1

Breakpoint at 0x401CC4, function usemod, file modv.f90, line 7
#7:      iMod = 1000

pgdbg> p iMod
0

```

If the module is not in the current scope, use the scoping operator @ to qualify the member's name.

```

Breakpoint at 0x401CF0, function main, file modv.f90, line 11
#11:     call useMod()

pgdbg> p iMod
"iMod" is not defined in the current scope

pgdbg> p mod@iMod
0

```

## Module Procedures

A module procedure is a subroutine contained within a module. A module procedure itself can contain internal procedures. The scoping operator @ can be used when working with these types of subprograms to prevent ambiguity.

```

module mod
  contains
  subroutine mod_procl()
    call internal_proc()
  contains
  subroutine internal_proc()

```

```

        print *, "internal_proc in mod_proc1"
    end subroutine
end subroutine
subroutine mod_proc2()
    call internal_proc()
    contains
    subroutine internal_proc()
        print *, "internal_proc in mod_proc2"
    end subroutine
end subroutine
end module

```

```

program main
    use mod
    call mod_proc1
    call mod_proc2
end program

```

```

pgdbg> whereis internal_proc
function:      "/path/modp.f90"@mod@mod_proc1@internal_proc
function:      "/path/modp.f90"@mod@mod_proc2@internal_proc

pgdbg> break mod@mod_proc1@internal_proc
(1)breakpoint set at: internal_proc line: "modp.f90"@7 address: 0x401E3C
1
pgdbg> break mod@mod_proc2@internal_proc
(2)breakpoint set at: internal_proc line: "modp.f90"@14 address: 0x401EEC
2

```

## Debugging C++

### Calling C++ Instance Methods

To use the **call** command to call a C++ instance method, the object must be explicitly passed as the first parameter to the call. For example, given the following definition of class `Person` and the appropriate implementation of its methods:

```

class Person
{
    public:
    char name[10];
    Person(char * inName);
    void print();
};

int main ()
{
    Person * pierre;
    pierre = new Person("Pierre");
    pierre->print();
    return 0;
}

```

Call the instance method `print` on object `Pierre` as follows:

```
pgdbg> call Person::print(pierre)
```

Notice that `pierre` must be explicitly passed into the method because it is the `this` pointer. You can also specify the class name to remove ambiguity.

# Chapter 8. PGDBG Platform-Specific Features

This chapter describes the PGDBG features that are specific to particular platforms, such as pathname conventions, debugging with core files, and signals.

## Pathname Conventions

PGDBG uses the forward slash character (/) as the path component separator on all platforms. The backslash (\) is used as the escape character in the PGDBG command language.

On Windows systems, a drive letter specifier may be used whenever specifying a full path, but the forward slash separator convention is still in effect. For example, to add the Windows pathname "C:\Temp\src" to the list of searched source directories, use the command:

```
pgdbg> dir C:/Temp/src
```

To set a breakpoint at line 10 of the source file specified by the relative path `sub1/main.c`, use this command:

```
pgdbg> break "sub1/main.c":10
```

## Debugging with Core Files

PGDBG supports debugging of core files on the `linux86` and `linux86-64` platforms. To invoke PGDBG for core file debugging, use the following options:

```
$ pgdbg -core coreFileName programName
```

Core files (or core dumps) are generated when a program encounters an exception or fault. For example, one common exception is the segmentation violation, which can be caused by referencing an invalid memory address. The memory and register states of the program are written into a core file so that they can be examined by a debugger.

The shell environment in which the application runs must be set up to allow core file creation. On many systems, the default user setting `ulimit` does not allow core file creation.

Check the `ulimit` as follows:

For sh/bash users:

```
$ ulimit -c
```

For csh/tcsh users:

```
% limit coredumpsize
```

If the core file size limit is zero or something too small for the application, it can be set to unlimited as follows:

For sh/bash users:

```
$ ulimit -c unlimited
```

For csh/tcsh users:

```
% limit coredumpsize unlimited
```

See the Linux shell documentation for more details. Some versions of Linux provide system-wide limits on core file creation.

Core files (or core dumps) are generated when a program encounters an exception or fault. For example, one common exception is the segmentation violation, which can be caused by referencing an invalid memory address. The memory and register states of the program are written into a core file so that they can be examined by a debugger.

The core file is normally written into the current directory of the faulting application. It is usually named core or core.pid where pid is the process ID of the faulting thread. If the shell environment is set correctly and a core file is not generated in the expected location, the system core dump policy may require configuration by a system administrator.

Different versions of Linux handle core dumping slightly differently. The state of all process threads are written to the core file in most modern implementations of Linux. In some new versions of Linux, if more than one thread faults, then each thread's state is written to separate core files using the core.pid file naming convention mentioned above. In older versions of Linux, only one faulting thread is written to the core file.

If a program uses dynamically shared objects (i.e., shared libraries named lib\*.so), as most programs on Linux do, then accurate core file debugging requires that the program be debugged on the system where the core file was created. Otherwise, slight differences in the version of a shared library or the dynamic linker can cause erroneous information to be presented by the debugger. Sometimes a core file can be debugged successfully on a different system, particularly on more modern linux systems, but you should take care when attempting this.

PGDBG supports all non-control commands when debugging core files. It performs any command that does not cause the program to run. Any command that causes the program to run generates an error message in PGDBG. Depending on the type of core file created, PGDBG may provide the status of multiple threads. PGDBG does not support multi-process core file debugging.

## Signals

PGDBG intercepts all signals sent to any of the threads in a multi-threaded program and passes them on according to that signal's disposition as maintained by PGDBG (see the catch and ignore commands), except for signals that cannot be intercepted or signals used internally by PGDBG.

## Signals Used Internally by PGDBG

SIGTRAP and SIGSTOP are used by Linux for communication of application events to PGDBG. Management of these signals is internal to PGDBG. Changing the disposition of these signals in PGDBG (via catch and ignore) result in undefined behavior.

## Signals Used by Linux Libraries

Some Linux thread libraries use SIGRT1 and SIGRT3 to communicate among threads internally. Other Linux thread libraries, on systems that do not have support for real-time signals in the kernel, use SIGUSR1 and SIGUSR2. Changing the disposition of these signals in PGDBG (via catch and ignore) result in undefined behavior.

Target applications built for sample-based profiling (compiled with '-pg') generate numerous SIGPROF signals. Although SIGPROF can be handled by PGDBG, debugging of applications built for sample-based profiling is not recommended.



# Chapter 9. PGDBG Parallel Debugging Overview

This chapter provides an overview of how to use PGDBG to debug parallel applications. It includes important definitions and background information on how PGDBG represents processes and threads.

## Overview of Parallel Debugging Capability

PGDBG is a parallel application debugger capable of debugging multi-process MPI applications, multi-thread and OpenMP applications, and hybrid multi-thread/multi-process applications that use MPI to communicate between multi-threaded or OpenMP processes.

For specific information on Multi-thread and OpenMP debugging, refer to [Chapter 10, “PGDBG - Parallel Debugging with OpenMP,”](#) on page 79.

For specific information on Multi-process MPI debugging, refer to [Chapter 11, “PGDBG Parallel Debugging with MPI,”](#) on page 83.

## Graphical Presentation of Threads and Processes

PGDBG graphical user interface components that provide support for parallelism are described in detail in [“The PGDBG Graphical User Interface”](#).

## Basic Process and Thread Naming

Because PGDBG can debug multi-threaded applications, multi-process applications, and hybrid multi-threaded/multi-process applications, it provides a convention for uniquely identifying each thread in each process. This section gives a brief overview of this naming convention and how it is used to provide adequate background for the subsequent sections. A more detailed discussion of this convention, including advanced techniques for applying it, is provided in [“Thread and Process Grouping and Naming,”](#) on page 62.

PGDBG identifies threads in an OpenMP application using the OpenMP thread IDs. Otherwise, PGDBG assigns arbitrary IDs to threads, starting at zero and incrementing in order of thread creation.

PGDBG identifies processes in an MPI application using MPI rank (in communicator `MPI_COMM_WORLD`). Otherwise, PGDBG assigns arbitrary IDs to processes; starting at zero and incrementing in order of process creation. Process IDs are unique across all active processes.

In a multi-threaded/multi-process application, each thread can be uniquely identified across all processes by prefixing its thread ID with the process ID of its parent process. For example, thread 1.4 identifies the thread with ID 4 in the process with ID 1.

An OpenMP application (single-process) logically runs as a collection of threads with a single process, process 0, as the parent process. In this context, a thread is uniquely identified by its thread ID. The process ID prefix is implicit and optional. See [“Threads-only Debugging,” on page 63](#).

An MPI program logically runs as a collection of processes, each made up of a single thread of execution. Thread 0 is implicit to each MPI process. A process ID uniquely identifies a particular process, and thread ID is implicit and optional. See [“Process-only Debugging,” on page 63](#).

A hybrid, or multilevel, MPI/OpenMP program requires the use of both process and thread IDs to uniquely identify a particular thread. See [“Multilevel Debugging,” on page 63](#).

A serial program runs as a single thread of execution, thread 0, belonging to a single process, process 0. The use of thread IDs and process IDs is allowed but unnecessary.

## Thread and Process Grouping and Naming

This section describes how to name a single thread, how to group threads and processes into sets, and how to apply PGDBG commands to groups of processes and threads.

### PGDBG Debug Modes

PGDBG can operate in four debug modes. The mode determines a short form for uniquely naming threads and processes. The debug mode is set automatically or by the `pgienv` command.

Table 9.1. PGDBG Debug Modes

Debug Mode	Program Characterization
Serial	A single thread of execution
Threads-only	A single process, multiple threads of execution
Process-only	Multiple processes, each process made up of a single thread of execution
Multilevel	Multiple processes, at least one process employing multiple threads of execution

PGDBG initially operates in serial mode reflecting a single thread of execution. Thread IDs can be ignored in serial debug mode since there is only a single thread of execution.

The PGDBG prompt displays the ID of the current thread according to the current debug mode. See [“The PGDBG Command Prompt,” on page 75](#) for a description of the PGDBG prompt.

The `pgienv` command is used to change debug modes manually.

```
pgienv mode [serial|thread|process|multilevel]
```



The debug mode can be changed at any time during a debug session.

## Threads-only Debugging

Enter threads-only mode to debug a program with a single multi-threaded process. As a convenience the process ID portion can be omitted. PGDBG automatically enters threads-only debug mode from serial debug mode when it detects and attaches to new threads.

Example 9.1. Thread IDs in Threads-only Debug Mode

1	Thread 1 of process 0 (*.1)
*	All threads of process 0 (*.*)
0.7	Thread 7 of process 0 (multilevel names are valid in threads-only mode)

In threads-only debug mode, status and error messages are prefixed with thread IDs depending on context.

## Process-only Debugging

Enter process-only mode to debug an application consisting of single-threaded processes. As a convenience, the thread ID portion can be omitted. PGDBG automatically enters process-only debug mode from serial debug mode when the target program returns from MPI\_Init.

Example 9.2. Process IDs in process-only debug mode

0	All threads of process 0 (0.*)
*	All threads of all processes (*.*)
1.0	Thread 0 of process 1 (multilevel names are valid in process-only mode)

In process-only debug mode, status and error messages are prefixed with process IDs depending on context.

## Multilevel Debugging

The name of a thread in multilevel debug mode is the thread ID prefixed with its parent process ID. This forms a unique name for each thread across all processes. This naming scheme is valid in all debug modes. PGDBG changes automatically to multilevel debug mode from process-only debug mode or threads-only debug mode when at least one MPI process creates multiple threads.

Example 9.3. Thread IDs in multilevel debug mode

0.1	Thread 1 of process 0
0.*	All threads of process 0
*	All threads of all processes

In multilevel debug, mode status and error messages are prefixed with process/thread IDs depending on context.

## Process/Thread Sets

You use a process/thread set (p/t-set) to restrict a debugger command to apply to just a particular set of threads. A p/t-set is a set of threads drawn from all threads of all processes in the target program. Use p/t-set notation (described in “[p/t-set Notation,](#)” on page 64) to define a p/t-set.

### Named p/t-sets

In the following sections, you will notice frequent references to three named p/t-sets:

- The **target p/t-set** is the set of processes and threads to which a debugger command is applied. The target p/t-set is initially defined by the debugger to be the set [all] which describes all threads of all processes.
- A **prefix p/t-set** is defined when p/t-set notation is used to prefix a debugger command. For the prefixed command, the target p/t-set is the prefix p/t-set.
- The **current p/t-set** is the p/t set currently set in the PGDBG environment. You can use the **focus** command to define the current p/t-set. Unless a prefix p/t-set overrides it, the current p/t set is used as the target p/t-set.

### p/t-set Notation

The following rules describe how to use and construct p/t-sets:

Use a prefix p/t-set with a simple command:

```
[p/t-set prefix] command parm0, parm1, ...
```

Use a prefix p/t-set with a compound command:

```
[p/t-set prefix] simple-command [;simple-command ...]
```

p/t-id:

```
{integer|*}.{integer|*}
```

Use *p/t-id* optional notation when process-only or threads-only debugging is in effect. For more information, refer to the **pgienv** command.

```
{integer|*}
```

p/t-range:

```
p/t-id:p/t-id
```

p/t-list:

```
{p/t-id|p/t-range} [, {p/t-id|p/t-range} ...]
```

p/t-set

```
[!]{p/t-list|set-name}
```

Example 9.4. p/t-sets in Threads-only Debug Mode

[0,4:6]	Threads 0,4,5, and 6
[*]	All threads
[*.1]	Thread 1. Multilevel notation is valid in threads-only mode
[*.*]	All threads

Example 9.5. p/t-sets in Process-only Debug Mode

[0,2:3]	Processes 0, 2, and 3 (equivalent to [0.*,2:3.*])
[*]	All processes (equivalent to [ *.* ])
[0]	Process 0 (equivalent to [0.*])
[*.0]	Process 0. Multilevel syntax is valid in process-only mode.
[0:2.*]	Processes 0, 1, and 2. Multilevel syntax is valid in process-only debug mode.

Example 9.6. p/t-sets in Multilevel Debug Mode

[0.1,0.3,0.5]	Thread 1,3, and 5 of process 0
[0.*]	All threads of process 0
[1.1:3]	Thread 1,2, and 3 of process 1
[1:2.1]	Thread 1 of processes 1 and 2
[clients]	All threads defined by named set clients
[1]	Incomplete; invalid in multilevel debug mode

## Dynamic vs. Static p/t-sets

The **defset** command can be used to define both dynamic and static p/t-sets. The members of a dynamic p/t-set are those active threads described by the p/t-set at the time that the p/t-set is used. By default, a p/t-set is dynamic. Threads and processes are created and destroyed as the target program runs and, therefore, membership in a dynamic set varies as the target program executes.

Example 9.7. Defining a Dynamic p/t-set

<code>defset clients [*.1:3]</code>	Defines a named set clients whose members are threads 1, 2, and 3 of all processes that are currently active when clients is used. Membership in clients changes as processes are created and destroyed.
-------------------------------------	--

The members of a static p/t-set are those threads described by the p/t-set at the time that p/t-set is defined. Use **a!** to specify a static set. Membership in a static set is fixed at definition time.

Example 9.8. Defining a Static p/t-set

<code>defset clients [!*.1:3]</code>	Defines a named set clients whose members are threads 1, 2, and 3 of those processes that are currently active at the time of the definition.
--------------------------------------	---

## Note

---

p/t-sets defined with defset are not mode dependent and are valid in any debug mode.

## Current vs. Prefix p/t-set

The current p/t-set is set by the **focus** command. The current p/t-set is described by the debugger prompt and depends on debug mode. For a description of the PGDBG prompt, refer to “[The PGDBG Command Prompt,](#)” on page 75. You can use a p/t-set to prefix a command that overrides the current p/t-set. The prefix p/t-set becomes the target p/t-set for the command. The target p/t-set defines the set of threads that will be affected by a command.

- In the following command line, the target p/t-set is the current p/t-set:

```
pgdbg [all] 0.0> cont
Continue all threads in all processes
```

- In contrast, a prefix p/t-set is used in the following command so that the target p/t-set is the prefix p/t-set, shown in this example in bold:

```
pgdbg [all] 0.0> [0.1:2] cont
Continue threads 1 and 2 of process 0 only
```

In both of the above examples, the current p/t-set is the debugger-defined set [all]. In the first case, [all] is the target p/t-set. In the second case, the prefix p/t-set overrides [all] and becomes the target p/t-set. The **continue** command is applied to all active threads in the target p/t-set. Also, using a prefix p/t-set does not change the current p/t-set.

## p/t-set Commands

You can use the following commands to collect threads and processes into logical groups.

- Use **defset** and **undefset** to manage a list of named p/t-sets.
- Use **focus** to set the current p/t-set.
- Use **viewset** to view the active members described by a particular p/t-set, or to list all the defined p/t-sets.
- Use **whichsets** to describe the p/t-sets to which a particular process/thread belongs.

Table 9.2. p/t-set Commands

Command	Description
<b>defset</b>	Define a named p/t-set. This set can later be referred to by name. A list of named sets is stored by PGDBG.
<b>focus</b>	Set the target process/thread set for commands. Subsequent commands are applied to the members of this set by default.
<b>undefset</b>	Undefine a previously defined process/thread set. The set is removed from the list. The debugger-defined p/t-set [all] cannot be removed.
<b>viewset</b>	List the members of a process/thread set that currently exist as active threads, or list all the defined p/t-sets.

Command	Description
<b>whichsets</b>	List all defined p/t-sets to which the members of a process/thread set belongs.

Examples of the p/t-set commands in the previous table follow.

Use **defset** to define the p/t-set `initial` to contain only thread 0:

```
pgdbg [all] 0> defset initial [0]
"initial" [0] : [0]
```

Use the **focus** command to change the current p/t-set to `initial`:

```
pgdbg [all] 0> focus [initial]
[initial] : [0]
[0]
```

Advance the thread. Currently the code is not using a prefix p/t-set, and the target p/t-set is the current p/t-set, which is `initial`:

```
pgdbg [initial] 0> next
```

The **whichsets** command shows that thread 0 is a member of two defined p/t-sets:

```
pgdbg [initial] 0> whichsets [initial]
Thread 0 belongs to:
all
initial
```

The **viewset** command displays all threads that are active and are members of defined p/t-sets:

```
pgdbg [initial] 0> viewset
"all" [*.*] : [0.0,0.1,0.2,0.3]
"initial" [0] : [0]
```

You can use the **focus** command to set the current p/t-set back to `[all]`:

```
pgdbg [initial] 0> focus [all]
[all] : [0.0,0.1,0.2,0.3]
[*.*]
```

The **undefset** command undefines the `initial` p/t-set:

```
pgdbg [all] 0> undefset initial
p/t-set name "initial" deleted.
```

The previous examples illustrate how to manage named p/t-sets using the command-line interface. A similar capability is available in the PGDBG GUI. “[Focus Panel](#),” on page 8 contains information about the Focus Panel. This panel, shown in [Figure 2.2](#), “[PGDBG GUI with All Control Panels Visible](#),” on page 7, contains a table labeled Focus with two columns: a Name column and a p/t-set column. The entries in this table are p/t-sets exactly like the p/t-sets used in the command-line interface.

To create a p/t set in the Focus Panel:

1. Click the Add button. This opens a dialog box similar to the one in [Figure 9.1](#).
2. Enter the name of the p/t-set in the Focus Name text field and enter the p/t-set in the p/t-set text field.
3. Click the left mouse button on the OK button to add the p/t-set.

The new p/t-set appears in the Focus Table. Clicking the Cancel button or closing the dialog box aborts the operation. The Clear button clears the Focus Name and p/t-set text fields.

To select a p/t-set, click the left mouse button on the desired p/t-set in the table. The selected p/t-set is also known as the Current Focus. PGDBG applies all commands entered in the Source Panel to the Current Focus when you choose Focus in the Apply Selector (“[Source Panel Combo Boxes](#),” on page 16). Current Focus can also be used in a GUI subwindow. Choose Current Focus in a subwindow’s View Selector (“[Subwindows](#),” on page 19) to display data for the Current Focus only.

To modify an existing p/t-set, select the desired group in the Focus Table and click the Modify button. A dialog box similar to that in [Figure 9.1](#) appears, except that the Focus Name and p/t-set text fields contain the selected group’s name and p/t-set respectively. You can edit the information in these text fields and click OK to save the changes.


To remove an existing p/t-set, select the desired item in the Focus Table and click the Remove button. PGDBG displays a dialog box asking for confirmation of the request for removal of the selected p/t-set. Click either the `Yes` button to confirm or the `No` button to cancel the operation.

## Note

p/t-sets defined in the Focus Panel of the PGDBG GUI are only used by the Apply and View Selectors in the GUI. They do not affect focus in the Command Prompt Panel. Conversely, focus changes made in the Command Prompt Panel affect only the Command Prompt Panel and not the rest of the PGDBG GUI.

For example, in [Figure 9.1](#) there is a p/t-set named “process 0 odd numbered threads”. The p/t-set is [0.1, 0.3] which indicates threads 1 and 3 in process 0.


Figure 9.1. Focus Group Dialog Box



[Figure 9.2](#), “[Focus in the GUI](#),” on page 69 shows this p/t-set in the Focus Table. We also chose Focus in the Apply Selector. Any command issued in the Source Panel is applied to the Current Focus, or thread 1 and 3 on process 0 only. All other threads remain idle until either the All p/t-set is selected in the Focus Panel or All is

selected in the Apply Selector. Note that “process 0 odd numbered threads” is not available in the Command Prompt Panel.

Figure 9.2. Focus in the GUI



## Command Set

For the purpose of parallel debugging, the PGDBG command set is divided into three disjoint subsets according to how each command reacts to the current p/t-set. Process level and thread level commands can be parallelized. Global commands cannot be parallelized.

Table 9.3. PGDBG Parallel Commands

Commands	Action
Process Level Commands	Parallel by current p/t-set or prefix p/t-set
Thread Level Commands	Parallel by prefix p/t-set only; current p/t-set is ignored.

Commands	Action
Global Commands	Non-parallel commands

## Process Level Commands

The process level commands are the PGDBG control commands.

The PGDBG control commands apply to the active members of the current p/t-set by default. A prefix set can be used to override the current p/t-set. The target p/t-set is the prefix p/t-set if present.

cont	next	step	stepout	synci
halt	nexti	stepi	sync	wait

Apply the **next** command to threads 1 and 2 of process 0:

```
pgdbg [all] 0.0> focus [0.1:2]
pgdbg [0.1:2] 0.0> next
```

Apply the **next** command to thread 3 of process 0 using a prefix p/t-set:

```
pgdbg [all] 0.0> [0.3] n
```

## Thread Level Commands

The following commands are not concerned with the current p/t-set. When no p/t-set prefix is used, these commands execute in the context of the current thread of the current process by default. That is, thread level commands ignore the current p/t-set. Thread level commands can be applied to multiple threads by using a prefix p/t-set. When a prefix p/t-set is used, the commands in this section are executed in the context of each active thread described by the prefix p/t-set. The target p/t-set is the prefix p/t-set if present, or the current thread (not the current p/t-set) if no prefix p/t set exists.

The thread level commands are:

addr	do	hwatch	print	stack
ascii	doi	iread	regs	stackdump
assign	dread	line	retaddr	string
bin	dump	lines	rval	track
break*	entry	lval	scope	tracki
cread	fp	noprint	set	watch
dec	fread	oct	sizeof	watchi
decl	func	pc	sp	whatis
disasm	hex	pf	sread	where

\* breakpoints and variants (stop, stopi, break, breaki): if no prefix p/t-set is specified, [all] is used (overriding current p/t-set).

The following actions occur when a prefix p/t-set is used:

- The threads described by the prefix are sorted per process by thread ID in increasing order.



- The processes are sorted by process ID in increasing order, and duplicates are removed.
- The command is then applied to the threads in the resulting list in order.

Without a prefix p/t-set, the **print** command executes in the context of the current thread of the current process, thread 0.0, printing rank 0:

```
pgdbg [all] 0.0> print myrank
0
```

With a prefix p/t-set, the thread members of the prefix are sorted and duplicates are removed. The **print** command iterates over the resulting list:

```
pgdbg [all] 0.0> [2:3.*,1:2.*] print myrank
[1.0] print myrank:
1
[2.0] print myrank:
2
[2.1] print myrank:
2
[2.2] print myrank:
2
[3.0] print myrank:
3
[3.2] print myrank:
3
[3.1] print myrank:
3
```

## Global Commands

The rest of the PGDBG commands ignore threads and processes, or are defined globally for all threads across all processes. The current p/t-set and prefix p/t-set (if any) are ignored.

The following is a list of commands that are defined globally.

?	/	alias	arrive	breaks
call	catch	cd	debug	defset
delete	directory	disable	display	edit
enable	files	focus	funcs	help
history	ignore	log	pgienv	proc
procs	pwd	quit	repeat	rerun
run	script	shell	source	status
thread	threads	unalias	unbreak	undefset
use	viewset	wait	whereis	whichsets

## Process and Thread Control

PGDBG supports thread and process control everywhere in the program. Threads and processes can be advanced in groups anywhere in the program.

The PGDBG control commands are:

cont	next	step	stepout	synci
halt	nexti	stepi	sync	wait

To describe those threads to be advanced, set the current p/t-set or use a prefix p/t-set.

A thread inherits the control operation of the current thread when it is created. If the current thread single-steps over an `_mp_init` call (found at the beginning of every OpenMP parallel region) using the `next` command, then all threads created by `_mp_init` step into the parallel region as if by the `next` command.

A process inherits the control operation of the current process when it is created. So if the current process returns from a call to `MPI_Init` under the control of a **cont** command, the new process does the same.

## Configurable Stop Mode

PGDBG supports configuration of how threads and processes stop in relation to one another. PGDBG defines two `pgienv` environment variables, `threadstop` and `procstop`, for this purpose. PGDBG defines two stop modes, synchronous (`sync`) and asynchronous (`async`).

Table 9.4. PGDBG Stop Modes

Command	Result
<code>sync</code>	Synchronous stop mode; when one thread stops at a breakpoint (event), all other threads are stopped soon after.
<code>async</code>	Asynchronous stop mode; each thread runs independently of the other threads. One thread stopping does not affect the behavior of another.

Thread stop mode is set using the **pgienv** command as follows:

```
pgienv threadstop [sync|async]
```

Process stop mode is set using the **pgienv** command as follows:

```
pgienv procstop [sync|async]
```

PGDBG defines the default to be asynchronous for both thread and process stop modes. When debugging an OpenMP program, PGDBG automatically enters synchronous thread stop mode in serial regions, and asynchronous thread stop mode in parallel regions.

The `pgienv` environment variables `threadstopconfig` and `procstopconfig` can be set to `automatic` (`auto`) or `user defined` (`user`) to enable or disable this behavior:

```
pgienv threadstopconfig [auto|user]
pgienv procstopconfig [auto|user]
```

Selecting the user-defined stop mode prevents the debugger from changing stop modes automatically. Automatic stop configuration is the default for both threads and processes.

## Configurable Wait Mode

Wait mode describes when PGDBG accepts the next command. The wait mode is defined in terms of the execution state of the program. Wait mode describes to the debugger which threads/processes must be stopped before it will accept the **next** command.

In certain situations, it is desirable to be able to enter commands while the program is running and not stopped at an event. The PGDBG prompt does not appear until all processes/threads are stopped. However, a prompt may be available before all processes/threads have stopped. Pressing <enter> at the command line brings up a prompt if it is available. The availability of the prompt is determined by the current wait mode and any pending **wait** commands.

PGDBG accepts a compound statement at each prompt. Each compound statement is a sequence of semicolon-separated commands, which are processed immediately in order.

The wait mode describes when to accept the next compound statement. PGDBG supports three wait modes, which can be applied to processes and/or threads.

Table 9.5. PGDBG Wait Modes

Command	Result
all	The prompt is available only after all threads have stopped since the last control command.
any	The prompt is available only after at least one thread has stopped since the last control command.
none	The prompt is available immediately after a control command is issued.

- Thread wait mode describes which threads PGDBG waits for before accepting new commands.

Thread wait mode is set using the **pgienv** command as follows:

```
pgienv threadwait [any|all|none]
```

- Process wait mode describes which processes PGDBG waits for before accepting new commands.

Process wait mode is set using the **pgienv** command as follows:

```
pgienv procwait [any|all|none]
```

If process wait mode is set to none, then thread wait mode is ignored.

In TEXT mode, PGDBG defaults to:

```
threadwait all
procwait any
```

If the target program goes MPI parallel, then procwait is changed to none automatically by PGDBG.

If the target program goes thread parallel, then threadwait is changed to none automatically by PGDBG. The pgienv environment variable threadwaitconfig can be set to automatic (auto) or user defined (user) to enable or disable this behavior.

```
pgienv threadstopconfig [auto|user]
```

Selecting the user defined wait mode prevents the debugger from changing wait modes automatically. Automatic wait mode is the default thread wait mode.

PGDBG defaults to the following in GUI mode:

```
threadwait none
procwait none
```

Setting the wait mode may be necessary when invoking the debugger using the `-s` (script file) option in GUI mode (to ensure that the necessary threads are stopped before the **next** command is processed).

PGDBG also provides a **wait** command that can be used to insert explicit wait points in a command stream. Wait uses the target p/t-set by default, which can be set to wait for any combination of processes/threads. You can use the **wait** command to insert wait points between the commands of a compound command.

The `threadwait` and `procwait` pgienv variables can be used to configure the behavior of wait. For more information, refer to pgienv usage in “[Configurable Wait Mode](#),” on page 72.

[Table 9.6, “PGDBG Wait Behavior”](#) describes the behavior of wait.

Suppose  $S$  is the target p/t-set. In the table,

- $P$  is the set of all processes described by  $S$ .
- $p$  is a single process.
- $T$  is the set of all threads described by  $S$ .
- $t$  is a single thread.

Table 9.6. PGDBG Wait Behavior

Command	threadwait	procwait	Wait Set
wait	all any none	all	Wait for T
wait	all	any none	Wait for all threads in at least one p in P
wait	any none	any none	Wait for all t in T for at least one p in P
wait all	all any none	all	Wait for T
wait all	all	any none	Wait for all threads of at least one p in P
wait all	any none	any none	Wait for all t in T for at least one p in P
wait any	all	all	Wait for at least one thread for each process p in P
wait any	all any none	any none	Wait for at least one t in T

Command	threadwait	procwait	Wait Set
wait any	any none	all	Wait for at least one thread in T for each process p in P
wait none	all any none	all any none	Wait for no threads

## Status Messages

PGDBG can produce a variety of status messages during a debug session. This feature can be useful in text mode in the absence of the graphical aids provided by the GUI. Use the `pgienv` command to enable or disable the types of status messages produced by setting the `verbose` environment variable to an integer-valued bit mask using `pgienv`:

```
pgienv verbose <bitmask>
```

The values for the bit mask, listed in the following table, control the type of status messages desired.

Table 9.7. PGDBG Status Messages

Value	Type	Information
0x1	Standard	Report status information on current process/thread only. A message is printed when the current thread stops and when threads and processes are created and destroyed. Standard messaging is the default and cannot be disabled.
0x2	Thread	Report status information on all threads of current processes. A message is reported each time a thread stops. If process messaging is also enabled, then a message is reported for each thread across all processes. Otherwise, messages are reported for threads of the current process only.
0x4	Process	Report status information on all processes. A message is reported each time a process stops. If thread messaging is also enabled, then a message is reported for each thread across all processes. Otherwise, messages are reported for the current thread only of each process.
0x8	SMP	Report SMP events. A message is printed when a process enters or exits a parallel region, or when the threads synchronize. The PGDBG OpenMP handler must be enabled.
0x16	Parallel	Report process-parallel events (default).
0x32	Symbolic debug information	Report any errors encountered while processing symbolic debug information (e.g. ELF, DWARF2).

## The PGDBG Command Prompt

The PGDBG command prompt reflects the current debug mode, as described in [“PGDBG Debug Modes,”](#) on page 62.

In serial debug mode, the PGDBG prompt looks like this:

```
pgdbg>
```

In threads-only debug mode, PGDBG displays the current p/t-set in square brackets followed by the ID of the current thread:

```
pgdbg [all] 0>
Current thread is 0
```

In process-only debug mode, PGDBG displays the current p/t-set in square brackets followed by the ID of the current process:

```
pgdbg [all] 0>
Current process is 0
```

In multilevel debug mode, PGDBG displays the current p/t-set in square brackets followed by the ID of the current thread prefixed by the id of its parent process:

```
pgdbg [all] 1.0>
Current thread 1.0
```

The `pgienv promptlen` variable can be set to control the number of characters devoted to printing the current p/t-set at the prompt.

## Parallel Events

This section describes how to use a p/t-set to define an event across multiple threads and processes. Events, such as breakpoints and watchpoints, are user-defined events. User-defined events are thread-level commands, described in [“Thread Level Commands,” on page 70](#).

Breakpoints, by default, are set across all threads of all processes. A prefix p/t-set can be used to set breakpoints on specific processes and threads. For example:

```
i) pgdbg [all] 0> b 15
ii) pgdbg [all] 0> [all] b 15
iii) pgdbg [all] 0> [0.1:3] b 15
```

(i) and (ii) are equivalent. (iii) sets a breakpoint only in threads 1,2,3 of process 0.

By default, all other user events are set for the current thread only. A prefix p/t-set can be used to set user events on specific processes and threads. For example:

```
i) pgdbg [all] 0> watch glob
ii) pgdbg [all] 0> [*] watch glob
```

(i) sets a data breakpoint for `glob` on thread 0 only. (ii) sets a watchpoint for `glob` on all threads that are currently active.

When a process or thread is created, it inherits all of the breakpoints defined for the parent process or thread. All other events must be defined explicitly after the process or thread is created. All processes must be stopped to add, enable, or disable a user event.

Events may contain `if` and `do` clauses. For example:

```
pgdbg [all] 0> [*] break func if (glob!=0) do {set f = 0}
```

The breakpoint fires only if `glob` is non-zero. The `do` clause is executed if the breakpoint fires. The `if` and `do` clauses execute in the context of a single thread. The conditional in the `if` clause and the body of the `do` execute in the context of a single thread, the thread that triggered the event. The conditional definition as above can be restated as follows:

```
[0] if (glob!=0) {[0] set f = 0}
[1] if (glob!=0) {[1] set f = 0}
...
```

When thread 1 hits `func`, `glob` is evaluated in the context of thread 1. If `glob` evaluates to non-zero, `f` is bound in the context of thread 1 and its value is set to 0.

Control commands can be used in `do` clauses, however they only apply to the current thread and are only well defined as the last command in the `do` clause. For example:

```
pgdbg [all] 0> [*] break func if (glob!=0) do {set f = 0; c}
```

If the **wait** command appears in a `do` clause, the current thread is added to the wait set of the current process. For example:

```
pgdbg [all] 0> [*] break func if (glob!=0) do {set f = 0; c; wait}
```

`if` conditionals and `do` bodies cannot be parallelized with prefix `p/t`-sets. For example, the following command is illegal:

```
pgdbg [all] 0> break func if (glob!=0) do {[*] set f = 0} ILLEGAL
```

The body of a `do` statement cannot be parallelized.

## Parallel Statements

This section describes how to use a `p/t`-set to define a statement that executes for multiple threads and processes.

### Parallel Compound/Block Statements

Each command in a compound statement is executed in order. The target `p/t`-set is applied to all statements in a compound statement. The following two examples (i) and (ii) are equivalent:

```
i) pgdbg [all] 0>[*] break main; cont; wait; print f@11@i
ii) pgdbg [all] 0>[*] break main; [*]cont; [*]wait; [*]print f@11@i
```

Use the **wait** command if subsequent commands require threads to be stopped, as the **print** command in the example does.

The `threadwait` and `proctime` environment variables do not affect how commands within a compound statement are processed. These `pgienv` environment variables describe to PGDBG under what conditions (runstate of program) it should accept the next (compound) statement.

### Parallel If, Else Statements

A prefix `p/t`-set can be used to parallelize an `if` statement. An `if` statement executes in the context of the current thread by default. The following example:

```
pgdbg [all] 0> [*] if (i==1) {break func; c; wait} else {sync func2}
```

is equivalent to the following pseudo-code:

```
for the subset of [*] where (i==1)
break func; c; wait; for the subset of [*] where (i!=1) sync func2
```

## Parallel While Statements

A prefix p/t-set can be used to parallelize a while statement. A while statement executes in the context of the current thread by default. The following example:

```
pgdbg [all] 0> [*] while (i<10) {n; wait; print i}
```

is equivalent to the following pseudo-code:

```
loop:
if the subset of [*] is the empty set
goto done
endif
for the subset [s] of [*] where (i<10)
[s]n; [s]wait; [s]print i;
endfor
goto loop
```

The while statement terminates when either the subset of the target p/t-set matching the while condition is the empty set, or a return statement is executed in the body of the while.

## Return Statements

The return statement is defined only in serial context since it cannot return multiple values. When return is used in a parallel statement, it returns the last value evaluated.



# Chapter 10. PGDBG - Parallel Debugging with OpenMP

This chapter provides information on how to use PGDBG to debug OpenMP applications. Before reading this chapter, review the information in [Chapter 9, “PGDBG Parallel Debugging Overview,”](#) on page 61.

## OpenMP and Multi-thread Support

PGDBG provides full control of threads in parallel regions. Commands can be applied to all threads, a single thread, or a group of threads. Thread identification in PGDBG uses the native thread numbering scheme for OpenMP applications; for other types of multi-threaded applications thread numbering is arbitrary. OpenMP PRIVATE data can be accessed accurately for each thread. PGDBG provides understandable status displays regarding per-thread state and location.

Advanced features provide for configurable thread stop modes and wait modes, allowing debugger operation that is concurrent with application execution.

## Multi-Thread and OpenMP Debugging

PGDBG automatically attaches to new threads as they are created during program execution. PGDBG reports when a new thread is created and the thread ID of the new thread is printed.

```
( [1] New Thread )
```

The system ID of the freshly created thread is available through the **threads** command. You can use the **procs** command to display information about the parent process.

PGDBG maintains a conceptual current thread. The current thread is chosen by using the **thread** command when the debugger is operating in text mode (invoked with the **-text** option), or by clicking in the thread grid when the GUI interface is in use (the default). A subset of PGDBG commands known as thread-level commands, when executed, apply only to the current thread. See [“Thread Level Commands,”](#) on page 70, for more information.

The **threads** command lists all threads currently employed by an active program. The **threads** command displays each thread’s unique thread ID, system ID (OS process ID), execution state (running, stopped, signaled, exited, or killed), signal information and reason for stopping, and the current location (if stopped or

signaled). An arrow (=>) indicates the current thread. The process ID of the parent is printed in the top left corner. The **threads** command does not change the current thread.

```
pgdbg [all] 2> thread 3
pgdbg [all] 3> threads
0 ID PID STATE SIGNAL LOCATION
=> 3 18399 Stopped SIGTRAP main line: 31 in "omp.c" address: 0x80490ab
 2 18398 Stopped SIGTRAP main line: 32 in "omp.c" address: 0x80490cf
 1 18397 Stopped SIGTRAP main line: 31 in "omp.c" address: 0x80490ab
 0 18395 Stopped SIGTRAP f line: 5 in "omp.c" address: 0x8048fa0
```

In the GUI, thread state is represented by a color in the process/thread grid.

Table 10.1. Thread State Is Described Using Color

Thread State	Description	Color
Stopped	If all threads are stopped at breakpoints, or were directed to stop by PGDBG	Red
Signaled	If at least one thread is stopped due to delivery of a signal	Blue
Running	If at least one thread is running	Green
Exited or Killed	If all threads have been killed or exited	Black

## Debugging OpenMP Private Data

PGDBG supports debugging of OpenMP private data for all supported languages. When an object is declared private in the context of an OpenMP parallel region, it essentially means that each thread team has its own copy of the object. This capability is shown in the following Fortran and C/C++ examples, where the loop index variable *i* is private by default.

FORTRAN example:

```
program omp_private_data
integer array(8)
call omp_set_num_threads(2)
!$OMP PARALLEL DO
do i=1,8
array(i) = i
enddo
!$OMP END PARALLEL DO
print *, array
end
```

C/C++ example:

```
#include <omp.h>
int main ()
{
int i;
int array[8];
omp_set_num_threads(2);
#pragma omp parallel
{
#pragma omp for
for (i = 0; i < 8; ++i) {
```

```

array[i] = i;
}
}
for (i = 0; i < 8; ++i) {
printf("array[%d] = %d\n",i, array[i]);
}
}

```

Display of OpenMP private data when the above examples are built with a PGI compiler and displayed by PGDBG is as follows:

```

pgdbg [all] 0> [*] print i
[0] print i:
1
[1] print i:
5


```

The example specifies [\*] for the p/t-set to execute the **print** command on all threads. [Table 10.1](#) shows the values for i in the PGDBG GUI using a Custom Window.

### Note

All Threads is selected in the View Selector to display the value on both threads.

Figure 10.1. OpenMP Private Data in PGDBG GUI



### Note

All Threads is selected in the View Selector to display the value on both threads.



# Chapter 11. PGDBG Parallel Debugging with MPI

PGDBG is a parallel application debugger capable of debugging multi-process MPI applications, multi-thread and OpenMP applications, and hybrid multi-thread/multi-process applications that use MPI to communicate between multi-threaded or OpenMP processes. On Windows platforms, only OpenMP/multi-thread debugging is supported. This section gives an overview of how to use PGDBG to debug parallel MPI applications. It provides some important definitions and background information on how PGDBG represents processes and threads.

## MPI and Multi-Process Support

PGDBG supports debugging of multi-process MPI applications, whether running on a single system or distributed on multiple systems. MPI applications can be started under debugger control using the **mpirun** command, or PGDBG can attach to a running, distributed MPI application. In either case all processes are automatically brought under debugger control. Process identification uses the MPI rank within `MPI_COMM_WORLD`.

MPI debugging is supported on Linux and Windows platforms.

## Process Control

PGDBG is capable of debugging parallel-distributed MPI programs and hybrid distributed multi-threaded applications. PGDBG is invoked via `MPIRUN` and automatically attaches to each MPI process as it is created. See [“Multi-Process MPI Debugging,” on page 86](#) to get started.

Here are some things to consider when debugging an MPI program:

- Use p/t-sets to focus on a set of processes. Be mindful of process dependencies.
- For a running process to receive a message, the sending process must be allowed to run.
- Process synchronization points, such as `MPI_Barrier`, do not return until all processes have hit the sync point.

- `MPI_Finalize` acts as an implicit barrier, though on MPICH-1 process 0 returns while Processes 1 through n-1 exit.

You can apply a control command, such as `cont` or `step`, to a stopped process while other processes are running. A control command applied to a running process is applied to the stopped threads of that process and is ignored by its running threads. Those threads held by the OpenMP event handler also ignore the control command in most situations.

PGDBG automatically switches to process wait mode none as soon as it attaches to its first MPI process. See the [`pgienv`](#) command and “Configurable Wait Mode,” on page 72 for details.

Use the `run` command to rerun an MPI program. The `rerun` command is not useful for debugging MPI programs since `MPIRUN` passes arguments to the program that must be included. After MPI debugging is shut down, PGDBG cleans up all of its MPI processes.

## Process Synchronization

Use the PGDBG `sync` command to synchronize a set of processes to a particular point in the program. The following command runs all processes to `MPI_Finalize`:

```
pgdbg [all] 0.0> sync MPI_Finalize
```

The following command runs all threads of process 0 and process 1 to `MPI_Finalize`:

```
pgdbg [all] 0.0> [0:1.*] sync MPI_Finalize
```

A `sync` command only successfully syncs the target processes if the `sync` address is well defined for each member of the target process set, and all process dependencies are satisfied. If these conditions are not met, for example, a member could wait forever for a message. The debugger cannot predict if a text address is in the path of an executing process.

## MPI Message Queues

PGDBG can dump the MPI message queues through the `mqdump` command, described in “Memory Access,” on page 113. In the PGDBG GUI, the message queues can be viewed by selecting the Messages item under the Windows menu. This command can also have a p/t-set prefix to specify a subset of processes and/or threads. When using the GUI, a subwindow is displayed with the message queue output illustrated in [Figure 11.1](#) (the PGDBG text debugger produces the same output). Within the subwindow, you can select which process/threads to display with the View Selector combo box located at the bottom of the subwindow (e.g., Process 1 in [Figure 11.1](#)).

The following error message may display if you invoke `mqdump`:

```
ERROR: MPI Message Queue library not found.
Try setting 'PGDBG_MQS_LIB_OVERRIDE' environment variable
or set via the PGDBG command: pgienv mqslib <path>.
```

If this message is displayed, then the `PGDBG_MQS_LIB_OVERRIDE` environment variable should be set to the absolute path of `libmpich.so` or another shared object that is compatible with the version of MPI being used.

### Note

---


The default path can be overwritten via the `mqslib` variant of the `pgienv` PGDBG command.

---

## Note

mqdump is currently not supported on Windows.

Figure 11.1. Messages Subwindow



## MPI Groups

PGDBG identifies each process by its MPI\_COMM\_WORLD rank. In general, PGDBG currently ignores MPI groups.

## MPI Listener Processes

Entering Control-C (^C) from the PGDBG command line can be used to halt all running processes. This is not the preferred method, however, to use while debugging an MPICH-1 program. Entering ^C at the command line sends a SIGINT signal to the debugger's children. This signal is never received by the MPI processes listed by the **procs** command (i.e., the initial and attached processes); SIGINT is intercepted in each case by PGDBG. However, PGDBG does not attach to the MPI listener processes paired with each MPI process. These listener processes receive a ^C from the command line, which kills these processes and results in undefined program behavior. For this reason, PGDBG automatically switches to process wait mode none (pgienv procwait none) as soon as it attaches to its first MPI process.

Setting 'pgienv procwait none' allows commands to be entered while there are running processes, which allows the use of the **halt** command to stop running processes without the use of ^C.

---

## Note

**halt** cannot interrupt a **wait** command. ^C must be used for this.

In MPI debugging, **wait** should be used with care.

## SSH and RSH

By default, PGDBG uses rsh for communication between remote PGDBG components. PGDBG can also use ssh for secure environments. The environment variable `PGRSH` should be set to `ssh` or `rsh`, to indicate the desired communication method.

If you use SSH as the mechanism for launching the remote components of PGDBG, you may want to do some additional configuration. The default configuration of ssh can result in a password prompt for each remote cluster node on which the debugger runs. You should check with your network administrator to make sure that you comply with your local security policies when configuring ssh. The following set of steps provide one way to configure SSH to eliminate this prompt.

```
$ ssh-keygen -t dsa
$ eval `ssh-agent -s`
$ ssh-add
<make sure that $HOME is not group-writable>
$ cd $HOME/.ssh
$ cp id_dsa.pub authorized_keys
```

Then for each cluster node you use in debugging, use:

```
$ ssh <host>
```

A few things that are important related to this example are these:

- The `ssh-keygen` command prompts for a passphrase. that is used to authenticate to the `ssh-agent` during future sessions. The passphrase can be anything you choose.
- Once you answer the prompts to make the initial connection, subsequent connections should not require further prompting.
- This example uses '`ssh-agent -s`', which is correct for the `sh` or `bash` shells. For `csh` shells, use '`ssh-agent -c`'.

After logging out and logging back in, the `ssh-agent` must be restarted and reauthorized. For example, in a `bash` shell, this is accomplished as follows:

```
$ eval `ssh-agent -s`
$ ssh-add
```

You must enter the passphrase that was initially given to `ssh-add` to authenticate to the `ssh-agent`.

For further information, consult your SSH documentation.

## Multi-Process MPI Debugging

When installed as part of the PGI Cluster Development Kit (CDK) on Linux platforms, PGDBG supports multi-process MPI debugging. The PGI CDK contains versions of MPICH, MPICH2, and MVAPICH pre-configured to support debugging cluster applications with PGDBG. Non-CDK MPI software must be configured to support PGDBG; see <http://www.pgroup.com/support/faq.htm> for more information.



## Invoking PGDBG for MPI Debugging

The command used to start MPI debugging under MPICH-1 using the PGDBG GUI is:

```
% mpirun -np nprocs -dbg=pgdbg executable [ arg1,...argn ]
```

For TEXT mode debugging, be certain that the DISPLAY variable is undefined in the shell that is invoking mpirun. If this variable is set, you can undefine it by using one of the following commands:

For sh/bash users, use this command:

```
$ unset DISPLAY
```

For csh/tcsh users, use this command:

```
% unsetenv DISPLAY
```

To launch and debug an MPICH-2, MVAPICH, MSMPI, or HPMPPI job, use this command:

```
% pgdbg [-text] -mpi[:<launcher>] <mpiexec_args> [ -program_args arg1,...argn ]
```

The default setting for <launcher> in -mpi:<launcher> is mpiexec.

### Note

---

If the path for <launcher> is not part of the PATH environment variable, then you must specify the full path to the <launcher> command.

```
% pgdbg [-text] -mpi:mpiexec] <mpiexec_args> [ -program_args arg1,...argn ]
```

- For HPMPPI, <launcher> is mpirun, so the need to instead specify -mpi:mpirun
- For MVAPICH, <launcher> is mpirun\_rsh, so you specify -mpi:mpirun\_rsh

When debugging an MPI job by invoking PGDBG with the -mpi option, each process is stopped before the first assembly instruction in the program. Continuing execution using step or next is not appropriate.; instead, use the cont command.

Another way to invoke PGDBG for debugging an MPI job applies only to MPICH-2, though this invocation currently does not support TEXT mode:

```
% mpiexec -np nprocs -pgi executable [ arg1,...argn ]
```

### Note

---

You cannot restart an MPI application from within PGDBG. You must exit the debugger and start a new debug session.

Newer versions of the Linux kernel supports a security feature that allows shared objects to be loaded at randomized addresses. Older versions of PGDBG assumed that a shared object loaded by an MPI application would be loaded at the same address for each process of an MPI job; thus incorrect mapping of symbols in shared objects could occur when this mode is enabled.

PGDBG now supports debugging of MPI jobs running on Linux kernels when this address randomization mode is enabled. However, when this mode is enabled, the current implementation of PGDBG does not share

symbol table information associated with shared objects that are loaded by each process of an MPI job, which increases memory usage by PGDBG. Therefore, PGI recommends that this kernel mode be disabled on Linux clusters where PGDBG is used to debug MPI applications.

You can disable randomization mode by executing the following command as root on each node of the clusters:

```
sysctl -w kernel.randomize_va_space=0
```

## Note

---

PGDBG emits a warning whenever it detects that it is being invoked on a multi-process MPI job when this kernel mode is enabled.

## Using PGDBG for MPI Debugging

PGDBG automatically attaches to new MPI processes as they are created by the running MPI application. PGDBG displays an informational message as it attaches to the freshly created processes.

```
([1] New Process)
```

The MPI global rank is printed with the message. You can use the **procs** command to list the host and the PID of each process by rank. The current process is indicated by an arrow (**=>**). You can use the **proc** command to change the current process by process ID.

```
pgdbg [all] 0.0> proc 1; procs
Process 1: Thread 0 Stopped at 0x804a0e2, function main, file MPI.c, line 30
#30: aft=time(&aft);
  ID  IPID  STATE  THREADS  HOST
   0  24765  Stopped  1        local
=> 1  17890  Stopped  1        red2.wil.st.com
```

The execution state of a process is described in terms of the execution state of its component threads. See [Table 10.1, “Thread State Is Described Using Color,” on page 80](#) for a description of how thread state is represented in the GUI.

The PGDBG command prompt displays the current process and the current thread. In the above example, the current process was changed to process 1 by the `proc 1` command and the current thread of process 1 is 0; this is written as `1.0`:

```
pgdbg [all] 1.0>
```

See [“Process and Thread Control,” on page 71](#) for a complete description of the prompt format.

The following rules apply during a PGDBG debug session:

- PGDBG maintains a conceptual current process and current thread.
- Each active process has a thread set of size  $\geq 1$ .
- The current thread is a member of the thread set of the current process.

Certain commands, when executed, apply only to the current process or the current thread. See [“Process Level Commands,” on page 70](#) and [“Thread Level Commands,” on page 70](#) for more information.

A license file distributed with PGDBG restricts the total number of MPI processes that can be debugged. There are internal limits on the number of threads per process that can be debugged.

## Debugging Support for MPICH-1

PGDBG supports redirecting stdin, stdout, and stderr with the following MPICH switches:

Table 11.1. MPICH Support

Command	Output
<code>-stdout &lt;file&gt;</code>	Redirect standard output to <file>
<code>-stdin &lt;file&gt;</code>	Redirect standard input from <file>
<code>-stderr &lt;file&gt;</code>	Redirect standard error to <file>

PGDBG also provides support for the following MPICH switches:

Command	Output
<code>-nolocal</code>	PGDBG runs locally, but no MPI processes run locally
<code>-all-local</code>	PGDBG runs locally, all MPI processes run locally

For information about how to configure an arbitrary installation of MPICH to use PGDBG, see the PGDBG online FAQ at <http://www.pgroup.com/support/faq.htm>.

When PGDBG is invoked via `mpirun` the following PGDBG command-line arguments are not accessible. A workaround is listed for each.

Argument	Workaround
<code>-dbx</code>	Include 'pgienv dbx on' in <code>.pgdbgrc</code> file.
<code>-s startup</code>	Use <code>.pgdbgrc</code> default script file and the script command.
<code>-c "command"</code>	Use <code>.pgdbgrc</code> default script file and the script command.
<code>-text</code>	Clear your <code>DISPLAY</code> environment variable before invoking <code>mpirun</code> .
<code>-t &lt;target&gt;</code>	Add to the beginning of the <code>PATH</code> environment variable a path to the appropriate PGDBG.

## Debugging Support for MPICH-2, MVAPICH, HPMPI, and MSMPI

Rather than debugging an MPI application via `"pgdbg -mpi"`, there may be situations where you may want to run `mpiexec` separately from `pgdbg`, such as when the MPI job expects input from the user or when the user wishes to collect output from multiple MPI jobs. For example, suppose that the user wishes to debug an MPI job that would otherwise be invoked in this manner:

```
% mpiexec -np n executable ...
```

The user can start up `pgdbg` in one command window:

```
% pgdbg -mpi_listen:<port>
```

Then `mpiexec` can be invoked using this command, where `host` is the host name on which the debugger is being invoked and `port` is any free IP port number.

```
% mpiexec -np n <full_path_for_pgserve> -mlup host:<port> executable ...
```

### Tip

---

Choosing a random number for the `port` between 10000 and 40000 almost always works.

Debugging with **`pgdbg -mpi`** invokes each MPI process under PGDBG's debug agent, `pgserv`. Each debug agent needs to communicate job size and process rank information to `pgdbg` on startup, which is determined by inspecting environment variables set for debug agent by the MPI launcher.

If `pgserv` does not recognize which environment variables are being used to communicate size and rank information, then the user sees a message similar to this:

```
pgserv: Could not determine rank, See PGI Tools guide
pgserv: for use with non-standard MPI launchers
```

In this case, the user should invoke `printenv` by the MPI launcher to determine which environment variables are being used to communicate rank and size information. Then the user should set the environment variables `PGDBG_MPI_RANK_ENV` and `PGDBG_MPI_SIZE_ENV` to the associated environment variable names generated by launcher. If the MPI launcher is not using environment variables to communicate size and rank information to MPI processes, then PGDBG cannot be used debug MPI jobs invoked with **`pgdbg -mpi`**.

# Chapter 12. PGDBG Parallel Debugging of Hybrid Applications

PGDBG is a parallel application debugger capable of debugging multi-process MPI applications, multi-thread and OpenMP applications, as well as hybrid multi-thread/multi-process applications that use MPI to communicate between multi-threaded or OpenMP processes. On Windows platforms, only OpenMP/multi-thread debugging is supported. This section concentrates on parallel debugging of hybrid applications.

Multi-threaded and OpenMP applications may be run using more threads than the available number of CPUs, and MPI applications may allocate more than one process to a cluster node. PGDBG supports debugging the supported types of applications regardless of how well the number of threads match the number of CPUs or how well the number of processes match the number of cluster nodes.

## PGDBG Multilevel Debug Mode

As described in “PGDBG Debug Modes,” on page 62, PGDBG can operate in four debug modes. The mode determines a short form for uniquely naming threads and processes. The debug mode is set automatically or by the `pgienv` command.

For multilevel debugging, you use the `pgienv` command to set the debug mode to multilevel.

```
pgienv mode multilevel
```

## Multilevel Debugging

[Linux Only] The name of a thread in multilevel debug mode is the thread ID prefixed with its parent process ID. This forms a unique name for each thread across all processes. This naming scheme is valid in all debug modes. PGDBG changes automatically to multilevel debug mode from process-only debug mode or threads-only debug mode when at least one MPI process creates multiple threads.

Example 12.1. Thread IDs in multilevel debug mode

0.1	Thread 1 of process 0
0.*	All threads of process 0
*	All threads of all processes

In multilevel debug, mode status and error messages are prefixed with process/thread IDs depending on context. Further, in multilevel debug mode, PGDBG displays the current p/t-set in square brackets followed by the ID of the current thread prefixed by the id of its parent process:

```
pgdbg [all] 1.0>  
Current thread 1.0
```

For more information on p/t sets, refer to [“Process/Thread Sets,”](#) on page 64.

# Chapter 13. PGDBG Command Reference

This chapter describes the PGDBG command set in detail, grouping the commands by these categories:

<a href="#">Process Control</a>	<a href="#">Program Locations</a>	<a href="#">Scope</a>	<a href="#">Conversions</a>
<a href="#">Process-Thread Sets</a>	<a href="#">Printing Variables and Expressions</a>	<a href="#">Register Access</a>	<a href="#">Miscellaneous</a>
<a href="#">Events</a>	<a href="#">Symbols and Expressions</a>	<a href="#">Memory Access</a>	

For an alphabetical listing of all the commands, with a brief description of each, refer to “[Command Summary](#),” on page 36 in “*PGDBG Command Summary*”.

## Notation Used in Command Sections

The command sections that follow use these conventions for the command names and arguments, when the command accepts one.

- Command names may be abbreviated by omitting the portion of the command name enclosed in brackets ([]).
- Argument names are italicized.
- Argument names are chosen to indicate what kind of argument is expected.
- Arguments enclosed in brackets([ ]) are optional.
- Two or more arguments separated by a vertical line (|) indicate that any one of the arguments is acceptable.
- An ellipsis (...) indicates an arbitrarily long list of arguments.
- Other punctuation, such as commas and quotes, must be entered as shown.

### Example 13.1. Syntax examples

Example 1:

```
lis[t] [count | lo:hi | routine | line,count]
```

This syntax indicates that the command **list** may be abbreviated to **lis**, and that it can be invoked without any arguments or with *one* of the following: an integer count, a line range, a routine name, or a line and a count.

Example 2:

```
att[ach] pid [exe [host]]
```

This syntax indicates that the command **attach** may be abbreviated to **att**, and, when invoked, must have a process ID argument, *pid*. Optionally you can specify an executable file, *exe*, or both an executable file and a host name, *host*.

## Process Control

The following commands, together with the breakpoints described in the next section, control the execution of the target program. PGDBG lets you easily group and control multiple threads and processes. See [“Basic Process and Thread Naming,” on page 61](#) for more details.

### attach

```
att[ach] pid [exe [host]]
```

Attach to a running process with process ID *pid*. If the process is not running on the local host, then specify the absolute path of the executable file *exe* and the host machine name. For example, `attach 1234` attempts to attach to a running process whose process ID is 1234 on the local host. On a remote host, you may enter something like `attach 1234 /home/demo/a.out myhost`. In this example, PGDBG tries to attach to a process ID 1234 called `/home/demo/a.out` on a host named `myhost`.

PGDBG attempts to infer the arguments of the attached target application. If PGDBG fails to infer the argument list, then the program behavior is undefined if the **run** or **rerun** command is executed on the attached process. This means that **run** and **rerun** should not be used for most attached MPI programs.

The `stdio` channel of the attached process remains at the terminal from which the program was originally invoked.

### cont

```
c[ont]
```

Continue execution from the current location.

### debug

```
de[bug] [target [ arg1 _ argn]]
```

Load the specified target program with optional command-line arguments.

### detach

```
det[ach]
```

Detach from the current running process.

### halt

```
halt [command]
```



Halt the running process or thread.

## next

```
n[ext] [count]
```

Stop after executing one source line in the current routine. This command steps over called routines. The count argument stops execution only after executing count source lines.

## nexti

```
nexti [count]
```

Stop after executing one instruction in the current routine. This command steps over called routines. The count argument stops execution only after executing count instructions.

## proc

```
proc [id]
```

Set the current process to the process identified by id. When issued with no argument, proc lists the location of the current thread of the current process in the current program. For information on how processes are numbered, refer to [“Multi-Process MPI Debugging,” on page 86](#).

## procs

```
procs
```

Print the status of all active processes, listing each process by its logical process ID.

## quit

```
q[uit]
```

Terminate the debugging session.

## rerun

```
rer[un] [arg0  
arg1 ... argn] [< inputfile ] [ [ > | >& | >> | >>& ] outputfile ]
```

The **rerun** command is the same as run except if no args are specified, the previously used target arguments are not re-used.

## run

```
ru[n] [arg0 arg1  
... argn] [< inputfile ] [ [ > | >& | >> | >>& ] outputfile ]
```

Execute program from the beginning. If arguments arg0, arg1, and so on are specified, they are set up as the command-line arguments of the program. Otherwise, the arguments for the previous **run** command are used. Standard input and standard output for the target program can be redirected using < or > and an input or output filename.

## step

```
s[tep] [count | count]
```

Stop after executing one source line. This command steps into called routines. The count argument stops execution after executing count source lines. The up argument stops execution after stepping out of the current routine (see `stepout`).

## stepi

```
stepi [count | up]
```

Stop after executing one instruction. This command steps into called routines. The count argument stops execution after executing count instructions. The up argument stops the execution after stepping out of the current routine (see `stepout`).

## stepout

```
stepo[ut]
```

Stop after returning to the caller of the current routine. This command sets a breakpoint at the current return address, and does a continue. To work correctly, it must be possible to compute the value of the return address. Some routines, particularly terminal (or leaf) routines at higher optimization levels, may not set up a stack frame. Executing `stepout` from such a routine causes the breakpoint to be set in the caller of the most recent routine that set up a stack frame. This command halts execution immediately upon return to the calling routine.

## sync

```
sy[nc] line | func
```

Advance to the specified source location, either the specified line or the first line in the specified function, ignoring any user-defined events.

## synci

```
synci addr | func
```

Advance to the specified address, or to the first address in the specified function, ignoring any user-defined events.

## thread

```
thread [number]
```

Set the current thread to the thread identified by number; where number is a logical thread id in the current process' active thread list. When issued with no argument, `thread` lists the current program location of the currently active thread.

## threads

```
threads
```

Print the status of all active threads. Threads are grouped by process. Each process is listed by its logical process id. Each thread is listed by its logical thread id.

## wait

```
wait [any | all | none]
```

Return the PGDBG prompt only after specific processes or threads stop.

## Process-Thread Sets

The following commands deal with defining and managing process thread sets. See [“Process/Thread Sets,” on page 64](#), for a detailed discussion of process-thread sets.

## defset

```
defset name [p/t-set]
```

Assign a name to a process/thread set. Define a named set. This set can later be referred to by name. A list of named sets is stored by PGDBG.

## focus

```
focus [p/t-set]
```

Set the target process/thread set for commands. Subsequent commands are applied to the members of this set by default.

## undefset

```
undefset [name | -all]
```

Remove a previously defined process/thread set from the list of process/thread sets. The debugger-defined p/t-set [all] cannot be removed.

## viewset

```
viewset [name]
```

List the active members of the named process/thread set. If no process/thread set is given, list the active members of all defined process/thread sets.

## whichsets

```
whichsets [p/t-set]
```

List all defined p/t-sets to which the members of a process/thread set belong. If no process/thread set is specified, the target process/thread set is used.

## Events

The following commands deal with defining and managing events. See [“Parallel Events,” on page 76](#), for a general discussion of events and the optional arguments.

## break

```
b[reak]
b[reak] line [if condition] [do {commands}]
```

```
b[reak] routine [if(condition)] [do {commands}]
```

When no arguments are specified, the **break** command prints the current breakpoints. Otherwise, set a breakpoint at the indicated line or routine. If a routine is specified, and the routine was compiled for debugging, then the breakpoint is set at the start of the first statement in the routine (after the routine's prologue code). If the routine was not compiled for debugging, then the breakpoint is set at the first instruction of the routine, prior to any prologue code. This command interprets integer constants as line numbers. To set a breakpoint at an address, use the **addr** command to convert the constant to an address, or use the **breaki** command.

When a condition is specified with **if**, the breakpoint occurs only when the specified condition is true. If **do** is specified with a command or several commands as an argument, the command or commands are executed when the breakpoint occurs.

The following table provides examples of using **break** to set breakpoints at various locations.

This break command...	Sets breakpoints...
<code>break 37</code>	at line 37 in the current file
<code>break "xyz.c"@37</code>	at line 37 in the file <code>xyz.c</code>
<code>break main</code>	at the first executable line of routine <code>main</code>
<code>break {addr 0xf0400608}</code>	at address <code>0xf0400608</code>
<code>break {line}</code>	at the current line
<code>break {pc}</code>	at the current address,

The following more sophisticated command stops when routine `xyz` is entered only if the argument `n` is greater than 10.

```
break xyz if(xyz@n > 10)
```

The next command prints the value of `n` and performs a stack trace every time line 100 in the current file is reached.

```
break 100 do {print n; stack}
```

## breaki

```
breaki
breaki routine [if (condition)] [do {commands}]
breaki addr [if (condition)] [do {commands}]
```

When no arguments are specified, the **breaki** command prints the current breakpoints. Otherwise, this command sets a breakpoint at the indicated address or routine.

- If a routine is specified, the breakpoint is set at the first address of the routine. This means that when the program stops at this breakpoint the prologue code which sets up the stack frame will not yet have been executed, so values of stack arguments may not yet be correct.
- Integer constants are interpreted as addresses.
- To specify a line, use the **line** command to convert the constant to a line number, or use the **break** command.

- The `if` and `do` arguments are interpreted in the same way as for the **break** command. T

The following table provides examples of setting breakpoints using **breaki**.

This break command...	Sets breakpoints...
<code>breaki 0xf0400608</code>	at address <code>0xf0400608</code>
<code>breaki {line 37}</code>	at line 37 in the current file
<code>breaki "xyz.c"@37</code>	at line 37 in the file <code>xyz.c</code>
<code>breaki main</code>	at the first executable address of routine <code>main</code>
<code>breaki {line}</code>	at the current line
<code>breaki {pc}</code>	at the current address,

In the following slightly more complex example, when `n` is greater than 3, the following command stops and prints the new value of `n` at address `0x6480`:

```
breaki 0x6480 if(n>3) do {print "n=", n}
```

## breaks

```
breaks
```

Display all the existing breakpoints.

## catch

```
catch [sig:sig] [sig [, sig...]]
```

When no arguments are specified, the **catch** command prints the list of signals being caught. With the `sig:sig` argument, this command catches the specified range of signals. With a list, catch signals with the specified number(s). When signals are caught, PGDBG intercepts the signal and does not deliver it to the target application. The target runs as though the signal was never sent.

## clear

```
clear [ all | routine | line | {addr addr} ]
```

Clear breakpoints. With `all` argument, clear all breakpoints. With a `routine` argument, clear all breakpoints from the first statement in the specified routine, `routine`. With a `line` number argument, clear all breakpoints from the specified line number in the current source file. With an address argument, clear breakpoints from the specified address `addr`.

When no arguments are specified, the **clear** command clears all breakpoints at the current location.

## delete

```
del[ete] [event-number | 0 | all | event-number [, event-number... ] ]
```

Delete the event `event-number` or all events. **delete 0** is the same as **delete all**. To specify multiple event numbers, separate the even numbers by commas.

When no arguments are given, the delete command lists all defined events by event number.

## disable

```
disab[le] [event-number | all ]
```

When no arguments are specified, the **disable** command prints both enabled and disabled events.

With arguments, this command disables the event `event-number` or all events. Disabling an event definition suppresses actions associated with the event, but leaves the event defined so that it can be used later.

## do

```
do {commands} [if (condition)]
do {commands} at line [if (condition)]
do {commands} in routine [if (condition)]
```

Define a `do` event. This command is similar to **watch** except that instead of defining an expression, it defines a list of commands to be executed. Without the optional arguments `at` or `in`, the commands are executed at each line in the program. The `at` argument with a line specifies the commands to be executed each time that line is reached. The `in` argument with a routine specifies the commands are executed at each line in the routine. The `if` option has the same meaning as in **watch**. If a condition is specified, the **do** commands are executed only when the condition is true.

## doi

```
doi {commands} [if (condition)]
doi {commands} at addr [if (condition)]
doi {commands} in routine [if (condition)]
```

Define a `doi` event. This command is similar to **watchi** except that instead of defining an expression, it defines a list of commands to be executed. If an address (`addr`) is specified, then the commands are executed each time that the specified address is reached. If a routine (`routine`) is specified, then the commands are executed at each instruction in the routine. If neither an address nor a routine is specified, then the commands are executed at each instruction in the program. The `if` option has the same meaning as for the **do** command, described in the previous section.

## enable

```
enab[le] [event-number | all ]
```

When no arguments are specified, the **enable** command prints both enabled and disabled events.

With arguments, this command enables the event `event-number` or all events.

## hwatch

```
hwatch addr | var [if (condition)] [do {commands}]
```

Define a hardware watchpoint. This command uses hardware support to create a watchpoint for a particular address or variable. The event is triggered by hardware when the byte at the given address is written. This command is only supported on systems that provide the necessary hardware and software support.

### Note

---

Only one hardware watchpoint can be defined at a time.

When the `if` option is specified, the event action is only triggered if the expression is true. When the `do` option is specified, then the commands are executed when the event occurs.

## hwatchread

```
hwatchr[ead] addr | var [if (condition)] [do {commands}]
```

Define a hardware read watchpoint. This event is triggered by hardware when the byte at the given address or variable is read. As with **hwatch**, system hardware and software support must exist for this command to be supported. The `if` and `do` options have the same meaning as for the **hwatch** command.

## hwatchboth

```
hwatchb[oth] addr | var [if (condition)] [do {commands}]
```

Define a hardware read/write watchpoint. This event is triggered by hardware when the byte at the given address or variable is either read or written. As with `hwatch`, system hardware and software support must exist for this command to be supported. The `if` and `do` options have the same meaning as for the **hwatch** command.

## ignore

```
ignore [sig:sig] [sig [, sig...]]
```

When no arguments are specified, the **ignore** command prints the list of signals being ignored. With the `sig:sig` argument this command ignores the specified range of signals. With a list of signals the command ignores signals with the specified number.

When a particular signal number is ignored, signals with that number sent to the target application are not intercepted by PGDBG; rather, the signals are delivered to the target.

For information on intercepting signals, refer to [“catch,” on page 99](#).

## status

```
stat[us]
```

Display all the event definitions, including an event number by which the event can be identified.

## stop

```
stop var
stop at line [if (condition)] [do {commands}]
stop in routine [if (condition)] [do {commands}]
stop if (condition)
```

Break when the value of the indicated variable `var` changes. Set a breakpoint at the indicated routine or line. The `at` keyword and a number specifies a line number. The `in` keyword and a routine name specifies the first statement of the specified routine. With the `if` keyword, the debugger stops when the condition is true.

## stopi

```
stopi var
stopi at address [if (condition)] [do {commands}]
stopi in routine [if (condition)] [do {commands}]
stopi if (condition)
```

Break when the value of the indicated variable *var* changes. Set a breakpoint at the indicated address or routine. The *at* keyword and a number specifies an address at which to stop. The *in* keyword and a routine name specifies the first address of the specified routine at which to stop. With the *if* keyword, the debugger stops when condition is true.

## trace

```
trace var [if (condition)][do {commands}]
trace routine [if (condition)][do {commands}]
trace at line [if (condition)][do {commands}]
trace in routine [if (condition)][do {commands}]
```

With the *var* argument, activate source line tracing when *var* changes. When a routine is specified, activate source line tracing and trace when in subprogram routine. With the *at* keyword, activate source line tracing to display the specified line each time it is executed. With *in*, activate source line tracing when in the specified routine. If *condition* is specified, trace is on only if the condition evaluates to true. The *do* keyword defines a list of commands to execute at each trace point. Use the command `pgienv speed secs` to set the time in seconds between trace points. Use the **clear** command to remove tracing for a line or routine.

## tracei

```
tracei var [if (condition)][do {commands}]
tracei routine [if (condition)][do {commands}]
tracei at addr [if (condition)][do {commands}]
tracei in routine [if (condition)][do {commands}]
```

With the *var* argument, activate instruction tracing when *var* changes. When a routine is specified, activate instruction tracing and trace when in subprogram routine. With the *at* keyword, activate instruction tracing to display the specified line each time it is executed. With *in*, activate instruction tracing when in the specified routine. If *condition* is specified, trace is on only if the condition evaluates to true. The *do* keyword defines a list of commands to execute at each trace point.

Use the command `pgienv speed secs` to set the time in seconds between trace points. Use the `clear` command to remove tracing for a line or routine.

## track

```
track expression [at line | in func] [if (condition)][do {commands}]
```

Define a track event. This command is equivalent to `watch` except that execution resumes after the new value of the expression is printed.

## tracki

```
tracki expression [at addr | in func] [if (condition)][do {commands}]
```

Define an assembly-level track event. This command is equivalent to `watchi` except that execution resumes after the new value of the expression is printed.

## unbreak

```
unb[reak] line | routine | all
```

Remove a breakpoint from the statement line, the routine *routine*, or remove all breakpoints.



## unbreaki

```
unbreaki addr | routine | all
```

Remove a breakpoint from the address `addr`, the routine `routine`, or remove all breakpoints.

## watch

```
wa[tch] expression
wa[tch] expression [if (condition)][do {commands}]
wa[tch] expression at line [if (condition)][do {commands}]
wa[tch] expression in routine [if (condition)][do {commands}]
```

Define a watch event. The given expression is evaluated, and subsequently, each time the value of the expression changes, the program stops and the new value is printed. If a particular line is specified, the expression is only evaluated at that line. If a routine `routine` is specified, the expression is evaluated at each line in the routine. If no location is specified, the expression is evaluated at each line in the program. If a condition is specified, the expression is evaluated only when the condition is true. If `commands` are specified, they are executed whenever the expression is evaluated and the value changes.

The watched expression may contain local variables, although this is not recommended unless a routine or address is specified to ensure that the variable is only evaluated when it is in the current scope.

### NOTE

---

Using watchpoints indiscriminately can dramatically slow program execution.

Using the `at` and `in` options speeds up execution by reducing the amount of single-stepping and expression evaluation that must be performed to watch the expression. For example:

```
watch i at 40
```

barely slows program execution at all, while

```
watch i
```

slows execution considerably.

## watchi

```
watchi expression
watchi expression [if (condition)][do {commands}]
watchi expression at addr [if (condition)][do {commands}]
watchi expression in routine [if (condition)][do {commands}]
```

Define an assembly-level watch event. This is just like the **watch** command except that the `at` option interprets integers as addresses rather than line numbers and the `expression` is evaluated at every instruction rather than at every line.

This command is useful if line number information is limited (i.e. code not compiled `-g` or assembly code). It causes programs to execute more slowly than `watch`.

## when

```
when do {commands} [if (condition)]
when at line do {commands} [if (condition)]
```

```
when in routine do {commands} [if (condition)]
```

Execute *commands* at every line in the program, at a specified line in the program or in the specified routine. If the optional condition is specified, *commands* are executed only when the expression evaluates to true.

### wheni

```
wheni do {commands} [if (condition)]  
wheni at addr do {commands} [if (condition)]  
wheni in routine do {commands} [if (condition)]
```

Execute *commands* at each address in the program. If an *addr* is specified, the commands are executed each time the address is reached. If a routine is specified, the commands are executed at each line in the routine. If the optional *condition* is specified, commands are executed whenever the expression is evaluated true.

Events can be parallelized across multiple threads of execution. See [“Parallel Events,” on page 76](#), for details.

## Program Locations

This section describes PGDBG program location commands.

### arrive

```
arri[ve]
```

Print location information for the current location.

### cd

```
cd [dir]
```

Change to the \$HOME directory or to the specified directory *dir*.

### disasm

```
dis[asm] [ count | lo:hi | routine | addr, count ]
```

Disassemble memory.

If no argument is given, disassemble four instructions starting at the current address. If an integer count is given, disassemble count instructions starting at the current address. If an address range (lo:hi) is given, disassemble the memory in the range. If a routine name is given, disassemble the entire routine. If the routine was compiled for debugging (-g), and source code is available, the source code is interleaved with the disassembly. If an address and a count are given, disassemble count instructions starting at address *addr*.

### edit

```
edit  
edit filename  
edit routine
```

Edit a file.

If no argument is supplied, edit the current file starting at the current location. With a filename argument, edit the specified file *filename*. With the func argument, edit the file containing routine *routine*.

This command uses the editor specified by the environment variable `$EDITOR`.

In the PGDBG GUI, command-line editors like *vi* are launched in the Program I/O Window. On Windows platforms, arguments to the editor may need to be quoted to account for spaces in pathnames.

## file

```
file [filename]
```

Change the source file to the file filename and change the scope accordingly. With no argument, print the current file.

## lines

```
lines routine
```

Print the lines table for the specified routine.

## list

```
lis[t] [ count | line,num | lo:hi | routine[,num] ]
```

Lists source code.

With no argument, list 10 lines centered at the current source line. If a count is given, list count lines centered at the current source line. If a line and count are given, list number lines starting at line number line. In dbx mode, this option lists lines from start to number. If a line range is given, list the indicated source lines in the current source file (this option is not valid in the dbx environment). If a routine name is given, list the source code for the indicated routine. If a number is specified with routine, list the first num lines of the source code for the indicated routine.

## pwd

```
pwd
```

Print the current working directory.

## stacktrace

```
stack[trace] [count]
```

Print a stacktrace. For each active routine print the routine name, source file, line number, current address (if that information is available). This command also prints the names and values of the arguments, if available. If a count is specified, display a maximum of count stack frames.

## stackdump

```
stackd[ump] [count]
```

Print a formatted dump of the stack. This command displays a hex dump of the stack frame for each active routine. This command is an assembly-level version of the stacktrace command. If a count is specified, display a maximum of count stack frames.

## where

```
w[here] [count]
```

Print a stacktrace. For each active routine print the routine name, source file, line number, current address (if that information is available). This command also prints the names and values of the arguments, if available. If a count is specified, display a maximum of count stack frames.

### / (search forward)

```
/ [string] [/]
```

Search forward for a string (*string*) of characters in the current source file. With just /, search for the next occurrence of string in the current source file.

### ? (search backward)

```
?[string] [?]
```

Search backward for a string (*string*) of characters in the current source file. With just ?, search for the previous occurrence of string in the current source file.

## Printing Variables and Expressions

This section describes PGDBG commands used for printing and setting variables. The primary print commands are `print` and `printf`, described at the beginning of this section. The remainder of the commands are alternate commands that provide similar functionality to the `print` and `printf` commands.

### print

```
p[rint] exp1 [...expn]
```

Evaluate and print one or more expressions. This command is invoked to print the result of each line of command input. Values are printed in a format appropriate to their type. For values of structure type, each field name and value is printed. Character pointers are printed as a hex address followed by the character string.

Character string constants print out literally using a comma-separated list. For example:

```
pgdbg> print "The value of i is ", i
```

Prints this:

```
"The value of i is", 37
```

The array sub-range operator `:` prints a range of an array. The following examples print elements 0 through 9 of the array `a`:

C/C++ example 1:

```
pgdbg> print a[0:9]
a[0:4]: 0 1 2 3 4
a[5:9]: 5 6 7 8 9
```

FORTRAN example 1:

```
pgdbg> print a(0:9)
a(0:4): 0 1 2 3 4
a(5:9): 5 6 7 8 9
```

Note that the output is formatted and annotated with index information. PGDBG formats array output into columns. For each row, the first column prints an index expression which summarizes the elements printed in that row. Elements associated with each index expression are then printed in order. This is especially useful when printing slices of large multidimensional arrays.

PGDBG also supports strided array expressions. Below are examples for C/C++ and FORTRAN.

C/C++ example 2:

```
pgdbg> print a[0:9:2]
a[0:8] 0 2 4 6 8
```

FORTRAN example 2:

```
pgdbg> print a(0:9:2)
a(0:8): 0 2 4 6 8
```

The print statement may be used to display members of derived types in FORTRAN or structures in C/C++. Below are examples.

C/C++ example 3:

```
typedef struct tt {
  int a[10];
}TT;
TT d = {0,1,2,3,4,5,6,7,8,9};
TT * p = &d;
```

```
pgdbg> print d.a[0:9:2]
d.a[0:8:2]: 0 2 4 6 8
```

```
pgdbg> print p->a[0:9:2]
p->a[0:7:2]: 0 2 4 6
p->a[8]: 8
```

FORTRAN example 3:

```
type tt
integer, dimension(0:9) :: a
end type
type (tt) :: d
data d%a / 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 /
```

```
pgdbg> print d%a(0:9:2)
d%a(0:8:2): 0 2 4 6 8
```

## printf

```
printf "format_string", expr,...expr
```

Print expressions in the format indicated by the format string. Behaves like the C library function printf. For example:

```
pgdbg> printf "f[%d]=%G",i,f[i]
f[3]=3.14
```

The **pgienv** command with the **stringlen** argument sets the maximum number of characters that print with a **print** command. For example, the char declaration below:

```
char *c="a whole bunch of chars over 1000 chars long...";
```

By default, the **print c** command only prints the first 512 (or stringlen) bytes. Printing of C strings is usually terminated by the terminating null character. This limit is a safeguard against unterminated C strings.

## ascii

```
asc[ii] exp [,...exp]
```

Evaluate and print as an ascii character. Control characters are prefixed with the '^' character; for example, 3 prints as ^c. Otherwise, values that cannot be printed as characters are printed as integer values prefixed by '\'. For example, 250 prints as \250.

## bin

```
bin exp [,...exp]
```

Evaluate and print the expressions. Integer values are printed in binary.

## dec

```
dec exp [,...exp]
```

Evaluate and print the expressions. Integer values are printed in decimal.

## display

```
display [ exp [,...exp] ]
```

Without arguments, list the expressions for PGDBG to automatically display at breakpoints. With an argument or several arguments, print expression *exp* at every breakpoint. For more information, refer to the **undisplay** command.

## hex

```
hex exp [,...exp]
```

Evaluate and print expressions as hexadecimal integers.

## oct

```
oct exp [,...exp]
```

Evaluate and print expressions as octal integers.

## string

```
str[ing] exp [,...exp]
```

Evaluate and print expressions as null-terminated character strings. This command prints a maximum of 70 characters.

## undisplay

```
undisplay 0 | all | exp [,...exp]
```

Remove all expressions specified by previous display commands. With an argument or several arguments, remove the expression *exp* from the list of display expressions.

## Symbols and Expressions

This section describes the commands that deal with symbols and expressions.

### assign

```
as[sign] var = exp
```

Set variable `var` to the value of the expression `exp`. The variable `var` can be any valid identifier accessed properly for the current scope. For example, given a C variable declared `'int * i'`, you can use the following command to assign the value 9999 to it.

```
as *i = 9999
```

### call

```
call routine [(exp,...)]
```

Call the named routine. C argument passing conventions are used. Breakpoints encountered during execution of the routine are ignored. Fortran functions and subroutines can be called, but the argument values are passed according to C conventions. PGDBG may not always be able to access the return value of a Fortran function if the return value is an array. In the example below, PGDBG calls the routine `foo` with four arguments:

```
pgdbg> call foo(1,2,3,4)
```

If a signal is caught during execution of the called routine, PGDBG stops the execution and asks if you want to cancel the **call** command. For example, suppose a command is issued to call `foo` as shown above, and for some reason a signal is sent to the process while it is executing the call to `foo`. In this case, PGDBG prints the following prompt:

```
PGDBG Message: Thread [0] was signalled while executing a function
reachable from the most recent PGDBG command line call to foo. Would you
like to cancel this command line call? Answering yes will revert the register
state of Thread [0] back to the state it had prior to the last call to foo
from the command line. Answering no will leave Thread [0] stopped in the call
to foo from the command line.
Please enter 'y' or 'n' > y
Command line call to foo cancelled
```

Answering yes to this question returns the register state of each thread back to the state they had before invoking the **call** command. Answering no to this question leaves each thread at the point they were at when the signal occurred.

#### Note

Answering no to this question and continuing execution of the called routine may produce unpredictable results.

### declaration

```
decl[aration] name
```

Print the declaration for the symbol based on its type according to symbol table. The symbol must be a variable, argument, enumeration constant, routine, a structure, union, enum, or typedef tag.

For example, given the C declarations:

```
int i, iar[10];
struct abc {int a; char b[4]; struct
abc *c;}val;
```

the `decl` command provides the following output:

```
pgdbg> decl I
int i
pgdbg> decl iar
int iar[10]
pgdbg> decl val
struct abc val
```

```
pgdbg> decl abc
struct abc {
  int a;
  char b[4];
  struct abc *c;
};
```

## entry

```
entr[y] [routine]
```

Return the address of the first executable statement in the program or specified routine. This is the first address after the routine's prologue code.

## lval

```
lv[al] expr
```

Return the lvalue of the expression `expr`. The lvalue of an expression is the value it would have if it appeared on the left hand of an assignment statement. Roughly speaking, an lvalue is a location to which a value can be assigned. This may be an address, a stack offset, or a register.

## rval

```
rv[al] expr
```

Return the rvalue of the expression `expr`. The rvalue of an expression is the value it would have if it appeared on the right hand of an assignment statement. The type of the expression may be any scalar, pointer, structure, or function type.

## set

```
set var=expression
```

Set variable `var` to the value of expression. The variable `var` can be any valid identifier accessed properly for the current scope. For example, given a C variable declared `'int *i'`, the command `'set *i = 9999'` could be used to assign the value 9999 to it.

## sizeof

```
siz[eof] name
```

Return the size, in bytes, of the variable type `name`. If `name` refers to a routine, `sizeof` returns the size in bytes of the subprogram.



## type

```
type expr
```

Return the type of the expression. The expression may contain structure reference operators ( . , and -> ), dereference (\*), and array index ( [ ] ) expressions. For example, given the C declarations:

```
int i, iar[10];
struct abc {int a; char b[4];
struct abc *c;}val;
```

the **type** command provides the following output:

```
pgdbg> type i
int
pgdbg> type iar
int [10]
pgdbg> type val
struct abc
pgdbg> type val.a
int
```

```
pgdbg> type val.abc->b[2]
char
```

```
pgdbg> whatis
whatis name
```

With no arguments, print the declaration for the current routine. With argument name, print the declaration for the symbol name.

## Scope

The following commands deal with program scope. See “[Scope](#)”, for a discussion of scope meaning and conventions.

### decls

```
decls [routine | "sourcefile" | {global} ]
```

Print the declarations of all identifiers defined in the indicated scope. If no scope is given, print the declarations for the current search scope.

### down

```
down [number]
```

Enter scope of routine down one level or number levels on the call stack.

### enter

```
en[ter] [routine | "sourcefile" | {global} ]
```

Set the search scope to be the indicated symbol, which may be a routine, source file or global. Using enter with no argument is the same as using enter global.

### files

```
files
```

Return the list of known source files used to create the executable file.

### global

```
glob[al]
```

Return a symbol representing global scope. This command is useful in combination with the scope operator @ to specify symbols with global scope.

### names

```
names [routine | "sourcefile" | {global} ]
```

Print the names of all identifiers defined in the indicated scope. If no scope is specified, use the search scope.

### scope

```
sco[pe]
```

Return a symbol for the search scope. The search scope is set to the current routine each time program execution stops. It may also be set using the **enter** command. The search scope is always searched first for symbols.

### up

```
up [number]
```

Enter scope of routine up one level or number levels on the call stack.

### whereis

```
whereis name
```

Print all declarations for name.

### which

```
which name
```

Print full scope qualification of symbol name.

## Register Access

System registers can be accessed by name. See [“Register Symbols,” on page 49](#), for the complete set of registers and how to refer to them in PGDBG. A few commands exist for convenient access to common registers.

### fp

```
fp
```

Return the current value of the frame pointer.

### pc

```
pc
```

Return the current program address.

## regs

```
regs [format]
```

Print a formatted display of the names and values of the integer, float, and double registers. If the format parameter is omitted, then PGDBG prints all of the registers. Otherwise, regs accepts the following optional parameters:

f

Print floats as single precision values (default)

d

Print floats as double precision values

x

Add hexadecimal representation of float values

## retaddr

```
ret[addr]
```

Return the current return address.

## sp

```
sp
```

Return the current value of the stack pointer.

## Memory Access

The following commands display the contents of arbitrary memory locations. Note that for each of these commands, the `addr` argument may be a variable or identifier.

### cread

```
cr[ead]addr
```

Fetch and return an 8-bit signed integer (character) from the specified address.

### dread

```
dr[ead]addr
```

Fetch and return a 64 bit double from the specified address.

### dump

```
du[mp] address, count, "format-string"
```

This command dumps the contents of a region of memory. The output is formatted according to a printf-like format descriptor. Starting at the indicated address, values are fetched from memory and displayed according to the format descriptor. This process is repeated count times.

Interpretation of the format descriptor is similar to printf. Format specifiers are preceded by %.

The meaning of the recognized format descriptors is as follows:

```
%d, %D, %o, %O, %x, %X, %u, %U
```

Fetch and print integral values as decimal, octal, hex, or unsigned. Default size is machine dependent. The size of the item read can be modified by either inserting 'h', or 'l' before the format character to indicate half word or long word. For example, if your machine's default size is 32-bit, then %hd represents a 16-bit quantity. Alternatively, a 1, 2, or 4 after the format character can be used to specify the number of bytes to read.

```
%c
```

Fetch and print a character.

```
%f, %F, %e, %E, %g, %G
```

Fetch and print a float (lower case) or double (upper case) value using printf f, e, or g format.

```
%s
```

Fetch and print a null terminated string.

```
%p<format-chars>
```

Interpret the next object as a pointer to an item specified by the following format characters. The pointed-to item is fetched and displayed. Examples:

```
%px
```

Pointer to int. Prints the address of the pointer, the value of the pointer, and the contents of the pointed-to address, which is printed using hexadecimal format.

```
%i
```

Fetch an instruction and disassemble it.

```
%w, %W
```

Display address about to be dumped.

```
%z<n>, %Z<n>, %z<-n>, %Z<-n>
```

Display nothing but advance or decrement current address by n bytes.

```
%a<n>, %A<n>
```

Display nothing but advance current address as needed to align modulo n.

## fread

```
fr[ead]addr
```

Fetch and print a 32-bit float from the specified address.

## iread

```
ir[ead] addr
```

Fetch and print a signed integer from the specified address.

## lread

```
lr[ead] addr
```

Fetch and print an address from the specified address.

## mqdump

```
mq[ dump ]
```

Dump MPI message queue information for the current process. For more information on mqdump, refer to [“MPI Message Queues,” on page 84](#).

## sread

```
sr[ead]addr
```

Fetch and print a short signed integer from the specified address.

## Conversions

The commands in this section are useful for converting between different kinds of values. These commands accept a variety of arguments, and return a value of a particular kind.

### addr

```
ad[dr] [n | {line n} | routine | var | arg ]
```

Create an address conversion under these conditions:

- If an integer is given return an address with the same value.
- If a line is given, return the address corresponding to the start of that line.
- If a routine is given, return the first address of the routine.
- If a variable or argument is given, return the address where that variable or argument is stored.

For example,

```
breaki {line {addr 0x22f0}}
```

### function

```
func[ti]on [ [addr...] | [line...] ]
```

Return a routine symbol. If no argument is specified, return the current routine. If an address is given, return the routine containing addr. An integer argument is interpreted as an address. If a line is specified, return the routine containing that line.

### line

```
lin[e] [ n | routine | addr ]
```

Create a source line conversion. If no argument is given, return the current source line. If an integer n is given, return it as a line number. If a routine is given, return the first line of the routine. If an address addr is given, return the line containing that address.

For example, the following command returns the line number of the specified address:

```
line {addr 0x22f0}
```

## Miscellaneous

The following commands provide shortcuts, mechanisms for querying, customizing and managing the PGDBG environment, and access to operating system features.

### alias

```
al[ias] [ name [string] ]
```

Create or print aliases.

- If no arguments are given print all the currently defined aliases.
- If just a name is given, print the alias for that name.
- If both a name and string are given, make name an alias for string. Subsequently, whenever name is encountered it is replaced by string.

Although string may be an arbitrary string, name must not contain any space characters.

For example, the following statement creates an alias for xyz.

```
alias xyz print "x= ",x,"y= ",y,"z= ",z;
cont
```

Now whenever xyz is typed, PGDBG responds as though the following command was typed:

```
print "x= ",x,"y= ",y,"z= ",z;
cont
```

### directory

```
dir[ectory] [pathname]
```

Add the directory pathname to the search path for source files.

If no argument is specified, the currently defined directories are printed. This command assists in finding source code that may have been moved or is otherwise not found by the default PGDBG search mechanisms.

For example, the following statement adds the directory `morestuff` to the list of directories to be searched.

```
dir morestuff
```

Now, source files stored in `morestuff` are accessible to PGDBG.

If the first character in pathname is `~`, then `$HOME` replaces that character.

### help

```
help [command]
```

If no argument is specified, print a brief summary of all the commands. If a command name is specified, print more detailed information about the use of that command.

## history

```
history [num]
```

List the most recently executed commands. With the num argument, resize the history list to hold num commands.

History allows several characters for command substitution:

!! [modifier]	Execute the previous command
! num [modifier]	Execute command number num
!-num [modifier]	Execute command -num from the most current command
!string [modifier]	Execute the most recent command starting with string
!?string? [modifier]	Execute the most recent command containing string
^	Quick history command substitution ^old^new^<modifier> this is equivalent to !:s/old/new/

The history modifiers may be:

```
:s/old/new/
```

Substitute the value new for the value old.

```
:P
```

Print but do not execute the command.

The command `pgienv history off` tells the debugger not to display the history record number. The command `pgienv history on` tells the debugger to display the history record number.

## language

```
language
```

Print the name of the language of the current file.

## log

```
log filename
```

Keep a log of all commands entered by the user and store it in the named file. This command may be used in conjunction with the `script` command to record and replay debug sessions.

## noprint

```
noprint exp
```

Evaluate the expression but do not print the result.

## pgienv

```
pgienv [command]
```

Define the debugger environment. With no arguments, display the debugger settings.

Table 13.1. pgienv Commands

Use this command...	To do this...
help pgienv	Provide help on pgienv
pgienv	Display the debugger settings
pgienv dbx on	Set the debugger to use dbx style commands
pgienv dbx off	Set the debugger to use pgi style commands
pgienv history on	Display the `history' record number with prompt
pgienv history off	Do NOT display the `history' number with prompt
pgienv exe none	Ignore executable's symbolic debug information
pgienv exe symtab	Digest executable's native symbol table (typeless)
pgienv exe demand	Digest executable's symbolic debug information incrementally on command
pgienv exe force	Digest executable's symbolic debug information when executable is loaded
pgienv solibs none	Ignore symbolic debug information from shared libraries
pgienv solibs symtab	Digest native symbol table (typeless) from each shared library
pgienv solibs demand	Digest symbolic debug information from shared libraries incrementally on demand
pgienv solibs force	Digest symbolic debug information from each shared library at load time
pgienv mode serial	Single thread of execution (implicit use of p/t-sets)
pgienv mode thread	Debug multiple threads (condensed p/t-set syntax)
pgienv mode process	Debug multiple processes (condensed p/t-set syntax)
pgienv mode multilevel	Debug multiple processes and multiple threads
pgienv omp [on/off]	Enable/Disable the PGDBG OpenMP event handler. This option is disabled by default. The PGDBG OpenMP event handler, when enabled, sets breakpoints at the beginning and end of each parallel region. Breakpoints are also set at each thread synchronization point. The handler coordinates threads across parallel constructs to maintain source level debugging. This option, when enabled, may significantly slow down program performance. Enabling this option is recommended for localized debugging of a particular parallel region only.
pgienv prompt <name>	Set the command-line prompt to <name>
pgienv promptlen <num>	Set maximum size of p/t-set portion of prompt
pgienv speed <secs>	Set the time in seconds <secs> between trace points



Use this command...	To do this...
<code>pgienv stringlen &lt;num&gt;</code>	Set the maximum # of chars printed for `char *`s
<code>pgienv termwidth &lt;num&gt;</code>	Set the character width of the display terminal.
<code>pgienv logfile &lt;name&gt;</code>	Close logfile (if any) and open new logfile <name>
<code>pgienv threadstop sync</code>	When one thread stops, the rest are halted in place
<code>pgienv threadstop async</code>	Threads stop independently (asynchronously)
<code>pgienv procstop sync</code>	When one process stops, the rest are halted in place
<code>pgienv procstop async</code>	Processes stop independently (asynchronously)
<code>pgienv threadstopconfig auto</code>	For each process, debugger sets thread stopping mode to 'sync' in serial regions, and 'async' in parallel regions
<code>pgienv threadstopconfig user</code>	Thread stopping mode is user defined and remains unchanged by the debugger.
<code>pgienv procstopconfig auto</code>	Not currently used.
<code>pgienv procstopconfig user</code>	Process stop mode is user defined and remains unchanged by the debugger.
<code>pgienv threadwait none</code>	Prompt available immediately; no wait for running threads
<code>pgienv threadwait any</code>	Prompt available when at least a single thread stops
<code>pgienv threadwait all</code>	Prompt available only after all threads have stopped
<code>pgienv procwait none</code>	Prompt available immediately; no wait for running processes
<code>pgienv procwait any</code>	Prompt available when at least a single process stops
<code>pgienv procwait all</code>	Prompt available only after all processes have stopped
<code>pgienv threadwaitconfig auto</code>	For each process, the debugger sets the thread wait mode to 'all' in serial regions and 'none' in parallel regions. (default)
<code>pgienv threadwaitconfig user</code>	The thread wait mode is user-defined and remains unchanged by the debugger.
<code>pgienv mqslib default</code>	Determine MPI message queue debug library by inspecting executable.
<code>pgienv mqslib &lt;path&gt;</code>	Determine MPI message queue debug library to <path>.

Use this command...	To do this...
<code>pgienv verbose &lt;bitmask&gt;</code>	<p>Choose which debug status messages to report. Accepts an integer valued bit mask of the following values:</p> <ul style="list-style-type: none"> <li>• 0x1 - Standard messaging (default). Report status information on current process/thread only.</li> <li>• 0x2 - Thread messaging. Report status information on all threads of (current) processes.</li> <li>• 0x4 - Process messaging. Report status information on all processes.</li> <li>• 0x8 - OpenMP messaging (default). Report OpenMP events.</li> <li>• 0x10 - Parallel messaging (default). Report parallel events.</li> <li>• 0x20 - Symbolic debug information. Report any errors encountered while processing symbolic debug information (e.g. STABS, DWARF). Pass 0x0 to disable all messages.</li> <li>• Pass 0x0 to disable all messages.</li> </ul>

## repeat

```
rep[eat] [first, last]
rep[eat] [first, :last:n]
rep[eat] [num ]
rep[eat] [-num ]
```

Repeat the execution of one or more previous history list commands. With the num argument, re-execute the command number num, or with -num, the last num commands. With the first and last arguments, re-execute commands number first to last (optionally n times).

## script

```
scr[ipt] filename
```

Open the indicated file and execute the contents as though they were entered as commands. If you use ~ before the filename, it is expanded to the value of the environment variable \$HOME.

## setenv

```
setenv name | name value
```

Print value of environment variable name. With a specified value, set name to value.

## shell

```
shell [arg0, arg1, ... argn]
```

Fork a shell (defined by \$SHELL) and give it the indicated arguments (the default shell is sh). If no arguments are specified, an interactive shell is invoked, and executes until a "^D" is entered.

## sleep

```
sle[ep] [time]
```

Pause for time seconds. If no time is specified, pause for one second.

## source

```
sou[rce] filename
```

Open the indicated file and execute the contents as though they were entered as commands. If you use ~ before the filename, it is expanded to the value of \$HOME.

## unalias

```
unal[ias] name
```

Remove the alias definition for name, if one exists.

## use

```
use [dir]
```

Print the current list of directories or add dir to the list of directories to search. If the first character in pathname is ~, then the value of \$HOME replaces that character.



# Part II. PGPROF Profiler

In Part I you learned how to use the PGI debugger, PGDBG. Part II of the *PGI Tools Guide* is about the PGPROF profiler. The information in this part describes PGPROF, a tool that analyzes data generated during execution of specially compiled C, C++, F77, F95, and HPF programs. The PGPROF profiler displays information about which routines and lines were executed, how often they were executed, and how much of the total execution time they consumed.

- Chapter 14, “Getting Started with the PGPROF Profiler,” starting on page 123, contains information on how to start using the profiler, including a description of the profiling process, as well as how to invoke and initialize the profiler.
- Chapter 15, “Using PGPROF ,” starting on page 129, describes how to choose a profiling method, build your program, and execute it to collect profile data.
- Chapter 16, “Command Line Options for Profiling,” starting on page 143, describes both compiler and PGPROF command-line options used for profiling, and provides sample invocations and startup commands.
- Chapter 17, “PGPROF Environment Variables,” starting on page 147, contains information on environment variables that you can set to control the way profiling is performed in PGPROF.
- Chapter 18, “PGPROF Data and Precision,” starting on page 149, contains descriptions of the profiling mechanism that measures time, how statistics are collected, and the precision of the profiling results.
- Chapter 19, “PGPROF Reference,” starting on page 153, provides reference information about each of the features of the PGPROF performance profiler.
- Chapter 20, “The PGPROF Command Line Interface,” starting on page 171, describes the PGPROF profiler command line interface, providing both a summary table and then more details about the commands. The table includes the command name, the arguments for the command, as well as a brief description of the command.
- Chapter 21, “pgcollect Reference,” starting on page 177, describes the PGPROF command line options and how to use them to configure and control collection of application performance data.



# Chapter 14. Getting Started with the PGPROF Profiler

This chapter describes the PGPROF profiler. PGPROF provides a way to visualize and diagnose the performance of the components of your program. Using tables and graphs, PGPROF associates execution time with the source code and instructions of your program, allowing you to see where and how execution time is spent. Through resource utilization data and compiler feedback information, PGPROF also provides features for helping you to understand why certain parts of your program have high execution times.

You can also use the PGPROF profiler to profile parallel programs, including multiprocess MPI programs, multi-threaded programs such as OpenMP programs, or a combination of both. PGPROF provides views of the performance data for analysis of MPI communication, multiprocess and multi-thread load balancing, and scalability.

Using the Common Compiler Feedback Format (CCFF), PGI compilers save information about how your program was optimized, or why a particular optimization was not made. PGPROF can extract this information and associate it with source code and other performance data, allowing you to view all of this information simultaneously. PGPROF also supports a *feedbackonly* mode, which allows you to browse Compiler Feedback in the absence of a performance profile.

Each performance profile depends on the resources of the system where it is run. PGPROF provides a summary of the processor(s) and operating system(s) used by the application during any given performance experiment.

## Methods of Profiling

There are a variety of ways to use PGPROF to analyze the performance of your application. We divide these methods into two categories: instrumentation-based profiling and sample-based profiling.

### Note

---

Instrumentation-based profiling is the only type of profiling supported by PGPROF on platforms other than Linux.

Most of the profiling methods that PGPROF supports require that you rebuild your program. However, event-based sampling using **pgcollect** does not require you to rebuild, and time-based sampling only requires you to re-link the program.

For more information on each of the compilation options, refer to [“Profiling Compilation Options,”](#) on page 143.

## Instrumentation-based Profiling

Instrumentation-based profiling is one way to measure time spent executing the functions or source lines of your program. The compiler inserts timer calls at key points in your program and does the bookkeeping necessary to track the execution time and execution counts for routines and source lines. This method is available on all platforms on which PGI compilers are supported.

Instrumentation-based profiling:

- Provides exact call counts.
- Provides exact line/block execution counts
- Reports time attributable to only the code in a routine
- Reports time attributable to the code in a routine and all the routines it called.

This method requires that you recompile and relink your program using one of these compiler options:

- Use `-Mprof=func` for routine-level profiling.

Routine-level profiling can be useful in identifying which portions of code to analyze with line-level profiling.

- Use `-Mprof=lines` for source line-level profiling.

The overhead of using line-level profiling can be high, so it is more suited for fine-grained analysis of small pieces of code, rather than for analysis of large, long-running applications.

## Sample-based Profiling

### Note

---

Sample-based profiling is only available on Linux systems.

Sample-based profiling uses statistical methods to determine the execution time and resource utilization of the routines, source lines, and assembly instructions of the program. Sample-based profiling is less intrusive than instrumentation-based profiling, so profiling runs take much less time. Further, in some cases it is not necessary to rebuild the program.

For information on the differences in how instrumentation- and sample- based profiling measure time, refer to [“Measuring Time,”](#) on page 149.



## Time-based Sampling

With time-based sampling, using one of several methods, the program's current instruction address (program counter) is read, and tracked, at statistically significant intervals. Instruction addresses where a lot of time is spent during execution are read numerous times. The profiler can map these addresses to source lines and/or functions in your program, providing an easy way to navigate from the function where the most time is spent, to the line, to the assembly instruction.

- Use `-Mprof=time` for time-based sampling of single-threaded Linux programs.

When using `-Mprof=time`, you are required only to re-link your program. However, unless you compile with `-Mprof=time` or `-Minfo=cff`, compiler feedback is not available.

For information on the differences in how instrumentation- and sample-based profiling measure time, refer to “Measuring Time,” on page 149.

## Event-based Sampling

As well as reading the program's instruction address, event-based sampling uses various methods to read and track the values of selected hardware counters. These counters track processor events such as data cache misses and floating point operations. You can use this information to help determine not just that time is being spent in a particular block of code, but why so much time is spent there. If there is contention for a particular resource, such as the L2 data cache, these counters can help you discover where the contention is occurring.

Event-based sampling requires that certain system software be co-installed with the PGI software on the Linux system. Either the Linux kernel must have been built to support PAPI (the Performance API), or the kernel must have a performance tool named *OProfile* installed and operational.

OProfile is a performance profiling utility for Linux systems. It runs in the background collecting information at a low overhead and providing profiles of code based on processor hardware events. **pgcollect** uses OProfile for collecting this type of performance data for analysis with PGPROF. For more information on OProfile, see <http://oprofile.sourceforge.net/>.

PAPI, Performance Application Programming Interface, provides the tool designer and application engineer with a consistent interface and methodology for use of the performance counter hardware found in most major microprocessors. PAPI enables software engineers to collect low level performance metrics, such as instruction counts, clock cycles, and cache misses, of computer systems running UNIX/Linux operating systems.

- Use `-Mprof=hwcts` for event-based sampling with PAPI
- Use the **pgcollect** command for event-based sampling with OProfile.

You do not need to rebuild when you use **pgcollect** unless you want line-level views of the performance data. For line-level views, rebuild using the `-Mprof=dwarf` compiler option.

---

### Note

MPI performance data may be collected in concert with all of these methods except **pgcollect** sampling.

## Select a Profile Method

You must consider a number of factors in determining which profiling method to use. One of these considerations is the platform you are using.

### Profiling on Non-Linux Platforms

To profile on non-Linux platforms, follow this process:

1. Compile using `-Mprof=func`, run, and profile to find the top two or three routines in which time is being spent.
2. Recompile the routines identified in step 1 using `-Mprof=lines`; then run, and profile to find the lines in those routines where time is being spent.

### Profiling on Linux Platforms

To profile on Linux platforms, the process depends on whether your program is single- or multi-threaded as well as whether PAPI or OProfile are installed on your system.

- If your program is single-threaded, compile using `-Mprof=time` to quickly collect and view a time-based sample of where time is being spent in your program.
- If your program is multi-threaded and you have PAPI or OProfile installed on the system, compile using `-Mprof=hwcts` or using the **pgcollect** command, respectively, to collect the CPU\_CLK\_UNHALTED counter for a time-based profile of where time is being spent in your program.
- If your program is multi-threaded and neither PAPI or OProfile is installed on the system, then profile your program using the method listed for non-Linux platforms in the preceding section.

On Linux platforms on which either PAPI or OProfile is installed, once you have collected a time-based profile using either instrumentation- or sampling-based profiling, consider further examining the resource utilization of those portions of code where the most time is spent. Do this with event-based sampling, using either the `-Mprof=hwcts` compiler option or the **pgcollect** command.

## Collect Performance Data

To obtain the performance data required for PGPROF, you must run your program.

- If you use any method other than the **pgcollect** command to collect data, run your program normally using a representative input data set.
- If you use the **pgcollect** command to collect data, refer to [Chapter 21, “pgcollect Reference,” on page 177](#) for specific information of how to execute a profiling run of your program.

### Profiling Output File

In all profiling methods, once the program's profiling run is complete, a file named `pgprof.out` is written to the program's working directory. This file contains the performance data used by the PGPROF profiler to analyze the program's performance.

## Using System Environment Variables

You can use system environment variables to change the way profiling is performed. For more information on these variables, refer to [Chapter 17, “PGPROF Environment Variables,”](#) on page 147.

## Profiling MPI and Multi-threaded Programs

MPI profiling is available only on Linux and Windows Compute Cluster Server. To learn more about profiling MPI programs, refer to [“Profiling MPI Programs”](#).

To learn more about profiling multi-threaded programs, refer to [“Profiling Multi-threaded Programs”](#).

## Profiling with Hardware Event Counters

You can also profile using hardware event counters. For more specific information on this type of profiling, refer to [“Profiling Resource Utilization with Hardware Event Counters,”](#) on page 138.

## Profiler Invocation and Initialization

The PGPROF profiler is invoked as follows:

```
% pgprof.exe [options] [datafile]
```

If invoked without any options or arguments, the PGPROF profiler attempts to open a data file named `pgprof.out`, and assumes that application source files are in the current directory. The program executable name, specified when the program was run, is usually stored in the profile data file. If all program-related activity occurs in a single directory, the PGPROF profiler needs no options.

Probably the most common method to invoke the profiler is this:

```
% pgprof -exe <execname>
```

When you use this command to launch PGPROF:

- If a `pgprof.out` file exists in the current directory, PGPROF tries to open it and use `<execname>`. Further, the GUI is populated according to profile data, if valid.
- If no `pgprof.out` file exists in the current directory, the GUI is not populated and no dialog appears. Further, when the user selects the menu `File | New Profiling Session...`, then the Text Field for Executable is set with `<execname>` in the dialog.

For information on all available profiler options and how they are interpreted, refer to [Chapter 16, “Command Line Options for Profiling,”](#) on page 143. Also in that chapter are additional launch commands; refer to [“Profiler Invocation and Startup,”](#) on page 146.

## Application Tuning

So how do you make your program faster? Tuning your program ranges from simple to complex.

- In the simple case, you may be able to easily tune the application and improve performance dramatically simply by adding a compiler option when you build. The Compiler Feedback and System Information tabs in the PGPROF user interface contain information that can help identify these situations.

- In a slightly more challenging scenario, you may need to restructure part of your code to allow the compiler to optimize it more effectively. For instance, the Compiler Feedback for a given loop may provide a hint to remove a call from the loop. If the call can be moved out of the loop or inlined, the loop might be vectorized by the next compile.
- More difficult cases involve memory alignment and algorithm restructuring. These issues are beyond the scope of this manual.

## Troubleshooting

If you are having trouble during invocation or the initialization process, use the following sections for tips on what might be causing your problem.

### Selecting a Version of Java

PGPROF (both GUI and command line) depends on Java. PGPROF requires that the Java Virtual Machine be a specific minimum version or above. For the MAC OS X, PGPROF uses the JAVA that comes with the system. For all other systems, by default, PGPROF uses the version of Java installed with your PGI software. If you chose not to install Java when installing your PGI software, PGPROF looks for Java on your PATH. These default Java executables can be overridden by setting the PGI\_JAVA environment variable to the full path of the Java executable you wish to use.

For example, on a Linux system using the bash shell, use this command to specify the location of Java:

```
$ export PGI_JAVA=/home/myuser/myjava/bin/java
```

### Slow Network


If you are viewing a profile across a slow network connection, or a connection that does not support remote display of Java GUI, consider using the PGPROF command-line interface, described in [Chapter 20, “The PGPROF Command Line Interface,”](#) on page 171.

# Chapter 15. Using PGPROF

In [Chapter 14](#), “*Getting Started with the PGPROF Profiler*” you learned how to choose a profiling method, build your program, and execute it to collect profile data. This chapter provides a more detailed description of how to use the features of PGPROF, in particular:

- Profile navigation
- HotSpot navigation
- Sorting profile data
- Compiler Feedback
- Profiling parallel programs. including multi-threaded and MPI programs
- Scalability comparison
- Profiling resource utilization with hardware event counters

Figure 15.1. PGPROF Overview



## Profile Navigation

When you first invoke PGPROF, it displays a flat profile, with the Statistics Table containing a routine list and performance data associated with each routine. This list is sorted by the Time value, assuming there is such a value in the profile data. Time values may include hardware counters associated with time, such as CPU\_CLK\_UNHALTED.

If you built your program with `-Mprof=func` or if you built it without any debug information, then the routine-level view is all you can see in the Statistics Table. However, if you built your program with any other `-Mprof` option, such as `-Mprof=dwarf` adequate debug information is included to allow you to zoom in to at least the source line level.

- To zoom in to the line level for a particular routine:

Double-click on the row of the Statistics Table containing the routine's name. PGPROF displays the source code for that routine, together with the performance data for each line.

Because your program is probably optimized, you may notice that performance data is only shown for a subset of the source lines. For example, a multi-line loop may only have line-level data for the first line of the loop. In the optimization process, the compiler may significantly reorder the assembly instructions used to implement the loop, making it impossible to associate any given instruction with a line in the loop. However, it is possible to associate all of a loop's instructions with that loop, so all of the performance data for the loop is associated with a single "line". For example, in [Figure 15.1](#), line 414 contains the information for the loop, and again on line 423 the information displayed is for the entire `for` loop.

- To zoom in to the assembly level for a particular source line:


Double-click on the row of the Statistics Table containing that source line. PGPROF displays the routine with assembly code interspersed with the source lines with which that assembly code is associated.

Given the loop described previously, you see the source code for the loop, followed by the assembly instructions that implement that loop. PGPROF displays performance data associated with a specific assembly instruction in the row of the Statistics Table containing that instruction.

- To return to a previous view:

Use the Back button (" $<$ ") in the Toolbar, just below the Menu. The Back and Forward buttons work much like those found in web browsers, moving to previous and next views, respectively.

Figure 15.2. View Navigation Buttons



- To select and jump to a specific view.


Use the *down arrow* on each of the Forward and Back buttons.

## HotSpot Navigation

In addition to the HotSpot navigation controls on the toolbar, you can find the performance-critical parts of your program using the Histogram tab which shows clickable bar graphs of the performance data plotted against the address range of the program.

- The HotSpot navigation controls in the Toolbar are usually the quickest way to locate a hot spot. By *hot spot* we mean a program location that has a high value for some performance measurement such as Time, Count, and so on.

Figure 15.3. HotSpot Navigation Controls




To locate the hotspot, select the desired performance measurement in the HotSpot drop-down menu in the Toolbar, then click on the "Hottest" button ("<<+") to select the highest value for that measurement in the current view.

- To find a HotSpot using the Histogram, click on the Histogram tab. In the histogram for the measurement you are interested in, click on the tallest bar. The corresponding row in the Statistics Table will be selected.

## Sorting Profile Data

PGPROF maintains a consistent sort order for the Statistics Table and the Histogram tab. Changing the sort order for any one of these changes it for all of them. The sort order can be changed by using the Sort Menu, as described in "Sort Menu," on page 160 or by clicking the column header in the Statistics Table or the row header in the Histogram tab.

Figure 15.4. Time Sort View



The current sort order is displayed at the bottom of each table. For example, the message Sort By CPU\_CLK\_UNHALTED is present at the bottom of both tables in Figure 15.4.

## Compiler Feedback

The PGI compilers generate a special kind of information that is saved inside the executable file so that it is available to tools, such as PGPROF, to help with program analysis. A compiler discovers a lot about a program



during the build process. Most compilers use such information for compilation, then discard it. However, when the `-Mprof` or `-Minfo=ccff` options are used, the PGI compilers save this information in the object and executable files using the *Common Compiler Feedback Format*, or CCFE.

Feedback messages provide information about what the compiler did in optimizing the code, as well as describe obstacles to optimization. Most feedback messages have associated explanations or hints that explain what the message means in more detail. Further, these messages sometimes provide suggestions for improving the performance of the program.

In PGPROF you can access Compiler Feedback using the **Compiler Feedback tab** in the Focus Panel. Messages are categorized according to the type of information that they contain.

For more information on the Compiler Feedback tab, refer to “[PGPROF Focus Panel](#),” on page 167. For more information on the Common Compiler Feedback Format (CCFF), refer to the website: [www.pgroup.com/ccff/](http://www.pgroup.com/ccff/)

## Special Feedback Messages

There are some Compiler Feedback messages that deserve some explanation, specifically intensity messages and messages for inlined routines.

### Intensity Messages

*Computational intensity* has been defined as the number of arithmetic operations performed per memory transfer.<sup>1</sup> The key idea is this: a high compute intensity value means that the time spent on data transfer is low compared to the time spent on arithmetic; a low compute intensity value suggests that memory traffic involving data transfer may dominate the overall time used by the computer.

The PGI Compiler emphasizes floating point operations, if they are present, to calculate the compute intensity ratio within a particular loop. If floating point operations are not present, the PGI compiler uses integer operations.

In some cases it is necessary to build programs using profile-guided optimization by building with `-Mpf` or `-MpfO`, as described in the section *Profile-Feedback Optimization using -Mpf/MpfO* in the Optimizing and Parallelizing chapter of the PGI User’s Guide. Profile-guided optimization can often determine loop counts and other information needed to calculate the Compute Intensity for a given statement or loop.

### Messages for Inlined Routines

Inlined functions are identified by CCFE messages. These Compiler Feedback messages for routines that have been inlined are associated with the source line where the routine is called. Further, these messages are prefixed with the routine and line number, and are indented to show the level of inlining. Currently there is not a way to view the source code of that inlined instance of the routine.

## Profiling Parallel Programs

You can use PGPROF to analyze the performance of parallel programs, including multi-threaded and OpenMP programs, multi-process MPI programs, and programs that are a combination of the two. PGPROF also

<sup>1</sup>R.W. Hockney and C. R. Jesshope, *Parallel Computers 2: Architecture, Programming and Algorithms* 1988

provides a Scalability Analysis feature that allows you to compare two profiling runs, and thus determine how well different parts of your program scale as the number of threads or processes changes.

## Profiling Multi-threaded Programs

Multi-threaded programs that you can profile using PGPROF include OpenMP programs that are built with `-mp`, auto-parallelized programs that are built with `-Mconcur`, and programs that use native thread libraries such as `pthread`.

### Collecting Data from Multi-Threaded Programs

Some methods of performance data collection work better with multi-threaded programs than others. Specifically, the compiler options `-Mprof=lines` and `-Mprof=hwcts` create programs that collect accurate performance profiles from multi-threaded programs.

Alternatively, on Linux systems that support OProfile, described in “Event-based Sampling,” on page 125, you can build the program using `-Mprof=dwarf -Minfo=ccff`, and collect data using the `pgcollect` command.

The `-Mprof=func` option works with multi-threaded programs. However, routines that contain one or more parallel regions appear to be run on a single thread; because when the parallelism is not active, the data collection is at the entry and exit of the routine.

The `-Mprof=time` and `-pg` options generate programs that only collect data on a single thread.


To collect data, run your program normally. Upon successful termination, a `pgprof.out` file is created.

### Analyzing the Performance of Multi-Threaded Programs

The display of profile data for a multi-threaded program differs from that of a single-threaded program in a couple of ways, as illustrated in Figure 15.4, “Time Sort View,” on page 132.

- In the Statistics Table, the data shown is the maximum value for any single thread in the process.
- The Parallelism tab shows the thread-specific performance data for the row selected in the Statistics Table, whether the Statistics Table is in the routine-level, line-level, or assembly-level view.

You can use thread-specific data to determine how well-balanced the application is. Ideally, each thread would spend exactly the same amount of time on a given part of the program. If there are large disparities in the time spent by the various threads, this points to a load imbalance, where some threads are left idle while other threads are working. In this case, the resources of the system are not being used with 100% efficiency.



For example, in the program illustrated here, we can see that thread 0 spent 33% of the time in the routine, while thread 3 spent only 20% of the time there. Performance might improve if the work could be distributed more evenly.

## Profiling MPI Programs

### Important

---

MPI profiling is supported only on Linux and Windows. Further, MPI profiling with the **pgcollect** command is not supported.

You can profile MPI programs using PGI compilers and tools by building with the `-Mprof` option, which allows you to specify the implementation of MPI you want to use. Many implementations of MPI are supported; for the latest list of supported MPI implementations and MPI profiling options, refer to the PGI Release Notes.

PGPROF MPI profiling collects counts of the number of messages and bytes sent and received. You can then use this information to analyze a program's message passing behavior.

## Collecting Data from MPI Programs

To collect MPI performance data, you must build your program using one of the MPI suboptions to the `-Mprof` option. These suboptions include:

- `-Mprof=mpich1` (Linux only)
- `-Mprof=mpich2` (Linux only)
- `-Mprof=mvapich1` (Linux only)
- `-Mprof=hpmpi` (Linux only)
- `-Mprof=msmpi` (Windows only)

### Important

---

**The MPI profiling options cannot be used alone.** They may only be used in concert with another suboption of `-Mprof`, such as `lines`, `func`, `time`, and `hwcts`.

For example, to do time-based sampling of an MPICH-2 Fortran program on Linux, you might build with the following command:


```
pgf95 -fast -Mprof=time,mpich2 -o myprog myprog.f90
```

To collect MPI profile data, run your program normally. On successful program termination, one profile data file is created for each MPI process. The master profile data file is named `pgprof.out`. The other files have names similar to `pgprof.out`, but they are numbered.

## Analyzing the Performance of MPI Programs

Figure 15.5 illustrates an MPI profile.

Figure 15.5. Sample MPI Profile



For MPI profiles, the Statistics Table displays an extra column, titled *Process*. The values in this column denote whether the other values shown in the Statistics Table are the max, min, or avg values. You can use the Processes menu, described in “Processes Menu,” on page 157, to customize the display of max, min, or avg values.

The Parallelism tab for MPI programs is used in the same way that it is used for multi-threaded programs, as described in “Analyzing the Performance of Multi-Threaded Programs,” on page 134.

You can use the send and receive counts for messages, and the byte counts to identify potential communication bottlenecks, and use the process-specific data to find load imbalances.

## Scalability Comparison

PGPROF provides a Scalability Comparison feature that measures changes in the program's performance between multiple executions of an application. Generally this information is used to measure the performance of the program when it is run with a varying number of processes or threads. To use scalability comparison, first generate two or more profiles for a given application. For best results, compare profiles from the same application using the same input data.

Scalability is computed using the maximum time spent in each thread/process. Depending on how you profiled your program, this measurement may be displayed in the Statistics Table in a column with one of these heading titles:

Time	if you used <code>-Mprof=func</code> , <code>-Mprof=lines</code> , or <code>-Mprof=time</code>
CPU_CLK_UNHALTED	if you used <code>pgcollect</code>
TOT_CYC	if you used <code>-Mprof=hwcts</code>

## Important

Profiling multi-process MPI programs with the `pgcollect` command is not supported.

The number of processes and/or threads used in each execution can be different. After generating two or more profiles, load one of them into PGPROF. Select the Scalability Comparison item under the File menu, described in “File Menu,” on page 154, or click the Scalability comparison button in the Toolbar. Choose a second profile for comparison. A new instance of PGPROF appears, with a column named `Scale` in the Statistics Table.

Figure 15.6. Profile of an Application Run with 4 Threads




Figure 15.6 shows the profile of a run that used four threads with Scalability Comparison to the same program run with a single thread.

Each profile entry that has timing information has a Scale value. The scale value measures how well these parts of the program scaled, or improved their performance as a result of parallelism.

- A scale value of zero indicates no change in the execution time between the two runs.
- A scale value of one means that part of the program achieved perfect scalability. For example, if a routine had a Time value of 100 seconds with one thread, and 25 seconds with four threads, it would have a Scale value of one.
- A negative value is the relative slowdown without taking the number of threads or processes into account. If a routine takes 20% more time to execute using four threads than it took using one thread, the Scale value is -0.2.
- A question mark (?) in the Scale column indicates that PGPROF is unable to perform the scalability comparison for this profile entry. For example, scalability comparison may not be possible if the two profiles do not share the same executable or input data.

## Profiling Resource Utilization with Hardware Event Counters

### Important

---

Profiling with hardware counters is available only on Linux.

Modern x86 and x64 processors provide low-level hardware counters that can be used to track the resource utilization of a program. Tracking this information can be useful in tuning program performance because it allows you to go beyond just knowing where the program is spending the most time and examine why it is spending time there.

Linux systems do not provide hardware counter support by default. These systems must either have the OProfile package installed or have a kernel patch that enables PAPI, as described in “[Profiling with Hardware Event Counters using PAPI](#),” on page 139

### Profiling with Hardware Event Counters (Linux Only)

PGPROF supports two methods of hardware counter data collection:

- Execution of the program under the control of the **pgcollect** command.

Collection of profile data using **pgcollect** may be done on any linux86 or linux86\_64 system where Oprofile is installed. OProfile is included as an install-time option with most Linux distributions; it may also be downloaded from <http://oprofile.sourceforge.net/>.

- Building the program with the `-Mprof=hwcts` compiler option and executing it independently.

Profiling by compiling with the `-Mprof=hwcts` option is only available on linux86\_64 systems where PAPI has been installed. PAPI is available for download from <http://icl.cs.utk.edu/papi/>.

### Profiling with Hardware Event Counters using pgcollect

You can use PGPROF to display time-based and hardware event-based profiles generated via the OProfile package, which is available on most current Linux distributions.

No special build options are required to enable profiling, though compiling with `-Mprof=dwarf` and `-Minfo=ccff` allows viewing profiles with source code annotations under PGPROF.

For specific information on using PGPROF with hardware event counters, refer to [Chapter 21, “pgcollect Reference,”](#) on page 177.

## Profiling with Hardware Event Counters using PAPI

To use PAPI-style profiling, PAPI must be installed. Installation of PAPI requires rebuilding the Linux kernel. PGI compiler and tools releases are built with the version of PAPI that is current at the time of the PGI release. Normally, the profiling support code for `-Mprof=hwcts` supports profiling against that current version and the previous version of PAPI, though a warning message is generated if the previous version is used.

To bypass the version check, set the environment variable `PGPROF_PAPI_VER` to `m.n` where `m` and `n` respectively are the major and minor numbers associated with your PAPI library.

To profile using hardware counters, compile with the option `-Mprof=hwcts`. This option adds the PAPI and PGI profiling libraries to the application’s linker command. By default, this option uses the `PAPI_TOT_CYC` counter to profile total CPU cycles executed by the application. PGPROF converts the cycle counts into CPU time (seconds). The `PGPROF_EVENTS` environment variable can be set to specify up to four counters to use. The format for the `PGPROF_EVENTS` variable is this:

```
event0[.over][:event1[.over]]
```

The event field is the name of the event or hardware counter and the optional over field specifies the overflow value. The overflow value is the number of events to be counted before collecting profile information. Overflow provides some control on the sampling rate of the profiling mechanism. The default overflow is 1000000.

To determine which hardware counters are available on the system, compile and run the following simple program. This program uses the PAPI and PGI libraries to dump the available hardware counters to standard output.

```
int main(int argc, char *argv[]) {
    __pgevents();
    exit(0);
}
```

This program uses the PAPI and PGI libraries to dump the available hardware counters to standard output. Save the code in the previous example in a file called `pgevents.c` and compile it as follows:

```
pgcc pgeventc.c -o pgevents -lpgnod_prof_papi -lpapi
```

To display the available events, run the newly created program called `pgevents`. The `pgevents` utility shows the format of the `PGPROF_EVENTS` environment variable, the list of PAPI preset events, and the list of native (or processor specific) events.

The following example, which uses `tcsh` or `csh` shell, specifies four events with the `PGPROF_EVENTS` environment variable:

```
% setenv PGPROF_EVENTS \
PAPI_TOT_CYC.1593262939:PAPI_FP_OPS:PAPI_L1_DCM:PAPI_L2_ICM
```

To specify the same four events using the sh or bash shell, use this command:

```
$ set PGPROF_EVENTS=\
PAPI_TOT_CYC.1593262939:PAPI_FP_OPS:PAPI_L1_DCM:PAPI_L2_ICM
$ export PGPROF_EVENTS
```

If PGPROF\_EVENTS is not defined, then, by default, the profiling mechanism counts CPU cycles (PAPI\_TOT\_CYC event).

The following example shows a partial output from pgevents:

### Example 15.1. Partial Output from pgevents

```
Selecting Events
Hardware Information
cpus/node - 4
nodes - 1
total cpus - 4
vendor - AuthenticAMD
model - AMD K8 Revision C
speed 1593.262939mhz
event counters 4
Preset Events
PAPI_L1_DCM - Level 1 data cache misses
PAPI_L1_ICM - Level 1 instruction cache misses
PAPI_L2_DCM - Level 2 data cache misses
PAPI_L2_ICM - Level 2 instruction cache misses
PAPI_L1_TCM - Level 1 cache misses
PAPI_L2_TCM - Level 2 cache misses
...
PAPI_TOT_CYC - Total Cycles
...
Native Events
FP_ADD_PIPE - Dispatched FPU ops - Revision B
and later revisions - Add pipe ops excluding junk ops.
FP_MULT_PIPE - Dispatched FPU ops - Revision B
and later revisions - Multiply pipe ops excluding junk ops.
...
CPU_CLK_UNHALTED - Cycles processor is running
(not in HLT or STPCLK state)
```

## Analyzing Event Counter Profiles

If you executed your program under the control of **pgcollect** or if you compiled your program with the `-mprof=hwcts` option, then you can profile up to four event counters and view them in PGPROF.



Figure 15.7. Profile with Hardware Event Counter




Figure 15.7 shows a profile of four event counters: CPU\_CLK\_UNHALTED, DATA\_CACHE\_MISSES, DATA\_CACHE\_REFILLS\_FROM\_L2, DATA\_CACHE\_REFILLS\_FROM\_SYSTEM.

In this example, the routine using the most time is also getting many cache misses. Investigating the memory access behavior in that routine, and looking at the Compiler Feedback, may offer some clues for improving its performance.



# Chapter 16. Command Line Options for Profiling

This chapter describes the PGI compiler options that are used to control profiling options as well as PGPROF command-line options and how they are interpreted.

## Profiling Compilation Options

You can use the following compiler options to control data collection. Most of these options are related to `-Mprof`, for which the syntax is:

```
-Mprof[=option[,option,...]]
```

You use `-Mprof` to set performance profiling options. Use of these options causes the resulting executable to create a performance profile that can be viewed and analyzed with the PGPROF performance profiler.

In the descriptions that follow, PGI-style profiling implies compiler-generated source instrumentation. MPICH-style profiling implies the use of instrumented wrappers for MPI library routines.

### `-Minfo=ccff`

Generate compiler feedback information and store it in object and executable files for later access by performance tools. Use `-Minfo=ccff` when collecting performance data using **pgcollect**. All `-Mprof` options except `-Mprof=dwarf` imply `-Minfo=ccff`.

### `-Mprof=dwarf`

Generate a subset of DWARF symbol information adequate for viewing source line information with most performance profilers. Use `-Mprof=dwarf` when collecting performance data with **pgcollect**. All other `-Mprof` options imply `-Mprof=dwarf`.

### `-Mprof=func`

Perform routine-level instrumentation-based profiling.

### `-Mprof=hpmpi`

[Linux only] Use the profiled HPMPI communication library. Implies `-Mmpi=hpmpi`.

### `-Mprof=hwcts`

[linux86\_64 Only - PAPI must be installed] Generate a profile using event-based sampling of hardware counters via the PAPI interface. Compiling and linking with this option produces an executable that

generates a `pgprof.out` file which contains routine, line, and assembly-level profiling data. See [“Profiling with Hardware Event Counters using PAPI,” on page 139](#) for more information on profiling with hardware counters.

`-Mprof=lines`

Perform PGI-style line-level profiling.

`-Mprof=mpich1`

Perform MPICH-style profiling for MPICH-1. Implies `-Mmpi=mpich1`.

`-Mprof=mpich2`

Perform MPICH-style profiling for MPICH-2. Implies `-Mmpi=mpich2`.

`-Mprof=msmpi`

[Microsoft HPC Server only] Perform MPICH-style profiling for Microsoft MSMPI. Implies option `-Mmpi=msmpi`.

For `-Mprof=msmpi` to work, the `CCP_SDK` environment variable must be set. This variable is typically set when the Microsoft HPC Server SDK is installed.

`-Mprof=mvapich1`

[Linux only] Perform MPICH-style profiling for MVAPICH-1. Implies `-Mmpi=mvapich1`.

`-Mprof=time`

[Linux only] Generate a profile using time-based assembly-level statistical sampling. This is equivalent to `-pg` except the profile is saved in a file named `pgprof.out` rather than in `gmon.out`.

`-pg`

[Linux Only] Enable gprof-style (sample-based) profiling. Running an executable compiled with this option produces a `gmon.out` profile file which contains routine, line, and assembly-level profiling data.

## PGPROF Command Line Options

As we stated in [Chapter 14, “Getting Started with the PGPROF Profiler”](#), PGPROF can interpret command-line options when present on the command line. The following list describes the options and how PGPROF interprets them.

**datafile**

A single datafile name may be specified on the command line. For profiled MPI applications, the specified datafile should be that of the initial MPI process. Access to the profile data for all MPI processes is available in that case, and data may be filtered to allow inspection of the data from a subset of the processes.

The default datafile name is `pgprof.out`. If no datafile argument is used, PGPROF attempts to use `pgprof.out` in the current directory.

`-exe <filename>`

Set the executable to filename. The default filename is `a.out`.

`-feedbackonly`

Only browse source code and Compiler Feedback information. Do not load any performance data from profile runs.

`-help`

Prints a list of available command-line arguments.

`-I <srcpath>`

Specify the source file search path. The PGPROF profiler always looks for a program source file in the current directory first. If it does not find the source file in the current directory, it consults the search path specified in `srcpath`. The `srcpath` argument is a string containing one or more directories separated by a path separator. The path separator is platform dependent: on Linux and MAC OS X, it is a colon (:), and on Windows it is a semicolon (;). Directories in the path are then searched in order from left-to-right. When a directory with a filename that matches a source file is found, that directory is used. Below is an example for Linux and MAC OS X.

```
-I ../src:STEPS
```

In the example above, the profiler first looks for source files in the current directory, then in the `../src` directory, followed by the `STEPS` directory. The following is the same example for Windows:

```
-I ../\src;STEPS
```

For more information, see the [New Profiling Session...](#) item in the description of the “[File Menu](#),” on [page 154](#).

`-jarg, arg1[, arg2,..., argn]`

Pass specified arguments, separated by commas, to `java`. For example, the following passes the argument `-Xmx256m` to `java`.

```
-jarg, -Xmx256m
```

This option is provided for troubleshooting purposes and is expected to rarely be used. If you do use this option, be certain not to forget the comma between the option and the first argument.

`-scale “file(s)”`

Compare scalability of datafile with one or more files. A list of files may be specified by enclosing the list within quotes and separating each filename with a space. For example:

```
-scale one.out two.out
```

This example compares the profiles `one.out` and `two.out` with `datafile` (or `pgprof.out` by default). If only one file is specified quotes are not required.

For sample based profiles (e.g., `gmon.out`) specified with this option, PGPROF assumes that all profile data was generated by the same executable. For information on how to specify multiple executables in a sample-based scalability comparison, see the [Scalability Comparison...](#) item in the description of the “[File Menu](#),” on [page 154](#).

`-text`

Use the PGPROF Command-Line Interface (CLI).

`-V`

Print version information.

## Profiler Invocation and Startup

Let's take a look at some common ways to invoke the profiler, describing what each launch command means.

### % **pgprof**

- If a `pgprof.out` file exists in the current directory, PGPROF tries to open it.
- If an executable name can be determined from the `pgprof.out` file, the GUI is populated according to profile data, if valid.
- If an executable name can NOT be determined from the `pgprof.out` file, then a dialog is opened on top of the main window with following message: `Can't determine executable for file 'pgprof.out' Please use 'File | New Profiling Session...'` menu to specify one
- If no `pgprof.out` file exists in the current directory, the GUI is not populated and no dialog appears.

### % **pgprof -exe <execname>**

- If a `pgprof.out` file exists in the current directory, PGPROF tries to open it and use `<execname>`. Further, the GUI is populated according to profile data, if valid.
- If no `pgprof.out` file exists in the current directory, the GUI is not populated and no dialog appears. Further, when the user selects the menu `File | New Profiling Session...`, then the Text Field for Executable is set with `<execname>` in the dialog.

### % **pgprof -exe <execname> <profilename>**

PGPROF tries to open the profile `<profilename>` using `<execname>` for the executable name. Further, the GUI is populated according to profile data, if valid.

### % **pgprof -feedbackonly**

- If a `a.out` file exists in the current directory, PGPROF tries to open it. Further, if `a.out` is an executable with valid DWARF/ELF/CCFF info, then PGPROF populates the GUI. You are then in *feedback-only mode*.
- If no `a.out` file exists in the current directory, the GUI is not populated and no dialog appears. Further, when the user selects the menu `File | New Profiling Session...`, then the `Feedback only` checkbox is selected in the dialog.

### % **pgprof -exe <execname> -feedbackonly**

PGPROF tries to open the executable `<execname>`. Further, if the executable `<execname>` is valid with DWARF/ELF/CCFF info, then PGPROF populates the GUI. You are then in *feedback-only mode*.

### % **pgprof -exe <execname> -feedbackonly <profilename>**

#### Note

---

`<profilename>` is ignored without warning

PGPROF tries to open the executable `<execname>`. Further, if the executable is valid with DWARF/ELF/CCFF info, then PGPROF populates the GUI. You are then in *feedback-only mode*.

# Chapter 17. PGPROF Environment Variables

This chapter describes the system environment variables that you can set to change the way profiling is performed.

## System Environment Variables

As you learned in [“Methods of Profiling,” on page 123](#), a profiled program collects call counts and/or time data. When the program terminates, a profile data file is generated. Depending on the profiling method used, this data file is called `pgprof.out` or `gmon.out`.

You can set the following system environment variables to change the way profiling is performed:

- `GMON_ARCS` – Use this environment variable to set the maximum number of arcs (caller/callee pairs). The default is 4096. This option only applies to `gprof` style profiling, this is, programs compiled with the `-pg` option.
- `PGPROF_DEPTH` – Use this environment variable to change the maximum routine call depth for PGPROF profiled programs. The default is 4096 and is applied to programs compiled with `-Mprof=func`, `-Mprof=lines`, `-Mprof=hwcts`, or `-Mprof=time`.
- `PGPROF_EVENTS` – Use this environment variable to specify hardware (event) counters from which to collect data. This variable is applied to programs compiled either with the `-Mprof=hwcts` option or executed with the **pgcollect** command. The use of hardware (event) counters is discussed in further detail in [“Profiling Resource Utilization with Hardware Event Counters,” on page 138](#).
- `PGPROF_NAME` – Use this environment variable to change the name of the output file intended for PGPROF. The default is `pgprof.out`. This option is only applied to programs compiled with any of the `-Mprof=[func | hwcts | lines | MPI | time]` options. If a program is compiled with the `-pg` option, then the output file is always called `gmon.out`.





# Chapter 18. PGPROF Data and Precision

This chapter contains descriptions of the profiling mechanism that measures time, how statistics are collected, and the precision of the profiling results.

## Measuring Time

The sample-based profiling mechanism collects total CPU time for programs that are compiled with `-Mprof=time` and `-pg`, as described in [“Sample-based Profiling,” on page 124](#). The profiling mechanism collects cycle counts for programs compiled with `-Mprof=hwcts` or run under the control of **pgcollect**. PGPROF automatically converts CPU cycles into CPU time.

Programs compiled for instrumentation-based profiling with `-Mprof=lines` or `-Mprof=func` employ a virtual timer for measuring the elapsed time of each running process/thread. This data collection method employs a single timer that starts at zero (0) and is incremented at a fixed rate while the active program is being profiled. For multiprocessor programs, there is a timer on each processor, and the profiler’s summary data (minimum, maximum and per processor) is based on each processor’s time executing in a function. How the timer is incremented and at what frequency depends on the target machine. The timer is read from within the data collection functions and is used to accumulate COST and TIME values for each line, function, and the total execution time. The line level data is based on source lines; however, in some cases, there may be multiple statements on a line and the profiler shows data for each statement.

### NOTE

---

For instrumentation-based profiling, information provided for longer running functions are more accurate than for functions that only execute for a short time relative to the overhead of the individual timer calls. Refer to [“Caveats \(Precision of Profiling Results\),” on page 150](#) for more information about profiler accuracy.

## Profile Data

The following statistics are collected and may be displayed by the PGPROF profiler.

### BYTES

For MPI profiles only. This is the number of message bytes sent and received.

### BYTES RECEIVED

For MPI profiles only. This is the number of bytes received in a data transfer.

### BYTES SENT

For MPI profiles only. This is the number of bytes sent.

### CALLS

The number of times a function is called.

### COST

The sum of the differences between the timer value entering and exiting a function. This includes time spent on behalf of the current function in all children whether profiled or not. PGPROF can provide cost information when you compile your program with either the `-Mprof=cost` or the `-Mprof=lines` option. For more information, refer to [“Methods of Profiling,” on page 123](#).

### COUNT

The number of times a line or function is executed.

### LINE NUMBER

For line mode, this is the line number for that line. For function mode, this is the line number of the first line of the function. PGPROF sometimes generates multiple statements for a single source line; thus multiple profiling entries might appear for a single source line. To distinguish them, PGPROF uses the notation: *lineNo.statementNo*

### MESSAGES

For MPI profiles only. This is the number of messages sent and received by the function or line.

### RECEIVES

For MPI profiles only. This is the number of messages received by the function or line.

### SENDS

For MPI profiles only. This is the number of messages sent by the function or line.

### TIME

The time spent only within the function or executing the line. The TIME does not include time spent in functions called from this function or line. TIME may be displayed in seconds or as a percent of the total time.

## Caveats (Precision of Profiling Results)

### Accuracy of Performance Data

The collection of performance data always introduces some overhead, or intrusion, that can affect the behavior of the application being monitored. How this overhead affects the accuracy of the performance data depends on the performance monitoring method chosen, system software and hardware attributes, and the idiosyncrasies of the profiled application. Although the PGPROF implementation attempts to minimize intrusion and maximize accuracy, it would be unwise to assume the data is beyond question.

## Clock Granularity

Many target machines provide a clock resolution of only 20 to 100 ticks per second. Under these circumstances, a routine must consume at least a few seconds of CPU time to generate meaningful line level times.

## Source Code Correlation

At higher optimization levels, and especially with highly vectorized code, significant code reorganization may occur within functions. The PGPROF profiler allows line profiling at any optimization level. In some cases, the correlation between source and data may at times appear inconsistent. Compiling at a lower optimization level or examining the assembly language source may help you interpret the data in these cases.



# Chapter 19. PGPROF Reference


This chapter provides a reference guide to the features of the PGPROF performance profiler.

For information about how to invoke PGPROF, refer to [“Profiler Invocation and Initialization,”](#) on page 127.

For information about using the PGPROF text-based command-line interface, refer to [Chapter 16, “Command Line Options for Profiling”](#).

For information about how to choose a profiling method, build your program, and execute it to collect profile data, refer to [Chapter 14, “Getting Started with the PGPROF Profiler”](#).

Figure 19.1. PGPROF User Interface



## PGPROF User Interface Overview

On startup, PGPROF, the profiler, attempts to load the profile datafile specified on the command line (or the default `pgprof.out`). If no file is found, a file chooser dialog box is displayed. Choose a profile datafile from the list or select Cancel.

When a profile datafile is opened, PGPROF populates the user interface, as illustrated and labeled in [Figure 19.1](#).

### Menu Bar

Contains these menus: File, Settings, Processes, View, Sort, Search and Help.

### Toolbar

Provides navigation shortcuts and controls for frequently performed operations.

### Statistics Table

Displays profile summary information for each profile entry. Information can be displayed at up to three levels - routine, line, or assembly - depending on the type of profile data collected, how the program was built, and whether the PGPROF source file search path has been set to include the program source directories.

### Focus Panel

Consists of four tabbed panes labeled Parallelism, Histogram, Compiler Feedback, and System Information.

### Information Bar

Displays the profile summary information such as the name of the executable, the time and date of the profile run, execution time, number of processes, if more than one, and the datafile name.

The following sections describe each of these components in more detail.

## PGPROF Menus

There are six menus in the GUI: File, Settings, Processes, View, Sort, and Help. This section describes each menu in detail. Keyboard shortcuts, when available, are listed next to menu items.


### File Menu

The File menu contains the following items:

- **New Window** (control N) – Select this option to create a copy of the current profiler window on your screen.
- **New Profile Session...** – Select this option to begin analyzing a different profile. A dialog box like the one in [Figure 19.2](#) appears, requesting information about the profile data file (default `pgprof.out`), the executable file, and the location of the source files. A new profile session is started using the information specified in the dialog box.

If Source Path is the only parameter change from current session parameters, then current session uses new Source Path to search for sources.

Figure 19.2. New Profile Session dialog box



- **Scalability Comparison...** – Select this option to open another profile for scalability comparison. Like you did for the New Profile Session... option described above, provide information about the profile data file, the executable file, and the location of the source files. Notice that the new profile contains a Scale column in its Statistics table.

### Note

Another method to open profiles for scalability comparison is by using the `-scale` command-line option explained in “[Profiler Invocation and Initialization](#),” on page 127.

For more information on scalability, refer to “[Scalability Comparison](#),” on page 136.

- **Print...** – Select this option to make a hard copy of the current profile data. The profiler processes data from the Statistics table and sends the output to a printer. A printer dialog box appears.

You can select a printer from the Print Service Name combo box. Click the Print To File check box to send the output to a file. Other print options may be available; however, they are dependent on the specific printer and the Java Runtime Environment (JRE).

- **Print to File...** – Option, output is not sent to printer, but is formatted as an editable text file. After selecting this menu item, a save file dialog box appears. Enter or choose an output file in the dialog box. Click Cancel to abort the print operation.
- **Close...** – Select this option to close the current profiling session.
- **Exit...** – Select this option to end the profiling session and exit the profiler.


## Settings Menu

Use the Settings menu to change the look and feel of the PGPROF user interface, such as fonts and chart colors. This menu contains the following items:

- **Bar Chart Colors...** – This menu option opens a color chooser dialog box and a bar chart preview panel.

[Figure 19.3](#) illustrates the bar chart bar colors, and the three bar chart attributes.

Figure 19.3. Bar Chart Color Dialog Box



- The bar chart bars are 'gradient filled', meaning that the color of the bar gradually transitions from the Bar Start Color to the Bar End Color. To have solid colored bars without gradient fill, simply set both of these colors to the same color.
- The Filled Text Color attribute represents the text color inside the filled portion of the bar chart.
- The Unfilled Text Color attribute represents the text color outside the filled portion of the bar chart.
- The Background Color attribute represents the color of the unfilled portion of the bar chart.
- The Reset button allows you to reset the selected bar chart or attribute to its previously selected color.
- The OK button accepts your changes and closes the dialog box.

### Note

---

Closing the dialog box is the same as choosing OK.

To modify a bar chart or attribute color:

1. Click the radio button.
2. Choose a color from the Swatches, HSB, or RGB pane.
3. Click the OK button to accept the changes and close the dialog box.




PGPROF saves color selections for subsequent runs unless the Save Settings on Exit box is unchecked, as described later in this section.

- **Font...** – This menu option opens the Font Chooser dialog box illustrated in [Figure 19.4](#).

You may choose a new font from the list of fonts in this dialog's top combo box. You may also choose a new font size from the list of sizes in this dialog's bottom combo box. As you change the font, you can preview the changes in the Sample Text pane.

Figure 19.4. Font Chooser Dialog Box



To change the font you must click the OK button is selected.

Click Cancel or close the dialog box to abort any changes.

- **Show Tool Tips** - Select this check box to enable tool tips. *Tool tips* are small temporary messages that pop-up when the mouse pointer is positioned over a component, such as a button, in the user interface. Tool tips provide a summary or hint about what a particular component does. Deselect this check box to turn tool tips off.
- **Restore Factory Settings...** - Use this option to restore the default look and feel of the user interface to the original settings.
- **Restore Saved Settings...** - Use this option to restore the look and feel of the GUI to the previously saved settings. See the Save Settings on Exit option for more information.
- **Save Settings on Exit** - When this check box is selected, PGPROF saves the current look and feel settings on exit. These settings include the size of the main window, position of the horizontal dividers, the bar chart colors, the selected font, the tool tips preference, and the options selected in the View menu. When PGPROF is started again on the same host machine, these saved settings are used. To prevent saving these settings on exit, uncheck this check box.

## Processes Menu

Use the Processes menu to report process values. This menu is enabled for multi-process programs only. This menu contains three check boxes: Min, Max, and Avg. They represent the minimum process value, maximum process value, and average process value respectively.

By default, Max is selected. Selecting more than one check box is allowed. When only one check box is selected, it can't be deselected, thus guaranteeing at least one criteria to be displayed.

- When **Max** is selected, the highest value for any profile data in the Statistics Table is reported. For example, when reporting Time, the longest time for each profile entry gets reported when Max is selected.
- When **Min** is selected, the lowest value for any profile data is reported in the Right Table. AVG reports the average value between all of the processes.

### Note

---

If the Process check box under the View menu is selected, then each row of data in the Statistics Table is labeled max, avg, and min respectively.


## View Menu

Use the View menu to select which columns of data to view in the Statistics Table, and Focus Panel tables. This selection also affects the way that tables are printed to a file and a printer, as described in the Print selection of “File Menu,” on page 154.

The View menu contains the following items:

- **Configure...** - Invokes a dialog box that allows you to select the columns of the Statistics Table to be displayed, and how the data in the columns should be displayed. As illustrated in [Figure 19.5](#), an example of this dialog box, your choices are: Value, Percent, Bar, or All.

Figure 19.5. View | Configure Dialog Box



- **Processes...** (control P) - Allows you to select individual processes for viewing in the Focus Panel table. This menu item is enabled only when profiling an application with more than one process.

When this item is selected, a dialog box appears with a text field. In this text field, you can enter individual processes or a range of processes for viewing. Individual processes must be separated with a comma. A range of processes must be entered in the form: [start]-[end]; where start represents the first process of the range and end represents the last process of the range.

For example, the following entry tells the profiler to display information for process 0, processes 2 through 16, and process 31. These changes remain active until they are changed again or until the profiler session is terminated.

```
0,2-16,31
```

This entry tells the profiler to display information for process 0, processes 2 through 16, and process 31. These changes remain active until they are changed again or until the profiler session is terminated.

To view all of the processes in the View tab, leave the text field blank.

- **Threads...** (control T) - Allows you to select individual threads for viewing in the Focus Panel table. This menu item is enabled only when profiling an application with more than one thread.

When this item is selected, a dialog box appears with a text field. In this text field you can enter individual threads or a range of threads for viewing. Individual threads must be separated with a comma. A range of threads must be entered in the form: [start]-[end]; where start represents the first thread of the range and end represents the last thread of the range. For example:

```
0, 2-16, 31
```

This entry tells the profiler to display information for thread 0, threads 2 through 16, and thread 31. These changes remain active until they are changed again or until the profiler session is terminated.

To view all of the threads in the View tab, leave the text field blank.

## Sort Menu

Use the sort menu to alter the order in which profile entries appear in the Statistics Table, the Focus Panel | Parallelism and in the Focus Panel | Histogram. The current sort order is displayed at the bottom of each table.

In [Figure 19.1, "PGPROF User Interface"](#), the tables have a "Sort by" clause followed with "Line No" or "Process". This indicates the sort order is by source line number or by process number respectively.

The default sort order is by Time for function-level profiling and by Line No (source line number) for line-level profiling. The sort is performed in descending order, from highest to lowest value, except when sorting by filename, function name, or line number. Filename, function name, and line number sorting is performed in ascending order; lowest to highest value. Sorting is explained in greater detail in ["Sorting Profile Data," on page 132](#).

## Search Menu

Use the search menu to perform a text search within the Source table. The search menu contains the following items:

- Forward Search... (control F)
- Backward Search... (control B)
- Search Again (control G)
- Clear Search (control Q)

PGPROF displays a dialog box when you invoke the Forward Search... or Backward Search... menu items. The dialog box prompts for the text to be located. Once the text is entered and the OK button selected, PGPROF searches for the text in the function list, source code, or assembly code displayed in the Statistics Table.

- If Forward Search is selected, PGPROF scrolls forward to the next occurrence of the text entered in the dialog box.
- If Backward Search is selected, PGPROF scrolls backwards to the first previous occurrence of the text in the Source table. Matching text is displayed in red.

- To repeat a search, select the Search Again menu item.
- To clear the search and turn the color of all matching text back to black, select the Clear Search menu item.
- Select Cancel to abort the search.

### Note


The Find: box in the toolbar may also be used to invoke the PGPROF search facility.

## Help Menu

The Help menu contains the following items:

- PGPROF Help... – This option invokes PGPROF’s integrated help utility illustrated in [Figure 19.6, “PGPROF Help”](#). The help utility includes an abridged version of this manual. To find a help topic, use one of the follow tabs in the left panel:

Figure 19.6. PGPROF Help



- The *book* tab presents a table of contents.
- The *index* tab presents an index of commands.
- The *magnifying glass* tab presents a search engine.

Each help page, displayed on the right, may contain hyperlinks, denoted in underlined blue, to terms referenced elsewhere in the help engine.

Use the arrow buttons to navigate between visited pages.


Use the printer buttons to print the current help page.

- About PGPROF... – This option opens a dialog box with version and contact information for PGPROF.

## PGPROF Toolbar

As illustrated in Figure 19.7, the PGPROF toolbar provides navigation shortcuts and controls for frequently performed operations.

Figure 19.7. PGPROF Toolbar



The toolbar includes these buttons and controls:

- **New Profile Session** button - clicking this button is the same as selecting File | New Profile Session... from the menu bar.
- **Print** button - clicking this button is the same as selecting File | Print... from the menu bar.
- **Scalability Analysis** button - clicking this button is the same as selecting File | Scalability Comparison... from the menu bar.
- **Forward** and **Back** buttons - click these buttons to navigate forward and back to previous and subsequent views, respectively.

Use the down-arrow to display the full list of views, and to select a view to jump to. These lists use a notation to describe the profile views as follows:

```
profile_data_file@source_file@routine@line@address
```

The address field is omitted for line-level views, and both the line and address fields are omitted for routine-level views. For example, the following item in a list would describe a view that uses profile data from `pgprof.out`, and is displaying line 370 in the routine named `solver` in source file `main.f`.

```
pgprof.out@main.f@solver@370
```

- **Search** controls - use these to locate information. The controls include:
  - A text box labeled *Find*: Entering a search string here and hitting `Enter` is the same as using the dialog box invoked from the `Search | Forward Search...` menu bar item.
  - Two buttons labeled with down and up arrows, respectively. These buttons provide Search Next and Search Previous operations, similar to `Search | Search Again`. Search Next searches for the next occurrence of the last search string below the current location, and Search Previous searches for the next occurrence above.
- **HotSpot Navigation** controls - use these to navigate to the most significant measurements taken in the profiling run. The controls include:
  - A drop-down menu labeled *HotSpot*:, which you use to select the specific performance measurement of interest.
  - Three navigation buttons, containing *Forward* and *Back* icons with associated plus (+) and minus (-) signs, u.

When the profile is first displayed, the Statistics Table selects the row for the routine with the highest measured Time as though you had clicked on that row. To navigate to the row with the next-highest Time, you click on the button labeled with the *Forward* icon and the minus (-) sign, denoting the next Time HotSpot lower than the current one. Once you have navigated to this second HotSpot, the *Back* HotSpot buttons are activated, allowing you to navigate to the hottest HotSpot using the "<<" button, or to the next higher Time, using the "<" button.

You can use the HotSpot drop-down menu to change the measurement used to identify the HotSpots. The default selection in the HotSpot menu is *Time*, assuming that Time is one of the available measurements. You can click on the down-arrow in the drop-down menu to select any other metric listed in the menu, then click the "Hottest" button to navigate to the row showing the routine with the highest measured value for that metric.

## PGPROF Statistics Table

This section describes the PGPROF Statistics Table. The Statistics Table displays an overview of the performance data, and correlates it with the associated source code or assembly instructions. This is where you should start when analyzing performance data with PGPROF.

The Statistics Table displays information at up to three levels, depending on the type of profile data collected, how the program was built, and whether the PGPROF source file search path has been set to include the program source directories.


### Performance Data Views

The Statistics Table allows you to zoom in and out on the components of your program by providing several views: the routine-level view, the line-level view, and the assembly-level view.

To navigate to the line level from the function level, left double-click on the Statistics Table row corresponding to the function of interest. Similarly, to navigate to the assembly code level from the line level, left double-click on the Statistics Table row corresponding to the source line of interest.

- The **routine-level** view shows a list of the functions or subprograms in your application, with the performance data for that routine in the same row of the table. In addition, if there is any compiler feedback information for the routine, a round button containing the letter 'i' is at the far left of the row. Clicking that button populates the Compiler Feedback tab with the compiler feedback relating to that routine.


Figure 19.8. Routine-level View



- The **line-level** view of a routine is accessed by double-clicking on that routine's row in the routine-level view. The Statistics Table changes to show the source code for the selected function, with performance data and Compiler Feedback buttons as with the routine-level view.




Figure 19.9. Line-level View



- The **assembly-level** view of a source line or routine is accessed by double-clicking on a row in the line-level view. The table changes to show the assembly code, interspersed with the source lines that were compiled to generate the code.

Figure 19.10. Assembly-level View



The data shown in the Statistics Table can be configured using the View | Configure... menu option.

## Source Code Line Numbering

In the optimization process, the compiler may reorder the assembly instructions such that they can no longer be associated with a single line. Therefore, for optimized code, a *source line* may actually be a code block consisting of multiple source lines. This occurrence is common, and expected, and should not interfere with the tuning process when using PGPROF.

PGPROF sometimes shows multiple rows in the Statistics Table for a single source line. The line numbers for such lines are shown in the Statistics Table using the notation

```
line.statement
```

There are several situations where this line numbering can occur:

- When there is more than one statement in a source line, as in a C/C++ program where one line contains multiple statements, separated by semicolons (;).
- When the compiler generates multiple alternative implementations of a loop. The compiler may create alternate versions to handle differences in the data and how it is stored in memory.

- When there is a complicated or conditional loop setup.

For these cases, it is generally safe to sum the times and counts of all the lines. However, take care, particularly with call counts, not to double-count measurements.

## PGPROF Focus Panel

The Focus Panel consists of a number of tabs that allow you to select the focus of your attention as you view the profile data.

Figure 19.11. Focus Panel Tabs



- **Parallelism tab** - Displays a table with detailed profile information for the current profile entry.

Figure 19.12. Parallelism Tab of Focus Panel

Thread	CPU_CLK_UNHALTED	DATA_CACHE_MISSES	DATA_CACHE_REFILLS_FR...	DATA_CACHE_REFILLS_FR...
0 (mm_fw_update_nonbon)	141,279,000,000 = 33%	1,604,170,000 = 32%	1,546,190,000 = 32%	260,563,000 = 29%
2 (mm_fw_update_nonbon)	111,879,000,000 = 26%	1,295,600,000 = 26%	1,296,100,000 = 26%	232,615,000 = 26%
1 (mm_fw_update_nonbon)	93,174,500,000 = 22%	1,113,890,000 = 22%	1,034,780,000 = 22%	211,572,000 = 23%
3 (mm_fw_update_nonbon)	86,696,200,000 = 20%	1,039,250,000 = 21%	1,017,020,000 = 21%	207,188,000 = 23%


Sort By CPU\_CLK\_UNHALTED

- For a multi-process application, this table contains a profile entry for each application process.
- For a multi-threaded or multi-process/multi-threaded application, the Parallelism table provides the option to view process- and/or thread-level profile information. Three buttons labeled Process, Thread, and Process.Threads are available for you to use to toggle between these views when such views are available. We refer to these buttons as the *Process/Thread Selector* buttons.

The default heading for the leftmost column is *Process(es)*. When profiling a multi-threaded application, the heading in the leftmost column reflects whatever is selected by the Process/Thread Selector buttons. When the leftmost column is displaying processes or threads, denoted `Process(es).Threads` in the column heading, each entry is displayed using the notation `(Process_ID).(Thread_ID)`. Following the process/thread ID, the filename, routine name, or line number display is displayed, enclosed in parentheses. This display provides additional ownership information of the process/thread, as well as acting as a secondary key for sorting. For more information on sorting, refer to “Sort Menu,” on page 160.

- **Histogram tab** – Displays a histogram of one or more profiled data items. The performance measurements displayed are the same as those selected in the View menu, described in “View Menu,” on page 158.


Figure 19.13. Histogram Tab of Focus Panel



- Each bar graph corresponds to one of the performance measurements.
- Each vertical bar corresponds to a profile entry.
- The bars are sorted in the order specified in the Sort menu, described in “Sort Menu,” on page 160. Further, the sort order of the Statistics table is reflected in the sort order of the histogram.
- Clicking on a bar displays information for the corresponding profile item in the Statistics Table.
- Double-clicking on a bar drills down into the profile for the portion of the program corresponding to the bar.
- Selected bars are highlighted in blue.
- **Compiler Feedback tab** - Displays information provided by the compiler regarding the characteristics of a selected piece of the program, including optimization and parallelization information, obstacles to optimization or parallelization, and hints about how to improve the performance of that portion of the code. Such information is available at the line level and the function list level.

To access the information, click on an *info* button displayed at the far left of the Statistics Table. If any information is available, round, blue buttons, containing a lower-case 'i', are displayed.

Figure 19.14. Compiler Feedback Tab of Focus Panel



The information is separated into these categories:

- Information about a source line
- Information about routines referenced inside another routine
- Information about variables referenced inside a routine
- Information about how a file was compiled

Each category is represented by a wide bar that functions like a button. Clicking the bar expands the display to show the information in that category. If no information is available in a given category, that category is not listed.

This information is only available if the program was compiled and linked using either the `-Mprof` or the `-Minfo=ccff` option. In some cases it is necessary to build programs using profile-guided optimization by building with `-Mpfi` or `-Mpfo`, as described in the section *Profile-Feedback Optimization using -Mpfi/Mpfo* in the Optimizing and Parallelizing chapter of the PGI User's Guide. Profile-guided optimization can often determine loop counts and other information needed to calculate the Compute Intensity for a given statement or loop.

- **System Information tab** - Displays a panel containing information about the system on which the profile run was executed. If the profile run was executed on multiple systems, there may be information for multiple systems. The information can include:

Figure 19.15. System Information Tab of Focus Panel



- *Process(es)* - the process number(s), or MPI rank(s), of the processes that executed on the specified system in the profiling run.
- *Manufacturer* - the processor manufacturer
- *Processor* - the cpu architecture on which the profiling run was executed, specified using the architecture name used with the PGI compilers' '-tp' option. See the PGI User's Guide for more information.
- *OS Target* - the operating system platform that the executable was built for. Note that although the processor may be a 64-bit processor, the executable may target a 32-bit platform.
- *Total cores* - the total number of processor cores on the system
- *Cores per socket* - the number of processor cores per CPU. If the total cores value is 16, and the cores per socket value is 4, then you know you are using a quad-core processor.
- *Frequency* - the processor frequency

# Chapter 20. The PGPROF Command Line Interface

The user interface for non-GUI (Win32) versions of the PGPROF profiler is a simple command language. This command language is available in the profiler through the `-text` option. The language is composed of commands and arguments separated by white space. A **pgprof>** prompt is issued unless input is being redirected.

This chapter describes the PGPROF profiler command line interface, providing both a summary and then more details about the commands.

## Command Description Syntax

This chapter describes the profiler's command set.

- Command names are printed in bold and may be abbreviated as indicated.
- Arguments enclosed by brackets ('`[ ]`') are optional.
- Separating two or more arguments by '`|`' indicates that any one is acceptable.
- Argument names in italics are chosen to indicate what kind of argument is expected.
- Argument names that are not in italics are keywords and should be entered as they appear.

## PGPROF Command Summary

Table 20.1. PGPROF Commands

<b>Name</b>	<b>Arguments</b>	<b>Usage</b>
<code>d[isplay]</code>	<code>[display options]   all   none</code>	Specify display information.
<code>he[lp]</code>	<code>[command]</code>	Provide brief command synopsis.

<b>Name</b>	<b>Arguments</b>	<b>Usage</b>
h[istory]	[size]	Display the history list, which stores previous commands in a manner similar to that available with csh or dbx.
l[ines]	function [[>] filename]	Print (display) the line level data together with the source for the specified function.
a[sm]	routine [[>] filename]	Print (display) the instruction and line level data together with the source and assembly for the specified routine.
lo[ad]	[datafile]	Load a new dataset. With no arguments reloads the current dataset.
m[erge]	datafile	Merge the profile data from the named datafile into the current loaded dataset.
pro[cess]	processor_num	For multi-process profiles, specify the processor number of the data to display.
p[rint]	[[>] filename]	Print (display) the currently selected function data.
q[uit]		Exit the profiler.
sel[ect]	calls   timecall   time   cost   cover   all [[>] cutoff]	Display data for a selected subset of the functions.
so[rt]	[by] [max   avg   min   proc   thread] calls   cover   timecall   time   cost   name   msgs   msgs_sent   msgs_rcv   bytes   bytes_sent   bytes_rcv   visits   file]	Function level data is displayed as a sorted list.
src[dir]	directory	Set the source file search path.
s[tat]	[no]min [no]avg [no]max [no]proc [no]thread [no]all]	Set which process fields to display (or not to display when using the arguments beginning with “no”)
th[read]	thread_num	Specify a thread for a multi-threaded process profile.
t[imes]	raw   pct	Specify whether time-related values should be displayed as raw numbers or as percentages. The default is pct.
! (history)	!   num   -num   string	Repeat recent commands

## Command Reference

This section provides more details about the commands in the previous Command Summary Table.



## asm

```
a[sm] routine [[>] filename]
```

Print (display) the instruction and line level data together with the source and assembly for the specified routine. If the filename argument is present, the output is placed in the named file. The '>' means redirect output, and is optional. This command is only available on platforms that support assembly-level profiling.

## ccff

```
c[ccff] file[@function] [line_number]
```

Print compiler feedback for the specified file, function, or source line. PGI compilers can produce information in the Common Compiler Feedback Format (CCFF) that provides details about the compiler's analysis and optimization of your program. Often this information can illuminate ways in which to further optimize a program.

The CCFF information is produced by default when using the `-Mprof` compiler option, but if you are profiling with the **pgcollect** command, you must build your program with the `'-Minfo=ccff'` compiler option to produce this information.

## display

```
d[isplay] [display options] | all | none
```

Specify display information. This includes information on minimum values, maximum values, average values, or per processor/thread data. Below is a list of possible display options:

```
[no]calls [no]cover [no]time [no]timecall [no]cost [no]proc [no]thread [no]msgs [no]msgs_sent  
[no]msgs_rcv [no]bytes [no]bytes_sent [no]name [no]file [no]line [no]lineno [no]visits [no]scale  
[no]stmtno
```

## help

```
he[lp] [command]
```

Provide brief command synopsis. If the command argument is present, only information for that command is displayed. The character "?" may be used as an alias for help.

## history

```
h[istory] [size]
```

Display the history list, which stores previous commands in a manner similar to that available with `csh` or `dbx`. The optional size argument specifies the number of lines to store in the history list.

## lines

```
l[ines] function [[>] filename]
```

Print (display) the line level data together with the source for the specified function. If the filename argument is present, the output is placed in the named file. The '>' means redirect output, and is optional.

## load

```
lo[ad] [datafile]
```

Load a new dataset. With no arguments reloads the current dataset. A single argument is interpreted as a new data file. With two arguments, the first is interpreted as the program and the second as the data file.

## merge

```
m[erge] datafile
```

Merge the profile data from the named datafile into the current loaded dataset. The datafile must be in standard pgprof.out format, and must have been generated by the same executable file as the original dataset (no datafiles are modified.)

## process

```
pro[cess] processor_num
```

For multi-process profiles, specify the processor number of the data to display.

## print

```
p[rint] [[>] filename]
```

Print (display) the currently selected function data. If the filename argument is present, the output is placed in the named file. The '>' means redirect output, and is optional.

## quit

```
q[uit]
```

Exit the profiler.

## select

```
sel[ect] calls | timecall | time | cost | cover | all [[>] cutoff]
```

Display data for a selected subset of the functions. This command is used to set the selection key and establish a cutoff percentage or value. The cutoff value must be a positive integer, and for time related fields is interpreted as a percentage. The '>' means greater than, and is optional. The default is all.

## sort

```
so[rt] [by] [max | avg | min | proc | thread] calls | cover | timecall | time |  
cost | name | msgs | msgs_sent | msgs_recv | bytes | bytes_sent |  
bytes_recv | visits | file]
```

Function level data is displayed as a sorted list. This command establishes the basis for sorting. The default is max time.

## srcdir

```
src[dir] directory
```

Set the source file search path.

## stat

```
s[ta]t [no]min|[no]avg|[no]max|[no]proc|[no]thread|[no]all]
```

Set which process fields to display (or not to display when using the arguments beginning with “no”).

## thread

```
th[read] thread_num
```

Specify a thread for a multi-threaded process profile.

## times

```
t[imes] raw | pct
```

Specify whether time-related values should be displayed as raw numbers or as percentages. The default is pct.

## ! (history)

```
!!
```

Repeat previous command.

```
! num
```

Repeat previous command numbered num in the history list.

```
!-num
```

Repeat the num-th previous command numbered num in the history list.

```
! string
```

Repeat most recent command starting with string from the history list.



# Chapter 21. pgcollect Reference

You use the PGCOLLECT tool to control collection of performance data using OProfile on linux86\_64 systems. This chapter describes the pgcollect command line options and how to use them to configure and control collection of application performance data.

## Invoking pgcollect

The following command invokes PGCOLLECT:

```
pgcollect [options] program_or_script_filename [program_args]
```

This syntax indicates that the only required argument is the `program_or_script_filename`, which is either the filename of the program to be profiled, or the name of a script that invokes the program. When applicable, you can provide arguments for the specified program or script.

Using a script can be useful if you want to produce an aggregated profile of several invocations of the program using different data sets. In this situation, use the `-exe` option, which allows the data collection phase to determine which program is being profiled.

You can optionally provide a number of command-line options, described in [“Command-line Options,” on page 178](#). If no event specification option is provided, **pgcollect** performs time-based profiling at a 1 millisecond sampling rate.

Since OProfile provides only system wide profiling, when you invoke **pgcollect** it provides a locking mechanism that allows only one invocation to be active at a time.

### Note

---

The **pgcollect** locking mechanism is external to OProfile and does not prevent other profile runs from invoking the OProfile command **opcontrol** through other mechanisms.

## System Access Requirements

When using **pgcollect**, you control the OProfile kernel driver and the sample collection daemon via the OProfile command **opcontrol**. This control requires root privileges for management operations. Thus, invocations to **opcontrol**, which are performed when **pgcollect** is used, are executed via the **sudo** command.

One technique that requires minimal updates to the `/etc/sudoers` files is to assume that all users in a group are allowed to execute `opcontrol` with group privileges. For example, you could make the following changes to `/etc/sudoers`: to permit all members of the group 'sw' to run **opcontrol** with root privileges.

```
# User alias specification
User_Alias SW = %sw
...
SW ALL=NOPASSWD: /usr/bin/opcontrol
```

Consult with your network administrator regarding your local **sudo** security policies.

### Note

---

**pgcollect** shuts down the OProfile daemon when interrupted. However, if the script is terminated with **SIGKILL**, you must execute the following:

```
pgcollect -shutdown
```

Executing this command is important because if the OProfile daemon is left running, disk space on the root file system is eventually exhausted.

## Command-line Options

This section contains a list of valid **PGCOLLECT** options, grouped by categories.

### Overall Options

**-V**

Display the version of `pgcollect` being run.

**-check-events**

Do not execute a profiling run, just check the event settings specified on the command line.

**-exe <exename>**

Specify the program to be profiled. You only need to use `-exe` when the file argument is a script that invokes the program.

**-help**

Show profiler usage and switches.

**-list-events**

List profiling events supported by the system.

**-shutdown**

Shut down the profiling interface. You only need to use this option in rare cases when a profiling run was interrupted and OProfile was not shut down properly.

### Predefined Performance Data Collection Options

**-allcache**

Profile instruction, data, and branch cache misses

**-dcache**

Profile various sources of data cache misses

`-imisses`

Profile instruction cache-related misses.

`-time <millisecs>`

Provide time-based sampling only. Specify the sampling interval in milliseconds. This option is the default.

## User-Defined Performance Data Collection Options

`-es-function <name>`

Set profile events via a shell function.

`-event <spec>`

Manually add an event profile specification. An event profile specification is an **opcontrol** `'--event'` argument; that is, the event profile specification provided on the command line is appended to `'--event='` and passed as an argument to **opcontrol**.

`-post-function <name>`

Execute a shell function after profiling is complete.

## Defining Custom Event Specifications

The `pgcollect '--event=EVENTSPEC'` options are accumulated and used to specify events to be measured. For more information about these events, refer to the `opcontrol` man page.

Users can also provide event specifications by supplying shell functions in a file named `.pgoprun`. The associated directory search list is the current directory followed by the user's home directory.

There are numerous processor counters provided by x64 processors that can be used to measure a variety of processor resources. Here are two examples.

### Example 21.1. Custom Event Example 1

Here is an example of a shell function that would be implemented in a `.pgoprun` file:

```
amd_alternative_dcachecache () {
    event[${#event[@]}]--event=CPU_CLK_UNHALTED:40000:0x00:0:1
    event[${#event[@]}]--event=DATA_CACHE_MISSES:4000:0x00:0:1
    event[${#event[@]}]--event=DATA_CACHE_REFILLS_FROM_L2:4000:0x1f:0:1
    event[${#event[@]}]--event=DATA_CACHE_REFILLS_FROM_SYSTEM:4000:0x1 f:0:1
}
```

To invoke this setting, specify the **pgcollect** arguments:

```
-es-function amd_alternative_dcachecache
```

### Example 21.2. Custom Event Example 2

To produce a source code listing from a profile run that is annotated with profile data, implement the following function in a `.pgoprun` file:

```
annot () {
    opannotate --source $exe > opannotate.out
}
```

Invoke **pgcollect** using the arguments:

```
-es-function annot
```



# Index

## Symbols

- .pdb file, 47
- .pgdbgrc file
  - initialization, 3
- \$EDITOR, 104
- 32-bit Windows, 48
- allcache
  - pgcollect, 178
- check-events
  - pgcollect, 178
- dcache
  - pgcollect, 178
- es-function
  - pgcollect, 179
- event
  - pgcollect, 179
- exe
  - pgcollect, 178
- g option, -gopt option, 47
- help
  - pgcollect, 178
- imisses
  - pgcollect, 179
- list-events
  - pgcollect, 178
- Minfo
  - ccff, 143
- Mprof
  - dwarf, 143
  - func, 126, 143
  - hpmpi, 143
  - hwcts, 125, 126, 143
  - lines, 126, 144

- mpich1, 144
- mpich2, 144
- mssmpi, 144
- mvapich, 144
- time, 125, 126, 144
- pg, 144
- post-function
  - pgcollect, 179
- shutdown
  - pgcollect, 178
- time
  - pgcollect, 179
- V
  - pgcollect, 178

, 108, 108

## A

- add
  - directory pathname, 116
- addr
  - command, 115
- address
  - 32-bit float, 114
  - 64-bit double, 113
  - conversion, 115
  - current, 113
  - current program, 113
  - disassemble locations, 22
  - fetch, 115
  - print, 13, 115
  - print integer, 114
  - print short integer, 115
  - read double, 113
  - read integer, 113
  - return, 110
  - set breakpoint, 102
  - short signed integer, 115
  - signed integer, 113, 114
- alias
  - command, 116
  - create, 116
  - print, 116
  - remove, 121
- AMD64 Register Symbols, 51
- Analyze

- performance data, MPI programs, 135
- performance data, multi-threaded programs, 134
- Application
  - terminate target, 11
  - tuning, 127
- arguments
  - intepretation, 29
  - print name and value, 106
  - print names, 105
  - print values, 105, 106
  - target program, 2
- arrays
  - Fortran, 53
  - large, 53
  - ranges, 53
  - subscripts, 53
- arrive
  - command, 104
  - menu item, 14
- ascii
  - command, 108
  - print, 13, 108
- asm
  - PGPROF command, 173
- assembly-level
  - debug with C++, 48
  - debug with Fortran, 47
  - debug with PGDBG GUI, 48
- assign
  - command, 109
- async command, 72
- Attach
  - command, 94
  - running process, 11
- Attribute
  - modify color, 156
- Audience Description, xix
- B**
- Background
  - color, 156
- bin
  - command, 108
- Binary

- print, 13, 108
- blocks
  - common, 54
  - Fortran, 54
  - lexical, 29
  - statements, 30
- break
  - command, 31, 97, 98
  - conditional, 102
  - on variable change, 101, 102
- breaki
  - command, 49, 98, 98
- breakpoints
  - at address, 49
  - clear, 99
  - clear all, 99
  - display active, 14
  - display all, 99
  - display existing, 99
  - print, 98, 98
  - print current, 97, 98
  - remove, 102, 103
  - remove all, 102, 103
  - remove from address, 103
  - set, 15, 98, 98, 101, 102
  - set at address, 98
  - variable, 101, 102
- breaks
  - command, 99
- breaks command, 99
- buttons
  - PGDBG, 16
  - Source panel, 16
- Bytes
  - profile data, 150
  - received, 150
  - sent, 150

**C**

- C++, 48
  - Instance Methods, 56
  - symbol names, 48
- call
  - command, 56, 109
  - popup menu, 19
  - routine, 15
  - routine or function, 150
  - stack, 14
- calling conventions, 48
  - Fortran, 47
- cancel
  - call command, 109
- Cascade Windows, 16
- catch
  - command, 99
- catch command, 99
- Caveats, 150
- CCFE, 123, 133
  - Minfo, 143
  - PGPROF command, 173
- CCP\_SDK, 144
- cd
  - command, 104
- change
  - directories, 104
- clear
  - breakpoints, 99
  - command, 99, 99
  - data, 20
  - search, 160
  - subwindow, 20
- Clock
  - granularity, 151
  - resolution, 151
- Close
  - File menu item, 20
  - PGPROF, 155
  - subwindow, 20
- code
  - source locations, 28
- Collect
  - performance data, MPI, 135
  - performance data, multi-threaded programs, 134
- Colors
  - background, 156
  - filled text, 156
  - modify attribute, 156
  - set in PGPROF, 155
  - unfilled text, 156
- combo box
  - ALL selection, 16
- Current Process.Thread selection, 16
- Current Process selection, 16
- Current Thread selection, 16
- Foxus selection, 17
- Source Panel, 16

**command**

- argument interpretation, 29
- blocks, 30
- categories, 93
- conditional execution, 104
- constants, 28
- control, 71
- events, 31
- Invoke PGDBG, 2
- lists, 23
- log, 117
- menus, 14
- modes, 27
- notation, 35
- pgcollect, 124
- PGDBG, 27
- PGDBG set, 93
- print use, 116
- prompt, 75
- prompts, PGDBG panel, 8
- recently executed, 117
- set, 69
- Summary Table, 35
- symbols, 28
- syntax, 27

**command line**

- PGDBG options, 25, 25
- PGPROF options, 144

**common blocks, 54**

**Compare**

- scalability, 136, 155

**Compiler**

- feedback, 132
- Feedback Format, 123

**Configure**

- es-function pgcollect option, 179
- event pgcollect option, 179
- PGPROF, 158
- post-function pgcollect option, 179

- stop mode, 72
  - wait mode, 73
  - Conformance to Standards, xix
  - constants, 28
  - cont command, 49, 94
  - Continue
    - cont command, 94
    - execution, 15, 15, 15, 15, 15
  - Control
    - menus, 14
  - control-B, 15
  - control-C, 20, 34
    - MPI use, 34
    - thread initialization issues, 34
  - control-D, 14
  - control-E, 15
  - control-F, 15
  - control-G, 15
  - control-H, 14
  - control-I, 15
  - control-L, 16
  - Control menu, 15, 15, 15, 15
    - Arrive, 14
    - Call, 15
    - Cont, 15
    - Down, 14
    - Halt, 14
    - Run, 14
    - Run arguments, 14
    - Step, 15
    - Up, 14
  - control-N, 15
  - control-O, 15
  - control-P, 13
  - Control Panels
    - PGDBG GUI, 7
  - control-R, 14
  - control-S, 15
  - control-T, 15
  - control-U, 14
  - control-W, 16
  - conventions
    - calling, 47
      - calling conventions, 48
    - in text, xxii
  - conversions, 115
  - convert
    - address, 115
    - address to line, 29
    - line to address, 29
  - Copyright
    - display, 12
  - core files
    - generation, 57
    - location, 58
    - name, 58
    - set size limit, 58
  - Cost
    - information in profile, 150
  - Count
    - line or function execution, 150
  - Counters
    - CPU\_CLK\_UNHALTED, 130
  - CPU
    - cycle count, 140
  - CPU\_CLK\_UNHALTED, 130
  - cread
    - command, 113
  - create
    - aliases, 116
  - Custom
    - subwindow, 23
- ## D
- Data
    - analysis, MPI programs, 135
    - analysis, multi-threaded programs, 134
    - clear, 20
    - collection, 126
    - collection, MPI, 135
    - collection, multi-threaded programs, 134
    - disassemble, 15
    - menus, 13
    - pop-up menu, 19
    - precision, 149
    - print type, 13
    - profile, 149
    - regenerate, 20
    - sort profile, 132
    - update, 20
  - view performance, 163
  - datafile
    - PGPROF command line option, 144
  - Data menu
    - addr, 13
    - ascii, 13
    - bin, 13
    - decimal, 13
    - hex, 13
    - oct, 13
    - print, 13
    - print \*, 13
    - string, 13
    - Type of, 13
  - dbx
    - command mode, 27
  - debug
    - assemble-level with C++, 48
    - assemble-level with Fortran, 47
    - assemble-level with PGDBG GUI, 48
    - assembly-level, 47
    - assembly-level commands, 49
    - assembly-level menu options, 48
    - C++, 56
    - command, 94
    - command-line interface, 49
    - Fortran source, 53
    - g option, 47
    - modes, 62
    - MPI, 83
    - multilevel, 91
    - name translation, 48
    - on Microsoft Windows systems, 47
    - on windows, 2
    - parallel, 61, 69
    - PGDBG features, 1, 2
    - using memory addresses, 47
    - using registers, 47
    - with core files, 57
    - with -Munix, 48
  - debug mode
    - multilevel, 91
    - process-only, 63

- serial, 62
- threads-only, 63
- dec
  - command, 108
- decimal
  - print, 13, 108
- declaration command, 109
- declarations
  - print, 111
  - symbol, 109
- decls
  - command, 111
- default
  - settings, 157
- define
  - command list to execute, 100, 100
  - debugger environment, 118
  - do event, 100
  - doi event, 100
  - event, 101
  - instruction-level track event, 102
  - instruction-level watch event, 103
  - read/write watchpoint, 101
  - read watchpoint, 101
  - track event, 102
  - watchpoint, 100
- defset
  - command, 66, 97
- delete
  - command, 99
  - event number, 99
- Detach
  - command, 94
  - end debug session, 11
- directory
  - add pathname, 116
  - add to search list, 121
  - change, 104
  - command, 116
  - working, 105
- disable
  - command, 100
  - event number, 100
  - tool tips, 11
- disasm command, 104

- disassemble
  - data, 15
  - Memory, 104
  - popup menu, 19
- disassembler subwindow, 14, 21
- disassembly
  - display, 48
- display
  - active breakpoints, 14
  - breakpoints, 99, 99
  - command, 108
  - current program counter scope, 17
  - current program counter scope, 17
  - debugger settings, 118
  - disassembly, 48
  - event definition, 101
  - event definitions, 101
  - expressions, 108
  - local variables, 14
  - memory locations, 48
  - MPI message queues, 14
  - OpenMP private data, 81
  - PGPROF command, 173
  - program location, 14
  - registers, 13, 48, 49
  - routine scope, 14, 14
  - source file name, 17
  - stack traceback, 48
  - stack window, 13
  - unique thread ID, 79
- do
  - command, 31, 100
- Documentation
  - accessing, xix
  - location, xix
- doi
  - command, 100
- Down
  - command, 111
  - menu item, 14
- dread
  - command, 113
- dump
  - command, 49, 113

- list, 20
- memory contents, 113
- MPI message queue, 115
- dwarf
  - Mprof, 143
- Dynamic p/t-set, 65
- E**
- edit
  - command, 104
  - file, 104
- enable
  - command, 100
  - tool tips, 11
- enter
  - command, 111
- entry
  - command, 110
- Environment
  - debugger, 118
  - define, 118
  - variables, PGPROF, 147
- Environment variables
  - \$EDITOR, 104
  - CCP\_SDK, 144
  - GMON\_ARDCS, 147
  - HOME, 3
  - name, 120
  - PATH, 3
  - PGI\_JAVA, 4, 128
  - PGPROF, 147
  - PGPROF\_DEPTH, 147
  - PGPROF\_EVENTS, 139, 139, 147
  - PGPROF\_NAME, 147
  - set, 120
  - system, 147
  - using, 127
- evaluate
  - without printing, 117
- Event counters
  - hardware, 140
  - using PAPI, 139
  - using PGPROF -pgcollect, 138
- Events, 17, 30, 97
  - at address, 31
  - at line, 31

- breakpoints, 17
- commands, 31
- conditional, 31
- counters, 127, 138
- counters, Linux, 138
- custom specification, pgcollect, 179
- definitions, 101
- delete, 99
- disable, 100, 100
- enable, 100
- hardware triggered, 100, 101, 101
- in routine, 31
- Mprof=hwcts, 143
- multiple at same location, 32
- PAPI\_TOT\_CYC, 140
- parallel, 76
- print, 100, 100
- profile, 179
- profile specification, 179
- program speed, 32
- settings check, 178
- status, 101
- track, 102
- tracki, 102
- watch, 103
- watchi, 103
- exe
  - PGPROF command line option, 144
- Execute
  - command, 104, 104
  - conditional, 104, 104
  - continue, 15
  - rerun command, 95
  - run command, 95
  - shell function after profile, 179
  - single line, 15, 15
  - single machine instruction, 15, 15
- Exit
  - PGPROF, 155
  - save settings, 157
- Expressions, 33
  - evaluate, 117
  - lvalue, 110
- print, 106
- print formatted, 107
- print with pgienv , 107
- rvalue, 110
- type, 111
- F**
- Feedback
  - CCFF, 123
  - compiler, 133
  - messages, 133
  - tab, Focus Panel, 168
- feedbackonly
  - PGPROF command line option, 144
- file command, 105
- File menu, 20
- Files
  - .exe, 47
  - .pdb, 47
  - .pgdbgrc, 3
  - Attach to Target menu, 11
  - available, 17
  - change, 105
  - change source file, 105
  - command, 112
  - DetachTarget menu, 11
  - edit, 104
  - execute contents, 120, 121
  - Exit menu item, 11
  - initialization hierarchy, 3
  - menu, 11
  - open for debug, 11
  - Open Target menu, 11
  - print profile data, 155
  - profile output, 126
  - source file list, 112
  - Source File selector, 17
  - source list, 17, 112
- floating point
  - stack register symbols, 50
- Focus
  - Compiler Feedback tab
    - Compiler, 168
  - histogram tab
    - Historgram, 167
  - panel in PGPROF, 154, 167
  - parallelism tab
    - Parallelism, 167
  - PGDBG panel, 8
  - System Information tab
    - System, 169
- focus command, 66
- Fonts
  - change, 11
  - default in debugger, 11
  - select, 11
  - set, 157
- fork
  - shell, 120
- Fortran
  - debugging, 53
  - symbol names, 47
- Fortran 90 modules, 55
- fp
  - command, 112
- frame pointer, 112
  - value, 112
- fread
  - command, 114
- function
  - command, 115
- G**
- General Registers, 51
  - symbols, 50
- Global
  - commands, PGDBG, 112
- Global commands, 71
- GMON\_ARCS, 147
- gmon.out, 144, 144
- grid, 8
  - color meaning, 8
  - refresh, 16
- group
  - selection, 17
- GUI
  - control panels, 7
  - PGDBG, 5
- H**
- halt

- command, 85, 95
- control-C, 34
- running processes, 14
- running threads, 14
- Hardware
  - counters, profile with, 138
  - event counters, 127, 140
  - read/write watchpoint, 101
  - read watchpoint, 101, 101
  - watchpoint, 100
- Help
  - About PGDBG menu item, 12
  - menu, 12, 161
  - on PGDBG commands, 12
  - pgcollect, 178
  - PGDBG menu item, 12
  - PGPROF command, 173
  - PGPROF command line option, 145, 146
  - profiler usage, 178
  - utility, 12
  - window, 12
- help
  - command, 116
- Hex
  - print, 13
- hex
  - command, 108
- hexadecimal
  - print, 108
- Histogram tab
  - PGPROF, 167
- history
  - command, 117
  - modifiers, 117
  - PGPROF command, 173, 175
  - repeat command, 120
  - resize list, 117
- HOME
  - environment variable, 3
- Host
  - defined, 1
- HotSpot
  - controls, 131
  - navigation, 163
- HPF, xix
- HPMPI
  - debug, 87
  - Mprof, 143
- hwatchboth command, 101
- hwatch command, 31, 100
- hwatchread command, 101, 101
- hwcts
  - Mprof, 143
- hybrid applications
  - parallel debugging, 91
- I**
- I
  - PGPROF command line option, 145
- icons
  - stop sign, 17
- ID
  - process, 95
- Identifiers
  - numeric process, 9
  - numeric thread, 9, 9
- identifiers
  - declarations, 111
- if else
  - parallel statements, 77
- if statement, 30
- ignore
  - command, 101
  - signals, 101
- ignore command, 101
- Information
  - profile summary, 154
- Initialization
  - PGDBG, 2
- Initialize
  - PGDBG, 3
  - PGDBG file, 3
- Inlining
  - routines, 133
- instance
  - methods, 56
- instruction
  - tracing, 102
- integer
  - print as binary, 108
  - print as decimal , 108
  - print as hexadecimal , 108
  - print as octal , 108
- Intensity
  - computational, 133
  - messages, 133
- internal
  - procedures, 54, 54
- interrupt
  - control-C, 34
- Invocation
  - PGDBG, 2
- Invoke
  - custom subwindow, 14
  - memory dumper subwindow, 14
  - pgcollect, 177
  - PGDBG, 2
  - PGDBG Disassembler subwindow, 14
  - PGDBG for MPI debug, 87
  - profiler, 127
  - subwindows, 17
- iread
  - command, 114
- J**
- jarg
  - PGPROF command line option, 145
- Java
  - jarg, 145
  - PGPROF, 128
  - specify location, 4, 128
  - version selection, 4, 128
- JVM
  - Java, 128
  - Java and PGDBG, 4, 4
- L**
- language
  - command, 117
- Launch
  - profiler, 127
- Lexical blocks, 29
- Libraries
  - HPMPI, 143

- MPI routines, 135
- line command, 115
- lines
  - command, 105
  - PGPROF command, 173
- Lines
  - Mprof option, 144
  - numbering, 150, 166
  - profiling and optimization, 151
  - table, print, 105
- Linux
  - profiles, 126
- list
  - command, 105
  - source lines, 105
- load
  - PGPROF command, 173
- Locate
  - routine, 15
  - string, 106, 106
- Locate Routine, 15
  - popup menu, 19
- Location
  - change, 104
  - current, 104
  - program, 14
- log
  - all commands, 117
  - command, 117, 117
- lread
  - command, 115
- lval
  - command, 110
- lvalue
  - defined, 110

## M

- machine language
  - listings, 22
- Main routine
  - name, 54
- Manual organization, xx
- Measure
  - time, 149
- Memory
  - access commands, 113

- disassemble, 104
- display locations, 48
- dump, 14, 113
- subwindow, 20, 21
- Menu items
  - About PGDBG, 12
  - Addr, 13
  - Arrive, 14
  - ASCII, 13
  - Attach to Target, 11
  - Backward search, 160
  - Bar Chart Colors, 155
  - bin, 13
  - binary, 13
  - Call, 15
  - Cascade Windows, 16
  - Clear Search, 160
  - Close, 155
  - Configure..., 158
  - Cont, 15
  - Custom, 14
  - Dec, 13
  - decimal, 13
  - Detach Target, 11
  - Disassembler, 14, 15
  - Down, 14
  - Events, 14
  - Exit, 11, 155
  - Font, 11, 157
  - Forward search, 160
  - Halt, 14
  - Help, PGPROF, 161
  - Hex, 13
  - hexadecimal, 13
  - Locals, 14
  - Locate Routine, 15
  - Memory, 14
  - Messages, 14
  - new Window, 154
  - Next, 15
  - Nexti, 15
  - Oct, 13
  - octal, 13
  - Open Profile, 154
  - Open Target, 11
  - PGDBG Help, 12

- PGPROF Help, 161
- print, 13
- Print, 155
- print \*, 13
- Print to File, 155
- Processes, 159
- Refresh, 16
- Registers, 13
- Restore Factory Setting, 11
- Restore Factory Settings, 157, 157
- Restore Saved Setting, 11
- Restore Saved Settings, 157
- Run, 14
- Run arguments, 14
- Save Settings on Exit, 11, 157
- Scalability comparison, 155
- Search Again, 15, 160
- Serach Backward, 15
- Serach Forward, 15
- Set Breakpoint, 15
- Show Tool Tips, 11, 157
- Stack, 13
- Step, 15
- Stepi, 15
- Step Out, 15
- string, 13
- Threads..., 160
- type, 13
- Up, 14
- Menus
  - assembly-level options, 48
  - Command, 14
  - Control, 14
  - Data, 13
  - Data pop-up, 19
  - file, 11
  - File, 20
  - File, PGPROF, 154
  - Help, 12
  - Options, 15
  - PGPROF, 154, 154
  - pop-up, 17
  - Processes, PGPROF, 157
  - Settings, 155
  - Source panel, 13
  - Source Panel, 17

- Window, 13
- merge
  - PGPROF command, 174
- Messages
  - areas, 17
  - debug
    - MPI application, 24
  - feedback, 133
  - inlined, 133
  - intensity, 133
  - MPI, 14, 84
  - MPI queue, 115
  - number received, 150
  - number sent, 150
  - queues, 84
  - received, 150, 150
  - sent, 150, 150
  - Source panel, 17
  - status, 75
  - status in PGDBG, 17
  - subwindow, 24
- Methods
  - profiling, 126
- Microsoft Windows
  - debug, 47
- Miscellaneous commands, 116
- Modes
  - stop, 72
  - wait, 72
- modules
  - debug access, 55
  - Fortran 90, 55
  - procedures, 55
- MPI
  - data analysis, 135
  - data collection, 135
  - debug considerations, 83
  - Debugging, 84
  - debug multi-process, 83
  - global rank, 88
  - groups, 85
  - library routines, 135
  - Listener process, 85
  - listener processes, 85
  - local process, 88
  - message queue dump, 115

- message queues, 14, 84, 84
- MPICH-1, 89
- MPICH-2, 89
- multi-process debug, 86
- MVAPICH, 89
- parallel debug, 83
- process, local, 88
- profiling, 135
- sample profile, 136
- MPI\_COMM\_WORLD, 85
- MPICH
  - support, 89
- MPICH-1
  - Mprof option, 144
- MPICH-2
  - debug, 87
  - Mprof option, 144
  - support, 89
- mqdump
  - command, 115
- MSMPI
  - debug, 87
  - Mprof option, 144
- multilevel
  - debugging, 91
  - error messages, 92
  - mode status, 92
- multilevel debugging, 63
- Multi-threaded
  - data analysis, 134
  - data collection, 134
  - profiling, 134
- MVAPICH
  - debug, 87
  - Mprof option, 144
  - support, 89
- N**
- Names
  - command, 112
  - declarations, 112
  - identifiers, 112
  - print declarations, 112
  - registers, 113
  - remove alias, 121
  - translation, 48

- Navigation
  - HotSpot, 131, 163
  - jump to profile, 131
  - previous PGPROF view, 131
  - Profile, 130
  - select profile, 131
- Network
  - slow connections, 128
- Next
  - PGDBG command, 15
- next
  - command, 95
- Nexti
  - PGDBG command, 15
- nexti
  - command, 49, 95
- noprint
  - command, 117
- O**
- oct
  - command, 108
- Octal
  - print, 13, 108
- OpenMP, xix
  - parallel debug, 79
  - private data debug, 80
- Operators
  - @, 33, 54, 112
  - in expressions, 53
  - range, 33
  - scope, 54
  - scope qualifier @, 28
- OProfile
  - overview, 125
  - pgcollect, 177
- Optimize
  - code, 2
  - g use, 2
- Options
  - command line, 25, 25, 25
  - g, 2, 47
  - gopt, 47
  - menu, 15, 15, 15, 15, 15, 16
    - Disassembler, 15
  - menus, 15



- Minfo=ccff, 143
- Mprof, 135
- Mprof=dwarf, 143
- Mprof=func, 143, 143
- Mprof=hwcts, 143
- Mprof=lines, 144
- Mprof=mpich1, 144
- Mprof=mpich2, 144
- Mprof=msmpi, 144
- Mprof=mvapich, 144
- Mprof=time, 144
- Munix, 48
- O0, 2
- pg, 144
- pgcollect, 178
- options
  - MPI profile, 135
- Options menu
  - Refresh, 16
- P**
- p/t-sets, 64
  - commands, 66
  - create, 67, 68
  - current, 64, 66
  - define dynamic, 65
  - define static, 65
  - dynamic vs static, 65
  - Editor, 68
  - ignore, 70
  - modify, 68
  - multilevel debug mode, 65
  - multiple threads and processes, 76
  - notation, 64
  - override current, 70
  - prefix, 64, 66
  - process-only debug mode, 65
  - remove, 68
  - select, 68
  - target, 64
  - thread-only debug mode, 65
  - undefine, 67
- Panels
  - PGDBG Command Prompt, 8
  - PGDBG Focus, 8
- PGDBG GUI, 7
- PGDBG Source, 11
  - source, 17
  - Source menus, 13
- PAPI
  - event counters, 139
  - overview, 125
- PAPI\_TOT\_CYC, 139
  - event, 140
- Parallel
  - debug commands, 69
  - debugging, 61
  - debugging, overview, 61
  - debug hybrid apps, 91
  - debug with MPI, 83
  - events, 76
  - program profiles, 133
  - regions, stepi command, 96
  - statements, 77
  - statements, return, 78
- PATH
  - environment variable, 3
- pathname
  - add to search path, 116
- pause, 121
- pc
  - command, 113
- Performance
  - allcache pgcollect option, 178
  - API, 125
  - assembly-level view, 165
  - collect data, 126
  - data views, 163
  - dcache pgcollect option, 178
  - displyed, 163
  - dmisses pgcollect option, 179
  - line-level view, 164
  - MPI, 135
  - multi-threaded programs, 134
  - routine-level view, 164
  - time pgcollect option, 179
- pgcollect, 124, 138, 177
  - allcache option, 178
  - check-events option, 178
  - custom event specification, 179
  - dcache option, 178
- es-function option, 179
- event option, 179
- exe option, 178
- help, 178
- imisses option, 179
- invoking, 177
- list-events option, 178
- OProfile, 177
- options, 178
- post-function option, 179
- shutdown option, 178
- syntax, 177
- time option, 179
- version, 178
- V option, 178
- PGDBG
  - Assembly-level debugging, 47
  - Buttons, 16
  - C++ debugging, 56
  - Combo boxes, 16
  - Command-Line Arguments, 25, 25, 25
  - Command menu, 14
  - Command prompt, 75
  - Command Prompt panel, 8
  - Commands, 27, 93
  - Commands Summary, 35
  - Control menu, 14
  - Conversions, 115
  - Custom Subwindow, 24
  - Data menu, 13
  - Debugger, 1, 2
  - Debug modes, 62, 91
  - Default GUI appearance, 6
  - Disassembler Subwindow, 22
  - Events, 30, 97
  - Expressions, 33
  - File Menu, 11
  - Focus panel, 8
  - Fortran arrays, 53
  - Fortran Common Blocks, 54
  - Fortran debugging, 53
  - Graphical user interface, 3, 5
  - GUI with All Control Panels, 7
  - Help Menu, 12
  - Initialization, 2

initialize, 3  
 Internal Procedures, 54  
 Invocation, 2  
 Main Window, 5, 19  
 Memory access, 113  
 Memory Subwindow, 21  
 Messages Subwindow, 18  
 Miscellaneous commands, 116  
 Name of main routine, 54  
 Operators, 33, 53  
 Options menu, 15  
 Printing and setting variables, 106  
 Process commands, 70  
 Process control commands, 94  
 Program I/O Window, 6  
 Program locations, 104  
 Register access, 112  
 Registers Subwindow, 22  
 Register symbols, 28  
 Scope, 111  
 Scope rules, 28  
 Settings Menu, 11  
 Source code locations, 28  
 Source panel, 11  
 Source panel buttons, 16  
 Source Panel menus, 13  
 start session, 3  
 Statements, 30  
 Status messages, 75  
 Subwindows, 19  
 Symbols and expressions, 109  
 Thread commands, 70  
 Wait modes, 73  
 window components, 7  
 Window menu, 13  
**PGDBG Commands**  
 addr, 115  
 alias, 116  
 arrive, 104  
 ascii, 108  
 assign, 109  
 attach, 36, 94  
 bin, 108  
 break, 98  
 break command, 97  
 breaki, 49, 98  
 breaki command, 98  
 breaks, 99  
 breaks command, 99  
 call, 109  
 catch, 99  
 catch command, 99  
 cd, 104  
 clear, 99  
 clear command, 99  
 cont, 49, 94  
 cread, 113  
 debug, 94  
 dec, 108  
 declaration, 109  
 decls, 111  
 defset, 66  
 defset command, 97  
 delete, 99  
 detach, 94  
 directory, 116  
 disable, 100  
 disasm, 104  
 display, 108  
 do, 100  
 doi, 100  
 down, 111  
 dread, 113  
 dump, 49, 113  
 edit, 104  
 enable, 100  
 enter, 111  
 entry, 110  
 file, 105  
 files, 112  
 focus, 66  
 focus command, 97  
 fp, 112  
 fread, 114  
 function, 115  
 global, 112  
 halt, 95  
 help, 116  
 hex, 108  
 history, 117  
 hwatch, 100  
 hwatchboth, 101  
 hwatchread, 101, 101  
 ignore, 101  
 iread, 114  
 language, 117  
 line, 115  
 lines, 105  
 list, 105  
 log, 117, 117  
 lread, 115  
 lval, 110  
 mqdump, 115  
 names, 112  
 next, 95  
 nexti, 49, 95  
 noprint, 117  
 oct, 108  
 pc, 113  
 pgienv, 118  
 print, 49, 106  
 printf, 107  
 proc, 95  
 procs, 95  
 pwd, 105  
 quit, 95  
 regs, 49, 113  
 repeat, 120, 120  
 rerun, 95  
 retaddr, 113  
 run, 49, 95  
 rval, 110  
 scope, 112  
 script, 120, 120  
 search backward, 106  
 search forward, 106  
 set, 110  
 setenv, 120, 120  
 shell, 120, 120  
 sizeof, 110  
 sleep, 120, 121  
 source, 121, 121  
 sp, 113  
 sread, 115  
 stackdump, 49, 105  
 stacktrace, 49, 105  
 status, 101  
 step, 96

- stepi, 49, 96
- stepout, 96
- stop, 101
- stopi, 102
- string, 108
- sync command, 96, 96
- synci command, 96, 96
- thread command, 96
- threads command, 96
- trace, 102
- tracei, 102
- track, 102
- tracki, 102
- type, 111
- unalias, 121, 121
- unbreak, 102
- unbreaki, 103
- undefset, 67
- undefset command, 97
- undisplay, 108
- up, 112
- use, 121, 121
- viewset
  - viewset command, 66
- viewset command, 97
- wait command, 97
- watch, 103
- watchi, 103
- when, 104
- wheni, 104
- where, 106
- whereis, 112
- which, 112
- whichsets, 66
- whichsets command, 97
- PGDBG control commands, 71
- PGDBG GUI
  - assembly-level debugging, 48
  - Command Prompt panel, 8
  - Focus panel, 8
  - Process/Thread Grid, 8
  - Source panel, 11
- PGDBG Signals, 59
- pgevents utility, 139
- pgi
  - command mode, 27
- PGL\_JAVA
  - environment variable, 4, 128
- pgienv, 102, 102, 118
  - command, 118
- pgienv command arguments, 118
- PGPROF
  - Command-line options, 144
  - commands, 171
  - command summary, 171
  - command syntax, 171
  - Compilation, 143
  - environment variables, 147
  - features reference, 153, 154
  - File menu, 154
  - focus panel, 154
  - Help, 161
  - information bar, 154
  - menu bar, 154
  - menus, 154
  - optimization, 151
  - overview, 123, 154
  - Overview, 123
  - Processes menu, 157
  - scalability comparison, 136
  - Search menu, 160
  - Settings Menu, 155
  - Sorting Profile Data, 132
  - Sort menu, 160
  - statistics table, 154
  - toolbar, 154
  - toolbar, 162
  - Using, 129
  - View menu, 158
- PGPROF\_DEPTH, 147
- PGPROF\_EVENTS, 139, 139, 147
- PGPROF\_NAME, 147
- pgprof.out, 126
- PGPROF command line option, 144, 145, 145
  - datafile, 144
  - feedbackonly, 144
  - help, 146
  - help, 145
  - jarg, 145
  - text, 145
  - V, 145
- PGPROF Commands
  - ! (history), 175
  - asm, 173
  - ccff, 173
  - display, 173
  - help, 173
  - history, 173
  - lines, 173
  - load, 173
  - merge, 174
  - print, 174
  - process, 174
  - quit, 174
  - select, 174
  - sort, 174
  - srcdir, 174
  - stat, 174
  - thread, 175
  - times, 175
- Platforms
  - profiles, 126
- Print
  - active threads, 96
  - address, 13, 115
  - aliases, 116
  - all registers, 113
  - arg values and names, 105
  - ascii, 13, 108
  - binary, 13, 108
  - breakpoints, 97, 98, 98, 98
  - command, 49, 106
  - command info, 116
  - command summary, 116
  - current, 105
  - current file, 105
  - current location, 104
  - current working directory, 105
  - data type, 13
  - data value, 13, 13
  - dec, 13
  - decimal, 108
  - defined aliases, 116
  - defined directories, 116
  - directory list, 121
  - environment variable name, 120
  - events, 100, 100

- expressions, 106, 108, 108
- formatted stack dump, 105
- formatted expressions, 107
- formatted register names, 113
- hex, 13
- hexadecimal, 108
- identifier declarations, 111
- identifier names, 112
- ignored signals, 101, 101
- integer address, 114
- language name, 117
- lines table, 105
- list of signals ignored, 101
- location, 104
- name declarations, 112
- noprint, 117
- octal, 13, 108
- PGPROF, 155
- PGPROF command, 174
- procs command, 95
- register info, 113
- register value, 49
- scope qualification, 112
- scope qualified symbol name, 112
- short integer address, 115
- signals, 99, 99
- stack dump, 105
- stacktrace, 105, 105, 106
- string, 13
- strings, 108
- symbol declaration, 109
- values , 106
- values as change, 103
- watched event values, 103
- printf command, 107
- proc
  - command, 95
- procedures
  - Fortran 90 modules, 55
  - internal, 54, 54
- process
  - assign name, 97
  - IDs, 63
  - PGPROF command, 174
  - proc command, 95
  - process/thread set, 64
- process and thread control, 71
- process level commands, 70
- process-only debugging, 63
- stop mode, 72
- wait mode, 73
- Process/Thread
  - element color, 8
  - inner thread, 10
  - multi-process/multi-threaded, 9
  - numeric process identifier, 9
  - PGDBG
    - Process/Thread grid, 8
  - PGDBG grid, 8
  - selection areas, 8
  - single process, 9
  - text representation, 10
- Processes
  - apply commands, 16, 16
  - current selection, 9
  - focus
    - commands, 17
  - MPI rank, 62
  - numeric identifier, 9
  - parallel debugging, 61
  - PGPROF, 159
  - print, 95
  - Process control, 83
  - Process-parallel debugging, 88
  - Process-thread sets, 97
- Processes/Threads
  - receive commands, 16
- process set
  - list members, 97
  - membership, 97
  - remove, 97
  - set target, 97
- procs command, 85
- procwait, 73
- Profile
  - calls, 150
  - cost information, 150
  - count executions, 150
  - data statistics, 149
  - hardware counters, 138
  - line information, 150
- MPI, 150, 150, 150, 150, 150, 150
- pgcollect, 177
- time, 150
- Profiler
  - invoke, 127
  - sample launch, 127
- Profiles
  - collect data, 126
  - Event-based, 125
  - Instrumentation-based, 124
  - Methods, 123
  - MPI, 127
  - MPI programs, 135
  - Mprof, 125, 125
  - multi-threaded programs, 127, 134
  - navigation, 130
  - open, 154
  - OProfile, 125
  - output file, 126
  - PAPI, 125
  - parallel programs, 133
  - pgcollect, 124
  - platforms, 126, 126
  - Sample-based, 124
  - sample MPI, 136
  - search, 160
  - select method, 126
  - sort, 132, 160
  - Time-based, 125
  - use hardware event counters, 127
- ProfilesL data, print, 155
- Profiling
  - clock resolution, 151
  - Command-level interface, 171
  - compilation, 143
  - event-based, 143
  - HPMPI communication library, 143
  - line-level, 144
  - measurements, 163
  - MPICH, 144
  - MPICH-1, 144
  - MPICH-2, 144
  - MVAPICH-1, 144

- optimization, 151
- overhead, 150
- PGPROF, 123, 147
- routine-level, 143
- sample-based, 144
- time-based, 144
- Virtual Timer, 149
- Program execution
  - Using Hardware Event Counters, 127
- program location
  - arrive, 14
  - sync command, 96, 96
  - synci command, 96, 96
  - thread command, 96
- prologue code, 110
- prompt
  - return, 97
- pwd
  - command, 105
- Q**
- Queues
  - message, 14
- quit
  - command, 95
  - PGPROF command, 174
- R**
- read
  - watchpoint, 101, 101
- record session, 117, 117
- Refresh
  - windows, 16
- Registers
  - access, 112
  - display in window, 13
  - floating-point stack, 50
  - formatted names, 113
  - General, 50, 51
  - print info, 113
  - segment, 50
  - Segment, 50
  - special purpose, 50
  - Special Purpose, 50
  - subwindow, 22
  - symbols, 49, 52
  - view, 22
- register symbols, 28
  - AMD64/EM64T, 51
  - floating point stack, 50
- regs
  - command, 49, 113
- Related Publications, xxii
- remove
  - alias definition, 121
  - all expressions , 108
  - breakpoint, 102, 103
  - expression from display list, 108
- Repeat
  - command, 120
  - search, 15
  - sequence of commands, 23
- replay debug session, 117, 117
- Rerun
  - target application, 14
- rerun command, 95
- Reset
  - Bar Chart colors, 156
  - button, 20
  - Options menu item, 20
- Resource
  - utilization, profiling, 138
- Restore
  - factory settings, 11
  - factory settings for PGPROF, 157
  - saved settings, 11
  - saved settings, PGPROF, 157
  - settings, PGPROF, 157
- retaddr
  - command, 113
- return
  - address, 110
  - lvalue, 110
  - routine, 115
  - rvalue, 110
  - size of var type name, 110
  - statement, 78
  - type of expression, 111
- Routines
  - breakpoint, 15
  - call, 109
  - clear breakpoints, 99
  - disassemble, 104
  - display in source panel, 15
  - edit, 104
  - enter scope, 112
  - execution time, 150
  - first line, 115
  - inlined messages, 133
  - instruction tracing, 102
  - list source code, 105
  - locate, 15
  - main name, 54
  - Mprof, 143
  - next, 15
  - print lines table, 105
  - print name, 105, 106, 106
  - request, 15
  - return, 115
  - scope, 14, 14, 111
  - set breakpoint, 102
  - setp into, 15
  - size of, 110
  - source line tracing, 102
  - step, 96
  - stepi, 96
  - step into, 15
  - stepout command, 96
  - step out of, 15
  - step over, 15
  - symbol, 115
- rsh communication, 86
- Run
  - arguments, 14
  - target application, 14
- run command, 49, 95
- Runtime
  - arguments, 14
- rval
  - command, 110
- rvalue
  - defined, 110
- S**
- Sales
  - contact information, 12
- Save

- File menu item, 20
- GUI settings, 11
- settings, 157
- settings on exit, PGPROF, 157
- text to file, 20
- Scalability
  - comparison, 136, 155
- Scale
  - PGPROF command line option, 145
- scope, 111
  - change, 17, 105
  - command, 112
  - current, 28
  - enter, 112
  - global, 112, 112
  - identifiers defined, 111
  - operator, 54
  - print identifier names, 112
  - print symbol name qualification, 112
  - qualifier operator, 28
  - routine, 14, 14, 111
  - rules, 28
  - Scope selector, 17
  - search, 28, 112
  - select, 17, 17
  - selector, 17
  - selector, purpose, 17, 17
  - set, 111
  - start, 29
  - up one level, 112
- scrdir
  - PGPROF command, 174
- script command, 120
- Search
  - again, 160
  - backward, 106, 160
  - clear, 160
  - command, 106
  - for strings, 106, 106
  - forward, 106, 160
  - keyword, 15, 15
  - last keyword, 15
  - menu, PGPROF, 160
  - path, 116
  - scope, 28, 111
  - Search Again, 15
  - Search Backward, 15
    - command, 106
  - Search Forward, 15
  - Search Forward command, 106
  - Segment Registers, 50
  - Select
    - current thread, 9
    - PGPROF command, 174
    - text, 18
  - Selectors
    - Process/Thread grid, 8
    - Scope, 17, 17
    - Source File, 17
    - View, 17
  - Sessions
    - end debug, 11, 11
    - PGDBG, 3
    - terminate, 95
  - Set
    - breakpoints, 15, 15
    - colors in PGPROF, 155
    - command, 110
    - font, PGPROF, 157
    - search scope, 111
    - variable value, 109, 110
  - setenv command, 120
  - Settings
    - default, 157
    - display for debugger, 118
    - Font menu item, 11
    - PGPROF, 155
    - restore, 11, 11
    - Restore Factory Settings menu item, 11
    - restore saved, PGPROF, 157
    - Restore Saved Settings menu item, 11
    - saved, 11
    - save GUI state, 11
    - Save Settings on Exit menu item, 11
    - Show Tool Tips menu item, 11
  - shell
    - command, 120
    - invoke, 120
  - Show
    - tool tips, 11
  - signals, 58, 59
    - ignore, 101
    - ignored, 101, 101
    - interrupt, 99
    - Linux Libraries, 59
    - list, 99
    - PGDBG, 59
    - print, 99
    - Print, 101
    - SIGPROF, 59
  - size
    - variable, 110
  - sizeof
    - command, 110
  - sleep command, 121
  - Sort
    - menu, PGPROF, 160
    - PGPROF command, 174
    - profile data, 132, 132
  - Source
    - buttons, 16
    - Command menu, 14
    - Control menu, 14
    - current, 115
    - Data menu, 13
    - line conversion, 115
    - line numbering, 166
    - list lines, 105
    - Options menu, 15
    - PGDBG panel, 11
    - Window menu, 13
  - source code
    - locations, 28
  - source command, 121
  - source file
    - change, 105
    - search path, 145
  - source file selector
    - purpose, 17
  - source line
    - conversion, 115
  - source line tracing, 102
  - Source Panel

- events, 17
  - menus, 13
  - messages, 17
  - sp
    - command, 113
  - Specify
    - custom events pgcollect, 179
  - sread
    - command, 115
  - SSE Register Symbols, 52
  - ssh communication, 86
  - stack
    - display frames, 105
    - display in window, 13
    - frame, 105
    - frames, display, 105
    - frames, display hex dump, 105
    - pointer, 113
    - pointer value, 113
    - print dump, 105
    - print stacktrace, 106
    - print trace, 105, 106
    - subwindows, 16
    - traceback, 48
  - stackdump
    - command, 49, 105
  - stack frames
    - display, 106
  - stacktrace
    - command, 49, 105
  - Start
    - debug session, 11
    - PGDBG debugger, 1, 2
    - PGDBG troubleshooting, 4
  - stat
    - PGPROF command, 174
  - statements
    - block, 30
    - compound, 77
    - constructs, 30
    - execution order, 77
    - if, 30
    - parallel, 77
    - parallel if else, 77
    - parallel while, 78
    - PGDBG, 30
    - return, 78
    - simple, 30
    - while, 30
  - static p/t-set, 65
  - Statistics
    - configure data, 166
    - data profile, 149
    - table, PGPROF, 154
    - table in PGPROF, 163
  - status
    - command, 101
    - events, 101
    - messages, 17, 75
  - Step
    - into routines, 15, 15
    - out of routine, 15
    - over routines, 15, 15
  - step command, 96
  - Stepi, 15
  - stepi
    - command, 49, 96
  - Step into
    - called routines, 15, 15
  - stepout
    - command, 96
  - Step Out, 15
  - Step over
    - called routines, 15
  - step over
    - called routines, 15
  - Stop
    - after return to caller, 96
    - at value change, 103, 103
    - configure mode, 72
    - control-C, 20
    - execution, 96
    - modes, 72
    - Options menu item, 20
    - processing, 20
  - stop
    - command, 101
  - stopi
    - command, 102
  - string
    - command, 108
  - Strings
    - locate, 106, 106
    - print, 13, 108
  - subroutines
    - nested, 54
  - subwindows
    - pop-up menu, 17
  - Subwindows
    - controls, 20
    - Custom, 23
    - Disassembler, 21
    - features, 19
    - Memory, 20, 21
    - messages, 24
    - Registers, 22
    - standard, 20
  - Support
    - information, 12
  - symbol
    - declarations, 109
    - name qualification, 112
  - symbol names
    - C++, 48
    - Fortran, 47
  - Symbols, 28
    - global scope, 112
    - MAIN\_, 48
    - print declaration, 109
    - register, 28, 49
    - routine, 115
    - scope-qualified name, 112
    - search scope, 112
    - SSE register, 52
    - x86 register, 50
  - Symbols and Expressions, 109
  - sync
    - command, 96
  - sync command, 72, 84
  - synci command, 96, 96
  - System
    - environment, 127
    - variables, 127
  - System Requirements, xxiii
- T**
- Tables
    - Focus Panel, PGPROF, 167

- routine lines, 105
- statistics in PGPROF, 154
- tabs
  - Histogram, PGPROF, 167
- Target
  - Application
    - run or rerun, 14
  - arguments to, 2
  - runtime arguments, 14
  - usage, 2
- Terminology
  - PGDBG, 1
- Terms, 1
- text
  - address, 22
  - PGPROF command line option, 145
  - selection, 18
- text mode debug, 87
- Thread level commands, 70
- Threads, 10
  - apply commands, 16
  - assign name, 97
  - command, 96
  - commands, 70
  - current, 9
  - current only, 16
  - current selection, 9
  - grouping, 62
  - IDs in multilevel debug mode, 91
  - inner, 10
  - location, 96
  - logical id, 96
  - multi, 9
  - naming, 62
  - naming convention, 61
  - naming scheme, 91
  - numeric identifier, 9
  - OpenMP, 61
  - parallel debugging, 61
  - PGPROF, 160
  - PGPROF command, 175
  - process/thread set, 64
  - stop mode, 72
  - threads-only debugging, 63
  - wait mode, 73

- threads
  - command, 96
- threads command, 79
- thread set
  - list members, 97
  - membership, 97
  - remove, 97
  - set target, 97
- threadstoconfig, 73
- threadwait, 73
- Time
  - execution, 150
  - measure, 149
  - Mprof option, 144
  - time pgcollect option, 179
- times
  - PGPROF command, 175
- Toolbar
  - PGPROF, 154, 162
- Tool tips
  - show, 157
- trace
  - command, 31, 102
  - conditional, 102
  - source, 102
  - subprogram routines, 102
- tracei
  - command, 102
  - conditional, 102
  - source, 102
  - subprogram routines, 102
- track
  - command, 31, 102
  - event, 102
- tracki
  - command, 102
  - event, 102
- Troubleshoot
  - PGPROF, 128
- Tune
  - application, 127
- type
  - command, 111
- U**
  - unalias command, 121

- unbreak command, 102
- unbreaki
  - command, 103
- undefset command, 67, 97
- undisplay
  - command, 108
- up
  - command, 112
  - menu item, 14
- Update
  - data, 20
  - Options menu item, 20
- use command, 121
- Utilities
  - help, 12

## **V**

### v

- PGPROF command line option, 145

### Variables

- breakpoint, 101, 102
- instruction tracing, 102
- local, 14
- set value, 109, 110
- system environment, 127
- trace changes, 102, 102

### Versions

- display, 12
- V option, 145

### View

- data in tables, 158
- menu in PGPROF, 158
- performance data, 163
- previous profile, 131
- profiles with hardware event counters, 140
- selector, 17
- select profile, 131
- view selector
  - purpose, 17
- viewset command, 97

## **W**

- wait command, 74, 97
- wait mode, 72, 73



- process, 73
- thread, 73
- watch
  - command, 103
  - event, 103
- watch command, 31
- watchi
  - command, 103
  - event, 103
- Watchpoints
  - define, 101, 101
  - display active, 14
  - hardware, 100
  - hardware read, 101, 101
- when command, 104
- wheni command, 104
- where
  - command, 106
- whereis
  - command, 112
- which command, 112
- whichsets command, 66, 97
- while
  - parallel statements, 78
- while statement, 30
- Window
  - new, PGPROF, 154
- Windowa menu
  - Stack, 13
- Window menu
  - Custom, 14
  - Disassembler, 14
  - Events, 14
  - Locals, 14
  - Memory, 14
  - Messages, 14
- Windows
  - build for debug, 2
  - cascade, 16
  - help, 12
  - invoke custom subwindow, 14
  - invoke memory dumper subwindow, 14
  - invoke PGDBG Disassembler subwindow, 14
  - menus, 13
  - MPI message queues, 14
  - PGDBG GUI components, 7
  - PGDBG main, 5
  - PGDBG Program I/O, 6
  - refresh, 16
  - Windows menu
    - Registers, 13
  - working directory
    - print, 105
  - write
    - watchpoint, 101

**X**

X86 Register Symbols, 50

