RFP-NIH-NIAID-DAIT-04-46 Amendment #2 (Questions & Answers)

This Amendment provides questions submitted by potential applicants/offerors and the responses provided by the NIAID. The responses are offered for information only and do not modify or become part of this solicitation. This Amendment will be updated at least weekly to add any further questions and their related responses. All potential offerors are advised to refer back to this Amendment #2 for additional Q&A.

"Immune Tolerance Network - Clinical Site Monitoring Group"

2 (2nd Posting)

Amendment I	ssue Date:	January 7, 2004 (Questions $1-6$) February 5, 2004 (Questions $7-8$)
Proposal Due	Date/Time:	February 24, 2004, at 3:00 P.M., EST
Issued By:		Barbara A. Shadrick Senior Contracting Officer RRCB/CMP/DEA/NIAID/NIH/DHHS 6700-B Rockledge Drive, Room 2230, Bethesda, Maryland 20892-7612
Points of Contact:		DLisle@niaid.nih.gov David T. Lisle, Contract Specialist
application/pr rejection of yo	oposal submitted. Failure to receiver ur application/proposal.	this Amendment #2, for each posting, on each copy of the e your acknowledgment of this Amendment may result in the tions/proposals HAS NOT been extended.
The following acquisition:	answers are provided concerning a	number of inquiries we have received for the above numbered
Question 1	Do you anticipate that the labor rec	quirements will ramp up and down depending on work requirements?
	number of sites participating in ed 15-20 ongoing studies and the nu	riable depending on the number of studies open to enrollment and the ach trial. In the SOW, we indicated that at any time, the ITN may have mber of sites for each study will range from 1-10, with an average of 1-er of studies is a maximum and could be lower depending upon the
Question 2	Are appendices considered part of the technical proposal?	

Yes. Appendices are considered part of the technical proposal and are included within the technical

proposals page limit of not-to-exceed 100 pages.

Amendment No.:

Question 3 Is there a specific travel policy that is applicable to this RFP?

The regulations specified in Federal Acquisition Regulation (FAR) 31.205-46—Travel Costs are applicable to this solicitation.

Question 4 The FTE's and project hours do not match—which is correct?

The estimated labor hours per year stated under the Estimate of Effort in Section L of the RFP is 19,136. By dividing those estimated hours by a single FTE's 2080 work hours per year, the Government estimates the effort to be approximately 9.2 total FTE's. This figure was incorrectly approximated at 9.1 in the original solicitation. The Estimate of Effort information is furnished for the offeror's information only and not to be considered restrictive for proposal purposes.

Question 5 Does the annual report count against the page count for the business proposal?

Yes. The annual financial report is included in the business proposal's page limit.

Question 6 Do the Reps and Certs count against the page count for the business proposal?

No. The Reps and Certs are not included within the Business Proposal's page limit.

Question 7 In relation to the performance of Item No. 1 of Task E of the Statement of Work, what current program does the statistical center utilize and what types of files are involved in the transfer?

Currently, the Statistical Coordinating Center uses Oracle Clinical to store study data and converts all data sets into SAS data sets prior to doing interim analysis and final analysis.

Question 8 Would the monitors be accessing a web-based program (such as Study Manager) to upload this information, or would it be transferred via a SAS or Oracle-based file that would be generated from the actual clinical database that houses the subject data?

Currently, there is no interface for external groups to access (unless special software is purchased and installed). However, the Statistical Coordinating Center can extract data to a PDF file or an excel file and post to the ITN portal system for outside entry. The project does not currently utilize the Study Manager program.