ATSIG: The Future Is Now

Presented at the eRA Project Team Meeting of September 9, 2003 by Dr. Steven J. Hausman



Overview

- Some Quotes
- From Scanning to Advanced Technologies: the Progression
- Up and Coming
 - Nanotechnology
 - Grid Computing
 - DARPA and the "Grand Challenge"
 - Après XP



The Quotes

- "Imagination is more important than knowledge. Knowledge is limited. Imagination encircles the world."
 - Albert Einstein
- "There is no reason anyone would want a computer in their home."
 - ► Ken Olsen, Digital Equipment Corp, 1977



Scanning

The Progression

Paperless Business Processes

> Advanced Technologies

Scanning



Why Did We Start to Scan?

Each year:

- ► ~50,000 applications
- ► ~3,200 review meetings
- ► ~80 National Advisory Council meetings
- >60,000 competing and non-competing awards
- > >2,200 grantee institutions worldwide
- ► ~100,000 applicants
- ► ~200,000,000 pieces of paper

The Result of Scanning

- All applications scanned upon receipt
- Images available on CDs and online






Paperless Business Processes



Paperless Business Processes

- Paperless business processes are designed to reduce the reliance on paper and improve the way we do business
- It is more than just converting a paper document into an image
- Examples include:
 - eRA transactions
 - Posting RFPs on-line instead of having a reading room
 - Using a Digital Sender instead of a fax to transmit documents
- A culture change is often needed along with the process change





Print to Online: Making the Transition

The Library is committed to providing increased access to online journals. This web page has been developed to inform you of the issues we face in transitioning from a largely print collection to a largely online collection.


· Journal Cost Trends


Journal print subscription costs have increased at a phenomenal rate between 1992 and 2002. For example, the cost of biology and medicine journals has increased 191% and 196% respectively over this time period. To subscribe to electronic and print versions of a journal puts added pressure on the budget. Electronic journals are in some cases very expensive. Online publications may in time be cheaper to produce, but they are not cheaper now. In fact, they often represent an additional expense for publishers, and this expense is passed along to libraries. The library must constantly evaluate its collections, both print and electronic, to ensure that the transformation from print to online is done in a cost-effective way.

· Selection Criteria for Journal Subscriptions (print +online vs. online)

The library is committed to providing electronic access to its journal collection. All new titles added to the collection are purchased in online format only, if available. We are gradually adding online access to our current print titles or converting








Advanced Technologies



Advanced Technologies

- The purpose of Advanced Technologies, under the auspices of eRA, is to:
 - ferret out those aspects of advanced technologies that could become significant to NIH staff in the future (and also those aspects that are simply interesting to hear about); and
 - disseminate this information as widely as possible
- Dissemination will be conducted via:
 - The Advanced Technologies Special Interest Group (ATSIG)
 - The eRA Advanced Technologies website
 - Lectures and seminars





Back to: Scientific Resources


Special Interest Groups


NIH Inter-Institute Interest Groups are assemblies of scientists with common research interests. These groups are divided into seven broad, process oriented parent groups, or faculties, and more than 30 smaller, more focused groups centered on particular research models, subjects, or techniques. The latter groups are initiated and run by scientists in the Intramural and Extramural Research Programs at NIH. The interest groups sponsor symposia, poster sessions, and lectures; offer mentoring and career guidance for junior scientists; help researchers share the latest techniques and information, act as informal advisors to the Deputy Director of Intramural Research (DDIR); provide advice for the annual NIH Research Festival; and serve as hosts for the Wednesday Afternoon Lecture Series. Many of these groups are cosponsored by neighboring academic and government institutions and welcome interested non-NIH scientists. Information about group activities or new groups is published in The NIH Catalyst and The DDIR's Bulletin Board. Both of these publications are available electronically to NIH staff. Some central coordination for the groups is provided by the Office of Intramural Research.


Calendar of all Upcoming SIG Meetings


Use Keywords to Find the Corresponding SIGs











Advanced Technology Categories

- Batteries and fuel cells
- Biometrics
- Browser technology
- Chip technology
- Collaborative technologies
- DARPA research
- Data storage and storage technology
- Disability-related computing
- Display technology
- Far Out technologies
- Gadgets
- Grid computing

- Haptic web
- Nanotechnology
- Office/Workplace of the future
- Quantum Computing
- Pervasive computing
- Public Key Infrastructure (PKI)
- Robotics
- Security information
- Semantic web
- Tablet, small PCs and mobile computing
- Voice technology
- Wireless



Some AT Examples

- Nanotechnology
- Grid Computing
- DARPA and the "Grand Challenge"
- Après XP



Nanotechnology

NanoQuote:

- "L'essential est invisible pour les yeux"
 - Saint-Exupery in The Little Prince. ("What is essential is invisible to the eye.")

■ NanoHype:


The nanobots are coming and will make life wonderful!

NanoFright:

Nanomachines will escape from the laboratories and destroy civilization!

NanoReality:

 What will happen is that nanotechnology will certainly change our lives




What Is Nanotechnology?

The Future is Now

- Nanotechnology typically refers to working with materials in the one to 100-nanometer range
- Formulated in a seminal article written by Richard P. Feynman in 1959
- Originally applied to micro computer circuitry
- Today's uses range from Dockers brand khaki pants to battlefield armor for soldiers to computer memory using carbon nanotubes to drug delivery systems





Possible Nanocomputer Technologies

Electronic

 Most promising--builds upon existing infrastructure for microelectronics; some prototype devices exist

Biochemical or Organic

Recent advances, i.e. DNA computation

Mechanical

 Ultra-miniature Babbage engines (mechanical programmable computer)

Quantum

Technology of the far distant future; proposes a massively parallel computer that takes advantage of quantum interference--proven able to crack existing codes; subject of a recent Los Alamos Lab publication

Nano Examples

- Nano-Storage
 - ► IBM's Millipede chip -25,000,000 bytes in a postage stamp size area
- Nanocomputing circuits
 - ► IBM's "molecule cascade" system -260,000 times smaller than present circuits



EETIMES

It's almost here!



NASA ramps nanotech to explore space

By Chappell Brown, EE Times May 2, 2003 (1:48 p.m. EST)

URL: http://www.eetimes.com/story/OEG20030502S0045

Hancock, N.H. — Micro-rovers that hop, fly or burrow; networks of ultrasmall probes dropped on a remote body such as an asteroid or planet; swarms of micro-spacecraft taking in massive amounts of data. Those are just some of the systems and applications envisioned by the researchers working at NASA's Center for Nanotechnology.

At the NASA Ames Research Center (Moffet Field, Calif.), more than 50 scientists and technologists are working on broad fronts to develop the potential of nanotechnology for space exploration. The overall thrust of their work is to develop miniaturized, lightweight materials and electronics systems. Reducing the size of the payload while increasing the intelligence of space probes would help NASA to do more with less, the researchers said.

"Nanotechnology presents a whole new spectrum of opportunities to build device components and systems for entirely new, bold space architectures," lab director Meyya Meyyappan writes in a progress report on the group's <u>research</u>. To that end, projects are under way to build nanotube sensors, molecular electronics, nanotube-based materials, quantum-computing systems and computational optoelectronics. The center's time line calls for putting systems in the field in 10 to 15 years.

Processing systems for nanomaterials are a key enabling technology. While visionaries expect the creation of nano- bots that could assemble materials and systems at the atomic and molecular scales, that approach is too far in the future for NASA's current needs. For now, the nanomaterials aspect of the lab's work is looking at conventional, top-down materials processes to glean clues to practical processing techniques.

A two-pronged attack combines computer simulation of basic processes, such as chemical vapor deposition or plasma processing, with data derived from gas-phase, plasma-phase and surface chemistry experiments. The researchers hope an understanding of those basic processes will lead them toward povel

More Examples

- Molecular Circuits
 - Based on a molecule called rotaxane to create a "molecular abacus"
- Quantum Computing
 - Science article

REPORTS

Coherent Quantum Dynamics of a Superconducting Flux Qubit

I. Chiorescu, Ta Y. Nakamura, T.Z. C. J. P. M. Harmans, T. E. Moeij[†]

We have observed coherent time evolution between two quantum states of a superconducting Bias qubit comprising thee josephion junctions an aloop. The superposition of the two states carrying opposite macroscope periodes currents is manipulated by resonant nitroview pulses. Readout by means of surching-event measurement with an attached superconducting quantum interference derive revealed quantum-state occiliations with high fidelity. Under strong microweve driving, it was possible to induce hundreds of coherent oscillations. Fulsed operations on this instraints in a relaxation time of 900 nanoseconds and a free-induction dephasing time of 20 nanoseconds. These resists are permissing for future solid-state quantum computing.

It is becoming clear that artificially fabricated solid-state devices of macroscopic size may, under certain conditions, behave as single quantum particles. We report on the controlled time-dependent quantum dynamics between two dates of a micron-size superconducting ring containing billions of Cooper pairs (1). From a ground state in which all the Cooper pairs circulate in one direction, application of resonant microwave pulses can excite the system to a state where all pairs move appositely, and make it oscillate coherently between these two states. Mospover, multiple polars can be used to create quantum operation sequences. This is of strong fundamental interest because it allows experimental studies on decohorence mechanisms of the quantum behavior of a macroacopic-nized object. In addition, it is of great importance in the context of quantum comjuting (2) because these fabricated atructures are attractive for a design that can be scaled up to large numbers of quantum bits or qubits (3).

Superconducting arcuits with mesoscopic loappliant junctions are expected to behave according to the laws of quantum mechanics if they are separated sufficiently from external degrees of

Quantum Transport Grosp, Department of Nano-Science, Dulft University of Technology and Dulft institute for News to Estimone and Schemoon Technology (19145), Lorentzweg 1, 2628 C; Dulft, Reshedunds, NEC Parlamental Resourch Dubratarios, 34 Highin genda, Tukulub, Obsaida 300-5501, japin. "To whom correspondence should be addressed. Email. disresscribight, Budelffol firedom, thereby relacing the decoherence. Quantum oscillations of a superconducting two-level system have been observed in the Coaper pair box spibe using fire charge degree of freedom (4). An improved version of the Cooper pair box spibit showed that quantism oscillations with a high epailty fance could be achieved £51. In addition, a spibit board on the plane degree of fittedom is a Josephson junction was presented, consorting of a single, relatively large Josephson junction extended that the country of a single, relatively large Josephson junction extensible doles to its critical current (6.7).

Our flux qubit counts of three Josephson junctions arranged in a superconducting loop throaded by an externally applied magnetic flux near half a superconducting flux quantum \(\theta_0 = \). \(\text{Maying the flux to see that \(\text{Maying the flux to see that \(\text{Maying the flux to as controls the energy level separations of flux effectively two-level systems. At half a flux quantum, the two lowest states are xyrametric and anticolorise cross-to-states are xyrametric and anticolorise control and anticolorise cross-to-state a

circuits of this land.

The control part of the circuit, fabricated by electron beam lithography and shadow

evaporation of AL, shows the three in-line Josephson junctions together with the small loop defining the qubit in which the persistent current cast flow in two directions, as shown by anotas of $P_{\rm in} = 0.00$ for an of the roddle junction of the qubit is $\alpha = 0.8$ times the area of the roddle junction of the qubit is $\alpha = 0.8$ times the area of the raw outer unes. This raids, together with the charging energy $E_{\rm in} = 0.2$ and the Josephson energy $E_{\rm in} = 0.4$ are their critical current and capacitance, respectively, determines the cabit energy levels (Fig. 2A) as a function of the superconductor phase $\gamma_{\rm in}$ across the junctions $P_{\rm in} = 10.8$ Close to $\gamma_{\rm in} = 0.00$ across the junctions $P_{\rm in} = 10.8$ Close to $\gamma_{\rm in} = 0.00$





Fig. 1. (A) Scanning selection micrograph of a flux quible (amall loop with three loopshore) questions of critical current —0.5 pA) and the strateded SQUID (large loop with three loopshore) questions of critical current —0.5 pA) and the strateded SQUID (large loop with tree by lip question) questions of critical current —2.2 pA). Exporating Al from two different angless with an oxidation process between them gives the small overdapping regions, the positions that the continuous process in the continuous process and the continuou

Nanocontainers for Drug Delivery





Sept. 17-19, 2003 • The Fairmont Hotel

Please join us at the 2nd Annual Supply Network Conference

The Technology Network

Electronics times

IBM says nanotube transistor beats silicon

By R. Colin Johnson, EE Times May 20, 2002 (8:14 AM)

URL: http://www.electronicstimes.com/story/OEG20020520S0020

YORKTOWN HEIGHTS, N.Y. — The next generation of semiconductors will be carbon-based if researchers at IBM's T.J. Watson Research Center here have their way. IBM revealed details Monday (May 20) about what it is calling "the world's best transistor," based on a single carbon nanotube measuring 1.4-nanometers in diameter. Fabricated with conventional MOSFET processing technology, IBM characterized both n-type and p-type FETs using carbon nanotubes as the channel. "It will be several years before CNFETs [carbon nanotube field-effect transistors] are ready for commercialization, but these results indicate that they will outperform even the most advanced silicon transistor designs," said Phaedon Avouris, manager of nanoscale science at IBM Research.

Avouris previously described plans for top-gate CNFETs last October at the Nanotube Symposium in Tsukuba, Japan. Monday's announcement reveals details about its implementation of top-gate CNFET prototypes from a paper Avouris published in Applied Physics Letters (APL). He collaborated on that paper with researchers Shalom Wind, Joerg Appenzeller, Richard Martel and Vincent Derycke at IBM's T.J. Watson Research Center here.

Avouris said that IBM had eliminated its previous use of a bottom gate that forced all CNFETs on a chip to switch simultaneously. Its current CNFETs instead utilize a conventional top-gate electrode above the conduction channel so that each transistor can be switched independently. Avouris also revealed that its gate dielectric had been slimmed down from 150 nm on the older bottom-gate design, to 15 nm on the newer top-gate. The thickness of a circuit's gate dielectric is inversely proportional to its switching speed.

Squeezing light from nanotubes

By Michael Kanellos CNET News.com

May 1, 2003, 11:00 AM PT

URL: http://zdnet.com.com/2100-1103-999271.html

Researchers at IBM and the University of Toronto are squeezing light out of molecules.

Scientists at IBM Research have discovered a new way to get carbon nanotubes to emit light, a breakthrough that might one day lead to advances in fiber-optic technology.



At the University of Toronto, meanwhile, researchers have managed to produce light by injecting electrons into a polymer embedded with "quantum dots," microscopic crystals made of lead sulfide. Polymers--chemicals made of large molecules in repeated structural units--are being used in research into processor, display and other technologies.

Carbon nanotubes--long, thin strands of specialized carbon molecules--and, to a lesser degree, nanocrystals have become scientific celebrities in recent years because of their unusual electrical, thermal and mechanical properties. Both have emerged as candidates to replace silicon and metal in chip manufacturing a decade or two down the road. In the more immediate future, nanotubes could be employed to create corrosion-resistant paint or to improve fuel cells or batteries.

The research from the two institutions essentially points the way toward another potential application; generating light.

Generating light is not easy or cheap. Current optical equipment does the job, but optical components are difficult to manufacture and as a result expensive. By contrast, semiconductors can be mass-produced cheaply. Unfortunately, researchers have tried, and failed, to get silicon to generate light effectively.

SCIENCE & TECHNOLOGY

April 28, 2003


Volume 81, Number 17 CENEAR 81 17 pp. 30-33 ISSN 0009-2347

FROM THE ACS MEETING

NANOMATERIALS: SAFE OR UNSAFE?

Early results suggest that some nanoparticles, such as carbon nanotubes, may pose health risks

RON DAGANI, C&EN WASHINGTON



LITTLE ROCKS Quantum dots are useful for imaging different parts of cells consequence was the ozone hole. Yuck. at the same time. Here, red- and green-emitting quantum dots highlight the mitochondria and nuclei, respectively, of human epithelial cells in culture. Although these colorful nanocrystals don't seem to harm the cells, could they pose unforeseen hazards to people or the environment?

Vicki L. Colvin calls it "the wow-to-yuck trajectory": A new technology is heralded for its amazing benefits, but over time, its dark side emerges in the form of unintended negative effects on the environment or human health.

Colvin, an associate professor of chemistry at Rice University in Houston, cites a classic example: Halocarbon refrigerants were key to the spread of air-conditioning throughout the U.S., making sweltering parts of the country more comfortable. Wow. But their unanticipated

Now, with nanotechnology grabbing the public's attention and gearing up to be a major force in industry, Colvin hopes that it can avoid getting mired in the yuck. "The wow-to-yuck trajectory seems like it's embedded in the American fabric." she told attendees of the Nanotechnology & the Environment symposium at the recent American Chemical Society national meeting in New Orleans. "But I

Grid Computing

Definition:

- The method of applying resources from many computers in a network, at the same time, to a single problem, usually a problem that requires a large number of processing cycles or access to large amounts of data
- Grid computing enables devices, regardless of their operating characteristics, to be virtually shared, managed and accessed across an enterprise, industry or workgroup
- Grid computing differs from the Web in that it enables collaboration of multiple resources toward a common goal, whereas the Web primarily enables communication

The Next Logical Step

- Grids will one day become the backbone of a worldwide infrastructure for communication, research education and commerce
- The Internet itself will become the computing platform
 - Instead of resources being located on files in your PC they will be distributed at sites (or grid nodes) all over the world
- In 10 years the question "Why be on the grid?" will be the same as now asking "Why be on the Internet?"



TeraGrid


- 20+ teraflops of computing power
- 900+ terabytes of data storage
- Accessible to thousands of university researchers

The TeraGrid

Heterogeneous Systems:

- ·National Center for
- **Supercomputing Applications**
- ·San Diego Supercomputing Center
- ·Argonne National Laboratory
- ·California Institute of Technology

13.6 trillion floating point operations per second 600 terabytes of data 40 gigabits per second Accessible to thousands of scientists working on advanced research





United Kingdom (UK) Research Grid

UK Research Grid


 Collaborative, multidisciplinary, scientific research

Test bed for utility

computing

Future commercial

applications






National Digital Mammographic Archive

- University of Pennsylvania
 - Archive, storage and retrieval of digital images of mammographies for clinicians
 - Training and teaching for radiology departments
 - Computer assisted diagnostics
- Recent FDA approval recognized advantages of digital devices and will encourage digital radiology conversion
 - 2000 Hospitals x 7 TB per yr x 2 = 28 PB per yr

Analytical Grid: National Digital Mammographic Archive

An Archive and Data Utility for Medical and Diagnostic Content



Indiana Virtual Machine

- Purdue and Indiana University Supercomputers
- 1.4 teraflops
- Ultra-large calculations
- Simulating homeland security

Indiana Virtual Machine


- Purdue and Indiana University Supercomputers
 - 1.4 teraflops
 High-speed optical fiber network
- Sharing cycles and capacity
- Ultra-large calculations
- Simulating consumer

behavior

Simulating homeland security



Significance of Grid Computing






DARPA

- The Defense Advanced Research Projects
 Agency (DARPA) is the central research and
 development organization for the Department of
 Defense (DoD)
- It manages and directs selected basic and applied research and development projects for DoD, and pursues research and technology where risk and payoff are both very high and where success may provide dramatic advances for traditional military roles and missions
- It offices include those that deal with:
 - Advanced Technology
 - Defense Sciences
 - ► Information Awareness
 - Microsystems Technology



The DARPA Grand Challenge






The DARPA Grand Challenge

- The goal is to build an autonomous robotic ground vehicle capable of negotiating 300 miles of rugged terrain (including roads, deserts, gullies and waterways) between Los Angeles and Las Vegas in a maximum of 10 hours
- No human intervention will be permitted
- Vehicles must demonstrate intelligent autonomous behavior
- Participants learn of the route only two hours before the race begins
- **\$1,000,000** prize



Après XP






Longhorn

- Longhorn is the next major Windows release from Microsoft and the successor to Windows XP
- It will include:
 - Windows Longhorn
 - Windows Server Longhorn
 - Microsoft Office Longhorn
 - ► Microsoft Visual Studio Longhorn, etc.



Platform Innovation & Quality

WinHEC



Lots More, But Out of Time

- Robotics
- Autonomic Computing
- Pervasive Computing
- Haptics
- Biometrics
- Smart Dust
- Foveon Cameras
- Office of the Future.....



Except for a few more quotes

- "Time's fun when you're having flies,"
 - Kermit the Frog
- "You may delay, but time will not."
 - Benjamin Franklin
- "It's good to shut up sometimes."
 - Marcel Marceau

