





Know Stroke. Know the Signs. Act in Time.

The National Institute of Neurological Disorders and Stroke

Marian Emr and Margo Warren
Office of Communications and Public Liaison













Stroke Treatment History









- Neurology field of hopeless diseases
- In 1995, breakthrough for acute ischemic stroke — t-PA
- Stroke put NINDS in public education business





Initial Stroke Education Efforts









- Press conference about t-PA
- Pro bono TV PSA
- "ER" t-PA plot line





Comprehensive Public Education Campaign









- •Focus Group Research:
 - Fear of disability greater than death
 - Reluctance to "see" a stroke
 - Reluctance to activate the EMS system





Know Stroke. Know the Signs. Act in Time.









- Campaign Strategies:
 - Materials development
 - Targeted TV and radio public service advertising
 - National and local media outreach
 - Community education





Know Stroke. Know the Signs. Act in Time.









- Campaign Elements:
 - Simple messages
 - Unified list of stroke symptoms
 - Tested well for readability
 - Bold colors





Community Education










- Community Stroke Education Kit
 - Educational video
 - Facilitator's guide
 - Educational brochures
 - Posters







Billboards and Airport Dioramas









- Airport Dioramas
 - 117 airports
 - 826 million impressions annually
- Billboards
 - Target "Stroke Belt" markets
 - Total daily circulation average: 884,600









Public Service Advertising









- TV PSA
 - Initial nationwide distribution
 - Re-distribution to major markets
 - Cooperative version— NSA, ASA, ACEP, ASNR







Public Service Advertising









- Radio PSAs
 - 2001 campaign targeting the general public
 - 2004 partnership with Radio One
 - 2004 campaign targeting African Americans







Professional Outreach










- 1996 Stroke Symposium
 - "Rapid Identification and Treatment of Acute Stroke"

- 2002 Stroke Symposium
 - "Improving the Chain of Recovery for Acute Stroke in Your Community"







Professional Outreach










- NIH Stroke Scale Training
 - Designed to train healthcare professionals
 - Illustrated all levels of disability
 - Featured interviews with leading stroke experts
 - Validated scientifically
 - Distributed through NINDS, ASA, AAN







Where Are We Now?









- Use of thrombolytic therapies (t-PA) still hovers at 2%
 - "Public Health disgrace"
 - Public education challenge
 - Commitment from professional community
 - Systems are improving but not in every community

Key is getting the message to the community





Know Stroke Phase II









 African Americans and Hispanics are at greater risk for stroke

Need targeted materials to reach special populations





Materials Development









- Tested, produced Spanish brochure
 - Focus groups:
 - Road sign concept is easy to understand
 - Ataque cerebral is the best terminology
- Tested, produced African-American brochure
 - Focus groups:
 - Interested in prevention and treatment
 - Preference for personal stories or testimonials
 - Asked for easy-access information







Community Outreach Initiative









Know Stroke in the Community

- Partnership with the CDC
- Targeting African Americans, Hispanics, seniors
- Program components:
 - Stroke Champions training
 - Media outreach
 - Ongoing partnership
- Completed pilot phase in 5 cities in 2004
- Expanding into 5 additional cities in 2005





Extending Know Stroke in the Community









- Potential program expansion:
 - Texas Department of Health
 - The Illinois Department of Health
 - Great Lakes Stroke Network
 - Delta States Stroke Consortium






Know Stroke. Know the Signs. Act in Time.











KNOW THE SUDDEN SIGNS OF STROKE

- Sudden numbriess or weakness of the face, arm or leg (especially on one side of the body)
- Sudden confusion, trouble speaking or understanding speech

Know the

fryou see someone experiending any of these stroke symptoms, ea.II 911 immediately Getting treatment within 60 minutes

- Sudden trouble seeing in one or both eyes
- Sudden trouble walking, dizziness, loss of balance or coordination

Sudden Signs TROUBLE OF Stroke

· Sudden severe headache with no known cause



