Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH

AVERAGE SEVERITY GRADES[b] Goldenseal root powder

CAS Number: GOLDENSEALRT

Date Report Requested: 08/15/2008

Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

F1_R2

C Number:	C99007B
Lock Date:	08/07/2006
Cage Range:	ALL
Date Range:	ALL
Reasons For Removal:	ALL
Removal Date Range:	ALL
Treatment Groups:	Include ALL
Study Gender:	Both
TDMSE Version:	2.0.0

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH

Date Report Requested: 08/15/2008

AVERAGE SEVERITY GRADES[b] Goldenseal root powder

CAS Number: GOLDENSEALRT

Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

FISCHER 344 RATS MALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
isposition Summary					
Animals Initially in Study	50	50	50	50	
Early Deaths Moribund Sacrifice	12	19	11	24	
Natural Death	5	2	9	1	
Survivors Natural Death				1	
Terminal Sacrifice	33	29	30	24	
Animals Examined Microscopically	50	50	50	50	
IMENTARY SYSTEM					
Intestine Large, Cecum	(49)	(50)	(48)	(50)	
Edema Intestine Large, Colon	1 [3.0] (50)	1 [2.0] (48)	1 [2.0] (50)	2 [3.0] (50)	
Intestine Small, Duodenum	(49)	(49)	(49)	(49)	
Intestine Small, Ileum	(47)	(49)	(45)	(48)	
Inflammation, Chronic	(17)	(10)	(10)	1 [2.0]	
Intestine Small, Jejunum	(48)	(48)	(46)	(48)	
Liver	(50)	(50)	(50)	(50)	
Angiectasis	()	1 [1.0]	2 [4.0]	()	
Atrophy, Focal	1 [3.0]				
Basophilic Focus	20	33	22	13	
Clear Cell Focus	19	17	3	2	
Degeneration, Cystic	6 [1.5]	4 [1.5]	4 [2.0]	7 [1.1]	
Eosinophilic Focus	4	5	25	28	
Hematopoietic Cell Proliferation		1 [1.0]			
Hemorrhage	1 [2.0]	6 [2.2]	_	_	
Hepatodiaphragmatic Nodule	3	13	6	2	
Infarct	([0, 0]		0.14.01	1 [4.0]	
Infiltration Cellular, Mixed Cell	4 [2.0]	6 [1.7]	6 [1.8]	6 [2.0]	
Mixed Cell Focus	9	21	13	7	
Necrosis, Focal	1 [3.0]	2 [2.0]	1 [3.0]	2 [1.0]	
Bile Duct, Hyperplasia Centrilobular, Necrosis	43 [1.8]	38 [1.5] 2 [3.0]	45 [1.6]	39 [2.2]	
Hepatocyte, Degeneration		2 [3.0] 22 [1.1]	30 [1.8]	1 [1.0] 19 [2.3]	
Hanatocyta Liadanaration					

a - Number of animals examined microscopically at site and number of animals with lesion

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH

Date Report Requested: 08/15/2008

AVERAGE SEVERITY GRADES[b] Goldenseal root powder

CAS Number: GOLDENSEALRT

Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

FISCHER 344 RATS MALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
Hepatocyte, Hypertrophy		19 [1.4]	31 [1.9]	27 [2.6]	
Hepatocyte, Vacuolization Cytoplasmic	2 [2.5]	4 [3.3]	2 [3.0]	1 [4.0]	
Kupffer Cell, Pigmentation	2 [3.0]		2 [2.0]	3 [2.3]	
Mesentery	(9)	(9)	(11)	(7)	
Accessory Spleen	3		1	1	
Angiectasis			1 [3.0]		
Hemorrhage	4 [0.0]		2 [2.5]		
Inflammation, Chronic	1 [3.0]	5 (0.0)	7 (0 7)	0.10.01	
Fat, Necrosis	4 [2.3]	5 [2.8]	7 [2.7]	3 [3.0]	
Oral Mucosa	(1)	(0)	(0)	(0)	
Pancreas	(50)	(50)	(49)	(50)	
Atrophy	19 [1.8]	19 [2.2]	25 [1.9]	18 [1.8]	
Cyst	10	12	15	14	
Necrosis	4 [0 0]	0 [0 0]	1 [3.0]	4 [0, 0]	
Acinus, Cytoplasmic Alteration	1 [3.0]	3 [3.0]		1 [3.0]	
Acinus, Hyperplasia, Focal	6 [1.7]	(40)	5 [2.2]	1 [3.0]	
Salivary Glands	(50)	(49)	(50)	(50)	
Atrophy Infiltration Cellular, Polymorphonuclear	4 [2.0]	2 [1.5]	4 [1.8]	6 [1.2]	
Stomach, Forestomach	(50)	(50)	1 [2.0] (50)	(50)	
Edema	(50) 2 [3.0]	5 [3.0]	2 [3.0]		
Erosion	2 [3.0]	5 [5.0] 1 [1.0]	2 [3.0]	1 [2.0]	
Hyperplasia, Squamous		1[1.0]	1 [2.0]		
Inflammation, Chronic Active		1 [3.0]	1 [4.0]		
Perforation		1 [3.0]	1		
Ulcer	3 [3.7]	8 [3.5]	2 [3.5]	1 [3.0]	
Epithelium, Hyperplasia	5 [2.2]	7 [2.4]	3 [2.7]	3 [1.7]	
Stomach, Glandular	(50)	(50)	(50)	(49)	
Erosion	3 [1.3]	2 [2.0]	3 [1.7]	3 [2.0]	
Ulcer	0[1.0]	3 [2.7]	2 [2.0]	8 [<u>2</u> :0]	
Epithelium, Hyperplasia	3 [1.7]	0 [2.7]	1 [2.0]		
Tongue	(2)	(1)	(0)	(0)	
Epithelium, Hyperplasia	1 [1.0]	(1)	(0)		
CARDIOVASCULAR SYSTEM					
Linert	(50)	(50)	(50)	(50)	
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy Thrombosis	47 [2.0]	38 [1.9]	39 [2.1]	36 [1.8]	
	1 [3.0]		1 [4.0]	1 [4.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

MS No. 99007 - 05 st Type: CHRONIC oute: DOSED FEED ecies/Strain: RATS/F 344	P18: INCIDENCE RA	Date Report Requested: 08/15/200 Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI			
FISCHER 344 RATS MALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
ENDOCRINE SYSTEM					
Adrenal Cortex Accessory Adrenal Cortical Nodule Degeneration, Fatty	(50) 17 [3.0]	(50) 7 [3.0] 1 [2.0]	(50) 14 [3.0]	(50) 19 [3.0]	
Hyperplasia Hyperplasia, Focal Hypertrophy, Focal Necrosis	10 [2.1] 3 [1.7] 2 [1.5] 1 [4.0]	2 [2.0] 2 [1.5] 1 [2.0]	5 [1.6] 4 [1.0] 1 [1.0] 1 [3.0]	7 [1.4] 2 [2.0] 1 [2.0] 1 [3.0]	
Vacuolization Cytoplasmic, Focal Vacuolization Cytoplasmic, Diffuse Adrenal Medulla Hyperplasia	2 [1.0] (49) 5 [1.4]	6 [1.3] 1 [3.0] (49) 10 [1.5]	3 [1.3] 1 [2.0] (50) 14 [1.3]	4 [1.3] 1 [3.0] (48) 9 [1.2]	
Islets, Pancreatic Hyperplasia Pituitary Gland	(50) 1 [1.0] (50)	(50) 1 [2.0] (50)	(49) 1 [2.0] (49)	(50) (50)	
Pars Distalis, Angiectasis Pars Distalis, Cyst Pars Distalis, Hemorrhage, Chronic Pars Distalis, Hyperplasia, Focal	2 [2.0] 7 1 [1.0] 14 [1.8]	4 [2.0] 6 [2.0]	2 [2.5] 6 8 [1.6]	5 [2.0] 4 10 [2.0]	
Pars Intermedia, Cyst Thyroid Gland Ultimobranchial Cyst	3 (50)	2 (50)	2 (50) 1	5 (50) 1	
C-cell, Hyperplasia Follicle, Cyst Follicular Cell, Hyperplasia	8 [1.4] 3	4 [1.3] 1	4 [1.5] 1	6 [1.7] 2 1 [2.0]	
GENERAL BODY SYSTEM					
Tissue NOS Hemorrhage	(0)	(1) 1 [3.0]	(1)	(0)	
GENITAL SYSTEM					
Epididymis Granuloma Sperm Inflammation, Acute	(50) 1 [3.0]	(50) 1 [3.0]	(50) 1 [3.0]	(50) 2 [2.5]	

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Requested: 08/15/2008

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

Goldenseal root powder

CAS Number: GOLDENSEALRT

Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

FISCHER 344 RATS MALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
Inflammation, Chronic	1 [3.0]	2 [2.0]	3 [2.0]	2 [2.0]	
Preputial Gland	(50)	(50)	(50)	(50)	
Cyst	2	1	3		
Hyperplasia	2 [1.5]	4 [4 0]	2 [1.5]	1 [2.0]	
Hyperplasia, Focal	1 [2.0]	1 [1.0]	44 [0 0]	00 [0 4]	
Inflammation, Chronic	19 [2.1]	10 [2.4]	14 [2.2]	20 [2.1]	
Prostate	(50)	(50)	(50)	(50)	
Angiectasis Inflammation, Acute				1 [3.0]	
Inflammation, Chronic	12 [2.0]	15 [2.3]	14 [2.0]	1 [3.0] 10 [2.4]	
Epithelium, Hyperplasia	4 [1.3]	4 [1.0]	5 [1.4]	10 [2.4]	
Seminal Vesicle	(50)	(50)	(50)	(50)	
Inflammation, Chronic	(50)	(50)	(50)	1 [3.0]	
Testes	(50)	(50)	(50)	(50)	
Germinal Epithelium, Atrophy	5 [3.2]	8 [3.0]	3 [2.0]	8 [2.6]	
Interstitial Cell, Hyperplasia	2 [1.0]	6 [1.7]	4 [1.0]	3 [1.0]	
Bone Marrow Hemorrhage	(49) 1 [2.0]	(50)	(50)	(50)	
Hyperplasia	4 [3.3]	4 [2.8]	4 [3.0]	8 [3.0]	
Infiltration Cellular, Histiocyte	1 [0:0]	. [2:0]	2 [2.5]	0 [0:0]	
Myelofibrosis	2 [3.5]	2 [2.0]		3 [3.0]	
Lymph Node	(11)	(11)	(14)	(19)	
Deep Cervical, Hyperplasia	1 [3.0]				
Mediastinal, Ectasia	1 [4.0]		2 [3.0]	1 [3.0]	
Mediastinal, Hemorrhage	1 [3.0]	2 [2.5]	1 [2.0]	1 [2.0]	
Mediastinal, Hyperplasia, Lymphoid	3 [2.7]	1 [3.0]	2 [3.5]	3 [2.7]	
Mediastinal, Pigmentation		1 [3.0]		1 [2.0]	
Pancreatic, Ectasia		1 [3.0]	1 [3.0]	1 [3.0]	
Pancreatic, Hemorrhage	1 [1.0]		1 [1.0]	1 [1.0]	
Pancreatic, Hyperplasia, Lymphoid	()	1 [2.0]		1 [2.0]	
Lymph Node, Mesenteric	(49)	(49)	(50)	(50)	
Atrophy	0 (0 5)	4 10 01	4 [4 0]	1 [2.0]	
Ectasia	2 [2.5]	1 [2.0]	4 [1.8]	2 [3.0]	
Hemorrhage	4 [2 0]	2 [1.0]	2 [1.5]	1 [1.0]	
Hyperplasia, Lymphoid	4 [3.0]	11 [2.1]	9 [2.0]	8 [2.1]	
Infiltration Cellular, Mixed Cell		1 [4.0]			

a - Number of animals examined microscopically at site and number of animals with lesion

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH

Date Report Requested: 08/15/2008

AVERAGE SEVERITY GRADES[b] Goldenseal root powder

CAS Number: GOLDENSEALRT

Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

FISCHER 344 RATS MALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
Spleen	(49)	(50)	(49)	(50)	
Accessory Spleen Fibrosis	1 [3.0]	1 2 [1.5]	1 [3.0]	2 [2.5]	
Hematopoietic Cell Proliferation	2 [3.0]	8 [1.8]	4 [2.3]	11 [1.6]	
Hemorrhage Hyperplasia, Lymphoid			1 [3.0] 2 [2.5]	2 [3.0] 1 [2.0]	
Infiltration Cellular, Mixed Cell		3 [3.0]	1 [4.0]		
Metaplasia, Lipocyte Necrosis		1 [3.0]	3 [4.0]	1 [4.0]	
Thymus	(48)	(49)	(49)	(47)	
Átrophy Cyst		2		2 [2.5]	
Fibrosis		1 [3.0]			
Hyperplasia, Lymphoid Epithelial Cell, Hyperplasia	1 [3.0]	1 [3.0]			
		1 [3.0]			
INTEGUMENTARY SYSTEM					
Mammary Gland	(50)	(50)	(50)	(50)	
Hyperplasia Skin	7 [2.1] (50)	13 [2.5] (50)	6 [2.2] (50)	8 [1.9] (50)	
Cyst Epithelial Inclusion	1	3	2	2	
Edema Hyperkeratosis	4 [3.0]	2 [2.5] 2 [3.5]	4 [3.5]	1 [3.0]	
Inflammation, Chronic	2 [2.5]	2 [0.0]	2 [2.0]		
Ulcer Epidermia, Hyperplasia	1 [4.0]		1 [4.0]	1 [3.0]	
Epidermis, Hyperplasia	5 [2.6]		4 [2.8]		
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Fracture Skeletal Muscle	(3)	(1)	(1)	1 (3)	
Atrophy	1 [2.0]	()	()	1 [1.0]	
NERVOUS SYSTEM					
Brain	(49)	(50)	(50)	(50)	
	(,	(00)	(00)	(00)	

a - Number of animals examined microscopically at site and number of animals with lesion

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Requested: 08/15/2008

Test Type: CHRONIC Route: DOSED FEED

Species/Strain: RATS/F 344

Goldenseal root powder CAS Number: GOLDENSEALRT Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

FISCHER 344 RATS MALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
Angiectasis Compression	2 [3.0]	1 [2.0] 10 [3.0]	3 [3.0]	4 [2 5]	
Gliosis	2 [3.0]	10 [3.0]	3 [3.0]	4 [2.5] 1 [3.0]	
Hemorrhage	2 [3.0]	4 [2.5]	2 [2.5]	1 [3.0]	
Hydrocephalus			1 [2.0]	1 [2 0]	
Metaplasia, Lipocyte Necrosis	1 [2.0]	4 [2.5]	1 [3.0]	1 [2.0]	
Peripheral Nerve	(4)	(3)	(4)	(3)	
Spinal Cord	(4)	(3) (3)	(4)	(3) (2)	
RESPIRATORY SYSTEM					
Lung	(50)	(50)	(50)	(50)	
Cyst	1		4 [0.0]		
Edema Emphysema	1 [2.0]		1 [2.0]		
Foreign Body	1 [2.0]	1	1		
Hemorrhage	1 [2.0]	4 [2.3]	4 [2.3]	4 [2.5]	
Infiltration Cellular, Histiocyte	34 [1.2]	24 [1.3]	25 [1.2]	24 [1.4]	
Inflammation, Suppurative	40 [4 7]	1 [2.0]	47 [4 0]	2 [4 0]	
Inflammation, Chronic Metaplasia, Osseous	16 [1.7] 5 [1.2]	10 [1.2] 3 [1.0]	17 [1.2]	3 [1.0] 1 [1.0]	
Alveolar Epithelium, Hyperplasia	8 [1.8]	3 [1.3]	3 [1.0]	8 [1.5]	
Nose	(50)	(50)	(50)	(50)	
Foreign Body	6	5	5	6	
Inflammation, Chronic	12 [1.3]	4 [1.0]	3 [1.7]	3 [1.0]	
Respiratory Epithelium, Hyperplasia Respiratory Epithelium, Metaplasia,	5 [1.4] 2 [1.0]	3 [1.0]	3 [1.7]	3 [1.0]	
Squamous	2 [1.0]				
SPECIAL SENSES SYSTEM					
Eye	(50)	(50)	(50)	(50)	
Cataract	2 [3.0]		. ,	1 [3.0]	
Inflammation, Chronic	2 [2 5]	1 [4.0]	1 [2 0]	2 [2 0]	
Retina, Degeneration Harderian Gland	2 [3.5] (50)	3 [2.3] (50)	1 [2.0] (50)	2 [2.0] (50)	
Hyperplasia, Focal	1 [1.0]	(50)	1 [1.0]	1 [1.0]	
Inflammation, Chronic	. []	1 [2.0]	1	. []	

a - Number of animals examined microscopically at site and number of animals with lesion

DMS No. 99007 - 05	P18: INCIDENCE RA		STIC LESIONS BY AN ERITY GRADES[b]	IATOMIC SITE (a) WITH	Date Report Requested: 08/15/2008
est Type: CHRONIC oute: DOSED FEED pecies/Strain: RATS/F 344		Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI			
FISCHER 344 RATS MALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Cyst		2		`1 ´	
Hydronephrosis				1 [2.0]	
Infarct			3 [2.3]	2 [2.0]	
Inflammation, Suppurative	1 [1.0]				
Nephropathy	46 [1.2]	49 [1.4]	46 [1.2]	49 [1.7]	
Renal Tubule, Accumulation, Hyaline Droplet	2 [3.5]			1 [3.0]	
Renal Tubule, Mineralization				1 [2.0]	
Renal Tubule, Necrosis	1 [1.0]	1 [3.0]	2 [4.0]	2 [2.0]	
Renal Tubule, Pigmentation	3 [2.7]	1 [3.0]	4 [2.5]	4 [2.3]	
Transitional Epithelium, Hyperplasia		2 [2.0]			
Urethra	(0)	(1)	(0)	(0)	
Angiectasis	()	1 [3.0]	()	<i>i</i> – – .	
Urinary Bladder	(50)	(50)	(50)	(50)	
Hemorrhage		1 [1.0]		1 [4.0]	
Inflammation, Acute				1 [3.0]	

*** END OF MALE ***

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH

Date Report Requested: 08/15/2008

AVERAGE SEVERITY GRADES[b] Goldenseal root powder

CAS Number: GOLDENSEALRT

Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
Disposition Summary					
Animals Initially in Study	50	50	50	50	
Early Deaths		0	-	10	
Moribund Sacrifice Natural Death	14 6	9 5	5 3	12	
Survivors	0	Э	3	2	
Terminal Sacrifice	30	36	42	36	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
Intestine Large, Cecum	(48)	(50)	(50)	(49)	
Edema	1 [3.0]			2 [2.5]	
Intestine Small, Jejunum	(46)	(47)	(48)	(50)	
Epithelium, Hyperplasia	(50)	(50)	(50)	1 [3.0]	
Liver	(50)	(50)	(50)	(50)	
Angiectasis Basophilic Focus	4.4	1 [2.0]	2 [2.0] 46	27	
Clear Cell Focus	44 4	44 5	46 10	2	
Cyst	4	5	1	2	
Eosinophilic Focus	2	24	29	22	
Hematopoietic Cell Proliferation	1 [1.0]	27	20	22	
Hemorrhage	1[1:0]	1 [2.0]	1 [2.0]	1 [1.0]	
Hepatodiaphragmatic Nodule	7	17	8	9	
Infiltration Cellular, Mixed Cell	7 [1.9]	7 [2.0]	9 [1.8]	11 [2.4]	
Mixed Cell Focus	6	5	13	9	
Necrosis, Focal	1 [2.0]			1 [1.0]	
Bile Duct, Hyperplasia	2 [3.0]	4 [2.0]	9 [1.1]	3 [1.3]	
Centrilobular, Necrosis	1 [1.0]		1 [2.0]		
Hepatocyte, Degeneration	1 [1.0]	2 [1.0]	12 [1.1]	24 [1.3]	
Hepatocyte, Hypertrophy	2 [2.0]	10 [1.3]	27 [1.5]	38 [2.1]	
Hepatocyte, Vacuolization Cytoplasmic	4 [2.8]	4 [3.0]	1 [3.0]	3 [3.0]	
Kupffer Cell, Pigmentation	1 [2.0]	2 [2.5]	1 [2.0]	3 [2.3]	
Mesentery	(9)	(7)	(4)	(2)	
Accessory Spleen	0 [0 0]	2	2	1	
Fat, Necrosis Oral Mucosa	9 [3.2]	5 [3.0]	3 [2.7]	1 [3.0]	
Oran Mucosa	(0)	(0)	(1)	(0)	

a - Number of animals examined microscopically at site and number of animals with lesion

Route: DOSED FEED

Species/Strain: RATS/F 344

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Requested: 08/15/2008

Goldenseal root powder

CAS Number: GOLDENSEALRT

Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
Ulcer			1 [4.0]		
Pancreas	(49)	(50)	(50)	(50)	
Atrophy	10 [1.5]	17 [1.5]	17 [1.6]	14 [1.8]	
Cyst	4	10	6	13	
Acinus, Cytoplasmic Alteration	1 [3.0]	1 [3.0]		1 [3.0]	
Acinus, Hyperplasia, Focal		1 [2.0]	1 [2.0]		
Salivary Glands	(50)	(50)	(50)	(50)	
Atrophy	7 [1.1]		5 [1.0]	3 [1.7]	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Edema		1 [4.0]	1 [2.0]	2 [3.5]	
Ulcer	2 [2.5]	2 [3.0]		3 [2.7]	
Epithelium, Hyperplasia		2 [3.0]	1 [3.0]	2 [2.5]	
Stomach, Glandular	(50)	(50)	(50)	(50)	
Edema		1 [2.0]			
Erosion	4 [1.8]	2 [1.0]	1 [3.0]	2 [3.0]	
Ulcer				1 [2.0]	
Tongue	(1)	(0)	(0)	(1)	
Inflammation, Granulomatous				1 [4.0]	
ARDIOVASCULAR SYSTEM					
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	24 [1.5]	24 [1.3]	21 [1.3]	15 [1.3]	
Inflammation, Chronic Thrombosis	1 [3.0] 1 [4.0]	1 [2 0]			
THORDOSIS	1 [4.0]	1 [3.0]			
NDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Accessory Adrenal Cortical Nodule	3 [3.0]	3 [3.0]	9 [3.0]	6 [3.0]	
Angiectasis			2 [3.5]	1 [3.0]	
Degeneration, Fatty	9 [1.9]	15 [2.1]	11 [1.8]	11 [2.3]	
Hematopoietic Cell Proliferation	1 [3.0]				
Hyperplasia, Focal	5 [1.6]	6 [2.2]	4 [2.0]	5 [1.6]	
Hypertrophy, Focal	1 [1.0]	2 [2.5]	6 [2.2]	5 [1.4]	
Necrosis	1 [3.0]	1 [1.0]		2 [2.5]	
		(50)	(40)	(50)	
Adrenal Medulla	(48)	(50)	(49)		
Adrenal Medulla Hyperplasia Infiltration Cellular, Mononuclear Cell	(48) 1 [1.0]	(50) 2 [1.0] 1 [2.0]	(49) 5 [1.4]	7 [1.1]	

a - Number of animals examined microscopically at site and number of animals with lesion

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b] Goldenseal root powder

CAS Number: GOLDENSEALRT

Date Report Requested: 08/15/2008

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

Tim

Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
Islets, Pancreatic	(49)	(50)	(50)	(50)	
Hyperplasia	()	()	1 [1.0]		
Parathyroid Gland	(49)	(49)	(48)	(46)	
Hyperplasia	(50)	1 [3.0]	(50)		
Pituitary Gland	(50)	(50)	(50)	(50)	
Infiltration Cellular, Mononuclear Cell	1 [2 0]	1 [3.0]			
Pigmentation Pars Distalis, Angiectasis	1 [3.0]	7 [2 4]	10 01 0	0 [2 1]	
Pars Distalis, Anglectasis Pars Distalis, Cyst	8 [3.0] 30	7 [2.1] 23	3 [3.3] 27	8 [2.1] 20	
Pars Distalis, Cyst Pars Distalis, Hyperplasia, Focal	13 [2.4]	4 [2.0]	12 [2.0]	20 9 [1.8]	
Pars Intermedia, Angiectasis	1 [3.0]	4 [2.0] 1 [4.0]	12 [2.0]	2 [2.5]	
Pars Intermedia, Cyst	3	1 [4.0]		2 [2.5]	
Thyroid Gland	(50)	(50)	(50)	(50)	
C-cell, Hyperplasia	17 [1.4]	5 [1.4]	6 [1.2]	5 [1.2]	
Follicle, Cyst	17 [1.4]	2	2	1	
Follicular Cell, Hyperplasia		2 [2.0]	2	·	
GENERAL BODY SYSTEM Tissue NOS	(1)	(0)	(0)	(0)	
GENITAL SYSTEM					
Clitoral Gland	(50)	(50)	(49)	(50)	
Cyst	1	2	1	1	
Hyperplasia	1 [2.0]	2 [2.0]			
Hyperplasia, Focal	1 [2.0]	5 [2.0]	6 [2.7]		
Inflammation, Chronic		4 [2.8]	2 [2.0]	2 [3.0]	
Ovary	(50)	(50)	(50)	(49)	
Cyst	8	5	14	8	
Corpus Luteum, Vacuolization			1 [3.0]		
Cytoplasmic					
Uterus	(50)	(50)	(50)	(50)	
Cyst				1	
Decidual Reaction		1 [3.0]			
Hemorrhage	1 [3.0]				
Hyperplasia, Cystic	8 [2.0]	9 [2.1]	14 [2.4]	13 [2.0]	
Inflammation, Suppurative			1 [3.0]		
Cervix, Cyst, Squamous				1 [3.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

//S No. 99007 - 05 t Type: CHRONIC nte: DOSED FEED pcies/Strain: RATS/F 344	P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b] Goldenseal root powder CAS Number: GOLDENSEALRT			Date Report Requested: 08/15/200 Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI	
FISCHER 344 RATS FEMALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
Myometrium, Hypertrophy			1 [3.0]		
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Hyperplasia	10 [2.8]	3 [3.0]	5 [3.2]	6 [2.5]	
Infiltration Cellular, Histiocyte		1 [3.0]	1 [2.0]	3 [2.0]	
Infiltration Cellular, Mixed Cell			1 [3.0]		
Myelofibrosis	1 [3.0]	1 [3.0]		5 [3.2]	
Lymph Node	(9)	(7)	(7)	(8)	
Hemorrhage	1 [3.0]				
Pigmentation	1 [3.0]				
Deep Cervical, Ectasia			1 [4.0]		
Mediastinal, Hematopoietic Cell Proliferation	1 [2.0]				
Mediastinal, Hemorrhage	5 [2.4]	2 [2.5]	4 [2.3]	1 [3.0]	
Mediastinal, Hyperplasia, Lymphoid	4 [1.8]	3 [2.7]	1 [3.0]	2 [2.5]	
Mediastinal, Pigmentation	2 [2.0]	3 [2.7]	2 [3.0]	1 [3.0]	
Pancreatic, Hemorrhage	2 [3.0]	2 [2.5]		1 [2.0]	
Pancreatic, Pigmentation		1 [2.0]			
Lymph Node, Mandibular	(2)	(3)	(3)	(5)	
Ectasia		1 [3.0]			
Hyperplasia, Lymphoid	(1 -)	1 [2.0]			
Lymph Node, Mesenteric	(49)	(50)	(50)	(49)	
Ectasia	0 [4 7]	4 [0 0]	0 [4 0]	1 [3.0]	
Hemorrhage	3 [1.7]	1 [2.0]	3 [1.3]	3 [1.7]	
Hyperplasia, Lymphoid	15 [2.2]	8 [2.3]	10 [2.2]	9 [2.0]	
Spleen	(49)	(50)	(50)	(50)	
Accessory Spleen Fibrosis	2	1 [4 0]		2 [2.5]	
Hematopoietic Cell Proliferation	37 [2.4]	1 [4.0] 34 [2.5]	42 [2.2]	35 [2.0]	
Hemorrhage	57 [2.4]	54 [2.5]	42 [2.2]	1 [3.0]	
Infiltration Cellular, Mixed Cell				3 [4.0]	
Necrosis				1 [4.0]	
Lymphoid Follicle, Atrophy				1 [3.0]	
Thymus	(49)	(50)	(49)	(49)	
Atrophy	(10)	1 [3.0]	(10)	1 [3.0]	
Cyst	1	. [0.0]	1	. [0.0]	
Hyperplasia, Lymphoid	·		1 [2.0]		

MS No. 99007 - 05 st Type: CHRONIC oute: DOSED FEED ecies/Strain: RATS/F 344	P18: INCIDENCE RA	Date Report Requested: 08/15/2008 Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI			
FISCHER 344 RATS FEMALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
INTEGUMENTARY SYSTEM					
Mammary Gland Hyperplasia Skin	(50) 49 [2.5] (50)	(50) 46 [2.4] (49)	(50) 45 [2.5] (50)	(50) 34 [2.6] (50)	
Cyst Epithelial Inclusion Edema Hemorrhage Hyperkeratosis	1 [2.0] 1 [4.0]		1 1 [4.0] 1 [2.0]	1 [4.0] 1 [3.0]	
Inflammation, Chronic Ulcer Epidermis, Hyperplasia	1 [3.0] 1 [4.0]		1 [2.0] 1 [3.0]		
MUSCULOSKELETAL SYSTEM					
Bone Fracture Osteopetrosis	(50) 1	(50) 1 [2.0]	(50)	(50)	
Skeletal Muscle Hemorrhage Inflammation, Suppurative	(0)	(0)	(0)	(2) 1 [4.0] 1 [4.0]	
NERVOUS SYSTEM					
Brain Compression Gliosis	(50) 9 [3.3] 1 [2.0]	(50) 8 [3.3]	(50) 3 [3.3]	(50) 8 [3.1]	
Hemorrhage Necrosis	2 [2.5] 1 [1.0]		1 [2.0]	2 [3.5] 1 [4.0]	
RESPIRATORY SYSTEM					
Lung Edema Foreign Body Hemorrhage Hyperplasia, Lymphoid	(50) 1 [2.0] 6 [2.2] 1 [2.0]	(50) 1 [2.0] 1	(50) 1 2 [2.0]	(50) 10 [2.6]	

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Date Report Requested: 08/15/2008

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344

Goldenseal root powder

CAS Number: GOLDENSEALRT

Time Report Requested: 08:34:31 First Dose M/F: 04/21/03 / 04/21/03 Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	
Infiltration Cellular, Histiocyte Inflammation, Chronic Metaplasia, Osseous	39 [1.1] 18 [1.1]	34 [1.1] 21 [1.0] 2 [1.0]	37 [1.1] 19 [1.2] 2 [1.0]	39 [1.1] 14 [1.3] 2 [1.0]	
Alveolar Epithelium, Hyperplasia	7 [1.4]	7 [1.6]	5 [1.6]	6 [1.3]	
Serosa, Hyperplasia Nose	(50)	1 [2.0] (50)	1 [2.0] (50)	1 [2.0] (50)	
Foreign Body	4	3	2	2	
Inflammation, Chronic Respiratory Epithelium, Hyperplasia	2 [1.5] 1 [1.0]		1 [1.0]	2 [1.5] 1 [2.0]	
SPECIAL SENSES SYSTEM					
Eye	(50)	(50)	(50)	(50)	
Cataract Retina, Degeneration	4 [2.8] 4 [3.3]	2 [2.5] 2 [3.0]	1 [2.0] 1 [3.0]	2 [3.5] 2 [4.0]	
Harderian Gland	(50)	(50)	(50)	(49)	
Hyperplasia, Focal Inflammation, Chronic	2 [1.0]			2 [2.0]	
Zymbal's Gland	(0)	(0)	(1)	(0)	
URINARY SYSTEM					
Kidney	(49)	(50)	(50)	(50)	
Cyst Glomerulosclerosis	1		1	1 [3.0]	
Infarct		1 [1.0]			
Infiltration Cellular, Mononuclear Cell Inflammation, Suppurative	1 [3.0]	1 [2.0]	1 [2.0]		
Metaplasia, Osseous	1 [1.0]	04 [4 4]			
Nephropathy Papilla, Necrosis	36 [1.0] 1 [3.0]	24 [1.1]	33 [1.2]	45 [1.4]	
Renal Tubule, Accumulation, Hyaline Droplet	2 [3.0]		1 [2.0]	1 [2.0]	
Renal Tubule, Necrosis	1 [3.0]	4 [2 0]	4 [2 0]	1 [3.0]	
Renal Tubule, Pigmentation Transitional Epithelium, Hyperplasia	1 [2.0] 2 [2.5]	1 [3.0]	1 [3.0] 2 [2.0]	2 [2.5]	
Urinary Bladder	(50)	(49)	(50)	(50)	
Edema Transitional Epithelium, Hyperplasia	1 [2.0] 1 [2.0]				

a - Number of animals examined microscopically at site and number of animals with lesion

TDMS No. 99007 - 05	Date Report Requested: 08/15/2008				
Test Type: CHRONIC Goldenseal root powder					Time Report Requested: 08:34:31
Route: DOSED FEED	DUTE: DOSED FEED CAS Number: GOLDENSEALRT				
Species/Strain: RATS/F 344					Lab: SRI
FISCHER 344 RATS FEMALE	0 PPM	3000 PPM	9000 PPM	25000 PPM	

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)