TDMS No. 99028 - 06 Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH **AVERAGE SEVERITY GRADES[b]**

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

F1_M3

C Number: C99028

Lock Date: 09/20/2005

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

TDMSE Version: 2.0.0 Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Date Report Requested: 04/07/2008

B6C3F1 MICE MALE	0 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Disposition Summary				
•		=0		
Animals Initially in Study Early Deaths	50	50	50	50
Moribund Sacrifice	7	4	2	8
Natural Death	6	6	6	14
Survivors	· ·	ŭ	· ·	
Moribund Sacrifice		1		
Natural Death		1		1
Terminal Sacrifice	37	38	42	27
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(50)	(50)
Inflammation	(00)	(00)	1 [4.0]	1 [2.0]
Ulcer			1 [4.0]	1
Gallbladder	(50)	(49)	(49)	(50)
Inflammation				1 [1.0]
Intestine Large, Cecum	(50)	(50)	(50)	(50)
Intestine Large, Colon	(50)	(50)	(50)	(50)
Intestine Small, Duodenum	(50)	(50)	(50)	(50)
Epithelium, Necrosis	1 [3.0]	(50)	(FO)	(50)
Intestine Small, Ileum Intestine Small, Jejunum	(50) (50)	(50) (50)	(50) (50)	(50) (50)
Inflammation	(30)	(30)	(30)	1 [2.0]
Mineralization				1 [1.0]
Epithelium, Diverticulum				1
Peyer's Patch, Hyperplasia	1 [3.0]		1 [4.0]	1 [3.0]
Serosa, Inflammation				1 [1.0]
Liver	(50)	(50)	(50)	(50)
Angiectasis	_	1 [2.0]		_
Basophilic Focus	3	1	1	3
Clear Cell Focus	26	29	34	16
Congestion Eosinophilic Focus	26	28	27	1 [3.0] 27
Fibrosis	20	20	1 [2.0]	41
Hemorrhage			ا رکان	1 [3.0]
Hememago				. [0.0]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Date Report Requested: 04/07/2008

B6C3F1 MICE MALE	0 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG	
Infarct	1 [3.0]	2 [3.5]		2 [3.5]	
Inflammation	5 [1.4]	3 [1.3]	5 [1.2]	5 [1.2]	
Mixed Cell Focus	9	9	9	7	
Regeneration				1 [2.0]	
Tension Lipidosis	9	1 [1.0]	3	6	
Thrombosis			2 [2.0]	1 [2.0]	
Bile Duct, Cyst				1 [3.0]	
Centrilobular, Degeneration				3 [1.7]	
Hepatocyte, Hypertrophy		1 [1.0]		1 [2.0]	
Hepatocyte, Necrosis	3 [1.3]	2 [2.5]	10 [1.5]	2 [2.0]	
Hepatocyte, Vacuolization Cytoplasmic,	14 [1.2]	11 [1.3]	12 [1.3]	13 [1.9]	
Diffuse	[–]	[]	.=[0]	[]	
Oval Cell, Hyperplasia			2 [1.5]		
Serosa, Inflammation		1 [1.0]	-[]		
Mesentery	(5)	(8)	(11)	(1)	
Inflammation	(0)	(3)	3 [2.0]	1 [1.0]	
Necrosis	4 [3.0]	7 [3.0]	7 [2.9]	1 [1.0]	
Pancreas	(50)	(50)	(50)	(50)	
Basophilic Focus	1 [1.0]	(00)	(00)	1 [1.0]	
Acinus, Atrophy	1 [1.0]		1 [1.0]	1 [1.0]	
Acinus, Hyperplasia	8 [1.6]	4 [2.0]	13 [1.6]	2 [2.0]	
Artery, Inflammation	0 [1.0]	1 [2.0]	10 [1.0]	2 [2.0]	
Duct, Cyst		2 [2.5]	2 [1.5]	2 [2.0]	
Salivary Glands	(50)	(50)	(50)	(50)	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Edema	(30)	(50)	(30)	1 [2.0]	
Erosion		1 [3.0]		1 [2.0] 1 [2.0]	
Inflammation	1 [1.0]			2 [3.0]	
Ulcer		3 [2.0]	1 [3.0]	2 [3.0] 7 [3.4]	
	1 [2.0]	1 [3.0]		7 [2.4]	
Epithelium, Hyperplasia Stomach, Glandular	(50)	3 [2.3]	1 [3.0] (50)	2 [2.5] (50)	
Erosion	(50)	(50)	(50)	(50) 4 [2.5]	
Inflammation			1 [1 0]		
			1 [1.0]	1 [1.0]	
Glands, Hyperplasia			1 [2.0]		
Serosa, Inflammation	(4)	(0)	1 [2.0]	(0)	
Tongue	(1)	(0)	(0)	(0)	
Mineralization	1 [3.0]	(C)	(4)	(4)	
Tooth	(5)	(5)	(4)	(1)	
Dysplasia	4 [3.8]	4	4 [4 0]	1	
Inflammation			1 [4.0]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH **AVERAGE SEVERITY GRADES[b]**

bis(2-Chloroethoxy)methane **CAS Number:** 111-91-1

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

B6C3F1 MICE MALE	0 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG	
Peridontal Tissue, Fibrosis		1 [2.0]	2 [2.5]	1 [3.0]	
CARDIOVASCULAR SYSTEM					
Blood Vessel	(50)	(50)	(50)	(50)	
Adventitia, Inflammation	,	,	2 [2.0]	,	
Heart	(50)	(50)	(50)	(50)	
Artery, Inflammation	2 [3.0]	()	2 [2.0]	()	
Atrium, Thrombosis	11		1	1 [3.0]	
Epicardium, Hyperplasia			1 [2.0]	[]	
Epicardium, Inflammation	1 [2.0]		1 [2.0]		
Myocardium, Cardiomyopathy	10 [1.0]	12 [1.1]	7 [1.0]	28 [1.4]	
Myocardium, Fibrosis		3 [1.0]	3 [1.0]	13 [1.1]	
Myocardium, Infiltration Cellular,	11 [1.0]	12 [1.1]	8 [1.0]	28 [1.4]	
Mononuclear Cell	[]	.= []	0 [0]	== []	
Myocardium, Mineralization		1 [1.0]	2 [1.5]	3 [1.3]	
Myocardium, Necrosis	3 [1.0]	2 [1.0]	_[0]	1 [1.0]	
Myocardium, Vacuolization Cytoplasmic	10 [1.0]	15 [1.1]	11 [1.0]	29 [1.3]	
ENDOCRINE SYSTEM					
Adrenal Cortex	(49)	(50)	(50)	(50)	
Degeneration	1 [2.0]	(00)	(00)	(00)	
Hyperplasia	13 [1.4]	4 [1.0]	11 [1.4]	2 [1.0]	
Hypertrophy	24 [1.8]	34 [1.6]	26 [1.5]	22 [1.3]	
Subcapsular, Hyperplasia	43 [1.8]	44 [1.7]	51 [1.8]	39 [1.9]	
Adrenal Medulla	(49)	(50)	(50)	(50)	
Hyperplasia	(10)	2 [2.0]	1 [2.0]	(00)	
Pigmentation, Melanin		2 [2.0]	1 [2.0]	1 [2.0]	
Islets, Pancreatic	(50)	(50)	(50)	(50)	
Hyperplasia	32 [1.8]	35 [1.6]	39 [2.0]	21 [1.8]	
Parathyroid Gland	(47)	(33)	(45)	(46)	
Cyst	1 [1.0]	(00)	(40)	2 [1.0]	
Pituitary Gland	(50)	(49)	(49)	(49)	
Pars Distalis, Cyst	6 [1.3]	1 [1.0]	3 [1.3]	3 [1.7]	
Pars Distalis, Cyst Pars Distalis, Hyperplasia	20 [1.2]	5 [1.0]	17 [1.4]	5 [1.0]	
Pars Intermedia, Cyst	20 [1.2] 1 [1.0]	J [1.0]	17 [1. 4]	3 [1.0]	
Thyroid Gland	(50)	(50)	(50)	(50)	
Inflammation	1 [1.0]	(30)	(30)	(50)	
IIIIIaIIIIIIaliUII	1 [1.0]				

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

lumber: 111-91-1

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Date Report Requested: 04/07/2008

B6C3F1 MICE MALE	0 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG	
Follicle, Cyst Follicular Cell, Hyperplasia			2 [2.0]	2 [1.0]	
GENERAL BODY SYSTEM					
None					
GENITAL SYSTEM					
Epididymis	(50)	(50)	(50)	(50)	
Atrophy Granuloma Sperm Inflammation Preputial Gland Fibrosis Inflammation Duct, Ectasia Prostate Atrophy Inflammation Epithelium, Hyperplasia Seminal Vesicle Atrophy Dilatation Testes Mineralization Germinal Epithelium, Degeneration Interstitial Cell, Hyperplasia	1 [2.0] 4 [1.8] (50) 2 [1.5] 3 [2.0] (50) 1 [3.0] 1 [2.0] 16 [1.0] (50) 1 [4.0] (50) 1 [2.0] 11 [1.5] 1 [4.0]	1 [3.0] (50) 3 [3.3] 4 [2.3] (50) 4 [1.5] (50) (50) 1 [2.0] 7 [1.9]	2 [3.0] 1 [1.0] (50) 1 [2.0] 2 [2.5] (50) 2 [1.5] 3 [1.3] (50) 1 [2.0] (50) 6 [1.2]	4 [2.3] (50) 1 [4.0] 1 [2.0] (50) 3 [1.0] 6 [1.2] (50) (50)	
HEMATOPOIETIC SYSTEM					
Bone Marrow Angiectasis Atrophy	(50) 1 [3.0]	(50) 1 [3.0]	(50)	(50)	
Hemorrhage Myelofibrosis	1 [2.0]	(4)	1 [3.0]	2 [2.0]	
Lymph Node Lymph Node, Mandibular	(2) (50)	(1) (50)	(2) (50)	(1) (50)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

B6C3F1 MICE MALE	0 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Hyperplasia, Plasma Cell	1 [2.0]	1 [2.0]		2 [2.0]
Lymph Node, Mesenteric	(50)	(50)	(50)	(49)
Hemorrhage	1 [3.0]			2 [3.0]
Hyperplasia, Lymphoid		4 [0.0]	1 [2.0]	
Hyperplasia, Plasma Cell	(50)	1 [2.0]	(50)	(50)
Spleen	(50)	(50)	(50)	(50)
Atrophy Hematopoietic Cell Proliferation	3 [1.7]	1 [1.0]	1 [2.0] 1 [3.0]	1 [3.0] 1 [3.0]
Thymus	(49)	(49)	(47)	(49)
Inflammation	(40)	(40)	1 [2.0]	(40)
NTEGUMENTARY SYSTEM				
Mammary Gland	(1)	(0)	(0)	(0)
Duct, Dilatation	1 [2.0]			
Skin	(50)	(50)	(50)	(50)
Ulcer	1 [4.0]	1 [4.0]	0.70.01	1 [3.0]
Site Of Application - Dermis, Fibrosis	6 [1.7]	1 [3.0]	2 [3.0]	25 [1.3]
Site Of Application - Dermis, Inflammation	3 [2.3]	1 [3.0]	3 [2.0]	13 [1.4]
Site Of Application - Epidermis,	8 [1.8]	1 [2.0]	4 [1.8]	28 [1.2]
Hyperplasia	10.01.0	4 [0 0]	4 [0 0]	4 [0 0]
Site Of Application - Epidermis, Ulcer Subcutaneous Tissue, Edema	3 [2.0]	1 [3.0]	1 [2.0]	4 [2.3] 1 [2.0]
Subcutatieous Tissue, Euetita				ا رد.∪ا
MUSCULOSKELETAL SYSTEM				
Bone	(50)	(50)	(50)	(50)
Cartilage, Femur Joint, Hyperplasia	1 [2.0]	(30)	(50)	(00)
Femur, Joint, Inflammation	1 [1.0]			
Skeletal Muscle	(0)	(0)	(0)	(1)
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Ventricle, Inflammation	1 [2.0]	(55)	(00)	(30)

RESPIRATORY SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Date Report Requested: 04/07/2008

B6C3F1 MICE MALE	0 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG	
Lung	(50)	(50)	(50)	(50)	
Inflammation Thrombosis	3 [2.0]	3 [3.0] 1 [1.0]	1 [3.0]		
Alveolar Epithelium, Hyperplasia	2 [1.5]	1 [1.0] 1 [1.0]	3 [2.0]	2 [1.5]	
Alveolus, Infiltration Cellular, Histiocyte	3 [1.3]	1 [2.0]			
Mediastinum, Inflammation Perivascular, Cyst		1 [2.0] 1 [1.0]			
Serosa, Hyperplasia		1 [2.0]			
Nose	(50)	(50)	(50)	(50)	
Inflammation Respiratory Epithelium, Hyperplasia	8 [1.4] 1 [1.0]	3 [1.7]	2 [1.5] 1 [1.0]	3 [1.0]	
	1 [1.0]		1 [1.0]		
SPECIAL SENSES SYSTEM					
Eye	(50)	(50)	(50)	(50)	
Arteriole, Inflammation	1 [1.0]			4 [4 0]	
Cornea, Hyperplasia Cornea, Inflammation	3 [2.3]			1 [1.0]	
Retrobulbar, Inflammation	1 [4.0]				
Harderian Gland	(50)	(50)	(50)	(49)	
Cyst Hemorrhage	1 [4.0]			1 [3.0]	
Epithelium, Hyperplasia			2 [1.5]	1 [3.0]	
Zymbal's Gland	(1)	(0)	(0)	(1)	
Cyst Inflammation	1 [3.0] 1 [2.0]			1 [3.0]	
	1 [2.0]				
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Cyst	7 [1.1]	8 [1.0]	11 [1.0]	11 [1.4]	
Hydronephrosis Infarct	5 [1.6]	1 [2.0] 1 [1.0]	3 [1.7] 1 [2.0]	1 [2.0]	
Infiltration Cellular, Mononuclear Cell		3 [1.7]	ا رکان		
Inflammation	4 [2.0]	2 [1.5]	4 [1.3]	1 [1.0]	
Mineralization	22 [1.0] 45 [4.7]	26 [1.0]	21 [1.0]	25 [1.0]	
Nephropathy Artery, Inflammation	45 [1.7] 2 [3.0]	42 [1.4]	44 [1.4] 2 [2.0]	37 [1.4]	
Urinary Bladder	(50)	(50)	(50)	(50)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

B6C3F1 MICE MALE	0 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Mineralization	1 [2.0]			

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Liver

Angiectasis
Basophilic Focus

Clear Cell Focus

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

B6C3F1 MICE FEMALE	0 MG/KG	100 MG/KG	200 MG/KG	400 MG/KG
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths				
Moribund Sacrifice	11	5	7	11
Natural Death	8	7	6	2
Survivors				4
Natural Death Terminal Sacrifice	31	38	37	1 36
Animals Examined Microscopically	50	50	50	50
Animais Examined microscopically	30	30	30	50
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(50)	(50)
Inflammation			1 [1.0]	
Gallbladder	(50)	(50)	(50)	(50)
Fibrosis	1 [2.0]			
Epithelium, Cyst				1 [2.0]
Epithelium, Hyperplasia	1 [2.0]	(50)	(50)	(50)
Intestine Large, Cecum	(50)	(50)	(50)	(50)
Arteriole, Inflammation	(50)	1 [2.0]	(EO)	(E0)
Intestine Large, Colon Arteriole, Inflammation	(50)	(50) 1 [2.0]	(50)	(50)
Epithelium, Diverticulum	1 [1.0]	۱ [۷.۵]		
Intestine Small, Duodenum	(50)	(50)	(50)	(50)
Arteriole, Inflammation	(30)	1 [2.0]	(30)	(00)
Intestine Small, Ileum	(50)	(50)	(50)	(50)
Inflammation	(/	1 [2.0]	1 [1.0]	(/
Ulcer		1 [3.0]	• •	
Epithelium, Diverticulum		1 [2.0]		
Intestine Small, Jejunum	(50)	(50)	(50)	(50)
Epithelium, Hyperplasia				1 [2.0]
Peyer's Patch, Diverticulum	1 [2.0]			
Peyer's Patch, Hyperplasia	(50)	2 [2.5]	(50)	1 [3.0]

(50)

1

(50)

2

3

(50)

2 [2.0]

(50)

2 [2.0]

5

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

B6C3F1 MICE FEMALE	0 MG/KG	100 MG/KG	200 MG/KG	400 MG/KG	
Eosinophilic Focus	12	9	11	12	
Hematopoietic Cell Proliferation				1 [1.0]	
Infarct	1 [4.0]				
Inflammation	8 [1.0]	10 [1.1]	15 [1.0]	10 [1.0]	
Mitotic Alteration			1 [1.0]		
Mixed Cell Focus	1	1		1	
Pigmentation, Hemosiderin			1 [1.0]	1 [1.0]	
Regeneration		1 [3.0]	1 [2.0]	1	
Tension Lipidosis	7	6	5	8	
Bile Duct, Cyst		-	1 [3.0]	1 [3.0]	
Hepatocyte, Hypertrophy			[]	1 [2.0]	
Hepatocyte, Mineralization	1 [1.0]			. []	
Hepatocyte, Necrosis	2 [3.0]	4 [2.0]	2 [2.0]	3 [2.3]	
Hepatocyte, Vacuolization Cytoplasmic	_ [0.0]	1 [2.0]	_ [=.0]	0 [=.0]	
Hepatocyte, Vacuolization Cytoplasmic,	3 [1.3]	1 [1.0]	5 [1.4]	3 [2.0]	
Diffuse	0[1.0]	. []	0 []	0 [2.0]	
Serosa, Fibrosis	1 [2.0]			1 [2.0]	
Serosa, Inflammation	2 [1.5]	1 [2.0]		. [2.0]	
Mesentery	(16)	(13)	(11)	(10)	
Inflammation	(10)	(10)	2 [2.0]	2 [1.5]	
Necrosis	14 [3.1]	13 [3.1]	8 [3.0]	7 [3.0]	
Pancreas	(50)	(50)	(50)	(50)	
Basophilic Focus	(50)	(50)	(30)	2 [1.0]	
Inflammation	1 [2.0]			2 [1.0]	
Acinus, Atrophy	1 [2.0]	2 [3.5]			
Acinus, Hyperplasia	6 [1.3]	3 [1.3]	7 [1.4]	9 [1.3]	
Arteriole, Inflammation	0 [1.0]	3 [1.5]	, [1. 4]	1 [1.0]	
Duct, Cyst	1 [3.0]	2 [3.5]		1 [1.0]	
Duct, Inflammation	1 [0.0]	2 [0.0]	1 [1.0]		
Salivary Glands	(50)	(50)	(50)	(50)	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Inflammation	2 [1.0]	(30)	(90)	(50)	
Ulcer	1 [3.0]				
Epithelium, Hyperplasia	5 [1.4]	5 [1.2]	13 [1.3]	5 [1.0]	
Stomach, Glandular	(50)	(50)	(50)	(50)	
Mineralization	(30)	2 [1.0]	(30)	(30)	
Epithelium, Cyst		ر۱.۷]		1 [1.0]	
Epithelium, Hyperplasia	2 [1.5]	1 [2.0]	1 [1.0]	1 [1.0]	
Glands, Cyst	[۱.0]	ا زک.۵	1 [1.0] 1 [1.0]	3 [1.0]	
Glands, Cyst Glands, Hyperplasia		2 [1.5]	[۱.0]	3 [1.0]	
Gianus, Hyperpiasia		[3.1] ک			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

5 Number: 111-91-1

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Date Report Requested: 04/07/2008

B6C3F1 MICE FEMALE	0 MG/KG	100 MG/KG	200 MG/KG	400 MG/KG	
Tooth	(0)	(0)	(2)	(3) 2	
Dysplasia			4 [0.0]	2	
Inflammation Gingiva, Hyperplasia			1 [3.0]	1 [3.0]	
Peridontal Tissue, Fibrosis				2 [3.0]	
Peridontal Tissue, Inflammation				1 [3.0]	
CARDIOVASCULAR SYSTEM					
Blood Vessel	(50)	(50)	(50)	(50)	
Aorta, Inflammation	(50)	1 [2.0]	(50)	(50)	
Heart Artery, Inflammation	(50) 1 [3.0]	(50)	(50) 2 [1.5]	(50) 1 [1.0]	
Artery, inhammation Atrium, Thrombosis	1 [3.0]	3 [2.3]	2 [1.5] 1 [1.0]	1 [1.0] 1 [3.0]	
Epicardium, Inflammation			1 [1.0]	1 [3.0]	
Myocardium, Cardiomyopathy	10 [1.2]	7 [1.0]	10 [1.0]	17 [1.1]	
Myocardium, Fibrosis	1 [1.0]	1 [1.0]		2 [1.0]	
Myocardium, Infiltration Cellular,	9 [1.2]	7 [1.0]	10 [1.0]	17 [1.1]	
Mononuclear Cell	4.54.03	4 50 01	4 [0.0]	4.54.03	
Myocardium, Mineralization	1 [1.0]	1 [2.0]	1 [2.0]	1 [1.0]	
Myocardium, Necrosis Myocardium, Vacuolization Cytoplasmic	1 [1.0] 14 [1.1]	4 [1.0]	6 [1.0]	13 [1.1]	
Valve, Thrombosis	1 [2.0]	4 [1.0]	0 [1.0]	13 [1.1]	
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Angiectasis	4 50 01			1 [2.0]	
Atrophy	1 [3.0]	44 [4 0]	7 [4 4]	44 [4 0]	
Hyperplasia Hypertrophy	11 [1.3] 38 [1.7]	11 [1.3] 46 [1.5]	7 [1.1]	11 [1.3] 40 [1.3]	
Subcapsular, Hyperplasia	50 [1.7] 50 [2.5]	50 [2.1]	42 [1.5] 50 [2.1]	40 [1.3] 48 [2.1]	
Adrenal Medulla	(50)	(50)	(50)	(50)	
Hyperplasia	6 [1.5]	2 [1.5]	7 [1.7]	2 [1.5]	
Islets, Pancreatic	(50)	(50)	(50)	(50)	
Hyperplasia	23 [1.3]	23 [1.3]	31 [1.3]	21 [1.4]	
Pituitary Gland	(49)	(50)	(50)	(50)	
Pars Distalis, Angiectasis	1 [2.0]	2 [2.5]			
Pars Distalis, Cyst	2 [1.0]	1 [1.0]	1 [1.0]	3 [1.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: SKIN APPLICATION

Lymph Node

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

B6C3F1 MICE FEMALE	0 MG/KG	100 MG/KG	200 MG/KG	400 MG/KG	
Pars Distalis, Hyperplasia	24 [1.3]	27 [2.0]	24 [1.7]	27 [1.8]	
Pars Intermedia, Hyperplasia	4	4	1 [2.0]	4	
Thyroid Gland	(50)	(50)	(50)	(50)	
Inflammation	1 [1.0]	1 [1.0]	4 [4 0]		
C-cell, Hyperplasia Follicle, Cyst	4 [0 0]		1 [1.0] 1 [3.0]	4 [2 0]	
Follicular Cell, Hyperplasia	1 [2.0]	2 [4 0]	1 [3.0] 1 [2.0]	1 [2.0] 1 [1.0]	
Polliculai Cell, Hyperplasia		2 [1.0]	1 [2.0]	1 [1.0]	
SENERAL BODY SYSTEM					
None					
GENITAL SYSTEM					
Clitoral Gland	(50)	(50)	(49)	(50)	
Inflammation		1 [1.0]	1 [2.0]		
Ovary	(50)	(50)	(50)	(50)	
Angiectasis		1 [4.0]			
Cyst	13 [2.1]	7 [1.7]	7 [2.1]	15 [2.3]	
Hemorrhage	2 [3.0]	1 [4.0]		3 [2.7]	
Mineralization		1 [1.0]			
Pigmentation, Hemosiderin	1 [2.0]				
Thrombosis				1 [3.0]	
Interstitial Cell, Hyperplasia	0.01.0			1 [4.0]	
Periovarian Tissue, Inflammation	2 [3.0]	(FO)	(FO)	(50)	
Uterus Hemorrhage	(50)	(50)	(50)	(50) 1 [3.0]	
Endometrium, Hyperplasia, Cystic	49 [2.8]	47 [2.7]	48 [2.6]	50 [2.8]	
Myometrium, Angiectasis	49 [2.6] 1 [2.0]	41 [2.1]	40 [Z.U]	50 [2.0]	
Myometrium, Cyst	ا [۷۰۰]			1 [2.0]	
Vagina	(0)	(0)	(1)	(0)	
vagina	(0)	(0)	(1)	(♥)	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Angiectasis	(/	(/	1 [2.0]	()	
Myelofibrosis	8 [2.0]	3 [1.7]	8 [2.0]	11 [1.3]	
Lymph Nada	(0)	(0)	(3)	(5)	

(8)

(3)

(5)

(9)

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Date Report Requested: 04/07/2008

B6C3F1 MICE FEMALE	0 MG/KG	100 MG/KG	200 MG/KG	400 MG/KG	
Iliac, Degeneration, Cystic	1 [3.0]				
Iliac, Hemorrhage	1 [3.0]				
Lumbar, Hyperplasia, Lymphoid	1 [3.0]				
Pancreatic, Hyperplasia, Lymphoid	11	1 [2.0]			
Renal, Hyperplasia, Lymphoid	1 [3.0]				
Lymph Node, Mandibular	(50)	(50)	(50)	(49)	
Infiltration Cellular, Plasma Cell	, ,	,	,	1 [2.0]	
Lymph Node, Mesenteric	(50)	(50)	(49)	(50)	
Infiltration Cellular, Plasma Cell			1 [3.0]		
Necrosis			1 [3.0]		
Arteriole, Inflammation		1 [3.0]			
Spleen	(50)	(50)	(50)	(50)	
Hematopoietic Cell Proliferation	2 [2.0]	1 [2.0]	3 [2.7]	1 [2.0]	
Hyperplasia, Lymphoid	1 [1.0]	4 [2.0]		1 [3.0]	
Infiltration Cellular, Plasma Cell			2 [2.0]		
_Capsule, Hyperplasia	1 [2.0]	4	4	()	
Thymus	(50)	(50)	(50)	(50)	
Atrophy			1 [2.0]	0.10.01	
Hyperplasia, Lymphoid			1 [2.0]	3 [3.0]	
NTEGUMENTARY SYSTEM					
Mammary Gland	(48)	(50)	(50)	(50)	
Skin	(50)	(50)	(50)	(50)	
Site Of Application - Dermis, Fibrosis	4 [1.0]	1 [1.0]	()	2 [1.0]	
Site Of Application - Dermis,	4 [1.0]	2 [1.0]	1 [2.0]	1 [1.0]	
Inflammation					
Site Of Application - Epidermis,	3 [1.0]	1 [1.0]	3 [1.3]	3 [1.0]	
Hyperplasia					
Site Of Application - Epidermis, Ulcer	1 [4.0]		1 [3.0]		
MUSCULOSKELETAL SYSTEM					
		4	,	4	
Bone	(50)	(50)	(50)	(50)	
IERVOUS SYSTEM					
Brain	(50)	(50)	(50)	(50)	
	• •	• •			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Time Report Requested: 11:52:50 First Dose M/F: 10/03/02 / 10/02/02

Date Report Requested: 04/07/2008

B6C3F1 MICE FEMALE	0 MG/KG	100 MG/KG	200 MG/KG	400 MG/KG	
Spinal Cord Demyelination	(2) 1 [3.0]	(0)	(1) 1 [2.0]	(0)	
RESPIRATORY SYSTEM					
Lung Hemorrhage	(50) 1 [3.0]	(50)	(50)	(50)	
Infiltration Cellular Inflammation Alveolar Epithelium, Hyperplasia Alveolus, Infiltration Cellular, Histiocyte Arteriole, Inflammation	1 [1.0] 5 [1.4] 1 [1.0]	1 [2.0] 1 [1.0] 1 [2.0] 1 [1.0] 1 [2.0]	4 [2.0]	1 [3.0] 4 [1.0] 2 [2.5]	
Serosa, Hyperplasia Nose Inflammation Polyp, Inflammatory Glands, Olfactory Epithelium, Dilatation	(50) 13 [1.0] 1 [2.0]	(50) 8 [1.3]	(50) 7 [1.3] 1 [3.0] 1 [1.0]	1 [2.0] (50) 6 [1.3]	
Glands, Respiratory Epithelium, Dilatation	1 [2.0]	1 [1.0]	1 [1.0]	0.70.01	
Respiratory Epithelium, Hyperplasia Septum, Cyst Pleura	(0)	(0)	1 [3.0] (1)	2 [2.0]	
SPECIAL SENSES SYSTEM					
Eye Cornea, Inflammation	(50)	(50) 2 [3.0]	(50)	(50)	
Retina, Dysplasia Harderian Gland Epithelium, Hyperplasia	(50) 12 [1.3]	(50) 7 [1.4]	1 [2.0] (50) 6 [1.0]	1 [1.0] (50) 4 [1.8]	
JRINARY SYSTEM					
Kidney Infarct Infiltration Cellular, Mononuclear Cell	(50) 1 [2.0] 4 [1.8]	(50) 1 [1.0] 1 [2.0]	(50) 3 [2.0] 1 [3.0]	(50) 3 [2.0] 1 [2.0]	
Inflammation Mineralization	4 [1.8] 9 [1.0]	8 [1.0]	11 [1.0]	9 [1.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

bis(2-Chloroethoxy)methane CAS Number: 111-91-1

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Date Report Requested: 04/07/2008

B6C3F1 MICE FEMALE	0 MG/KG	100 MG/KG	200 MG/KG	400 MG/KG	
Nephropathy	37 [1.1]	37 [1.1]	42 [1.2]	38 [1.2]	
Capsule, Fibrosis Renal Tubule, Dilatation	1 [2.0]	1 [1.0]			
Renal Tubule, Pigmentation		1 [2.0]			
Urinary Bladder Amyloid Deposition	(50)	(50)	(50)	(50)	
Hyperplasia, Lymphoid				1 [2.0] 1 [2.0]	
Inflammation				1 [1.0]	
Inflammation, Chronic	1 [4.0]		1 [2 0]		
Arteriole, Inflammation Arteriole, Muscularis, Degeneration		1 [2.0]	1 [2.0]		

^{***} END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)