Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

F1_M3

First Dose M/F: 02/10/04 / 02/09/04

Lab: BAT

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16

C Number: C20005

Lock Date: 10/10/2006

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 2.0.0

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Disposition Summary				
Animals Initially in Study Early Deaths	50	50	50	50
Accidently Killed Moribund Sacrifice Natural Death	12 6	10 7	8 4	1 8 8
Survivors Moribund Sacrifice Natural Death		1		1
Terminal Sacrifice Animals Examined Microscopically	32 50	32 50	38 50	32 50
ALIMENTARY SYSTEM				
Esophagus Arteriole, Periesophageal Tissue, Inflammation	(50)	(50) 1 [2.0]	(50)	(50)
Periesophageal Tissue, Inflammation Gallbladder Cyst	(49) 1 [1.0]	(50)	1 [1.0] (49) 1 [1.0]	(50)
Inflammation Intestine Large, Cecum Inflammation	(50)	(50) 1 [1.0]	(50)	2 [1.5] (50)
Intestine Large, Colon Serosa, Inflammation	(50) 1 [3.0]	(50)	(50)	(50)
Intestine Small, Duodenum Intestine Small, Ileum Inflammation	(50) (50)	(50) (50)	(50) (50) 1 [3.0]	(50) (50) 1 [2.0]
Serosa, Inflammation Intestine Small, Jejunum Inflammation	1 [1.0] (50)	(50)	(50) 1 [1.0]	(50)
Peyer's Patch, Hyperplasia Serosa, Inflammation Liver	1 [2.0] (50)	(50)	(50)	2 [3.0] (50)
Amyloid Deposition	1 [1.0]	(55)	(55)	(33)

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

Lab: BAT

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Clear Cell Focus	11	21	21	16
Eosinophilic Focus	17 [1.0]	16	18	21
Fibrosis	1 [2.0]			
Hyperplasia, Regenerative	1 [3.0]			
Infarct	. []			1
Infiltration Cellular, Lymphocyte			1 [3.0]	
Inflammation	8 [1.3]	4 [1.0]	7 [1.1]	3 [1.0]
Mixed Cell Focus	8	6	5	5
Tension Lipidosis	2	3	3	1
Thrombosis			1 [2.0]	
Bile Duct, Inflammation			,	1 [2.0]
Hepatocyte, Atypia Cellular	1 [1.0]	1 [1.0]		
Hepatocyte, Necrosis	3 [2.0]	4 [2.0]	4 [2.8]	1 [2.0]
Hepatocyte, Vacuolization Cytoplasmic,	12 [1.1]	15 [1.1]	11 [1.0]	17 [1.0]
Diffuse	• •			
Kupffer Cell, Pigmentation, Hemosiderin		1 [2.0]		
Mesentery	(3)	(4)	(6)	(0)
Necrosis	2 [2.5]	2 [2.5]	4 [3.0]	` ,
Artery, Inflammation		1 [3.0]		
Pancreas	(50)	(50)	(50)	(50)
Basophilic Focus	`1´	`1 ´	1	, ,
Infiltration Cellular, Lipocyte	1 [1.0]			
Salivary Glands	(50)	(50)	(50)	(50)
Infiltration Cellular, Mononuclear Cell			1 [1.0]	
Stomach, Forestomach	(50)	(50)	(50)	(50)
Erosion			1 [3.0]	
Inflammation	1 [2.0]		2 [1.0]	
Ulcer	2 [2.5]	1 [3.0]	5 [2.4]	1 [3.0]
Epithelium, Diverticulum	1			
Epithelium, Hyperplasia	5 [2.2]	4 [1.5]	3 [2.7]	2 [2.0]
Epithelium, Hyperplasia, Focal		1 [3.0]		
Stomach, Glandular	(50)	(50)	(50)	(50)
Inflammation			1 [1.0]	
Ulcer	1 [2.0]		1 [3.0]	
Epithelium, Mineralization	()	1 [1.0]	1 [1.0]	1 [2.0]
Tooth	(13)	(15)	(9) 8	(13)
Dysplasia	11	11	8	10

CARDIOVASCULAR SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

Date Report Requested: 08/27/2008

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG	
Blood Vessel	(50)	(48)	(50)	(50)	
Inflammation		1 [2.0]			
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	42 [1.5]	43 [1.3]	45 [1.4]	41 [1.3]	
Hemorrhage		1 [3.0]			
Inflammation	4.54.03	2 [2.0]	4 [4 0]		
Mineralization	1 [1.0]	0.00.01	1 [1.0]		
Artery, Inflammation Artery, Mineralization		3 [2.3]			
Ventricle, Thrombosis		1 [1.0]		1 [1 0]	
ventricle, informbosis				1 [1.0]	
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Hyperplasia	10 [1.5]	16 [1.6]	16 [1.3]	6 [1.2]	
Hypertrophy	28 [1.5]	24 [1.5]	31 [1.5]	35 [1.5]	
Subcapsular, Hyperplasia, Focal	1 [3.0]	()	4	4	
Adrenal Medulla	(50)	(50)	(50)	(50)	
Hyperplasia	2 [2.0]	(50)	1 [1.0]	(50)	
Islets, Pancreatic	(50)	(50)	(50)	(50)	
Hyperplasia	38 [1.6]	38 [1.8]	38 [1.7]	40 [1.8]	
Parathyroid Gland Cyst	(49)	(48)	(45)	(48)	
Pituitary Gland	(50)	(50)	1 [1.0] (50)	(50)	
Pars Distalis, Cyst	2 [2.0]	1 [1.0]	1 [2.0]	5 [1.2]	
Pars Distalis, Cyst Pars Distalis, Hyperplasia	2 [2.0] 3 [1.3]	4 [1.0]	2 [1.5]	3 [1.0]	
Pars Intermedia, Hyperplasia	1 [2.0]	4 [1.0]	2 [1.0]	3 [1.0]	
Thyroid Gland	(50)	(50)	(50)	(50)	
Follicle, Cyst	1 [2.0]	(00)	2 [1.0]	(00)	
GENERAL BODY SYSTEM					
None					
GENITAL SYSTEM					
Epididymis	(50)	(50)	(50)	(50)	
Granuloma Sperm	2 [2.0]	4 [2.3]	1 [3.0]	1 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Inflammation	2 [1.0]	4 [1.0]	6 [1.0]	2 [2.0]
Preputial Gland	(50)	(50)	(50)	(50)
Inflammation	5 [2.0]	6 [2.7]	4 [2.3]	8 [2.6]
Duct, Ectasia	9 [2.9]	7 [2.1]	6 [2.5]	12 [2.5]
Prostate	(50)	(50)	(50)	(50)
Inflammation	3 [1.3]	(66)	2 [2.0]	(00)
Epithelium, Hyperplasia	0 [1.0]		_ [=.0]	1 [2.0]
Seminal Vesicle	(50)	(50)	(50)	(50)
Dilatation	(00)	(00)	1 [3.0]	(00)
Inflammation			. [5.5]	1 [1.0]
Testes	(50)	(50)	(50)	(50)
Mineralization	3 [1.0]	, ,	,	,
Germinal Epithelium, Atrophy	2 [2.5]	4 [2.0]	5 [1.8]	4 [1.5]
Interstitial Cell, Hyperplasia		1 [1.0]		
EMATOPOIETIC SYSTEM				
5	(=0)	(=0)	(50)	(50)
Bone Marrow	(50)	(50)	(50)	(50)
Hyperplasia	1 [4.0]	(0)	1 [4.0]	44)
Lymph Node	(2)	(2)	(2)	(1)
Inguinal, Hyperplasia, Plasma Cell	(50)	(50)	(50)	1 [2.0]
Lymph Node, Mandibular	(50)	(50)	(50)	(50)
Hyperplasia, Plasma Cell Lymph Node, Mesenteric	1 [2.0]	(40)	(50)	(50)
Hemorrhage	(50)	(49) 1 [2.0]	(50)	(50)
Hyperplasia, Lymphoid	1 [4.0]	۱ [۷.۵]		1 [3.0]
Hyperplasia, Lymphold Hyperplasia, Plasma Cell	1 [4.0] 1 [2.0]		1 [4.0]	1 [3.0]
Necrosis	ا رکان	1 [1.0]	ı [- .0]	
Artery, Inflammation		1 [3.0]		
Spleen	(50)	(50)	(50)	(50)
Hematopoietic Cell Proliferation	2 [2.5]	5 [2.0]	7 [1.7]	6 [2.0]
Hyperplasia, Lymphoid	7 [1.7]	11 [1.7]	11 [1.5]	4 [1.8]
Lymphoid Follicle, Atrophy	5 [1.8]	7 [2.3]	1 [3.0]	4 [2.5]
Red Pulp, Atrophy	1 [2.0]			
Vein, Inflammation		1 [1.0]		
Thymus	(47)	(50)	(50)	(49)
Cyst			1 [2.0]	
Inflammation		1 [2.0]		
Arteriole, Inflammation		1 [2.0]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Time Report Requested: 15:02:16

First Dose M/F: 02/10/04 / 02/09/04

Date Report Requested: 08/27/2008

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
INTEGUMENTARY SYSTEM				
Skin	(50)	(50)	(50)	(50)
Inflammation		1 [2.0]		2 [1.5]
Ulcer	2 [4.0]	1 [3.0]	1 [3.0]	2 [4.0]
Subcutaneous Tissue, Edema		1 [2.0]		
MUSCULOSKELETAL SYSTEM				
Skeletal Muscle	(1)	(1)	(0)	(0)
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Hemorrhage		1 [3.0]	4.54.03	
Hippocampus, Neuron, Necrosis			1 [1.0]	4 [0 0]
Meninges, Hemorrhage				1 [2.0]
RESPIRATORY SYSTEM				
Lung	(50)	(50)	(50)	(50)
Hemorrhage	1 [2.0]	0.10.01	2 [2.5]	4.54.01
Inflammation Pigmentation, Hemosiderin	4 [2.0]	2 [2.0]	2 [1.0]	1 [1.0] 1 [2.0]
Thrombosis	1 [1.0]		2 [2.5]	1 [2.0] 1 [1.0]
Alveolar Epithelium, Hyperplasia	3 [2.3]	1 [1.0]	6 [1.3]	, [1.0]
Alveolus, Infiltration Cellular, Histiocyte		r -1	- 1 - 1	1 [2.0]
Arteriole, Inflammation	1 [2.0]			
Nose	(50)	(49)	(49)	(50)
Inflammation	6 [1.8]	5 [1.4]	7 [2.0]	6 [2.0]
Polyp, Inflammatory Trachea	(50)	3 [3.0] (50)	(50)	(50)
Паспса	(30)	(30)	(30)	(30)
SPECIAL SENSES SYSTEM				
Eye	(50)	(50)	(50)	(50)

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 20005 - 06
Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

B6C3F1 MICE MALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Cornea, Inflammation	3 [2.0]	3 [1.7]	1 [1.0]	3 [1.3]
Optic Nerve, Atrophy	1 [1.0]			
Retina, Dysplasia	1 [1.0]			1 [1.0]
Retina, Hemorrhage		1 [2.0]		
Harderian Gland	(50)	(50)	(50)	(50)
Hyperplasia		2 [2.0]	1 [2.0]	1 [2.0]
Inflammation			1 [2.0]	
RINARY SYSTEM				
Kidney	(50)	(50)	(50)	(50)
Cyst	9 [1.4]	6 [1.8]	7 [1.1]	7 [1.3]
Hydronephrosis	2 [1.5]	2 [2.0]	3 [2.0]	3 [1.3]
Infarct	1 [2.0]		1 [2.0]	4 [1.8]
Inflammation	2 [1.5]	2 [1.5]	1 [3.0]	1 [2.0]
Metaplasia, Osseous			2 [2.0]	
Mineralization			2 [1.5]	
Nephropathy	48 [1.8]	47 [1.9]	48 [2.0]	47 [1.7]
Arteriole, Inflammation		1 [2.0]		
Artery, Inflammation		2 [3.0]	1 [3.0]	
Papilla, Necrosis	1 [1.0]	4.54.03		4 50 01
Pelvis, Inflammation		1 [1.0]	0.14.01	1 [2.0]
Renal Tubule, Hyperplasia		2 [1.0]	2 [1.0]	
Vein, Inflammation	(50)	(50)	1 [2.0]	(50)
Urinary Bladder	(50)	(50)	(50)	(50)
Inflammation	1 [4.0]		1 [3.0]	
Transitional Epithelium, Hyperplasia	1 [4.0]			

^{***} END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Time Report Requested: 15:02:16

First Dose M/F: 02/10/04 / 02/09/04

Date Report Requested: 08/27/2008

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths				
Dosing Accident			1	4
Moribund Sacrifice	7	11	10	8
Natural Death	5	8	5	6
Survivors				
Terminal Sacrifice	38	31	34	32
Animals Examined Microscopically	50	50	50	50
LIMENTARY SYSTEM				
Esophagus	(50)	(50)	(50)	(50)
Perforation	(00)	(00)	2	(00)
Muscularis, Degeneration	1 [1.0]		_	
Periesophageal Tissue, Inflammation	,		3 [2.3]	1 [1.0]
Gallbladder	(49)	(50)	(50)	(50)
Cyst	, ,	2 [2.0]	1 [2.0]	1 [2.0]
Intestine Large, Cecum	(50)	(50)	(50)	(50)
Intestine Large, Colon	(50)	(50)	(50)	(50)
Intestine Large, Rectum	(50)	(50)	(50)	(50)
Intestine Small, Duodenum	(49)	(50)	(50)	(50)
Intestine Small, Jejunum	(50)	(50)	(50)	(50)
Liver	(50)	(50)	(50)	(50)
Angiectasis	2 [1.5]		2 [2.5]	0
Basophilic Focus Clear Cell Focus	1	2	2	2
Eosinophilic Focus	4 15	3 14	2 3	2 9
Hyperplasia, Regenerative	15	1 [3.0]	3	9
Infiltration Cellular, Lymphocyte		1 [5.0]	1 [2.0]	
Inflammation	14 [1.3]	11 [1.1]	10 [1.0]	14 [1.2]
Mixed Cell Focus	2	5	2	2
Tension Lipidosis	2	5	4	- 8
Thrombosis			1 [2.0]	1 [4.0]
Hepatocyte, Atypia Cellular		1 [1.0]		
Hepatocyte, Necrosis	4 [1.3]	2 [2.5]		1 [2.0]
Hepatocyte, Vacuolization Cytoplasmic,	8 [1.8]	10 [1.1]	10 [1.1]	5 [1.2]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Diffuse				
Mesentery	(8)	(9)	(7)	(4)
Inflammation		. ,	1 [2.0]	` ,
Necrosis	8 [3.0]	8 [3.0]	5 [3.0]	4 [3.0]
Fat, Necrosis			1 [3.0]	
Pancreas	(50)	(50)	(50)	(50)
Basophilic Focus		2		
Hemorrhage		1 [2.0]		
Infiltration Cellular, Lipocyte		3 [1.3]		
Inflammation		2 [2.0]		
Acinus, Hyperplasia	4 [2.8]	1 [2.0]	1 [3.0]	
Artery, Inflammation			1 [3.0]	
Duct, Cyst	1 [3.0]	(==)	()	(==)
Salivary Glands	(50)	(50)	(50)	(50)
Stomach, Forestomach	(50)	(50)	(50)	(50)
Infiltration Cellular, Mast Cell		4 [4 0]	1 [2.0]	
Inflammation Ulcer		1 [1.0]	1 [1.0]	
Epithelium, Hyperplasia	0 [4 5]	0 [4 5]	1 [3.0] 3 [1.7]	4 [4 0]
Epithelium, Hyperplasia Epithelium, Hyperplasia, Focal	2 [1.5]	2 [1.5]	2 [3.5]	4 [1.0]
Stomach, Glandular	(50)	1 [3.0] (50)	2 [3.5] (50)	(50)
Erosion	(50)	1 [3.0]	1 [2.0]	(30)
Ulcer		1 [3.0]	1 [1.0]	
Epithelium, Mineralization	1 [1.0]	1 [1.0]	1 [1.0]	
	- [1.0]	. [1.0]		
ARDIOVASCULAR SYSTEM				
Blood Vessel	(50)	(50)	(50)	(50)
Inflammation	1 [3.0]		1 [3.0]	1 [3.0]
Mineralization		1 [3.0]		
Media, Hyperplasia	1 [3.0]			
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	35 [1.1]	40 [1.2]	38 [1.2]	31 [1.1]
Inflammation		2 [1.0]	3 [1.7]	1 [1.0]
Mineralization		2 [1.0]		0.54.53
Artery, Inflammation		4 [4 0]		2 [1.5]
Atrium, Thrombosis		1 [1.0]		
Epicardium, Hyperplasia Myocardium, Hyperplasia, Reticulum Cell	1 [2 0]	1 [1.0]		
wyocarulum, myperpiasia, keliculum celi	1 [2.0]			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG	
Valve, Thrombosis Ventricle, Thrombosis	1 [3.0]	2 [2.0]		1 [4.0]	
ENDOCRINE SYSTEM					
Adrenal Cortex Hyperplasia Hypertrophy Adrenal Medulla Amyloid Deposition Hyperplasia Islets, Pancreatic Hyperplasia Parathyroid Gland Hyperplasia Pituitary Gland Pars Distalis, Cyst Pars Distalis, Hyperplasia Thyroid Gland Inflammation C-cell, Hyperplasia Follicle, Cyst	(50) 8 [1.3] 39 [1.3] (50) 3 [1.3] (50) 16 [1.4] (41) (50) 18 [1.4] (49)	(50) 1 [2.0] 40 [1.3] (50) 1 [2.0] 3 [1.7] (50) 15 [1.3] (44) (50) 2 [1.5] 18 [1.9] (50)	(50) 3 [1.3] 39 [1.3] (50) 6 [1.3] (50) 17 [1.4] (39) (50) 19 [1.7] (50) 1 [1.0] 2 [2.0]	(50) 6 [1.0] 39 [1.2] (50) 2 [1.5] (50) 15 [1.3] (43) 1 [1.0] (49) 18 [1.6] (50) 1 [1.0]	
SENERAL BODY SYSTEM None					
GENITAL SYSTEM					
Clitoral Gland Inflammation Ovary Cyst Hemorrhage Inflammation Thrombosis	(50) (50) 4 [2.5] 2 [2.0] 1 [4.0]	(50) (50) 7 [2.9] 1 [4.0]	(49) (50) 6 [2.8] 2 [4.0] 2 [3.5]	(50) 1 [3.0] (50) 2 [2.0] 1 [2.0]	
Uterus Angiectasis	(50)	(50) 1 [2.0]	(50)	(50) 1 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
Atrophy		1 [4.0]		
Hemorrhage	1 [4.0]		4 [0 0]	1 [4.0]
Hydrometra Inflammation	2 [2.0]	10 01 0	1 [3.0]	
Thrombosis	۷ [۷.۵]	2 [3.0]	2 [3.5] 1 [3.0]	
Endometrium, Decidual Reaction			1 [3.0]	
Endometrium, Hyperplasia, Cystic	47 [2.6]	40 [2.6]	35 [2.7]	43 [2.5]
Myometrium, Atypia Cellular	1 [1.0]			
EMATOPOIETIC SYSTEM				
Bone Marrow	(50)	(50)	(49)	(50)
Angiectasis	1 [2.0]		4 [4 0]	0.14.01
Hyperplasia Myelofibrosis		4 [1.3]	1 [4.0] 2 [1.0]	2 [4.0] 3 [2.3]
Lymph Node	(4)	(4)	(6)	(6)
Hyperplasia	(' /	('/	1 [3.0]	(0)
Iliac, Hemorrhage			1 [3.0]	
Lumbar, Hyperplasia, Plasma Cell	1 [3.0]			
Renal, Degeneration, Cystic		0.10.01	4 [0 0]	1 [3.0]
Renal, Hemorrhage	(FO)	2 [3.0]	1 [3.0]	(50)
Lymph Node, Mandibular Amyloid Deposition	(50)	(49)	(50)	(50) 1 [2.0]
Hyperplasia			1 [3.0]	1 [2.0]
Hyperplasia, Lymphoid			1 [2.0]	. [~]
Infiltration Cellular, Histiocyte			2 [2.5]	
Lymph Node, Mesenteric	(49)	(50)	(50)	(50)
Degeneration, Cystic		1 [4.0]		
Hemorrhage Hyperplasia, Lymphoid		1 [3.0]		
Infiltration Cellular, Histiocyte		1 [4.0]	2 [1.5]	
Inflammation			2 [1.5]	1 [3.0]
Spleen	(50)	(50)	(49)	(50)
Amyloid Deposition	, ,	, ,	1 [2.0]	
Atrophy				1 [2.0]
Hematopoietic Cell Proliferation	4 [2.0]	2 [2.0]	2 [2.0]	2 [2.0]
Hyperplasia, Lymphoid Hyperplasia, Plasma Cell	22 [1.7]	23 [1.6]	24 [1.8] 1 [2.0]	12 [1.1]
Infarct	1 [4.0]		۱ [۲.۵]	
marot	ار ۲۰۰۰			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG	
Lymphoid Follicle, Atrophy Thymus	2 [2.0] (48)	1 [3.0] (49)	4 [1.8] (49)	3 [2.0] (49)	
Čyst	1 [2.0]	(40)	(40)		
Hyperplasia, Lymphoid Infiltration Cellular, Mast Cell			1 [3.0]	1 [2.0]	
Inflammation			1 [2.0]		
ITEGUMENTARY SYSTEM					
Mammary Gland	(50)	(50)	(50)	(50)	
Hyperplasia, Focal Inflammation	1 [2.0]	2 [2.5]	3 [2.3]	2 [2.5]	
Skin	(50)	(50)	(50)	(50)	
Inflammation Ulcer	1 [2.0] 1 [2.0]	1 [2.0]	1 [2.0]		
Subcutaneous Tissue, Fibrosis	2 [2.5]	4 [1.8]	1 [2.0]	1 [2.0]	
USCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Myelofibrosis				1 [2.0]	
ERVOUS SYSTEM					
Brain	(50)	(50)	(50)	(50)	
Hydrocephalus Inflammation		2 [1.0] 1 [1.0]	1 [2.0]		
Artery, Inflammation Meninges, Inflammation			1 [3.0]		
Spinal Cord	(0)	(1)	1 [1.0] (1)	(1)	
Degeneration	()	()	,	1 [2.0]	
ESPIRATORY SYSTEM					
Lung	(50)	(50)	(50)	(50)	
Congestion Hemorrhage		1 [2.0]	1 [2.0]	3 [2.0]	
Inflammation	2 [1.0]	6 [1.8]	2 [1.5]	6 [1.2]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16 First Dose M/F: 02/10/04 / 02/09/04

Lab: BAT

B6C3F1 MICE FEMALE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG	
Thrombosis Alveolar Epithelium, Hyperplasia	2 [1.5]	3 [2.0]	2 [1.0] 2 [1.5]	1 [1.0]	
Alveolar Epitilelium, Tryperplasia Alveolus, Infiltration Cellular, Histiocyte	2 [1.5]	3 [2.0]	2 [3.5]	1 [1.0]	
Nose	(50)	(50)	(50)	(49)	
Inflammation	1 [1.0]		4 [1.0]	3 [1.7]	
SPECIAL SENSES SYSTEM					
Eye	(49)	(50)	(50)	(50)	
Developmental Malformation Cornea, Inflammation	1 2 [1.5]	1 [1.0]	3 [1.3]		
Optic Nerve, Degeneration				1 [2.0]	
Harderian Gland	(49)	(50)	(50)	(50)	
Hyperplasia	2 [2.0]	1 [1.0]	1 [2.0]		
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Cyst		1 [2.0]			
Infarct	7.14.01	2 [1.5]		6 [1.7]	
Inflammation Metaplasia, Osseous	7 [1.6]	2 [2.0]	2 [1.5]	1 [2.0]	
Mineralization		3 [2.0] 1 [1.0]	2 [1.0]		
Nephropathy	39 [1.1]	39 [1.1]	38 [1.3]	33 [1.2]	
Arteriole, Inflammation	00 []	00[]	00 [1.0]	1 [1.0]	
Artery, Inflammation		1 [3.0]	1 [2.0]		
Urinary Bladder	(49)	(50)	(50)	(50)	
Inflammation				1 [1.0]	

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)