TDMS No. 88148 - 07

Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH **AVERAGE SEVERITY GRADES[b]**

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Lab: BAT

Date Report Regsted: 02/27/2008

First Dose M/F: 02/04/03 / 02/03/03

Time Report Regsted: 09:10:26

F_1_ M3

C Number: C88148C

Lock Date: 08/31/2005

Cage Range: ALL

Date Range: ALL

Reasons For Removal: 25022 ACCK 25021 TSAC 25020 NATD

> 25019 MSAC 25018 DACC

Removal Date Range: ALL

Include ALL **Treatment Groups:**

1.9.1 **TDMSE Version:**

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

Date Report Regsted: 02/27/2008

B6C3F1 MICE MALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths			4	
Accidently Killed Dosing Accident	1		1 1	
Moribund Sacrifice	10	11	16	19
Natural Death	4	8	26	31
Survivors	05	0.4	_	
Terminal Sacrifice Animals Examined Microscopically	35 50	31 50	5 49	50
Annual Examined Milotocopically	00	00	10	00
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(49)	(50)
Perforation	1			
Epithelium, Necrosis Periesophageal Tissue, Inflammation,	1 [2.0] 1 [2.0]			
Chronic Active	1 [2.0]			
Gallbladder	(49)	(50)	(49)	(50)
Infiltration Cellular, Lymphoid	2 [1.0]			
Inflammation, Chronic Active Intestine Large, Cecum	1 [3.0] (50)	(50)	(49)	(50)
Cyst	(50)	(50)	(49) 1 [4.0]	(50)
Intestine Large, Rectum	(50)	(50)	(49)	(50)
Intestine Small, Duodenum	(50)	(50)	(49)	(50)
Intussusception Intestine Small, Ileum	(50)	1 [4.0] (50)	(49)	(50)
Intestine Small, Jejunum	(50)	(50)	(49) (49)	(50)
Liver	(50)	(50)	(49)	(50)
Amyloid Deposition	. ,	3 [2.7]	2 [2.0]	. ,
Atypia Cellular		1 [2.0]	0	0
Basophilic Focus Clear Cell Focus	12	4 6	2 1	2
Congestion	12	U	1 [4.0]	1 [3.0]
Eosinophilic Focus	5	1	3	
Hematopoietic Cell Proliferation	2 [1.5]	9 [1.4]	9 [1.4]	3 [1.3]
Hemorrhage	1 [2.0]		1 [3.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

Date Report Regsted: 02/27/2008

B6C3F1 MICE MALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Infarct	4 [4 0]	1 [4 0]			
Infiltration Cellular, Lymphoid	1 [4.0]	1 [4.0]	11 [1.1]	2 [1.0]	
Inflammation, Chronic Active	7 [1.3]	16 [1.1]			
	35 [1.2]	32 [1.1]	17 [1.3]	14 [1.1]	
Mineralization	1 [1.0]	1 [2.0]		2	
Mixed Cell Focus	4	6		2	
Pigmentation	2 [1.5]	1 [2.0]	40 [0 5]	45 [0.4]	
Tension Lipidosis	2 [2.0]	5 [1.8]	12 [2.5]	15 [2.1]	
Thrombosis	1 [4.0]				
Bile Duct, Hyperplasia	1 [2.0]				
Hepatocyte, Necrosis	5 [2.2]	4 [2.5]	2 [2.5]		
Hepatocyte, Vacuolization Cytoplasmic	31 [2.0]	31 [1.7]	23 [1.2]	11 [1.1]	
Mesentery	(5)	(5)	(4)	(2)	
Fat, Fibrosis	4 [2.8]	2 [2.5]			
Fat, Inflammation, Chronic Active	3 [2.0]	5 [2.8]	3 [3.0]	1 [4.0]	
Fat, Mineralization	1 [2.0]	2 [1.5]			
Fat, Necrosis	4 [4.0]	3 [4.0]	1 [4.0]		
Oral Mucosa	(0)	(1)	(0)	(0)	
Gingival, Inflammation, Chronic Active		1 [3.0]			
Pancreas	(50)	(50)	(49)	(50)	
Infiltration Cellular, Lymphoid	6 [1.2]	5 [1.0]	1 [1.0]		
Inflammation, Chronic Active		2 [2.0]	1 [4.0]	1 [2.0]	
Duct, Cyst	1 [4.0]				
Salivary Glands	(50)	(50)	(49)	(50)	
Degeneration	1 [3.0]	,	,	,	
Infiltration Cellular, Lymphoid	43 [1.3]	34 [1.3]	22 [1.1]	4 [1.0]	
Mineralization	- 11	- []	1 [1.0]	r -1	
Stomach, Forestomach	(50)	(50)	(49)	(50)	
Infiltration Cellular, Lymphoid	(55)	(55)	1 [2.0]	(55)	
Inflammation, Chronic Active	6 [2.3]	7 [1.7]	6 [2.0]	3 [2.3]	
Epithelium, Cyst	1 [2.0]	, []	0 [2.0]	0 [2.0]	
Epithelium, Hyperplasia	8 [2.5]	21 [1.4]	33 [1.7]	44 [2.0]	
Epithelium, Ulcer	5 [3.4]	3 [2.7]	3 [2.7]	2 [2.5]	
Stomach, Glandular	(50)	(50)	(49)	(50)	
Infiltration Cellular, Lymphoid	3 [1.0]	20 [1.5]	19 [1.6]	15 [1.8]	
Infiltration Cellular, Mast Cell	J [1.0]	1 [2.0]	19 [1.0]	13 [1.0]	
Inflammation, Chronic Active		1 [2.0] 1 [2.0]	1 [2.0]	1 [2.0]	
Mineralization			6 [1.2]	1 [2.0] 13 [1.4]	
Epithelium, Hyperplasia	1 [3.0]	4 [1.0]	0 [1.2]	13 [1.4]	
Epithelium, Hyperplasia, Focal	i [3.0]	10 [1 8]	20 [1 0]	24 [2 0]	
		10 [1.8]	20 [1.9]	34 [2.0]	
Epithelium, Ulcer			1 [3.0]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

Date Report Regsted: 02/27/2008

B6C3F1 MICE MALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Epithelium, Glands, Cyst	5 [1.4]	18 [1.4]	21 [1.3]	26 [1.3]	
Glands, Cyst	(0)	(4)	1 [1.0]	1 [1.0]	
Tongue	(0)	(1)	(0)	(0)	
Cyst, Multiple Artery, Inflammation, Chronic Active		1 [2.0]			
Tooth	(8)	1 [3.0] (3)	(0)	(0)	
Dysplasia	3 [3.0]	(3)	(0)	(0)	
Malformation	4	3			
CARDIOVASCULAR SYSTEM					
Blood Vessel	(50)	(50)	(49)	(50)	
Hyperplasia	1 [3.0]	()	()	,	
Aorta, Inflammation, Chronic Active		2 [2.5]			
Aorta, Mineralization			6 [1.2]	8 [1.4]	
Heart	(50)	(50)	(49)	(50)	
Cardiomyopathy	5 [1.4]	5 [2.2]	17 [1.7]	9 [1.4]	
Hyperplasia, Atypical		2 [2.5]			
Infiltration Cellular, Lymphoid	1 [1.0]	4 [0 0]	0 [0 5]	4.54.01	
Inflammation, Chronic Active Mineralization	1 [3.0]	1 [3.0]	2 [2.5]	1 [4.0]	
Necrosis		2 [1.5]		1 [2.0] 3 [2.0]	
Artery, Hyperplasia	1 [2.0]			3 [2.0]	
Artery, Inflammation, Chronic Active	2 [2.5]	2 [2.5]			
Myocardium, Necrosis	2 [2.0]	1 [3.0]			
,		. [0.0]			
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(49)	(50)	
Accessory Adrenal Cortical Nodule		2 [1.5]	4 [1.8]		
Amyloid Deposition			1 [3.0]		
Hematopoietic Cell Proliferation	4 50 01		1 [1.0]		
Hyperplasia	1 [2.0]	E [4 0]	4 [0 0]		
Hypertrophy	9 [1.7]	5 [1.0]	1 [2.0]	4 [0 0]	
Bilateral, Accessory Adrenal Cortical Nodule				1 [2.0]	
Subcapsular, Hyperplasia	45 [1.3]	38 [1.2]	37 [1.3]	27 [1.0]	
Islets, Pancreatic	(50)	(50)	(49)	(50)	
Hyperplasia	5 [2.6]	3 [2.0]	(10)	(00)	
1 17 Por Pidold	رح.٠٠	رح.٠٠			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 88148 - 07

Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Date Report Reqsted: 02/27/2008

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

Lab: BAT

B6C3F1 MICE MALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Parathyroid Gland	(45)	(47)	(46)	(44)	
Cyst	1 [2.0]	()	(- /	,	
Cyst, Multiple		1 [2.0]			
Pituitary Gland	(49)	(50)	(48)	(50)	
Pars Distalis, Cyst	2 [1.5]	4 [2.0]	1 [2.0]	3 [1.3]	
Pars Distalis, Cyst, Multiple	1 [2.0]			1 [2.0]	
Thyroid Gland	(50)	(50)	(49)	(50)	
Inflammation, Chronic Active	2 [2.5]				
Follicle, Cyst		1 [2.0]			
Follicle, Degeneration	1 [1.0]				

GENERAL BODY SYSTEM

None

GENITAL SYSTEM

Coagulating Gland Atrophy	(50) 1 [4.0]	(50)	(49)	(50)
Dilatation	9 [1.3]	16 [2.6]	36 [2.6]	47 [3.0]
Fibrosis Infiltration Cellular, Lymphoid	3 [1.0]	6 [2.0] 6 [1.3]	23 [2.5] 2 [1.0]	30 [3.0]
Inflammation, Chronic Active		6 [1.7]	22 [2.2]	33 [1.9]
Epithelium, Hyperplasia	1 [2.0]	1 [2.0]	5 [3.4]	1 [4.0]
Ductus Deferens	(50)	(50)	(49)	(50)
Inflammation, Chronic Active			3 [3.0]	
Epididymis	(50)	(50)	(49)	(50)
Atrophy	1 [4.0]			
Cyst		1 [3.0]	1 [2.0]	
Granuloma Sperm	1 [4.0]	3 [2.3]	6 [3.3]	8 [3.0]
Infiltration Cellular, Lymphoid	40 [1.2]	30 [1.2]	21 [1.0]	15 [1.0]
Inflammation, Chronic Active	4	3 [2.0]	2 [3.0]	1
Preputial Gland	(50)	(50)	(49)	(50)
Atrophy	20 [3.4]	23 [3.3]	24 [3.3]	9 [2.9]
Infiltration Cellular, Lymphoid	18 [1.6]	3 [1.3]		
Inflammation, Chronic Active		7 [1.7]	3 [2.0]	2 [3.5]
Duct, Ectasia	19 [3.4]	15 [3.3]	23 [3.1]	10 [3.1]
Prostate	(50)	(50)	(49)	(50)
Fibrosis		1 [4.0]	3 [2.7]	1 [3.0]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Date Report Regsted: 02/27/2008

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

B6C3F1 MICE MALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Infiltration Cellular, Lymphoid	42 [1.3]	43 [1.7]	26 [1.7]	9 [1.4]	
Inflammation, Chronic Active	3 [1.3]	10 [2.8]	27 [2.7]	44 [2.2]	
Mineralization	1 [1.0]	10 [2.0]	2, [2.,]	11[2.2]	
Artery, Hyperplasia	1 [3.0]				
Artery, Inflammation, Chronic Active	1 [2.0]				
Epithelium, Hyperplasia	4 [2.0]		1 [4.0]		
Seminal Vesicle	(50)	(50)	(49)	(50)	
Atrophy	1 [4.0]	(33)	(13)	(00)	
Dilatation	12 [2.3]	14 [2.9]	38 [2.9]	41 [3.4]	
Fibrosis	. = [=.0]	3 [2.0]	18 [2.7]	29 [2.9]	
Inflammation, Chronic Active		4 [2.3]	14 [2.6]	22 [2.0]	
Epithelium, Hyperplasia		1 [3.0]	5 [3.0]	1 [2.0]	
Testes	(50)	(50)	(49)	(50)	
Mineralization	1 [2.0]	1 [1.0]	3 [1.7]	2 [2.0]	
Germinal Epithelium, Degeneration	8 [2.0]	1 [2.0]	3 [2.7]	3 [2.0]	
Bone Marrow Hyperplasia	(50) 13 [4.0]	(50) 10 [4.0]	(49) 17 [3.9]	(50) 20 [4.0]	
Myelofibrosis			1 [4.0]		
Erythroid Cell, Hyperplasia	1 [4.0]	(4)	(0)	(0)	
Lymph Node	(2)	(1)	(2)	(0)	
Mediastinal, Hyperplasia, Lymphoid	(40)	(50)	1 [4.0]	(40)	
Lymph Node, Mandibular	(49)	(50)	(48)	(49)	
Hematopoietic Cell Proliferation Hyperplasia, Lymphoid	2 [2 2]	7 [2 6]	1 [4.0]		
Hyperplasia, Lymphold Hyperplasia, Plasma Cell	3 [3.3]	7 [3.6]	7 [3.9] 1 [2.0]		
Necrosis, Lymphoid		2 [3.0]	1 [2.0] 1 [3.0]		
Lymph Node, Mesenteric	(50)	(49)	(48)	(50)	
Hyperplasia, Lymphoid	1 [4.0]	(+ 3)	1 [3.0]	(50)	
Spleen	(50)	(50)	(49)	(49)	
Amyloid Deposition	(00)	4 [2.0]	2 [1.5]	(10)	
Atrophy	2 [2.5]	9 [2.9]	30 [3.2]	39 [3.0]	
Hematopoietic Cell Proliferation	18 [2.9]	16 [3.0]	12 [3.5]	7 [2.7]	
Artery, Hyperplasia	1 [3.0]	. 0 [0.0]	.= [0.0]	. []	
Artery, Inflammation, Chronic Active	1 [3.0]				
Lymphoid Follicle, Necrosis, Lymphoid			1 [2.0]		
Thymus	(41)	(42)	(40)	(49)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Date Report Reqsted: 02/27/2008

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

B6C3F1 MICE MALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Atrophy	11 [3.5]	15 [3.9]	30 [3.9]	45 [3.7]	
Cyst	5 [2.0]	2 [2.5]	5 [2.4]	5 [2.2]	
Cyst, Multiple	19 [1.8]	28 [1.9]	27 [2.0]	35 [2.1]	
Ectopic Parathyroid Gland	8 [1.9]	8 [1.8]	3 [1.7]	9 [2.0]	
Inflammation, Chronic Active	0[0]	0[0]	1 [4.0]	0 [2.0]	
Thymocyte, Necrosis			2 [2.0]	3 [2.3]	
INTEGUMENTARY SYSTEM					
Skin	(50)	(50)	(49)	(50)	
Cyst Epithelial Inclusion		1 [4.0]	4.54.03		
Hemorrhage			1 [1.0]	4 [0.0]	
Inflammation, Acute	0.10.71	40 [0 0]	40 [0 0]	1 [3.0]	
Inflammation, Chronic Active	3 [2.7]	13 [3.3]	12 [3.3]	5 [3.4]	
Dermis, Fibrosis	3 [3.0]	12 [3.0]	12 [3.1]	4 [3.5]	
Dermis, Metaplasia, Osseous		1 [3.0]			
Epidermis, Hyperkeratosis Epidermis, Hyperplasia	2 [2 0]	1 [4.0]	40 [0 0]	6 [0 0]	
Epidermis, Hyperplasia Epidermis, Ulcer	3 [3.0] 3 [4.0]	13 [2.4] 13 [4.0]	12 [3.3] 11 [4.0]	6 [2.8] 6 [3.8]	
Hair Follicle, Dilatation	3 [4.0] 7 [1.3]	13 [4.0] 10 [1.2]	11 [4.0] 13 [1.2]	6 [3.6] 28 [1.4]	
Sebaceous Gland, Atrophy	7 [1.3] 13 [2.8]	10 [1.2]	20 [2.6]	20 [1.4] 29 [2.2]	
Subcutaneous Tissue, Inflammation,	13 [2.0]	10 [2.1]	20 [2.0]	1 [2.0]	
Chronic Active				1 [2.0]	
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(49)	(50)	
Osteopetrosis	(==/	2 [3.0]	1 [4.0]	()	
Skeletal Muscle	(50)	(50)	(49)	(50)	
Infiltration Cellular, Lymphoid	2 [1.0]	,	,	, ,	
Inflammation, Chronic Active		1 [2.0]			
NERVOUS SYSTEM					
Brain	(50)	(50)	(49)	(50)	
Degeneration	(00)	1 [1.0]	(10)	(00)	
Inflammation, Chronic Active	1 [2.0]	. []			
Neuron, Necrosis	1		1 [4.0]		
•					

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

Date Report Regsted: 02/27/2008

B6C3F1 MICE MALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
ESPIRATORY SYSTEM					
Lung	(50)	(50)	(49)	(50)	
Congestion		4 [0 0]	1 [4.0]		
Fibrosis Infiltration Cellular, Lymphoid		1 [2.0] 4 [2.5]	1 [2.0]		
Inflammation, Chronic Active		4 [2.5] 2 [1.0]	1 [1.0]	1 [1.0]	
Alveolar Epithelium, Hyperplasia	5 [2.2]	6 [2.2]	2 [2.5]	2 [2.5]	
Alveolus, Infiltration Cellular, Histiocyte	4 [3.0]	6 [3.0]	1 [4.0]	1 -1	
Mediastinum, Inflammation, Chronic		1 [3.0]			
Active	(=0)	(50)	(40)	(50)	
Nose Hemorrhage	(50)	(50)	(49) 1 [4.0]	(50)	
Inflammation, Chronic Active			1 [4.0] 1 [2.0]		
Nasolacrimal Duct, Inflammation, Chronic	1 [1.0]		1 [2.0]		
Active					
Nasolacrimal Duct, Squamous	2 [1.5]				
Epithelium, Hyperplasia	(4)	(4)	(4)	(0)	
Pleura Trachea	(1) (50)	(1) (50)	(1) (49)	(0) (50)	
Epithelium, Mineralization	(50)	(50)	(49)	1 [2.0]	
Epitricium, Minoralization				1 [2.0]	
SPECIAL SENSES SYSTEM					
Eye	(50)	(50)	(49)	(50)	
Atrophy			1 [2.0]	2 [4.0]	
Anterior Chamber, Cornea, Inflammation,	1 [4.0]				
Suppurative Cornea, Inflammation, Chronic Active	1 [2.0]				
Cornea, Inflammation, Chronic Active Cornea, Pigmentation	۱ [۷.۵]		1 [1.0]		
Optic Nerve, Inflammation, Chronic		1 [3.0]	, [1.0]		
Active		F1			
Harderian Gland	(50)	(50)	(49)	(50)	
Degeneration	0.10 =1	0.10.51	4.54.03	1 [2.0]	
Hyperplasia	3 [2.7]	2 [2.5]	1 [1.0]	1 [1 0]	
Infiltration Cellular, Lymphoid Inflammation, Chronic Active	33 [1.2]	26 [1.2] 1 [2.0]	7 [1.1]	1 [1.0]	
Necrosis		۱ [۲.۵]	1 [2.0]		
			. [=.0]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

Date Report Regsted: 02/27/2008

Species/Strain: MICE/B6C3F1	
PSC2E4 MICE MALE	

B6C3F1 MICE MALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
RINARY SYSTEM					
Kidney	(50)	(50)	(49)	(50)	
Hydronephrosis	1 [2.0]	5 [2.6]	17 [2.4]	29 [2.3]	
Infarct	4 [2.5]		1 [4.0]		
Infiltration Cellular, Lymphoid	39 [1.4]	38 [1.4]	12 [1.2]	3 [1.7]	
Inflammation, Acute	[]	55 []	[j	3 [2.0]	
Inflammation, Chronic Active			5 [3.2]	2 [2.5]	
Metaplasia, Osseous	2 [1.5]	3 [1.7]	1 [2.0]	1 [2.0]	
Mineralization	40 [1.0]	43 [1.0]	40 [1.2]	42 [1.3]	
Nephropathy	47 [1.4]	45 [1.5]	28 [1.8]	24 [1.5]	
Thrombosis	., [.,.]	10 [1.0]	20 [1.0]	4 [2.5]	
Artery, Inflammation, Chronic Active	2 [2.5]	1 [3.0]		1 [2.0]	
Cortex, Cyst	11 [2.0]	6 [1.7]	2 [2.0]		
Cortex, Cyst, Multiple	11 [2.0]	0[]	1 [4.0]		
Glomerulus, Amyloid Deposition		6 [2.3]	4 [1.8]	1 [1.0]	
Papilla, Necrosis		3 [3.3]	3 [4.0]	1 [1.0]	
Pelvis, Hyperplasia	1 [1.0]	0 [0.0]	0[1.0]	1 [2.0]	
Renal Tubule, Dilatation	1 [2.0]	8 [2.6]	31 [3.0]	43 [2.9]	
Renal Tubule, Hyperplasia	1 [2.0]	0 [2.0]	01 [0.0]	40 [Z.0]	
Ureter	(43)	(45)	(47)	(50)	
Dilatation	(40)	6 [3.0]	22 [3.0]	42 [2.8]	
Inflammation, Chronic Active		3 [3.3]	24 [3.0]	39 [3.0]	
Urethra	(48)	(50)	(49)	(50)	
Dilatation	(40)	1 [4.0]	2 [4.0]	2 [4.0]	
Inflammation, Chronic Active	1 [2.0]	1 [4.0]	1 [1.0]	2 [4.0]	
Artery, Hyperplasia	1 [4.0]		1 [1.0]		
Artery, Inflammation, Chronic Active	1 [3.0]				
Glands, Transitional Epithelium,	1 [0.0]	17 [3.5]	2 [3.0]		
Hyperplasia		17 [0.0]	2 [0.0]		
Transitional Epithelium, Inflammation,		1 [2.0]			
Chronic Active		ر۷.۰۱			
Urinary Bladder	(50)	(50)	(49)	(50)	
Infiltration Cellular, Lymphoid	25 [1.1]	25 [1.0]	4 [1.0]	(30)	
Inflammation, Chronic Active	20 [1.1]	1 [2.0]	4 [1.0] 1 [1.0]	2 [2.0]	
Transitional Epithelium, Hyperplasia		1 [2.0] 1 [2.0]	1 [1.0]	2 [2.0] 4 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 88148 - 07
Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Regsted: 09:10:26

First Dose M/F: 02/04/03 / 02/03/03

Date Report Regsted: 02/27/2008

Lab: BAT

B6C3F1 MICE MALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Reqsted: 09:10:26

Date Report Reqsted: 02/27/2008

First Dose M/F: 02/04/03 / 02/03/03

B6C3F1 MICE FEMALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths	4		4	4
Dosing Accident Moribund Sacrifice	1 6	9	1 9	1 21
Natural Death	8	11	8	8
Survivors	-		-	-
Natural Death				1
Terminal Sacrifice	35 50	30 50	32 50	19 50
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Esophagus	(49)	(50)	(50)	(50)
Perforation	1	(==)	1 (72)	1 [4.0]
Gallbladder	(49)	(50)	(50)	(50)
Infiltration Cellular, Lymphoid Inflammation, Chronic Active	3 [1.3]	3 [1.0]	2 [1.0] 1 [3.0]	1 [1.0]
Intestine Large, Cecum	(49)	(50)	(49)	(50)
Inflammation, Chronic Active	()	1 [4.0]	(. •)	(00)
Ulcer		1 [4.0]		
Intestine Large, Colon	(49)	(50)	(49)	(50)
Intestine Large, Rectum	(49)	(50)	(50)	(50)
Inflammation, Chronic Active Intestine Small, Duodenum	1 [3.0] (49)	(50)	(50)	(50)
Intestine Small, Jejunum	(49)	(50)	(50)	(50)
Peyer's Patch, Hyperplasia, Lymphoid	(. •)	(30)	1 [4.0]	3 [4.0]
Liver	(49)	(50)	(50)	(50)
Amyloid Deposition			2 [3.5]	4 [2.5]
Basophilic Focus	1	6 1	3 1	1
Clear Cell Focus Eosinophilic Focus	2 2	1	1	1
Hematopoietic Cell Proliferation	3 [1.3]	9 [1.3]	9 [1.6]	21 [1.7]
Infarct	- []	- []	- []	3 [3.0]
Infiltration Cellular, Histiocyte				1 [3.0]
Infiltration Cellular, Lymphoid	38 [1.4]	40 [1.1]	38 [1.2]	28 [1.4]
Inflammation, Chronic Active	39 [1.2]	37 [1.3]	37 [1.2]	32 [1.2]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene
CAS Number: 14047-09-7

First Dose M/F: 02/04/03 / 02/03/03 Lab: BAT

Date Report Regsted: 02/27/2008

Time Report Regsted: 09:10:26

Route: GAVAGE
Species/Strain: MICE/B6C3F1

B6C3F1 MICE FEMALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Mineralization		1 [1.0]		1 [1.0]	
Mixed Cell Focus	3	3	4	1	
Tension Lipidosis	4 [2.3]	6 [1.8]	4 [2.5]	4 [2.5]	
Bile Duct, Hyperplasia		1 [2.0]		2 [2.0]	
Bile Duct, Inflammation, Chronic Active				1 [2.0]	
Hepatocyte, Necrosis	1 [2.0]	1 [1.0]	3 [2.3]	3 [1.7]	
Hepatocyte, Vacuolization Cytoplasmic	33 [1.6]	33 [2.0]	35 [2.1]	20 [1.8]	
Mesentery	(5)	(12)	(9)	(15)	
Congestion	(-)	(/	1 [3.0]	()	
Fat, Cyst	1 [4.0]		. []		
Fat, Fibrosis	3 [1.7]	6 [2.5]	5 [2.6]	6 [2.5]	
Fat, Inflammation, Chronic Active	2 [1.5]	6 [2.0]	4 [2.0]	7 [1.9]	
Fat, Mineralization	_[0]	1 [1.0]	3 [1.3]	. [0]	
Fat, Necrosis	3 [4.0]	5 [4.0]	5 [4.0]	8 [4.0]	
Pancreas	(49)	(50)	(50)	(50)	
Basophilic Focus	1 [2.0]	(00)	(00)	(00)	
Congestion	. [2.0]			1 [2.0]	
Infiltration Cellular, Lymphoid	12 [1.2]	5 [1.0]	6 [1.3]	3 [2.0]	
Inflammation, Chronic Active	. = [=]	0 [0]	2 [2.5]	1 [2.0]	
Mineralization			_ [2.0]	1 [2.0]	
Acinus, Atrophy		1 [3.0]		. [2.0]	
Duct, Cyst		1 [4.0]			
Duct, Cyst, Multiple		1 [1.0]		1 [4.0]	
Salivary Glands	(49)	(50)	(50)	(50)	
Infiltration Cellular, Lymphoid	36 [1.5]	23 [1.0]	13 [1.0]	1 [1.0]	
Mineralization	00 [1.0]	1 [1.0]	10 [1.0]	1 [1.0]	
Stomach, Forestomach	(49)	(50)	(50)	(50)	
Infiltration Cellular, Lymphoid	2 [1.0]	(00)	2 [1.5]	10 [1.7]	
Inflammation, Chronic Active	1 [2.0]	4 [2.3]	1 [3.0]	1 [1.0]	
Mineralization	ا رح.٠٠	ړ∠.∪ا	1 [0.0]	1 [1.0]	
Epithelium, Cyst		1 [2.0]	2 [2.0]	1 [1.0]	
Epithelium, Hyperplasia	8 [1.9]	27 [1.5]	38 [1.7]	43 [2.0]	
Epithelium, Ulcer	1 [1.0]	3 [3.0]	1 [4.0]	٦٥ [٤.٥]	
Stomach, Glandular	(49)	(50)	(50)	(50)	
Infiltration Cellular, Lymphoid	1 [1.0]	14 [1.4]	30 [1.7]	28 [1.7]	
Infiltration Cellular, Mast Cell	1 [2.0]	14[1.4]	30 [1.7]	20 [1.7]	
Inflammation, Chronic Active	2 [2.0]		1 [2.0]	1 [2.0]	
Mineralization	2 [2.0] 1 [1.0]	4 [1.0]	3 [1.0]	3 [1.7]	
Epithelium, Erosion	1 [1.0]	4 [1.0] 1 [2.0]	3 [1.0]	3[1.7]	
Epithelium, Hyperplasia, Focal	1 [2.0]		26 [4 0]	28 [2.1]	
Epitilelium, Hyperpiasia, Focai	۱ [۷.۵]	19 [1.5]	26 [1.9]	۷۵ [۷.۱]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene CAS Number: 14047-09-7

First Dose M/F: 02/04/03 / 02/03/03

Date Report Regsted: 02/27/2008

Time Report Reqsted: 09:10:26

Species/Strain: MICE/B6C3F1

B6C3F1 MICE FEMALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Epithelium, Necrosis			1 [3.0]		
Epithelium, Ulcer		1 [3.0]	. [0.0]	1 [2.0]	
Epithelium, Glands, Cyst	8 [1.6]	19 [1.3]	13 [1.2]	22 [1.8]	
Tongue	(0)	(1)	(0)	(1)	
Tooth	(2)	(0)	(0)	(0)	
Malformation	(2)	()	()	()	
CARDIOVASCULAR SYSTEM					
Blood Vessel	(49)	(50)	(50)	(50)	
Aorta, Mineralization	1 [1.0]	2 [3.0]	(00)	1 [2.0]	
Heart	(49)	(50)	(50)	(50)	
Cardiomyopathy	3 [1.3]	5 [1.2]	4 [1.3]	9 [1.7]	
Hyperplasia, Atypical	2 []	- []	. []	1 [2.0]	
Inflammation, Chronic Active		1 [2.0]		1 [2.0]	
Mineralization	3 [1.7]	3 [1.3]	3 [1.7]	2 [2.0]	
Valve, Inflammation, Chronic Active		1 [4.0]			
ENDOCRINE SYSTEM					
Adrenal Cortex	(49)	(50)	(50)	(50)	
Accessory Adrenal Cortical Nodule	2 [2.5]	2 [1.5]	1 [2.0]	1 [2.0]	
Cyst	1 [3.0]	-[]	. []	. [=1	
Degeneration, Fatty	[]			1 [2.0]	
Hematopoietic Cell Proliferation		2 [2.0]	1 [1.0]		
Hyperplasia	1 [2.0]				
Hypertrophy	2 [1.0]				
Inflammation, Chronic Active				1 [1.0]	
Subcapsular, Hyperplasia	48 [2.1]	50 [2.0]	47 [2.0]	48 [2.0]	
Adrenal Medulla	(49)	(50)	(50)	(50)	
Hyperplasia	2 [1.0]		2 [2.0]		
Islets, Pancreatic	(49)	(50)	(50)	(50)	
Hyperplasia	1 [2.0]	, <u>, , , , , , , , , , , , , , , , , , </u>	44-5	444	
Parathyroid Gland	(43)	(47)	(48)	(41)	
Cyst		1 [2.0]		4 [0 0]	
Cyst, Multiple	(40)	1 [2.0]	(50)	1 [2.0]	
Pituitary Gland	(49)	(49)	(50)	(50)	
Pars Distalis, Angiectasis	2 [2.0]	1 [1.0]	3 [1.7]	2 [3.0]	
Pars Distalis, Cyst				1 [1.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene
CAS Number: 14047-09-7

First Dose M/F: 02/04/03 / 02/03/03

Lab: BAT

Date Report Regsted: 02/27/2008

Time Report Reqsted: 09:10:26

Route: GAVAGE
Species/Strain: MICE/B6C3F1

B6C3F1 MICE FEMALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Pars Distalis, Hyperplasia	6 [2.0]	5 [2.0]	8 [2.3]	5 [2.4]	
Thyroid Gland	(49)	(50)	(50)	(50)	
Ectopic Thymus	1 [2.0]		2 [1.5]		
Infiltration Cellular, Lymphoid	1 [1.0]				
C-cell, Hyperplasia			1 [4.0]		
Follicle, Cyst	1 [3.0]	1 [2.0]		1 [3.0]	
Follicle, Degeneration	17 [1.8]	28 [2.1]	24 [2.1]	20 [2.0]	

GENERAL BODY SYSTEM

None

GENITAL SYSTEM	

Clitoral Gland	(49)	(50)	(49)	(50)
Atrophy	25 [3.3]	44 [3.3]	37 [3.6]	40 [3.6]
Fibrosis				1 [2.0]
Infiltration Cellular, Lymphoid		5 [1.6]	6 [1.2]	3 [2.0]
Inflammation, Chronic Active	3 [1.7]	4 [1.5]	17 [2.1]	25 [2.3]
Duct, Cyst	5 [3.0]	46 [2.6]	43 [3.1]	43 [3.5]
Ovary	(49)	(50)	(50)	(50)
Angiectasis	3 [2.3]	,	,	,
Atrophy	29 [3.3]	44 [3.4]	47 [3.4]	45 [3.7]
Cyst	11 [2.1]	8 [2.1]	5 [3.0]	4 [2.3]
Cyst, Multiple	1 [2.0]			
Infiltration Cellular, Lymphoid	2 [2.0]			
Inflammation, Chronic Active		1 [4.0]		
Mineralization	1 [1.0]			
Pigmentation	2 [1.5]			
Bilateral, Cyst		1 [2.0]		
Oviduct	(0)	(0)	(1)	(0)
Inflammation, Chronic Active			1 [3.0]	
Uterus	(49)	(50)	(50)	(50)
Cyst		1 [3.0]	1 [2.0]	
Infiltration Cellular, Lymphoid	1 [2.0]			
Inflammation, Chronic Active			1 [2.0]	
Endometrium, Hyperplasia, Cystic	45 [2.6]	45 [2.1]	45 [2.2]	41 [1.8]
Vagina	(49)	(50)	(50)	(50)
Infiltration Cellular, Lymphoid	1 [1.0]			1 [2.0]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

Date Report Regsted: 02/27/2008

B6C3F1 MICE FEMALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Infiltration Cellular, Polymorphonuclear	11 [2.1]	21 [1.7]	15 [1.7]	18 [1.9]	
Inflammation, Chronic Active	2 [2.0]		3 [2.3]		
Epithelium, Atrophy	3 [2.7]	2 [2.0]	3 [2.0]	3 [1.7]	
Epithelium, Hyperplasia		1 [3.0]			
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Hyperplasia	2 [4.0]	8 [4.0]	9 [4.0]	16 [4.0]	
Myelofibrosis	16 [1.8]	30 [1.7]	33 [1.9]	15 [1.6]	
Lymph Node	(7)	(8)	(9)	(16)	
Bronchial, Hyperplasia, Lymphoid	1 [3.0]	()	()	,	
Inguinal, Hyperplasia, Lymphoid	1 [3.0]				
Inguinal, Pigmentation	• •			1 [2.0]	
Mediastinal, Hematopoietic Cell		1 [1.0]			
Proliferation					
Mediastinal, Hyperplasia, Lymphoid		1 [3.0]	2 [3.5]	1 [4.0]	
Mediastinal, Inflammation, Chronic Active			1 [4.0]		
Mediastinal, Necrosis, Lymphoid	1 [3.0]				
Pancreatic, Hematopoietic Cell				1 [1.0]	
Proliferation					
Pancreatic, Hyperplasia, Lymphoid				1 [4.0]	
Pancreatic, Pigmentation				1 [2.0]	
Renal, Hyperplasia, Lymphoid	41	4	4	1 [4.0]	
Lymph Node, Mandibular	(49)	(49)	(50)	(49)	
Hyperplasia, Lymphoid	10 [3.6]	8 [3.9]	9 [3.7]	15 [3.9]	
Necrosis, Lymphoid	1 [3.0]	4 [0 0]	4 [0 0]	1 [4.0]	
Pigmentation	(40)	1 [2.0]	1 [2.0]	2 [2.0]	
Lymph Node, Mesenteric	(48)	(49)	(48)	(49)	
Hyperplasia, Lymphoid	3 [3.0]	4 [0 0]	4 [3.8]	2 [3.5]	
Mineralization		1 [2.0]			
Artery, Mineralization	(40)	1 [2.0]	(50)	(50)	
Spleen Amyloid Deposition	(49)	(50)	(50) 1 [1.0]	(50) 4 [1.8]	
Afriyiold Deposition Atrophy	1 [4.0]	3 [3.7]	6 [2.8]	3 [3.3]	
Fibrosis	ı [4 .0]	3 [3.7] 1 [1.0]	رد.دا	ა [ა.ა]	
Hematopoietic Cell Proliferation	10 [3.0]	25 [2.7]	21 [2.6]	33 [2.7]	
Hyperplasia, Lymphoid	10 [0.0]	ر ۲۰۰۱ ا	1 [3.0]	00 [Z.7]	
Infarct			. [0.0]	1 [4.0]	
				. [•1	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 88148 - 07
Test Type: CHRONIC

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Regsted: 09:10:26

Date Report Regsted: 02/27/2008

First Dose M/F: 02/04/03 / 02/03/03

Lab: BAT

Species/Strain: MICE/B6C3F1

B6C3F1 MICE FEMALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Lymphoid Follicle, Hyperplasia Thymus Atrophy Cyst Cyst, Multiple Ectopic Parathyroid Gland Ectopic Thyroid	8 [3.6] (48) 7 [3.3] 9 [1.9] 21 [2.0] 10 [1.9] 1 [2.0]	(48) 15 [3.5] 5 [1.8] 31 [2.1] 11 [1.6]	1 [4.0] (45) 12 [3.9] 4 [1.8] 33 [2.1] 20 [1.9]	1 [3.0] (48) 25 [3.8] 3 [2.7] 37 [2.9] 5 [2.0]	
Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte Inflammation, Chronic Active Thymocyte, Necrosis	2 [3.0] 1 [3.0]	1 [4.0] 5 [2.0] 1 [4.0]	12 [1.8]	5 [2.6]	
TEGUMENTARY SYSTEM					
Mammary Gland Skin Inflammation, Chronic Active Dermis, Fibrosis Epidermis, Hyperplasia Epidermis, Ulcer Hair Follicle, Dilatation Sebaceous Gland, Atrophy Subcutaneous Tissue, Inflammation, Chronic Active Subcutaneous Tissue, Metaplasia, Osseous	(49) (49) 1 [2.0] 2 [1.0] 6 [2.2]	(50) (50) 2 [3.0] 1 [4.0] 2 [2.5] 1 [4.0]	(50) (50) 6 [3.2] 4 [3.8] 4 [3.8] 4 [4.0] 11 [1.3] 11 [2.9] 2 [2.5]	(50) (50) 11 [3.6] 11 [3.3] 11 [3.2] 11 [4.0] 23 [1.4] 15 [3.0]	
JSCULOSKELETAL SYSTEM					
Bone Osteopetrosis	(50)	(50)	(50)	(50) 1 [3.0]	
Skeletal Muscle Infiltration Cellular, Lymphoid Inflammation, Chronic Active Mineralization	(4) 1 [1.0]	(5) 1 [2.0]	(1)	1 [3.0] (8) 1 [1.0]	

NERVOUS SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

Date Report Regsted: 02/27/2008

B6C3F1 MICE FEMALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Brain	(49)	(50)	(50)	(50)	
Compression	1 [4.0]	1 [3.0]	, ,	, ,	
Hydrocephalus	1 [3.0]				
Infiltration Cellular, Lymphoid Meninges, Hemorrhage	1 [1.0]	4 [2 0]			
Neuron, Necrosis	2 [1.5]	1 [2.0]			
Peripheral Nerve	(0)	(2)	(1)	(0)	
Sciatic, Degeneration	(0)	1 [2.0]	(· /	(0)	
Spinal Cord	(0)	(1)	(1)	(0)	
Degeneration	, ,	1 [3.0]	1 [2.0]	,	
RESPIRATORY SYSTEM					
Lung	(49)	(50)	(50)	(50)	
Hemorrhage				1 [3.0]	
Infiltration Cellular, Lymphoid	4 [2.3]	2 [2.0]		2 [3.5]	
Infiltration Cellular, Polymorphonuclear		1 [4.0]	E [4 C]	7 [0 0]	
Inflammation, Chronic Active Alveolar Epithelium, Hyperplasia	1 [1.0]	3 [1.3] 1 [1.0]	5 [1.6] 1 [2.0]	7 [2.6] 4 [2.8]	
Alveolar Epithelium, Metaplasia,	1 [1.0]	1 [1.0]	1 [2.0]	4 [2.6] 1 [2.0]	
Squamous				1 [2.0]	
Alveolus, Infiltration Cellular, Histiocyte		3 [2.7]	1 [1.0]	6 [3.5]	
Artery, Mineralization		1 [1.0]	1 -1	- []	
Artery, Mediastinum, Mineralization	1 [2.0]	1 [2.0]			
Bronchiole, Metaplasia, Squamous				1 [2.0]	
Mediastinum, Inflammation	1 [3.0]	4	4	>	
Nose	(50)	(50)	(50)	(50)	
Inflammation, Chronic Active	4 [2.3]			0.10.51	
Glands, Olfactory Epithelium, Dilatation Glands, Olfactory Epithelium,	1 [2 0]			2 [2.5]	
Hyperplasia	1 [3.0]				
Olfactory Epithelium, Metaplasia	1 [2.0]				
	. [2.0]				
SPECIAL SENSES SYSTEM					
Ear	(1)	(0)	(1)	(2)	
_Inflammation, Chronic Active	1 [1.0]	()	4 >	4.5-3	
Eye	(49)	(50)	(50)	(49)	
Atrophy	1 [4.0]				

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Date Report Reqsted: 02/27/2008

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

B6C3F1 MICE FEMALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG
Cornea, Inflammation, Chronic Active Optic Nerve, Infiltration Cellular,			1 [2.0]	1 [2.0] 1 [2.0]
Lymphoid			1 [2.0]	1 [2.0]
Optic Nerve, Pigmentation				1 [2.0]
Harderian Gland Atrophy	(49) 1 [3.0]	(50)	(49)	(49)
Hyperplasia	1 [3.0] 2 [2.5]	3 [3.0]	2 [2.5]	2 [3.0]
Infiltration Cellular, Lymphoid	32 [1.3]	13 [1.1]	7 [1.0]	4 [1.0]
Inflammation, Chronic Active	1 [1.0]	1	2 [1.0]	3 [1.7]
JRINARY SYSTEM				
Kidney	(49)	(50)	(50)	(50)
Hydronephrosis			5 [3.2]	3 [3.7]
Infarct	3 [4.0]	6 [2.5]	11 [3.6]	2 [4.0]
Infiltration Cellular, Lymphoid	39 [1.5]	35 [1.5]	37 [1.2]	26 [1.2]
Inflammation, Chronic Active		0.10.01		2 [3.5]
Metaplasia, Osseous	0.14.01	2 [2.0]	40 [4 0]	4.4.64.61
Mineralization Nephropathy	6 [1.0]	14 [1.2]	13 [1.2] 38 [1.7]	14 [1.6]
Cortex, Cyst	29 [1.1] 1 [2.0]	32 [1.3]	30 [1.7]	41 [1.5]
Cortex, Cyst, Multiple	1 [2.0]			
Glomerulus, Amyloid Deposition	1 [2.0]		1 [2.0]	5 [2.6]
Papilla, Necrosis		1 [4.0]	8 [3.8]	2 [4.0]
Pelvis, Metaplasia, Osseous		r -1	- 11	1 [2.0]
Renal Tubule, Accumulation, Hyaline	1 [4.0]	2 [3.0]	2 [3.0]	2 [3.0]
Droplet				
Renal Tubule, Dilatation	1 [3.0]	5 [2.4]	6 [2.7]	7 [3.0]
Renal Tubule, Pigmentation	1 [2.0]	(4)	(0)	(0)
Ureter Transitional Epithelium, Hyperplasia	(0)	(1)	(0)	(2)
Urethra	(49)	(50)	(49)	1 [2.0] (49)
Dilatation	(4 3)	(30)	1 [4.0]	(43)
Infiltration Cellular, Lymphoid			رح.٠٠]	1 [2.0]
Inflammation, Suppurative			1 [4.0]	. []
Glands, Transitional Epithelium,		4 [2.0]		3 [2.7]
Hyperplasia				
Urinary Bladder	(49)	(50)	(50)	(50)
Infiltration Cellular, Lymphoid	41 [1.4]	30 [1.1]	27 [1.1]	25 [1.1]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 88148 - 07
Test Type: CHRONIC

Species/Strain: MICE/B6C3F1

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

3,3',4,4'-Tetrachloroazobenzene

CAS Number: 14047-09-7

Date Report Reqsted: 02/27/2008

Time Report Reqsted: 09:10:26 First Dose M/F: 02/04/03 / 02/03/03

Lab: BAT

B6C3F1 MICE FEMALE	0 MG/KG	3 MG/KG	10 MG/KG	30 MG/KG	
Inflammation, Chronic Active Transitional Epithelium, Hyperplasia				2 [2.5] 4 [2.5]	

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)