


## Acetaldehyde

### CAS No. 75-07-0

Reasonably anticipated to be a human carcinogen  
First Listed in the *Sixth Annual Report on Carcinogens* (1991)



### Carcinogenicity

Acetaldehyde is *reasonably anticipated to be a human carcinogen* based on sufficient evidence of carcinogenicity in experimental animals (IARC 1985, 1987, 1999). When administered by inhalation, acetaldehyde increased the incidence of squamous cell carcinomas and adenocarcinomas in the nasal mucosa in rats of both sexes and laryngeal carcinomas in hamsters of both sexes. In another inhalation study using a lower exposure level and in an intratracheal instillation study, no increased incidence of tumors in hamsters was observed. When administered by inhalation, acetaldehyde enhanced the incidence of respiratory tract tumors as induced by intratracheal instillation of benzo[*a*]pyrene in hamsters of both sexes.

There is inadequate evidence for the carcinogenicity of acetaldehyde in humans. A single study of workers in an aldehyde plant reported nine cases of cancer, including five cases of bronchial tumors and two cases of carcinomas of the oral cavity. This study was considered to be inadequate for evaluation because of mixed exposure, the small number of cases, and the poorly defined population. Three case control studies investigated the risk of oral, throat, and esophageal cancers following heavy alcohol intake. These studies consistently showed an increased risk of these cancer in individuals with genetic polymorphisms in enzymes involved in the metabolism of acetaldehyde; these polymorphisms were associated with higher blood concentration of acetaldehyde following alcohol intake (IARC 1985, 1987, 1999).

### Properties

Acetaldehyde occurs as a volatile, flammable, colorless liquid. It has a pungent, suffocating odor, but at dilute concentrations it emits a pleasant, fruity odor. The vapor pressure of acetaldehyde is 755 mm Hg at 200°C and the vapor density is 1.5. It has a melting point of -123.5°C, and it boils at 20.2 to 20.8°C with a flash point of -38°C (closed cup). It decomposes above 400°C to form principally methane and carbon monoxide. Acetaldehyde is miscible in water, alcohol, ether, benzene, gasoline, solvent naphtha, toluene, xylene, turpentine, acetone, and other common organic solvents. It is a highly reactive compound that undergoes numerous condensation, addition, and polymerization reactions. Acetaldehyde is dangerous when exposed to heat or flame; it can react vigorously with oxidizing material. Acetaldehyde is also incompatible with acids, bases, alcohol, ammonia, amines, phenols, ketones, and hydrogen cyanide. It oxidizes readily to form corrosive acetic acid. It will polymerize readily in the presence of trace metals (iron). Acetaldehyde can form unstable/explosive peroxides with exposure to air. It may polymerize under influence of air and heat, acids, or bases with potential of fire or explosion. Acetaldehyde is polymerized violently by concentrated sulfuric acid. Rubber products decompose on contact with acetaldehyde, but it is not corrosive to most metals (IARC 1999).

### Use

Acetaldehyde is used primarily as a chemical intermediate, principally for the production of acetic acid, pyridine and pyridine bases, peracetic acid, pentaerythritol, butylene glycol, and chloral. It is used in the production of esters, particularly ethyl acetate and isobutyl acetate (IARC 1985, 1999, Chem. Prod. 1985). It is also used in the synthesis of crotonaldehyde, as well as flavor and fragrance acetals,

acetaldehyde 1,1-dimethylhydrazone, acetaldehyde cyanohydrin, acetaldehyde oxime, and various acetic esters, paraldehyde, metaldehyde (a molluscicide widely used to kill slugs and snails), polymers, and various halogenated derivatives (IARC 1985). Acetaldehyde has been used in the manufacture of aniline dyes and synthetic rubber, silver mirrors, and to harden gelatin fibers (Merck 1989). It has been used in the production of polyvinyl acetal resins, in fuel compositions, and to inhibit mold growth on leather (IARC 1985). Acetaldehyde is also used in the manufacture of disinfectants, drugs, perfumes, explosives, lacquers and varnishes, photographic chemicals, phenolic and urea resins, rubber accelerators and antioxidants, and room air deodorizers; acetaldehyde is a pesticide intermediate (Sittig 1985, Gosselin *et al.* 1984).

Acetaldehyde, an alcohol denaturant, is a GRAS (generally recognized as safe) compound for the intended use as a flavoring agent and adjuvant (Furia and Bellanca 1975, HSDB 2000). It is an important component of food flavorings and is added to milk products, baked goods, fruit juices, candy, desserts, and soft drinks; the concentration of acetaldehyde in food is generally up to 0.047%. In 1976, approximately 19,000 lb of acetaldehyde were used as food additives. It is an especially useful synthetic flavoring ingredient to impart orange, apple, and butter flavors. It is used in the manufacture of vinegar and yeast and as a fruit and fish preservative. Acetaldehyde is approved for use in phenolic resins in molded containers for contact with nonacidic foods. Acetaldehyde is exempted from a residue tolerance when it is used as a fumigant for storage of apples and strawberries (IARC 1985).

### Production

Acetaldehyde was first produced commercially in the United States in 1916. Production in 1940 was 127 million lb and 816 million lb in 1960. U.S. production of acetaldehyde reached its peak in 1969 at approximately 1.65 billion lb (IARC 1985). U.S. production reportedly decreased to 740 million lb in 1989 (EPA 1994). The overall decline in the demand for acetaldehyde has been attributed to more economical starting materials for principal derivatives and a lower demand for some acetal derivatives (Chem. Prod. 1985). USITC has reported two to three manufacturers for each year from 1985 to 1994; production figures, however, were not made available (USITC 1986-1991, 1993-1995). The 1997 *Directory of Chemical Producers* listed one producer for acetaldehyde and two producers for natural acetaldehyde; no production volumes were disclosed (SRI 1997). The 1998 *Chemical Buyers Directory* named six U.S. suppliers of acetaldehyde and two suppliers for natural acetaldehyde (Tilton 1997). *Chemyclopedia* 98 named five such companies (Rodnan 1997). In 2001, Chem Sources (2001) listed 23 suppliers for acetaldehyde.

U.S. imports of acetaldehyde totaled 1,350 lb in 1985 (HSDB 2000). Imports for 1987 were reported to be 10,000 lb (USDOC Imports 1988). In 2000, imports increased to 120 million lb (ITA 2001). In 1985, estimated U.S. exports of acetaldehyde were 1.2 billion lb (Chemical Prod. 1985). Exports for 2000 decreased to 20 million lb (ITA 2001).

### Exposure

The potential for exposure of the general population and workers to acetaldehyde is great. Acetaldehyde is the product of most hydrocarbon oxidation reactions and is a normal intermediate in the respiration of most higher plants; it is found in trace amounts in all ripe fruits and may form in wine and other alcoholic beverages after exposure to air. It is a major metabolite of ethyl alcohol (Kirk-Othmer 1978). It is found in leaf tobacco and in tobacco smoke and in automobile and diesel exhaust. Therefore, many individuals are exposed to acetaldehyde by breathing ambient air.

Acetaldehyde has a widespread natural occurrence. It is a product of alcohol fermentation and is a metabolic intermediate in higher

plants. It is a volatile component of cotton leaves and blossoms. Acetaldehyde occurs in oak and tobacco leaves and is a natural component of apples, broccoli, coffee, grapefruit, grapes, lemons, mushrooms, onions, oranges, peaches, pears, pineapples, raspberries, and strawberries. It has been detected in the essential oils of alfalfa, rosemary, balm, clary sage, daffodil, bitter orange, camphor, angelica, fennel, mustard, and peppermint (IARC 1985). Consumers may be exposed to acetaldehyde in cheese, heated milk, cooked beef, cooked chicken, and rum. It is a synthetic flavoring ingredient in processed foods, especially margarine. Acetaldehyde is also tolerated as a fumigant residue on apples and strawberries after storage. It has been detected in mother's milk. Consumers may have been exposed to acetaldehyde in room air deodorizers (Gosselin *et al.* 1984, DPIM 1989). Acetaldehyde is a component of smoke of marijuana cigarettes (1,220 µg/cigarette) and tobacco cigarettes (980 µg/cigarette to 1.37 mg/cigarette). In addition to potential exposure from food and cigarette sources, consumers risk exposure in the home environment from pyrolysis products. Burning wood produces approximately 0.7 g acetaldehyde/kg wood; fireplace emissions range from 0.083 to 0.20 g/kg wood burned. An estimated total annual emission from residential burning in the United States is approximately 99 million lb. It is a combustion product of some plastics (e.g., polycarbonate) and some hard and soft polyurethane foams. Acetaldehyde also occurs in gasoline exhaust (1.4 to 8.8 mg/m<sup>3</sup>) and diesel exhaust (0.05 to 6.4 mg/m<sup>3</sup>) (IARC 1985).

Acetaldehyde has been detected in emissions from power plants that burn fossil fuels, wood, or trash. It is a natural product of combustion and photooxidation of hydrocarbons commonly found in the atmosphere. It naturally occurs as emissions from forest fires, volcanoes, and animal wastes (HSDB 2000).

The 1974 National Occupational Hazard Survey estimated that 1,700 workers were exposed to acetaldehyde in the United States in four nonagricultural industries (NIOSH 1980, 1981, IARC 1985). The greatest potential for exposure was found in the organic chemicals industry, with some exposure in fabricated rubber products and biological products industries (IARC 1985). The National Occupational Exposure Survey (1981-1983) estimated that 14,054 total workers, including 2,772 female workers, were exposed to acetaldehyde (NIOSH 1984). The estimate was based on observation of actual use of acetaldehyde (97%) and its use as an ingredient in trade name products (3%). Potential exposure exists for personnel involved in the manufacturing or use of industrial organic chemicals, dyes, fabricated rubber, plastics, urea-formaldehyde foam insulation, fuels, drugs, explosives, lacquers and varnishes, photographic chemicals, pesticides, food additives, leather goods, and mirrors. Acetaldehyde is a potential exposure problem for automobile and diesel mechanics, gas station attendants, and agricultural and food industry personnel, as well as personnel in coffee-roasting operations, lithographic coatings, automobile spray operations, and fat-rendering plants (IARC 1985).

The use of acetaldehyde is widespread in industry, and it may be released into waste water or the air during production, use, transport, and storage (Kirk-Othmer 1978, HSDB 2000). EPA's Toxic Chemical Release Inventory (TRI) estimated that 12,938,427 lb of acetaldehyde were released to the environment from 283 facilities that processed, produced, or used the chemical in the United States in 1998. Of that total, 92.3% was emitted to air. Thirty-three facilities, each emitting >100,000 lb, represented 39.9% of this release. Total releases to water, land, and underground injection were 1.8%, 0.1%, and 5.8%, respectively (TRI99 2001). Acetaldehyde will rapidly volatilize from water or land, and it will leach into the ground where it will biodegrade (HSDB 2000). Acetaldehyde has been detected in 5/10 surveyed water supplies (Sittig 1985). Acetaldehyde is degraded by aerobic and anaerobic microorganisms; it degrades readily in soil,

sewage, and natural waters (EPA 1987). In water, concentrations are generally less than 0.1 µg/L; therefore, contribution from drinking water was considered negligible (IPCS 1995).

The main source of human exposure to acetaldehyde is through the metabolism of alcohol. Other sources include food and other beverages, and to a lesser extent, the air (IPCS 1995). Principal human exposure occurs with inhalation of ambient air from urban areas or near sources of combustion (HSDB 2000). Total U.S. acetaldehyde airborne emissions from all sources in 1978 were estimated to be approximately 114 million lb, 86% of which was thought to be from residential wood burning (IARC 1985). The current annual emission from all sources was estimated to be 27 million lb. In ambient air, concentrations of acetaldehyde generally average 5 µg/m<sup>3</sup> (IPCS 1995).

## Regulations

### DOT

Acetaldehyde is considered a hazardous material and special requirements have been set for marking, labeling, and transporting this material

### EPA

#### Clean Air Act

Mobile Source Air Toxics: Acetaldehyde is listed as a Mobile Source Air Toxic for which regulations are to be developed

NESHAP: Listed as a Hazardous Air Pollutant (HAP)

NSPS: Manufacture of substance is subject to certain provisions for the control of Volatile Organic Compound (VOC) emissions

Prevention of Accidental Release: Threshold Quantity (TQ) = 10,000 lb

Urban Air Toxics Strategy: Identified as one of 33 HAPs that present the greatest threat to public health in urban areas

#### Comprehensive Environmental Response Compensation and Liability Act

Reportable Quantity (RQ) = 1,000 lb

#### Emergency Planning and Community Right-to-Know Act

Toxics Release Inventory: Listed substance subject to reporting requirements

#### Resource Conservation and Recovery Act

Listed Hazardous Waste: Waste codes in which listing is based wholly or partly on substance - U001

### OSHA

Permissible Exposure Limit (PEL) = 200 ppm (360 mg/m<sup>3</sup>)

## Guidelines

### ACGIH

Threshold Limit Value - Ceiling (TLV-C) = 25 ppm

### NIOSH

Immediately Dangerous to Life and Health (IDLH) = 2000 ppm

Listed as a potential occupational carcinogen

## REFERENCES

- ChemProd. 1985. Chemical Product Synopsis: Acetaldehyde. Cortland, NY: Mansville Chemical Products Corporation.
- ChemSources. 2001. Chemical Sources International, Inc. <http://www.chemsources.com>.
- DPIM. 1989. Acetaldehyde. In *Dangerous Properties of Industrial Materials Report*, vol. 9. J. C. Prager, ed. New York: Van Nostrand Reinhold Company, p. 30-45.
- EPA. 1987. Health Assessment Document for Acetaldehyde. EPA/600/8-86-015A. Research Triangle Park, NC: Prepared by the Office of Health and Environmental Assessment for the Office of Air Quality Planning and Standards.
- EPA. 1994. Chemical Summary for Acetaldehyde. 749-F-94-003a. U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- Furia, T. E. and N. Bellanca. 1975. *Fenaroli's Handbook of Flavour Ingredients*, vol. 2. Cleveland, Ohio: CRC Press.
- Gosselin, R. E., R. P. Smith, H. C. Hodge and J. E. Braddock. 1984. *Clinical Toxicology of Commercial Products*, 5th ed. Baltimore, MD: Williams and Wilkins.
- HSDB. 2000. Hazardous Substances Data Base. National Library of Medicine. <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>.
- IARC. 1985. Alkyl Compounds, Aldehydes, Epoxides, and Peroxides. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, vol. 36. Lyon, France: International Agency for Research on Cancer. 369 pp.
- IARC. 1987. Overall Evaluations of Carcinogenicity. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, Supplement 7. Lyon, France: International Agency for Research on Cancer. 440 pp.
- IARC. 1999. Re-evaluation of Some Organic Chemicals, Hydrazine, and Hydrogen Peroxide. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, vol. 71. Lyon, France: International Agency for Research on Cancer. 1589 pp.
- IPCS. 1995. Acetaldehyde, No. 167. International Programme on Chemical Safety. [gopher.who.ch:70/00/anonymousftp/programme/pcs/ehc/ehc167.acs](http://gopher.who.ch:70/00/anonymousftp/programme/pcs/ehc/ehc167.acs).
- ITA. 2001. U.S. Trade Quick-Reference Tables: December 2002 Imports. International Trade Administration. U.S. Department of Commerce. <http://www.ita.doc.gov/td/industry/otea/Trade-Detail/Latest-December/Imports/29/291212.html>.

- Kirk-Othmer. 1978. Kirk-Othmer Encyclopedia of Chemical Technology, 3rd ed., vol. 1. New York, NY: Jon Wiley and Sons.
- Merck. 1989. The Merck Index, 11th ed. Rahway, NJ: Merck & Company, Inc.
- NIOSH. 1980. Health Hazard Evaluation Determination, Continental Columbus Corporation, Columbus, Wisconsin. NIOSH Publication No. 78-102-677. Cincinnati, OH: Department of Health and Human Services.
- NIOSH. 1981. Occupational Health Guidelines for Chemical Hazards. NIOSH Publication no. 81-123. National Institute for Occupational Safety and Health.
- NIOSH. 1984. National Occupational Exposure Survey (1981-83). Cincinnati, OH: U. S. Department of Health and Human Services. <http://www.cdc.gov/noes/noes3/empl0003.html>.
- Rodnan, N., ed. 1997. Chemyclopedia '98. The Manual of Commercially Available Chemicals, vol. 16. Washington, D.C., American Chemical Society. p. 33-214.
- Sittig, M. 1985. Handbook of Toxic and Hazardous Chemicals and Carcinogens, 2nd ed. Park Ridge, NJ: Noyes Publications. 950 pp.
- SRI. 1997. Directory of Chemical Producers, United States, 1997. Stanford Research Institute, Menlo Park, CA: SRI International.
- Tilton, H., ed. 1997. OPD Chemical Buyers Directory 1998. The Green Book. 85th ed. New York, NY, Schnell Publishing.
- TRI99. 2001. Toxic Chemical Release Inventory 1999. Data contained in the Toxic Chemical Release Inventory (TRI). National Library of Medicine. <http://www.epa.gov/triexplorer/>.
- USDOCIImports. 1988. U.S. Imports for Consumption and General Imports, TSUSA Commodity by Country of Origin. Washington, D.C.: U.S. Government Printing Office.
- USITC. 1986. Synthetic Organic Chemicals, United States Production and Sales, 1985. USITC Publication No 1892. Washington, D.C.: U.S. Government Printing Office.
- USITC. 1987. Synthetic Organic Chemicals, United States Production and Sales, 1986. USITC Publication No 2009. Washington, D.C.: U.S. Government Printing Office.
- USITC. 1988. Synthetic Organic Chemicals, United States Production and Sales, 1987. USITC Publication No 2118. Washington, D.C.: U.S. Government Printing Office.
- USITC. 1989. Synthetic Organic Chemicals, United States Production and Sales, 1988. USITC Publication No 2219. Washington, D.C.: U.S. Government Printing Office.
- USITC. 1990. Synthetic Organic Chemicals, United States Production and Sales, 1989. USITC Publication No 2338. Washington, D.C.: U.S. Government Printing Office.
- USITC. 1991. Synthetic Organic Chemicals, United States Production and Sales, 1990. USITC Publication No 2470. Washington, D.C.: U.S. Government Printing Office.
- USITC. 1993. Synthetic Organic Chemicals, United States Production and Sales, 1991. USITC Publication No 2607. Washington, D.C.: U.S. Government Printing Office.
- USITC. 1994. Synthetic Organic Chemicals, United States Production and Sales, 1992. USITC Publication No 2720. Washington, D.C.: U.S. Government Printing Office.
- USITC. 1995. Synthetic Organic Chemicals, United States Production and Sales, 1994. USITC Publication No 2933. Washington, D.C.: U.S. Government Printing Office.
-