


Dimethyl Sulfate

CAS No. 77-78-1

Reasonably anticipated to be a human carcinogen
First Listed in the *Second Annual Report on Carcinogens* (1981)



Carcinogenicity

Dimethyl sulfate is *reasonably anticipated to be a human carcinogen* based on sufficient evidence of carcinogenicity in experimental animals (IARC 1974, 1982, 1987, 1999). When administered by inhalation, dimethyl sulfate induced squamous cell carcinomas of the nasal cavity in rats. When administered by subcutaneous injection, dimethyl sulfate induced local sarcomas in rats. When administered by intravenous injection to pregnant rats, dimethyl sulfate induced tumors of the nervous system in their offspring (IARC 1974).

There was inadequate evidence for the carcinogenicity of dimethyl sulfate in humans (IARC 1987, 1999). Four cases of bronchial carcinoma were reported in men occupationally exposed to dimethyl sulfate. Additional case reports have since appeared: a case of pulmonary carcinoma in a man exposed for seven years to "small amounts" of dimethyl sulfate, but to larger amounts of bis(chloromethyl) ether and chloromethyl methyl ether, and a case of choroidal melanoma in a man exposed for six years to dimethyl sulfate (IARC 1999).

Properties

Dimethyl sulfate is an oily, colorless liquid with a faint, onion-like odor. It is soluble in water, ether, dioxane, acetone, and aromatic hydrocarbons and slightly soluble in carbon disulfide and aliphatic hydrocarbons. It is stable at room temperature, and rapidly hydrolyzes in water. Dimethyl sulfate is corrosive (HSDB 2001). When heated, this chemical produces toxic fumes including sulfur oxides and reacts with water to produce sulfuric acid and heat. Dimethyl sulfate reacts violently with concentrated aqueous ammonia, bases, acids, and strong oxidants with risks of fire and explosions (IPCS 1995). Commercial and technical grades are available that may contain small amounts of acid or dimethyl ether impurities (HSDB 2001).

Use

Dimethyl sulfate is used primarily as a methylating agent to convert compounds such as phenols, amines, and thiols to the corresponding methyl derivatives (IARC 1999). It is used in the manufacture of methyl esters, ethers, and amines in dyes, drugs, perfumes, pesticides, phenol derivatives, and other organic chemicals. It is also used as a solvent for the separation of mineral oils and for the analysis of auto fluids and as a component of polyurethane-based adhesives. Formerly, diethyl sulfate was used as a war gas (HSDB 2001).

Production

Dimethyl sulfate has been produced commercially in the United States since at least the 1920s. It can be made by the continuous reaction of dimethyl ether with sulfur trioxide (IARC 1974, 1999). Chem Sources (2001) identified 21 domestic suppliers of dimethyl sulfate. Total imports for diethyl and dimethyl sulfate exceeded 1.1 billion lb in 1985 and 1.5 billion lb in 1987 (USDOC Imports 1986, 1988). No current data on imports or exports were available.

Exposure

The primary routes of potential occupational exposure to dimethyl sulfate are inhalation and dermal contact at facilities where the chemical is produced or where its derivatives are formulated (HSDB 2001). The

National Occupational Exposure Survey (1981-1983) indicated that 10,483 workers, including 2,456 women, were potentially exposed to dimethyl sulfate (NIOSH 1984). This estimate was derived from observations of the actual use of the compound (96% of total observations) and the use of trade name products known to contain the compound. In 1979, NIOSH estimated that 4,200 workers were exposed to dimethyl sulfate annually in the workplace (Sittig 1985). Dimethyl sulfate enters air and water largely through production losses. EPA's Toxic Chemical Release Inventory (TRI) estimated that 10,064 lb of dimethyl sulfate were released to the environment, specifically as air emissions, from 16 facilities that produced, processed, or used the chemical in the United States in 1999. Releases of dimethyl sulfate were quite variable from 1989 to 1997, ranging from reductions of 31% to increases of 28%; however, a substantial increase was observed in 1998, with an increase of 67% in the amount of dimethyl sulfate released when compared to the amount released in 1997 (TRI99 2001).

Regulations

DOT

Dimethyl sulfate is considered a hazardous material and special requirements have been set for marking, labeling, and transporting this material

EPA

Clean Air Act

NESHAP: Listed as a Hazardous Air Pollutant (HAP)

NSPS: Manufacture of substance is subject to certain provisions for the control of Volatile Organic Compound (VOC) emissions

Comprehensive Environmental Response, Compensation, and Liability Act

Reportable Quantity (RQ) = 100 lb

Emergency Planning and Community Right-To-Know Act

Toxics Release Inventory: Listed substance subject to reporting requirements

Reportable Quantity (RQ) = 100 lb

Threshold Planning Quantity (TPQ) = 500 lb

Resource Conservation and Recovery Act

Listed Hazardous Waste: Waste codes in which listing is based wholly or partly on substance - U103, K131

Listed as a Hazardous Constituent of Waste

OSHA

Permissible Exposure Limit (PEL) = 1 ppm (5 mg/m³)

Guidelines

ACGIH

Threshold Limit Value - Time-Weighted Average Limit (TLV-TWA) = 0.1 ppm

NIOSH

Immediately Dangerous to Life and Health (IDLH) = 7 ppm

Recommended Exposure Limit (time-weighted-average workday) = 0.1 ppm (0.5 mg/m³)

Listed as a potential occupational carcinogen

REFERENCES

- ChemSources. 2001. Chemical Sources International, Inc. <http://www.chemsources.com>.
- HSDB. 2001. Hazardous Substances Data Base. National Library of Medicine. <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>.
- IARC. 1974. Some Aromatic Amines, Hydrazine and Related Substances, *N*-Nitroso Compounds and Miscellaneous Alkylating Agents. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, vol. 4. Lyon, France: International Agency for Research on Cancer. 286 pp.
- IARC. 1982. Chemicals, Industrial Processes and Industries Associated with Cancer in Humans. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, Supplement 4. Lyon, France: International Agency for Research on Cancer. 292 pp.
- IARC. 1987. Overall Evaluations of Carcinogenicity. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, Supplement 7. Lyon, France: International Agency for Research on Cancer. 440 pp.
- IARC. 1999. Re-evaluation of Some Organic Chemicals, Hydrazine, and Hydrogen Peroxide. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, vol. 71. Lyon, France: International Agency for Research on Cancer. 1589 pp.
- IPCS. 1995. International Chemical Safety Cards, ICSC: 0148. Dimethyl Sulfate. International Programme on Chemical Safety. <http://www.inchem.org>.
- NIOSH. 1984. National Occupational Exposure Survey (1981-83). Cincinnati, OH: U. S. Department of Health and Human Services. <http://www.cdc.gov/noes/noes3/empl0003.html>.
- Sittig, M. 1985. Handbook of Toxic and Hazardous Chemicals and Carcinogens, 2nd ed. Park Ridge, NJ: Noyes Publications. 950 pp.
- TRI99. 2001. Toxic Chemical Release Inventory 1999. Data contained in the Toxic Chemical Release Inventory (TRI). National Library of Medicine. <http://www.epa.gov/triexplorer/>.
- USDOCImports. 1986. U.S. Imports for Consumption and General Imports, TSUSA Commodity by Country of Origin. Washington, D.C.: U.S. Government Printing Office.
- USDOCImports. 1988. U.S. Imports for Consumption and General Imports, TSUSA Commodity by Country of Origin. Washington, D.C.: U.S. Government Printing Office.