

# Index

## A

accuracy, 82, 82*f*  
action, 7, 77–79, 82, 96  
    case study, 85  
    collective, 152–153  
    in VSAL model, 65, 66*f*, 67, 95  
action planning  
    in concept mapping, 102–103  
    for research utilization, 89, 91–92, 91*f*  
active agents, 77–78  
adaptation  
    of collective vision, 70  
    in loosely coupled systems, 75  
    in planning, 71  
adaptive agents, 45  
adaptive organizations, 62, 73–74  
administrative work, 52  
adolescents  
    smoking prevalence among, 15–16  
    in system dynamics models, 126, 127*f*, 128–129  
advertising, tobacco industry, 13, 16–17, 232  
    in causal maps, 119*f*, 120  
advocates, participation of, 3*f*, 271, 271*t*  
age factors, in system dynamics models, 126,  
    127*f*, 128–129, 133–134, 134*f*  
Agency for Healthcare Research and Quality, 200  
agenda setting, 50, 194  
agent(s)  
    active, 77–78  
    adaptive, 45  
    in learning organizations, 79  
    and missions, 77–78  
    network models based on, 179  
    participatory, 77–78  
agent-centered principle, 68–69  
alignment, 116  
Amazon.com, 239  
American Cancer Society (ACS), 174, 200–201  
American College of Surgeons Commission on  
    Cancer, 200  
American Legacy Foundation, 27, 169  
American Medical Association, 24

American Stop Smoking Intervention Study  
for Cancer Prevention (ASSIST), 17, 22–24,  
228–229, 233–234, 251  
    models, 23, 23*f*–24*f*  
    monograph on, 245–246  
    strength of tobacco control measure, 48, 94–95,  
    118, 229, 242, 245–246  
    analysis  
        consensus, 102  
        cultural, 43–44  
        data, 99–100, 167–168  
        network (*See* network analysis)  
    in systems approaches, 230–231, 231*f*  
antitobacco constituencies, in causal maps, 121,  
    121*f*  
appreciative inquiry summit methodology, 73  
approval process, streamlining of, 53  
architecture workspace, 205  
assessment  
    needs, 71  
    participatory methods for, 50  
ASSIST project. *See* American Stop Smoking  
    Intervention Study for Cancer Prevention  
    (ASSIST)  
attractor, 46  
audience, for knowledge translation, 191  
autonomy, networks and, 157  
autopoiesis, 46  
awareness of health risks, in causal maps, 120–122,  
    120*f*–121*f*

## B

Battelle Centers for Public Health Research and  
Evaluation, 92, 253  
    behavior  
        determined by structure, 116  
    models of, 45  
    network, 8, 152–154, 181  
    organizational, 63, 188  
    as system, 111–113, 116  
    tobacco use (*See* smoking behavior)  
behavioral management, 63  
Behavioral Risk Factor Surveillance System, 201  
best practice. *See* evidence-based practice  
*Best Practices for Comprehensive Tobacco  
Control Programs* (CDC), 169  
“better before worse” scenario, 115–116

*Note:* Page numbers with *t* indicate tables; page numbers with *f* indicate figures.

- betweenness centrality, 150–151, 172, 174  
 boids, 45  
 Boys and Girls Clubs (B&G Clubs), 172  
 brainstorming, 71  
   in concept mapping, 98  
   overlap with data collection, 230–231  
   in tobacco control systems, 116  
 broker relationships, 150  
 buffering, 75  
 building blocks, in complex adaptive systems, 45  
 bureaucratic paperwork, 52  
 business case, in knowledge management, 194
- C**
- Campaign for Tobacco-Free Kids, 27, 199  
 Cancer Biomedical Informatics Grid (caBIG),  
   198, 200, 204–205, 207  
 cancer control  
   knowledge resources, 199–206  
   research utilization in, 87–92, 95  
 Cancer Control Plan, Link, Act, Network with  
   Evidence-based Tools (PLANET), 186, 198–203,  
   229  
   knowledge management strategy, 209, 210*t*,  
   237, 242  
 Cancer Information Service (CIS), 161, 201  
 Cancer Intervention and Surveillance Modeling  
   Network (CISNET), 198, 202–203  
 cancer research tools, integrative, 204  
 capacity building  
   knowledge management, 195, 241–242, 244  
   network, 160, 177  
   systems thinking, 6, 241, 244  
 Capra, F., 43  
 CAS. *See* complex adaptive systems (CAS)  
 CATWOE, 43–44  
 causal maps, development of, 118–125, 119*f*–125*f*  
 causal model, 110–111, 115, 141, 231–232  
   development of, 118–125, 119*f*–125*f*  
 CBOs. *See* community-based organizations (CBOs)  
 CBPR. *See* community-based participatory  
   research (CBPR)  
 CDCynergy, 203  
 cellular automata, 45–46  
 Center for Substance Abuse Prevention, 117  
 Center for the Advance of Health, 87  
 Centers for Disease Control and Prevention (CDC)  
   evaluation framework, 81–82, 82*f*  
   guidelines, 55, 169, 186, 201, 252, 267  
   IMPACT program, 24, 251  
   knowledge management initiatives, 199, 211  
   research citations, 186  
   syndemics initiative, 39  
   system dynamics model validation, 131–132,  
   132*f*  
   tobacco control initiatives, 24, 201, 242  
   tracking systems, 229, 242  
   transdisciplinary efforts, 27, 235–236  
 centers of excellence, creation of, 243  
 centrality of networks, 150–151, 172, 174  
 centralization index, 172, 174  
 chaos theory, 46, 48, 113, 187, 232  
 Checkland, Peter, 43–44, 112–113, 226, 252  
 Chief Executive Office Roundtable on Cancer, 27  
 children  
   smoking prevalence among, 15–16  
   in system dynamics models, 126, 127*f*, 128–129  
 CHP (Consumer Health Profiles), 199, 203  
 Chronic Disease Directors Association, 169  
 cigarettes  
   design of, 14–15  
   distribution of, 16–17  
   history of, 16–17  
 CIS (Cancer Information Service), 161, 201  
 CISNET (Cancer Intervention and Surveillance  
   Modeling Network), 198, 202–203  
 classical management theory, 63–65, 65*t*  
 clean indoor air laws, 20  
 client referrals, 164, 174–175, 174*f*  
*Clinical Guide to Tobacco Use Counseling*, 201  
*Clinical Practice Guideline on Tobacco  
   Cessation*, 201  
 clinical trial management systems, 204  
 cliques, 150–152  
 closeness centrality, 150–151  
 cluster rating map, 100  
   examples of, 88–89, 90*f*, 92–93, 93*f*, 101*f*  
   interpretation of, 101  
   for tobacco knowledge base, 212, 212*f*  
 Cochrane Collaboration, 252  
 cognitive maps, 72  
 collaboration  
   among stakeholder groups, 54, 62, 148, 240  
   in collective vision, 71  
   in community-based participatory research, 80  
   in concept mapping, 83–95  
   facilitation of, 54, 156  
   knowledge base for, 189  
   multiple levels of, 154  
   navigating, 75

- in networks, 74, 158
    - promotion of, 28–29
    - transdisciplinary (*See* transdisciplinary approach)
    - trust in, 80
  - collective action theories, 152–153
  - collective learning, 78
  - collective vision, 70–73, 84*f*
    - building, 86, 235
    - link between mission and, 77–79, 82–83, 95
  - command-and-control structures, 62, 64–65
    - alternatives to, 73–74
    - versus* collaboration, 28–29
    - versus* loosely coupled systems, 75
  - COMMIT (Community Intervention Trial for Smoking Cessation), 22, 228, 233, 251
  - commitment, to networks, 154–155, 157–158
  - Common Data Elements, 204–205
  - communication
    - in networks, 153, 175
    - of positive outcomes, 52
    - between researchers, 53
  - communities of practice, in knowledge management, 195
  - community-based organizations (CBOs), 76–77
  - community-based participatory research (CBPR), 80, 236
  - community building, 78
  - Community-Campus Partnership for Health, 245
  - Community Intervention Trial for Smoking Cessation (COMMIT), 22, 228, 233, 251
  - community-level participation, 244–245
  - compensation, for system changes, 115
  - competency development, 75, 271
  - competition
    - among public health agencies, 124–125
    - in networks, 157, 206
    - for scarce resources, 52
  - complex adaptive systems (CAS), 44–45, 113, 226–227, 232, 255
  - Comprehensive Cancer Control Leadership Institutes, 202
  - computer software
    - concept mapping, 97–103
    - for knowledge management, 196–197
    - for network design, 179
    - of system dynamics, 111–114, 142
    - system dynamics models, 126
  - concept mapping, 7, 9, 71–72, 96
    - case studies, 87–88, 87*f*, 91–93, 93*f*, 95
    - collaborative, 83–95
    - example of, 101
    - interpretation in, 100–101
    - methodology, 97–103
    - overlap with network analysis, 230–231
    - of tobacco control knowledge base, 209–217, 212*f*, 215*f*, 237
  - Concept System computer software, 97–103
  - conceptual domain, generation and structuring of, 97–99
  - conference, on systems thinking, 244
  - conference model, 72
  - conflict
    - networks and, 157–158
    - structure and, 76–77
  - congestion, network, 178
  - consensus analysis, 102
  - consensus building, 195
  - Consumer Health Profiles (CHP), 199, 203
  - contact networks, state level, 172, 173*f*, 174
  - contemporary management theory, 63
  - contingency perspective, 63
  - controlling function
    - in traditional model, 64, 65*t*, 68
    - in VSAL model, 69
  - cooperation. *See also* collaboration
    - in networks, 157
  - critical mass, 229
  - critical systems thinking, 113
  - Crossing the Quality Chasm: A New Health System for the 21st Century* (IOM), 232
  - cross-sectional studies, of networks, 165
  - Cullman, Joseph III, 17
  - cultural analysis, 43–44
  - Current Citations* (CDC), 186
  - Current Population Survey Tobacco Use Supplement, 201
  - curriculum, systems theory, 244, 272
  - cybernetic loop, 114–115
- D**
- data analysis
    - in concept mapping, 99–100
    - in network analysis, 167–168
  - database technology
    - dynamic, 239
    - in knowledge management, 196–197
  - data collection
    - for concept mapping, 97–100
    - for network analysis, 160, 165–171
    - overlap with brainstorming, 230–231

decentralized networks, 151  
 decision making, in networks, 157–158  
 dedicated network alliance function, 155  
 degree centrality, 150–151  
 delays, in causal maps, 119  
 Delphi technique, 71  
 demographic change, preparation for, 241  
 density, network, 151, 175, 178  
 design, network, 179–180  
 diagnosis, network, 176–177  
 diagrams, causal loop, 118–125, 119*f*–125*f*  
 directories, network, 201  
 discovery, network, 176  
 dissipative structure  
   of collective vision, 70  
   in complex adaptive systems, 46  
 distribution, of collective vision, 70  
 diversity, in complex adaptive systems, 44  
 duplication of effort, avoiding, 54, 206, 240  
 dyads, 149–150, 153  
 dynamic database principle, 239

## E

ecological context, of knowledge translation, 191, 217  
 ecological thinking, 43, 44*t*, 226, 235–236, 238–239, 245  
 edges, 46  
 emergence, in complex adaptive systems, 46  
 empowerment  
   evaluation, 80  
   participants, 116  
 engagement, of stakeholder groups, 116  
 environmental factors  
   affecting tobacco control, 13, 19–22, 175, 232, 236–237  
   knowledge translation and, 191  
 Environmental Public Health Indicators (CDC), 229  
 environmental scanning, 178, 231, 238  
 evaluation  
   dynamic databases for, 239  
   empowerment, 80  
   fostering, 239–240  
   knowledge base for, 201–202  
   participatory, 79–82, 82*f*, 226  
   system models for, 81–82, 82*f*

evaluation function  
   in traditional model, 64, 79  
   in VSAL model, 67, 69, 79, 84*t*  
 evidence-based practice, 252  
   attitude of user toward, 80  
   encouragement of, 54  
   knowledge base for, 189, 201  
 evidence-based priorities, setting of, 28  
 evolution  
   concept of, 73  
   of management theory, 63–65, 70, 79  
   of networks, 153–154, 165, 178  
   of public health, 12–13, 39, 142, 226  
   of systems, 46, 113  
   of systems thinking, 273  
   of tobacco control, 12–13, 30, 39, 133, 142, 227–228, 228*f*, 233–234, 250, 250*f*, 252  
 exchange theories, 152  
 explicit knowledge, 188, 221, 227  
   shift from tacit knowledge to, 193, 207, 214  
 exploitation, network, 155  
 exploration, network, 155

## F

facilitation  
   of collective vision, 71–73  
   in concept-mapping interpretation, 101  
 facilitative leadership, 77–78, 84*t*  
 FCTC (Framework Convention for Tobacco Control), 29  
 feasibility, 82, 82*f*  
 Federal Cigarette Labeling and Advertising Act, 133  
 Federal Trade Commission, 14–15  
 feedback, definition of, 45  
 feedback loops, in system dynamics, 110, 114–115, 114*f*, 132–133, 133*f*, 141–142, 226  
 filters, 14  
 financial climate, for state tobacco control programs, 171–172, 172*t*, 173*f*  
 financial infrastructure, for knowledge management, 196, 209  
 Finland, North Karelia Project in, 21  
 “fishing net” approach, 156  
 flocking model, 45  
 flows  
   in causal maps, 119, 131, 142, 231  
   in complex adaptive systems, 44

focused goals, 269–273  
 focused integration, 154, 180  
 focus groups, 71  
 follow-up studies, in network analysis, 167  
 formal relationships, network, 163–164  
 Forrester, Jay, 111–113  
 fractals, 46  
 fragmentation, network, 151  
 Framework Convention for Tobacco Control (FCTC), 29, 161  
 funding  
   ISIS, 252–253  
   for tobacco control  
     in causal maps, 121, 121*f*, 123–124, 124*f*, 135–136, 136*f*  
     policy makers and, 53–54  
     practitioner services and, 52  
     state programs and, 169, 175, 175*f*  
     streamlining of, 53  
 future-search conferences, 72

## G

*General System Theory: Foundations, Development, Applications* (von Bertalanffy), 40  
 generation step, in concept mapping, 97–98  
 genetic basis, for smoking behavior, 16  
 geographic dispersion, problems related to, 156  
 GlaxoSmithKline, 117  
 Global Links program, 237  
 Global Tobacco Research Network (GTRN), 161–162, 237, 253  
   network analysis of, 160–169, 181  
 goals  
   focused, 269–273  
   ISIS, 48*t*, 54–55, 226, 254, 256  
   knowledge management, 48*t*, 216  
   network, 48*t*, 155, 160  
   purposeful, 73  
   setting of, 29  
   system dynamics, 84*t*, 114–115  
   tobacco control, 12  
 governance  
   network, 151, 154, 178, 180  
   of self-managed groups, 76  
 government, willingness to take action, in causal maps, 123, 123*f*  
 government agencies, collaboration among, 27

government awareness, of health risks, in causal maps, 121*f*, 122  
 government health warnings, 133  
 government intervention sector, in system dynamics models, 118, 140, 140*f*  
 government legislation, 20, 118, 133  
   in causal maps, 123–124, 124*f*  
 government sector, in system dynamics models, 130, 130*f*, 139–141, 140*f*, 144*f*  
 go-zone plots, example of, 89, 91, 91*f*, 102–103, 103*f*  
 group modeling, 116  
 groupware, 196  
 GTRN. *See* Global Tobacco Research Network (GTRN)  
*Guidance for Comprehensive Cancer Control Planning* (CDC), 267  
*Guide to Clinical Preventive Services*, 55  
*Guide to Community Preventive Services*, 55, 186, 201, 252

## H

Hawaii, tobacco control program in, 171–175, 172*t*  
 health care costs, in causal maps, 122, 122*f*  
 health system, as ecosystem, 191  
*Healthy People 2010*, 12, 30, 117  
 holistic thinking, 40  
 home, smoking in, 20  
 homophily, 153  
 horizontal networks, 164–165  
 hotlines, national network of. *See* North American Quitline Consortium  
 humanistic management, 63  
 human resources, shortage of, 241

## I

IMPACT (Initiatives to Mobilize for the Prevention and Control of Tobacco Use), 24, 251  
 implementation framework, for systems thinking, 259–275, 266*f*  
 implementation function  
   ecological perspectives on, 238–239, 260  
   knowledge management in, 187, 189  
   in traditional model, 64  
   in VSAL model, 67, 74  
 in-degree centrality, 150–151

- Indiana, tobacco control program in, 171–175, 172*t*, 173*f*, 175*f*–176*f*
- Indiana Tobacco Prevention and Cessation Agency (ITPC), 172
- individual-level network theories, 149–150
- Industrial Revolution, management theory and, 65
- informal relationships  
client referrals and, 174–175, 174*f*  
network, 164
- information  
*versus* knowledge, 186–187  
shared, 164
- information dissemination, 28, 53, 186, 252  
and attitude of user, 80  
network efficiency for, 178  
policy makers and, 54  
in system dynamics models, 127, 127*f*, 129, 135–137, 136*f*–137*f*, 144*f*
- information infrastructure, 196, 209–210, 242
- Initial Outcomes Index (ASSIST), 242
- Initiative on the Study and Implementation of Systems project. *See* ISIS (Initiative on the Study and Implementation of Systems) project
- Initiatives to Mobilize for the Prevention and Control of Tobacco Use (IMPACT), 24, 251
- Inquiring Knowledge Networks On the Web system, 170
- Institute of Medicine  
*Crossing the Quality Chasm: A New Health System for the 21st Century*, 232  
2001 report, 87
- institutional-community relations, 244–245
- integration, focused, 154, 180
- integration and implementation sciences, 254, 272  
framework of, 48–49, 49*t*
- integrative cancer research tools, 204
- integrative management theory, 63
- interaction guidelines, for power issues, 76–77
- interfaces, focus on, 75
- internal models, in complex adaptive systems, 44–45
- interorganizational ties, 152
- interpretation step, in concept mapping, 100–101
- intervention, participatory methods for, 50
- interviews, for network analysis, 167, 169
- in vivo imaging, 204
- involvement, in network relationships, 154
- ISIS (Initiative on the Study and Implementation of Systems) project  
case studies, 47–50  
common methodologies, 230–231, 230*f*  
conclusions, 255–256  
chapter, 6–9  
crosscutting, 243–245  
general, 5–6, 29–30, 231–232  
specific, 234–245  
as framework for public health issues, 5, 39  
funding for, 252–253  
future steps for, 274–275  
goals of, 48*t*, 54–55, 226, 254, 256  
history of, 249–256  
implementation framework, 259–275, 266*f*  
key facets of, 26, 48*t*  
knowledge management review, 242  
lessons from, 25–29  
monograph framework, 3–5, 254–255  
network analysis in, 170–171  
participants in, 251, 253–254, 256  
policy makers and, 53–54  
practitioners and, 51–52  
purpose of, 2, 26, 38–39, 55, 227  
researchers and, 52–53  
summit meetings, 253–255  
synthesis of, 227–231  
system dynamics in, 116–133, 141–142  
vision of, 245, 260
- issue exploration, 50
- ITPC. *See* Indiana Tobacco Prevention and Cessation Agency (ITPC)
- ## J
- Johns Hopkins Bloomberg School of Public Health, 92, 162
- journals, research published in, 52–53, 136, 186, 236
- ## K
- key informants, in network analysis, 166, 168–169
- KMT. *See* knowledge management and translation (KMT)
- knowledge  
definition of, 221  
explicit, 188, 221, 227  
shift from tacit to, 193, 207, 214  
*versus* information, 186–187  
organization of, 190, 192–193  
tacit, 188, 193, 221, 227  
types of, 190, 216, 221
- knowledge architects, 195

- knowledge base. *See* tobacco control knowledge base
- knowledge brokers/managers, 195
- knowledge champions, 194–195
- knowledge conversion, 221
- knowledge development, 196
- knowledge development tools, 196
- knowledge management and translation (KMT), 8–9, 56, 141–142, 185–222, 226–227
  - benefits of, 189, 216
  - capacity building for, 195, 241–242, 244
  - case studies, 48*t*, 197–216
  - current directions in, 232–233, 233*t*
  - definition of, 187, 221–222
  - examples of, 228, 229*t*
  - formal methodology, 186
  - four Ps of, 194–196, 195*f*, 207–208, 214, 218–220
  - framework for, 188–191, 189*f*, 217, 222, 222*f*
    - conceptual, 189–194, 190*f*, 192*f*
    - strategic, 194–197, 195*f*
  - goals of, 48*t*, 216
  - infrastructures, 188, 196–197, 206–209, 216–217, 242
  - integration of, 192–194, 193*t*, 216
  - ISIS conclusions on, 241–243
  - key factors in, 188
  - overlap with other approaches, 230–231, 230*t*
  - project types, 188
  - resources for, 186
  - role of, 187
  - social context of, 191, 217
  - strategy maps, 197, 198*t*, 199*f*, 209, 210*f*, 210*t*–211*t*
    - for infrastructure, 197, 198*t*, 199*f*, 208–209, 218–220
  - terminology, 221–222
- knowledge map, systems-level, 207, 207*t*, 219–220
- knowledge navigation/access tools, 196
- knowledge networks, 222
- knowledge-outcome map, 220
- knowledge production, 190, 192
- knowledge refinement, 190–191, 193
- knowledge repositories, 155, 196
- knowledge resources
  - tobacco control, 199–206
  - value of, 196
- knowledge transfer, 56, 141–142
  - case studies, 48*t*
  - facilitation of, 156–157
  - goals of, 48*t*
  - two-way, framework for, 268–269, 268*f*
- knowledge-translation networks (KTNs), 236, 242–243
- knowledge use, 190, 193
- L**
- laboratories, virtual, 235
- ladder graph, for pattern matching, 102, 102*f*
- large group interventions (LGIs), 77–78
- large-scale change, framework for, 268–269, 268*f*
- large-scale interactive process, 72
- Latino Agencies (Oklahoma), 174
- laws
  - clean indoor air, 20
  - tobacco control, 118, 133
    - in causal maps, 123–124, 124*f*
- leader–follower principle, 68–69
- leadership
  - collective vision and, 70–71
  - facilitative, 77–78, 84*t*
  - fostering, 244
  - in knowledge management, 194–195
  - of loosely coupled systems, 75
  - participation of, 271, 271*t*
  - self-organization and, 73–74
  - in systems approach, 3*f*, 64, 68
- leadership program, creation of, 237
- leading function
  - in traditional model, 64, 65*t*, 68
  - in VSAL model, 69
- learning, 7, 79–83, 96
  - case study, 85
  - collective, 78
  - definition of, 79
  - enhancement of, 156–157, 235
  - team, 43
    - in traditional model, 79
    - in VSAL model, 65, 66*f*, 67, 69, 84*t*, 95
- learning organizations, 113, 226
  - development of, 42–43, 79, 235–236
- legitimacy, network, 154–155
- letters of support, for network analysis, 167
- LGIs. *See* large group interventions (LGIs)
- lifestyle clusters, 203
- linkages, among network members, 154
- local efforts, linking with, 244–245
- logic models, 72, 81, 92, 95–96, 229
- longitudinal studies, of networks, 165–166, 175
- long-term development, participatory methods for, 50–51
- loop(s), in causal maps, 119

loop model, causal, 118–125  
 loosely coupled system, 74–76  
 loyalty conflicts, networks and, 157–158

## M

machines, organizations as, 64  
*Making Health Communications Programs Work: A Planner's Guide* (NCI), 203  
 management  
   basic process of, 64, 65*t*  
   of networks, 158  
 management functions  
   in traditional model, 64, 65*t*, 67–68  
   in VSAL model, 67–68  
 management science, 63  
 management theory  
   applied to tobacco control initiatives, 68, 68*f*  
   classical, 63–65, 65*t*  
   evolution of, 63–65, 70, 79  
   humanistic, 63  
   integrative, 63  
   phases of, 63  
   quantitative, 63  
   systems approach to (*See* systems organizing)  
   traditional, 62–65, 65*t*  
     *versus* systems approaches, 65–70, 66*f*, 83, 95, 226, 234–235  
 map(s)  
   causal, development of, 118–125, 119*f*–125*f*  
   cluster rating (*See* cluster rating map)  
   cognitive, 72  
   knowledge, systems-level, 207, 207*t*, 219–220  
   knowledge management, 72, 197, 198*t*, 199*f*, 207–209, 210*f*, 210*t*–211*t*, 218–220  
   mind, 71–72  
   outcome, 72, 220  
   4P-KMT, 197, 198*t*, 199*f*, 207–208  
   planning, 71–72, 83 (*See also* concept mapping)  
 marketing, tobacco, 13, 16–17, 232  
   in causal maps, 119*f*, 120  
 Massachusetts Institute of Technology, 117  
 Master Settlement Agreement (MSA), 18, 171, 232  
 matrix approach  
   to network analysis, 160  
   to tobacco control, 23, 23*f*  
 MDS. *See* multidimensional scaling (MDS)  
 mental models, 42, 116, 194  
 Michigan, tobacco control program in, 171–175, 172*t*, 173*f*

mind maps, 71–72  
 Minnesota Heart Health Program, 21  
 mission  
   establishment of, 77  
   link between vision and, 77–79, 82–83, 95  
 Mississippi, tobacco control program in, 171–175, 172*t*, 173*f*  
 Missouri, tobacco control program in, 171–175, 172*t*  
 mobilization, network, 155  
 model(s)  
   behavior, 45  
   causal, 110–111, 115, 141, 231–232  
     development of, 118–125, 119*f*–125*f*  
   cellular automata, 45–46  
   conference, 72  
   evaluation, 81–82, 82*f*  
   group, 116  
   internal, 44–45  
   logic, 72, 81, 92, 95–96, 229  
   mental, 42, 116, 194  
   network, 179  
   participatory intervention, 80  
   planning, 71  
   system dynamics (*See* system dynamics models)  
   system knowledge, 4  
   systems organizing, 65–83, 66*f*  
   visual, 71–72  
   VSAL, 65, 66*f*, 67  
 motivation, for knowledge translation, 191  
 multidimensional scaling (MDS), 97  
 multidisciplinary approach. *See* transdisciplinary approach  
 multiple needs, addressing, 156  
 multiplexity, of networks, 150, 154  
 multivariate analysis, 230  
   of tobacco control, 23, 24*f*  
   of tobacco knowledge base, 212

## N

National Blueprint for Adult Tobacco-Use Cessation, 251  
 National Cancer Data Standards Repository (NCI), 205  
 National Cancer Institute (NCI), 200, 228. *See also specific NCI project*  
   Cancer Information Service, 161, 201  
   Consumer Health Profiles, 199, 203



- knowledge management infrastructure, 206–209, 217, 242
- knowledge management initiatives, 200–206, 217, 221–222
- National Cancer Data Standards Repository, 205
- research funding by, 27–28
- research utilization initiative, 87
- Smoking, Tobacco, and Cancer Program, 22
- Smoking and Tobacco Control Monographs, 20, 234, 245–246
- systems dynamics simulations, 117
- Tobacco Control Research Branch, 251
- transdisciplinary efforts, 27
- National Institute on Drug Abuse, 27
- National Institutes of Health (NIH), Roadmap Initiative, 27, 235
- National Program of Cancer Registries, 201
- National Tobacco Control Program (CDC), 24
- needs assessment, 71, 238
- network(s), 4, 6, 8, 226–227
- agent-based simulations of, 179
  - benefits of, 156–157
  - capacity building, 160, 177
  - centrality of, 150–151, 172, 174
  - creation of, 6, 243, 270
  - cross-organizational cooperation in, 62
  - definition of, 2, 149
  - delineation of, 170
  - design of, 179–180, 270
  - diagnosis, 176–177
  - discovery, 176
  - effective, 154–155
  - evolution of, 153–154, 165, 178
  - examples of, 228, 229*f*, 264–265
  - goals of, 155, 160
  - governance of, 151, 154, 178, 180
  - horizontal, 164–165
  - ISIS conclusions on, 240–241
  - knowledge, 222
  - knowledge base for, 189
  - location of, 153, 164–165
  - nodes of, 161, 172, 174
  - shortcomings of, 157–158
  - small-world, 149, 155
  - “star,” 155
  - structure of, 150–152, 160, 164–165, 172, 175, 175*f*, 178–180
  - systems organizing structure and, 74, 141
  - tobacco control, research on, 165–169
  - unique properties of, 151
  - value of, 148–149, 155–159
  - vertical, 164
- network alliance function, dedicated, 155
- network analysis, 8, 56, 147–181
- application of, 159–160
  - benefits of, 159–160, 180–181
  - case studies, 48*f*, 157, 169–180
  - comparative, 180
  - current directions in, 232–233, 233*f*
  - data collection for, 160, 165–171
  - definition of, 159
  - goals of, 48*f*
  - guidelines for, 160, 181
  - information needed for, 161–165
  - for ISIS, 170–171
  - ISIS conclusions on, 240–241
  - key informants in, 166, 168–169
  - levels of, 149–152
  - network selection for, 166, 168
  - organization identification for, 161–162
  - overlap with other approaches, 230–231, 230*f*
  - quantitative, 165–166
  - relationship identification for, 163–164
  - services identification for, 162–163, 166, 168
  - streamlining, 168
  - in tobacco control
    - case study, 169–180
    - data collection methods for, 160–169
    - translation into practice, 175–180
    - Web-based environment for, 170
- network applications, in public health, 8
- network attributes, as measure of tobacco control efforts, 8
- network behavior, theories of, 8, 152–154, 181
- network bounding, 161
- network development, in knowledge management, 196
- network directories, 201
- network leaders, data collection from, 166
- network organizations, 74
- network relationships
- client referrals and, 174–175, 174*f*
  - institutionalized, 180
  - strength of, 154, 270
  - type and frequency of, 163–164, 178, 180
  - weak, 168
- network theory, 46
- individual-level, 149–150
  - overview of, 148–154
- New Citations*, 186

“new sciences,” 40–41  
 New York State  
   tobacco control program in, 171–175, 172*t*  
   welfare reform study, 115  
 nicotine, “free-base” form of, 15  
 nicotine addiction, potential for, 15  
 nicotine delivery  
   efficacy of, 14–15  
   measurement of, 14–15  
 nicotine replacement therapy, 13, 28  
 NIH (National Institutes of Health), Roadmap Initiative, 27, 235  
 nodes, network, 161, 172, 174  
 nominal groups approach, 71  
 nonlinear systems, 44, 46  
 North American Quitline Consortium, 160–161  
   network analysis of, 160–169, 181  
 North Karelia (Finland) Project, 21

## O

obesity control initiative, 85–86  
 Oklahoma, tobacco control program in, 171–175, 172*t*, 173*f*  
 open-space meetings, 72–73  
 open systems framework, power issues and, 76  
 operating system, 65  
 operational milestones, 75  
 organization(s)  
   adaptive, 62, 73–74  
   definition of, 62  
   evolution of, 153–154  
   identification of, for network analysis, 161–162  
   learning, 113, 226  
   development of, 42–43, 79, 235–236  
   as machines, 64  
   “network,” 74  
   networks of, 62, 152  
   as organisms, 73, 78  
   purposeful, 62, 73–74  
 organizational behavior, 63, 188  
 organizational change. *See also* system dynamics approaches to, 78 theories of, 153–154  
 organization infrastructure, for knowledge management, 196, 208  
 organizing function  
   in traditional model, 64, 65*t*, 68  
   in VSAL model, 69, 84*t*  
 outcome maps, 72  
 out-degree centrality, 150–151

## P

parameters, estimation of, 116, 132–133  
 participants  
   empowerment of, 116  
   ISIS, 251, 253–254, 256  
   in knowledge management, 194–195, 195*f*, 208  
   network, data collection from, 167  
   substitution of, 75  
 participative work redesign, 72  
 participatory action research, 78–80, 234  
 participatory agents, 77–78  
 participatory evaluation, 79–82, 82*f*, 226  
 participatory intervention model, 80  
 participatory methods, 47, 50–51, 84*t*, 226  
   key elements of, 50  
   of needs assessment, 238  
   for planning, 72–73  
   structured process for, 77  
   types of, 50  
   value of, 50–51  
 participatory research  
   community-based, 80, 236  
   power balance in, 76  
 passive smoking, 18, 20  
 pathology tools, 204  
 pattern matching, 102  
   example of, 88–89, 90*f*, 102, 102*f*  
   for tobacco knowledge base, 214, 215*f*  
 Pawtucket Heart Health Program, 21  
 Pennsylvania, tobacco control program in, 171–175, 172*t*  
 people. *See also* participants  
   in knowledge management, 194–195, 195*f*, 208  
 per capita spending, on tobacco control, 171  
 persistence, 75  
 personal mastery, 42  
 Philip Morris, 17–20, 29  
 physical proximity, networks and, 153, 164–165  
 Pink Book, 203  
 4P-KMT map, 197, 198*t*, 199*f*, 207–208  
 PLANET project, 186, 198–203, 229  
   knowledge management strategy, 209, 210*t*, 237, 242  
 planning  
   dynamic databases for, 239

- knowledge base for, 201–202
  - map-based approaches to, 71–72
  - model of, 71
  - participatory methods for, 72–73
  - planning function
    - collective vision and, 71
    - in traditional model, 64, 65*t*, 68
    - in VSAL model, 68–69, 84*t*
  - policy makers, participation of, 51, 53–54, 262–263
  - policy resistance, 115–116
  - policy simulation, 117
  - political climate, for state tobacco control programs, 171–172, 172*t*, 173*f*
  - population-level efforts, at tobacco control, 20–25, 30, 39
  - population science special interest group, 205
  - population surveillance systems, development of, 28
  - power, structure and, 76–77
  - practice domain, in systems organizing model, 67, 69
  - practitioners
    - participation of, 3*f*, 51–52, 261, 271, 271*t*
    - value of networks for, 156–157
  - PRECEDE/PROCEED framework, 234
  - prevention, focus on, 28
  - process
    - in knowledge management, 195–195, 195*f*, 208
    - in systems approaches, 230–231, 231*t*
  - product
    - in knowledge management, 195*f*, 196, 208
    - tobacco as, 14
  - program development databases, 239
  - program evaluation, 169
  - program evaluation databases, 239
  - program theory, 81
  - Project Low-Fat Eating for America Now (LEAN), 85–86
  - propriety, 82, 82*f*
  - protobacco constituencies, in causal maps, 122–124, 123*f*
  - proximity, networks and, 153, 164–165
  - public, undecided, in system dynamics model, 139–140, 139*f*–140*f*
  - publications, 52–53, 136, 186, 236
  - public awareness, of health risks, in causal maps, 120–121, 120*f*
  - public goods theory, 153
  - public health
    - concept mapping in, 72
    - evolution of, 12–13, 39, 142, 226
    - ISIS project as framework for, 5, 232
    - knowledge management framework for, 188–191, 189*f*, 222, 222*f*
    - network analysis in, 155–156, 159
    - system dynamics in, 117
    - systems approaches to, 47, 55, 235–236, 241–242, 260
  - public health agencies
    - collaboration among, 27
    - competition among, 124–125
  - public health planning, large-scale framework for, 268–269, 268*f*
  - public opinion, influences on, 130
  - public opinion sector. *See also* social norms
    - in system dynamics models, 126, 126*f*, 129–134, 131*f*–134*f*, 137–141, 138*f*–140*f*, 145*f*
  - public support, and research utilization, 135–139, 136*f*–139*f*
  - purpose
    - in knowledge management, 194, 195*f*, 207
    - shared, 236, 263
  - purposeful goals, 73
  - purposeful organizations, 62, 73–74
  - puzzle-solving methods, 50
- Q**
- quality assurance, 201
  - quantitative analysis, of networks, 165–166
  - quantitative management, 63
  - questionnaires, for network analysis, 167
  - quitlines, national network of. *See* North American Quitline Consortium
- R**
- rating task, in concept mapping, 98–99
  - real-time strategic change, 72
  - receptor capacity, lack of, 205–206
  - reciprocity, network, 158
  - referrals, client, 164, 174–175, 174*f*
  - refutability, 116
  - relationship(s)
    - broker, 150
    - exchange, 152

- formation of, 78
  - network (*See* network relationships)
    - between public sector and tobacco industry, 18
  - reputational sampling techniques, 162, 166, 168, 170
  - research
    - collective vision in, 235
    - effect on smoking prevalence, 139, 139*f*
    - funding for (*See* funding, *specific topics*)
    - participatory, 78–80, 234, 236
    - relevance of, 206
  - research approval, streamlining of, 53
  - research domain, in systems organizing model, 67, 69
  - researchers
    - awareness of health risks, in causal maps, 120–121, 120*f*
    - communication between, 53
    - participation of, 3*f*, 51–53, 262, 271, 271*f*
    - power issues, 76
  - research fraction, public support and, 135–136, 136*f*, 137–139, 138*f*–139*f*
  - research sector, in system dynamics models, 127, 127*f*, 129, 135–137, 136*f*–137*f*, 144*f*
  - research utilization, 13, 27–28, 52–53
    - case study, 87–92, 95
    - framework for, 268–269, 268*f*
    - knowledge base for, 189
    - networks and, 240
    - power issues with, 76
    - in system dynamics models, 135–139, 136*f*–139*f*
    - trust and, 80
  - resource(s)
    - for effective networks, 155
    - optimal use of, 156
  - resource allocation, 53, 158
  - resource dependence theories, 152
  - respect, development of, 76–77
  - responsibility, cluster rating map of, 93, 94*f*
  - Richmond, Barry, 42, 111–113
  - risk factor data, 201
  - Roadmap for Medical Research Initiative (NIH), 27, 235
  - Robert Wood Johnson Foundation
    - research utilization initiative, 87
    - SmokeLess States Program, 24, 251
    - system dynamics simulations, 117
    - transdisciplinary efforts, 27
    - Turning Point grant, 157
  - root definition, 43–44
  - rules, *versus* recipes, 74
  - rural chronic disease, network analysis of, 157
- S**
- Saint Louis University School of Public Health, Center for Tobacco Policy Research, 169
  - SAMHSA (Substance Abuse and Mental Health Services Administration), 27, 117, 200–201
  - Santa Fe Institute, 232
  - satisfaction, with loosely coupled systems, 75
  - “scale free” networks, 151
  - scanning, network capacity for, 178, 231, 238
  - scientific discovery. *See* research
  - scientific management, 63
  - search conference, 73
  - secondhand smoke, 18, 20
  - SEER registry, 199, 201–202
  - self-interest theories, 152
  - self-management, 76, 78
  - self-organization, 234, 269
    - in complex adaptive systems, 46, 62, 73–74, 83
  - September 11, 2001, systems view of, 115
  - service implementation network, 163
  - shared information, 164
  - shared purpose, 236, 263
  - shared situational awareness, 238
  - shared vision, 42–43
  - SimSmoke, 117
  - site visits, for network analysis, 167, 169
  - skilled personnel, lack of, 241
  - small-world networks, 149, 155
  - SmokeLess States Program, 24, 251
  - smokers, in causal maps, 119–120, 119*f*
  - smoking
    - adverse health outcomes associated with,
      - first report of, 17, 133, 227, 251
    - passive, 18, 20
    - prevalence of, 15–16, 19, 30
      - effect of research on, 139, 139*f*
      - models of, 128–129
      - social attitudes toward (*See* social norms)
  - Smoking and Tobacco Control Monographs (NCI), 20, 234, 245–246
  - smoking behavior, 15–16, 20. *See also* tobacco use
    - genetic basis for, 16
    - and nicotine yield, 14–15

- smoking cessation  
     biobehavioral aspects of, 15–16, 20  
     in system dynamics models, 134–135, 135f
- smoking initiation  
     biobehavioral aspects of, 15–16, 20  
     in system dynamics models, 126, 127f, 128–129, 133–134, 134f
- snowball sampling approach. *See* reputational sampling techniques
- social contagion, 153
- social context  
     of knowledge management, 191, 217  
     of tobacco control, 13, 19–22
- social networks, theories of, 152–154
- social norms. *See also* public opinion  
     in causal maps, 119–120, 119f, 123, 134–135, 134f–135f, 138  
     influences on, 130
- socioeconomic factors, in tobacco use, 15–16
- soft systems methodology, 43–44, 112–113
- software. *See* computer software
- SoTC (Strength of Tobacco Control) measure, 48, 94–95, 118, 229, 242, 245–246
- span gaps, in networks, 150
- stability, network, 155, 178
- stadium wave, complex behavior of, 45
- stakeholder groups, 240. *See also* network(s)  
     collaboration among, 27, 54  
     dialogue among, 78  
     engagement of, 116  
     evaluation driven by, 79  
     identification of, 206  
     implementation of conclusions with, 271, 271t  
     inclusion of (*See* participatory methods)  
     knowledge management and, 193, 215–216  
     model of, 3f  
     similarities among, 263  
     systems thinking driven by, 113  
     types of, 51
- Stanford Five-City Project, 21
- “star” networks, 155
- State Cancer Legislative Database, 203
- state cancer profiles, 201
- state government, tobacco control support from, 171
- state health departments, 23, 27
- State Tobacco Activities Tracking and Evaluation Systems (CDC), 242
- state tobacco control programs  
     cooperative, 92–95  
     financial and political climates, 171–172, 172t, 173f  
     funding changes and, 169, 175, 175f  
     network analysis of, 169–180
- statistical competence, development of, 271
- steering behaviors, 45
- stocks, in causal maps, 118–119, 131–132, 132f, 142, 231
- strategic planning, collective vision and, 71
- Strategies to Control Tobacco Use in the United States: A Blueprint for Public Health Action in the 1990’s* (NCI), 20, 234
- strategy maps, 72  
     knowledge management, 197, 198t, 199f, 207–209, 210f, 210t–211t, 218–220
- SoTC (Strength of Tobacco Control) measure, 48, 94–95, 118, 229, 242, 245–246
- structural holes, in networks, 150
- structure, 7, 73–77, 83, 96  
     behavior determined by, 116  
     case study, 85  
     of networks, 150–152, 160, 164–165, 172, 175, 175f, 178–180  
     power and conflict issues with, 76–77  
     in VSAL model, 65, 66f, 67, 95
- structured conceptualization. *See* concept mapping
- structuring step, in concept mapping, 98
- Substance Abuse and Mental Health Services Administration (SAMHSA), 27, 117, 200–201
- superorganisms, complex behavior of, 45
- Surgeon General’s Advisory Committee on Smoking and Health, 17, 133
- Surgeon General’s report, first, 17, 133, 227, 251
- Surveillance, Epidemiology, and End Results (SEER) registry, 199, 201–202
- survey instruments, for network analysis, 167
- system(s)  
     behavior as, 111–113, 116  
     as cause, 114  
     complex adaptive, 44–45, 113, 226–227, 232, 255  
     definition of, 14, 39  
     evolution of, 46, 113  
     loosely coupled, 74–76  
     natural formation of, 74  
     nonlinear, 46  
     structured development of, 77  
     tobacco use as, 13–20, 25, 141, 246
- system dynamics, 4, 6–8, 56, 109–145, 227  
     applied to tobacco control, 116–133  
     brainstorming in, 116

- case studies, 48*t*
  - characteristics of, 116
  - computer simulation of, 111–114, 142
  - current directions in, 232–233, 233*t*
  - definition of, 2, 41–42
  - examples of, 228, 229*t*
  - feedback loops in, 110, 114–115, 114*f*, 132–133, 133*f*, 141–142, 226
  - goals of, 48*t*
  - ISIS conclusion on, 237–240
  - overlap with other approaches, 230–231, 230*t*
  - versus* systems thinking, 41–42, 111–113
  - uses of, 110–111
  - system dynamics models, 4, 8, 72, 110–111, 113, 227
    - causal mapping for, 118–125, 119*f*–125*f*, 231–232
    - development of, 125–131, 143, 143*f*–145*f*
    - examples of, 115, 117
    - overlap with other approaches, 231
    - results of, 133–141
    - sector component groupings, 117–118, 118*f*
    - validation of, 131–132, 132*f*
    - value of, 131–132, 141
  - system networks. *See* network(s)
  - systems approaches
    - benefits of, 5, 7, 232, 238
    - capacity building for, 6, 241, 244
    - case studies of, 47–51
    - common methodologies across, 230–231, 230*t*
    - definition of, 14, 39
    - integration of, 2, 3*f*, 49, 49*f*, 55, 228–230, 260–266
    - framework for, 269, 269*f*
    - importance of, 6, 30
    - large-scale framework for, 268–269, 268*f*
    - potential uses of, 5, 7, 38–39, 49–50, 55–56, 226, 246, 271
    - versus* traditional management theory, 65–70, 66*f*, 83, 95, 226, 234–235
    - types of, 2, 4, 7
  - systems concepts, 45–47
  - systems knowledge, 4, 6
    - definition of, 2
    - management of (*See* knowledge management)
  - systems methods, definition of, 14, 39
  - systems organizing, 4, 56, 61–103, 226
    - case studies, 48*t*, 83–95
    - current directions in, 232–233, 233*t*
    - definition of, 2
    - development of, 243
    - examples of, 228, 229*t*
    - goals of, 48*t*
    - ISIS conclusions on, 234–237
    - model of, 65–83, 66*f*
    - overlap with other approaches, 230–231, 230*t*
    - principles of, 7, 65, 66*f*, 67–68, 84*t*, 95–96
    - role of, 5–6
  - systems theory
    - curriculum for, 244, 272
    - development of, 237, 272
    - evolution of, 47–50, 113
    - history of, 40
  - systems thinking, 37–59, 245, 250
    - barriers to, 236–237, 244
    - capacity building for, 6, 241, 244
    - critical, 113
    - current directions in, 232–233, 233*t*
    - definition of, 14, 39–42, 111, 113–114
    - evolution of, 273
    - examples of, 41
    - frameworks for, 41–45, 55–56
    - implementation framework for, 259–275, 266*f*
    - integrated approach to, 47, 49, 49*f*, 55, 228–230, 260–266
    - framework for, 269, 269*f*
    - in learning organizations, 42–43
    - misconceptions about, 40
    - mixed-methods, 237–238
    - national conference on, 244
    - participatory methods for, 47, 50–51
    - skills of, 42, 42*t*
    - versus* system dynamics, 41–42, 111–113
    - vision for, 269–273
- ## T
- tacit knowledge, 188, 193, 221, 227
    - shift from explicit to, 193, 207, 214
  - tagging, in complex adaptive systems, 44
  - tar yield, 14
  - taxes
    - in causal maps, 123–124, 124*f*
    - at state level, 171
  - taxonomy, for knowledge base, 4, 9, 212–214, 213*t*, 217
  - team(s)
    - conflict within, 76–77
    - self-managing, 76
  - team approach, to complex issues, 156
  - team learning, 43
  - technical management theory, 63
  - technology, in systems approaches, 230–231, 231*t*

- technology infrastructure, for knowledge management, 196, 208, 242
- telephone interviews, for network analysis, 169
- Terry, Luther, 17
- thinking
  - ecological, 43, 44*t*, 226, 235–236, 238–239, 245
  - effective, principles of, 43
  - holistic, 40
  - system (See systems thinking)
- The “Thinking” in Systems Thinking: Seven Essential Skills* (Richmond), 42
- 3D model, of network development, 176–180
- time factors
  - in knowledge management, 194
  - in network analysis, 158, 165–166, 168–169, 175
- tissue banks, 204
- tobacco control
  - cooperative programs, case study, 92–95
  - evolution of, 12–13, 30, 39, 133, 142, 227–228, 228*f*, 233–234, 250, 250*f*, 252
  - goals of, 12
  - history of, 17–18, 133, 227–228
  - knowledge management framework for, 188–191, 189*f*
    - case studies, 197–209
  - management theory applied to, 68, 68*f*
  - as model for public health, 5, 232
  - network analysis in, 160–169
  - population-level efforts, 20–25, 30, 39
  - societal and environmental factors affecting, 13, 19–22
  - stakeholder organizations in, 27
  - state-level programs (See state tobacco control programs)
  - state of, 4–7, 11–30, 39, 55, 226, 267
  - success of, 13
  - system dynamics applied to, 116–133
  - systems approaches in, 2, 3*f* (See also ISIS (Initiative on the Study and Implementation of Systems) project)
    - application of, 51–54
    - beginnings of, 20–25
    - examples of, 228, 229*f*
    - implementation of, 273–275
    - need for, 12–20, 55
  - systems problems in, 25–29, 38–39
- tobacco control knowledge base, 199–206
  - concept mapping of, 209–217, 212*f*, 215*f*, 237
  - development of, 193
  - infrastructure, 206–209, 207*t*, 242
  - missing pieces in, 205–206
    - taxonomy for, 4, 9, 212–214, 213*t*, 217
    - transdisciplinary, 243–244
- Tobacco Control Network (CDC), 201
- tobacco control networks
  - case study, 169–180
  - data collection, 165–169
- tobacco control sector, in system dynamics models, 118
- tobacco grower factors, in causal maps, 119–120, 119*f*
- tobacco health risk, awareness of, in causal maps, 120–122, 120*f*–121*f*
- tobacco industry, 16–20
  - advertising by, 13, 16–17, 232
  - business coalitions with, 19
  - in causal maps, 122–124, 123*f*
  - image of, 19
  - lack of intelligence about, 205–206, 216
  - public sector relationship with, 18
  - response to tobacco control efforts, 12–13, 17–19, 25, 29
  - state-level, 171
- tobacco industry sector, in system dynamics models, 118
- Tobacco Information and Prevention Source (CDC), 242
- Tobacco Institute, 18
- tobacco marketing, 13, 16–17, 232
  - in causal maps, 119*f*, 120
- tobacco products, complexity of, 14
- tobacco revenues, in causal maps, 120, 120*f*, 121, 123
- tobacco settlement funds, 18, 171, 232
- tobacco taxes, in causal maps, 123–124, 124*f*
- Tobacco Technical Assistance Consortium, 186
- tobacco use. See also smoking behavior
  - biobehavioral aspects of, 15–16, 20
  - as complex system, 13–20, 25, 141, 246
  - societal and environmental factors affecting, 13
- Tobacco Use Prevention Service (TUPS), 174
- tobacco use sector, in system dynamics models, 118, 126, 127*f*, 133–135, 134*f*–135*f*, 143*f*
- traditional management theory, 62–65, 65*t*
  - functions in, 64, 65*t*, 67–68
  - versus systems approaches, 65–70, 66*f*, 83, 95, 226, 234–235
- transaction cost economics, 152
- transactive memory systems, 157
- transdisciplinary approach
  - facilitation of, 53, 235–236, 240–241
  - in ISIS project, 254

to knowledge management, 243–244  
need for, 26–27, 39, 148  
Transdisciplinary Tobacco Use Research Centers (TTURCs), 27, 166, 234, 236  
translational research. *See* research utilization  
trust  
in collaboration, 80  
development of, 76–77  
in networks, 154, 158, 164, 178, 180  
between practitioner and client, 52  
and research utilization, 80  
TUPS. *See* Tobacco Use Prevention Service (TUPS)  
Turning Point grant, 157

## U

U.S. Department of Defense, 28–29  
U.S. Food and Drug Administration, 28, 118  
utility, 82, 82*f*

## V

VENSIM software, 126  
vertical networks, 164  
vertices, 46  
virtual laboratories, 235  
vision, 7, 70–73, 82, 96, 235  
case study, 85–86  
ISIS, 245, 260

link between mission and, 77–79, 82–83, 95  
shared, 42–43  
for systems thinking, 269–273  
in VSAL model, 65, 66*f*, 67, 84*t*, 95  
visual models, 71–72  
vocabularies, 193, 204–205  
von Bertalanffy, Ludwig, 40  
VSAL model, 65, 66*f*, 67

## W

W. K. Kellogg Foundation, 157  
Washington, tobacco control program in, 171–175, 172*f*  
Web-based environment, 241  
knowledge resources in, 155, 198–206, 242  
for network analysis, 170  
for program design, 239  
systems approaches in, 243  
“Web of Science,” 236  
Weissman, George, 17  
welfare reform study (New York State), 115  
whole-systems perspective, 78  
*Wikipedia*, 187, 239  
workspaces, 204–205  
World Health Organization, Framework Convention for Tobacco Control, 29, 161  
Wyoming, tobacco control program in, 171–175, 172*f*