

**NATIONAL CANCER INSTITUTE AT FREDERICK
ANIMAL HEALTH DIAGNOSTIC LABORATORY**

Animal Health Report - Summary

Completed Tests 01/01/08 Thru 01/26/09

Area: Facility E2 539-1 CB

Results of tests performed on sentinel mice maintained within the animal room are summarized below. Data reported confirmed positive to: total tests. Most recent test dates for each test follow in a separate table. If you have questions about this report, please call the AHDL office at 301-846-1134 or fax 301-846-6031.

LAB	SEROLOGY VIRUS	SAMPLE	TEST DESCRIPTION	RESULT	Jan-Mar '08	Apr-Jun '08	Jul-Sep '08	Oct-Dec '08	Jan-01/26/09
BACTERIOLOGY	Bacteriology	CECUM	Bacteriology		0 / 40	0 / 18	0 / 27	0 / 32	0 / 13
		CECUM		Fungus			2 / 2		
		FECES		0 / 70	0 / 54	0 / 57	0 / 64		
	Helicobac. Cult.	CECUM	Helicobac. Cult.		0 / 40	0 / 18	0 / 29	0 / 32	0 / 13
		FECAL POOL				0 / 3			
ECTOPARASITOLOGY	Ectoparasitology	HAIR DIR	Ectoparasitology		0 / 40	0 / 18	0 / 29	0 / 32	0 / 13
		HAIR SLIDE			0 / 295	0 / 265	0 / 283	0 / 276	0 / 112
ENDOPARASITOLOGY	Endoparasitology	FECAL POOL	Endoparasitology		0 / 148	0 / 72	0 / 80	0 / 88	0 / 19
		ANAL TAPE			0 / 355	0 / 265	0 / 283	0 / 276	0 / 112
		INTES CONT	Tritricho. Spp						1 / 1
		FECES		0 / 40	0 / 18	0 / 29	0 / 32	0 / 13	
		INTES CONT		0 / 40	0 / 18	0 / 29	0 / 32	0 / 12	
MOLECULAR	Helicobacter PCR	FECAL POOL	Helicobacter PCR		0 / 44	0 / 33	0 / 48	0 / 58	0 / 8
		CECUM		POS	24 / 24	6 / 6	8 / 8	8 / 8	8 / 8
		CECUM			0 / 16	0 / 12	0 / 21	0 / 24	0 / 5
SEROLOGY	C.PIL	SERUM	C.PIL - MFIA		0 / 40		0 / 29		0 / 8
	CARB	SERUM	CARB - MFIA		0 / 40		0 / 29		0 / 8
	ECT	SERUM	ECT - MFIA		0 / 40	0 / 18	0 / 29	0 / 32	0 / 8
	ECUN	SERUM	ECUN - MFIA		0 / 40		0 / 29		0 / 8
	EDIM	SERUM	EDIM - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	GDVII	SERUM	GDVII - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	HAN	SERUM	HAN - MFIA		0 / 40		0 / 29		0 / 8
	K	SERUM	K - MFIA		0 / 40	0 / 18	0 / 29	0 / 32	0 / 8
	LCMV	SERUM	LCMV - MFIA		0 / 40	0 / 18	0 / 29	0 / 32	0 / 8
	M.PUL	SERUM	M.PUL - ELISA 1		0 / 2	0 / 1	0 / 3	0 / 1	
			M.PUL - IFA 1			0 / 1			
			M.PUL - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	MAD-1	SERUM	MAD-1 - MFIA		0 / 40	0 / 18	0 / 29	0 / 32	0 / 8
	MAD-2	SERUM	MAD-2 - MFIA		0 / 40	0 / 18	0 / 29	0 / 32	0 / 8
	MCMV	SERUM	MCMV - MFIA		0 / 40		0 / 29		0 / 8
	MHV	SERUM	MHV - ELISA 1		0 / 1		0 / 1	0 / 1	
			MHV - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	MNV	SERUM	MNV - IFA1	POS					1 / 1
			MNV - MFIA	POS	123 / 123	37 / 37	44 / 44	43 / 43	13 / 13
					0 / 62	0 / 53	0 / 46	0 / 53	0 / 1
	MPV-1	SERUM	MPV-1 - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	MPV-2	SERUM	MPV-2 - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	MTV	SERUM	MTV - IFA 1		0 / 40		0 / 29		0 / 8
	MVM	SERUM	MVM - ELISA 1		0 / 1				0 / 1
			MVM - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	PARVO (NS1)-ELI	SERUM	PARVO (NS1)-ELI1		0 / 20	0 / 8	0 / 2	0 / 4	
	PARVO (NS1)-MF	SERUM	PARVO (NS1)-MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	POLY	SERUM	POLY - MFIA		0 / 40	0 / 18	0 / 29	0 / 32	0 / 8
	PVM	SERUM	PVM - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	REO3	SERUM	REO3 - ELISA 1				0 / 1	0 / 1	
			REO3 - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14
	SEN	SERUM	SEN - MFIA		0 / 185	0 / 90	0 / 90	0 / 96	0 / 14

**NATIONAL CANCER INSTITUTE AT FREDERICK
ANIMAL HEALTH DIAGNOSTIC LABORATORY**

Animal Health Report - Summary

Completed Tests 01/01/08 Thru 01/26/09

Area: Facility E2 539-1 CB

Most Recent Test Dates

Lab	Serology Virus	Sample	Test Description	Result	Most Recent Test Date
BACTERIOLOGY	Bacteriology	FECES	Bacteriology		12/10/2008
BACTERIOLOGY	Bacteriology	CECUM	Bacteriology		1/16/2009
BACTERIOLOGY	Bacteriology	CECUM	Bacteriology	Fungus	7/11/2008
BACTERIOLOGY	Helicobac. Cult.	FECAL POOL	Helicobac. Cult.		9/16/2008
BACTERIOLOGY	Helicobac. Cult.	CECUM	Helicobac. Cult.		1/16/2009
ECTOPARASITOLOGY	Ectoparasitology	HAIR SLIDE	Ectoparasitology		1/16/2009
ECTOPARASITOLOGY	Ectoparasitology	HAIR DIR	Ectoparasitology		1/16/2009
ENDOPARASITOLOGY	Endoparasitology	INTES CONT	Endoparasitology		1/16/2009
ENDOPARASITOLOGY	Endoparasitology	INTES CONT	Endoparasitology	Tritricho. Spp	1/9/2009
ENDOPARASITOLOGY	Endoparasitology	FECES	Endoparasitology		1/16/2009
ENDOPARASITOLOGY	Endoparasitology	FECAL POOL	Endoparasitology		1/15/2009
ENDOPARASITOLOGY	Endoparasitology	ANAL TAPE	Endoparasitology		1/16/2009
MOLECULAR	Helicobacter PCR	FECAL POOL	Helicobacter PCR		1/15/2009
MOLECULAR	Helicobacter PCR	CECUM	Helicobacter PCR		1/16/2009
MOLECULAR	Helicobacter PCR	CECUM	Helicobacter PCR	POS	1/9/2009
SEROLOGY	C.PIL	SERUM	C.PIL - MFIA		1/9/2009
SEROLOGY	CARB	SERUM	CARB - MFIA		1/9/2009
SEROLOGY	ECT	SERUM	ECT - MFIA		1/9/2009
SEROLOGY	ECUN	SERUM	ECUN - MFIA		1/9/2009
SEROLOGY	EDIM	SERUM	EDIM - MFIA		1/15/2009
SEROLOGY	GDVII	SERUM	GDVII - MFIA		1/15/2009
SEROLOGY	HAN	SERUM	HAN - MFIA		1/9/2009
SEROLOGY	K	SERUM	K - MFIA		1/9/2009
SEROLOGY	LCMV	SERUM	LCMV - MFIA		1/9/2009
SEROLOGY	M.PUL	SERUM	M.PUL - ELISA 1		11/19/2008
SEROLOGY	M.PUL	SERUM	M.PUL - IFA 1		6/18/2008
SEROLOGY	M.PUL	SERUM	M.PUL - MFIA		1/15/2009
SEROLOGY	MAD-1	SERUM	MAD-1 - MFIA		1/9/2009
SEROLOGY	MAD-2	SERUM	MAD-2 - MFIA		1/9/2009
SEROLOGY	MCMV	SERUM	MCMV - MFIA		1/9/2009
SEROLOGY	MHV	SERUM	MHV - ELISA 1		11/19/2008
SEROLOGY	MHV	SERUM	MHV - MFIA		1/15/2009
SEROLOGY	MNV	SERUM	MNV - IFA1	POS	11/19/2008
SEROLOGY	MNV	SERUM	MNV - MFIA		1/15/2009
SEROLOGY	MNV	SERUM	MNV - MFIA	POS	1/15/2009
SEROLOGY	MPV-1	SERUM	MPV-1 - MFIA		1/15/2009
SEROLOGY	MPV-2	SERUM	MPV-2 - MFIA		1/15/2009

**NATIONAL CANCER INSTITUTE AT FREDERICK
ANIMAL HEALTH DIAGNOSTIC LABORATORY**

**Animal Health Report - Summary
Completed Tests 01/01/08 Thru 01/26/09**

Area: Facility E2 539-1 CB

Most Recent Test Dates

Lab	Serology Virus	Sample	Test Description	Result	Most Recent Test Date
SEROLOGY	MTV	SERUM	MTV - IFA 1		1/9/2009
SEROLOGY	MVM	SERUM	MVM - ELISA 1		1/9/2009
SEROLOGY	MVM	SERUM	MVM - MFIA		1/15/2009
SEROLOGY	PARVO (NS1)-ELI1	SERUM	PARVO (NS1)-ELI1		12/10/2008
SEROLOGY	PARVO (NS1)-MFIA	SERUM	PARVO (NS1)-MFIA		1/15/2009
SEROLOGY	POLY	SERUM	POLY - MFIA		1/9/2009
SEROLOGY	PVM	SERUM	PVM - MFIA		1/15/2009
SEROLOGY	REO3	SERUM	REO3 - ELISA 1		10/22/2008
SEROLOGY	REO3	SERUM	REO3 - MFIA		1/15/2009
SEROLOGY	SEN	SERUM	SEN - MFIA		1/15/2009

Please Note: In cases where there is a series of negative results following one or more positive results, there exists the possibility that the room has been recycled and is currently populated with negative mice. It may be necessary to contact the LASP office for verification of the room status.