

**SAFER • HEALTHIER • PEOPLE™**

# National Hospital Discharge Survey: 2001 Annual Summary With Detailed Diagnosis and Procedure Data



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
Centers for Disease Control and Prevention  
National Center for Health Statistics

**Copyright information**

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

**Suggested citation**

Kozak LJ, Owings MF, Hall MJ. National Hospital Discharge Survey: 2001 annual summary with detailed diagnosis and procedure data. National Center for Health Statistics. Vital Health Stat 13(156). 2004.

**Library of Congress Catalog Card Number 90-657616**

---

For sale by the U.S. Government Printing Office  
Superintendent of Documents  
Mail Stop: SSOP  
Washington, DC 20402-9328  
Printed on acid-free paper.

---

# Vital and Health Statistics

---

Series 13, Number 156

## National Hospital Discharge Survey: 2001 Annual Summary With Detailed Diagnosis and Procedure Data

Data From the National Health Care  
Survey

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Centers for Disease Control and Prevention  
National Center for Health Statistics

Hyattsville, Maryland  
June 2004  
DHHS Publication No. (PHS) 2004-1727

## **National Center for Health Statistics**

Edward J. Sondik, Ph.D., *Director*

Jack R. Anderson, *Deputy Director*

Jennifer H. Madans, Ph.D., *Associate Director for Science*

Lawrence H. Cox, Ph.D., *Associate Director for Research and Methodology*

Edward L. Hunter, *Associate Director for Planning, Budget, and Legislation*

Michael H. Sadagursky, *Associate Director for Management and Operations*

Margot A. Palmer, *Director for Information Technology*

Phillip R. Beattie, *Director for Information Services*

Diane M. Makuc, Dr.P.H., *Associate Director for Analysis and Epidemiology*

Charles J. Rothwell, *Director for Vital Statistics*

Jane E. Sisk, *Director for Health Care Statistics*

Jane F. Gentleman, Ph.D., *Director for Health Interview Statistics*

Clifford L. Johnson, *Director for Health and Nutrition Examination Surveys*

## **Division of Health Care Statistics**

Jane E. Sisk, *Director*

Thomas McLemore, *Deputy Director*

Irma Arispe, Ph.D., *Associate Director for Science*

Robert Pokras, *Chief, Hospital Care Statistics Branch*

---

### *Cooperation of the U.S. Census Bureau*

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies.

In accordance with specifications established by the National Center for Health Statistics, the U.S. Census Bureau, under a contractual arrangement, participated in planning the survey and collecting the data for the National Hospital Discharge Survey.

# Contents

---

Abstract .....	1
Highlights.....	1
Patient Characteristics.....	1
Hospital Characteristics.....	1
Diagnoses.....	1
Procedures .....	2
Deliveries and Newborn Infants .....	2
Introduction .....	3
Methods .....	4
Data Source .....	4
New Variables .....	5
Estimation .....	5
Use of Tables.....	5
References .....	7
Appendix .....	182
Technical Notes .....	182
Abstract Form .....	182
Population Estimates.....	182
Reliability of Estimates.....	182
Definitions of Selected Terms.....	185
Changes in ICD-9-CM Codes .....	190

## Text Figures

1. Number of days of care: United States, selected years 1970–2001 .....	2
2. Selected first-listed diagnoses for short-stay hospital discharges by age: United States, 2001 .....	2
3. Selected secondary diagnoses for short-stay hospital discharges by age: United States, 2001.....	3
4. Number of discharges with first-listed injury diagnosis by selected Barell injury diagnosis matrix categories: United States, 2001.....	3
5. Rate of selected procedures by sex: United States, 2001 .....	4
6. Rate of vaginal birth after cesarean delivery: United States, selected years 1980–2001 .....	4

## Detailed Tables

### Tables on Patient and Hospital Characteristics

1. Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by age: United States, selected years, 1970–2001 .....	8
2. Number, percent distribution, and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by sex and age: United States, 2001 .....	9
3. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by sex, age, and geographic region: United States, 2001.....	10
4. Number of discharges from short-stay hospitals and of days of care, with average length of stay, by principal expected source of payment, sex, age, and geographic region: United States, 2001 .....	12

5.	Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by bed size of hospital, sex, age, and geographic region: United States, 2001 .....	15
6.	Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by hospital ownership, sex, age, and geographic region: United States, 2001 .....	17
7.	Number and percent distribution of discharges by type and source of admission to short-stay hospitals, by age and sex: United States, 2001.....	19
8.	Number and rate of deaths for discharges from short-stay hospitals, by sex and age: United States, 2001 .....	19

#### **Diagnosis Tables**

9.	Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by selected first-listed diagnostic categories: United States, 2001 .....	20
10.	Number and rate of discharges from short-stay hospitals with average length of stay, for patients 65 years of age and over by age and selected first-listed diagnostic categories: United States, 2001 .....	21
11.	Number of discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2001 .....	23
12.	Rate of discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2001 .....	24
13.	Average length of stay for discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2001..	25
14.	Number of discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2001 .....	26
15.	Rate of discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2001 .....	27
16.	Average length of stay for discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2001 ..	28
17.	Number of discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2001 ..	29
18.	Average length of stay for discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2001.....	30
19.	Number of all-listed diagnoses for discharges from short-stay hospitals, by age and diagnosis: United States, 2001....	31
20.	Number of all-listed diagnoses for discharges from short-stay hospitals, by sex and diagnosis: United States, 2001....	32
21.	Number of all-listed diagnoses for discharges from short-stay hospitals, by geographic region and diagnosis: United States, 2001.....	33
22.	Number and rate of discharges from short-stay hospitals with human immunodeficiency virus diagnosis, by selected characteristics: United States, selected years 1990–2001.....	34
23.	Number and rate of discharges from short-stay hospitals with a first-listed injury diagnosis, by Barell injury diagnosis matrix categories: United States, 2001.....	35
24.	Number and rate of deaths for discharges from short-stay hospitals, by age and selected first-listed diagnosis: United States, 2001.....	35

#### **Procedure Tables**

25.	Number of discharges from short-stay hospitals with and without procedures and percent with procedures, by selected characteristics: United States, 2001.....	36
26.	Number and rate of all-listed surgical and nonsurgical procedures for discharges from short-stay hospitals, by selected procedure categories: United States, 2001.....	37
27.	Number and rate of all-listed surgical and nonsurgical procedures for patients 65 years of age and over discharged from short-stay hospitals, by age and selected procedure categories: United States, 2001 .....	38
28.	Number and rate of discharges from short-stay hospitals with a coronary artery procedure and number and rate of procedures by sex, age, and geographic region: United States, 2001 .....	39
29.	Number of all-listed procedures for discharges from short-stay hospitals, by age and procedure category: United States, 2001.....	40
30.	Rate of all-listed procedures for discharges from short-stay hospitals, by age and procedure category: United States, 2001.....	41
31.	Number of all-listed procedures for discharges from short-stay hospitals, by sex and procedure category: United States, 2001.....	42
32.	Rate of all-listed procedures for discharges from short-stay hospitals, by sex and procedure category: United States, 2001 .....	43
33.	Number of all-listed procedures for discharges from short-stay hospitals, by geographic region and procedure category: United States, 2001 .....	44

#### **Delivery and Newborn Infant Tables**

34.	Number, percent distribution, and rate of discharges and days of care, with average length of stay for females with deliveries discharged from short-stay hospitals, by type of delivery, age, and geographic region: United States, 2001 ..	45
-----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----

35.	Number and percent distribution of females with deliveries discharged from short-stay hospitals, by length of stay and type of delivery: United States, selected years 1980–2001 .....	46
36.	Number and rate of selected obstetrical procedures for females with deliveries discharged from short-stay hospitals: United States, selected years 1980–2001.....	47
37.	Number and rate of females with deliveries discharged from short-stay hospitals, by type of delivery: United States, selected years 1980–2001.....	47
38.	Number and rate of females with deliveries discharged from short-stay hospitals by type of delivery, age, and region: United States, 2001.....	48
39.	Number, percent distribution, and average length of stay for newborn infants discharged from short-stay hospitals, by sex, geographic region, and health status: United States, 2001 .....	49
40.	Number and percent distribution of newborn infants discharged from short-stay hospitals, by length of stay, and average length of stay, by health status: United States, selected years 1980–2001 .....	49
41.	Number of all-listed diagnoses for sick newborn infants discharged from short-stay hospitals, by sex and selected diagnostic categories: United States, 2001 .....	50
42.	Number and percent of male newborn infants circumcised during hospitalization, by geographic region: United States, selected years 1980–2001.....	50

#### **Diagnosis, Days of Care, and Procedure Tables by ICD-9-CM Code**

43.	Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001.....	51
44.	Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001 .....	78
45.	Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001 .....	105
46.	Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001 .....	163

#### **Appendix Tables**

I.	Civilian population by age and sex: United States, 2001 .....	182
II.	Estimates of July 1, 2000, civilian population based on 1990 and 2000 census, ratios of estimates, discharge rates, and ratios of rates: United States, 2000.....	185
III.	Estimated parameters for approximate relative standard error equations for National Hospital Discharge Survey statistics, by selected characteristics, 2001 .....	186
IV.	Code numbers for Barell injury diagnosis matrix categories in table 23.....	188
V.	Code numbers for procedures considered nonsurgical in the National Hospital Discharge Survey, by ICD-9-CM category, 2001.....	189
VI.	Changes in diagnosis codes .....	191
VII.	Changes in procedure codes.....	196

#### **Appendix Figures**

I.	Medical abstract form for the National Hospital Discharge Survey, 2001 .....	183
II.	Discharge rates computed with population estimates based on the 1990 and 2000 census, by sex: United States, 2000.....	186
III.	Discharge rates computed with population estimates based on the 1990 and 2000 census, by age: United States, 2000.....	187

## Abstract

### Objectives

This report presents 2001 national estimates and selected trend data on the use of non-Federal short-stay hospitals in the United States. Estimates are provided by selected patient and hospital characteristics, diagnoses, and surgical and nonsurgical procedures performed. Admission source and type, collected for the first time in the 2001 National Hospital Discharge Survey, are shown.

### Methods

The estimates are based on data collected through the National Hospital Discharge Survey (NHDS). The survey has been conducted annually since 1965. In 2001, data were collected for approximately 330,000 discharges. Of the 477 eligible non-Federal short-stay hospitals in the sample, 448 (94 percent) responded to the survey. Estimates of diagnoses and procedures are presented according to *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM) code numbers. Rates are computed with 2001 population estimates based on the 2000 census. The appendix includes a comparison of rates computed with 1990 and 2000 census-based population estimates.

### Results

An estimated 32.7 million inpatients were discharged from non-Federal short-stay hospitals in 2001. They used 159.4 million days of care and had an average length of stay of 4.9 days. Common first-listed discharge diagnoses included delivery, psychoses, pneumonia, malignant neoplasm, and coronary atherosclerosis. Males had higher rates for procedures such as cardiac catheterization and coronary artery bypass graft, and females had higher rates for procedures such as cholecystectomy and total knee replacement. The rates of all cesarean deliveries, primary and repeat, rose from 1995 to 2001; the rate of vaginal birth after cesarean delivery dropped 37 percent during this period.

**Keywords:** hospitalization • inpatient • diagnoses • procedures

# National Hospital Discharge Survey: 2001 Annual Summary with Detailed Diagnosis and Procedure Data

by Lola Jean Kozak, Ph.D.; Maria F. Owings, Ph.D.; and Margaret J. Hall, Ph.D., Division of Health Care Statistics

## Highlights

### Patient Characteristics

- An estimated 32.7 million inpatients were discharged from non-Federal short-stay hospitals in 2001. These patients used an estimated 159.4 million days of care and they were hospitalized for 4.9 days on average.
- The number of days spent in short-stay hospitals rose 21 percent during the 1970s, declined 40 percent from 1980 to 1995, but did not change significantly, overall or by age, from 1995 to 2001 ([figure 1](#)). This stabilization may be the result of managed care plans easing restrictions on hospital use, following slowed growth of health maintenance organizations (HMOs) and consumer backlash against managed care controls after the mid-1990s (1).
- Data on admission type and source were collected for the first time in 2001. A type of admission was reported for 72.9 percent of discharges, and 75.5 percent had a source of admission indicated.
- Deaths accounted for 2.5 percent of all hospital discharges: 3.0 percent for males and 2.1 percent for females.

### Hospital Characteristics

- The average length of stay for all discharges was 4.9 days, ranging from 4.3 days in the Midwest to 5.6 days in the Northeast.
- Average length of stay varied by hospital bed size. It was 4.3 days for hospitals with fewer than 100 beds and 5.7 days for hospitals with 500 beds or more.
- Nonprofit hospitals accounted for 75 percent of hospital discharges in 2001. The proportion ranged from 94 percent in the Northeast to 57 percent in the South.

### Diagnoses

- First-listed discharge diagnoses (generally the cause of hospitalization) that were reported for more than a million discharges each in 2001 included delivery (3.8 million), psychoses (1.6 million), pneumonia (1.3 million), malignant neoplasms (1.2 million), and coronary atherosclerosis (1.1 million).
- As shown in [figure 2](#), patients 65 years of age and over made up large proportions of discharges with first-listed diagnoses of congestive heart failure (77 percent), cerebrovascular disease (74 percent), and cardiac dysrhythmia (71 percent).




Figure 1. Number of days of care by age: United States, selected years 1970–2001




Figure 2. Selected first-listed diagnoses for short-stay hospital discharges by age: United States, 2001

- Figure 3 shows secondary diagnoses, which were conditions listed on the medical record in addition to the first diagnosis, that may complicate

treatment. Common secondary diagnoses were essential hypertension, diabetes mellitus, coronary atherosclerosis, cardiac

dysrhythmia, and anemia.


- In 2001, 1,813,000 discharges had first-listed diagnoses of injury. Using the Barell injury diagnosis matrix (figure 4), fracture (999,000) was the most common type of injury reported for hospital discharges in 2001 and lower extremity (including the hip) (694,000) was the most common site of fracture and of injury as a whole.

## Procedures


- In 2001, 24.1 million surgical and 16.9 million nonsurgical procedures were performed on hospitalized patients.
- Females had 6.4 million obstetrical procedures, including repair of current obstetric laceration and cesarean section, during inpatient stays in 2001.
- A total of 6.2 million operations on the cardiovascular system (for example, cardiac catheterization and removal of coronary artery obstruction and insertion of stents) were performed on inpatients in 2001.
- Males had higher rates of procedures such as cardiac catheterization, coronary artery bypass graft, and debridement of wound, infection, or burn. Females had higher rates of procedures such as cholecystectomy, lysis of peritoneal adhesions, and total knee replacement (figure 5).

## Deliveries and Newborn Infants

- An estimated 3.8 million women were hospitalized for delivery in 2001 and their average stay was 2.5 days.
- Cesarean sections per 100 deliveries rose from 20.8 in 1995 to 25.3 in 2001. Rates of both primary and repeat cesarean deliveries increased during this period.
- Figure 6 shows the sharp decline in the rate of vaginal births after cesarean (VBAC) deliveries, which fell from 35.5 in 1995 to 22.3 in 2001.



**Figure 3. Selected secondary diagnoses for short-stay hospital discharges by age: United States, 2001**



**Figure 4. Number of discharges with first-listed injury diagnosis by selected Barell injury diagnosis matrix categories: United States, 2001**

- In 2001, 39 percent of newborn infants had at least one illness or risk-related diagnosis. Perinatal jaundice and respiratory conditions were common diagnoses.

- The proportion of male newborn infants circumcised during the birth hospitalization was 63 percent nationally, but ranged from 41 percent in the West to 81 percent in the Midwest.

## Introduction

This report presents data from the 2001 National Hospital Discharge Survey (NHDS). The survey has been conducted continuously by the National Center for Health Statistics (NCHS) since 1965. National estimates of hospital use derived from the NHDS are published for each calendar year by NCHS. This report provides a summary of the 2001 data, including estimates of diagnoses and procedures by *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM) code (2).

The NHDS is the principal source for national data on the characteristics of patients discharged from non-Federal short-stay hospitals. Data from the NHDS are used for evaluating the health status of the population, planning programs to improve health status, studying trends in morbidity, and carrying out research activities in the health field (3–7). The Department of Health and Human Services uses NHDS data in the development and monitoring of goals for the 2010 Health Objectives. Other Centers for Disease Control and Prevention centers, including the National Center for Infectious Diseases, the National Center for Injury Prevention and Control, and the National Center for Chronic Disease Prevention and Health Promotion, use NHDS data to track a variety of conditions that include human immunodeficiency virus (HIV), injuries, and chronic diseases. The National Institutes of Health extensively uses NHDS data on heart disease and cancer. The Veterans Administration and Department of Defense compare NHDS data with statistics on the inpatient care provided in their hospitals (8,9).

The NHDS produces estimates of utilization by inpatients only in non-Federal short-stay hospitals. Data on




Figure 5. Rate of selected procedures by sex: United States, 2001




Figure 6. Rate of vaginal birth after cesarean delivery: United States, selected years 1980–2001

ambulatory medical care services are collected in other NCHS surveys. The National Ambulatory Medical Care Survey obtains information on visits to

physicians' offices (10). The National Hospital Ambulatory Medical Care Survey collects data on visits to hospital outpatient and emergency departments

(11,12). Information about long-term care is collected in the National Nursing Home Survey (13) and the National Home and Hospice Care Survey (14).

## Methods

---

### Data Source

NHDS data are collected from a sample of inpatient records acquired from a national probability sample of hospitals. Because persons with multiple discharges during the year can be sampled more than once, the NHDS produces estimates for discharges, not persons. Only general hospitals, children's general hospitals, or hospitals with an average length of stay of fewer than 30 days for all patients are eligible for inclusion in the survey. Federal, military, and Department of Veterans Affairs hospitals, as well as hospital units of institutions (such as prison hospitals), and hospitals with fewer than six beds staffed for patient use, are excluded. Beginning in 1988, the sampling frame for hospitals has been the SMG Hospital Market Database (15). The 1988 sample was updated in 1991, 1994, 1997, and 2000 to include hospitals that opened or changed their eligibility status since the previous sample update.

Since 1988, the NHDS has used a modified three-stage design (16). Units selected at the first stage consist of either hospitals or geographic areas such as counties, groups of counties, or metropolitan statistical areas in the 50 States and the District of Columbia. Within sampled geographic areas, additional hospitals are selected. At the last stage, discharges are selected within sampled hospitals using systematic random sampling.

For 2001, the sample consisted of 504 hospitals, of which 27 were out of scope (ineligible) because they had gone out of business or were otherwise ineligible to be in the NHDS universe. Of the 477 in-scope (eligible) hospitals, 448 (94 percent) responded to the survey. Data were collected for approximately 330,000 discharges from the 448 responding hospitals.

Two data collection procedures are used for the survey. One is a manual system in which sample selection and transcription of information from medical records are performed by hospital staff or by staff of the U.S. Census Bureau on behalf of NCHS. Completed forms are sent to NCHS for medical coding, data entry, editing, and estimation.

For the other data collection procedure, NCHS purchases electronic files containing medical record data from commercial organizations, State data systems, hospitals, or hospital associations. Discharges from these files are systematically sampled.

Approximately 41 percent of respondent hospitals provided data through this automated system for the 2001 survey.

The NHDS medical abstract form ([figure I](#)) and the automated data contain items that relate to the personal characteristics of the patient. These include birth date (converted to age), sex, race, ethnicity, marital status, ZIP code, and expected sources of payment. Administrative items such as admission and discharge dates, admission type and source, discharge status, and medical record number are also included. The medical information includes final medical diagnoses, procedures performed, and dates of surgery. Medical data are coded according to the ICD-9-CM (2). The medical record number, date of birth, and ZIP code are confidential information that is not available to the public.

For the manual data collection in the NHDS, an ongoing quality control program is undertaken for the medical coding and data entry from abstracts to electronic form. Approximately 10 percent of abstracts are independently recoded, with discrepancies resolved by a chief coder. The overall error rate for records manually coded for the 2001 survey year was 0.4 percent for medical (ICD-9-CM) coding and data entry and 0.2 percent for demographic coding and data entry.

## New Variables

Type of admission and source of admission were added to the NHDS in 2001 to increase the analytic capabilities of the survey. The items were recommended for inclusion by an NCHS expert panel.

Admission type and source are modeled after variables contained in the National Uniform Bill (UB-92), which is the standard billing form used by Medicare for reimbursement of hospital inpatient care. This was necessary because many hospitals that participate in the NHDS report only data included in the UB-92.

The categories for type of admission shown in this report are emergency, urgent, elective, and item not available. Definitions of these categories are provided in the appendix of this report. For source of admission, categories shown are physician referral, which includes physician, clinical, or HMO referral; transfer from a hospital; transfer from other health facility, including skilled nursing facility; emergency department; other sources including court/law enforcement; and item not available ([figure I](#)). In 2001, 72.9 percent of discharges had a type of admission reported, and 75.5 percent had a source of admission indicated.

The type of admission for hospitalization in the NHDS is not equivalent to the variable “immediacy with which the patient should be seen” that is collected for emergency department visits in NCHS’s National Hospital Ambulatory Medical Care Survey (NHAMCS) (12). In the NHDS, type of admission is defined in terms such as “severe life threatening condition,” “required immediate care,” and “adequate time to schedule.” The NHAMCS variable is defined in terms of specific time periods in which the patient should receive care to combat danger to life or limb (less than 15 minutes, 15–60 minutes, etc.).

NHDS provides an estimate of hospitalizations that have the emergency department as the source of admission. NHAMCS has a visit disposition variable for emergency department visits

that includes “admit to hospital” and “admit to ICU/CCU.” In addition to differences in the structure of these variables, other methodological differences between the surveys, including different sample sizes, hospital participation rates, and reporting periods, may affect the estimates. Source of admission was not reported for 24.5 percent of NHDS discharges, but only 1.7 percent of emergency department visits had no disposition reported in the NHAMCS. However, some visits of patients admitted to the hospital through the emergency department may not be included in NHAMCS because the patients are sent to the inpatient unit before hospital staff complete the patient record forms. The NHAMCS estimated that 12.6 million emergency department visits led to hospital admissions in 2001 (12). The NHDS estimate of inpatients with the emergency room reported as the source of admission from the NHDS was 11.3 million for 2001 ([table 7](#)).

## Estimation

Because they are sample data, the survey data must be inflated or weighted to produce national estimates. The estimation procedure produces essentially unbiased national estimates and has three basic components:

- (1) inflation by reciprocals of the probabilities of sample selection,
- (2) adjustment for nonresponse, and
- (3) population weighting ratio adjustments.

These three components of the final weight are described in more detail in another report (16). Information about the standard errors of statistics for the 2001 NHDS is in [table III](#).

## Use of Tables

Sociodemographic information about patients and utilization estimates by hospital characteristics are shown in [tables 1–8](#). Diagnostic data are included in [tables 9–24](#), and information about procedures is found in [tables 25–33](#). [Tables 34–42](#) present data on women with deliveries and newborn infants.

Estimates of diagnoses, days of care by diagnosis, and procedures are shown by ICD-9-CM code in [tables 43–46](#).

[Figures 1–6](#) illustrate highlights from the survey data. Definitions of terms used in these tables are presented in the appendix.

The diagnostic and procedure data in this report are often presented by chapter of the ICD-9-CM with selected subcategories within chapters also shown ([tables 11–21](#)). The most detailed information by diagnosis and procedure code is in [tables 43–46](#). First-listed diagnostic categories with large estimates of associated discharges in [tables 11–18](#) are shown in [tables 9](#) and [10](#) and [figure 2](#). Likewise, the procedures shown in [tables 26](#) and [27](#) are based on the categories with large estimates in [tables 29–33](#). Diagnoses and procedures are no longer being reported as being the most common or top 10 because rankings will vary depending on how they are grouped prior to ordering them, and there are no standard ways to rank discharge diagnoses or procedures. In addition, differences between categories were often not statistically significant. Diagnoses assigned ICD-9-CM codes E800–E999 (supplementary classification of external causes of injury and poisoning) are not included in this report, but a detailed discussion of injury diagnoses and E-codes has been published ([17](#)).

For the first time, injury data are presented in this report using the recently developed Barell injury diagnosis matrix ([table 23](#) and [figure 4](#)). This is a two-dimensional array of ICD-9-CM codes (excluding external cause codes) that groups injuries by body site and type of injury. The codes for the matrix are shown in [table IV](#). The matrix provides those analyzing injuries with a standard format for reporting these data. It will improve the usefulness and comparability of epidemiological and clinical analyses of injury data ([18](#)). Data categorized using the Barell matrix are included in this report to provide a national benchmark for States and localities to compare with their own data.

[Table 28](#) shows data for coronary artery bypass graft (CABG) surgery, removal of coronary artery obstruction,

and insertion of stent(s). These procedures are often assigned more than one code for a single operation. CABG surgery often is assigned multiple codes to indicate the number and type of bypasses. Beginning with the 1996 NHDS data, changes to the ICD-9-CM coding system allowed patients to have a separate code for insertion of stent(s) along with a code for removal of coronary artery obstruction. As shown in [table 28](#), the number of these procedures exceeds the number of inpatients who had one or more of the procedures.

[Tables 8](#) and [24](#) show rates of death per 100 discharges. In contrast, mortality rates are ratios of deaths to the population. Mortality rates include deaths that occur outside of hospitals and are for the underlying cause of death, which might not be the same as the first-listed diagnosis for a patient discharged dead. Mortality rates are published regularly by NCHS in *National Vital Statistics Reports* ([19](#)).

Data for newborn infants are included only in [tables 39–42](#). Because estimates of newborn infants are based on a sample and because they do not include out-of-hospital births, these estimates may not agree with data on births published in *National Vital Statistics Reports* ([20](#)), which are based on a complete count of births.

[Tables 43–45](#) provide information by three-digit, four-digit, and five-digit ICD-9-CM diagnostic codes. [Table 46](#) shows two-, three-, and four-digit procedure codes. Only ICD-9-CM code numbers appear in [tables 43–46](#). Specific titles and more detailed information about the coding system can be found in appropriate volumes of the ICD-9-CM ([2](#)). A specific diagnosis or procedure code appears in [tables 43, 45](#), and [46](#) if the estimate of the total for the code is 5,000 or more. The codes that appear in [table 44](#) for days of care are identical to those in [table 43](#) for first-listed diagnoses.

Estimates in all tables are rounded to the nearest thousand. Totals may include data for categories that are not shown individually in the tables. For these reasons, figures within tables do not always add to the totals. Rates, percents, and average lengths of stay are calculated from unrounded figures and

may not precisely agree with measures calculated from rounded data.

Because of low reliability, estimates in [tables 1–42](#) with relative standard errors of more than 30 percent or that are based on fewer than 30 records are not presented; only an asterisk (\*) appears in the tables. Estimates based on 30–59 records are preceded by an asterisk (\*) to indicate that they also have low reliability.

Only an asterisk is shown in [tables 43, 45](#), and [46](#) if the estimate of the diagnosis or procedure is less than 5,000, and only an asterisk is shown in [table 44](#) for estimates of days of care derived from fewer than 5,000 estimated discharges. These estimates generally have a relative standard error of more than 30 percent or a sample size of less than 30. Estimates of diagnoses and procedures of less than 9,000 are preceded by an asterisk because they are generally based on fewer than 60 records. Days of care estimates in [table 44](#) that are derived from fewer than 9,000 estimated discharges are also preceded by asterisks.

The population estimates used to compute rates are shown in [table I](#). These estimates are based on the 2000 census. This is the first NHDS annual summary report to use populations based on the 2000 census to calculate rates. The rates reported in annual summaries of 1991–2000 data were computed using the 1990 census data as a base. [Table II](#) shows the 2000 population estimated from both the 1990 census and the 2000 census and the discharge rates that result from using the two sets of population estimates. No statistically significant differences in rates for the age/sex groups shown were found to result from the use of a different census base for the population estimate.

Estimates of the 2001 civilian population for the four census regions of the country were not available when this report was prepared. Therefore, regional rates are not shown, but estimates of numbers of discharges, days of care, procedures, and average lengths of stay are shown by region.

Differences between NHDS estimates were tested using the two-sided *t*-test. Terms that express

differences such as higher, highest, lower, lowest, longer, shorter, largest, smallest, more than, most, less than, leading, increased or decreased, were only used when the differences were statistically significant at the 0.05 level.

## References

---

1. Lesser CS, Ginsbury PB. Update on the nation's health care system: 1997–1999. *Health Affairs* 19(6):206–16. 2000.
2. International Classification of Diseases, 9th Revision, Clinical Modification, 6th edition. U.S. Department of Health and Human Services, National Center for Health Statistics, Health Care Financing Administration. 1998. <http://www.cdc.gov/nchs/icd9.htm#ICD-9-CM>.
3. Stein PD, Hull RD, Ghali WA, et al. Tracking the uptake of evidence: two decades of hospital practice trends for diagnosing deep vein thrombosis and pulmonary embolism. *Arch Intern Med* 163(May 26):1213–19. 2003.
4. Danel I, Berg C, Johnson CH, Atrash H. Magnitude of maternal morbidity during labor and delivery: United States, 1993–1997. *Am J Public Health* 93(4):631–34. 2003.
5. Wang G, Dietz WH. Economic burden of obesity in youths aged 6 to 17 years: 1979–1999. *Pediatrics* 109(5):E81. 2002. <http://www.pediatrics.org/cgi/content/full/109/5/e81>.
6. Kennedy BS, Kasl SV, Brass LM, Vaccarino V. Trends in hospitalized stroke for blacks and whites in the United States, 1980–1999. *Neuroepidemiology* 21(3):131–41. 2002.
7. Kozak LJ, Weeks JD. U.S. trends in obstetric procedures, 1990–2000. *Birth* 29(3):157–161. 2002.
8. Rosenthal GE, Kaboli PJ, Barnett MJ. Differences in length of stay in Veterans Health Administration and other United States hospitals: is the gap closing? *Med Care* 41(8):882–894. 2003.
9. Jackson JL, Cheng EY, Jones DL, Meyer G. Comparison of discharge diagnoses and inpatient procedures between military and civilian health care systems. *Mil Med* 164(10):701–704. 1999.
10. Cherry DK, Burt CW, Woodwell DA. National Ambulatory Medical Care Survey: 2001 summary. Advance data from vital and health statistics; no 337. Hyattsville, Maryland: National Center for Health Statistics. 2003. <http://www.cdc.gov/nchs/data/ad/ad337.pdf>.
11. Hing E, Middleton K. National Hospital Ambulatory Medical Care Survey: 2001 outpatient department summary. Advance data from vital and health statistics; no 338. Hyattsville, Maryland: National Center for Health Statistics. 2003. <http://www.cdc.gov/nchs/data/ad/ad338.pdf>.
12. McCraig LF, Burt CW. National Hospital Ambulatory Medical Care Survey: 2001 emergency department summary. Advance data from vital and health statistics; no 335. Hyattsville, Maryland: National Center for Health Statistics. 2003. <http://www.cdc.gov/nchs/data/ad/ad335.pdf>.
13. Jones A. The National Nursing Home Survey: 1999 summary. National Center for Health Statistics. *Vital Health Stat* 13(152). 2002. [http://www.cdc.gov/nchs/data/series/sr\\_13/sr13\\_152.pdf](http://www.cdc.gov/nchs/data/series/sr_13/sr13_152.pdf).
14. Haupt BJ. Characteristics of hospice care discharges and their length of service: United States, 2000. National Center for Health Statistics. *Vital Health Stat* 13(154). 2003. [http://www.cdc.gov/nchs/data/series/sr\\_13/sr13\\_154.pdf](http://www.cdc.gov/nchs/data/series/sr_13/sr13_154.pdf).
15. SMG Marketing Group, Inc. Hospital Market Database. Chicago: Healthcare Information Specialists. 1987, 1991, 1994, 1997, 2000.
16. Dennison CF, Pokras R. Design and operation of the National Hospital Discharge Survey: 1988 redesign. National Center for Health Statistics. *Vital Health Stat* 1(39). 2000. [http://www.cdc.gov/nchs/data/series/sr\\_01/sr01\\_039.pdf](http://www.cdc.gov/nchs/data/series/sr_01/sr01_039.pdf).
17. Hall MJ, Owings MF. Hospitalizations for injury: United States, 1996. Advance data from vital and health statistics; no 318. Hyattsville, Maryland: National Center for Health Statistics. 2000. <http://www.cdc.gov/nchs/data/ad/ad318.pdf>.
18. Barell V, Aharonson-Daniel L, Fingerhut LA, et al. An introduction to the Barell body region by nature of injury diagnosis matrix. *Injury Prevention* 8:91–96. 2002.
19. Arias E, Smith BL. Deaths: Preliminary data for 2001. National vital statistics reports; Vol 51 no 11. Hyattsville, Maryland: National Center for Health Statistics. 2003. [http://www.cdc.gov/nchs/data/nvsr/nvsr51/nvsr51\\_05.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr51/nvsr51_05.pdf).
20. Martin JA, Hamilton BE, Ventura SJ, et al. Births: Final data for 2001. National vital statistics reports; Vol 51 no 2. Hyattsville, Maryland: National Center for Health Statistics. 2002. [http://www.cdc.gov/nchs/data/nvsr/nvsr51/nvsr51\\_02.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr51/nvsr51_02.pdf).
21. Shah BV, Barnwell BG, Bieler GS. SUDAAN User's Manual, Release 7.0. Research Triangle Park, NC: Research Triangle Institute, 1996.
22. Hansen MH, Hurwitz WN, Madow WG. Sample survey methods and theory, vol 1. New York: John Wiley & Sons. Wiley Classics Library Edition, 1993.
23. Cochran WG. Sampling techniques, 3rd ed. New York: John Wiley & Sons, 1977.

**Table 1. Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by age: United States, selected years, 1970–2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Age	1970	1980	1985	1990	1995	2000	2001
Number of discharges in thousands							
All ages . . . . .	29,127	37,832	35,056	30,788	30,722	31,706	32,653
Under 15 years . . . . .	3,873	3,672	2,972	2,412	2,405	2,383	2,560
15–44 years . . . . .	12,664	15,635	13,966	11,799	10,593	9,969	10,343
45–64 years . . . . .	6,693	8,660	7,610	6,244	6,168	6,958	7,224
65 years and over . . . . .	5,897	9,864	10,508	10,333	11,556	12,396	12,525
65–74 years . . . . .	3,163	4,943	5,011	4,689	4,832	4,678	4,692
75–84 years . . . . .	2,099	3,611	3,969	3,949	4,590	5,119	5,209
85 years and over . . . . .	635	1,310	1,528	1,694	2,134	2,599	2,624
Rate of discharges per 1,000 population <sup>1</sup>							
All ages . . . . .	144.3	167.7	148.4	122.3	115.7	112.9	115.1
Under 15 years . . . . .	66.8	71.6	57.7	43.1	40.4	39.5	42.4
15–44 years . . . . .	154.6	150.1	125.0	99.3	87.8	81.0	83.8
45–64 years . . . . .	159.6	194.8	170.8	135.5	118.5	111.4	112.1
65 years and over . . . . .	293.3	383.7	369.8	334.1	347.7	353.5	354.9
65–74 years . . . . .	253.2	315.8	297.3	261.6	260.0	254.6	256.2
75–84 years . . . . .	339.5	463.9	446.4	395.7	415.6	412.5	414.3
85 years and over . . . . .	443.7	576.4	572.9	560.6	592.5	606.4	595.9
Number of days of care in thousands							
All ages . . . . .	226,445	274,508	226,217	197,422	164,627	155,857	159,365
Under 15 years . . . . .	18,189	16,191	13,554	11,655	10,715	10,734	11,456
15–44 years . . . . .	71,605	81,951	67,397	54,062	40,825	36,593	38,547
45–64 years . . . . .	62,419	71,008	53,541	42,153	34,207	34,443	36,385
65 years and over . . . . .	74,232	105,358	91,726	89,552	78,880	74,086	72,976
65–74 years . . . . .	37,873	49,253	41,090	37,422	31,310	26,438	26,559
75–84 years . . . . .	27,633	40,355	36,024	35,926	31,974	31,525	30,423
85 years and over . . . . .	8,726	15,750	14,612	16,204	15,597	16,123	15,994
Rate of days of care per 1,000 population <sup>1</sup>							
All ages . . . . .	1,121.6	1,216.7	957.7	784.0	620.2	554.8	561.9
Under 15 years . . . . .	313.9	315.7	263.0	208.4	179.9	178.1	189.6
15–44 years . . . . .	874.0	786.8	603.3	454.9	338.4	297.1	312.3
45–64 years . . . . .	1,488.8	1,596.9	1,201.6	914.4	657.5	551.6	564.5
65 years and over . . . . .	3,691.9	4,098.4	3,228.0	2,895.6	2,373.7	2,112.5	2,067.8
65–74 years . . . . .	3,031.6	3,147.0	2,437.3	2,087.8	1,684.7	1,438.9	1,450.3
75–84 years . . . . .	4,469.2	5,183.7	4,052.2	3,599.5	2,894.7	2,540.1	2,419.5
85 years and over . . . . .	6,102.1	6,932.1	5,478.7	5,361.7	4,330.6	3,762.0	3,631.8
Average length of stay in days							
All ages . . . . .	7.8	7.3	6.5	6.4	5.4	4.9	4.9
Under 15 years . . . . .	4.7	4.4	4.6	4.8	4.5	4.5	4.5
15–44 years . . . . .	5.7	5.2	4.8	4.6	3.9	3.7	3.7
45–64 years . . . . .	9.3	8.2	7.0	6.8	5.5	5.0	5.0
65 years and over . . . . .	12.6	10.7	8.7	8.7	6.8	6.0	5.8
65–74 years . . . . .	12.0	10.0	8.2	8.0	6.5	5.7	5.7
75–84 years . . . . .	13.2	11.2	9.1	9.1	7.0	6.2	5.8
85 years and over . . . . .	13.7	12.0	9.6	9.6	7.3	6.2	6.1

<sup>1</sup>Rates were calculated using the U.S. Census Bureau estimates of the civilian population. Rates for 1990 and 1995 were calculated using estimates adjusted for the net underenumeration in the 1990 census. Rates for 2000 and 2001 were calculated using estimates based on the 2000 census.

**Table 2. Number, percent distribution, and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by sex and age: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Sex and age	Discharges			Days of care			
	Number in thousands	Percent distribution	Rate per 1,000 population <sup>1</sup>	Number in thousands	Percent distribution	Rate per 1,000 population <sup>1</sup>	Average length of stay in days
<b>Both sexes</b>							
All ages . . . . .	32,653	100.0	115.1	159,365	100.0	561.9	4.9
Under 15 years . . . . .	2,560	7.8	42.4	11,456	7.2	189.6	4.5
Under 1 year . . . . .	850	2.6	210.8	4,712	3.0	1,168.2	5.5
1–4 years . . . . .	731	2.2	47.7	2,413	1.5	157.4	3.3
5–14 years . . . . .	978	3.0	23.8	4,331	2.7	105.5	4.4
15–44 years . . . . .	10,343	31.7	83.8	38,547	24.2	312.3	3.7
15–19 years . . . . .	1,186	3.6	58.8	4,490	2.8	222.6	3.8
20–24 years . . . . .	1,782	5.5	92.4	5,899	3.7	305.8	3.3
25–34 years . . . . .	3,815	11.7	97.3	12,706	8.0	324.0	3.3
35–44 years . . . . .	3,560	10.9	79.5	15,452	9.7	345.2	4.3
45–64 years . . . . .	7,224	22.1	112.1	36,385	22.8	564.5	5.0
45–54 years . . . . .	3,699	11.3	94.5	17,850	11.2	455.9	4.8
55–64 years . . . . .	3,526	10.8	139.3	18,535	11.6	732.4	5.3
65 years and over . . . . .	12,525	38.4	354.9	72,976	45.8	2,067.8	5.8
65–74 years . . . . .	4,692	14.4	256.2	26,559	16.7	1,450.3	5.7
75–84 years . . . . .	5,209	16.0	414.3	30,423	19.1	2,419.5	5.8
85 years and over . . . . .	2,624	8.0	595.9	15,994	10.0	3,631.8	6.1
<b>Male</b>							
All ages . . . . .	12,852	100.0	92.6	67,995	100.0	489.8	5.3
Under 15 years . . . . .	1,425	11.1	46.1	6,467	9.5	209.0	4.5
Under 1 year . . . . .	499	3.9	241.8	2,775	4.1	1,344.2	5.6
1–4 years . . . . .	395	3.1	50.4	1,270	1.9	162.0	3.2
5–14 years . . . . .	531	4.1	25.2	2,422	3.6	115.2	4.6
15–44 years . . . . .	2,776	21.6	44.8	13,573	20.0	219.2	4.9
15–19 years . . . . .	328	2.6	31.7	1,573	2.3	152.1	4.8
20–24 years . . . . .	327	2.5	33.5	1,754	2.6	180.2	5.4
25–34 years . . . . .	748	5.8	38.0	3,522	5.2	179.0	4.7
35–44 years . . . . .	1,374	10.7	61.9	6,724	9.9	303.2	4.9
45–64 years . . . . .	3,519	27.4	112.2	18,125	26.7	578.0	5.2
45–54 years . . . . .	1,755	13.7	91.4	8,852	13.0	460.9	5.0
55–64 years . . . . .	1,764	13.7	145.2	9,273	13.6	763.0	5.3
65 years and over . . . . .	5,131	39.9	351.9	29,829	43.9	2,045.5	5.8
65–74 years . . . . .	2,165	16.8	260.9	12,222	18.0	1,473.0	5.6
75–84 years . . . . .	2,153	16.8	431.8	12,639	18.6	2,534.6	5.9
85 years and over . . . . .	813	6.3	625.9	4,968	7.3	3,824.4	6.1
<b>Female</b>							
All ages . . . . .	19,801	100.0	136.7	91,369	100.0	630.9	4.6
Under 15 years . . . . .	1,134	5.7	38.5	4,989	5.5	169.1	4.4
Under 1 year . . . . .	351	1.8	178.3	1,937	2.1	983.7	5.5
1–4 years . . . . .	336	1.7	44.8	1,143	1.3	152.6	3.4
5–14 years . . . . .	447	2.3	22.3	1,908	2.1	95.3	4.3
15–44 years . . . . .	7,567	38.2	123.0	24,974	27.3	406.0	3.3
15–19 years . . . . .	858	4.3	87.3	2,917	3.2	296.9	3.4
20–24 years . . . . .	1,456	7.4	152.3	4,145	4.5	433.7	2.8
25–34 years . . . . .	3,067	15.5	157.0	9,184	10.1	470.0	3.0
35–44 years . . . . .	2,187	11.0	96.8	8,728	9.6	386.4	4.0
45–64 years . . . . .	3,705	18.7	111.9	18,260	20.0	551.6	4.9
45–54 years . . . . .	1,944	9.8	97.5	8,997	9.8	451.0	4.6
55–64 years . . . . .	1,761	8.9	133.9	9,263	10.1	704.1	5.3
65 years and over . . . . .	7,394	37.3	357.1	43,147	47.2	2,083.6	5.8
65–74 years . . . . .	2,527	12.8	252.3	14,337	15.7	1,431.5	5.7
75–84 years . . . . .	3,056	15.4	402.8	17,784	19.5	2,344.0	5.8
85 years and over . . . . .	1,811	9.1	583.4	11,025	12.1	3,551.2	6.1

<sup>1</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

**Table 3. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by sex, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Sex, age, and region	Discharges		Days of care		Average length of stay in days
	Number in thousands	Percent distribution	Number in thousands	Percent distribution	
Both sexes					
All ages:					
United States . . . . .	32,653	100.0	159,365	100.0	4.9
Northeast . . . . .	7,026	21.5	39,477	24.8	5.6
Midwest . . . . .	7,429	22.8	32,289	20.3	4.3
South . . . . .	12,744	39.0	62,868	39.4	4.9
West . . . . .	5,453	16.7	24,730	15.5	4.5
Under 15 years:					
United States . . . . .	2,560	100.0	11,456	100.0	4.5
Northeast . . . . .	521	20.3	2,544	22.2	4.9
Midwest . . . . .	521	20.4	1,963	17.1	3.8
South . . . . .	947	37.0	4,207	36.7	4.4
West . . . . .	572	22.3	2,743	23.9	4.8
15–44 years:					
United States . . . . .	10,343	100.0	38,547	100.0	3.7
Northeast . . . . .	2,020	19.5	9,131	23.7	4.5
Midwest . . . . .	2,094	20.2	6,894	17.9	3.3
South . . . . .	4,382	42.4	16,625	43.1	3.8
West . . . . .	1,847	17.9	5,897	15.3	3.2
45–64 years:					
United States . . . . .	7,224	100.0	36,385	100.0	5.0
Northeast . . . . .	1,575	21.8	8,976	24.7	5.7
Midwest . . . . .	1,609	22.3	7,144	19.6	4.4
South . . . . .	2,884	39.9	14,680	40.3	5.1
West . . . . .	1,156	16.0	5,584	15.3	4.8
65 years and over:					
United States . . . . .	12,525	100.0	72,976	100.0	5.8
Northeast . . . . .	2,911	23.2	18,826	25.8	6.5
Midwest . . . . .	3,204	25.6	16,289	22.3	5.1
South . . . . .	4,532	36.2	27,356	37.5	6.0
West . . . . .	1,878	15.0	10,506	14.4	5.6
Male					
All ages:					
United States . . . . .	12,852	100.0	67,995	100.0	5.3
Northeast . . . . .	2,985	23.2	17,672	26.0	5.9
Midwest . . . . .	3,010	23.4	13,839	20.4	4.6
South . . . . .	4,789	37.3	26,134	38.4	5.5
West . . . . .	2,068	16.1	10,351	15.2	5.0
Under 15 years:					
United States . . . . .	1,425	100.0	6,467	100.0	4.5
Northeast . . . . .	300	21.1	1,539	23.8	5.1
Midwest . . . . .	287	20.1	1,050	16.2	3.7
South . . . . .	518	36.4	2,370	36.6	4.6
West . . . . .	320	22.5	1,508	23.3	4.7
15–44 years:					
United States . . . . .	2,776	100.0	13,573	100.0	4.9
Northeast . . . . .	658	23.7	3,696	27.2	5.6
Midwest . . . . .	593	21.4	2,419	17.8	4.1
South . . . . .	1,113	40.1	5,665	41.7	5.1
West . . . . .	412	14.8	1,793	13.2	4.4
45–64 years:					
United States . . . . .	3,519	100.0	18,125	100.0	5.2
Northeast . . . . .	802	22.8	4,695	25.9	5.9
Midwest . . . . .	812	23.1	3,660	20.2	4.5
South . . . . .	1,349	38.3	7,029	38.8	5.2
West . . . . .	556	15.8	2,741	15.1	4.9

**Table 3. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Sex, age, and region	Discharges		Days of care		Average length of stay in days
	Number in thousands	Percent distribution	Number in thousands	Percent distribution	
<b>65 years and over:</b>					
United States . . . . .	5,131	100.0	29,829	100.0	5.8
Northeast . . . . .	1,225	23.9	7,741	26.0	6.3
Midwest . . . . .	1,318	25.7	6,710	22.5	5.1
South . . . . .	1,808	35.2	11,070	37.1	6.1
West . . . . .	780	15.2	4,308	14.4	5.5
Female					
<b>All ages:</b>					
United States . . . . .	19,801	100.0	91,369	100.0	4.6
Northeast . . . . .	4,041	20.4	21,806	23.9	5.4
Midwest . . . . .	4,419	22.3	18,450	20.2	4.2
South . . . . .	7,955	40.2	36,734	40.2	4.6
West . . . . .	3,386	17.1	14,379	15.7	4.2
<b>Under 15 years:</b>					
United States . . . . .	1,134	100.0	4,989	100.0	4.4
Northeast . . . . .	221	19.4	1,005	20.1	4.6
Midwest . . . . .	234	20.6	913	18.3	3.9
South . . . . .	428	37.8	1,837	36.8	4.3
West . . . . .	251	22.2	1,235	24.8	4.9
<b>15–44 years:</b>					
United States . . . . .	7,567	100.0	24,974	100.0	3.3
Northeast . . . . .	1,361	18.0	5,435	21.8	4.0
Midwest . . . . .	1,501	19.8	4,475	17.9	3.0
South . . . . .	3,269	43.2	10,961	43.9	3.4
West . . . . .	1,436	19.0	4,104	16.4	2.9
<b>45–64 years:</b>					
United States . . . . .	3,705	100.0	18,260	100.0	4.9
Northeast . . . . .	773	20.9	4,281	23.4	5.5
Midwest . . . . .	797	21.5	3,484	19.1	4.4
South . . . . .	1,534	41.4	7,651	41.9	5.0
West . . . . .	601	16.2	2,843	15.6	4.7
<b>65 years and over:</b>					
United States . . . . .	7,394	100.0	43,147	100.0	5.8
Northeast . . . . .	1,686	22.8	11,084	25.7	6.6
Midwest . . . . .	1,886	25.5	9,579	22.2	5.1
South . . . . .	2,724	36.8	16,286	37.7	6.0
West . . . . .	1,098	14.9	6,198	14.4	5.6

**Table 4. Number of discharges from short-stay hospitals and of days of care, with average length of stay, by principal expected source of payment, sex, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Region, sex, and age	All principal expected sources of payment <sup>1</sup>	Medicare	Medicaid	Workers' compensation and other government payments	HMO/PPO <sup>2</sup>	Blue Cross/Blue Shield and other private insurance	Self-pay	Other payments and no charge
Number of discharges in thousands								
United States								
All . . . . .	32,653	12,685	4,695	628	5,230	6,872	1,421	686
Male . . . . .	12,852	5,289	1,485	366	1,858	2,708	695	283
Female . . . . .	19,801	7,396	3,209	262	3,372	4,164	726	402
Under 15 years . . . . .	2,560	*14	960	41	512	738	105	*
15–44 years . . . . .	10,343	562	2,624	283	2,461	3,051	840	306
45–64 years . . . . .	7,224	1,282	905	228	1,675	2,430	419	168
65 years and over . . . . .	12,525	10,828	206	76	582	653	57	55
Northeast								
All . . . . .	7,026	2,828	898	90	1,136	1,589	294	*
Male . . . . .	2,985	1,198	366	64	440	677	155	*
Female . . . . .	4,041	1,629	533	26	696	912	139	*
Under 15 years . . . . .	521	*	136	*	102	204	22	*
15–44 years . . . . .	2,020	111	488	42	471	643	184	37
45–64 years . . . . .	1,575	269	233	30	369	558	76	22
65 years and over . . . . .	2,911	2,447	41	*	195	184	12	*
Midwest								
All . . . . .	7,429	3,348	795	123	1,183	1,614	253	62
Male . . . . .	3,010	1,414	271	*	412	666	130	30
Female . . . . .	4,419	1,935	523	*	771	948	123	31
Under 15 years . . . . .	*	*	*	*	85	*	*	*
15–44 years . . . . .	2,094	113	463	*	575	689	148	29
45–64 years . . . . .	1,609	277	158	41	436	589	72	20
65 years and over . . . . .	3,204	2,953	16	*	86	106	11	*
South								
All . . . . .	12,744	4,813	1,996	257	2,049	2,441	650	*
Male . . . . .	4,789	1,967	556	141	681	923	303	*
Female . . . . .	7,955	2,846	1,440	116	1,369	1,518	347	145
Under 15 years . . . . .	947	*	406	12	193	191	41	*
15–44 years . . . . .	4,382	281	1,140	127	1,035	1,158	383	121
45–64 years . . . . .	2,884	577	365	94	611	912	204	49
65 years and over . . . . .	4,532	3,950	85	23	210	180	22	13
West								
All . . . . .	5,453	1,696	1,006	159	862	1,227	223	243
Male . . . . .	2,068	710	292	96	326	442	106	79
Female . . . . .	3,386	986	713	63	536	785	117	*
Under 15 years . . . . .	*	*	*	*	*	*	*	*
15–44 years . . . . .	1,847	56	533	59	380	562	123	119
45–64 years . . . . .	1,156	160	148	64	258	370	66	*
65 years and over . . . . .	1,878	1,478	64	*	92	183	12	*
Number of days of care in thousands								
United States								
All . . . . .	159,365	75,523	22,469	2,892	20,405	27,338	5,837	2,861
Male . . . . .	67,995	31,526	9,175	1,702	8,166	12,145	3,048	1,385
Female . . . . .	91,369	43,997	13,295	1,190	12,239	15,193	2,788	1,476
Under 15 years . . . . .	11,456	*54	5,009	*	2,109	2,827	350	*
15–44 years . . . . .	38,547	3,657	10,385	1,125	8,007	10,183	3,198	1,114
45–64 years . . . . .	36,385	8,486	5,700	1,066	7,199	10,600	1,955	770
65 years and over . . . . .	72,976	63,327	1,375	407	3,090	3,728	333	318

See footnotes at end of table.

**Table 4. Number of discharges from short-stay hospitals and of days of care, with average length of stay, by principal expected source of payment, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Region, sex, and age	All principal expected sources of payment <sup>1</sup>	Medicare	Medicaid	Workers' compensation and other government payments	HMO/PPO <sup>2</sup>	Blue Cross/Blue Shield and other private insurance	Self-pay	Other payments and no charge
Number of days of care in thousands								
Northeast								
All . . . . .	39,477	19,086	5,579	*	4,660	7,169	1,518	*
Male . . . . .	17,672	7,911	2,714	*	1,921	3,457	826	*
Female . . . . .	21,806	11,176	2,865	*	2,739	3,712	692	*
Under 15 years . . . . .	2,544	*	869	*	366	*	101	*
15–44 years . . . . .	9,131	898	2,621	*	1,591	2,488	890	*
45–64 years . . . . .	8,976	2,157	1,746	142	1,670	2,614	418	98
65 years and over . . . . .	18,826	16,031	343	*	1,032	1,134	*	*
Midwest								
All . . . . .	32,289	17,255	3,231	*	4,269	5,684	838	320
Male . . . . .	13,839	7,347	1,341	*	1,720	2,479	450	168
Female . . . . .	18,450	9,908	1,889	*	2,549	3,205	387	151
Under 15 years . . . . .	*	*	*	*	*	*	*	*
15–44 years . . . . .	6,894	640	1,621	*	1,709	2,060	458	146
45–64 years . . . . .	7,144	1,529	833	*	1,853	2,300	274	106
65 years and over . . . . .	16,289	15,063	84	*	449	497	43	*
South								
All . . . . .	62,868	29,432	9,239	1,071	8,216	9,828	2,690	*
Male . . . . .	26,134	12,197	3,495	610	3,104	4,271	1,361	*
Female . . . . .	36,734	17,235	5,743	461	5,113	5,557	1,329	523
Under 15 years . . . . .	4,207	*	2,029	40	*	693	115	*
15–44 years . . . . .	16,625	1,804	4,463	450	3,544	3,913	1,448	465
45–64 years . . . . .	14,680	3,769	2,176	457	2,633	4,067	992	229
65 years and over . . . . .	27,356	23,842	571	124	1,128	1,154	134	86
West								
All . . . . .	24,730	9,751	4,421	819	3,261	4,658	791	884
Male . . . . .	10,351	4,072	*	489	1,422	1,939	411	*
Female . . . . .	14,379	5,679	2,797	330	1,839	2,719	379	556
Under 15 years . . . . .	*	*	*	*	*	*	*	81
15–44 years . . . . .	5,897	314	1,681	233	1,162	1,723	402	345
45–64 years . . . . .	5,584	1,031	944	281	1,043	1,619	271	*
65 years and over . . . . .	10,506	8,392	377	*	481	942	47	*
Average length of stay								
United States								
All . . . . .	4.9	6.0	4.8	4.6	3.9	4.0	4.1	4.2
Male . . . . .	5.3	6.0	6.2	4.7	4.4	4.5	4.4	4.9
Female . . . . .	4.6	5.9	4.1	4.5	3.6	3.6	3.8	3.7
Under 15 years . . . . .	4.5	*3.9	5.2	7.1	4.1	3.8	3.3	4.2
15–44 years . . . . .	3.7	6.5	4.0	4.0	3.3	3.3	3.8	3.6
45–64 years . . . . .	5.0	6.6	6.3	4.7	4.3	4.4	4.7	4.6
65 years and over . . . . .	5.8	5.8	6.7	5.4	5.3	5.7	5.8	5.8
Northeast								
All . . . . .	5.6	6.7	6.2	5.3	4.1	4.5	5.2	4.5
Male . . . . .	5.9	6.6	7.4	5.4	4.4	5.1	5.3	5.2
Female . . . . .	5.4	6.9	5.4	5.3	3.9	4.1	5.0	4.0
Under 15 years . . . . .	4.9	*	6.4	4.8	3.6	4.6	4.7	4.6
15–44 years . . . . .	4.5	8.1	5.4	5.9	3.4	3.9	4.8	4.2
45–64 years . . . . .	5.7	8.0	7.5	4.8	4.5	4.7	5.5	4.5
65 years and over . . . . .	6.5	6.6	8.5	5.1	5.3	6.2	*	5.2

See footnotes at end of table.

**Table 4. Number of discharges from short-stay hospitals and of days of care, with average length of stay, by principal expected source of payment, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Region, sex, and age	All principal expected sources of payment <sup>1</sup>	Medicare	Medicaid	Workers' compensation and other government payments	HMO/PPO <sup>2</sup>	Blue Cross/Blue Shield and other private insurance	Self-pay	Other payments and no charge
Average length of stay								
Midwest								
All .....	4.3	5.2	4.1	4.2	3.6	3.5	3.3	5.2
Male .....	4.6	5.2	4.9	4.0	4.2	3.7	3.5	5.6
Female .....	4.2	5.1	3.6	4.5	3.3	3.4	3.1	4.8
Under 15 years .....	3.8	*	4.4	6.0	3.0	3.6	3.0	2.7
15–44 years .....	3.3	5.7	3.5	3.6	3.0	3.0	3.1	5.0
45–64 years .....	4.4	5.5	5.3	4.6	4.2	3.9	3.8	5.3
65 years and over .....	5.1	5.1	5.2	4.4	5.2	4.7	3.8	9.0
South								
All .....	4.9	6.1	4.6	4.2	4.0	4.0	4.1	4.3
Male .....	5.5	6.2	6.3	4.3	4.6	4.6	4.5	5.1
Female .....	4.6	6.1	4.0	4.0	3.7	3.7	3.8	3.6
Under 15 years .....	4.4	*	5.0	3.2	4.7	3.6	2.8	4.3
15–44 years .....	3.8	6.4	3.9	3.5	3.4	3.4	3.8	3.8
45–64 years .....	5.1	6.5	6.0	4.9	4.3	4.5	4.9	4.6
65 years and over .....	6.0	6.0	6.7	5.4	5.4	6.4	6.0	6.4
West								
All .....	4.5	5.7	4.4	5.2	3.8	3.8	3.5	3.6
Male .....	5.0	5.7	5.6	5.1	4.4	4.4	3.9	4.1
Female .....	4.2	5.8	3.9	5.3	3.4	3.5	3.2	3.4
Under 15 years .....	4.8	*	5.5	*	4.4	3.3	3.3	3.5
15–44 years .....	3.2	5.6	3.2	3.9	3.1	3.1	3.3	2.9
45–64 years .....	4.8	6.4	6.4	4.4	4.0	4.4	4.1	4.4
65 years and over .....	5.6	5.7	5.9	6.3	5.2	5.1	3.9	5.0

\* Figure does not meet standard of reliability or precision.

<sup>1</sup>Includes discharges for which no expected source of payment was provided.

<sup>2</sup>HMO/PPO is health maintenance organization and preferred provider organization.

**Table 5. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by bed size of hospital, sex, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Sex, age, and region	All bed sizes	6–99 beds	100–199 beds	200–299 beds	300–499 beds	500 beds or more
Number of discharges in thousands						
All . . . . .	32,653	7,289	9,409	5,485	7,076	3,394
Sex						
Male . . . . .	12,852	2,771	3,646	2,180	2,807	1,447
Female . . . . .	19,801	4,518	5,763	3,305	4,269	1,947
Age						
Under 15 years . . . . .	2,560	455	771	423	676	234
15–44 years . . . . .	10,343	2,261	2,955	1,604	2,373	1,149
45–64 years . . . . .	7,224	1,403	1,969	1,263	1,653	938
65 years and over . . . . .	12,525	3,170	3,714	2,195	2,374	1,072
Region						
Northeast . . . . .	7,026	1,561	1,793	1,098	1,718	858
Midwest . . . . .	7,429	2,016	2,151	1,438	1,099	726
South . . . . .	12,744	3,041	3,383	1,891	2,881	1,548
West . . . . .	5,453	672	2,083	1,058	1,378	263
Percent distribution of discharges						
All . . . . .	100.0	22.3	28.8	16.8	21.7	10.4
Sex						
Male . . . . .	100.0	21.6	28.4	17.0	21.8	11.3
Female . . . . .	100.0	22.8	29.1	16.7	21.6	9.8
Age						
Under 15 years . . . . .	100.0	17.8	30.1	16.5	26.4	9.2
15–44 years . . . . .	100.0	21.9	28.6	15.5	22.9	11.1
45–64 years . . . . .	100.0	19.4	27.3	17.5	22.9	13.0
65 years and over . . . . .	100.0	25.3	29.7	17.5	19.0	8.6
Region						
Northeast . . . . .	100.0	22.2	25.5	15.6	24.5	12.2
Midwest . . . . .	100.0	27.1	29.0	19.4	14.8	9.8
South . . . . .	100.0	23.9	26.5	14.8	22.6	12.1
West . . . . .	100.0	12.3	38.2	19.4	25.3	4.8
Number of days of care in thousands						
All . . . . .	159,365	31,036	45,578	27,066	36,173	19,511
Sex						
Male . . . . .	67,995	12,632	19,027	11,420	15,827	9,089
Female . . . . .	91,369	18,404	26,551	15,646	20,346	10,423
Age						
Under 15 years . . . . .	11,456	1,622	3,210	2,033	3,323	1,267
15–44 years . . . . .	38,547	7,985	10,294	5,549	9,445	5,274
45–64 years . . . . .	36,385	5,919	9,859	6,262	8,845	5,500
65 years and over . . . . .	72,976	15,510	22,215	13,221	14,560	7,470
Region						
Northeast . . . . .	39,477	7,822	10,756	5,817	9,852	5,231
Midwest . . . . .	32,289	7,339	9,414	6,688	5,084	3,765
South . . . . .	62,868	13,420	16,156	9,504	14,638	9,151
West . . . . .	24,730	2,455	9,253	5,058	6,600	1,365

**Table 5. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by bed size of hospital, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Sex, age, and region	All bed sizes	6–99 beds	100–199 beds	200–299 beds	300–499 beds	500 beds or more
Percent distribution of days of care						
All . . . . .	100.0	19.5	28.6	17.0	22.7	12.2
Sex						
Male . . . . .	100.0	18.6	28.0	16.8	23.3	13.4
Female . . . . .	100.0	20.1	29.1	17.1	22.3	11.4
Age						
Under 15 years . . . . .	100.0	14.2	28.0	17.8	29.0	11.1
15–44 years . . . . .	100.0	20.7	26.7	14.4	24.5	13.7
45–64 years . . . . .	100.0	16.3	27.1	17.2	24.3	15.1
65 years and over . . . . .	100.0	21.3	30.4	18.1	20.0	10.2
Region						
Northeast . . . . .	100.0	19.8	27.2	14.7	25.0	13.3
Midwest . . . . .	100.0	22.7	29.2	20.7	15.7	11.7
South . . . . .	100.0	21.3	25.7	15.1	23.3	14.6
West . . . . .	100.0	9.9	37.4	20.5	26.7	5.5
Average length of stay in days						
All . . . . .	4.9	4.3	4.8	4.9	5.1	5.7
Sex						
Male . . . . .	5.3	4.6	5.2	5.2	5.6	6.3
Female . . . . .	4.6	4.1	4.6	4.7	4.8	5.4
Age						
Under 15 years . . . . .	4.5	3.6	4.2	4.8	4.9	5.4
15–44 years . . . . .	3.7	3.5	3.5	3.5	4.0	4.6
45–64 years . . . . .	5.0	4.2	5.0	5.0	5.4	5.9
65 years and over . . . . .	5.8	4.9	6.0	6.0	6.1	7.0
Region						
Northeast . . . . .	5.6	5.0	6.0	5.3	5.7	6.1
Midwest . . . . .	4.3	3.6	4.4	4.7	4.6	5.2
South . . . . .	4.9	4.4	4.8	5.0	5.1	5.9
West . . . . .	4.5	3.7	4.4	4.8	4.8	5.2

**Table 6. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by hospital ownership, sex, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Sex, age, and region	All	Proprietary	Government	Nonprofit
Number of discharges in thousands				
All . . . . .	32,653	3,976	4,112	24,565
Sex				
Male . . . . .	12,852	1,446	1,629	9,777
Female . . . . .	19,801	2,530	2,483	14,788
Age				
Under 15 years . . . . .	2,560	238	279	2,042
15–44 years . . . . .	10,343	1,448	1,491	7,405
45–64 years . . . . .	7,224	796	1,049	5,379
65 years and over . . . . .	12,525	1,493	1,293	9,739
Region				
Northeast . . . . .	7,026	110	309	6,608
Midwest . . . . .	7,429	237	646	6,545
South . . . . .	12,744	2,995	2,467	7,282
West . . . . .	5,453	634	689	4,130
Percent distribution of discharges				
All . . . . .	100.0	12.2	12.6	75.2
Sex				
Male . . . . .	100.0	11.3	12.7	76.1
Female . . . . .	100.0	12.8	12.5	74.7
Age				
Under 15 years . . . . .	100.0	9.3	10.9	79.8
15–44 years . . . . .	100.0	14.0	14.4	71.6
45–64 years . . . . .	100.0	11.0	14.5	74.5
65 years and over . . . . .	100.0	11.9	10.3	77.8
Region				
Northeast . . . . .	100.0	1.6	4.4	94.0
Midwest . . . . .	100.0	3.2	8.7	88.1
South . . . . .	100.0	23.5	19.4	57.1
West . . . . .	100.0	11.6	12.6	75.7
Number of days of care in thousands				
All . . . . .	159,365	20,167	19,881	119,317
Sex				
Male . . . . .	67,995	8,138	8,882	50,975
Female . . . . .	91,369	12,029	10,998	68,342
Age				
Under 15 years . . . . .	11,456	1,098	1,124	9,235
15–44 years . . . . .	38,547	5,744	6,077	26,725
45–64 years . . . . .	36,385	4,064	5,471	26,850
65 years and over . . . . .	72,976	9,261	7,208	56,508
Region				
Northeast . . . . .	39,477	499	1,927	37,051
Midwest . . . . .	32,289	1,132	2,811	28,346
South . . . . .	62,868	15,694	12,182	34,991
West . . . . .	24,730	2,841	2,961	18,928

**Table 6. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by hospital ownership, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Sex, age, and region	All	Proprietary	Government	Nonprofit
Percent distribution of days of care				
All . . . . .	100.0	12.7	12.5	74.9
Sex				
Male . . . . .	100.0	12.0	13.1	75.0
Female . . . . .	100.0	13.2	12.0	74.8
Age				
Under 15 years . . . . .	100.0	9.6	9.8	80.6
15–44 years . . . . .	100.0	14.9	15.8	69.3
45–64 years . . . . .	100.0	11.2	15.0	73.8
65 years and over . . . . .	100.0	12.7	9.9	77.4
Region				
Northeast . . . . .	100.0	1.3	4.9	93.9
Midwest . . . . .	100.0	3.5	8.7	87.8
South . . . . .	100.0	25.0	19.4	55.7
West . . . . .	100.0	11.5	12.0	76.5
Average length of stay in days				
All . . . . .	4.9	5.1	4.8	4.9
Sex				
Male . . . . .	5.3	5.6	5.5	5.2
Female . . . . .	4.6	4.8	4.4	4.6
Age				
Under 15 years . . . . .	4.5	4.6	4.0	4.5
15–44 years . . . . .	3.7	4.0	4.1	3.6
45–64 years . . . . .	5.0	5.1	5.2	5.0
65 years and over . . . . .	5.8	6.2	5.6	5.8
Region				
Northeast . . . . .	5.6	4.6	6.2	5.6
Midwest . . . . .	4.3	4.8	4.3	4.3
South . . . . .	4.9	5.2	4.9	4.8
West . . . . .	4.5	4.5	4.3	4.6

**Table 7. Number and percent distribution of discharges by type and source of admission to short-stay hospitals, by age and sex: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Admission type and source	Total	Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over
Number in thousands							
All types and sources . . . . .	32,653	12,852	19,801	2,560	10,343	7,224	12,525
Type of admission							
Emergency . . . . .	10,960	4,940	6,020	698	2,681	2,657	4,925
Urgent . . . . .	6,851	2,423	4,428	547	2,557	1,289	2,458
Elective . . . . .	6,007	2,026	3,980	295	2,329	1,439	1,944
Item not available . . . . .	8,835	3,462	5,372	1,020	2,777	1,840	3,198
Source of admission							
Physician referral <sup>1</sup> . . . . .	11,334	3,739	7,595	807	4,631	2,348	3,547
Emergency department . . . . .	11,276	5,074	6,203	587	2,557	2,770	5,363
Transfer from a hospital . . . . .	749	366	384	75	136	171	367
Transfer from other health facility <sup>2</sup> . . . . .	541	221	321	38	65	85	353
Other sources <sup>3</sup> . . . . .	738	261	478	47	389	159	143
Item not available . . . . .	8,014	3,192	4,821	1,006	2,565	1,691	2,752
Percent distribution							
All types and sources . . . . .	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Type of admission							
Emergency . . . . .	33.6	38.4	30.4	27.3	25.9	36.8	39.3
Urgent . . . . .	21.0	18.9	22.4	21.4	24.7	17.8	19.6
Elective . . . . .	18.4	15.8	20.1	11.5	22.5	19.9	15.5
Item not available . . . . .	27.1	26.9	27.1	39.9	26.8	25.5	25.5
Source of admission							
Physician referral <sup>1</sup> . . . . .	34.7	29.1	38.4	31.5	44.8	32.5	28.3
Emergency department . . . . .	34.5	39.5	31.3	22.9	24.7	38.3	42.8
Transfer from a hospital . . . . .	2.3	2.8	1.9	2.9	1.3	2.4	2.9
Transfer from other health facility <sup>2</sup> . . . . .	1.7	1.7	1.6	1.5	0.6	1.2	2.8
Other sources <sup>3</sup> . . . . .	2.3	2.0	2.4	1.8	3.8	2.2	1.1
Item not available . . . . .	24.5	24.8	24.3	39.3	24.8	23.4	22.0

<sup>1</sup>Referrals from personal physician, clinic physician, or health maintenance organization physician.

<sup>2</sup>Transfers from skilled nursing facility or other health facility.

<sup>3</sup>Includes admissions directed by a court of law or requested by a law enforcement agent and other sources.

**Table 8. Number and rate of deaths for discharges from short-stay hospitals, by sex and age: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Age	Both sexes	Male	Female	Both sexes	Male	Female
	Number of deaths in thousands				Rate per 100 discharges	
All ages . . . . .	804	383	421	2.5	3.0	2.1
Under 65 years . . . . .	209	113	96	1.0	1.5	0.8
Under 15 years . . . . .	*	*	*	*	*	*
15–44 years . . . . .	41	20	21	0.4	0.7	0.3
45–64 years . . . . .	150	84	66	2.1	2.4	1.8
65 years and over . . . . .	595	269	325	4.7	5.2	4.4
65–74 years . . . . .	156	75	82	3.3	3.4	3.2
75–84 years . . . . .	253	126	127	4.8	5.8	4.2
85 years and over . . . . .	185	69	117	7.1	8.5	6.4

\*Figure does not meet standard of reliability or precision.

**Table 9. Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by selected first-listed diagnostic categories: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days
	Number in thousands	Rate per 10,000 population <sup>1</sup>	Number in thousands	Rate per 10,000 population <sup>1</sup>	
All conditions <sup>2</sup>	32,653	1,151.3	159,365	5,618.9	4.9
Heart disease	391–392,0,393–398,402,404,410–416,420–429	4,323	152.4	20,015	705.7
Acute myocardial infarction	410	795	28.0	4,595	162.0
Coronary atherosclerosis	414.0	1,061	37.4	3,803	134.1
Other ischemic heart disease	411–413,414.1–414.9	234	8.2	583	20.6
Cardiac dysrhythmias	427	723	25.5	2,623	92.5
Congestive heart failure	428.0	995	35.1	5,416	191.0
Females with deliveries	V27	3,839	135.4	9,702	342.1
Psychoses	290–299	1,633	57.6	13,223	466.2
Pneumonia	480–486	1,300	45.8	7,411	261.3
Malignant neoplasms	140–208,230–234	1,212	42.7	8,514	300.2
Malignant neoplasm of large intestine and rectum	153–154,197.5	157	5.6	1,356	47.8
Malignant neoplasm of trachea, bronchus, and lung	162,176.4,197.0,197.3	153	5.4	1,160	40.9
Malignant neoplasm of breast	174–175,198.81	107	3.8	309	10.9
Fractures, all sites <sup>3</sup>	800–829	999	35.2	5,369	189.3
Fracture of neck of femur <sup>3</sup>	820	324	11.4	2,118	74.7
Cerebrovascular disease	430–438	931	32.8	4,821	170.0
Diabetes mellitus	250	562	19.8	2,761	97.4
Volume depletion	276.5	534	18.8	2,025	71.4
Chronic bronchitis	491	505	17.8	2,641	93.1
Osteoarthritis and allied disorders	715	496	17.5	2,197	77.5
Asthma	493	454	16.0	1,469	51.8
Cellulitis and abscess	681–682	404	14.2	1,933	68.1
Benign neoplasms	210–229	387	13.6	1,240	43.7
Cholelithiasis	574	367	12.9	1,429	50.4
Intervertebral disc disorder	722	325	11.5	955	33.7
Septicemia	038	315	11.1	2,798	98.7
Noninfectious enteritis and colitis	555–558	301	10.6	1,305	46.0

<sup>1</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

<sup>2</sup>Includes data for diagnostic conditions not shown in table.

<sup>3</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 10. Number and rate of discharges from short-stay hospitals with average length of stay, for patients 65 years of age and over by age and selected first-listed diagnostic categories: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	65 years and over	65–74 years	75–84 years	85 years and over
Discharges in thousands				
All conditions <sup>1</sup>	12,525	4,692	5,209	2,624
Heart disease	391–392,0,393–398,402,404,410–416,420–429	2,792	1,055	1,166
Acute myocardial infarction	410	494	180	204
Coronary atherosclerosis	414.0	597	312	230
Other ischemic heart disease	411–413,414.1–414.9	125	50	52
Cardiac dysrhythmias	427	513	186	222
Congestive heart failure	428.0	765	218	329
Pneumonia	480–486	759	226	314
Cerebrovascular disease	430–438	685	227	299
Malignant neoplasms	140–208,230–234	653	302	261
Malignant neoplasm of large intestine and rectum	153–154,197.5	105	44	40
Fractures, all sites <sup>2</sup>	800–829	528	121	211
Fracture of neck of femur <sup>2</sup>	820	291	51	113
Chronic bronchitis	491	355	155	164
Osteoarthritis and allied disorders	715	323	164	136
Volume depletion	276.5	276	74	112
Psychoses	290–299	242	97	93
Septicemia	038	219	64	89
Diabetes mellitus	250	206	100	83
Diverticula of intestine	562	160	53	65
Cholelithiasis	574	145	60	62
Cellulitis and abscess	681–682	139	57	53
Discharge rate per 10,000 population <sup>3</sup>				
All conditions <sup>1</sup>	3,549.2	2,562.0	4,142.9	5,959.5
Heart disease	391–392,0,393–398,402,404,410–416,420–429	791.0	576.2	927.1
Acute myocardial infarction	410	139.9	98.4	162.0
Coronary atherosclerosis	414.0	169.2	170.1	182.9
Other ischemic heart disease	411–413,414.1–414.9	35.5	27.3	41.4
Cardiac dysrhythmias	427	145.4	101.5	176.2
Congestive heart failure	428.0	216.7	119.2	261.4
Pneumonia	480–486	215.1	123.2	249.6
Cerebrovascular disease	430–438	194.0	123.8	237.8
Malignant neoplasms	140–208,230–234	185.1	164.7	207.2
Malignant neoplasm of large intestine and rectum	153–154,197.5	29.8	24.1	31.5
Fractures, all sites <sup>2</sup>	800–829	149.6	65.8	167.5
Fracture of neck of femur <sup>2</sup>	820	82.5	27.8	89.5
Chronic bronchitis	491	100.5	84.9	130.4
Osteoarthritis and allied disorders	715	91.5	89.7	108.2
Volume depletion	276.5	78.2	40.3	89.3
Psychoses	290–299	68.4	52.7	74.1
Septicemia	038	62.1	34.8	71.2
Diabetes mellitus	250	58.4	54.8	65.7
Diverticula of intestine	562	45.3	28.8	51.7
Cholelithiasis	574	41.0	32.9	49.0
Cellulitis and abscess	681–682	39.5	31.2	42.4
Average length of stay in days				
All conditions <sup>1</sup>	5.8	5.7	5.8	6.1
Heart disease	391–392,0,393–398,402,404,410–416,420–429	4.9	4.7	4.9
Acute myocardial infarction	410	6.3	6.5	6.1
Coronary atherosclerosis	414.0	3.9	3.8	3.9
Other ischemic heart disease	411–413,414.1–414.9	2.7	2.5	2.7
Cardiac dysrhythmias	427	3.9	3.3	4.0
Congestive heart failure	428.0	5.5	5.7	5.3
Pneumonia	480–486	6.5	6.1	6.7
Cerebrovascular disease	430–438	5.1	5.0	5.2

See footnotes at end of table.

**Table 10. Number and rate of discharges from short-stay hospitals with average length of stay, for patients 65 years of age and over by age and selected first-listed diagnostic categories: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	65 years and over	65–74 years	75–84 years	85 years and over
Average length of stay in days				
Malignant neoplasms . . . . .	140–208,230–234	7.3	7.3	7.3
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	9.0	8.8	9.7
Fractures, all sites <sup>2</sup> . . . . .	800–829	6.2	6.1	6.4
Fracture of neck of femur <sup>2</sup> . . . . .	820	6.5	6.5	6.5
Chronic bronchitis . . . . .	491	5.3	5.2	5.3
Osteoarthritis and allied disorders . . . . .	715	4.5	4.6	4.4
Volume depletion . . . . .	276.5	4.8	5.2	4.6
Psychoses . . . . .	290–299	9.7	11.1	9.2
Septicemia . . . . .	038	8.7	10.2	8.0
Diabetes mellitus . . . . .	250	5.7	5.7	5.7
Diverticula of intestine . . . . .	562	5.4	4.9	5.7
Cholelithiasis . . . . .	574	4.9	4.6	4.9
Cellulitis and abscess . . . . .	681–682	5.4	5.6	5.0

<sup>1</sup>Includes data for diagnostic conditions not shown in table.

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

<sup>3</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

**Table 11. Number of discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	All ages	Under 15 years	15–44 years	45–64 years	65 years and over
Number in thousands					
All conditions . . . . .	32,653	2,560	10,343	7,224	12,525
Infectious and parasitic diseases . . . . .	001–139	842	181	197	144
Septicemia . . . . .	038	315	16	22	57
Neoplasms . . . . .	140–239	1,642	31	298	580
Malignant neoplasms . . . . .	140–208,230–234	1,212	23	123	413
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	157	*	7	45
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	153	*	6	56
Malignant neoplasm of breast . . . . .	174–175,198.81	107	*	17	40
Benign neoplasms . . . . .	210–229	387	*	167	156
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	1,563	192	279	418
Diabetes mellitus . . . . .	250	562	26	130	201
Volume depletion . . . . .	276.5	534	140	45	73
Diseases of the blood and blood-forming organs . . . . .	280–289	404	59	105	80
Mental disorders . . . . .	290–319	2,358	140	1,339	580
Psychoses . . . . .	290–299	1,633	*	897	408
Alcohol dependence syndrome . . . . .	303	148	*	93	48
Diseases of the nervous system and sense organs . . . . .	320–389	493	88	120	105
Diseases of the circulatory system . . . . .	390–459	6,226	25	412	1,773
Heart disease . . . . .	391–392.0,393–398,402,404,410–416,420–429	4,323	15	252	1,265
Acute myocardial infarction . . . . .	410	795	*	43	258
Coronary atherosclerosis . . . . .	414.0	1,061	*	45	418
Other ischemic heart disease . . . . .	411–413,414.1–414.9	234	*	21	88
Cardiac dysrhythmias . . . . .	427	723	6	47	156
Congestive heart failure . . . . .	428.0	995	*3	26	201
Cerebrovascular disease . . . . .	430–438	931	*3	39	204
Diseases of the respiratory system . . . . .	460–519	3,440	712	390	656
Acute bronchitis and bronchiolitis . . . . .	466	270	206	14	18
Pneumonia . . . . .	480–486	1,300	198	124	219
Chronic bronchitis . . . . .	491	505	*	15	133
Asthma . . . . .	493	454	182	104	92
Diseases of the digestive system . . . . .	520–579	3,300	222	833	918
Appendicitis . . . . .	540–543	283	65	150	51
Noninfectious enteritis and colitis . . . . .	555–558	301	62	85	59
Diverticula of intestine . . . . .	562	280	*	36	83
Cholelithiasis . . . . .	574	367	*	118	103
Diseases of the genitourinary system . . . . .	580–629	1,789	84	579	441
Calculus of kidney and ureter . . . . .	592	188	*	84	68
Complications of pregnancy, childbirth, and the puerperium <sup>1</sup> . . . . .	630–677	510	*	508	*
Diseases of the skin and subcutaneous tissue . . . . .	680–709	574	*	147	150
Cellulitis and abscess . . . . .	681–682	404	39	108	118
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	1,604	43	314	524
Osteoarthritis and allied disorders . . . . .	715	496	*	18	156
Intervertebral disc disorders . . . . .	722	325	*	131	130
Congenital anomalies . . . . .	740–759	207	145	35	19
Certain conditions originating in the perinatal period . . . . .	760–779	172	172	*	*
Symptoms, signs, and ill-defined conditions . . . . .	780–799	248	73	84	57
Injury and poisoning . . . . .	800–999	2,613	237	754	587
Fractures, all sites <sup>2</sup> . . . . .	800–829	999	72	231	168
Fracture of neck of femur <sup>2</sup> . . . . .	820	324	*	*6	24
Poisonings . . . . .	960–989	206	20	121	43
Supplementary classifications . . . . .	V01–V82	4,669	71	3,948	192
Females with deliveries . . . . .	V27	3,839	10	3,824	*5

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 12. Rate of discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	All ages	Under 15 years	15–44 years	45–64 years	65 years and over
Rate per 10,000 population <sup>1</sup>					
All conditions . . . . .	1,151.3	423.6	837.9	1,120.7	3,549.2
Infectious and parasitic diseases . . . . .	001–139	29.7	30.0	16.0	22.3
Septicemia . . . . .	038	11.1	2.7	1.8	8.9
Neoplasms . . . . .	140–239	57.9	5.2	24.2	89.9
Malignant neoplasms . . . . .	140–208,230–234	42.7	3.7	10.0	64.1
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	5.6	*	0.6	7.0
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	5.4	*	0.5	8.7
Malignant neoplasm of breast . . . . .	174–175,198.81	3.8	*	1.4	6.1
Benign neoplasms . . . . .	210–229	13.6	*	13.5	24.2
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	55.1	31.8	22.6	64.8
Diabetes mellitus . . . . .	250	19.8	4.2	10.5	31.2
Volume depletion . . . . .	276.5	18.8	23.2	3.7	11.3
Diseases of the blood and blood-forming organs . . . . .	280–289	14.2	9.8	8.5	12.4
Mental disorders . . . . .	290–319	83.2	23.1	108.5	89.9
Psychoses . . . . .	290–299	57.6	*	72.6	63.4
Alcohol dependence syndrome . . . . .	303	5.2	*	7.5	7.4
Diseases of the nervous system and sense organs . . . . .	320–389	17.4	14.5	9.7	16.2
Diseases of the circulatory system . . . . .	390–459	219.5	4.2	33.3	275.1
Heart disease . . . . .	391–392.0,393–398,402,404,410–416,420–429	152.4	2.4	20.5	196.2
Acute myocardial infarction . . . . .	410	28.0	*	3.5	40.0
Coronary atherosclerosis . . . . .	414.0	37.4	*	3.7	64.9
Other ischemic heart disease . . . . .	411–413,414.1–414.9	8.2	*	1.7	13.6
Cardiac dysrhythmias . . . . .	427	25.5	1.0	3.8	24.2
Congestive heart failure . . . . .	428.0	35.1	*0.5	2.1	31.2
Cerebrovascular disease . . . . .	430–438	32.8	*0.5	3.1	31.6
Diseases of the respiratory system . . . . .	460–519	121.3	117.9	31.6	101.8
Acute bronchitis and bronchiolitis . . . . .	466	9.5	34.1	1.1	2.9
Pneumonia . . . . .	480–486	45.8	32.7	10.0	34.0
Chronic bronchitis . . . . .	491	17.8	*	1.2	20.6
Asthma . . . . .	493	16.0	30.1	8.4	14.3
Diseases of the digestive system . . . . .	520–579	116.3	36.7	67.5	142.4
Appendicitis . . . . .	540–543	10.0	10.8	12.1	7.9
Noninfectious enteritis and colitis . . . . .	555–558	10.6	10.2	6.8	9.1
Diverticula of intestine . . . . .	562	9.9	*	3.0	12.9
Cholelithiasis . . . . .	574	12.9	*	9.6	16.0
Diseases of the genitourinary system . . . . .	580–629	63.1	13.9	46.9	68.4
Calculus of kidney and ureter . . . . .	592	6.6	*	6.8	10.5
Complications of pregnancy, childbirth, and the puerperium <sup>2</sup> . . . . .	630–677	18.0	*	41.2	*
Diseases of the skin and subcutaneous tissue . . . . .	680–709	20.2	*	11.9	23.2
Cellulitis and abscess . . . . .	681–682	14.2	6.4	8.8	18.2
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	56.5	7.1	25.5	81.3
Osteoarthritis and allied disorders . . . . .	715	17.5	*	1.4	24.2
Intervertebral disc disorders . . . . .	722	11.5	*	10.6	20.2
Congenital anomalies . . . . .	740–759	7.3	23.9	2.8	3.0
Certain conditions originating in the perinatal period . . . . .	760–779	6.1	28.4	*	*
Symptoms, signs, and ill-defined conditions . . . . .	780–799	8.7	12.1	6.8	8.8
Injury and poisoning . . . . .	800–999	92.1	39.2	61.1	91.1
Fractures, all sites <sup>3</sup> . . . . .	800–829	35.2	11.9	18.7	26.0
Fracture of neck of femur <sup>3</sup> . . . . .	820	11.4	*	*0.5	3.7
Poisonings . . . . .	960–989	7.3	3.3	9.8	6.7
Supplementary classifications . . . . .	V01–V82	164.6	11.8	319.8	29.9
Females with deliveries . . . . .	V27	135.4	1.7	309.8	*0.8

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

<sup>2</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>3</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 13. Average length of stay for discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	All ages	Under 15 years	15–44 years	45–64 years	65 years and over
Average length of stay in days					
All conditions . . . . .	4.9	4.5	3.7	5.0	5.8
Infectious and parasitic diseases . . . . .	001–139	6.5	3.3	6.5	7.7
Septicemia . . . . .	038	8.9	6.9	10.0	9.8
Neoplasms . . . . .	140–239	6.1	7.9	4.1	5.8
Malignant neoplasms . . . . .	140–208,230–234	7.0	9.1	6.1	6.8
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	8.6	*	7.1	7.9
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	7.6	*	8.0	7.5
Malignant neoplasm of breast . . . . .	174–175,198.81	2.9	*	2.8	2.5
Benign neoplasms . . . . .	210–229	3.2	*	2.7	3.0
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	4.3	2.6	3.7	4.2
Diabetes mellitus . . . . .	250	4.9	2.6	3.9	5.0
Volume depletion . . . . .	276.5	3.8	2.1	2.7	3.7
Diseases of the blood and blood-forming organs . . . . .	280–289	4.6	3.8	4.9	4.4
Mental disorders . . . . .	290–319	7.4	9.7	6.6	7.8
Psychoses . . . . .	290–299	8.1	8.2	7.2	9.1
Alcohol dependence syndrome . . . . .	303	5.3	*	5.2	5.0
Diseases of the nervous system and sense organs . . . . .	320–389	5.3	3.9	4.6	6.1
Diseases of the circulatory system . . . . .	390–459	4.7	6.4	3.8	4.3
Heart disease . . . . .	391–392.0,393–398,402,404,410–416,420–429	4.6	6.8	3.7	4.1
Acute myocardial infarction . . . . .	410	5.8	*	4.7	4.9
Coronary atherosclerosis . . . . .	414.0	3.6	*	2.4	3.3
Other ischemic heart disease . . . . .	411–413,414.1–414.9	2.5	*	2.1	2.3
Cardiac dysrhythmias . . . . .	427	3.6	*	2.3	3.2
Congestive heart failure . . . . .	428.0	5.4	*11.6	6.0	5.1
Cerebrovascular disease . . . . .	430–438	5.2	*6.5	5.4	5.3
Diseases of the respiratory system . . . . .	460–519	5.3	3.2	4.4	5.4
Acute bronchitis and bronchiolitis . . . . .	466	3.4	3.2	3.7	4.3
Pneumonia . . . . .	480–486	5.7	3.5	5.1	5.4
Chronic bronchitis . . . . .	491	5.2	*	5.0	5.0
Asthma . . . . .	493	3.2	2.3	3.0	3.7
Diseases of the digestive system . . . . .	520–579	4.7	3.2	3.7	4.8
Appendicitis . . . . .	540–543	3.1	3.0	2.6	3.6
Noninfectious enteritis and colitis . . . . .	555–558	4.3	2.3	4.0	5.4
Diverticula of intestine . . . . .	562	5.2	*	4.9	5.0
Cholelithiasis . . . . .	574	3.9	*	2.8	3.7
Diseases of the genitourinary system . . . . .	580–629	3.7	3.5	2.8	3.3
Calculus of kidney and ureter . . . . .	592	2.4	*2.0	2.2	2.4
Complications of pregnancy, childbirth, and the puerperium <sup>1</sup> . . . . .	630–677	2.7	*	2.7	*
Diseases of the skin and subcutaneous tissue . . . . .	680–709	5.2	3.6	4.7	5.6
Cellulitis and abscess . . . . .	681–682	4.8	3.0	4.4	5.0
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	4.1	3.7	3.3	3.7
Osteoarthritis and allied disorders . . . . .	715	4.4	*	3.7	4.3
Intervertebral disc disorders . . . . .	722	2.9	*	2.4	2.8
Congenital anomalies . . . . .	740–759	5.5	6.0	3.9	4.1
Certain conditions originating in the perinatal period . . . . .	760–779	10.9	10.9	*	*
Symptoms, signs, and ill-defined conditions . . . . .	780–799	2.3	2.5	1.7	2.0
Injury and poisoning . . . . .	800–999	5.3	4.1	4.4	5.3
Fractures, all sites <sup>2</sup> . . . . .	800–829	5.4	3.1	4.6	4.8
Fracture of neck of femur <sup>2</sup> . . . . .	820	6.5	*3.9	*6.9	6.6
Poisonings . . . . .	960–989	2.7	2.8	2.3	3.1
Supplementary classifications . . . . .	V01–V82	3.7	5.0	2.6	8.1
Females with deliveries . . . . .	V27	2.5	2.3	2.5	*3.5

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 14. Number of discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	Both sexes	Male	Female
Number in thousands			
All conditions . . . . .	32,653	12,852	19,801
Infectious and parasitic diseases . . . . .	001–139	842	400
Septicemia . . . . .	038	315	142
Neoplasms . . . . .	140–239	1,642	613
Malignant neoplasms . . . . .	140–208,230–234	1,212	554
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	157	79
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	153	79
Malignant neoplasm of breast . . . . .	174–175,198.81	107	* 107
Benign neoplasms . . . . .	210–229	387	44
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	1,563	628
Diabetes mellitus . . . . .	250	562	271
Volume depletion . . . . .	276.5	534	200
Diseases of the blood and blood-forming organs . . . . .	280–289	404	175
Mental disorders . . . . .	290–319	2,358	1,205
Psychoses . . . . .	290–299	1,633	774
Alcohol dependence syndrome . . . . .	303	148	111
Diseases of the nervous system and sense organs . . . . .	320–389	493	204
Diseases of the circulatory system . . . . .	390–459	6,226	3,058
Heart disease . . . . .	391–392,0,393–398,402,404,410–416,420–429	4,323	2,219
Acute myocardial infarction . . . . .	410	795	436
Coronary atherosclerosis . . . . .	414.0	1,061	655
Other ischemic heart disease . . . . .	411–413,414.1–414.9	234	108
Cardiac dysrhythmias . . . . .	427	723	339
Congestive heart failure . . . . .	428.0	995	444
Cerebrovascular disease . . . . .	430–438	931	391
Diseases of the respiratory system . . . . .	460–519	3,440	1,646
Acute bronchitis and bronchiolitis . . . . .	466	270	138
Pneumonia . . . . .	480–486	1,300	641
Chronic bronchitis . . . . .	491	505	218
Asthma . . . . .	493	454	186
Diseases of the digestive system . . . . .	520–579	3,300	1,456
Appendicitis . . . . .	540–543	283	163
Noninfectious enteritis and colitis . . . . .	555–558	301	118
Diverticula of intestine . . . . .	562	280	113
Cholelithiasis . . . . .	574	367	115
Diseases of the genitourinary system . . . . .	580–629	1,789	547
Calculus of kidney and ureter . . . . .	592	188	110
Complications of pregnancy, childbirth, and the puerperium <sup>1</sup> . . . . .	630–677	510	...
Diseases of the skin and subcutaneous tissue . . . . .	680–709	574	296
Cellulitis and abscess . . . . .	681–682	404	212
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	1,604	682
Osteoarthritis and allied disorders . . . . .	715	496	189
Intervertebral disc disorders . . . . .	722	325	164
Congenital anomalies . . . . .	740–759	207	113
Certain conditions originating in the perinatal period . . . . .	760–779	172	100
Symptoms, signs, and ill-defined conditions . . . . .	780–799	248	121
Injury and poisoning . . . . .	800–999	2,613	1,253
Fractures, all sites <sup>2</sup> . . . . .	800–829	999	423
Fracture of neck of femur <sup>2</sup> . . . . .	820	324	83
Poisonings . . . . .	960–989	206	82
Supplementary classifications . . . . .	V01–V82	4,669	357
Females with deliveries . . . . .	V27	3,839	...
			3,839

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 15. Rate of discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	Both sexes	Male	Female
Rate per 10,000 population <sup>1</sup>			
All conditions . . . . .	1,151.3	925.9	1,367.3
Infectious and parasitic diseases . . . . .	001–139	29.7	28.9
Septicemia . . . . .	038	11.1	10.3
Neoplasms . . . . .	140–239	57.9	44.2
Malignant neoplasms . . . . .	140–208,230–234	42.7	39.9
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	5.6	5.7
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	5.4	5.7
Malignant neoplasm of breast . . . . .	174–175,198.81	3.8	*
Benign neoplasms . . . . .	210–229	13.6	3.2
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	55.1	45.2
Diabetes mellitus . . . . .	250	19.8	19.5
Volume depletion . . . . .	276.5	18.8	14.4
Diseases of the blood and blood-forming organs . . . . .	280–289	14.2	12.6
Mental disorders . . . . .	290–319	83.2	86.8
Psychoses . . . . .	290–299	57.6	55.8
Alcohol dependence syndrome . . . . .	303	5.2	8.0
Diseases of the nervous system and sense organs . . . . .	320–389	17.4	14.7
Diseases of the circulatory system . . . . .	390–459	219.5	220.3
Heart disease . . . . .	391–392,0,393–398,402,404,410–416,420–429	152.4	159.9
Acute myocardial infarction . . . . .	410	28.0	31.4
Coronary atherosclerosis . . . . .	414.0	37.4	47.2
Other ischemic heart disease . . . . .	411–413,414.1–414.9	8.2	7.8
Cardiac dysrhythmias . . . . .	427	25.5	24.4
Congestive heart failure . . . . .	428.0	35.1	32.0
Cerebrovascular disease . . . . .	430–438	32.8	28.2
Diseases of the respiratory system . . . . .	460–519	121.3	118.6
Acute bronchitis and bronchiolitis . . . . .	466	9.5	10.0
Pneumonia . . . . .	480–486	45.8	46.2
Chronic bronchitis . . . . .	491	17.8	15.7
Asthma . . . . .	493	16.0	13.4
Diseases of the digestive system . . . . .	520–579	116.3	104.9
Appendicitis . . . . .	540–543	10.0	11.8
Noninfectious enteritis and colitis . . . . .	555–558	10.6	8.5
Diverticula of intestine . . . . .	562	9.9	8.1
Cholelithiasis . . . . .	574	12.9	8.3
Diseases of the genitourinary system . . . . .	580–629	63.1	39.4
Calculus of kidney and ureter . . . . .	592	6.6	7.9
Complications of pregnancy, childbirth, and the puerperium <sup>2</sup> . . . . .	630–677	18.0	...
Diseases of the skin and subcutaneous tissue . . . . .	680–709	20.2	21.3
Cellulitis and abscess . . . . .	681–682	14.2	15.3
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	56.5	49.2
Osteoarthritis and allied disorders . . . . .	715	17.5	13.6
Intervertebral disc disorders . . . . .	722	11.5	11.8
Congenital anomalies . . . . .	740–759	7.3	8.1
Certain conditions originating in the perinatal period . . . . .	760–779	6.1	7.2
Symptoms, signs, and ill-defined conditions . . . . .	780–799	8.7	8.7
Injury and poisoning . . . . .	800–999	92.1	90.3
Fractures, all sites <sup>3</sup> . . . . .	800–829	35.2	30.5
Fracture of neck of femur <sup>3</sup> . . . . .	820	11.4	6.0
Poisonings . . . . .	960–989	7.3	5.9
Supplementary classifications . . . . .	V01–V82	164.6	25.7
Females with deliveries . . . . .	V27	135.4	...

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

<sup>2</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>3</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 16. Average length of stay for discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	Both sexes	Male	Female
Average length of stay in days			
All conditions . . . . .	4.9	5.3	4.6
Infectious and parasitic diseases . . . . .	6.5	6.5	6.5
Septicemia . . . . .	8.9	8.8	8.9
Neoplasms . . . . .	6.1	7.2	5.5
Malignant neoplasms . . . . .	7.0	7.4	6.7
Malignant neoplasm of large intestine and rectum . . . . .	8.6	8.3	8.9
Malignant neoplasm of trachea, bronchus, and lung . . . . .	7.6	8.1	7.0
Malignant neoplasm of breast . . . . .	2.9	*	2.9
Benign neoplasms . . . . .	3.2	4.2	3.1
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	4.3	4.4	4.2
Diabetes mellitus . . . . .	4.9	5.1	4.8
Volume depletion . . . . .	3.8	3.6	3.9
Diseases of the blood and blood-forming organs . . . . .	4.6	4.8	4.5
Mental disorders . . . . .	7.4	7.1	7.6
Psychoses . . . . .	8.1	7.7	8.4
Alcohol dependence syndrome . . . . .	5.3	5.2	5.3
Diseases of the nervous system and sense organs . . . . .	5.3	5.8	5.0
Diseases of the circulatory system . . . . .	4.7	4.6	4.8
Heart disease . . . . .	4.6	4.5	4.8
Acute myocardial infarction . . . . .	5.8	5.5	6.2
Coronary atherosclerosis . . . . .	3.6	3.6	3.5
Other ischemic heart disease . . . . .	2.5	2.3	2.6
Cardiac dysrhythmias . . . . .	3.6	3.6	3.7
Congestive heart failure . . . . .	5.4	5.3	5.5
Cerebrovascular disease . . . . .	5.2	5.2	5.2
Diseases of the respiratory system . . . . .	5.3	5.1	5.5
Acute bronchitis and bronchiolitis . . . . .	3.4	3.5	3.4
Pneumonia . . . . .	5.7	5.5	5.9
Chronic bronchitis . . . . .	5.2	5.1	5.4
Asthma . . . . .	3.2	2.7	3.6
Diseases of the digestive system . . . . .	4.7	4.7	4.7
Appendicitis . . . . .	3.1	3.4	2.8
Noninfectious enteritis and colitis . . . . .	4.3	4.5	4.2
Diverticula of intestine . . . . .	5.2	4.9	5.4
Cholelithiasis . . . . .	3.9	4.4	3.7
Diseases of the genitourinary system . . . . .	3.7	4.1	3.5
Calculus of kidney and ureter . . . . .	2.4	2.1	2.7
Complications of pregnancy, childbirth, and the puerperium <sup>1</sup> . . . . .	2.7	...	2.7
Diseases of the skin and subcutaneous tissue . . . . .	5.2	5.2	5.3
Cellulitis and abscess . . . . .	4.8	4.7	4.9
Diseases of the musculoskeletal system and connective tissue . . . . .	4.1	3.9	4.2
Osteoarthritis and allied disorders . . . . .	4.4	4.4	4.5
Intervertebral disc disorders . . . . .	2.9	2.5	3.3
Congenital anomalies . . . . .	5.5	5.8	5.2
Certain conditions originating in the perinatal period . . . . .	10.9	11.0	10.8
Symptoms, signs, and ill-defined conditions . . . . .	2.3	2.3	2.4
Injury and poisoning . . . . .	5.3	5.3	5.3
Fractures, all sites <sup>2</sup> . . . . .	5.4	5.4	5.3
Fracture of neck of femur <sup>2</sup> . . . . .	6.5	7.1	6.3
Poisonings . . . . .	2.7	3.1	2.4
Supplementary classifications . . . . .	3.7	8.8	3.3
Females with deliveries . . . . .	2.5	...	2.5

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 17. Number of discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	United States	North-east	Midwest	South	West
Number in thousands					
All conditions . . . . .	32,653	7,026	7,429	12,744	5,453
Infectious and parasitic diseases . . . . .	001–139	842	195	191	323
Septicemia . . . . .	038	315	79	73	116
Neoplasms . . . . .	140–239	1,642	364	351	641
Malignant neoplasms . . . . .	140–208,230–234	1,212	276	270	462
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	157	39	34	58
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	153	32	35	63
Malignant neoplasm of breast . . . . .	174–175,198.81	107	21	22	46
Benign neoplasms . . . . .	210–229	387	79	73	164
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	1,563	350	363	599
Diabetes mellitus . . . . .	250	562	125	122	226
Volume depletion . . . . .	276.5	534	111	129	211
Diseases of the blood and blood-forming organs . . . . .	280–289	404	102	89	163
Mental disorders . . . . .	290–319	2,358	668	461	1,046
Psychoses . . . . .	290–299	1,633	444	322	756
Alcohol dependence syndrome . . . . .	303	148	23	26	*
Diseases of the nervous system and sense organs . . . . .	320–389	493	114	116	179
Diseases of the circulatory system . . . . .	390–459	6,226	1,473	1,536	2,299
Heart disease . . . . .	391–392.0,393–398,402,404,410–416,420–429	4,323	1,058	1,092	1,549
Acute myocardial infarction . . . . .	410	795	201	194	279
Coronary atherosclerosis . . . . .	414.0	1,061	238	280	394
Other ischemic heart disease . . . . .	411–413,414.1–414.9	234	67	52	83
Cardiac dysrhythmias . . . . .	427	723	195	180	245
Congestive heart failure . . . . .	428.0	995	239	271	356
Cerebrovascular disease . . . . .	430–438	931	206	221	351
Diseases of the respiratory system . . . . .	460–519	3,440	711	890	1,286
Acute bronchitis and bronchiolitis . . . . .	466	270	42	70	101
Pneumonia . . . . .	480–486	1,300	246	364	487
Chronic bronchitis . . . . .	491	505	119	139	192
Asthma . . . . .	493	454	103	107	161
Diseases of the digestive system . . . . .	520–579	3,300	703	726	1,261
Appendicitis . . . . .	540–543	283	55	62	93
Noninfectious enteritis and colitis . . . . .	555–558	301	70	65	122
Diverticula of intestine . . . . .	562	280	73	72	98
Cholelithiasis . . . . .	574	367	78	70	142
Diseases of the genitourinary system . . . . .	580–629	1,789	357	402	731
Calculus of kidney and ureter . . . . .	592	188	43	47	79
Complications of pregnancy, childbirth, and the puerperium <sup>1</sup> . . . . .	630–677	510	87	86	256
Diseases of the skin and subcutaneous tissue . . . . .	680–709	574	125	117	249
Cellulitis and abscess . . . . .	681–682	404	100	91	148
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	1,604	343	419	565
Osteoarthritis and allied disorders . . . . .	715	496	109	131	178
Intervertebral disc disorders . . . . .	722	325	63	79	127
Congenital anomalies . . . . .	740–759	207	56	*	70
Certain conditions originating in the perinatal period . . . . .	760–779	172	26	*	53
Symptoms, signs, and ill-defined conditions . . . . .	780–799	248	56	54	103
Injury and poisoning . . . . .	800–999	2,613	531	606	985
Fractures, all sites <sup>2</sup> . . . . .	800–829	999	212	237	365
Fracture of neck of femur <sup>2</sup> . . . . .	820	324	63	80	125
Poisonings . . . . .	960–989	206	42	48	79
Supplementary classifications . . . . .	V01–V82	4,669	763	952	1,935
Females with deliveries . . . . .	V27	3,839	607	744	1,616

<sup>\*</sup>Figure does not meet standard of reliability or precision.

<sup>1</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 18. Average length of stay for discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Category of first-listed diagnosis and ICD-9-CM code	United States	North-east	Midwest	South	West
Average length of stay in days					
All conditions . . . . .	4.9	5.6	4.3	4.9	4.5
Infectious and parasitic diseases . . . . .	001–139	6.5	7.8	5.1	6.6
Septicemia . . . . .	038	8.9	10.5	7.1	9.0
Neoplasms . . . . .	140–239	6.1	7.0	5.4	6.2
Malignant neoplasms . . . . .	140–208,230–234	7.0	8.1	5.9	7.3
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	8.6	9.8	8.1	8.9
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	7.6	7.8	6.5	8.2
Malignant neoplasm of breast . . . . .	174–175,198.81	2.9	3.0	2.3	3.4
Benign neoplasms . . . . .	210–229	3.2	3.5	3.2	3.0
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	4.3	5.2	3.8	4.1
Diabetes mellitus . . . . .	250	4.9	6.1	4.3	4.5
Volume depletion . . . . .	276.5	3.8	4.9	3.4	3.7
Diseases of the blood and blood-forming organs . . . . .	280–289	4.6	5.0	4.3	4.6
Mental disorders . . . . .	290–319	7.4	9.1	5.7	7.2
Psychoses . . . . .	290–299	8.1	10.2	6.4	7.8
Alcohol dependence syndrome . . . . .	303	5.3	6.9	4.6	5.0
Diseases of the nervous system and sense organs . . . . .	320–389	5.3	5.6	4.4	5.3
Diseases of the circulatory system . . . . .	390–459	4.7	5.2	4.2	4.9
Heart disease . . . . .	391–392.0,393–398,402,404,410–416,420–429	4.6	5.2	4.1	4.8
Acute myocardial infarction . . . . .	410	5.8	6.2	5.2	6.0
Coronary atherosclerosis . . . . .	414.0	3.6	3.9	3.2	3.8
Other ischemic heart disease . . . . .	411–413,414.1–414.9	2.5	2.6	2.3	2.6
Cardiac dysrhythmias . . . . .	427	3.6	4.2	3.0	3.7
Congestive heart failure . . . . .	428.0	5.4	6.2	4.7	5.7
Cerebrovascular disease . . . . .	430–438	5.2	5.7	4.4	5.5
Diseases of the respiratory system . . . . .	460–519	5.3	6.1	4.5	5.4
Acute bronchitis and bronchiolitis . . . . .	466	3.4	3.7	2.7	3.6
Pneumonia . . . . .	480–486	5.7	6.9	4.8	5.9
Chronic bronchitis . . . . .	491	5.2	6.1	4.7	5.1
Asthma . . . . .	493	3.2	3.4	2.9	3.4
Diseases of the digestive system . . . . .	520–579	4.7	5.4	4.4	4.7
Appendicitis . . . . .	540–543	3.1	3.4	3.3	3.2
Noninfectious enteritis and colitis . . . . .	555–558	4.3	5.7	3.8	3.9
Diverticula of intestine . . . . .	562	5.2	5.6	5.1	5.2
Cholelithiasis . . . . .	574	3.9	4.1	3.9	4.0
Diseases of the genitourinary system . . . . .	580–629	3.7	4.1	3.5	3.7
Calculus of kidney and ureter . . . . .	592	2.4	2.6	2.5	2.2
Complications of pregnancy, childbirth, and the puerperium <sup>1</sup> . . . . .	630–677	2.7	2.7	2.6	2.9
Diseases of the skin and subcutaneous tissue . . . . .	680–709	5.2	5.6	4.6	5.2
Cellulitis and abscess . . . . .	681–682	4.8	5.1	4.2	5.1
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	4.1	4.4	3.9	4.2
Osteoarthritis and allied disorders . . . . .	715	4.4	4.7	4.2	4.6
Intervertebral disc disorders . . . . .	722	2.9	3.0	2.9	2.9
Congenital anomalies . . . . .	740–759	5.5	5.7	4.9	4.5
Certain conditions originating in the perinatal period . . . . .	760–779	10.9	8.0	10.6	11.4
Symptoms, signs, and ill-defined conditions . . . . .	780–799	2.3	3.0	1.7	2.2
Injury and poisoning . . . . .	800–999	5.3	5.6	4.7	5.7
Fractures, all sites <sup>2</sup> . . . . .	800–829	5.4	5.8	4.8	5.7
Fracture of neck of femur <sup>2</sup> . . . . .	820	6.5	6.8	5.9	7.1
Poisonings . . . . .	960–989	2.7	3.8	2.5	2.4
Supplementary classifications . . . . .	V01–V82	3.7	4.0	3.9	3.6
Females with deliveries . . . . .	V27	2.5	2.8	2.4	2.6

<sup>1</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 19. Number of all-listed diagnoses for discharges from short-stay hospitals, by age and diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

All-listed diagnosis and ICD-9-CM code	All ages	Under 15 years	15–44 years	45–64 years	65 years and over
Number in thousands					
All conditions . . . . .	144,251	6,747	36,136	33,165	68,202
Infectious and parasitic diseases . . . . .	001–139	3,734	473	921	1,550
Septicemia . . . . .	038	647	42	66	144
Neoplasms . . . . .	140–239	4,279	108	647	1,433
Malignant neoplasms . . . . .	140–208,230–234	3,252	90	302	1,064
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	265	*	12	72
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	438	*	23	145
Malignant neoplasm of breast . . . . .	174–175,198.81	193	*	26	72
Benign neoplasms . . . . .	210–229	892	13	325	337
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	15,718	589	1,979	4,514
Diabetes mellitus . . . . .	250	4,871	33	500	1,606
Volume depletion . . . . .	276.5	2,327	342	308	381
Diseases of the blood and blood-forming organs . . . . .	280–289	4,323	194	908	947
Mental disorders . . . . .	290–319	10,311	355	4,485	2,803
Psychoses . . . . .	290–299	3,637	*	1,336	756
Alcohol dependence syndrome . . . . .	303	722	*	368	273
Diseases of the nervous system and sense organs . . . . .	320–389	3,543	404	577	746
Diseases of the circulatory system . . . . .	390–459	30,650	124	1,700	7,511
Heart disease . . . . .	391–392.0,393–398,402,404,410–416,420–429	18,049	74	767	4,062
Acute myocardial infarction . . . . .	410	970	*	49	296
Coronary atherosclerosis . . . . .	414.0	4,178	*	106	1,129
Other ischemic heart disease . . . . .	411–413,414.1–414.9	2,249	*	92	709
Cardiac dysrhythmias . . . . .	427	3,834	26	169	596
Congestive heart failure . . . . .	428.0	3,271	13	79	566
Cerebrovascular disease . . . . .	430–438	1,915	*	68	386
Diseases of the respiratory system . . . . .	460–519	10,513	1,227	1,321	2,318
Acute bronchitis and bronchiolitis . . . . .	466	397	239	39	47
Pneumonia . . . . .	480–486	2,130	277	230	396
Chronic bronchitis . . . . .	491	1,032	*	39	260
Asthma . . . . .	493	1,486	303	424	385
Diseases of the digestive system . . . . .	520–579	9,804	507	2,035	2,726
Appendicitis . . . . .	540–543	322	68	172	60
Noninfectious enteritis and colitis . . . . .	555–558	632	140	152	125
Diverticula of intestine . . . . .	562	593	*	52	149
Cholelithiasis . . . . .	574	630	*3	184	177
Diseases of the genitourinary system . . . . .	580–629	7,774	177	2,068	1,831
Calculus of kidney and ureter . . . . .	592	291	*	121	95
Complications of pregnancy, childbirth, and the puerperium <sup>1</sup> . . . . .	630–677	8,982	24	8,939	19
Diseases of the skin and subcutaneous tissue . . . . .	680–709	2,060	170	383	536
Cellulitis and abscess . . . . .	681–682	898	54	196	264
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	5,757	85	831	1,586
Osteoarthritis and allied disorders . . . . .	715	1,525	*	55	353
Intervertebral disc disorders . . . . .	722	510	*	174	200
Congenital anomalies . . . . .	740–759	700	426	139	75
Certain conditions originating in the perinatal period . . . . .	760–779	488	486	*	*
Symptoms, signs, and ill-defined conditions . . . . .	780–799	7,705	649	1,667	2,029
Injury and poisoning . . . . .	800–999	6,008	465	1,842	1,420
Fractures, all sites <sup>2</sup> . . . . .	800–829	1,526	94	404	280
Fracture of neck of femur <sup>2</sup> . . . . .	820	373	*4	10	28
Poisonings . . . . .	960–989	359	30	216	74
Supplementary classifications . . . . .	V01–V82	11,902	286	5,692	1,882
Females with deliveries . . . . .	V27	3,839	10	3,824	*5

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 20. Number of all-listed diagnoses for discharges from short-stay hospitals, by sex and diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

All-listed diagnosis and ICD-9-CM code	Both sexes	Male	Female
Number in thousands			
All conditions . . . . .	144,251	57,535	86,716
Infectious and parasitic diseases . . . . .	001–139	3,734	1,623
Septicemia . . . . .	038	647	315
Neoplasms . . . . .	140–239	4,279	1,777
Malignant neoplasms . . . . .	140–208,230–234	3,252	1,573
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	265	133
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	438	234
Malignant neoplasm of breast . . . . .	174–175,198.81	193	*
Benign neoplasms . . . . .	210–229	892	141
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	15,718	6,348
Diabetes mellitus . . . . .	250	4,871	2,126
Volume depletion . . . . .	276.5	2,327	934
Diseases of the blood and blood-forming organs . . . . .	280–289	4,323	1,719
Mental disorders . . . . .	290–319	10,311	4,952
Psychoses . . . . .	290–299	3,637	1,627
Alcohol dependence syndrome . . . . .	303	722	517
Diseases of the nervous system and sense organs . . . . .	320–389	3,543	1,513
Diseases of the circulatory system . . . . .	390–459	30,650	14,373
Heart disease . . . . .	391–392,0,393–398,402,404,410–416,420–429	18,049	8,868
Acute myocardial infarction . . . . .	410	970	524
Coronary atherosclerosis . . . . .	414.0	4,178	2,297
Other ischemic heart disease . . . . .	411–413,414.1–414.9	2,249	1,246
Cardiac dysrhythmias . . . . .	427	3,834	1,837
Congestive heart failure . . . . .	428.0	3,271	1,401
Cerebrovascular disease . . . . .	430–438	1,915	842
Diseases of the respiratory system . . . . .	460–519	10,513	4,955
Acute bronchitis and bronchiolitis . . . . .	466	397	195
Pneumonia . . . . .	480–486	2,130	1,042
Chronic bronchitis . . . . .	491	1,032	472
Asthma . . . . .	493	1,486	512
Diseases of the digestive system . . . . .	520–579	9,804	4,222
Appendicitis . . . . .	540–543	322	178
Noninfectious enteritis and colitis . . . . .	555–558	632	250
Diverticula of intestine . . . . .	562	593	226
Cholelithiasis . . . . .	574	630	205
Diseases of the genitourinary system . . . . .	580–629	7,774	2,621
Calculus of kidney and ureter . . . . .	592	291	152
Complications of pregnancy, childbirth, and the puerperium <sup>1</sup> . . . . .	630–677	8,982	...
Diseases of the skin and subcutaneous tissue . . . . .	680–709	2,060	1,022
Cellulitis and abscess . . . . .	681–682	898	466
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	5,757	1,964
Osteoarthritis and allied disorders . . . . .	715	1,525	505
Intervertebral disc disorders . . . . .	722	510	237
Congenital anomalies . . . . .	740–759	700	359
Certain conditions originating in the perinatal period . . . . .	760–779	488	289
Symptoms, signs, and ill-defined conditions . . . . .	780–799	7,705	3,311
Injury and poisoning . . . . .	800–999	6,008	3,050
Fractures, all sites <sup>2</sup> . . . . .	800–829	1,526	693
Fracture of neck of femur <sup>2</sup> . . . . .	820	373	101
Poisonings . . . . .	960–989	359	141
Supplementary classifications . . . . .	V01–V82	11,902	3,437
Females with deliveries . . . . .	V27	3,839	...

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 21. Number of all-listed diagnoses for discharges from short-stay hospitals, by geographic region and diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

All-listed diagnosis and ICD-9-CM code	United States	North-east	Midwest	South	West
Number in thousands					
All conditions . . . . .	144,251	31,465	35,082	53,581	24,123
Infectious and parasitic diseases . . . . .	001–139	3,734	845	819	1,462
Septicemia . . . . .	038	647	162	139	240
Neoplasms . . . . .	140–239	4,279	1,001	963	1,609
Malignant neoplasms . . . . .	140–208,230–234	3,252	787	756	1,197
Malignant neoplasm of large intestine and rectum . . . . .	153–154,197.5	265	67	64	91
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162,176.4,197.0,197.3	438	105	111	161
Malignant neoplasm of breast . . . . .	174–175,198.81	193	37	43	84
Benign neoplasms . . . . .	210–229	892	184	173	370
Endocrine, nutritional and metabolic diseases, and immunity disorders . . . . .	240–279	15,718	3,429	3,958	5,800
Diabetes mellitus . . . . .	250	4,871	1,106	1,164	1,864
Volume depletion . . . . .	276.5	2,327	466	592	889
Diseases of the blood and blood-forming organs . . . . .	280–289	4,323	928	1,024	1,643
Mental disorders . . . . .	290–319	10,311	2,606	2,505	3,838
Psychoses . . . . .	290–299	3,637	889	818	1,542
Alcohol dependence syndrome . . . . .	303	722	194	*	239
Diseases of the nervous system and sense organs . . . . .	320–389	3,543	809	862	1,231
Diseases of the circulatory system . . . . .	390–459	30,650	7,351	7,736	11,061
Heart disease . . . . .	391–392.0,393–398,402,404,410–416,420–429	18,049	4,483	4,665	6,312
Acute myocardial infarction . . . . .	410	970	240	240	341
Coronary atherosclerosis . . . . .	414.0	4,178	1,037	1,132	1,463
Other ischemic heart disease . . . . .	411–413,414.1–414.9	2,249	596	555	769
Cardiac dysrhythmias . . . . .	427	3,834	956	987	1,294
Congestive heart failure . . . . .	428.0	3,271	762	919	1,155
Cerebrovascular disease . . . . .	430–438	1,915	413	477	708
Diseases of the respiratory system . . . . .	460–519	10,513	2,263	2,645	3,874
Acute bronchitis and bronchiolitis . . . . .	466	397	66	103	149
Pneumonia . . . . .	480–486	2,130	432	550	805
Chronic bronchitis . . . . .	491	1,032	233	273	397
Asthma . . . . .	493	1,486	361	376	490
Diseases of the digestive system . . . . .	520–579	9,804	2,130	2,242	3,730
Appendicitis . . . . .	540–543	322	62	71	108
Noninfectious enteritis and colitis . . . . .	555–558	632	138	139	257
Diverticula of intestine . . . . .	562	593	148	144	217
Cholelithiasis . . . . .	574	630	137	130	233
Diseases of the genitourinary system . . . . .	580–629	7,774	1,611	1,807	3,065
Calculus of kidney and ureter . . . . .	592	291	74	70	116
Complications of pregnancy, childbirth, and the puerperium <sup>1</sup> . . . . .	630–677	8,982	1,441	1,841	3,721
Diseases of the skin and subcutaneous tissue . . . . .	680–709	2,060	487	495	760
Cellulitis and abscess . . . . .	681–682	898	217	220	315
Diseases of the musculoskeletal system and connective tissue . . . . .	710–739	5,757	1,236	1,552	2,018
Osteoarthritis and allied disorders . . . . .	715	1,525	326	438	551
Intervertebral disc disorders . . . . .	722	510	92	134	198
Congenital anomalies . . . . .	740–759	700	174	140	208
Certain conditions originating in the perinatal period . . . . .	760–779	488	65	*	151
Symptoms, signs, and ill-defined conditions . . . . .	780–799	7,705	1,598	2,188	2,700
Injury and poisoning . . . . .	800–999	6,008	1,199	1,413	2,222
Fractures, all sites <sup>2</sup> . . . . .	800–829	1,526	311	372	566
Fracture of neck of femur <sup>2</sup> . . . . .	820	373	72	93	144
Poisonings . . . . .	960–989	359	66	91	137
Supplementary classifications . . . . .	V01–V82	11,902	2,290	2,794	4,490
Females with deliveries . . . . .	V27	3,839	607	744	1,616

\* Figure does not meet standard of reliability or precision.

<sup>1</sup>First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 22. Number and rate of discharges from short-stay hospitals with a human immunodeficiency virus diagnosis, by selected characteristics: United States, 1990–2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Data are for discharges with at least one of the following *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD–9–CM) codes: 042–044, 279.19, and 195.8 (prior to 1995); 042 and V08 (beginning in 1995)]

Characteristic	1990	1995	1997	1998	1999	2000	2001
Number in thousands							
All HIV discharges <sup>1</sup> . . . . .	146	249	178	189	180	173	185
Sex							
Male . . . . .	114	183	123	132	121	115	115
Female . . . . .	32	66	55	57	59	58	70
Age							
Under 25 years . . . . .	14	17	11	9	8	7	10
25–29 years . . . . .	20	26	17	15	13	11	8
30–34 years . . . . .	38	48	32	30	41	28	28
35–39 years . . . . .	36	59	40	42	34	35	41
40–44 years . . . . .	17	49	38	43	34	34	43
45 years and over . . . . .	21	51	40	51	49	58	56
Region							
Northeast . . . . .	66	95	69	69	70	68	61
Midwest . . . . .	20	27	*	23	20	20	18
South . . . . .	37	87	72	71	67	64	86
West . . . . .	24	41	19	26	23	21	21
Rate per 100,000 population <sup>2</sup>							
All HIV discharges <sup>1</sup> . . . . .	58.1	93.9	65.8	69.1	65.3	62.2	65.3
Sex							
Male . . . . .	93.4	141.6	93.1	98.8	89.5	84.8	83.0
Female . . . . .	24.7	48.4	39.7	40.7	42.1	40.5	48.3
Age							
Under 25 years . . . . .	14.8	17.6	11.3	9.1	8.1	7.4	10.1
25–29 years . . . . .	95.1	132.2	86.7	77.0	70.5	59.0	41.5
30–34 years . . . . .	172.8	216.2	153.6	145.2	208.3	139.2	138.3
35–39 years . . . . .	179.0	262.7	176.5	185.4	149.1	154.8	183.5
40–44 years . . . . .	94.8	241.4	175.2	194.4	152.0	150.7	187.8
45 years and over . . . . .	27.4	60.2	45.5	55.6	52.9	61.2	55.9
Region							
Northeast . . . . .	128.8	183.3	132.3	133.4	135.0	---	---
Midwest . . . . .	33.6	43.5	*	36.2	30.7	---	---
South . . . . .	42.1	93.1	75.1	73.1	68.4	---	---
West . . . . .	44.1	69.5	30.9	42.0	37.0	---	---

\* Figure does not meet standard of reliability or precision.

--- Civilian population not available by region.

<sup>1</sup>HIV is human immunodeficiency virus.

<sup>2</sup>Rates are based on the U.S. Census Bureau estimates of the civilian population. Populations for 1990–99 are adjusted for the underenumeration in the 1990 census. Populations for 2000 and 2001 are based on the 2000 census.

**Table 23. Number and rate of discharges from short-stay hospitals with a first-listed injury diagnosis, by Barell injury diagnosis matrix categories: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. *International Classification of Diseases, 9th Revision, Clinical Modification* code numbers for Barell matrix categories are shown in Appendix table IV.]

Nature of injury	All body regions	Traumatic brain injury	Other head, face and neck	Spinal cord	Vertebral column	Torso	Upper extremities	Lower extremities	Other and unspecified
Number in thousands									
All injuries . . . . .	1,813	166	117	12	78	218	232	694	*
Fracture . . . . .	999	39	35	*8	63	85	163	606	*
Dislocation . . . . .	21	...	*	...	*5	*	*5	10	—
Sprains and strains . . . . .	55	...	—	...	10	*6	18	19	*
Internal . . . . .	207	127	...	*4	...	75	...	...	—
Open wound . . . . .	94	...	36	...	...	15	22	20	*
Amputation . . . . .	7	...	...	...	...	...	*6	*	...
Blood vessels . . . . .	5	...	*	...	...	*	*	*	*
Contusions and superficial injuries . . . . .	66	...	14	...	...	21	*	18	*
Crush . . . . .	*	...	—	...	...	—	*	*	*
Burns . . . . .	*	...	9	...	...	*	*	16	*
Nerves and spinal cord . . . . .	*	—	*	...	...	*	*	...	*
Unspecified . . . . .	36	...	21	...	...	*6	*	*	*
System-wide . . . . .	255	...	...	...	...	...	...	...	...
Rate per 10,000 population <sup>1</sup>									
All injuries . . . . .	63.9	5.9	4.1	0.4	2.8	7.7	8.2	24.5	*
Fracture . . . . .	35.2	1.4	1.2	*0.3	2.2	3.0	5.7	21.4	*
Dislocation . . . . .	0.7	...	*	...	*0.2	*	*0.2	0.3	—
Sprains and strains . . . . .	1.9	...	—	...	0.4	*0.2	0.6	0.7	*
Internal . . . . .	7.3	4.5	...	*0.1	...	2.7	...	...	—
Open wound . . . . .	3.3	...	1.3	...	...	0.5	0.8	0.7	*
Amputation . . . . .	0.2	...	...	...	...	...	*0.2	*	...
Blood vessels . . . . .	0.2	...	*	...	...	*	*	*	*
Contusions and superficial injuries . . . . .	2.6	...	0.5	...	...	0.7	*	0.6	*
Crush . . . . .	*	...	—	...	...	—	*	*	*
Burns . . . . .	*	...	0.3	...	...	*	*	0.6	*
Nerves and spinal cord . . . . .	*	—	*	...	...	*	*	...	*
Unspecified . . . . .	1.3	—	0.7	...	...	*0.2	*	*	*
System-wide . . . . .	9.0	...	...	...	...	...	...	...	...

\* Figure does not meet standard of reliability or precision.

— Category not applicable.

— Quantity zero.

<sup>1</sup> Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

**Table 24. Number and rate of deaths for discharges from short-stay hospitals, by age and selected first-listed diagnosis: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

First-listed diagnosis and ICD-9-CM code	All ages	Under 65 years	65 years and over	All ages	Under 65 years	65 years and over
Number of deaths in thousands				Rate per 100 discharges		
All conditions <sup>1</sup> . . . . .	804	209	595	2.5	1.0	4.7
Heart disease . . . . .	391–392.0, 393–398, 402, 404, 410–416, 420–429	163	30	133	3.8	1.9
Acute myocardial infarction . . . . .		410	79	*	65	9.9
Cardiac dysrhythmias . . . . .		427	18	*4	14	2.4
Congestive heart failure . . . . .		428.0	41	*6	35	4.1
Malignant neoplasms . . . . .	140–208, 230–234	96	35	60	7.9	6.3
Malignant neoplasm of trachea, bronchus, and lung . . . . .	162, 176.4, 197.0, 197.3	23	9	14	14.7	14.0
Pneumonia . . . . .	480–486	69	13	57	5.3	2.3
Cerebrovascular disease . . . . .	430–438	58	16	42	6.2	6.5
Septicemia . . . . .	038	52	11	41	16.6	11.6
Fractures, all sites <sup>2</sup> . . . . .	800–829	18	*3	16	1.8	*0.6
Chronic bronchitis . . . . .	491	13	*	11	2.7	*
Volume depletion . . . . .	276.5	11	*	11	2.1	*

\*Figure does not meet standard of reliability or precision.

<sup>1</sup>Includes data for deaths not shown in table.

<sup>2</sup>Excludes fractures coded as 733.1, pathologic fracture.

**Table 25. Number of discharges from short-stay hospitals with and without procedures and percent with procedures, by selected characteristics: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants]

Characteristic	All discharges	Discharges without procedures	Discharges with procedures			
			Total	With surgical procedures	Total	With surgical procedures
					Number in thousands	
All patients . . . . .	32,653	12,913	19,740	14,600	60.5	44.7
Age						
Under 15 years . . . . .	2,560	1,392	1,168	645	45.6	25.2
15–44 years . . . . .	10,343	3,082	7,261	5,754	70.2	55.6
45–64 years . . . . .	7,224	2,767	4,458	3,403	61.7	47.1
65 years and over . . . . .	12,525	5,672	6,854	4,797	54.7	38.3
65–74 years . . . . .	4,692	1,834	2,858	2,118	60.9	45.1
75–84 years . . . . .	5,209	2,401	2,808	1,945	53.9	37.3
85 years and over . . . . .	2,624	1,437	1,187	734	45.2	28.0
Sex						
Male . . . . .	12,852	5,527	7,325	5,178	57.0	40.3
Female . . . . .	19,801	7,386	12,415	9,421	62.7	47.6
Region						
Northeast . . . . .	7,026	2,634	4,392	2,969	62.5	42.3
Midwest . . . . .	7,429	3,256	4,173	3,138	56.2	42.2
South . . . . .	12,744	5,314	7,431	5,731	58.3	45.0
West . . . . .	5,453	1,709	3,744	2,762	68.7	50.6

NOTE: See Appendix for definition of surgical procedures.

**Table 26. Number and rate of all-listed surgical and nonsurgical procedures for discharges from short-stay hospitals, by selected procedure categories: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Procedure category and ICD-9-CM code	Number in thousands	Rate per 10,000 population <sup>1</sup>	
Surgical procedures <sup>2</sup> . . . . .	24,114	850.2	
Cardiac catheterization . . . . .	37.21–37.23	1,208	42.6
Repair of current obstetric laceration <sup>3</sup> . . . . .	75.5–75.6	1,185	41.8
Removal of coronary artery obstruction and insertion of stent(s) <sup>4</sup> . . . . .	36.0	1,051	37.1
Cesarean section <sup>3</sup> . . . . .	74.0–74.2,74.4,74.99	973	34.3
Artificial rupture of membranes <sup>3</sup> . . . . .	73.0	848	29.9
Episiotomy with or without forceps or vacuum extraction <sup>3</sup> . . . . .	72.1,72.21,72.31,72.71,73.6	843	29.7
Hysterectomy . . . . .	68.3–68.7,68.9	649	22.9
Reduction of fracture . . . . .	76.7,79.0–79.3	638	22.5
Open reduction of fracture with internal fixation . . . . .	79.3	432	15.2
Endoscopy of small intestine with biopsy . . . . .	45.14,45.16	563	19.8
Coronary artery bypass graft <sup>4</sup> . . . . .	36.1	516	18.2
Oophorectomy and salpingo-oophorectomy . . . . .	65.3–65.6	510	18.0
Cholecystectomy . . . . .	51.2	442	15.6
Insertion, replacement, removal, and revision of pacemaker leads or device . . . . .	37.7–37.8	378	13.3
Debridement of wound, infection, or burn . . . . .	86.22,86.28	334	11.8
Bilateral destruction or occlusion of fallopian tubes . . . . .	66.2–66.3	326	11.5
Total knee replacement . . . . .	81.54	326	11.5
Lysis of peritoneal adhesions . . . . .	54.5	316	11.1
Appendectomy, excluding incidental . . . . .	47.0	312	11.0
Excision or destruction of intervertebral disc . . . . .	80.5	293	10.3
Partial excision of large intestine . . . . .	45.7	244	8.6
Partial excision of bone . . . . .	76.2–76.3,77.6–77.8	221	7.8
Prostatectomy . . . . .	60.2–60.6	185	6.5
Nonsurgical procedures <sup>5</sup> . . . . .	16,925	596.7	
Arteriography and angiography using contrast material . . . . .	88.4–88.5	1,936	68.3
Respiratory therapy . . . . .	93.9,96.7	1,013	35.7
Diagnostic ultrasound . . . . .	88.7	825	29.1
Computerized axial tomography . . . . .	87.03,87.41,87.71,88.01,88.38	763	26.9
Hemodialysis . . . . .	39.95	487	17.2
Insertion of endotracheal tube . . . . .	96.04	451	15.9
Endoscopy of small intestine without biopsy . . . . .	45.11–45.13	406	14.3
Endoscopy of large intestine without biopsy . . . . .	45.21–45.24	357	12.6
Spinal tap . . . . .	03.31	345	12.2
Injection or infusion of cancer chemotherapeutic substance . . . . .	99.25	197	6.9

<sup>1</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

<sup>2</sup>Includes data for surgical procedures not shown in table. All procedures except those listed under "nonsurgical procedures" in the Appendix are surgical procedures.

<sup>3</sup>See table 36 for rate per 100 deliveries.

<sup>4</sup>See table 28 for comparison of number of procedures with number of discharges with procedures.

<sup>5</sup>Includes data for nonsurgical procedures not shown in table. The ICD-9-CM codes for nonsurgical procedures are listed in the Appendix.

**Table 27. Number and rate of all-listed surgical and nonsurgical procedures for patients 65 years of age and over discharged from short-stay hospitals, by age and selected procedure categories: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Procedure groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Procedure category and ICD-9-CM code	65 years and over	65–74 years	75–84 years	85 years and over
Number in thousands				
Surgical procedures <sup>1</sup> . . . . .	8,005	3,670	3,235	1,100
Cardiac catheterization . . . . .	37.21–37.23	611	321	253
Removal of coronary artery obstruction and insertion of stent(s) <sup>2</sup> . . . . .	36.0	537	284	217
Endoscopy of small intestine with biopsy . . . . .	45.14,45.16	333	121	146
Insertion, replacement, removal, and revision of pacemaker leads or device . . . . .	37.7–37.8	319	78	167
Coronary artery bypass graft <sup>2</sup> . . . . .	36.1	277	165	103
Reduction of fracture . . . . .	76.7,79.0–79.3	272	77	100
Open reduction of fracture with internal fixation . . . . .	79.3	200	58	71
Total knee replacement . . . . .	81.54	214	117	84
Cholecystectomy . . . . .	51.2	161	72	69
Prostatectomy . . . . .	60.2–60.6	128	61	53
Debridement of wound, infection, or burn . . . . .	86.22,86.28	117	46	45
Nonsurgical procedures <sup>3</sup> . . . . .	6,842	2,756	2,836	1,250
Arteriography and angiography using contrast material . . . . .	88.4–88.5	1,008	524	412
Diagnostic ultrasound . . . . .	88.7	451	162	199
Respiratory therapy . . . . .	93.9,96.7	442	187	172
Computerized axial tomography . . . . .	87.03,87.41,87.71,88.01,88.38	366	122	152
Endoscopy of large intestine without biopsy . . . . .	45.21–45.24	245	75	115
Endoscopy of small intestine without biopsy . . . . .	45.11–45.13	244	78	109
Insertion of endotracheal tube . . . . .	96.04	233	95	89
Hemodialysis . . . . .	39.95	233	127	88
Rate per 10,000 population <sup>4</sup>				
Surgical procedures <sup>1</sup> . . . . .	2,268.2	2,003.8	2,572.5	2,499.0
Cardiac catheterization . . . . .	37.21–37.23	173.0	175.2	201.5
Removal of coronary artery obstruction and insertion of stent(s) <sup>2</sup> . . . . .	36.0	152.0	155.2	172.7
Endoscopy of small intestine with biopsy . . . . .	45.14,45.16	94.5	65.9	116.3
Insertion, replacement, removal, and revision of pacemaker leads or device . . . . .	37.7–37.8	90.3	42.7	132.8
Coronary artery bypass graft <sup>2</sup> . . . . .	36.1	78.4	90.0	81.6
Reduction of fracture . . . . .	76.7,79.0–79.3	76.9	42.2	79.3
Open reduction of fracture with internal fixation . . . . .	79.3	56.6	31.7	56.3
Total knee replacement . . . . .	81.54	60.6	63.6	67.0
Cholecystectomy . . . . .	51.2	45.7	39.3	54.9
Prostatectomy . . . . .	60.2–60.6	36.4	33.3	41.9
Debridement of wound, infection, or burn . . . . .	86.22,86.28	33.0	24.9	35.7
Nonsurgical procedures <sup>3</sup> . . . . .	1,938.7	1,504.8	2,255.4	2,838.4
Arteriography and angiography using contrast material . . . . .	88.4–88.5	285.6	286.2	328.1
Diagnostic ultrasound . . . . .	88.7	127.8	88.3	157.9
Respiratory therapy . . . . .	93.9,96.7	125.3	102.0	136.9
Computerized axial tomography . . . . .	87.03,87.41,87.71,88.01,88.38	103.7	66.8	121.1
Endoscopy of large intestine without biopsy . . . . .	45.21–45.24	69.5	40.7	91.6
Endoscopy of small intestine without biopsy . . . . .	45.11–45.13	69.1	42.4	86.9
Hemodialysis . . . . .	39.95	66.0	69.3	70.3
Insertion of endotracheal tube . . . . .	96.04	65.9	52.1	70.8

<sup>1</sup>Includes data for surgical procedures not shown in table. All procedures except those listed under "nonsurgical procedures" in the Appendix are surgical procedures.

<sup>2</sup>See table 28 for a comparison of number of procedures with number of discharges with procedures.

<sup>3</sup>Includes data for nonsurgical procedures not shown in table. The ICD-9-CM codes for nonsurgical procedures are listed in the Appendix.

<sup>4</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

**Table 28. Number and rate of discharges from short-stay hospitals with a coronary artery procedure and number and rate of procedures, by sex, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Sex, age, and region	Removal of coronary artery obstruction and insertion of stent(s) <sup>1</sup>		Coronary artery bypass graft <sup>2</sup>	
	Number in thousands	Rate per 10,000 population <sup>3</sup>	Number in thousands	Rate per 10,000 population <sup>3</sup>
Discharges with procedures				
Total . . . . .	569	20.1	305	10.7
Sex				
Male . . . . .	374	27.0	212	15.3
Female . . . . .	195	13.5	93	6.4
Age				
Under 15 years . . . . .	*	*	*	*
15–44 years . . . . .	33	2.6	11	9
45–64 years . . . . .	245	38.1	128	19.9
65 years and over . . . . .	291	82.5	165	46.9
65–74 years . . . . .	155	84.9	97	53.1
75–84 years . . . . .	116	91.9	62	49.5
85 years and over . . . . .	20	45.7	*6	*13.7
Region				
Northeast . . . . .	101	---	64	---
Midwest . . . . .	171	---	76	---
South . . . . .	195	---	116	---
West . . . . .	102	---	49	---
Procedures				
Total . . . . .	1,051	37.1	516	18.2
Sex				
Male . . . . .	689	49.6	365	26.3
Female . . . . .	363	25.0	151	10.5
Age				
Under 15 years . . . . .	*	*	*	*
15–44 years . . . . .	60	4.8	19	1.5
45–64 years . . . . .	455	70.6	220	34.1
65 years and over . . . . .	537	152.0	277	78.4
65–74 years . . . . .	284	155.2	165	90.0
75–84 years . . . . .	217	172.7	103	81.6
85 years and over . . . . .	35	80.2	*9	*20.7
Region				
Northeast . . . . .	185	---	111	---
Midwest . . . . .	316	---	132	---
South . . . . .	361	---	189	---
West . . . . .	190	---	84	---

\* Figure does not meet standard of reliability or precision.

--- Civilian population not available by region.

<sup>1</sup>ICD-9-CM code 36.0.

<sup>2</sup>ICD-9-CM code 36.1.

<sup>3</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

NOTE: The number of procedures exceeds the number of discharges because these procedures are often assigned more than one code for a single operation. See "Methods" section.

**Table 29. Number of all-listed procedures for discharges from short-stay hospitals, by age and procedure category: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Procedure category and ICD-9-CM code	All ages	Under 15 years	15–44 years	45–64 years	65 years and over
Number in thousands					
All procedures . . . . .	41,039	2,174	13,931	10,088	14,846
Operations on the nervous system . . . . .	01–05	1,101	251	323	242
Spinal tap . . . . .	03.31	345	174	79	42
Operations on the endocrine system . . . . .	06–07	96	*	29	38
Operations on the eye . . . . .	08–16	85	14	21	22
Operations on the ear . . . . .	18–20	44	24	8	*6
Operations on the nose, mouth, and pharynx . . . . .	21–29	290	67	106	58
Operations on the respiratory system . . . . .	30–34	963	60	168	297
Bronchoscopy with or without biopsy . . . . .	33.21–33.24, 33.27	248	19	35	77
Operations on the cardiovascular system . . . . .	35–39	6,188	197	578	2,172
Removal of coronary artery obstruction and insertion of stent(s) <sup>1</sup> . . . . .	36.0	1,051	*	60	455
Coronary artery bypass graft <sup>1</sup> . . . . .	36.1	516	*	19	220
Cardiac catheterization . . . . .	37.21–37.23	1,208	7	86	504
Insertion, replacement, removal, and revision of pacemaker leads or device . . . . .	37.7–37.8	378	*	*8	50
Hemodialysis . . . . .	39.95	487	*	72	179
Operations on the hemic and lymphatic system . . . . .	40–41	328	24	48	117
Operations on the digestive system . . . . .	42–54	5,335	231	1,227	1,452
Endoscopy of small intestine with or without biopsy . . . . .	45.11–45.14, 45.16	968	14	134	243
Endoscopy of large intestine with or without biopsy . . . . .	45.21–45.25	564	5	65	127
Partial excision of large intestine . . . . .	45.7	244	*	29	73
Appendectomy, excluding incidental . . . . .	47.0	312	69	168	55
Cholecystectomy . . . . .	51.2	442	*	150	129
Lysis of peritoneal adhesions . . . . .	54.5	316	6	133	91
Operations on the urinary system . . . . .	55–59	962	41	222	302
Cystoscopy with or without biopsy . . . . .	57.31–57.33	176	*	35	47
Operations on the male genital organs . . . . .	60–64	264	24	14	74
Prostatectomy . . . . .	60.2–60.6	185	*	*	56
Operations on the female genital organs . . . . .	65–71	2,117	6	1,222	644
Oophorectomy and salpingo-oophorectomy . . . . .	65.3–65.6	510	*	214	235
Bilateral destruction or occlusion of fallopian tubes . . . . .	66.2–66.3	326	*	325	*
Hysterectomy . . . . .	68.3–68.7, 68.9	649	*	326	260
Obstetrical procedures . . . . .	72–75	6,412	14	6,389	*9
Episiotomy with or without forceps or vacuum extraction . . . . .	72.1, 72.21, 72.31, 72.71, 73.6	843	*	840	*
Artificial rupture of membranes . . . . .	73.0	848	*	845	*
Cesarean section . . . . .	74.0–74.2, 74.4, 74.99	973	*	969	*
Repair of current obstetric laceration . . . . .	75.5–75.6	1,185	*	1,181	*
Operations on the musculoskeletal system . . . . .	76–84	3,334	193	826	1,000
Partial excision of bone . . . . .	76.2–76.3, 77.6–77.8	221	11	67	89
Reduction of fracture . . . . .	76.7, 79.0–79.3	638	56	181	129
Open reduction of fracture with internal fixation . . . . .	79.3	432	18	117	98
Excision or destruction of intervertebral disc . . . . .	80.5	293	*	121	129
Total hip replacement . . . . .	81.51	165	*	11	54
Total knee replacement . . . . .	81.54	326	*	8	103
Operations on the integumentary system . . . . .	85–86	1,336	*	393	409
Debridement of wound, infection, or burn . . . . .	86.22, 86.28	334	22	88	107
Miscellaneous diagnostic and therapeutic procedures . . . . .	87–99	12,185	895	2,356	3,247
Computerized axial tomography . . . . .	87.03, 87.41, 87.71, 88.01, 88.38	763	45	157	195
Arteriography and angiography using contrast material . . . . .	88.4–88.5	1,936	*	170	748
Diagnostic ultrasound . . . . .	88.7	825	*	132	195
Respiratory therapy . . . . .	93.9, 96.7	1,013	216	138	217
Insertion of endotracheal tube . . . . .	96.04	451	44	61	113
Injection or infusion of cancer chemotherapeutic substance . . . . .	99.25	197	33	41	75

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>See table 28 for comparison of number of procedures with number of discharges with procedures.

**Table 30. Rate of all-listed procedures for discharges from short-stay hospitals, by age and procedure category: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Procedure category and ICD-9-CM code	All ages	Under 15 years	15–44 years	45–64 years	65 years and over
					Rate per 10,000 population <sup>1</sup>
All procedures . . . . .	1,447.0	359.7	1,128.5	1,565.0	4,206.9
Operations on the nervous system . . . . .	01–05	38.8	41.5	26.2	37.5
Spinal tap . . . . .	03.31	12.2	28.8	6.4	6.5
Operations on the endocrine system . . . . .	06–07	3.4	*	2.4	6.0
Operations on the eye . . . . .	08–16	3.0	2.4	1.7	3.5
Operations on the ear . . . . .	18–20	1.6	4.0	0.7	*1.0
Operations on the nose, mouth, and pharynx . . . . .	21–29	10.2	11.1	8.6	8.9
Operations on the respiratory system . . . . .	30–34	34.0	9.9	13.6	46.1
Bronchoscopy with or without biopsy . . . . .	33.21–33.24, 33.27	8.8	3.2	2.8	11.9
Operations on the cardiovascular system . . . . .	35–39	218.2	32.6	46.9	337.0
Removal of coronary artery obstruction and insertion of stent(s) <sup>2</sup> . . . . .	36.0	37.1	*	4.8	70.6
Coronary artery bypass graft <sup>2</sup> . . . . .	36.1	18.2	*	1.5	34.1
Cardiac catheterization . . . . .	37.21–37.23	42.6	1.1	7.0	78.2
Insertion, replacement, removal, and revision of pacemaker leads or device . . . . .	37.7–37.8	13.3	*	*0.6	7.7
Hemodialysis . . . . .	39.95	17.2	*	5.8	27.7
Operations on the hemic and lymphatic system . . . . .	40–41	11.5	4.0	3.9	18.1
Operations on the digestive system . . . . .	42–54	188.1	38.2	99.4	225.3
Endoscopy of small intestine with or without biopsy . . . . .	45.11–45.14, 45.16	34.1	2.4	10.8	37.7
Endoscopy of large intestine with or without biopsy . . . . .	45.21–45.25	19.9	0.8	5.2	19.6
Partial excision of large intestine . . . . .	45.7	8.6	*	2.4	11.3
Appendectomy, excluding incidental . . . . .	47.0	11.0	11.4	13.6	8.5
Cholecystectomy . . . . .	51.2	15.6	*	12.2	20.0
Lysis of peritoneal adhesions . . . . .	54.5	11.1	1.0	10.7	14.1
Operations on the urinary system . . . . .	55–59	33.9	6.7	18.0	46.8
Cystoscopy with or without biopsy . . . . .	57.31–57.33	6.2	*	2.9	7.2
Operations on the male genital organs . . . . .	60–64	9.3	4.0	1.1	11.4
Prostatectomy . . . . .	60.2–60.6	6.5	*	*	8.7
Operations on the female genital organs . . . . .	65–71	74.6	0.9	99.0	100.0
Oophorectomy and salpingo-oophorectomy . . . . .	65.3–65.6	18.0	*	17.3	36.4
Bilateral destruction or occlusion of fallopian tubes . . . . .	66.2–66.3	11.5	*	26.3	*
Hysterectomy . . . . .	68.3–68.7, 68.9	22.9	*	26.4	40.3
Obstetrical procedures . . . . .	72–75	226.1	2.3	517.6	*1.4
Episiotomy with or without forceps or vacuum extraction . . . . .	72.1, 72.21, 72.31, 72.71, 73.6	29.7	*	68.0	*
Artificial rupture of membranes . . . . .	73.0	29.9	*	68.4	*
Cesarean section . . . . .	74.0–74.2, 74.4, 74.99	34.3	*	78.5	*
Repair of current obstetric laceration . . . . .	75.5–75.6	41.8	*	95.7	*
Operations on the musculoskeletal system . . . . .	76–84	117.5	31.9	67.0	155.1
Partial excision of bone . . . . .	76.2–76.3, 77.6–77.8	7.8	1.9	5.5	13.8
Reduction of fracture . . . . .	76.7, 79.0–79.3	22.5	9.3	14.7	20.0
Open reduction of fracture with internal fixation . . . . .	79.3	15.2	2.9	9.5	15.2
Excision or destruction of intervertebral disc . . . . .	80.5	10.3	*	9.8	20.0
Total hip replacement . . . . .	81.51	5.8	*	0.9	8.4
Total knee replacement . . . . .	81.54	11.5	*	0.7	16.0
Operations on the integumentary system . . . . .	85–86	47.1	*	31.8	63.4
Debridement of wound, infection, or burn . . . . .	86.22, 86.28	11.8	3.6	7.2	16.6
Miscellaneous diagnostic and therapeutic procedures . . . . .	87–99	429.6	148.1	190.8	503.7
Computerized axial tomography . . . . .	87.03, 87.41, 87.71, 88.01, 88.38	26.9	7.5	12.7	30.2
Arteriography and angiography using contrast material . . . . .	88.4–88.5	68.3	*	13.8	116.1
Diagnostic ultrasound . . . . .	88.7	29.1	*	10.7	30.3
Respiratory therapy . . . . .	93.9, 96.7	35.7	35.7	11.2	33.7
Insertion of endotracheal tube . . . . .	96.04	15.9	7.3	4.9	17.5
Injection or infusion of cancer chemotherapeutic substance . . . . .	99.25	6.9	5.4	3.3	11.7

\* Figure does not meet standard of reliability or precision.

... Category not applicable.

<sup>1</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

<sup>2</sup>See table 28 for comparison of rate of procedures with rate of discharges with procedures.

**Table 31. Number of all-listed procedures for discharges from short-stay hospitals, by sex and procedure category: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Procedure category diagnosis and ICD-9-CM code	Both sexes	Male	Female
	Number in thousands		
All procedures . . . . .	41,039	16,005	25,034
Operations on the nervous system . . . . .	01–05	1,101	506
Spinal tap . . . . .	03.31	345	177
Operations on the endocrine system . . . . .	06–07	96	23
Operations on the eye . . . . .	08–16	85	49
Operations on the ear . . . . .	18–20	44	27
Operations on the nose, mouth, and pharynx . . . . .	21–29	290	167
Operations on the respiratory system . . . . .	30–34	963	537
Bronchoscopy with or without biopsy . . . . .	33.21–33.24,33.27	248	135
Operations on the cardiovascular system . . . . .	35–39	6,188	3,574
Removal of coronary artery obstruction and insertion of stent(s) <sup>1</sup> . . . . .	36.0	1,051	689
Coronary artery bypass graft <sup>1</sup> . . . . .	36.1	516	365
Cardiac catheterization . . . . .	37.21–37.23	1,208	710
Insertion, replacement, removal, and revision of pacemaker leads or device . . . . .	37.7–37.8	378	193
Hemodialysis . . . . .	39.95	487	239
Operations on the hemic and lymphatic system . . . . .	40–41	328	158
Operations on the digestive system . . . . .	42–54	5,335	2,295
Endoscopy of small intestine with or without biopsy . . . . .	45.11–45.14,45.16	968	436
Endoscopy of large intestine with or without biopsy . . . . .	45.21–45.25	564	247
Partial excision of large intestine . . . . .	45.7	244	110
Appendectomy, excluding incidental . . . . .	47.0	312	168
Cholecystectomy . . . . .	51.2	442	142
Lysis of peritoneal adhesions . . . . .	54.5	316	68
Operations on the urinary system . . . . .	55–59	962	453
Cystoscopy with or without biopsy . . . . .	57.31–57.33	176	94
Operations on the male genital organs . . . . .	60–64	264	264
Prostatectomy . . . . .	60.2–60.6	185	185
Operations on the female genital organs . . . . .	65–71	2,117	...
Oophorectomy and salpingo-oophorectomy . . . . .	65.3–65.6	510	510
Bilateral destruction or occlusion of fallopian tubes . . . . .	66.2–66.3	326	326
Hysterectomy . . . . .	68.3–68.7,68.9	649	649
Obstetrical procedures . . . . .	72–75	6,412	6,412
Episiotomy with or without forceps or vacuum extraction . . . . .	72.1,72.21,72.31,72.71,73.6	843	843
Artificial rupture of membranes . . . . .	73.0	848	848
Cesarean section . . . . .	74.0–74.2,74.4,74.99	973	973
Repair of current obstetric laceration . . . . .	75.5–75.6	1,185	1,185
Operations on the musculoskeletal system . . . . .	76–84	3,334	1,591
Partial excision of bone . . . . .	76.2–76.3,77.6–77.8	221	108
Reduction of fracture . . . . .	76.7,79.0–79.3	638	288
Open reduction of fracture with internal fixation . . . . .	79.3	432	183
Excision or destruction of intervertebral disc . . . . .	80.5	293	160
Total hip replacement . . . . .	81.51	165	67
Total knee replacement . . . . .	81.54	326	126
Operations on the integumentary system . . . . .	85–86	1,336	604
Debridement of wound, infection, or burn . . . . .	86.22,86.28	334	188
Miscellaneous diagnostic and therapeutic procedures . . . . .	87–99	12,185	5,758
Computerized axial tomography . . . . .	87.03,87.41,87.71,88.01,88.38	763	357
Arteriography and angiography using contrast material . . . . .	88.4–88.5	1,936	1,051
Diagnostic ultrasound . . . . .	88.7	825	364
Respiratory therapy . . . . .	93.9,96.7	1,013	519
Insertion of endotracheal tube . . . . .	96.04	451	225
Injection or infusion of cancer chemotherapeutic substance . . . . .	99.25	197	105

... Category not applicable.

<sup>1</sup>See table 28 for comparison of number of procedures with number of discharges with procedures.

**Table 32. Rate of all-listed procedures for discharges from short-stay hospitals, by sex and procedure category: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Procedure category and ICD-9-CM code	Both sexes	Male	Female
Rate per 10,000 population <sup>1</sup>			
All procedures . . . . .	1,447.0	1,153.0	1,728.7
Operations on the nervous system . . . . .	01–05	38.8	36.4
Spinal tap . . . . .	03.31	12.2	12.7
Operations on the endocrine system . . . . .	06–07	3.4	1.6
Operations on the eye . . . . .	08–16	3.0	3.5
Operations on the ear . . . . .	18–20	1.6	2.0
Operations on the nose, mouth, and pharynx . . . . .	21–29	10.2	12.1
Operations on the respiratory system . . . . .	30–34	34.0	38.7
Bronchoscopy with or without biopsy . . . . .	33.21–33.24,33.27	8.8	9.8
Operations on the cardiovascular system . . . . .	35–39	218.2	257.4
Removal of coronary artery obstruction and insertion of stent(s) <sup>2</sup> . . . . .	36.0	37.1	49.6
Coronary artery bypass graft <sup>2</sup> . . . . .	36.1	18.2	26.3
Cardiac catheterization . . . . .	37.21–37.23	42.6	51.1
Insertion, replacement, removal, and revision of pacemaker leads or device . . . . .	37.7–37.8	13.3	13.9
Hemodialysis . . . . .	39.95	17.2	17.2
Operations on the hemic and lymphatic system . . . . .	40–41	11.5	11.4
Operations on the digestive system . . . . .	42–54	188.1	165.3
Endoscopy of small intestine with or without biopsy . . . . .	45.11–45.14,45.16	34.1	31.4
Endoscopy of large intestine with or without biopsy . . . . .	45.21–45.25	19.9	17.8
Partial excision of large intestine . . . . .	45.7	8.6	7.9
Appendectomy, excluding incidental . . . . .	47.0	11.0	12.1
Cholecystectomy . . . . .	51.2	15.6	10.3
Lysis of peritoneal adhesions . . . . .	54.5	11.1	4.9
Operations on the urinary system . . . . .	55–59	33.9	32.6
Cystoscopy with or without biopsy . . . . .	57.31–57.33	6.2	6.8
Operations on the male genital organs . . . . .	60–64	9.3	19.0
Prostatectomy . . . . .	60.2–60.6	6.5	13.3
Operations on the female genital organs . . . . .	65–71	74.6	...
Oophorectomy and salpingo-oophorectomy . . . . .	65.3–65.6	18.0	...
Bilateral destruction or occlusion of fallopian tubes . . . . .	66.2–66.3	11.5	...
Hysterectomy . . . . .	68.3–68.7,68.9	22.9	...
Obstetrical procedures . . . . .	72–75	226.1	...
Episiotomy with or without forceps or vacuum extraction . . . . .	72.1,72.21,72.31,72.71,73.6	29.7	...
Artificial rupture of membranes . . . . .	73.0	29.9	...
Cesarean section . . . . .	74.0–74.2,74.4,74.99	34.3	...
Repair of current obstetric laceration . . . . .	75.5–75.6	41.8	...
Operations on the musculoskeletal system . . . . .	76–84	117.5	114.6
Partial excision of bone . . . . .	76.2–76.3,77.6–77.8	7.8	7.8
Reduction of fracture . . . . .	76.7,79.0–79.3	22.5	20.7
Open reduction of fracture with internal fixation . . . . .	79.3	15.2	13.2
Excision or destruction of intervertebral disc . . . . .	80.5	10.3	11.5
Total hip replacement . . . . .	81.51	5.8	4.8
Total knee replacement . . . . .	81.54	11.5	9.1
Operations on the integumentary system . . . . .	85–86	47.1	43.5
Debridement of wound, infection, or burn . . . . .	86.22,86.28	11.8	13.6
Miscellaneous diagnostic and therapeutic procedures . . . . .	87–99	429.6	414.8
Computerized axial tomography . . . . .	87.03,87.41,87.71,88.01,88.38	26.9	25.7
Arteriography and angiography using contrast material . . . . .	88.4–88.5	68.3	75.7
Diagnostic ultrasound . . . . .	88.7	29.1	26.3
Respiratory therapy . . . . .	93.9,96.7	35.7	37.4
Insertion of endotracheal tube . . . . .	96.04	15.9	16.2
Injection or infusion of cancer chemotherapeutic substance . . . . .	99.25	6.9	7.5

... Category not applicable.

<sup>1</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

<sup>2</sup>See table 28 for comparison of rate of procedures with rate of discharges with procedures.

**Table 33. Number of all-listed procedures for discharges from short-stay hospitals, by geographic region and procedure category: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Procedure category and ICD-9-CM code	United States	North-east	Midwest	South	West
Number in thousands					
All procedures . . . . .	41,039	9,384	8,859	15,016	7,780
Operations on the nervous system . . . . .	01–05	1,101	238	282	362
Spinal tap . . . . .	03.31	345	69	78	123
Operations on the endocrine system . . . . .	06–07	96	24	14	30
Operations on the eye . . . . .	08–16	85	17	20	30
Operations on the ear . . . . .	18–20	44	13	8	17
Operations on the nose, mouth, and pharynx . . . . .	21–29	290	76	54	96
Operations on the respiratory system . . . . .	30–34	963	236	217	343
Bronchoscopy with or without biopsy . . . . .	33.21–33.24, 33.27	248	63	54	87
Operations on the cardiovascular system . . . . .	35–39	6,188	1,291	1,450	2,334
Removal of coronary artery obstruction and insertion of stent(s) <sup>1</sup> . . . . .	36.0	1,051	185	316	361
Coronary artery bypass graft <sup>1</sup> . . . . .	36.1	516	111	132	189
Cardiac catheterization . . . . .	37.21–37.23	1,208	226	314	477
Insertion, replacement, removal, and revision of pacemaker leads or device . . . . .	37.7–37.8	378	99	82	144
Hemodialysis . . . . .	39.95	487	94	86	190
Operations on the hemic and lymphatic system . . . . .	40–41	328	80	68	123
Operations on the digestive system . . . . .	42–54	5,335	1,196	1,142	2,034
Endoscopy of small intestine with or without biopsy . . . . .	45.11–45.14, 45.16	968	219	221	370
Endoscopy of large intestine with or without biopsy . . . . .	45.21–45.25	564	142	123	217
Partial excision of large intestine . . . . .	45.7	244	59	59	89
Appendectomy, excluding incidental . . . . .	47.0	312	63	67	104
Cholecystectomy . . . . .	51.2	442	90	86	175
Lysis of peritoneal adhesions . . . . .	54.5	316	60	64	139
Operations on the urinary system . . . . .	55–59	962	237	194	371
Cystoscopy with or without biopsy . . . . .	57.31–57.33	176	49	39	68
Operations on the male genital organs . . . . .	60–64	264	55	70	89
Prostatectomy . . . . .	60.2–60.6	185	39	50	63
Operations on the female genital organs . . . . .	65–71	2,117	327	421	960
Oophorectomy and salpingo-oophorectomy . . . . .	65.3–65.6	510	79	108	225
Bilateral destruction or occlusion of fallopian tubes . . . . .	66.2–66.3	326	41	51	177
Hysterectomy . . . . .	68.3–68.7, 68.9	649	97	142	282
Obstetrical procedures . . . . .	72–75	6,412	1,060	1,409	2,465
Episiotomy with or without forceps or vacuum extraction . . . . .	72.1, 72.21, 72.31, 72.71, 73.6	843	137	169	363
Artificial rupture of membranes . . . . .	73.0	848	118	240	274
Cesarean section . . . . .	74.0–74.2, 74.4, 74.99	973	168	170	443
Repair of current obstetric laceration . . . . .	75.5–75.6	1,185	207	254	431
Operations on the musculoskeletal system . . . . .	76–84	3,334	701	769	1,238
Partial excision of bone . . . . .	76.2–76.3, 77.6–77.8	221	56	47	78
Reduction of fracture . . . . .	76.7, 79.0–79.3	638	138	150	232
Open reduction of fracture with internal fixation . . . . .	79.3	432	91	100	158
Excision or destruction of intervertebral disc . . . . .	80.5	293	53	59	126
Total hip replacement . . . . .	81.51	165	42	48	47
Total knee replacement . . . . .	81.54	326	67	84	128
Operations on the integumentary system . . . . .	85–86	1,336	284	252	602
Debridement of wound, infection, or burn . . . . .	86.22, 86.28	334	73	66	151
Miscellaneous diagnostic and therapeutic procedures . . . . .	87–99	12,185	3,549	2,489	3,922
Computerized axial tomography . . . . .	87.03, 87.41, 87.71, 88.01, 88.38	763	345	*	156
Arteriography and angiography using contrast material . . . . .	88.4–88.5	1,936	392	515	748
Diagnostic ultrasound . . . . .	88.7	825	302	165	187
Respiratory therapy . . . . .	93.9, 96.7	1,013	285	171	284
Insertion of endotracheal tube . . . . .	96.04	451	114	88	161
Injection or infusion of cancer chemotherapeutic substance . . . . .	99.25	197	53	35	35

\* Figure does not meet standard of reliability or precision.

<sup>1</sup>See table 28 for comparison of number of procedures with number of discharges with procedures.

**Table 34. Number, percent distribution, and rate of discharges and days of care, with average length of stay for females with deliveries discharged from short-stay hospitals, by type of delivery, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Data are for discharges 10–54 years of age with *International Classification of Diseases, 9th Revision, Clinical Modification (ICD–9–CM)* code V27, females with deliveries]

Age and region	Discharges			Days of care			Average length of stay in days
	Number in thousands	Percent distribution	Rate per 1,000 population <sup>1</sup>	Number in thousands	Percent distribution	Rate per 1,000 population <sup>1</sup>	
<b>All deliveries</b>							
10–54 years . . . . .	3,839	100.0	41.9	9,702	100.0	105.9	2.5
10–19 years . . . . .	430	11.2	21.5	1,104	11.4	55.2	2.6
20–24 years . . . . .	996	25.9	104.2	2,448	25.2	256.1	2.5
25–29 years . . . . .	1,010	26.3	108.7	2,475	25.5	266.2	2.4
30–34 years . . . . .	896	23.3	87.5	2,306	23.8	225.3	2.6
35–39 years . . . . .	415	10.8	37.3	1,111	11.4	99.9	2.7
40–54 years . . . . .	92	2.4	2.9	258	2.7	8.2	2.8
All regions . . . . .	3,839	100.0	41.9	9,702	100.0	105.9	2.5
Northeast . . . . .	607	15.8	---	1,713	17.7	---	2.8
Midwest . . . . .	744	19.4	---	1,815	18.7	---	2.4
South . . . . .	1,616	42.1	---	4,157	42.9	---	2.6
West . . . . .	872	22.7	---	2,017	20.8	---	2.3
<b>Vaginal deliveries<sup>2</sup></b>							
10–54 years . . . . .	2,866	100.0	31.3	6,145	100.0	67.1	2.1
10–19 years . . . . .	343	12.0	17.2	767	12.5	38.3	2.2
20–24 years . . . . .	791	27.6	82.7	1,693	27.6	177.2	2.1
25–29 years . . . . .	749	26.1	80.6	1,580	25.7	169.9	2.1
30–34 years . . . . .	639	22.3	62.4	1,362	22.2	133.0	2.1
35–39 years . . . . .	285	10.0	25.7	613	10.0	55.1	2.1
40–54 years . . . . .	59	2.1	1.9	130	2.1	4.1	2.2
All regions . . . . .	2,866	100.0	31.3	6,145	100.0	67.1	2.1
Northeast . . . . .	438	15.3	---	1,047	17.0	---	2.4
Midwest . . . . .	575	20.1	---	1,217	19.8	---	2.1
South . . . . .	1,174	41.0	---	2,526	41.1	---	2.2
West . . . . .	679	23.7	---	1,355	22.1	---	2.0
<b>Cesarean deliveries<sup>3</sup></b>							
10–54 years . . . . .	973	100.0	10.6	3,558	100.0	38.8	3.7
10–19 years . . . . .	87	8.9	4.3	338	9.5	16.9	3.9
20–24 years . . . . .	205	21.1	21.5	754	21.2	78.9	3.7
25–29 years . . . . .	261	26.9	28.1	895	25.1	96.2	3.4
30–34 years . . . . .	257	26.4	25.1	945	26.6	92.3	3.7
35–39 years . . . . .	130	13.3	11.7	498	14.0	44.8	3.8
40–54 years . . . . .	33	3.3	1.0	128	3.6	4.1	3.9
All regions . . . . .	973	100.0	10.6	3,558	100.0	38.8	3.7
Northeast . . . . .	168	17.3	---	666	18.7	---	4.0
Midwest . . . . .	169	17.4	---	598	16.8	---	3.5
South . . . . .	443	45.5	---	1,632	45.9	---	3.7
West . . . . .	193	19.8	---	662	18.6	---	3.4

--- Civilian population not available by region.

<sup>1</sup>Rates were calculated using U.S. Census Bureau estimates of the civilian population based on the 2000 census.

<sup>2</sup>Discharges of females with deliveries except those with cesarean deliveries.

<sup>3</sup>Discharges of females with deliveries with ICD–9–CM procedure codes 74.0–74.2, 74.4, or 74.99.

**Table 35. Number and percent distribution of females with deliveries discharged from short-stay hospitals, by length of stay and type of delivery: United States, selected years 1980–2001**

[Discharges of inpatients from non-Federal hospitals. Data are for discharges with *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code V27, females with deliveries]

Length of stay and type of delivery	1980	1985	1990	1995	2000	2001
Length of stay						
All deliveries . . . . .	3,762	3,854	4,025	3,766	3,738	3,839
Less than 1 day . . . . .	23	34	37	36	16	13
1 day . . . . .	216	373	623	1,368	551	544
2 days . . . . .	747	1,037	1,649	1,418	1,863	1,847
3 days . . . . .	1,205	1,140	900	606	863	963
4 days . . . . .	691	586	468	193	292	308
5–7 days . . . . .	726	598	282	100	112	121
8 days or more . . . . .	154	86	67	46	41	43
Vaginal deliveries <sup>1</sup> . . . . .	3,143	2,977	3,080	2,981	2,882	2,866
Less than 1 day . . . . .	23	33	35	34	14	12
1 day . . . . .	215	371	620	1,362	546	542
2 days . . . . .	743	1,030	1,624	1,271	1,726	1,687
3 days . . . . .	1,185	1,054	618	228	500	530
4 days . . . . .	618	338	106	39	53	51
5–7 days . . . . .	317	125	55	27	25	25
8 days or more . . . . .	42	26	23	21	17	18
Cesarean deliveries <sup>2</sup> . . . . .	619	877	945	785	855	973
Less than 1 day . . . . .	*	*	*	*	*	*
1 day . . . . .	*	*	*	*6	*	*
2 days . . . . .	*	*	25	147	137	160
3 days . . . . .	20	86	283	379	363	432
4 days . . . . .	73	249	361	154	239	257
5–7 days . . . . .	409	473	227	73	87	96
8 days or more . . . . .	112	60	44	25	24	24
Percent distribution						
All deliveries . . . . .	100.0	100.0	100.0	100.0	100.0	100.0
Less than 1 day . . . . .	0.6	0.9	0.9	1.0	0.4	0.3
1 day . . . . .	5.7	9.7	15.5	36.3	14.7	14.2
2 days . . . . .	19.9	26.9	41.0	37.7	49.9	48.1
3 days . . . . .	32.0	29.6	22.4	16.1	23.1	25.1
4 days . . . . .	18.4	15.2	11.6	5.1	7.8	8.0
5–7 days . . . . .	19.3	15.5	7.0	2.7	3.0	3.2
8 days or more . . . . .	4.1	2.2	1.7	1.2	1.1	1.1
Vaginal deliveries <sup>1</sup> . . . . .	100.0	100.0	100.0	100.0	100.0	100.0
Less than 1 day . . . . .	0.7	1.1	1.1	1.1	0.5	0.4
1 day . . . . .	6.8	12.5	20.1	45.7	19.0	18.9
2 days . . . . .	23.6	34.6	52.7	42.6	59.9	58.9
3 days . . . . .	37.7	35.4	20.1	7.6	17.3	18.5
4 days . . . . .	19.7	11.4	3.4	1.3	1.8	1.8
5–7 days . . . . .	10.1	4.2	1.8	0.9	0.9	0.9
8 days or more . . . . .	1.3	0.9	0.7	0.7	0.6	0.6
Cesarean deliveries <sup>2</sup> . . . . .	100.0	100.0	100.0	100.0	100.0	100.0
Less than 1 day . . . . .	*	*	*	*	*	*
1 day . . . . .	*	*	*	*0.8	*	*
2 days . . . . .	*	*	2.6	18.7	16.0	16.5
3 days . . . . .	3.2	9.8	29.9	48.3	42.4	44.4
4 days . . . . .	11.8	28.4	38.2	19.6	27.9	26.4
5–7 days . . . . .	66.1	53.9	24.0	9.3	10.2	9.9
8 days or more . . . . .	18.1	6.8	4.7	3.2	2.8	2.5
Type of delivery						
Average length of stay in days						
All deliveries . . . . .	3.8	3.3	2.8	2.1	2.5	2.5
Vaginal deliveries <sup>1</sup> . . . . .	3.2	2.7	2.3	1.7	2.1	2.1
Cesarean deliveries <sup>2</sup> . . . . .	6.5	5.2	4.5	3.6	3.7	3.7

<sup>1</sup>Figure does not meet standard of reliability or precision.

<sup>2</sup>Discharges of females with deliveries except those with cesarean deliveries.

<sup>2</sup>Discharges of females with deliveries with ICD-9-CM procedure codes 74.0–74.2, 74.4, or 74.99.

**Table 36. Number and rate of selected obstetrical procedures for females with deliveries discharged from short-stay hospitals: United States, selected years 1980–2001**

[Discharges from non-Federal hospitals. Procedure groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*. Data are for selected procedures performed on discharges with code V27, females with deliveries]

Procedure category and ICD-9-CM code	1980	1985	1990	1995	2000	2001
Number of procedures in thousands						
All obstetrical procedures . . . . .	72–75	3,526	4,239	6,660	6,282	6,145
Repair of current obstetric laceration . . . . .	75.5–75.6	350	543	789	961	1,134
Episiotomy . . . . .	72.1,72.21,72.31,72.71,73.6	2,012	1,820	1,714	1,410	944
Manually assisted delivery . . . . .	73.5	70	193	750	866	898
Cesarean section . . . . .	74.0–74.2,74.4,74.99	619	877	945	785	855
Artificial rupture of membranes . . . . .	73.0	120	315	691	752	833
Medical induction of labor . . . . .	73.4	42	66	225	366	435
Vacuum extraction <sup>1</sup> . . . . .	72.7	22	66	190	279	245
Forceps delivery <sup>1</sup> . . . . .	72.0–72.4,72.51,72.53,72.6,73.3	555	376	269	176	117
Rate per 100 deliveries <sup>2</sup>						
All obstetrical procedures . . . . .	72–75	93.7	110.0	165.5	166.8	164.4
Cesarean section . . . . .	74.0–74.2,74.4,74.99	16.5	22.7	23.5	20.8	22.9
Artificial rupture of membranes . . . . .	73.0	3.2	8.2	17.2	20.0	22.3
Medical induction of labor . . . . .	73.4	1.1	1.7	5.6	9.7	11.7
Rate per 100 vaginal deliveries <sup>3</sup>						
Repair of current obstetric laceration . . . . .	75.5–75.6	11.1	18.1	25.5	32.0	39.2
Episiotomy . . . . .	72.1,72.21,72.31,72.71,73.6	64.0	61.1	55.6	47.2	32.7
Manually assisted delivery . . . . .	73.5	2.2	6.5	24.3	29.0	31.1
Vacuum extraction <sup>1</sup> . . . . .	72.7	0.7	2.2	6.1	9.2	8.4
Forceps delivery <sup>1</sup> . . . . .	72.0–72.4,72.51,72.53,72.6,73.3	17.6	12.5	8.6	5.8	4.0

<sup>1</sup>Forceps delivery and vacuum extraction with episiotomy are also included in the episiotomy category.

<sup>2</sup>Procedures per 100 discharges of females with deliveries.

<sup>3</sup>Procedures for females with vaginal deliveries per 100 discharges with vaginal deliveries. Vaginal deliveries are all deliveries except those with a cesarean section.

**Table 37. Number and rate of females with deliveries discharged from short-stay hospitals, by type of delivery: United States, selected years 1980–2001**

[Discharges of inpatients from non-Federal hospitals. Data are for discharges with *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code V27, females with deliveries]

Type of delivery	1980	1985	1990	1995	2000	2001
Number in thousands						
Females with deliveries . . . . .	3,762	3,854	4,025	3,766	3,738	3,839
Previous cesarean delivery . . . . .	192	324	426	413	447	475
No previous cesarean delivery . . . . .	3,571	3,530	3,600	3,353	3,290	3,364
Vaginal deliveries . . . . .	3,143	2,977	3,080	2,981	2,882	2,866
Vaginal birth after cesarean (VBAC) delivery . . . . .	*6	21	87	147	123	106
Other vaginal deliveries . . . . .	3,137	2,956	2,993	2,835	2,759	2,761
Cesarean deliveries . . . . .	619	877	945	785	855	973
No previous cesarean delivery (primary) . . . . .	434	574	606	519	531	604
Previous cesarean delivery (repeat) . . . . .	185	303	339	266	324	369
Rate per 100 deliveries						
Cesarean deliveries per 100 deliveries . . . . .	16.5	22.7	23.5	20.8	22.9	25.3
Primary cesarean deliveries per 100 deliveries without previous cesarean delivery . . . . .	12.1	16.3	16.8	15.5	16.1	17.9
Repeat cesarean deliveries per 100 cesarean deliveries . . . . .	29.9	34.6	35.9	33.9	37.9	38.0
Vaginal birth after cesarean (VBAC) deliveries per 100 deliveries with previous cesarean delivery . . . . .	*3.4	6.6	20.4	35.5	27.6	22.3

\*Figure does not meet standard of reliability or precision.

NOTE: Previous cesarean deliveries are discharges with ICD-9-CM diagnostic code 654.2. Cesarean deliveries are discharges with ICD-9-CM procedure codes 74.0–74.2, 74.4, or 74.99.

**Table 38. Number and rate of females with deliveries discharged from short-stay hospitals by type of delivery, age, and region:  
United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Data are for discharges 10–54 years of age with *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD–9–CM) code V27, females with deliveries]

Age and region	Cesarean deliveries			
	Total <sup>1</sup>	Primary <sup>2</sup>	Repeat <sup>3</sup>	VBAC <sup>4,5</sup>
Number in thousands				
10–54 years . . . . .	973	604	369	106
10–19 years . . . . .	87	77	10	*
20–24 years . . . . .	205	137	69	22
25–29 years . . . . .	261	156	105	27
30–34 years . . . . .	257	150	107	33
35–39 years . . . . .	130	65	64	17
40–54 years . . . . .	33	18	15	*3
All regions . . . . .	973	604	369	106
Northeast . . . . .	168	106	62	14
Midwest . . . . .	169	107	63	27
South . . . . .	443	278	165	38
West . . . . .	193	113	80	27
Rate per 100 deliveries				
10–54 years . . . . .	25.3	17.9	38.0	22.3
10–19 years . . . . .	20.2	18.5	11.1	*
20–24 years . . . . .	20.6	15.1	33.4	24.3
25–29 years . . . . .	25.9	17.8	40.2	20.6
30–34 years . . . . .	28.7	19.9	41.6	23.5
35–39 years . . . . .	31.3	19.6	49.6	21.3
40–54 years . . . . .	35.4	24.1	45.0	*17.2
All regions . . . . .	25.3	17.9	38.0	22.3
Northeast . . . . .	27.7	20.0	36.9	18.5
Midwest . . . . .	22.8	16.3	37.1	29.7
South . . . . .	27.4	19.7	37.2	18.9
West . . . . .	22.1	14.7	41.4	25.0

\*Figure does not meet standard of reliability or precision.

<sup>1</sup>Discharges with ICD–9–CM procedure codes 74.0–74.2, 74.4, or 74.99. Rate per 100 total deliveries.

<sup>2</sup>Cesarean deliveries without ICD–9–CM diagnostic code 654.2. Rate per 100 deliveries without previous cesarean delivery.

<sup>3</sup>Cesarean deliveries with ICD–9–CM diagnostic code 654.2. Rate per 100 cesarean deliveries.

<sup>4</sup>VBAC is vaginal birth after cesarean delivery.

<sup>5</sup>Vaginal deliveries with ICD–9–CM diagnostic code 654.2. Rate per 100 deliveries with previous cesarean delivery.

**Table 39. Number, percent distribution, and average length of stay for newborn infants discharged from short-stay hospitals, by sex, geographic region, and health status: United States, 2001**

[Infants born in non-Federal hospitals]

Sex, region, and health status	Discharges		Average length of stay in days
	Number in thousands	Percent distribution	
All newborn infants . . . . .	3,659	100.0	3.3
Sex			
Male . . . . .	1,866	51.0	3.3
Female . . . . .	1,793	49.0	3.2
Region			
Northeast . . . . .	762	20.8	3.6
Midwest . . . . .	778	21.3	2.8
South . . . . .	1,394	38.1	3.4
West . . . . .	725	19.8	3.2
Health status			
Well <sup>1</sup> . . . . .	2,219	60.6	2.1
Male . . . . .	1,099	30.0	2.1
Female . . . . .	1,119	30.6	2.0
Sick <sup>2</sup> . . . . .	1,440	39.4	5.2
Male . . . . .	766	20.9	5.1
Female . . . . .	674	18.4	5.2

<sup>1</sup>Without any illness or risk-related diagnoses.<sup>2</sup>With at least one illness or risk-related diagnosis, *International Classification of Diseases, 9th Revision, Clinical Modification* codes 001–999.**Table 40. Number and percent distribution of newborn infants discharged from short-stay hospitals, by length of stay, and average length of stay, by health status: United States, selected years 1980–2001**

[Infants born in non-Federal hospitals]

Length of stay and health status	1980	1985	1990	1995	2000	2001
Length of stay						
All newborn infants . . . . .	3,824	3,794	3,869	3,631	3,643	3,659
Less than 1 day . . . . .	69	84	79	87	45	47
1 day . . . . .	270	428	693	1,523	722	679
2 days . . . . .	842	1,057	1,624	1,145	1,877	1,873
3 days . . . . .	1,175	1,034	636	486	546	567
4 days . . . . .	618	528	447	134	205	225
5–7 days . . . . .	633	497	232	106	94	108
8 days or more . . . . .	218	167	157	149	153	159
Number in thousands						
All newborn infants . . . . .	100.0	100.0	100.0	100.0	100.0	100.0
Less than 1 day . . . . .	1.8	2.2	2.0	2.4	1.2	1.3
1 day . . . . .	7.1	11.3	17.9	41.9	19.8	18.5
2 days . . . . .	22.0	27.9	42.0	31.5	51.5	51.2
3 days . . . . .	30.7	27.3	16.4	13.4	15.0	15.5
4 days . . . . .	16.2	13.9	11.6	3.7	5.6	6.2
5–7 days . . . . .	16.5	13.1	6.0	2.9	2.6	3.0
8 days or more . . . . .	5.7	4.4	4.1	4.1	4.2	4.4
Percent distribution						
All newborn infants . . . . .	100.0	100.0	100.0	100.0	100.0	100.0
Less than 1 day . . . . .	1.8	2.2	2.0	2.4	1.2	1.3
1 day . . . . .	7.1	11.3	17.9	41.9	19.8	18.5
2 days . . . . .	22.0	27.9	42.0	31.5	51.5	51.2
3 days . . . . .	30.7	27.3	16.4	13.4	15.0	15.5
4 days . . . . .	16.2	13.9	11.6	3.7	5.6	6.2
5–7 days . . . . .	16.5	13.1	6.0	2.9	2.6	3.0
8 days or more . . . . .	5.7	4.4	4.1	4.1	4.2	4.4
Health status						
All newborn infants . . . . .	4.3	3.8	3.3	2.8	3.2	3.3
Well <sup>1</sup> . . . . .	3.2	2.8	2.3	1.7	2.1	2.1
Sick <sup>2</sup> . . . . .	7.1	5.7	4.8	4.4	5.1	5.2
Average length of stay in days						

<sup>1</sup>Without any illness or risk-related diagnoses.<sup>2</sup>With at least one illness or risk-related diagnosis, *International Classification of Diseases, 9th Revision, Clinical Modification* codes 001–999.

**Table 41. Number of all-listed diagnoses for sick newborn infants discharged from short-stay hospitals, by sex and selected diagnostic categories: United States, 2001**

[Infants born in non-Federal hospitals. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM)]

Diagnostic category and ICD-9-CM code		Both sexes	Male	Female
Number in thousands				
Sick newborn diagnoses . . . . .	001-999	2,729	1,492	1,237
Hemolytic disease of fetus or newborn, due to isoimmunization, and other perinatal jaundice . . . . .	773-774	578	294	284
Neonatal jaundice associated with preterm delivery . . . . .	774.2	114	61	53
Unspecified fetal and neonatal jaundice . . . . .	774.6	396	200	195
Respiratory distress syndrome and other respiratory conditions of fetus and newborn . . . . .	769-770	360	204	157
Transitory tachypnea of newborn . . . . .	770.6	104	62	42
Disorders relating to short gestation and unspecified low birthweight (prematurity) . . . . .	765	270	140	131
Congenital anomalies . . . . .	740-759	251	140	111
Disorders relating to long gestation and high birthweight . . . . .	766	201	132	69
Endocrine and metabolic disturbances specific to the fetus and newborn . . . . .	775	133	72	61
Birth trauma . . . . .	767	110	65	45
Injuries to scalp . . . . .	767.1	64	41	23
Infections specific to the perinatal period . . . . .	771	91	56	35

**Table 42. Number and percent of male newborn infants circumcised during hospitalization, by geographic region: United States, selected years 1980-2001**

[Infants born in non-Federal hospitals with *International Classification of Diseases, 9th Revision, Clinical Modification*, code 64.0]

Region	1980	1985	1990	1995	2000	2001
Number circumcised in thousands						
United States . . . . .	1,261	1,162	1,169	1,200	1,166	1,177
Northeast . . . . .	253	221	238	249	256	256
Midwest . . . . .	403	331	341	317	330	320
South . . . . .	379	393	396	454	438	452
West . . . . .	226	218	195	180	143	149
Percent circumcised						
United States . . . . .	64.7	59.5	59.0	64.1	62.4	63.1
Northeast . . . . .	67.4	65.2	62.6	68.3	64.6	66.9
Midwest . . . . .	75.9	70.5	76.0	79.8	81.4	81.0
South . . . . .	56.0	56.0	57.1	66.1	63.9	62.5
West . . . . .	61.8	49.0	42.4	42.6	37.3	40.9

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
All codes . . . . .	32,653	12,852	19,801	2,560	10,343	7,224	12,525	7,026	7,429	12,744	5,453
001–139 . . . . .	842	400	441	181	197	144	319	195	191	323	132
008 . . . . .	124	52	72	47	21	18	38	26	28	50	20
008.4 . . . . .	39	15	24	*	*6	*9	23	10	10	12	*8
008.45 . . . . .	36	13	23	*	*	*8	22	10	*9	10	*7
008.6 . . . . .	23	12	11	21	*	*	*	*	*7	*8	*
008.61 . . . . .	23	12	11	21	*	*	*	*	*7	*8	*
008.8 . . . . .	59	24	35	23	14	*9	13	12	10	29	*8
009 . . . . .	16	*5	11	*	*6	*	*	*	*	*5	*
009.0 . . . . .	10	*	*8	*	*	*	*	*	*	*	*
011 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
011.9 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
031 . . . . .	*5	*	*	*	*	*	*	*	*	*	—
034 . . . . .	*8	*	*6	*5	*	*	*	*	*	*	*
034.0 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
038 . . . . .	315	142	172	16	22	57	219	79	73	116	46
038.0 . . . . .	18	11	*7	*	*	*5	10	*	*6	*	*
038.1 . . . . .	45	23	22	*	*5	*7	31	12	11	14	*9
038.10 . . . . .	*8	*	*	—	*	*	*5	*	*	*	*
038.11 . . . . .	25	14	12	*	*	*	18	*8	*6	*7	*
038.19 . . . . .	12	*6	*6	*	*	*	*8	*	*	*	*
038.2 . . . . .	10	*5	*	*	*	*	*	*	*	*	*
038.4 . . . . .	74	28	46	*	*6	12	54	17	21	24	13
038.40 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
038.42 . . . . .	45	14	30	*	*	*8	33	11	13	13	*8
038.49 . . . . .	17	*9	*9	*	*	*	12	*	*	*8	*
038.8 . . . . .	10	*	*5	*	*	*	*7	*	*	*	*
038.9 . . . . .	156	70	86	*9	*8	27	113	41	32	66	17
041 . . . . .	15	*6	*9	*	*5	*	*	*	*	*9	*
042 . . . . .	73	46	27	*	55	15	*	22	*7	35	*9
047 . . . . .	48	27	20	28	17	*	*	*6	15	18	*8
047.9 . . . . .	44	25	19	26	16	*	*	*5	15	17	*7
053 . . . . .	15	*5	10	*	*	*	10	*	*5	*5	*
053.9 . . . . .	10	*	*7	*	*	*	*6	*	*	*	*
054 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
070 . . . . .	27	13	14	*	10	10	*5	*	*	13	*
070.5 . . . . .	15	*7	*8	*	*	*7	*	*	*	*8	*
070.51 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
070.54 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
075 . . . . .	*9	*	*	*	*5	*	—	*	*	*	*
078 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
079 . . . . .	72	38	34	46	14	*5	*6	19	18	22	14
079.9 . . . . .	65	35	30	41	13	*	*6	17	15	20	12
079.99 . . . . .	65	35	30	41	13	*	*6	17	15	20	12
112 . . . . .	19	*7	12	*	*	*5	9	*	*6	*	*
112.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
135 . . . . .	12	*	*8	*	*6	*	*	*	*	*5	*
140–239 . . . . .	1,642	613	1,029	31	298	580	733	364	351	641	285
150 . . . . .	12	*8	*	—	*	*	*6	*	*	*	*
151 . . . . .	21	12	*8	—	*	*6	11	*6	*	*7	*
151.0 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
153 . . . . .	108	54	53	*	*	26	78	26	26	39	16
153.1 . . . . .	10	*	*6	—	*	*	*6	*	*	*	*
153.2 . . . . .	*6	*	*	—	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
153.3 . . . . .	25	16	*9	—	*	*7	17	*	*	10	*6
153.4 . . . . .	18	*8	10	—	*	*	14	*	*5	*6	*
153.6 . . . . .	26	11	15	—	*	*	22	*7	*8	*8	*
153.9 . . . . .	12	*6	*5	*	*	*	*7	*	*	*7	*
154 . . . . .	47	24	23	—	*	18	25	12	*7	18	9
154.0 . . . . .	16	9	*7	—	*	*6	*8	*	*	*6	*
154.1 . . . . .	27	14	13	—	*	12	14	*8	*	11	*
155 . . . . .	18	11	*7	*	*	*7	*7	*	*	*8	*
155.0 . . . . .	11	*6	*	*	*	*6	*	*	*	*6	*
156 . . . . .	*7	*	*	—	*	*	*5	*	*	*	*
157 . . . . .	32	16	16	—	*	10	22	*9	*8	12	*
157.0 . . . . .	9	*6	*	—	—	*	*5	*	*	*	*
157.9 . . . . .	14	*6	*8	—	*	*	10	*	*	*6	*
161 . . . . .	*6	*5	*	—	*	*	*	*	*	*	*
162 . . . . .	132	72	60	—	*	47	82	29	30	53	20
162.2 . . . . .	*6	*	*	—	—	*	*	*	*	*	*
162.3 . . . . .	46	25	21	—	*	16	28	10	10	19	*6
162.5 . . . . .	20	10	10	—	*	*7	13	*	*	*8	*
162.8 . . . . .	11	*5	*5	—	*	*	*7	*	*	*	*
162.9 . . . . .	46	27	19	—	*	16	28	9	10	20	*6
171 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
172 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
173 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
174 . . . . .	107	—	107	*	17	40	50	21	22	46	18
174.1 . . . . .	*5	—	*5	—	*	*	*	*	*	*	*
174.2 . . . . .	*5	—	*5	—	*	*	*	*	*	*	*
174.4 . . . . .	22	—	22	—	*	*7	11	*	*	*8	*
174.8 . . . . .	27	—	27	—	*	13	10	*8	*6	*8	*5
174.9 . . . . .	39	—	39	*	*7	14	18	*5	*8	21	*
180 . . . . .	15	—	15	—	*8	*6	*	*	*	*6	*
180.9 . . . . .	*7	—	*7	—	*	*	*	*	*	*	*
182 . . . . .	35	—	35	—	*	17	15	*9	*7	10	*9
182.0 . . . . .	35	—	35	—	*	17	15	*9	*7	10	*9
183 . . . . .	18	—	18	*	*	*8	*8	*	*	*8	*
183.0 . . . . .	17	—	17	*	*	*7	*7	*	*	*8	*
185 . . . . .	92	92	—	—	*	37	55	22	25	28	17
188 . . . . .	38	27	11	—	*	*6	31	*9	*8	15	*6
188.8 . . . . .	15	10	*5	—	*	*	12	*	*	*	*
188.9 . . . . .	10	*7	*	—	*	*	*9	*	*	*5	*
189 . . . . .	34	19	14	*	*	13	17	9	*5	14	*5
189.0 . . . . .	29	16	13	*	*	11	14	*8	*	12	*
191 . . . . .	30	13	17	*	*6	*8	12	*8	*6	11	*
191.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
191.9 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
193 . . . . .	20	*	16	*	*9	*6	*	*6	*	*8	*
196 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
197 . . . . .	103	40	63	*	*6	45	51	22	26	40	15
197.0 . . . . .	20	*7	13	*	*	9	*9	*	*5	10	*
197.2 . . . . .	29	11	18	—	*	13	14	*7	*6	11	*
197.6 . . . . .	18	*	14	*	*	*7	10	*	*	*7	*
197.7 . . . . .	26	15	11	*	*	12	13	*7	*8	*9	*
198 . . . . .	89	39	50	*	*7	32	50	21	28	28	13
198.3 . . . . .	37	15	22	*	*	14	20	*8	14	9	*5
198.5 . . . . .	33	17	16	*	*	12	20	*8	*8	13	*
198.8 . . . . .	12	*5	*7	—	*	*	*7	*	*	*	*
198.89 . . . . .	11	*5	*6	—	*	*	*6	*	*	*	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
199 . . . . .	26	9	16	*	*	*8	14	*	*	14	*6
199.0 . . . . .	15	*	11	*	*	*	*8	*	*	*7	*
199.1 . . . . .	11	*5	*6	*	*	*	*5	*	*	*7	*
200 . . . . .	10	*	*5	*	*	*	*5	*	*	*	*
200.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
202 . . . . .	37	17	20	*	*5	*8	23	*7	*9	14	*7
202.8 . . . . .	32	14	19	*	*5	*6	21	*6	*8	13	*6
202.80 . . . . .	14	*7	*7	*	*	*	*8	*	*	*6	*
202.83 . . . . .	*6	*	*	—	*	*	*5	*	*	*	*
203 . . . . .	18	*8	9	—	*	*	13	*	*5	*8	*
203.0 . . . . .	16	*7	*9	—	*	*	11	*	*5	*6	*
203.00 . . . . .	16	*7	*9	—	*	*	11	*	*5	*6	*
204 . . . . .	19	9	10	*7	*	*	*5	*	*	*6	*6
204.0 . . . . .	12	*6	*6	*7	*	*	*	*	*	*	*
204.00 . . . . .	*9	*	*5	*	*	*	*	*	*	*	*
204.1 . . . . .	*7	*	*	*	*	*	*5	*	*	*	*
204.10 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
205 . . . . .	21	12	9	*	*	*8	10	*	*6	*8	*
205.0 . . . . .	18	10	*8	*	*	*7	*9	*	*5	*6	*
205.00 . . . . .	17	10	*7	*	*	*6	*9	*	*5	*6	*
211 . . . . .	35	15	20	*	*	10	24	*8	10	14	*
211.3 . . . . .	28	12	16	*	*	*8	20	*7	*9	11	*
218 . . . . .	228	—	228	—	127	99	*	39	41	107	42
218.0 . . . . .	27	—	27	—	13	13	*	*6	*	11	*5
218.1 . . . . .	68	—	68	—	39	28	*	13	11	33	11
218.2 . . . . .	21	—	21	—	11	9	*	*	*	*8	*
218.9 . . . . .	113	—	113	—	63	49	*	16	21	55	21
220 . . . . .	40	—	40	*	16	14	9	9	*9	14	*8
225 . . . . .	23	10	13	*	*	10	*8	*6	*	10	*
225.2 . . . . .	14	*5	*9	—	*	*6	*6	*	*	*7	*
226 . . . . .	10	*	*8	—	*	*	*	*	*	*	*
227 . . . . .	16	*	11	*	*	*7	*6	*	*	*5	*6
227.1 . . . . .	*8	*	*6	—	*	*	*	*	*	*	*
227.3 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
233 . . . . .	27	*	26	—	10	11	*6	*	*7	11	*
233.0 . . . . .	12	*	12	—	*	*7	*	*	*	*	*
233.1 . . . . .	13	—	13	—	*9	*	*	*	*	*6	*
235 . . . . .	11	*	*6	*	*	*	*8	*	*	*	*
235.2 . . . . .	*7	*	*	*	*	*	*6	*	*	*	*
237 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
238 . . . . .	13	*	*8	*	*	*	*6	*	*	*	*
238.7 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
239 . . . . .	11	*	*7	*	*	*	*6	*	*	*	*
240–279 . . . . .	1,563	628	935	192	279	418	674	350	363	599	251
241 . . . . .	14	*	13	—	*	*6	*	*	*	*	*
241.0 . . . . .	*6	*	*5	—	*	*	*	*	*	*	*
241.1 . . . . .	*6	*	*5	—	*	*	*	*	*	*	*
242 . . . . .	14	*	12	*	*	*5	*	*	*	*7	*
242.9 . . . . .	*7	*	*5	—	*	*	*	*	*	*	*
242.90 . . . . .	*6	*	*5	—	*	*	*	*	*	*	*
244 . . . . .	21	*	18	*	*	*7	11	*6	*	*6	*5
244.9 . . . . .	20	*	16	*	*	*6	11	*6	*	*6	*
250 . . . . .	562	271	291	26	130	201	206	125	122	226	89
250.0 . . . . .	179	76	103	11	34	73	61	38	40	76	25
250.00 . . . . .	76	34	42	*	11	36	28	14	17	34	11

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
250.01 . . . . .	29	14	15	*9	*6	*8	*7	*7	*6	11	*
250.02 . . . . .	54	20	35	*	11	23	21	11	11	26	*7
250.03 . . . . .	20	*8	11	*	*7	*6	*5	*6	*7	*	*
250.1 . . . . .	97	49	48	13	56	18	10	17	21	41	19
250.10 . . . . .	17	*7	10	*	*8	*	*	*	*	*9	*
250.11 . . . . .	40	20	20	*8	24	*6	*	*7	11	15	*7
250.12 . . . . .	11	*5	*5	*	*5	*	*	*	*	*5	*
250.13 . . . . .	30	16	14	*	19	*6	*	*5	*6	12	*7
250.2 . . . . .	12	*7	*	—	*	*	*5	*	*	*	*
250.22 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
250.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
250.4 . . . . .	27	15	12	—	*	11	11	*5	*6	9	*6
250.40 . . . . .	13	*7	*6	—	*	*	*7	*	*	*	*
250.41 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
250.6 . . . . .	50	26	24	—	9	26	15	9	10	22	9
250.60 . . . . .	21	11	9	—	*	11	*8	*5	*	*7	*
250.61 . . . . .	16	9	*7	—	*	*8	*	*	*	*8	*
250.62 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
250.63 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
250.7 . . . . .	52	31	21	—	*	20	30	13	12	18	9
250.70 . . . . .	29	17	11	—	*	10	18	*7	*6	10	*6
250.71 . . . . .	12	*6	*6	—	*	*	*7	*	*	*	*
250.73 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
250.8 . . . . .	125	56	68	*	13	45	66	35	25	48	17
250.80 . . . . .	70	33	38	*	*	23	44	20	15	25	10
250.81 . . . . .	23	10	12	*	*	*8	10	*9	*	9	*
250.82 . . . . .	24	9	15	*	*	11	11	*	*6	11	*
250.83 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
250.9 . . . . .	10	*	*5	*	*	*	*	*	*	*	*
251 . . . . .	13	*7	*6	*	*	*	*5	*	*	*7	*
251.2 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
252 . . . . .	*8	*	*6	*	*	*	*	*	*	*	*
252.0 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
253 . . . . .	15	*	10	*	*	*	10	*	*	*5	*
253.6 . . . . .	12	*	9	*	*	*	10	*	*	*	*
255 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
263 . . . . .	9	*	*5	*	*	*	*6	*	*	*6	*
263.9 . . . . .	*9	*	*5	*	*	*	*5	*	*	*5	*
272 . . . . .	40	19	21	*	*8	20	11	13	10	11	*5
272.0 . . . . .	19	*9	11	—	*	11	*6	*6	*5	*7	*
272.4 . . . . .	15	*7	*8	—	*	*8	*	*5	*	*	*
274 . . . . .	14	*9	*6	—	*	*	10	*	*	*	*
274.0 . . . . .	10	*6	*	—	*	*	*7	*	*	*	*
275 . . . . .	19	*8	11	*	*	*	9	*	*5	*7	*
275.4 . . . . .	16	*7	9	*	*	*	9	*	*	*6	*
275.42 . . . . .	10	*5	*	*	*	*	*6	*	*	*	*
276 . . . . .	721	267	455	147	65	123	386	152	182	272	115
276.0 . . . . .	10	*	*6	*	*	*	*7	*	*	*	*
276.1 . . . . .	78	23	55	*	*	14	57	17	24	23	14
276.2 . . . . .	14	*6	*8	*	*	*6	*	*	*	*5	*
276.5 . . . . .	534	200	334	140	45	73	276	111	129	211	82
276.6 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
276.7 . . . . .	33	15	18	*	*	12	19	*8	*8	10	*7
276.8 . . . . .	39	14	25	*	*8	13	18	9	11	12	*7
277 . . . . .	17	*8	9	*8	*8	*	*	*8	*	*	*
277.0 . . . . .	13	*6	*7	*6	*6	*	—	*6	*	*	*
277.00 . . . . .	12	*6	*7	*6	*6	*	—	*6	*	*	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
278 . . . . .	65	12	53	*	35	27	*	14	15	23	13
278.0 . . . . .	58	10	48	*	33	23	*	12	13	21	11
278.00 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
278.01 . . . . .	50	*8	43	*	29	20	*	11	12	17	10
278.1 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
280–289 . . . . .	404	175	229	59	105	80	160	102	89	163	50
280 . . . . .	66	19	48	*	10	15	39	16	15	27	*8
280.0 . . . . .	31	*7	24	*	*6	*6	19	10	*7	12	*
280.9 . . . . .	34	11	23	*	*	*9	19	*7	*8	15	*
281 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
282 . . . . .	83	34	49	22	54	*6	*	25	15	37	*7
282.6 . . . . .	77	32	45	19	52	*5	*	22	14	34	*7
282.62 . . . . .	70	28	42	15	49	*5	*	21	12	32	*6
283 . . . . .	9	*5	*	*	*	*	*	*	*	*	*
284 . . . . .	28	15	13	*	*6	*6	12	*6	*	13	*
284.8 . . . . .	24	12	12	*	*	*6	10	*	*	11	*
285 . . . . .	87	37	50	*	10	16	58	21	20	35	11
285.1 . . . . .	17	*6	11	*	*	*	12	*	*6	*8	*
285.2 . . . . .	14	*7	*7	*	*	*	10	*	*	*	*
285.22 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
285.29 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
285.9 . . . . .	52	22	31	*	*6	10	34	13	11	23	*5
286 . . . . .	23	12	11	*	*	*7	12	*	*8	*9	*
286.7 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
286.9 . . . . .	*8	*	*6	—	*	*	*	*	*	*	*
287 . . . . .	28	13	15	*7	*7	*6	*8	*9	*5	*8	*7
287.3 . . . . .	12	*6	*6	*	*	*	*	*	*	*	*
287.5 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
288 . . . . .	58	30	28	13	10	16	19	13	15	22	*8
288.0 . . . . .	48	25	23	10	*7	15	16	13	12	17	*7
288.8 . . . . .	9	*	*5	*	*	*	*	*	*	*	*
289 . . . . .	16	*8	*8	*6	*5	*	*	*5	*	*	*
289.2 . . . . .	*5	*	*	*	*	*	—	*	*	*	*
290–319 . . . . .	2,358	1,205	1,154	140	1,339	580	300	668	461	1,046	182
290 . . . . .	42	16	26	—	*	*	40	12	*9	19	*
290.2 . . . . .	*7	*	*	—	—	*	*7	*	*	*	—
290.3 . . . . .	*7	*	*	—	—	*	*7	*	*	*	*
290.4 . . . . .	24	9	15	—	*	*	22	*5	*	13	*
290.40 . . . . .	12	*	*7	—	*	*	10	*	*	*7	*
290.43 . . . . .	*5	*	*	—	—	*	*5	*	*	*	*
291 . . . . .	121	82	39	—	68	45	*8	32	47	25	17
291.0 . . . . .	17	14	*	—	*8	*8	*	*6	*	*	*
291.8 . . . . .	100	65	34	—	59	35	*6	25	43	18	13
291.81 . . . . .	93	62	31	—	54	33	*6	25	40	15	13
291.89 . . . . .	*7	*	*	—	*5	*	—	*	*	*	*
292 . . . . .	86	50	36	*	52	21	11	37	15	22	11
292.0 . . . . .	51	31	19	*	36	13	*	27	*9	10	*6
292.8 . . . . .	28	14	14	—	14	*6	*8	9	*	9	*
292.81 . . . . .	13	*5	*7	—	*	*	*7	*	*	*	*
292.84 . . . . .	13	*8	*5	—	11	*	*	*6	*	*5	*
293 . . . . .	22	10	13	*	*	*	14	*5	*7	*6	*
293.0 . . . . .	14	*7	*8	*	*	*	10	*	*	*	*
293.8 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
294 . . . . .	37	13	24	*	*	*	33	11	11	9	*5
294.8 . . . . .	34	11	22	—	*	*	31	11	10	*8	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
295 . . . . .	297	177	120	*	182	94	19	97	50	132	18
295.3 . . . . .	88	61	28	*	51	30	*6	31	12	41	*
295.30 . . . . .	26	20	*6	*	19	*6	*	*	*6	12	*
295.32 . . . . .	21	14	*7	—	10	*9	*	*6	*	12	*
295.34 . . . . .	41	26	15	—	22	16	*	20	*	16	*
295.6 . . . . .	18	11	*7	—	*9	*7	*	*6	*6	*6	*
295.62 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
295.64 . . . . .	*8	*6	*	—	*	*	*	*	*	*	—
295.7 . . . . .	148	78	71	*	97	43	*7	42	26	69	11
295.70 . . . . .	105	54	50	*	72	28	*	19	23	55	*8
295.74 . . . . .	39	22	18	*	23	14	*	21	*	12	*
295.9 . . . . .	32	21	11	*	19	9	*	14	*	12	*
295.90 . . . . .	17	10	*7	*	*9	*5	*	*	*	9	*
295.94 . . . . .	13	9	*	—	*9	*	*	10	*	*	*
296 . . . . .	923	374	548	79	538	217	88	216	166	498	44
296.2 . . . . .	240	101	139	21	135	53	31	37	41	152	11
296.20 . . . . .	111	45	66	10	65	23	13	18	26	63	*5
296.22 . . . . .	31	11	20	*	16	*8	*	*	*	27	*
296.23 . . . . .	50	21	29	*7	28	*9	*7	*9	*6	32	*
296.24 . . . . .	48	24	24	*	26	13	*6	10	*8	29	*
296.3 . . . . .	295	102	193	12	175	77	31	74	65	140	16
296.30 . . . . .	76	23	53	*	49	17	*7	18	19	37	*
296.32 . . . . .	22	*7	15	*	14	*6	*	*	*6	12	*
296.33 . . . . .	124	42	82	*	76	32	11	36	24	55	9
296.34 . . . . .	72	30	42	*	34	22	11	17	15	36	*
296.4 . . . . .	75	39	36	*	40	23	*8	26	11	33	*6
296.40 . . . . .	33	18	16	*	20	*8	*	*7	*	19	*
296.43 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
296.44 . . . . .	31	16	14	*	14	12	*	16	*	10	*
296.5 . . . . .	90	32	58	*6	62	19	*	23	15	48	*
296.50 . . . . .	53	19	34	*	36	12	*	12	*9	30	*
296.53 . . . . .	22	*6	15	*	18	*	*	*6	*	13	*
296.54 . . . . .	12	*5	*7	*	*6	*	*	*5	*	*	*
296.6 . . . . .	90	40	50	21	51	13	*	16	11	58	*
296.60 . . . . .	43	22	21	11	25	*	*	*8	*7	26	*
296.63 . . . . .	17	*8	*9	*	10	*	*	*	*	12	*
296.64 . . . . .	28	9	19	*6	15	*5	*	*	*	20	*
296.7 . . . . .	53	24	29	*6	28	13	*6	13	15	23	*
296.8 . . . . .	42	15	27	*5	29	*7	*	*9	*5	28	*
296.80 . . . . .	13	*7	*7	*	*8	*	*	*	*	10	—
296.89 . . . . .	26	*8	19	*	19	*6	*	*5	*	18	*
296.9 . . . . .	36	20	16	*6	17	10	*	17	*	16	*
296.90 . . . . .	33	19	14	*6	15	9	*	16	*	14	*
297 . . . . .	11	*	*7	—	*	*	*6	*	*	*6	*
297.9 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
298 . . . . .	93	47	45	*	48	19	22	29	16	38	*9
298.9 . . . . .	89	46	43	*	47	19	21	28	15	37	*9
300 . . . . .	87	38	49	*6	34	24	23	22	23	27	15
300.0 . . . . .	41	15	27	*	11	12	18	*7	14	15	*6
300.00 . . . . .	23	*9	14	*	*7	*5	10	*	*7	*8	*
300.01 . . . . .	15	*5	10	*	*	*5	*6	*	*5	*5	*
300.1 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
300.4 . . . . .	25	12	12	*	11	*6	*	11	*	*6	*
300.9 . . . . .	9	*6	*	*	*6	*	*	*	*	*	*
301 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
303 . . . . .	148	111	37	*	93	48	*8	23	26	87	12
303.0 . . . . .	30	24	*6	—	19	10	*	*	10	10	*6
303.00 . . . . .	15	12	*	—	9	*5	*	*	*6	*6	*
303.01 . . . . .	14	11	*	—	*9	*	*	*	*	*	*
303.9 . . . . .	118	87	31	*	74	37	*7	20	15	77	*6

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
303.90 . . . . .	61	45	16	*	34	21	*5	*	*6	49	*
303.91 . . . . .	56	41	15	*	39	16	*	16	*9	27	*
304 . . . . .	107	68	39	*	79	25	*	24	14	62	*7
304.0 . . . . .	48	28	20	—	30	17	*	16	*	27	*
304.00 . . . . .	20	10	11	—	10	10	*	*	*	18	*
304.01 . . . . .	28	19	9	—	21	*7	*	15	*	10	*
304.2 . . . . .	16	10	*6	—	11	*	*	*	*	10	*
304.20 . . . . .	*9	*	*	—	*6	*	—	*	*	*8	*
304.21 . . . . .	*7	*	*	—	*5	*	*	*	*	*	*
304.3 . . . . .	*6	*5	*	*	*	*	—	*	*	*	—
304.7 . . . . .	11	*8	*	—	11	*	—	*	*	*	*
304.71 . . . . .	*7	*	*	—	*7	*	—	*	*	*	*
304.8 . . . . .	*6	*	*	—	*5	*	*	*	*	*	*
304.9 . . . . .	13	*9	*	—	11	*	*	*	*	12	*
304.90 . . . . .	13	*9	*	—	11	*	*	*	*	12	*
305 . . . . .	85	55	31	*	54	27	*	13	21	36	16
305.0 . . . . .	37	25	12	*	22	11	*	*5	9	15	*8
305.00 . . . . .	27	17	10	*	17	*7	*	*	*7	12	*
305.01 . . . . .	10	*7	*	—	*	*	*	*	*	*	*
305.1 . . . . .	20	9	11	—	11	*9	*	*	*6	*8	*
305.5 . . . . .	*7	*	*	—	*6	*	*	*	*	*	*
305.50 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
305.6 . . . . .	11	9	*	—	*7	*	—	*	*	*	*
305.60 . . . . .	*8	*6	*	—	*	*	—	*	*	*	*
305.9 . . . . .	*7	*	*	*	*6	*	*	*	*	*	*
305.90 . . . . .	*6	*	*	*	*5	*	—	*	*	*	*
307 . . . . .	12	*	*8	*	*6	*	*	*	*	*	*
309 . . . . .	78	36	42	*8	54	11	*	39	17	13	*8
309.0 . . . . .	27	15	12	*	19	*5	*	16	*5	*	*
309.2 . . . . .	10	*	*5	*	*7	*	*	*	*5	*	*
309.28 . . . . .	9	*	*	*	*7	*	*	*	*	*	*
309.4 . . . . .	19	10	*9	*	14	*	*	11	*	*	*
309.8 . . . . .	13	*	10	*	*7	*	—	*6	*	*	*
309.81 . . . . .	12	*	10	*	*6	*	—	*6	*	*	*
309.9 . . . . .	*8	*	*	*	*6	*	*	*	*	*	*
310 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
311 . . . . .	132	68	63	*8	85	28	11	64	22	40	*7
312 . . . . .	35	26	10	9	24	*	*	21	*6	*8	*
312.3 . . . . .	29	21	*9	*	22	*	*	18	*5	*5	*
312.30 . . . . .	22	16	*6	*	17	*	*	16	*	*	*
312.34 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
313 . . . . .	*8	*6	*	*6	*	—	—	*	*	*	*
313.8 . . . . .	*8	*6	*	*6	*	—	—	*	*	*	*
313.81 . . . . .	*8	*6	*	*6	*	—	—	*	*	*	*
314 . . . . .	10	*8	*	*7	*	*	*	*	*	*	—
314.0 . . . . .	10	*8	*	*7	*	*	*	*	*	*	—
314.01 . . . . .	10	*7	*	*7	*	—	*	*	*	*	—
320–389 . . . . .	493	204	290	88	120	105	181	114	116	179	84
320 . . . . .	11	*	*6	*5	*	*	*	*	*	*	*
322 . . . . .	9	*	*6	*	*	*	*	*	*	*	*
322.9 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
324 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
331 . . . . .	69	29	40	*	*	*	61	17	16	28	*9
331.0 . . . . .	50	20	30	—	—	*	49	12	11	22	*
331.3 . . . . .	*9	*	*	*	*	*	*8	*	*	*	*
331.4 . . . . .	9	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
332 . . . . .	16	10	*7	—	*	*	14	*	*	*5	*
332.0 . . . . .	16	10	*7	—	*	*	14	*	*	*5	*
333 . . . . .	15	*	11	*	*	*	*8	*	*	*6	*
335 . . . . .	*6	*6	*	*	*	*	*	*	*	*	*
335.2 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
337 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
340 . . . . .	21	*	17	*	10	10	*	*	10	*	*
343 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
344 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
345 . . . . .	54	25	29	19	17	11	*6	14	13	15	11
345.1 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
345.10 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
345.3 . . . . .	15	*6	9	*6	*	*	*	*	*	*	*
345.5 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
345.50 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
345.9 . . . . .	12	*5	*7	*	*	*	*	*	*	*	*
345.90 . . . . .	9	*	*	*	*	*	*	*	*	*	*
346 . . . . .	45	*9	36	*	24	16	*	10	14	16	*
346.8 . . . . .	*8	*	*6	*	*5	*	*	*	*	*	*
346.80 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
346.9 . . . . .	26	*	21	*	13	10	*	*6	*7	10	*
346.90 . . . . .	21	*	16	*	10	*7	*	*5	*	*8	*
346.91 . . . . .	*6	*	*5	*	*	*	—	*	*	*	*
348 . . . . .	31	14	16	*6	*8	*7	9	*6	*6	11	*7
348.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
348.3 . . . . .	11	*	*6	*	*	*	*5	*	*	*	*
349 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
354 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
355 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
356 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
357 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
357.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
358 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
358.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
376 . . . . .	10	*	*5	*	*	*	*	*	*	*	*
376.0 . . . . .	9	*	*	*	*	*	*	*	*	*	*
376.01 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
380 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
380.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
382 . . . . .	17	*9	*9	15	*	*	*	*	*	*8	*
382.9 . . . . .	16	*8	*8	14	*	*	*	*	*	*8	*
386 . . . . .	41	15	26	*	*	10	27	*9	13	15	*
386.1 . . . . .	20	*8	12	*	*	*	13	*	*7	*8	*
386.11 . . . . .	11	*	*7	—	*	*	*8	*	*	*	*
386.12 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
386.3 . . . . .	18	*7	11	*	*	*	11	*	*	*6	*
386.30 . . . . .	15	*5	10	*	*	*	10	*	*	*6	*
390–459 . . . . .	6,226	3,058	3,168	25	412	1,773	4,016	1,473	1,536	2,299	917
394 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
396 . . . . .	17	*9	*8	—	*	*	12	*	*	*5	*
396.3 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
398 . . . . .	25	10	16	*	*	*	22	10	*	*6	*
398.9 . . . . .	25	10	16	*	*	*	22	10	*	*6	*
398.91 . . . . .	24	10	14	*	*	*	20	9	*	*6	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
401 . . . . .	292	111	181	*	45	117	130	71	64	122	36
401.0 . . . . .	27	11	16	*	*6	10	11	*8	*9	9	*
401.9 . . . . .	262	99	164	*	39	104	119	61	55	111	35
402 . . . . .	70	30	40	—	*	22	45	15	15	30	10
402.9 . . . . .	66	28	38	—	*	20	44	15	14	27	10
402.90 . . . . .	12	*5	*7	—	*	*6	*6	*	*	*7	*
402.91 . . . . .	54	23	32	—	*	14	38	12	13	21	*9
403 . . . . .	97	41	56	*	16	35	45	16	19	47	15
403.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
403.9 . . . . .	89	38	50	*	14	33	41	15	16	43	15
403.91 . . . . .	84	37	46	*	14	30	39	14	16	40	14
404 . . . . .	27	12	15	—	*	*8	17	*	*6	12	*6
404.9 . . . . .	23	10	13	—	*	*7	14	*	*5	9	*5
404.93 . . . . .	18	*7	11	—	*	*6	11	*	*	*7	*
410 . . . . .	795	436	359	*	43	258	494	201	194	279	121
410.0 . . . . .	23	14	9	—	*	*8	12	*	*6	*9	*
410.01 . . . . .	23	14	9	—	*	*8	12	*	*5	*9	*
410.1 . . . . .	91	52	39	—	*8	30	53	25	24	29	13
410.11 . . . . .	88	52	37	—	*8	30	51	25	22	29	13
410.2 . . . . .	16	11	*6	—	*	*7	*8	*	*	*7	*
410.21 . . . . .	16	11	*6	—	*	*7	*8	*	*	*7	*
410.3 . . . . .	14	10	*	—	*	*7	*5	*	*	*	*
410.31 . . . . .	14	10	*	—	*	*7	*5	*	*	*	*
410.4 . . . . .	119	80	40	—	9	56	54	28	31	40	21
410.41 . . . . .	119	80	39	—	9	56	54	28	30	40	21
410.5 . . . . .	13	*7	*6	—	*	*5	*8	*	*5	*	*
410.51 . . . . .	13	*7	*6	—	*	*5	*8	*	*5	*	*
410.6 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
410.61 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
410.7 . . . . .	372	191	181	*	13	109	250	99	87	129	57
410.71 . . . . .	369	189	180	*	13	109	247	98	86	128	57
410.8 . . . . .	10	*6	*	—	*	*	*7	*	*	*	*
410.81 . . . . .	10	*6	*	—	*	*	*7	*	*	*	*
410.9 . . . . .	130	61	69	—	*7	30	94	31	32	52	16
410.91 . . . . .	127	58	69	—	*7	29	91	30	30	51	15
411 . . . . .	133	62	71	—	10	54	69	41	30	42	19
411.1 . . . . .	118	53	65	—	*8	50	60	39	27	36	16
411.8 . . . . .	13	*8	*5	—	*	*	*8	*	*	*6	*
411.89 . . . . .	10	*6	*	—	*	*	*6	*	*	*	*
412 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
413 . . . . .	74	31	43	—	*8	25	41	18	17	29	10
413.9 . . . . .	73	31	42	—	*8	24	41	18	16	28	10
414 . . . . .	1,082	668	414	*	48	426	608	244	282	404	152
414.0 . . . . .	1,061	655	406	*	45	418	597	238	280	394	149
414.00 . . . . .	170	104	67	—	*8	60	102	40	41	75	15
414.01 . . . . .	843	519	324	*	35	339	469	188	227	302	125
414.02 . . . . .	32	24	*8	—	*	13	19	*7	10	*8	*8
414.04 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
414.05 . . . . .	11	*5	*5	—	*	*	*	*	*	*7	*
414.8 . . . . .	10	*6	*	—	*	*	*	*6	*	*	*
414.9 . . . . .	10	*6	*	—	*	*	*	*	*	*	*
415 . . . . .	105	41	64	*	18	34	52	19	28	36	22
415.1 . . . . .	100	39	61	*	18	31	50	18	25	35	21
415.11 . . . . .	*9	*	*6	—	*	*	*	*	*	*	*
415.19 . . . . .	91	36	55	*	16	30	45	17	22	32	20
416 . . . . .	13	*6	*7	*	*	*	*5	*	*	*	*
416.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
420 . . . . .	10	*	*	*	*	*	*	*	*	*	*
420.9 . . . . .	10	*	*	*	*	*	*	*	*	*	*
420.90 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
421 . . . . .	14	*8	*6	*	*	*	*6	*	*	*6	*
421.0 . . . . .	12	*8	*	*	*	*	*	*	*	*5	*
423 . . . . .	12	*7	*5	*	*	*	*	*	*	*	*
423.9 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
424 . . . . .	90	42	48	*	12	23	54	21	19	33	16
424.0 . . . . .	41	15	26	*	10	13	18	10	*7	15	*9
424.1 . . . . .	46	25	21	*	*	10	35	11	12	17	*8
425 . . . . .	41	22	19	*	*9	14	17	*7	*7	20	*6
425.4 . . . . .	33	17	16	*	*7	11	15	*5	*7	16	*5
426 . . . . .	63	34	29	*	*6	10	45	15	17	21	10
426.0 . . . . .	31	16	14	*	*	*	25	*7	*7	12	*
426.1 . . . . .	14	*9	*5	*	*	*	*9	*	*	*	*
426.13 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
427 . . . . .	723	339	384	*6	47	156	513	195	180	245	102
427.0 . . . . .	33	9	23	*	*	*8	20	*8	*	15	*
427.1 . . . . .	52	37	16	*	*	19	28	16	14	17	*6
427.3 . . . . .	416	195	222	*	19	85	311	120	107	131	58
427.31 . . . . .	385	171	214	*	17	75	291	111	101	120	53
427.32 . . . . .	31	24	*8	*	*	10	19	*9	*7	11	*
427.4 . . . . .	*7	*	*	—	*	*	*5	*	*	*	*
427.41 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
427.5 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
427.6 . . . . .	16	*8	*8	*	*	*	*8	*	*	*6	*
427.69 . . . . .	12	*7	*	*	*	*	*6	*	*	*	*
427.8 . . . . .	180	78	101	*	15	33	128	42	47	66	25
427.81 . . . . .	71	32	39	—	*	*7	63	19	13	30	10
427.89 . . . . .	109	47	62	*	14	26	65	23	34	36	15
427.9 . . . . .	10	*	*6	*	*	*	*8	*	*	*	*
428 . . . . .	1,000	446	554	*	26	203	767	240	272	358	130
428.0 . . . . .	995	444	551	*	26	201	765	239	271	356	129
429 . . . . .	13	*6	*8	*	*	*	*8	*	*	*7	*
430 . . . . .	21	*6	15	*	*	10	*6	*	*	*9	*
431 . . . . .	55	23	32	*	*	13	37	15	11	19	10
432 . . . . .	22	12	10	*	*	*5	14	*	*	9	*5
432.1 . . . . .	19	11	*9	*	*	*	13	*	*	*8	*
433 . . . . .	169	94	75	*	*	39	126	36	41	67	24
433.1 . . . . .	128	72	55	*	*	28	97	30	31	48	19
433.10 . . . . .	108	61	47	—	*	24	83	25	27	40	15
433.11 . . . . .	20	12	*8	*	*	*	14	*5	*	*8	*
433.3 . . . . .	35	18	17	—	*	*8	26	*6	*8	17	*
433.30 . . . . .	27	14	13	—	*	*6	20	*	*7	12	*
433.31 . . . . .	*8	*	*	—	—	*	*6	*	*	*	*
434 . . . . .	272	113	159	*	11	63	197	69	54	99	49
434.0 . . . . .	15	*6	9	*	*	*	11	*	*	*	*
434.01 . . . . .	12	*	*7	*	*	*	*8	*	*	*	*
434.1 . . . . .	34	15	18	*	*	*8	24	11	*8	9	*
434.11 . . . . .	31	14	17	*	*	*7	22	10	*8	*9	*
434.9 . . . . .	222	91	131	*	9	51	162	52	43	86	41
434.90 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
434.91 . . . . .	216	88	128	*	*8	50	157	52	42	82	40
435 . . . . .	209	81	128	—	*8	42	160	52	52	74	30
435.3 . . . . .	9	*	*5	—	*	*	*7	*	*	*	*
435.8 . . . . .	*8	*	*6	—	*	*	*7	*	*	*	*
435.9 . . . . .	189	74	116	—	*7	38	144	49	46	68	27

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
436 . . . . .	135	48	87	—	* 21	111	16	42	52	25	*
437 . . . . .	29	* 7	21	*	* 7	18	* 7	* 6	13	*	*
437.2 . . . . .	* 6	*	*	—	*	*	*	*	*	*	*
437.3 . . . . .	* 8	*	* 6	*	*	*	*	*	*	*	*
438 . . . . .	19	* 7	11	*	*	*	14	*	* 6	* 8	*
438.2 . . . . .	* 5	*	*	*	*	*	*	*	*	*	*
438.8 . . . . .	* 9	*	* 5	*	*	*	* 7	*	*	*	*
438.89 . . . . .	* 8	*	*	*	*	*	* 6	*	*	*	*
440 . . . . .	110	58	53	—	* 31	77	20	28	45	18	*
440.1 . . . . .	9	*	* 6	—	*	*	* 5	*	*	* 5	*
440.2 . . . . .	91	47	43	—	* 25	63	16	22	37	15	*
440.20 . . . . .	9	*	*	—	*	*	* 6	*	*	*	*
440.21 . . . . .	23	14	* 8	—	*	11	11	*	*	9	* 6
440.22 . . . . .	10	*	* 7	—	*	*	* 7	*	*	*	*
440.23 . . . . .	17	* 9	* 9	—	*	*	13	*	* 6	*	*
440.24 . . . . .	31	16	15	—	*	*	26	* 6	* 7	14	*
440.3 . . . . .	* 6	*	*	—	*	*	*	*	*	*	*
441 . . . . .	63	48	15	*	*	14	48	13	15	24	12
441.0 . . . . .	10	* 7	*	—	*	*	*	*	*	*	*
441.01 . . . . .	* 7	*	*	—	*	*	*	*	*	*	*
441.3 . . . . .	* 7	* 6	*	—	—	*	* 7	*	*	*	*
441.4 . . . . .	42	34	* 7	*	*	* 8	33	* 9	* 9	18	* 6
442 . . . . .	* 8	* 7	*	—	*	*	*	*	*	*	*
443 . . . . .	23	14	9	*	*	* 5	15	*	* 6	12	*
443.9 . . . . .	20	12	* 8	—	*	*	14	*	* 6	10	*
444 . . . . .	37	16	21	*	*	11	24	* 6	9	15	* 6
444.2 . . . . .	29	13	16	*	*	* 7	20	* 5	* 7	12	* 5
444.22 . . . . .	26	12	14	*	*	* 7	17	*	*	12	*
446 . . . . .	15	* 6	* 9	*	*	*	* 6	*	*	* 6	*
447 . . . . .	18	* 9	10	*	*	* 6	10	*	*	* 7	*
447.1 . . . . .	11	* 5	* 6	*	*	*	* 7	*	*	*	*
451 . . . . .	18	9	9	*	*	* 7	10	*	*	* 8	*
451.1 . . . . .	* 7	*	*	*	*	*	*	*	*	*	*
453 . . . . .	136	61	76	*	24	40	71	27	39	54	16
453.8 . . . . .	129	58	71	*	24	39	66	25	39	50	15
454 . . . . .	* 6	*	*	—	*	*	*	*	*	*	*
455 . . . . .	31	14	17	—	* 8	* 8	16	10	*	12	*
455.2 . . . . .	17	* 8	9	—	*	*	10	* 7	*	* 5	*
455.8 . . . . .	* 5	*	*	—	*	*	*	*	*	*	*
458 . . . . .	81	34	47	*	*	16	60	17	19	32	14
458.0 . . . . .	44	18	26	*	*	* 7	34	10	10	15	* 9
458.8 . . . . .	* 5	*	*	*	*	*	*	*	*	*	*
458.9 . . . . .	28	12	17	*	*	* 6	20	* 5	* 6	13	*
459 . . . . .	21	* 9	12	*	*	* 5	13	*	* 5	9	*
459.8 . . . . .	13	* 5	* 7	—	*	*	* 8	*	*	* 6	*
459.81 . . . . .	10	*	* 5	—	*	*	* 6	*	*	*	*
460–519 . . . . .	3,440	1,646	1,794	712	390	656	1,681	711	890	1,286	553
461 . . . . .	* 9	*	* 6	*	*	*	*	*	*	*	*
462 . . . . .	* 7	*	*	*	*	*	*	*	*	*	*
463 . . . . .	11	*	* 6	*	* 6	—	*	*	*	*	*
464 . . . . .	33	21	12	26	*	*	*	* 8	* 6	* 8	12
464.4 . . . . .	25	18	* 7	24	—	—	*	* 5	*	* 5	11
465 . . . . .	38	19	19	22	*	*	* 7	* 7	* 8	16	* 6
465.9 . . . . .	37	19	18	21	*	*	* 7	* 7	* 8	16	* 6

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
466 . . . . .	270	138	131	206	14	18	31	42	70	101	56
466.0 . . . . .	69	25	45	*8	13	18	31	12	21	30	*6
466.1 . . . . .	200	114	87	198	*	*	*	29	49	72	50
466.11 . . . . .	109	59	50	109	*	*	*	13	27	42	27
466.19 . . . . .	91	55	36	90	*	*	*	16	22	30	23
473 . . . . .	15	*9	*6	*	*5	*	*	*	*	*6	*
473.9 . . . . .	9	*6	*	*	*	*	*	*	*	*	*
474 . . . . .	17	11	*6	14	*	*	*	*	*	*6	*5
474.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
474.1 . . . . .	12	*7	*	10	*	*	—	*	*	*	*
474.10 . . . . .	*9	*6	*	*9	*	—	—	*	*	*	*
475 . . . . .	15	*5	10	*	13	*	*	*	*6	*	*
478 . . . . .	20	11	*8	*6	*6	*	*	*	*	*5	*6
478.2 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
480 . . . . .	36	18	17	26	*	*	*5	*	12	14	*7
480.1 . . . . .	18	11	*7	17	—	*	*	*	*	*9	*
480.9 . . . . .	16	*6	10	*8	*	*	*	*	*	*8	*
481 . . . . .	36	14	22	*	*5	9	18	*	12	14	*6
482 . . . . .	137	74	63	10	15	19	93	19	43	51	24
482.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
482.1 . . . . .	36	21	15	*	*7	*	24	*6	9	15	*6
482.2 . . . . .	12	*6	*6	*	*	*	*8	*	*	*	*
482.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
482.4 . . . . .	34	15	19	*	*	*	27	*	*8	15	*6
482.41 . . . . .	32	14	18	*	*	*	26	*	*7	15	*5
482.8 . . . . .	27	17	9	*	*	*7	18	*	12	10	*
482.83 . . . . .	21	14	*7	*	*	*5	14	*	10	*8	*
482.9 . . . . .	18	10	*8	*	*	*	12	*	*	*	*5
483 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
483.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
485 . . . . .	20	11	*9	*8	*	*	*7	*	*6	*8	*
486 . . . . .	1,062	520	542	148	98	184	633	216	285	399	163
487 . . . . .	15	*9	*6	*7	*	*	*	*	*	*6	*
487.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
487.1 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
490 . . . . .	21	12	9	*	*	*	10	*	*6	10	*
491 . . . . .	505	218	287	*	15	133	355	119	139	192	55
491.2 . . . . .	500	217	284	*	14	132	352	119	136	190	55
491.20 . . . . .	30	11	19	*	*	11	17	*8	*	15	*
491.21 . . . . .	470	205	265	*	13	121	336	111	132	175	53
492 . . . . .	17	9	*8	—	*	*5	12	*	*6	*5	*
492.8 . . . . .	16	*8	*8	—	*	*	12	*	*6	*	*
493 . . . . .	454	186	268	182	104	92	76	103	107	161	83
493.0 . . . . .	43	24	19	33	*6	*	*	*8	*	*8	24
493.00 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
493.01 . . . . .	12	*7	*	9	*	*	*	*	*	*	*7
493.02 . . . . .	24	13	11	20	*	*	*	*	*	*	13
493.2 . . . . .	69	22	47	*	*7	28	33	15	17	26	11
493.20 . . . . .	20	*8	12	*	*	*7	11	*5	*	*9	*
493.21 . . . . .	*7	*	*6	*	*	*	*	*	*	*	*
493.22 . . . . .	42	12	29	*	*	17	19	*8	14	13	*7
493.9 . . . . .	341	140	201	148	90	62	41	80	86	127	48
493.90 . . . . .	93	37	56	38	20	18	17	17	19	45	12
493.91 . . . . .	76	36	41	44	19	10	*	17	21	31	*7
493.92 . . . . .	172	68	104	66	51	34	21	45	46	51	29

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
494 . . . . .	*8	*	*6	*	*	*	*6	*	*	*	*
496 . . . . .	111	52	58	—	*	33	76	20	31	43	16
507 . . . . .	166	89	77	*7	9	17	133	41	33	65	28
507.0 . . . . .	165	88	77	*7	*9	17	132	40	33	64	27
510 . . . . .	12	*9	*	*	*	*	*	*	*	*	*
510.9 . . . . .	11	*8	*	*	*	*	*	*	*	*	*
511 . . . . .	58	26	32	*	*8	18	31	10	15	24	9
511.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
511.8 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
511.9 . . . . .	41	17	25	*	*	13	24	*7	12	18	*5
512 . . . . .	34	23	11	*	15	*8	10	*7	*8	14	*5
512.1 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
512.8 . . . . .	24	18	*6	*	14	*	*	*	*	*6	10
513 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
513.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
514 . . . . .	*6	*	*	—	*	*	*	*	*	*	*5
515 . . . . .	23	9	14	*	*	*	15	*5	*7	*7	*
516 . . . . .	11	*5	*6	*	*	*	*	*	*	*	*
516.8 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
518 . . . . .	221	99	122	14	24	59	124	54	45	84	38
518.0 . . . . .	9	*5	*	*	*	*	*	*	*	*	*6
518.3 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
518.4 . . . . .	*8	*	*	*	*	*	*5	*	*	*	*
518.5 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
518.8 . . . . .	189	81	108	12	19	48	110	47	37	73	33
518.81 . . . . .	147	63	83	*5	16	36	90	38	29	57	23
518.82 . . . . .	17	*7	10	*6	*	*	*7	*	*	*	*6
518.84 . . . . .	17	*7	10	*	*	*6	11	*	*	*7	*
518.89 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
519 . . . . .	25	14	12	*6	*5	*5	*9	*6	*9	*9	*
519.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
519.1 . . . . .	11	*6	*5	*	*	*	*	*	*	*	*
519.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
520–579 . . . . .	3,300	1,456	1,844	222	833	918	1,327	703	726	1,261	610
522 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
524 . . . . .	11	*5	*5	*	*8	*	*	*	*	*6	*
527 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
527.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
528 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
530 . . . . .	225	103	122	25	51	69	79	45	50	85	45
530.1 . . . . .	34	14	20	*	12	10	11	*8	*7	14	*6
530.10 . . . . .	12	*5	*7	*	*5	*	*	*	*	*	*
530.11 . . . . .	12	*	*8	*	*	*	*	*	*	*	*
530.19 . . . . .	11	*5	*6	*	*	*	*	*	*	*	*
530.2 . . . . .	17	10	*7	*	*	*6	*7	*	*	*9	*
530.3 . . . . .	11	*5	*6	*	*	*	*7	*	*	*	*
530.5 . . . . .	*8	*	*6	*	*	*	*	*	*	*	*
530.7 . . . . .	13	*8	*	*	*	*	*5	*	*	*5	*
530.8 . . . . .	134	58	76	22	29	42	41	28	30	49	28
530.81 . . . . .	131	56	74	22	29	41	39	27	29	47	27
531 . . . . .	94	44	50	*	10	25	59	19	22	34	20
531.0 . . . . .	15	*7	*8	*	*	*	9	*	*5	*	*5
531.00 . . . . .	15	*7	*8	*	*	*	*9	*	*5	*	*5
531.4 . . . . .	55	25	30	—	*	14	37	12	12	22	10
531.40 . . . . .	55	25	30	—	*	14	37	12	11	22	10
531.9 . . . . .	14	*6	*8	*	*	*	*8	*	*	*5	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
531.90 . . . . .	13	*6	*8	*	*	*	*8	*	*	*	*
532 . . . . .	69	40	29	*	10	22	37	15	16	22	16
532.0 . . . . .	14	*8	*5	—	*	*	*7	*	*5	*	*
532.00 . . . . .	13	*8	*5	—	*	*	*7	*	*5	*	*
532.4 . . . . .	33	22	11	—	*	11	19	*8	*6	9	10
532.40 . . . . .	32	21	11	—	*	11	18	*8	*5	9	9
532.9 . . . . .	9	*	*6	—	*	*	*	*	*	*6	*
532.90 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
533 . . . . .	15	*6	*9	—	*	*	*8	*	*	*6	*
533.4 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
533.9 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
533.90 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
535 . . . . .	163	64	98	*5	36	45	76	28	29	81	24
535.0 . . . . .	38	12	26	*	*8	12	16	*7	*6	20	*
535.00 . . . . .	30	*9	21	*	*6	9	12	*6	*5	17	*
535.01 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
535.1 . . . . .	16	*6	9	*	*	*	9	*	*	*9	*
535.10 . . . . .	*9	*	*5	*	*	*	*	*	*	*6	*
535.11 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
535.3 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
535.4 . . . . .	42	19	24	*	*8	*7	26	*6	*9	19	*8
535.40 . . . . .	19	*6	13	*	*6	*	*9	*	*	*9	*
535.41 . . . . .	23	12	11	*	*	*	17	*	*	10	*5
535.5 . . . . .	54	20	34	*	13	16	23	9	10	27	*7
535.50 . . . . .	39	13	26	*	11	11	16	*6	*8	21	*
535.51 . . . . .	14	*6	*8	*	*	*	*7	*	*	*6	*
535.6 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
536 . . . . .	53	20	34	*7	13	12	22	*8	11	25	10
536.2 . . . . .	18	*	14	*	*6	*	*	*	*	9	*
536.4 . . . . .	14	*6	*8	*	*	*	10	*	*	*6	*
536.42 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
536.8 . . . . .	14	*6	*8	*	*	*5	*6	*	*	*	*
537 . . . . .	22	*8	13	*	*	*	15	*5	*	*8	*
537.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
537.8 . . . . .	12	*	*8	*	*	*	10	*	*	*5	*
537.83 . . . . .	10	*	*7	—	*	*	9	*	*	*	*
540 . . . . .	262	151	110	62	138	47	15	51	57	82	70
540.0 . . . . .	48	29	19	13	18	13	*	9	11	13	14
540.1 . . . . .	31	20	11	*6	15	*7	*	*5	*6	11	*9
540.9 . . . . .	182	102	80	43	105	28	*7	37	40	58	47
541 . . . . .	15	*8	*6	*	*8	*	*	*	*	*9	*
550 . . . . .	45	38	*7	*	*6	*6	28	11	10	16	*8
550.1 . . . . .	17	14	*	*	*	*	*8	*6	*	*5	*
550.10 . . . . .	12	10	*	*	*	*	*7	*	*	*	*
550.9 . . . . .	28	24	*	*	*	*	19	*	*6	11	*5
550.90 . . . . .	21	19	*	*	*	*	15	*	*	9	*
552 . . . . .	58	19	39	*	13	17	28	17	15	17	10
552.1 . . . . .	12	*	*8	*	*	*	*	*	*	*	*
552.2 . . . . .	39	13	26	—	*8	13	19	11	10	10	*8
552.20 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
552.21 . . . . .	28	*8	20	—	*5	9	13	*8	*7	*7	*6
553 . . . . .	86	30	56	*	18	39	28	17	18	38	13
553.2 . . . . .	55	19	36	*	11	25	18	11	13	23	*8
553.20 . . . . .	*9	*	*6	*	*	*5	*	*	*	*	*
553.21 . . . . .	44	15	29	*	10	20	14	10	10	18	*6
553.3 . . . . .	27	9	17	—	*6	12	*9	*6	*	14	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
555 . . . . .	46	20	25	*	25	14	*5	11	*9	19	*7
555.0 . . . . .	13	*7	*6	*	*6	*5	*	*	*	*7	*
555.1 . . . . .	*9	*	*7	*	*	*	*	*	*	*	*
555.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
555.9 . . . . .	18	*8	10	*	10	*	*	*6	*	*6	*
556 . . . . .	24	10	14	*	10	*5	*8	*9	*	*5	*6
556.9 . . . . .	12	*	*8	*	*6	*	*	*	*	*	*
557 . . . . .	45	12	32	*	*	10	29	15	10	14	*6
557.0 . . . . .	24	*6	17	*	*	*	16	*8	*5	*7	*
557.9 . . . . .	18	*5	13	—	*	*6	11	*5	*	*7	*
558 . . . . .	187	76	111	58	46	29	54	35	42	84	25
558.9 . . . . .	183	74	108	58	45	27	52	34	42	83	24
560 . . . . .	288	131	157	12	37	70	169	64	70	99	54
560.1 . . . . .	51	24	27	*	9	11	31	12	12	19	*8
560.2 . . . . .	9	*	*6	*	*	*	*6	*	*	*	*
560.3 . . . . .	29	11	18	*	*	*	21	*7	*	14	*
560.39 . . . . .	26	10	16	*	*	*	18	*7	*	12	*
560.8 . . . . .	88	39	49	*	14	24	47	18	23	27	19
560.81 . . . . .	65	28	38	*	10	18	35	13	17	23	13
560.89 . . . . .	23	11	12	*	*	*6	12	*	*6	*	*7
560.9 . . . . .	107	51	56	*	11	29	65	25	28	34	20
562 . . . . .	280	113	167	—	36	83	160	73	72	98	36
562.1 . . . . .	278	112	166	—	36	83	159	73	71	98	36
562.10 . . . . .	36	10	27	—	*	9	23	*8	*7	18	*
562.11 . . . . .	165	68	97	—	31	63	72	48	45	51	21
562.12 . . . . .	61	28	33	—	*	*9	51	15	13	23	9
562.13 . . . . .	16	*7	9	—	*	*	13	*	*5	*5	*
564 . . . . .	63	25	38	*8	15	13	26	13	15	24	12
564.0 . . . . .	38	16	23	*8	*6	*5	19	*7	10	13	*7
564.1 . . . . .	17	*5	12	*	*7	*6	*	*	*	*7	*
566 . . . . .	17	14	*	*	*9	*5	*	*	*	*7	*
567 . . . . .	15	*9	*7	*	*	*7	*	*	*	*7	*
567.2 . . . . .	12	*7	*6	*	*	*6	*	*	*	*5	*
568 . . . . .	17	*	15	*	*9	*	*	*	*	*8	*
568.0 . . . . .	11	*	10	*	*6	*	*	*	*	*	*
568.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
569 . . . . .	93	43	50	*	12	23	53	21	20	32	20
569.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
569.3 . . . . .	17	9	*8	*	*	*	*9	*	*	*7	*
569.4 . . . . .	11	*5	*6	*	*	*	*7	*	*	*	*
569.6 . . . . .	16	*8	*8	*	*	*5	*	*	*	*	*
569.69 . . . . .	9	*	*5	*	*	*	*	*	*	*	*
569.8 . . . . .	39	17	21	*	*	*8	28	10	*9	13	*7
569.82 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
569.83 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
569.85 . . . . .	15	*5	10	*	—	*	14	*	*	*7	*
569.89 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
570 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
571 . . . . .	98	59	40	*	25	48	23	20	20	42	16
571.1 . . . . .	11	*8	*	—	*6	*	*	*	*	*	*
571.2 . . . . .	45	35	10	*	12	27	*6	*8	9	19	*9
571.5 . . . . .	34	14	21	*	*	14	16	*6	*6	18	*
572 . . . . .	41	22	19	*	*	23	15	9	*8	18	*
572.2 . . . . .	28	15	13	—	*	16	11	*7	*6	12	*
573 . . . . .	11	*	*7	*	*	*	*	*	*	*6	*
573.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
574 . . . . .	367	115	252	*	118	103	145	78	70	142	77
574.0 . . . . .	120	45	75	*	38	40	42	24	23	49	24
574.00 . . . . .	113	44	70	*	35	38	40	22	23	47	22
574.01 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
574.1 . . . . .	141	35	106	*	51	38	52	34	25	53	30
574.10 . . . . .	137	33	104	*	50	37	49	34	24	51	29
574.2 . . . . .	36	13	23	*	*6	10	19	*6	11	16	*
574.20 . . . . .	34	12	22	*	*6	9	18	*5	11	15	*
574.5 . . . . .	25	*8	17	—	*7	*	13	*7	*	10	*
574.50 . . . . .	17	*6	11	—	*	*	10	*5	*	*7	*
574.51 . . . . .	*8	*	*6	—	*	*	*	*	*	*	*
574.6 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
574.7 . . . . .	16	*	11	*	*6	*	*8	*	*	*	*5
574.70 . . . . .	10	*	*8	—	*	*	*6	*	*	*	*
574.71 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
574.8 . . . . .	10	*	*7	—	*	*	*	*	*	*	*
574.80 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
575 . . . . .	75	24	52	*	28	24	23	11	23	29	12
575.0 . . . . .	23	13	10	*	*6	*6	12	*	*8	*8	*
575.1 . . . . .	40	*9	31	*	15	14	10	*	11	18	*6
575.10 . . . . .	*8	*	*6	—	*	*	*	*	*	*	*
575.11 . . . . .	25	*	21	*	10	10	*5	*	*6	12	*
575.12 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
575.8 . . . . .	9	*	*8	*	*6	*	*	*	*	*	*
576 . . . . .	30	10	19	*	*	*9	17	*8	*5	11	*6
576.1 . . . . .	11	*6	*5	*	*	*	*8	*	*	*	*
576.2 . . . . .	13	*	10	*	*	*5	*6	*	*	*5	*
577 . . . . .	253	119	135	*	94	95	61	49	53	98	53
577.0 . . . . .	220	103	117	*	82	81	55	43	47	83	48
577.1 . . . . .	20	10	10	*	*9	9	*	*	*	*9	*
577.2 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
578 . . . . .	173	79	93	*	16	41	112	38	44	62	29
578.0 . . . . .	21	11	9	*	*	*	10	*6	*	*6	*
578.1 . . . . .	31	13	18	*	*	*7	20	*9	9	*8	*
578.9 . . . . .	121	55	66	*	*9	29	82	24	31	48	19
579 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
580–629 . . . . .	1,789	547	1,242	84	579	441	685	357	402	731	298
584 . . . . .	131	67	63	*	13	31	85	31	28	49	22
584.5 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
584.9 . . . . .	120	61	58	*	10	29	80	29	26	45	20
585 . . . . .	19	11	*8	*	*	*6	*9	*	*	*8	*
586 . . . . .	10	*6	*	—	*	*	*8	*	*	*	*
590 . . . . .	123	17	106	21	56	19	27	24	26	52	21
590.1 . . . . .	61	*7	54	*8	29	9	14	13	14	24	10
590.10 . . . . .	61	*7	54	*8	29	9	14	13	14	24	10
590.8 . . . . .	56	*9	47	11	25	*9	11	10	11	24	11
590.80 . . . . .	56	*9	47	11	25	*9	11	10	11	24	11
591 . . . . .	9	*	*7	*	*	*	*	*	*	*	*
592 . . . . .	188	110	78	*	84	68	32	43	47	79	19
592.0 . . . . .	59	29	30	*	28	20	*9	10	18	23	*8
592.1 . . . . .	129	81	48	*	55	47	23	33	29	56	11
593 . . . . .	47	22	25	11	*7	9	20	11	13	15	*9
593.4 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
593.7 . . . . .	*8	*	*6	*8	*	*	—	*	*	*	*
593.70 . . . . .	*7	*	*	*6	*	*	—	*	*	*	*
593.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
593.9 . . . . .	19	10	*8	*	*	*	*	13	*	*7	*6

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
594 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
594.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
595 . . . . .	17	*	12	*	*	*	11	*	*	*8	*
595.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
595.9 . . . . .	*6	*	*5	*	*	*	*	*	*	*	*
596 . . . . .	24	16	*8	*	*	*	16	*5	*6	*9	*
596.0 . . . . .	11	10	*	—	*	*	*9	*	*	*	*
596.5 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
596.54 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
598 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
599 . . . . .	394	132	262	28	35	58	273	89	85	158	62
599.0 . . . . .	359	113	246	24	30	51	254	80	78	144	57
599.7 . . . . .	25	15	10	*	*	*	15	*7	*5	11	*
600 . . . . .	99	99	—	—	*	19	80	19	30	34	16
600.0 . . . . .	85	85	—	—	—	15	70	17	26	29	13
600.9 . . . . .	*6	*6	—	—	*	*	*	*	*	*	*
601 . . . . .	9	9	—	—	*	*	*	*	*	*	*
604 . . . . .	11	11	—	*	*	*	*5	*	*	*	*
604.9 . . . . .	9	9	—	*	*	*	*	*	*	*	*
604.99 . . . . .	*5	*5	—	*	*	*	*	*	*	*	—
607 . . . . .	*6	*6	—	*	*	*	*	*	*	*	*
608 . . . . .	9	9	—	*	*	*	*	*	*	*	*
611 . . . . .	20	*	19	*	13	*	*	*8	*	*5	*
611.0 . . . . .	*6	*	*6	*	*	*	*	*	*	*	*
611.1 . . . . .	*9	*	*8	—	*6	*	—	*	*	*	*
614 . . . . .	54	—	54	*	41	10	*	11	11	25	*6
614.2 . . . . .	*7	—	*7	*	*5	*	*	*	*	*	*
614.6 . . . . .	11	—	11	—	*7	*	*	*	*	*7	*
614.9 . . . . .	19	—	19	*	17	*	—	*6	*	*8	*
616 . . . . .	12	—	12	*	*8	*	*	*	*	*6	*
616.0 . . . . .	*8	—	*8	*	*6	*	*	*	*	*	*
617 . . . . .	92	—	92	*	65	26	*	10	20	43	19
617.0 . . . . .	54	—	54	*	31	22	*	*6	12	24	12
617.1 . . . . .	12	—	12	—	10	*	—	*	*	*	*
617.3 . . . . .	19	—	19	—	18	*	—	*	*	11	*
618 . . . . .	155	—	155	—	32	61	62	23	36	64	32
618.0 . . . . .	35	—	35	—	*	13	17	*6	*9	12	*7
618.1 . . . . .	18	—	18	—	*8	*7	*	*	*	10	*
618.2 . . . . .	21	—	21	—	*6	10	*	*	*7	*6	*5
618.3 . . . . .	16	—	16	—	*	*	*9	*	*	*7	*
618.4 . . . . .	21	—	21	—	*	*9	*8	*	*	*8	*
618.5 . . . . .	30	—	30	—	*	11	16	*	*	16	*6
618.8 . . . . .	11	—	11	—	*	*5	*	*	*	*	*
620 . . . . .	73	—	73	*	53	12	*	13	16	34	11
620.1 . . . . .	15	—	15	*	13	*	—	*	*5	*6	*
620.2 . . . . .	42	—	42	*	30	*7	*	*8	*8	19	*7
621 . . . . .	13	—	13	—	*	*	*	*	*	*5	*
621.3 . . . . .	*7	—	*7	—	*	*	*	*	*	*	*
622 . . . . .	10	—	10	—	*5	*	*	*	*	*	*
622.1 . . . . .	*8	—	*8	—	*	*	*	*	*	*	*
625 . . . . .	93	—	93	*	51	31	11	11	16	47	19
625.3 . . . . .	19	—	19	*	15	*	*	*	*	10	*6
625.6 . . . . .	42	—	42	—	10	22	11	*	*8	19	10
625.9 . . . . .	26	—	26	—	23	*	*	*	*6	15	*
626 . . . . .	109	—	109	*	73	36	*	14	27	45	22
626.2 . . . . .	68	—	68	*	46	22	*	*9	17	29	13

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
626.8 . . . . .	31	—	31	*	21	10	—	*	*6	11	*9
626.9 . . . . .	*5	—	*5	—	*	*	*	*	*	*	—
627 . . . . .	16	—	16	—	*	9	*	*	*	*7	*
627.1 . . . . .	13	—	13	—	—	*9	*	*	*	*6	*
630–677 . . . . .	510	—	510	*	508	*	—	87	86	256	81
632 . . . . .	14	—	14	—	13	*	—	*	*	*6	*
633 . . . . .	33	—	33	*	33	—	—	*5	*5	16	*6
633.1 . . . . .	28	—	28	*	28	—	—	*	*	13	*6
634 . . . . .	21	—	21	—	21	*	—	*5	*	12	*
634.9 . . . . .	16	—	16	—	16	*	—	*	*	9	*
634.91 . . . . .	11	—	11	—	11	*	—	*	*	*6	*
635 . . . . .	*6	—	*6	*	*6	—	—	*	*	*	*
640 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
641 . . . . .	15	—	15	—	15	*	—	*	*	*6	*
641.1 . . . . .	*8	—	*8	—	*8	*	—	*	*	*	*
641.13 . . . . .	*8	—	*8	—	*8	*	—	*	*	*	*
642 . . . . .	25	—	25	*	25	*	—	*	*6	9	*
642.3 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
642.33 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
642.4 . . . . .	*7	—	*7	*	*7	*	—	*	*	*	*
642.43 . . . . .	*6	—	*6	*	*6	*	—	*	*	*	*
643 . . . . .	46	—	46	*	45	—	—	10	*7	23	*
643.0 . . . . .	23	—	23	—	23	—	—	*6	*	12	*
643.03 . . . . .	23	—	23	—	23	—	—	*6	*	12	*
643.1 . . . . .	17	—	17	*	17	—	—	*	*	*8	*
643.13 . . . . .	17	—	17	*	17	—	—	*	*	*8	*
644 . . . . .	107	—	107	*	106	*	—	16	18	56	17
644.0 . . . . .	96	—	96	*	95	*	—	15	16	48	16
644.03 . . . . .	96	—	96	*	95	*	—	15	16	48	16
644.1 . . . . .	11	—	11	—	11	—	—	*	*	*7	*
644.13 . . . . .	11	—	11	—	11	—	—	*	*	*7	*
646 . . . . .	66	—	66	*	66	—	—	*8	*9	38	12
646.2 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
646.23 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
646.6 . . . . .	46	—	46	*	46	—	—	*6	*5	28	*7
646.63 . . . . .	43	—	43	*	43	—	—	*5	*	27	*7
646.8 . . . . .	13	—	13	—	13	—	—	*	*	*7	*
646.83 . . . . .	13	—	13	—	13	—	—	*	*	*7	*
647 . . . . .	9	—	9	—	9	—	—	*	*	*	*
647.8 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
647.83 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
648 . . . . .	83	—	83	*	82	*	—	15	16	43	*8
648.0 . . . . .	*8	—	*8	—	*8	—	—	*	*	*6	*
648.03 . . . . .	*8	—	*8	—	*8	—	—	*	*	*6	*
648.4 . . . . .	*6	—	*6	*	*6	—	—	*	*	*	*
648.8 . . . . .	*9	—	*9	—	*9	*	—	*	*	*6	*
648.83 . . . . .	*9	—	*9	—	*9	*	—	*	*	*6	*
648.9 . . . . .	52	—	52	*	52	—	—	11	10	25	*6
648.93 . . . . .	49	—	49	*	49	—	—	10	10	24	*
654 . . . . .	*9	—	*9	—	*9	—	—	*	*	*	*
654.5 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
654.53 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
658 . . . . .	11	—	11	*	10	—	—	*	*	*6	*
658.1 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
658.13 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
659 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
670 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
670.0 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
670.04 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
674 . . . . .	13	—	13	—	12	*	—	*	*	*6	*
674.3 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
674.34 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
674.8 . . . . .	*5	—	*5	—	*	*	—	*	*	*	*
674.84 . . . . .	*5	—	*5	—	*	*	—	*	*	*	*
680–709 . . . . .	574	296	278	83	147	150	194	125	117	249	83
681 . . . . .	20	13	*8	*	*8	*	*6	*6	*5	*7	*
681.0 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
681.00 . . . . .	*9	*6	*	*	*	*	*	*	*	*	*
681.1 . . . . .	10	*7	*	*	*	*	*	*	*	*	*
681.10 . . . . .	10	*7	*	*	*	*	*	*	*	*	*
682 . . . . .	383	199	184	36	101	113	134	94	86	141	61
682.0 . . . . .	22	11	11	*8	*5	*	*6	*	*	*8	*7
682.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
682.2 . . . . .	25	11	14	*	10	*8	*5	*6	*	12	*
682.3 . . . . .	39	20	19	*	15	10	11	10	*9	12	*8
682.4 . . . . .	22	12	10	*	*7	*6	*7	*6	*6	*5	*
682.5 . . . . .	12	*	*8	*	*	*	*	*	*	*6	*
682.6 . . . . .	204	107	97	*7	45	68	84	55	48	68	32
682.7 . . . . .	44	27	17	*6	10	12	15	*8	*8	24	*
682.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
683 . . . . .	*6	*	*	*	*	*	—	*	*	*	*
686 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
695 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
701 . . . . .	*8	*	*6	*	*	*	*	*	*	*7	—
701.4 . . . . .	*5	*	*	*	*	—	—	—	*	*5	—
707 . . . . .	72	36	37	*	12	15	45	14	14	36	*9
707.0 . . . . .	42	22	20	*	*8	*8	26	*7	*7	22	*6
707.1 . . . . .	29	13	16	*	*	*6	19	*6	*7	13	*
707.10 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
707.15 . . . . .	10	*5	*5	—	*	*	*7	*	*	*	*
709 . . . . .	46	26	19	28	14	*	*	*	*	41	*
709.2 . . . . .	41	24	17	27	13	*	*	*	*	39	*
710–739 . . . . .	1,604	682	921	43	314	524	723	343	419	565	276
710 . . . . .	26	*	24	*	12	*7	*5	*6	*9	*8	*
710.0 . . . . .	19	*	18	*	10	*	*	*	*6	*6	*
711 . . . . .	20	13	*8	*	*	*5	*7	*	*	9	*
711.0 . . . . .	20	13	*7	*	*	*5	*7	*	*	*9	*
711.06 . . . . .	10	*	*	*	*	*	*	*	*	*	*
714 . . . . .	20	*5	15	*	*	*7	*8	*	*	*8	*
714.0 . . . . .	15	*	11	—	*	*6	*7	*	*	*6	*
715 . . . . .	496	189	307	*	18	156	323	109	131	178	79
715.1 . . . . .	39	20	19	—	*	11	27	*8	*6	19	*6
715.15 . . . . .	10	*	*6	—	*	*	*7	*	*	*	*
715.16 . . . . .	26	15	11	—	*	*6	20	*	*	13	*
715.3 . . . . .	228	88	140	—	*9	72	147	48	60	81	39
715.35 . . . . .	67	30	38	—	*	23	40	15	21	18	13
715.36 . . . . .	154	56	98	—	*	46	103	32	37	62	23
715.9 . . . . .	219	76	143	*	*7	70	142	51	60	77	31
715.90 . . . . .	10	*	*8	—	*	*	*7	*	*	*	*
715.91 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
715.95 . . . . .	65	22	43	—	*	22	39	20	19	18	*8

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
715.96 . . . . .	134	48	86	—	* 43	89	26	37	51	20	
716 . . . . .	18	9	* 8	*	* 8	* 7	*	*	* 8	*	
716.1 . . . . .	* 6	*	*	—	*	*	*	*	*	*	
716.9 . . . . .	10	*	* 5	—	*	*	* 6	*	*	*	
717 . . . . .	12	*	* 8	*	* 8	*	*	*	*	*	
717.8 . . . . .	* 5	*	*	*	*	*	—	*	*	*	
718 . . . . .	17	10	* 8	*	* 8	*	*	*	*	*	* 8
718.3 . . . . .	* 7	*	*	*	*	*	*	*	*	*	
719 . . . . .	43	16	26	*	* 8	9	23	* 7	14	14	* 8
719.4 . . . . .	32	12	20	*	* 5	* 8	18	* 5	11	11	* 6
719.41 . . . . .	11	*	* 7	*	*	*	*	*	*	*	
719.45 . . . . .	13	*	* 9	*	*	*	9	*	* 6	*	
719.46 . . . . .	* 5	*	*	*	*	*	*	*	*	*	
721 . . . . .	79	40	39	—	12	32	35	13	20	32	14
721.0 . . . . .	26	14	12	—	*	13	* 8	*	* 7	11	*
721.1 . . . . .	15	* 9	* 7	—	*	* 8	* 5	*	*	* 7	*
721.3 . . . . .	32	15	17	—	*	10	18	*	9	12	* 5
722 . . . . .	325	164	161	*	131	130	63	63	79	127	55
722.0 . . . . .	61	30	31	—	30	28	*	13	11	28	* 9
722.1 . . . . .	168	97	71	*	73	62	33	32	40	64	31
722.10 . . . . .	166	96	70	*	73	61	32	32	40	62	31
722.4 . . . . .	9	*	* 6	—	*	* 5	*	*	*	*	
722.5 . . . . .	47	17	30	*	13	19	16	* 6	19	16	* 7
722.52 . . . . .	47	17	30	*	12	19	15	* 6	18	16	* 7
722.7 . . . . .	19	9	10	—	* 7	* 8	*	*	*	10	*
722.71 . . . . .	10	* 6	*	—	*	*	*	*	*	*	
722.73 . . . . .	* 8	*	* 5	—	*	*	*	*	*	* 5	*
722.8 . . . . .	* 8	*	*	—	*	*	*	*	*	*	
722.83 . . . . .	* 8	*	*	—	*	*	*	*	*	*	
722.9 . . . . .	9	*	* 6	*	*	*	*	*	*	*	
722.93 . . . . .	* 7	*	*	*	*	*	*	*	*	*	
723 . . . . .	21	10	11	*	* 6	9	*	*	* 5	* 8	*
723.0 . . . . .	* 8	*	*	—	*	*	*	*	*	*	
723.1 . . . . .	* 6	*	*	*	*	*	*	*	*	*	
723.4 . . . . .	* 5	*	*	*	*	*	*	*	*	*	
724 . . . . .	146	63	82	*	21	48	75	34	44	44	24
724.0 . . . . .	73	33	39	—	*	22	47	18	18	24	13
724.02 . . . . .	70	32	38	—	*	22	45	18	17	22	13
724.2 . . . . .	38	15	23	*	11	11	16	* 7	18	* 8	*
724.4 . . . . .	9	*	* 5	—	*	*	*	*	*	*	
724.5 . . . . .	17	* 7	10	*	*	* 7	* 6	*	*	* 5	*
726 . . . . .	40	19	21	*	* 6	17	17	11	10	12	* 7
726.1 . . . . .	17	* 8	* 8	—	*	* 6	9	* 6	*	* 6	*
726.10 . . . . .	15	* 7	* 8	—	*	* 5	* 9	* 6	*	*	
726.2 . . . . .	* 7	*	* 6	—	*	*	*	*	*	*	
726.3 . . . . .	* 5	*	*	*	*	*	*	*	*	*	
727 . . . . .	20	11	10	*	* 6	* 5	* 6	*	* 7	* 6	*
727.0 . . . . .	* 8	*	*	*	*	*	*	*	*	*	
728 . . . . .	24	13	11	*	* 5	* 6	12	*	* 8	* 8	*
728.8 . . . . .	18	10	* 8	*	*	*	9	*	*	* 6	*
728.89 . . . . .	12	* 7	*	*	*	*	* 7	*	*	*	
729 . . . . .	45	15	30	*	10	16	17	* 8	11	17	* 9
729.1 . . . . .	10	*	* 7	*	*	*	*	*	*	*	
729.5 . . . . .	19	* 6	13	*	*	* 7	* 7	*	*	* 7	*
729.8 . . . . .	11	* 5	* 6	*	*	*	*	*	*	*	
729.89 . . . . .	* 8	*	*	*	*	*	*	*	*	*	

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
730 . . . . .	49	24	25	*	10	14	21	15	*8	21	*
730.0 . . . . .	13	*6	*7	*	*	*	*7	*	*	*	*
730.07 . . . . .	*8	*	*	*	*	*	*5	*	*	*	*
730.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
730.2 . . . . .	28	13	15	*	*6	*7	12	*8	*	14	*
730.27 . . . . .	14	*6	*8	*	*	*	*8	*	*	*8	*
732 . . . . .	*7	*	*	*	*	*	—	*	*	*	*
733 . . . . .	136	44	92	*	24	31	79	30	41	43	22
733.1 . . . . .	63	14	49	*	*	*6	55	13	22	18	10
733.13 . . . . .	39	*7	32	*	*	*	36	*9	15	9	*7
733.14 . . . . .	11	*	*8	*	*	*	9	*	*	*	*
733.4 . . . . .	16	*9	*7	*	*	*8	*	*	*5	*7	*
733.42 . . . . .	13	*7	*6	*	*	*7	*	*	*	*6	*
733.6 . . . . .	18	*	14	*	*5	*5	*8	*	*	*7	*
733.8 . . . . .	30	14	16	*	11	9	10	*6	*9	9	*6
733.81 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
733.82 . . . . .	24	11	13	*	*8	*8	*8	*	*8	*7	*5
736 . . . . .	10	*5	*	*	*	*	*	*	*	*	*
737 . . . . .	15	*6	*8	*6	*	*	*	*	*	*	*
737.3 . . . . .	14	*6	*8	*6	*	*	*	*	*	*	*
737.30 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
738 . . . . .	26	15	11	*	*8	11	*6	*5	*6	*8	*7
738.4 . . . . .	21	11	10	—	*5	10	*5	*	*5	*5	*7
740–759 . . . . .	207	113	94	145	35	19	*8	56	32	70	49
742 . . . . .	10	*5	*	*8	*	*	*	*	*	*	*
745 . . . . .	27	13	13	20	*	*	*	*8	*	*8	*7
745.2 . . . . .	*5	*	*	*	*	—	—	*	*	*	*
745.5 . . . . .	9	*	*5	*	*	*	*	*	*	*	*
746 . . . . .	12	*8	*	10	*	*	*	*	*	*	*
747 . . . . .	20	10	10	10	*	*	*	*6	*	*7	*
747.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
748 . . . . .	*6	*	*	*5	*	—	—	*	*	*	*
749 . . . . .	18	*8	9	16	*	*	—	*	*	11	*
749.0 . . . . .	*5	*	*	*5	*	—	—	*	*	*	*
749.1 . . . . .	*5	*	*	*	*	—	—	*	—	*	—
749.2 . . . . .	*7	*	*	*6	*	*	—	*	*	*	*
750 . . . . .	18	13	*	17	*	*	*	*	*	*5	*6
750.5 . . . . .	15	12	*	15	—	—	—	*	*	*	*5
751 . . . . .	15	*7	*7	12	*	*	*	*	*	*	*
753 . . . . .	12	*	*8	*	*	*	*	*	*	*	*
753.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
754 . . . . .	16	10	*5	11	*	*	*	*	*	*	*
755 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
756 . . . . .	22	11	11	12	*	*	*	*	*5	*6	*7
756.0 . . . . .	*7	*	*	*6	*	*	—	*	*	*	*
756.1 . . . . .	9	*	*6	*	*	*	*	*	*	*	*
756.12 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
757 . . . . .	*8	*	*	*	*	*	—	*	*	*7	*
757.3 . . . . .	*7	*	*	*	*	—	—	*	—	*7	*
757.32 . . . . .	*7	*	*	*	*	—	—	—	—	*7	—
760–779 . . . . .	172	100	72	172	*	—	—	26	36	53	57
765 . . . . .	31	17	13	31	—	—	—	*	*6	13	*8
765.0 . . . . .	*5	*	*	*5	—	—	—	*	*	*	*
765.1 . . . . .	25	15	10	25	—	—	—	*	*	11	*7

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
765.17 . . . . .	*6	*	*	*6	—	—	—	*	*	*	*
765.18 . . . . .	*6	*	*	*6	—	—	—	*	*	*	*
769 . . . . .	14	10	*	14	—	—	—	*	*	*	*6
770 . . . . .	31	17	14	31	—	—	—	*6	*7	10	*8
770.6 . . . . .	*7	*	*	*7	—	—	—	*	*	*	*
770.8 . . . . .	16	9	*7	16	—	—	—	*	*	*	*
771 . . . . .	17	*7	9	16	*	—	—	*	*	*	*7
771.8 . . . . .	15	*6	*8	15	*	—	—	*	*	*	*7
774 . . . . .	38	24	14	38	—	—	—	*6	*6	12	14
774.6 . . . . .	32	20	12	32	—	—	—	*	*5	10	11
775 . . . . .	*6	*	*	*6	—	—	—	*	*	*	*
778 . . . . .	*8	*	*	*8	—	—	—	*	*	*	*
778.4 . . . . .	*7	*	*	*7	—	—	—	*	*	*	*
779 . . . . .	*8	*	*	*8	—	—	—	*	*	*	*
780–799 . . . . .	248	121	127	73	84	57	33	56	54	103	35
780 . . . . .	73	40	33	44	16	*7	*5	19	13	31	10
780.2 . . . . .	13	*5	*7	*	*6	*	*	*	*	*6	*
780.3 . . . . .	33	18	15	23	*7	*	*	10	*7	10	*7
780.31 . . . . .	*7	*	*	*7	—	—	—	*	*	*	*
780.39 . . . . .	27	14	12	17	*7	*	*	*9	*5	*8	*
780.6 . . . . .	21	13	*8	18	*	*	*	*	*	*	14
784 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
784.0 . . . . .	*5	*	*	*	*	*	—	*	*	*	*
786 . . . . .	74	44	31	*6	28	28	13	16	18	32	*8
786.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
786.5 . . . . .	64	39	25	*	26	28	11	15	17	26	*7
786.50 . . . . .	35	21	14	*	12	16	*7	9	*7	14	*5
786.59 . . . . .	26	16	10	—	13	10	*	*5	*8	11	*
787 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
789 . . . . .	37	10	26	*8	21	*6	*	*8	*9	13	*7
789.0 . . . . .	36	10	25	*8	21	*6	*	*7	*9	13	*6
789.00 . . . . .	13	*	11	*	*7	*	*	*	*	*6	*
789.03 . . . . .	9	*	*6	*	*6	*	*	*	*	*	*
799 . . . . .	36	16	20	*6	10	11	9	9	*8	12	*7
799.9 . . . . .	36	16	20	*6	10	11	9	9	*8	12	*7
800–999 . . . . .	2,613	1,253	1,360	237	754	587	1,035	531	606	985	490
800 . . . . .	12	*9	*	*6	*	*	*	*	*	*	*
801 . . . . .	22	16	*7	*	10	*	*	*	*5	9	*
801.0 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
801.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
802 . . . . .	35	24	11	*	20	*5	*7	*7	*7	15	*6
802.2 . . . . .	13	10	*	*	*9	*	*	*	*	*5	*
802.4 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
805 . . . . .	63	34	29	*	19	10	33	13	15	23	11
805.0 . . . . .	10	*7	*	*	*	*	*	*	*	*	*
805.2 . . . . .	17	*7	10	*	*	*	9	*	*	*	*
805.4 . . . . .	28	15	12	*	*8	*	15	*	*8	12	*
805.6 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
806 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
807 . . . . .	35	21	14	*	*8	10	17	*7	*8	12	*8
807.0 . . . . .	32	20	12	*	*7	9	15	*6	*7	11	*7
807.01 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
807.02 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
807.03 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
807.09 . . . . .	*5	*	*	—	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
808 . . . . .	50	14	37	*	*8	*7	35	11	15	14	10
808.0 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
808.2 . . . . .	32	*5	26	*	*	*	25	*7	10	*8	*7
810 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
810.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
812 . . . . .	70	25	45	12	12	14	32	17	16	22	16
812.0 . . . . .	38	*9	29	*	*	9	25	*6	10	11	11
812.00 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
812.01 . . . . .	17	*	14	*	*	*	13	*	*	*7	*
812.09 . . . . .	10	*	*7	*	*	*	*7	*	*	*	*
812.2 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
812.21 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
812.4 . . . . .	20	10	10	11	*	*	*	*7	*	*6	*
812.41 . . . . .	12	*6	*6	*9	*	*	*	*	*	*	*
813 . . . . .	69	36	33	13	20	17	20	15	15	24	16
813.0 . . . . .	12	*	*8	*	*	*	*	*	*	*	*
813.2 . . . . .	10	*8	*	*	*	*	*	*	*	*	*
813.23 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
813.4 . . . . .	33	15	18	*	*8	9	12	*8	*6	14	*6
813.41 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
813.42 . . . . .	14	*5	*8	*	*	*	*6	*	*	*6	*
813.44 . . . . .	10	*	*	*	*	*	*	*	*	*	*
813.5 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
816 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
816.1 . . . . .	*5	*5	*	*	*	*	*	*	*	*	*
820 . . . . .	324	83	242	*	*6	24	291	63	80	125	55
820.0 . . . . .	103	22	81	*	*	9	90	22	27	40	14
820.00 . . . . .	*8	*	*6	—	—	*	*7	*	*	*	*
820.02 . . . . .	10	*	*8	*	*	*	*8	*	*	*	*
820.03 . . . . .	10	*	*7	*	*	*	*8	*	*	*	*
820.09 . . . . .	75	15	59	*	*	*7	67	14	21	30	10
820.2 . . . . .	150	40	110	*	*	10	137	24	42	56	28
820.20 . . . . .	11	*	*6	—	*	*	10	*	*	*	*
820.21 . . . . .	130	31	99	*	*	*8	121	22	35	50	24
820.22 . . . . .	*9	*	*	*	*	*	*6	*	*	*	*
820.8 . . . . .	70	21	50	*	*	*	64	17	11	29	13
821 . . . . .	59	30	29	11	20	*7	21	14	14	22	*9
821.0 . . . . .	32	19	13	*7	13	*	*7	*8	*8	12	*
821.01 . . . . .	27	16	11	*7	11	*	*6	*7	*7	9	*
821.2 . . . . .	22	*8	14	*	*	*	12	*5	*	*9	*
821.20 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
821.23 . . . . .	11	*	*8	*	*	*	*7	*	*	*	*
822 . . . . .	11	*	*7	*	*	*	*	*	*	*	*
822.0 . . . . .	*9	*	*7	*	*	*	*	*	*	*	*
823 . . . . .	79	40	39	*7	36	14	21	16	15	37	11
823.0 . . . . .	28	12	15	*	*8	*8	10	*5	*7	12	*
823.00 . . . . .	21	*9	12	*	*5	*7	*7	*	*5	*8	*
823.02 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
823.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
823.2 . . . . .	20	12	*8	*	10	*	*	*	*	9	*
823.20 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
823.22 . . . . .	14	*9	*5	*	*7	*	*	*	*	*6	*
823.8 . . . . .	17	*5	12	*	9	*	*6	*	*	10	*
823.82 . . . . .	11	*	*9	*	*7	*	*	*	*	*7	*
824 . . . . .	108	45	63	*7	35	37	28	25	29	33	21
824.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
824.2 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
824.4 . . . . .	35	10	25	*	12	13	*9	9	10	11	*5
824.6 . . . . .	26	*9	18	*	*8	11	*6	*	*9	9	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
824.8 . . . . .	25	15	10	*5	*7	*8	*	*7	*6	*6	*6
825 . . . . .	22	17	*	*	11	*	*	*	*6	*5	*5
825.0 . . . . .	11	10	*	*	*6	*	*	*	*	*	*
825.2 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
839 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
840 . . . . .	17	11	*6	—	*	*9	*7	*	*	*	*
840.4 . . . . .	16	10	*6	—	*	*8	*7	*	*	*	*
844 . . . . .	14	10	*	*	*5	*	*5	*	*	*7	*
844.8 . . . . .	*8	*8	*	*	*	*	*	*	*	*	*
847 . . . . .	11	*	*6	*	*	*	*	*	*	*	*
847.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
850 . . . . .	45	29	16	*7	25	*7	*6	12	*7	14	11
850.0 . . . . .	14	9	*	*	*6	*	*	*	*	*5	*
850.1 . . . . .	15	9	*6	*	10	*	*	*6	*	*	*6
850.5 . . . . .	10	*7	*	*	*7	*	*	*	*	*	*
851 . . . . .	24	14	10	*	12	*6	*6	*	*	11	*5
851.8 . . . . .	17	9	*8	*	*8	*	*5	*	*	*9	*
852 . . . . .	41	24	17	*	*7	*7	24	*8	10	14	9
852.0 . . . . .	10	*	*5	*	*	*	*	*	*	*	*
852.2 . . . . .	28	17	11	*	*	*	18	*	*7	10	*7
852.20 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
852.21 . . . . .	16	9	*6	*	*	*	11	*	*	*	*
853 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
853.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
854 . . . . .	10	*6	*	*	*6	*	*	*	*	*	*
854.0 . . . . .	9	*6	*	*	*6	*	*	*	*	*	*
860 . . . . .	27	18	9	*	11	*7	*8	*	*7	12	*
860.0 . . . . .	18	12	*6	*	*7	*	*6	*	*	*7	*
861 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
863 . . . . .	9	*7	*	*	*6	*	*	*	*	*	*
864 . . . . .	*9	*6	*	*	*6	*	*	*	*	*	*
864.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
865 . . . . .	11	*7	*	*	*	*	*	*	*	*	*
865.0 . . . . .	10	*7	*	*	*	*	*	*	*	*	*
871 . . . . .	*6	*5	*	*	*	*	*	*	*	*	*
873 . . . . .	24	14	9	*	10	*5	*6	*	*6	*8	*7
873.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
873.4 . . . . .	12	*8	*	*	*7	*	*	*	*	*	*
873.42 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
879 . . . . .	*8	*7	*	*	*7	*	*	*	*	*	*
881 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
883 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
891 . . . . .	12	*6	*5	*	*6	*	*	*	*	*	*
920 . . . . .	10	*	*	*	*	*	*	*	*	*	*
922 . . . . .	20	*7	13	*	*5	*	10	*	*9	*	*
922.1 . . . . .	*8	*	*6	*	*	*	*	*	*	*	*
922.3 . . . . .	*7	*	—	*	*	*	*	*	*	*	*
924 . . . . .	25	*7	18	*	*	*	18	*	11	*5	*5
924.0 . . . . .	13	*	*8	*	*	*	10	*	*6	*	*
924.01 . . . . .	10	*	*7	*	*	*	*9	*	*	*	*
924.8 . . . . .	*8	*	*7	—	*	*	*6	*	*	*	*
935 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
935.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
941 . . . . .	9	*6	*	*	*	*	*	*	*	*5	*
941.2 . . . . .	*7	*5	*	*	*	*	*	*	*	*	*
942 . . . . .	*8	*6	*	*	*	*	*	*	*	*6	—
943 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
944 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
945 . . . . .	16	*8	*7	*6	*	*	*	*	*	10	*
945.2 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
945.3 . . . . .	*7	*	*	*	*	*	*	*	*	*5	—
946 . . . . .	*7	*5	*	*	*	*	*	*	*	*5	*
948 . . . . .	*7	*	*	*6	*	*	—	*	*	*7	—
949 . . . . .	*8	*6	*	*8	*	—	—	—	*	*8	*
949.0 . . . . .	*8	*5	*	*7	*	—	—	—	*	*8	—
958 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
959 . . . . .	36	18	17	*7	12	*6	11	*7	*8	14	*6
959.0 . . . . .	21	11	10	*5	*8	*	*	*	*5	*7	*
959.01 . . . . .	20	10	9	*5	*7	*	*	*	*5	*7	*
959.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
963 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
963.0 . . . . .	*5	*	*	*	*	*	—	*	*	*	*
965 . . . . .	50	18	32	*5	35	*7	*	*9	14	18	9
965.0 . . . . .	14	*7	*7	*	*9	*	*	*	*	*	*
965.09 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
965.1 . . . . .	*7	*	*	*	*5	*	*	*	*	*	*
965.4 . . . . .	24	*7	17	*	17	*	*	*	*6	10	*
966 . . . . .	10	*6	*	*	*5	*	*	*	*	*	*
966.3 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
967 . . . . .	*8	*	*6	*	*	*	*	*	*	*	*
968 . . . . .	*9	*5	*	*	*6	*	*	*	*	*	*
968.5 . . . . .	*7	*	*	—	*5	*	—	*	*	*	*
969 . . . . .	60	20	41	*	39	13	*	14	13	22	12
969.0 . . . . .	21	*6	14	*	13	*6	*	*6	*	*6	*
969.4 . . . . .	24	*7	17	*	15	*5	*	*	*6	10	*
972 . . . . .	9	*	*7	*	*	*	*	*	*	*	*
977 . . . . .	12	*	*9	*	*7	*	*	*	*	*6	*
977.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
977.9 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
989 . . . . .	10	*6	*	*	*	*	*	*	*	*6	*
989.5 . . . . .	*9	*5	*	*	*	*	*	*	*	*5	*
994 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
995 . . . . .	27	12	15	*	*8	*6	*9	*6	*8	*9	*
995.1 . . . . .	12	*5	*6	*	*	*	*	*	*	*	*
995.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
996 . . . . .	431	207	224	27	79	132	192	87	92	171	81
996.0 . . . . .	20	9	11	*	*	*	15	*7	*	*6	*
996.01 . . . . .	13	*6	*8	*	*	*	11	*	*	*	*
996.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
996.2 . . . . .	21	10	11	11	*7	*	*	*	*7	*6	*
996.4 . . . . .	94	37	57	*	12	28	53	19	25	33	17
996.5 . . . . .	11	*	*7	*	*	*	*	*	*	*5	*
996.59 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
996.6 . . . . .	126	64	62	9	26	35	56	25	27	49	25
996.61 . . . . .	*8	*6	*	—	*	*	*7	*	*	*	*
996.62 . . . . .	62	30	31	*6	17	19	20	11	14	22	14
996.64 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
996.66 . . . . .	16	*6	10	*	*	*	13	*	*	*6	*

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
996.67 . . . . .	13	9	*	*	*	*	*6	*	*	*7	*
996.69 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
996.7 . . . . .	122	61	61	*	19	44	55	24	21	51	26
996.72 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
996.73 . . . . .	41	20	21	*	*8	15	18	*6	*5	17	13
996.74 . . . . .	40	21	19	*	*	15	21	9	10	16	*
996.77 . . . . .	10	*	*5	—	*	*	*	*	*	*	*
996.78 . . . . .	11	*	*6	*	*	*	*	*	*	*	*
996.8 . . . . .	26	15	11	*	12	11	*	*	*	16	*
996.81 . . . . .	15	*7	*8	*	*7	*6	*	*	*	*8	*
996.82 . . . . .	*7	*5	*	*	*	*	*	*	*	*5	*
997 . . . . .	106	44	62	*6	25	35	39	26	26	37	17
997.1 . . . . .	12	*7	*5	*	*	*	*6	*	*	*	*
997.2 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
997.3 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
997.4 . . . . .	45	13	32	*	15	14	12	13	10	17	*
997.5 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
997.6 . . . . .	16	*9	*7	*	*	*7	*7	*	*	*	*
997.62 . . . . .	10	*	*5	—	*	*5	*	*	*	*	*
997.69 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
998 . . . . .	233	116	117	14	56	85	78	48	52	87	46
998.1 . . . . .	57	30	27	*	13	18	21	13	14	18	12
998.11 . . . . .	38	21	17	*	*8	10	15	*9	11	10	*8
998.12 . . . . .	15	*8	*7	*	*	*6	*	*	*	*6	*
998.2 . . . . .	12	*5	*6	—	*	*	*6	*	*	*	*
998.3 . . . . .	18	11	*7	*	*	*	*7	*	*	*6	*
998.5 . . . . .	114	56	59	*6	31	42	35	23	26	45	20
998.59 . . . . .	110	53	58	*6	30	40	35	22	23	45	20
998.6 . . . . .	9	*	*7	*	*	*	*	*	*	*	*
998.8 . . . . .	22	12	10	*	*	12	*	*5	*5	*8	*
998.83 . . . . .	*9	*	*	*	*	*5	*	*	*	*	*
998.89 . . . . .	11	*6	*5	*	*	*6	*	*	*	*	*
999 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
V01–V82 . . . . .	4,669	357	4,313	71	3,948	192	458	763	952	1,935	1,020
V10 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
V12 . . . . .	9	*	*6	*	*	*	*5	*	*	*	*
V12.5 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
V15 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
V15.8 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
V22 . . . . .	*7	—	*7	—	*7	—	—	*	*	*6	*
V27 . . . . .	3,839	—	3,839	10	3,824	*5	—	607	744	1,616	872
V27.0 . . . . .	3,607	—	3,607	10	3,593	*	—	561	662	1,542	842
V27.1 . . . . .	21	—	21	—	21	*	—	*	*	12	*
V27.2 . . . . .	56	—	56	—	56	*	—	10	*8	28	10
V27.9 . . . . .	153	—	153	*	152	*	—	32	71	34	17
V30 . . . . .	*8	*	*6	*8	—	—	—	*	*	*	*
V30.1 . . . . .	*8	*	*6	*8	—	—	—	*	*	*	*
V45 . . . . .	21	11	10	*	*6	*6	*8	*	*5	*5	*5
V45.8 . . . . .	15	*8	*7	*	*	*	*6	*	*	*	*
V45.81 . . . . .	*6	*5	*	—	*	*	*	*	*	*	*
V45.89 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
V53 . . . . .	11	*6	*	*	*	*	*7	*	*	*	*
V53.3 . . . . .	10	*6	*	*	*	*	*7	*	*	*	*
V53.31 . . . . .	*7	*	*	*	*	*	*6	*	*	*	*
V54 . . . . .	13	*5	*8	*	*	*	*8	*	*	*	*6
V54.8 . . . . .	*8	*	*6	*	*	*	*6	*	*	*	*5
V55 . . . . .	34	17	16	*	*6	9	13	11	*8	10	*5

See footnotes at end of table.

**Table 43. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
V55.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
V55.3 . . . . .	23	12	10	*	*	*6	9	*6	*5	*7	*
V57 . . . . .	461	177	284	*	26	82	350	66	145	174	76
V57.1 . . . . .	115	47	69	*	*6	19	89	23	15	54	24
V57.8 . . . . .	337	128	209	*	19	61	254	39	128	119	51
V57.89 . . . . .	337	128	209	*	19	61	254	39	128	118	51
V57.9 . . . . .	*7	*	*6	—	*	*	*6	*	*	*	*
V58 . . . . .	184	98	85	32	40	62	49	45	29	73	36
V58.0 . . . . .	17	*7	10	*	*	*7	*6	*	*	11	*
V58.1 . . . . .	127	71	56	26	29	46	25	32	21	49	24
V58.4 . . . . .	22	11	10	*	*	*	10	10	*	*5	*
V58.49 . . . . .	21	11	10	*	*	*	10	10	*	*	*
V58.8 . . . . .	16	*8	*8	*	*	*	*6	*	*	*9	*
V58.89 . . . . .	13	*6	*7	*	*	*	*6	*	*	*7	*
V59 . . . . .	*5	*	*	*	*	*	—	*	*	*	*
V70 . . . . .	10	*7	*	*	*	*	*	*	*	*	*
V70.7 . . . . .	9	*6	*	*	*	*	*	*	*	*	*
V71 . . . . .	*8	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standard of reliability or precision.

— Quantity zero.

NOTE: Estimates of 5,000–9,000 are to be used with caution; see "Methods" section.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
All codes . . . . .	159,365	67,995	91,369	11,456	38,547	36,385	72,976	39,477	32,289	62,868	24,730
001–139 . . . . .	5,485	2,597	2,888	596	1,280	1,114	2,494	1,525	966	2,119	876
008 . . . . .	449	171	277	130	53	65	200	106	96	171	76
008.4 . . . . .	236	89	147	—	*19	*44	157	64	55	69	*48
008.45 . . . . .	226	84	143	—	*	*42	154	63	*51	65	*47
008.6 . . . . .	76	34	42	67	*	*	*	—	*17	*36	*
008.61 . . . . .	70	32	38	65	*	*	*	—	*15	*35	*
008.8 . . . . .	130	46	83	46	31	*18	35	25	21	64	*19
009 . . . . .	48	*17	31	—	*19	*	*	—	*	*18	*
009.0 . . . . .	23	*	*18	—	*	*	*	—	*	*	*
011 . . . . .	*72	*	*	*	*	*	*	—	*	*	*
011.9 . . . . .	*51	*	*	*	*	*	*	—	*	*	*
031 . . . . .	*34	*	*	*	*	*	*	—	*	*	—
034 . . . . .	*17	*	*11	*11	*	*	*	—	*	*	*
034.0 . . . . .	*16	*	*11	*	*	*	*	—	*	*	*
038 . . . . .	2,798	1,259	1,540	112	222	560	1,904	833	518	1,041	406
038.0 . . . . .	144	84	*60	—	*	*41	88	—	*51	*	*
038.1 . . . . .	579	284	295	—	*82	*95	392	192	93	210	*83
038.10 . . . . .	*82	*	*	—	*	*	*57	—	*	*	*
038.11 . . . . .	402	187	214	—	*	*	280	*150	*54	*144	*
038.19 . . . . .	95	*57	*38	—	*	*	*54	—	*	*	*
038.2 . . . . .	102	*55	*	—	*	*	*	—	*	*	*
038.4 . . . . .	654	234	419	—	*52	133	418	169	143	189	152
038.40 . . . . .	*42	*	*	—	*	*	*	—	*	*	*
038.42 . . . . .	375	115	260	—	*	*92	246	115	73	98	*88
038.49 . . . . .	146	*65	*81	—	*	*	88	—	*	*59	*
038.8 . . . . .	113	*	*67	—	*	*	*79	—	*	*	*
038.9 . . . . .	1,186	541	645	*32	*54	223	876	364	194	524	104
041 . . . . .	77	*29	*49	—	*29	*	*	—	*	*48	*
042 . . . . .	727	446	282	—	529	184	*	230	*56	357	*84
047 . . . . .	145	82	62	78	55	*	*	*19	44	56	*25
047.9 . . . . .	136	77	59	71	54	*	*	*19	42	54	*22
053 . . . . .	70	*29	41	—	*	*	42	—	*23	*20	*
053.9 . . . . .	45	*	*31	—	*	*	*24	—	*	*	*
054 . . . . .	*30	*	*	—	*	*	*	—	*	*	*
070 . . . . .	139	60	79	—	58	48	*29	—	*	72	*
070.5 . . . . .	62	*29	*33	—	*	*28	—	—	—	*37	*
070.51 . . . . .	*31	*	*	—	*	*	*	—	*	*	*
070.54 . . . . .	*30	*	*	—	*	*	*	—	*	*	*
075 . . . . .	*24	*	*	—	*15	*	—	—	*	*	*
078 . . . . .	*23	*	*	—	*	*	*	—	*	*	*
079 . . . . .	178	92	86	111	38	*11	*18	51	42	60	25
079.9 . . . . .	162	86	76	101	34	*	*18	48	36	56	22
079.99 . . . . .	162	86	76	101	34	*	*18	48	36	56	22
112 . . . . .	156	*48	108	—	*	*48	86	—	*39	*	*
112.0 . . . . .	*27	*	*	—	*	*	*	—	*	*	*
135 . . . . .	53	*	*40	—	*31	*	*	—	*	*20	*
140–239 . . . . .	10,012	4,386	5,626	249	1,235	3,361	5,168	2,559	1,885	4,000	1,568
150 . . . . .	145	*79	*	—	*	*	*95	—	*	*	*
151 . . . . .	218	128	*90	—	*	*60	140	*74	*	*87	*
151.0 . . . . .	*66	*	*	—	*	*	*	—	*	*	*
153 . . . . .	923	457	466	—	*	196	697	257	211	352	103
153.1 . . . . .	81	*	*51	—	*	*	*54	—	*	*	*
153.2 . . . . .	*52	*	*	—	*	*	*	—	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
153.3 . . . . .	233	149	*84	—	*	*52	176	*	*	103	*34
153.4 . . . . .	155	*73	81	—	*	*	122	*	*39	*55	*
153.6 . . . . .	234	109	125	—	*	*	199	*60	*68	*75	*
153.9 . . . . .	54	*26	*28	*	*	*	*30	*	*	*32	*
154 . . . . .	395	194	201	—	*	151	223	117	*57	148	73
154.0 . . . . .	133	78	*55	—	*	*41	*79	*	*	*53	*
154.1 . . . . .	236	108	128	—	*	105	125	*82	*	90	*
155 . . . . .	145	88	*57	*	*	*66	*53	*	*	*76	*
155.0 . . . . .	95	*54	*	*	*	*61	*	*	*	*53	*
156 . . . . .	*57	*	*	—	*	*	*34	*	*	*	*
157 . . . . .	319	154	165	—	*	96	222	*121	*76	101	*
157.0 . . . . .	118	*81	*	—	—	*	*71	*	*	*	*
157.9 . . . . .	114	*37	*76	—	*	*	82	*	*	*44	*
161 . . . . .	*41	*36	*	—	*	*	*	*	*	*	*
162 . . . . .	1,009	580	429	—	*	347	630	233	199	430	147
162.2 . . . . .	*39	*	*	—	—	*	*	*	*	*	*
162.3 . . . . .	377	216	160	—	*	131	231	88	74	162	*52
162.5 . . . . .	184	87	97	—	*	*65	116	*	*	*81	*
162.8 . . . . .	82	*46	*36	—	*	*	*47	*	*	*	*
162.9 . . . . .	295	190	105	—	*	92	190	65	55	147	*28
171 . . . . .	*83	*	*	*	*	*	*	*	*	*	*
172 . . . . .	*27	*	*	—	*	*	*	*	*	*	*
173 . . . . .	*24	*	*	*	*	*	*	*	*	*	*
174 . . . . .	308	—	308	*	48	100	156	63	50	157	38
174.1 . . . . .	*16	—	*16	—	*	*	*	*	*	*	*
174.2 . . . . .	*13	—	*13	—	*	*	*	*	*	*	*
174.4 . . . . .	43	—	43	—	*	*13	24	*	*	*15	*
174.8 . . . . .	71	—	71	—	*	25	32	*27	*14	*20	*11
174.9 . . . . .	146	—	146	*	*19	52	71	*18	*21	96	*
180 . . . . .	60	—	60	—	*31	*21	*	*	*	*28	*
180.9 . . . . .	*29	—	*29	—	*	*	*	*	*	*	*
182 . . . . .	209	—	209	—	*	101	79	*84	*28	60	*37
182.0 . . . . .	207	—	207	—	*	100	79	*84	*28	59	*37
183 . . . . .	105	—	105	*	*	*44	*47	*	*	*47	*
183.0 . . . . .	101	—	101	*	*	*43	*45	*	*	*44	*
185 . . . . .	361	361	—	—	*	119	241	79	87	134	62
188 . . . . .	218	137	81	—	*	*46	156	*42	*45	62	*68
188.8 . . . . .	119	62	*58	—	*	*	78	*	*	*	*
188.9 . . . . .	45	*32	*	—	*	*	*35	*	*	*15	*
189 . . . . .	182	100	82	*	*	64	97	56	*29	68	*28
189.0 . . . . .	160	84	76	*	*	57	82	*49	*	62	*
191 . . . . .	245	93	152	*	*31	*52	119	*80	*43	100	*
191.1 . . . . .	*54	*	*	*	*	*	*	*	*	*	*
191.9 . . . . .	*46	*	*	*	*	*	*	*	*	*	*
193 . . . . .	49	*	41	*	*12	*14	*	*13	*	*25	*
196 . . . . .	*55	*	*	*	*	*	*	*	*	*	*
197 . . . . .	773	303	471	*	*46	325	396	176	168	319	110
197.0 . . . . .	148	*62	86	*	*	73	*54	*	*26	86	*
197.2 . . . . .	218	77	141	—	*	89	111	*60	*46	76	*
197.6 . . . . .	144	*	102	*	*	*53	86	*	*	*65	*
197.7 . . . . .	153	89	64	*	*	72	76	*47	*48	*48	*
198 . . . . .	632	292	340	*	*35	244	350	168	164	202	98
198.3 . . . . .	246	97	149	*	*	93	142	*54	83	64	*45
198.5 . . . . .	260	146	114	*	*	107	145	*80	*46	103	*
198.8 . . . . .	80	*33	*46	—	*	*	*42	*	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
198.89 . . . . .	76	*33	*43	—	*	*	*40	*	*	*	*
199 . . . . .	207	77	130	*	*	*54	113	*	*	130	*25
199.0 . . . . .	150	*	106	*	*	*	*84	*	*	*88	*
199.1 . . . . .	57	*34	*23	*	*	*	*29	*	*	*42	*
200 . . . . .	109	*	*36	*	*	*	*39	*	*	*	*
200.0 . . . . .	*86	*	*	*	*	*	*	*	*	*	*
202 . . . . .	374	136	239	*	*50	*102	215	*85	*63	154	*72
202.8 . . . . .	333	112	221	*	*49	*88	193	*66	*56	146	*66
202.80 . . . . .	142	*48	*94	*	*	*	*64	*	*	*92	*
202.83 . . . . .	*56	*	*	—	*	*	*50	*	*	*	*
203 . . . . .	198	*116	82	—	*	*	148	*	*33	*110	*
203.0 . . . . .	157	*79	*79	—	*	*	109	*	*32	*72	*
203.00 . . . . .	157	*78	*79	—	*	*	109	*	*32	*72	*
204 . . . . .	226	125	101	*62	*	*	*27	*	*	*82	*60
204.0 . . . . .	191	*108	*83	*61	*	*	*	*	*	*	*
204.00 . . . . .	*180	*	*81	*	*	*	*	*	*	*	*
204.1 . . . . .	*33	*	*	*	*	*	*24	*	*	*	*
204.10 . . . . .	*31	*	*	*	*	*	*	*	*	*	*
205 . . . . .	273	144	129	*	*	*107	126	*	*53	*86	*
205.0 . . . . .	249	131	*118	*	*	*98	*116	*	*48	*73	*
205.00 . . . . .	243	128	*115	*	*	*95	*116	*	*46	*71	*
211 . . . . .	208	76	132	*	*	58	141	*52	54	88	*
211.3 . . . . .	173	60	113	*	*	*47	121	*43	*48	72	*
218 . . . . .	599	—	599	—	327	264	*	107	99	287	106
218.0 . . . . .	72	—	72	—	37	31	*	*18	*	30	*13
218.1 . . . . .	174	—	174	—	100	72	*	36	29	80	29
218.2 . . . . .	54	—	54	—	29	25	*	*	*	*21	*
218.9 . . . . .	299	—	299	—	161	136	*	42	48	155	54
220 . . . . .	115	—	115	*	40	41	32	29	*25	34	*27
225 . . . . .	129	54	75	*	*	46	*51	*44	*	52	*
225.2 . . . . .	81	*23	*58	—	*	*29	*42	*	*	*34	*
226 . . . . .	14	*	*10	—	*	*	*	*	*	*	*
227 . . . . .	48	*	37	*	*	*20	*16	*	*	*13	*21
227.1 . . . . .	*13	*	*10	—	*	*	*	*	*	*	*
227.3 . . . . .	*28	*	*	*	*	*	*	*	*	*	*
233 . . . . .	67	*	62	—	25	29	*13	*	*16	28	*
233.0 . . . . .	27	*	27	—	*	*16	*	*	*	*	*
233.1 . . . . .	31	—	31	—	*21	*	*	*	*	*13	*
235 . . . . .	69	*	*45	*	*	*	*48	*	*	*	*
235.2 . . . . .	*49	*	*	*	*	*	*41	*	*	*	*
237 . . . . .	*42	*	*	*	*	*	*	*	*	*	*
238 . . . . .	77	*	*47	*	*	*	*29	*	*	*	*
238.7 . . . . .	*58	*	*	*	*	*	*	*	*	*	*
239 . . . . .	58	*	*37	*	*	*	*23	*	*	*	*
240–279 . . . . .	6,652	2,772	3,880	508	1,045	1,766	3,332	1,814	1,370	2,458	1,008
241 . . . . .	20	*	18	—	*	*9	*	*	*	*	*
241.0 . . . . .	*7	*	*6	—	*	*	*	*	*	*	*
241.1 . . . . .	*10	*	*8	—	*	*	*	*	*	*	*
242 . . . . .	42	*	36	*	*	*14	*	*	*	*22	*
242.9 . . . . .	*23	*	*19	—	*	*	*	*	*	*	*
242.90 . . . . .	*22	*	*18	—	*	*	*	*	*	*	*
244 . . . . .	57	*	39	*	*	*12	36	*18	*	*14	*12
244.9 . . . . .	52	*	37	*	*	*11	34	*18	*	*13	*
250 . . . . .	2,761	1,371	1,390	67	512	1,011	1,172	763	529	1,007	462
250.0 . . . . .	554	217	337	23	89	210	231	118	104	235	97

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
250.00 . . . . .	207	85	121	*	22	89	93	38	34	90	46
250.01 . . . . .	82	30	52	*16	*16	*24	*25	*19	*16	31	*
250.02 . . . . .	191	69	122	*	30	74	88	37	35	95	*25
250.03 . . . . .	74	*33	42	*	*21	*23	*26	*24	*18	*	*
250.1 . . . . .	366	174	192	38	191	76	61	72	70	156	67
250.10 . . . . .	67	*27	40	*	*25	*	*	*	*	*37	*
250.11 . . . . .	143	64	80	*23	87	*23	*	*28	32	52	*32
250.12 . . . . .	48	*23	*25	*	*18	*	*	*	*	*23	*
250.13 . . . . .	107	60	47	*	61	*24	*	*22	*19	44	*22
250.2 . . . . .	63	*37	*	—	*	*	*41	*	*	*	*
250.22 . . . . .	*37	*	*	—	*	*	*	*	*	*	*
250.3 . . . . .	*43	*	*	*	*	*	*	*	*	*	*
250.4 . . . . .	201	140	61	—	*	73	63	*85	*27	49	*40
250.40 . . . . .	74	*48	*26	—	*	*	*38	*	*	*	*
250.41 . . . . .	*83	*	*	—	*	*	*	*	*	*	*
250.6 . . . . .	256	138	118	—	48	129	79	49	58	112	37
250.60 . . . . .	97	55	41	—	*	54	*36	*27	*	*30	*
250.61 . . . . .	82	49	*33	—	*	*39	*	*	*	*46	*
250.62 . . . . .	*43	*	*	—	*	*	*	*	*	*	*
250.63 . . . . .	*33	*	*	—	*	*	*	*	*	*	*
250.7 . . . . .	599	367	232	—	*	248	320	157	141	192	109
250.70 . . . . .	349	228	121	—	*	154	183	*83	*87	106	*74
250.71 . . . . .	114	*54	*60	—	*	*	*58	*	*	*	*
250.73 . . . . .	*79	*	*	—	*	*	*	*	*	*	*
250.8 . . . . .	634	257	377	*	60	241	331	221	106	212	96
250.80 . . . . .	369	150	219	*	*	128	225	145	59	100	65
250.81 . . . . .	120	51	69	*	*	*52	48	*47	*	50	*
250.82 . . . . .	112	39	72	*	*	52	46	*	*26	51	*
250.83 . . . . .	*33	*	*	*	*	*	*	*	*	*	*
250.9 . . . . .	36	*	*23	*	*	*	*	*	*	*	*
251 . . . . .	50	*26	*24	*	*	*	*26	*	*	*17	*
251.2 . . . . .	*32	*	*	*	*	*	*	*	*	*	*
252 . . . . .	*22	*	*15	*	*	*	*	*	*	*	*
252.0 . . . . .	*20	*	*13	*	*	*	*	*	*	*	*
253 . . . . .	86	*	56	*	*	*	60	*	*	*32	*
253.6 . . . . .	73	*	50	*	*	*	57	*	*	*	*
255 . . . . .	*33	*	*	*	*	*	*	*	*	*	*
263 . . . . .	70	*	*40	*	*	*	*42	*	*	*43	*
263.9 . . . . .	*67	*	*39	*	*	*	*41	*	*	*41	*
272 . . . . .	71	32	39	*	*14	33	24	24	19	21	*8
272.0 . . . . .	36	*14	22	—	*	19	*12	*12	*10	*13	*
272.4 . . . . .	24	*10	*14	—	*	*10	*	*9	*	*	*
274 . . . . .	65	*40	*26	—	*	*	50	*	*	*	*
274.0 . . . . .	50	*29	*	—	*	*	*39	*	*	*	*
275 . . . . .	83	*35	48	*	*	*	42	*	*20	*24	*
275.4 . . . . .	74	*31	43	*	*	*	41	*	*	*22	*
275.42 . . . . .	49	*25	*	*	*	*	*29	*	*	*	*
276 . . . . .	2,763	995	1,768	326	188	447	1,802	725	632	1,036	370
276.0 . . . . .	49	*	*29	*	*	*	*38	*	*	*	*
276.1 . . . . .	301	86	215	*	*	49	227	70	87	92	52
276.2 . . . . .	65	*27	*38	*	*	*36	*	*	*	*31	*
276.5 . . . . .	2,025	730	1,295	298	121	270	1,336	545	443	775	261
276.6 . . . . .	*34	*	*	*	*	*	*	*	*	*	*
276.7 . . . . .	133	49	84	*	*	28	89	*38	*25	53	*16
276.8 . . . . .	130	56	74	*	*17	39	74	40	33	40	*18
277 . . . . .	165	*81	84	*59	*93	*	*	*59	*	*	*
277.0 . . . . .	143	*73	*70	*54	*88	*	—	*55	*	*	*
277.00 . . . . .	141	*73	*68	*52	*88	*	—	*55	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
278 . . . . .	255	41	213	*	128	120	*	56	51	80	68
278.0 . . . . .	230	36	193	*	115	108	*	51	46	69	64
278.00 . . . . .	*14	*	*11	*	*	*	*	*	*	*	*
278.01 . . . . .	216	*33	183	*	109	102	*	49	43	62	61
278.1 . . . . .	*20	*	*	—	*	*	*	*	*	*	*
280–289 . . . . .	1,859	832	1,027	228	513	352	766	512	383	751	212
280 . . . . .	226	67	159	*	25	48	149	64	50	90	*22
280.0 . . . . .	108	*28	79	*	*13	*17	77	39	*22	41	*
280.9 . . . . .	115	38	77	*	*	*31	70	*25	*26	49	*
281 . . . . .	*25	*	*	*	*	*	*	*	*	*	*
282 . . . . .	428	157	271	77	310	*35	*	116	65	223	*25
282.6 . . . . .	407	151	256	67	304	*34	*	108	61	214	*25
282.62 . . . . .	376	133	243	59	282	*33	*	103	57	196	*21
283 . . . . .	39	*27	*	*	*	*	*	*	*	*	*
284 . . . . .	162	86	76	*	*31	*36	64	*33	*	72	*
284.8 . . . . .	135	73	63	*	*	*34	55	*	*	64	*
285 . . . . .	346	150	197	*	30	64	245	95	70	140	42
285.1 . . . . .	63	*22	41	*	*	*	45	*	*19	*34	*
285.2 . . . . .	65	*26	*38	*	*	*	50	*	*	*	*
285.22 . . . . .	*18	*	*	*	*	*	*	*	*	*	*
285.29 . . . . .	*39	*	*	—	*	*	*	*	*	*	*
285.9 . . . . .	206	95	111	*	*16	38	145	52	36	91	*27
286 . . . . .	129	85	44	*	*	*24	93	*	*26	*39	*
286.7 . . . . .	*60	*	*	—	*	*	*	*	*	*	*
286.9 . . . . .	*37	*	*22	—	*	*	*	*	*	*	*
287 . . . . .	151	81	71	*32	*39	*24	*56	*55	*35	*36	*26
287.3 . . . . .	93	*57	*36	*	*	*	*	*	*	*	*
287.5 . . . . .	*28	*	*	*	*	*	*	*	*	*	*
288 . . . . .	289	142	147	50	45	90	104	59	83	100	*47
288.0 . . . . .	256	131	125	44	*39	86	87	57	74	79	*46
288.8 . . . . .	30	*	*20	*	*	*	*	*	*	*	*
289 . . . . .	64	*31	*33	*19	*19	*	*	*21	*	*	*
289.2 . . . . .	*11	*	*	*	*	*	*	—	*	*	*
290–319 . . . . .	17,337	8,557	8,780	1,353	8,835	4,495	2,654	6,055	2,615	7,562	1,105
290 . . . . .	376	133	242	—	*	*	353	105	*61	196	*
290.2 . . . . .	*67	*	*	—	—	*	*67	*	*	*	—
290.3 . . . . .	*71	*	*	—	—	*	*71	*	*	*	*
290.4 . . . . .	207	77	131	—	*	*	191	*42	*	125	*
290.40 . . . . .	93	*	*61	—	*	*	82	*	*	*63	*
290.43 . . . . .	*45	*	*	—	—	*	*44	*	*	*	*
291 . . . . .	648	418	230	—	333	265	*49	161	280	114	92
291.0 . . . . .	117	89	*	—	*48	*59	*	*54	*	*	*
291.8 . . . . .	502	305	196	—	278	192	*31	102	257	73	69
291.81 . . . . .	471	286	184	—	264	176	*31	99	241	64	67
291.89 . . . . .	*31	*	*	—	*15	*	—	*	*	*	*
292 . . . . .	383	220	163	*	223	84	71	154	65	118	46
292.0 . . . . .	221	135	86	*	144	52	*	99	*43	59	*20
292.8 . . . . .	131	70	61	—	67	*28	*36	47	*	48	*
292.81 . . . . .	56	*23	*33	—	*	*	*32	*	*	*	*
292.84 . . . . .	67	*42	*26	—	57	*	*	*33	*	*25	*
293 . . . . .	129	47	82	*	*	*	86	*36	*27	*47	*
293.0 . . . . .	70	*29	*41	*	*	*	56	*	*	*	*
293.8 . . . . .	*55	*	*	—	*	*	*	*	*	*	*
294 . . . . .	282	100	182	*	*	*	236	122	63	67	*29
294.8 . . . . .	261	90	170	—	*	*	222	114	58	*61	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
295 . . . . .	3,693	2,026	1,667	*	1,995	1,414	265	1,727	466	1,344	156
295.3 . . . . .	1,215	842	373	*	612	462	*141	564	106	488	*
295.30 . . . . .	251	196	*55	*	181	*59	*	*	*53	105	*
295.32 . . . . .	322	208	*114	—	157	*111	*	*138	*	161	*
295.34 . . . . .	634	436	198	—	271	289	*	360	*	222	*
295.6 . . . . .	218	120	*99	—	*82	*116	*	*91	*74	*49	*
295.62 . . . . .	*63	*	*	—	*	*	*	*	*	*	*
295.64 . . . . .	*99	*69	*	—	*	*	*	*	*	*	—
295.7 . . . . .	1,769	760	1,009	*	1,008	672	*72	816	225	648	80
295.70 . . . . .	1,186	518	668	*	650	478	*	431	189	510	*56
295.74 . . . . .	553	230	323	*	336	190	*	372	*	128	*
295.9 . . . . .	355	217	138	*	223	111	*	191	*	112	*
295.90 . . . . .	158	85	*73	*	*93	*49	*	*	*	72	*
295.94 . . . . .	129	98	*	—	*77	*	*	111	*	*	*
296 . . . . .	6,925	2,656	4,268	648	3,517	1,707	1,053	1,926	992	3,689	318
296.2 . . . . .	1,595	675	921	130	742	350	373	296	217	1,005	77
296.20 . . . . .	679	290	390	62	325	150	142	129	124	381	*45
296.22 . . . . .	210	73	137	*	84	*53	*	*	*	190	*
296.23 . . . . .	330	140	190	*43	158	*52	*78	*75	*27	220	*
296.24 . . . . .	375	171	204	*	175	94	*90	84	*58	213	*
296.3 . . . . .	2,321	736	1,585	118	1,148	679	375	688	364	1,165	104
296.30 . . . . .	583	153	430	*	294	170	*78	171	94	286	*
296.32 . . . . .	126	*45	80	*	68	*33	*	*	*25	74	*
296.33 . . . . .	885	291	594	*	472	251	128	288	133	418	45
296.34 . . . . .	723	244	479	*	313	225	152	206	110	385	*
296.4 . . . . .	610	268	342	*	311	187	*96	238	84	251	*37
296.40 . . . . .	262	118	143	*	143	*57	*	*72	*	134	*
296.43 . . . . .	*55	*	*	*	*	*	*	*	*	*	*
296.44 . . . . .	275	127	148	*	129	107	*	145	*	82	*
296.5 . . . . .	654	216	437	*38	399	163	*	193	104	325	*
296.50 . . . . .	357	123	235	*	239	79	*	82	*60	203	*
296.53 . . . . .	144	*41	102	*	89	*	*	*41	*	77	*
296.54 . . . . .	137	*48	*89	*	*67	*	*	*68	*	*	*
296.6 . . . . .	714	301	414	180	353	113	*	145	86	463	*
296.60 . . . . .	338	177	162	101	181	*	*	*75	*47	209	*
296.63 . . . . .	103	*39	*65	*	52	*	*	*	*	70	*
296.64 . . . . .	254	80	173	*53	109	*55	*	*	*	177	*
296.7 . . . . .	362	159	203	*55	200	66	*41	134	74	141	*
296.8 . . . . .	369	146	223	*54	219	*77	*	*94	*43	231	*
296.80 . . . . .	135	*67	*67	*	*71	*	*	*	*	97	—
296.89 . . . . .	220	*76	144	*	137	*55	*	*60	*	134	*
296.9 . . . . .	253	146	107	*54	105	67	*	130	*	105	*
296.90 . . . . .	237	141	96	*54	100	66	*	127	*	93	*
297 . . . . .	89	*	*66	—	*	*	*53	*	*	*59	*
297.9 . . . . .	*43	*	*	—	*	*	*	*	*	*	*
298 . . . . .	685	367	318	*	334	158	167	284	102	230	*69
298.9 . . . . .	667	361	306	*	326	157	157	277	97	224	*68
300 . . . . .	402	228	174	*109	112	88	93	108	66	177	51
300.0 . . . . .	116	37	79	*	25	25	54	*28	29	49	*9
300.00 . . . . .	50	*20	30	*	*16	*9	22	*	*17	*17	*
300.01 . . . . .	39	*7	31	*	*	*14	*16	*	*10	*14	*
300.1 . . . . .	*28	*	*18	*	*	*	*	*	*	*	*
300.4 . . . . .	188	129	58	*	41	*26	*	67	*	*92	*
300.9 . . . . .	52	*37	*	*	*24	*	*	*	*	*	*
301 . . . . .	*36	*	*	*	*	*	*	*	*	*	*
303 . . . . .	781	583	197	*	478	238	*61	159	119	431	72
303.0 . . . . .	108	92	*17	—	51	37	*	*	32	31	*34
303.00 . . . . .	66	60	*	—	26	*21	*	*	*18	*21	*
303.01 . . . . .	41	30	*	—	*24	*	*	*	*	*	*
303.9 . . . . .	672	492	181	*	427	202	*41	147	87	399	*38

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
303.90 . . . . .	319	240	79	*	169	113	*35	*	*19	263	*
303.91 . . . . .	342	242	100	*	248	87	*	123	*64	136	*
304 . . . . .	720	506	214	*	586	109	*	115	87	484	*34
304.0 . . . . .	362	281	82	—	291	64	*	72	*	266	*
304.00 . . . . .	86	43	43	—	45	37	*	*	*	77	*
304.01 . . . . .	276	238	38	—	247	*27	*	67	*	190	*
304.2 . . . . .	114	78	*36	—	89	*	*	*	*	79	*
304.20 . . . . .	*70	*	*	—	*52	*	—	*	*	*66	*
304.21 . . . . .	*43	*	*	—	*36	*	*	*	*	*	*
304.3 . . . . .	*57	*42	*	*	*	*	—	*	*	*	—
304.7 . . . . .	49	*25	*	—	46	*	—	*	*	*	*
304.71 . . . . .	*42	*	*	—	*39	*	—	*	*	*	*
304.8 . . . . .	*31	*	*	—	*28	*	*	*	*	*	*
304.9 . . . . .	67	*40	*	—	56	*	*	*	*	63	*
304.90 . . . . .	66	*39	*	—	55	*	*	*	*	62	*
305 . . . . .	267	148	119	*	172	70	*	30	41	150	47
305.0 . . . . .	137	67	70	*	82	36	*	*15	15	80	*27
305.00 . . . . .	102	37	65	*	73	*16	*	*	*12	75	*
305.01 . . . . .	35	*30	*	—	*	*	*	*	*	*	*
305.1 . . . . .	30	13	18	—	17	*13	*	*	*10	*12	*
305.5 . . . . .	*17	*	*	—	*11	*	*	*	*	*	*
305.50 . . . . .	*10	*	*	—	*	*	*	*	*	*	*
305.6 . . . . .	32	27	*	—	*21	*	—	*	*	*	*
305.60 . . . . .	*23	*20	*	—	*	*	—	*	*	*	*
305.9 . . . . .	*43	*	*	*	*34	*	*	*	*	*	*
305.90 . . . . .	*39	*	*	*	*31	*	—	*	*	*	*
307 . . . . .	114	*	*55	*	*93	*	*	*	*	*	*
309 . . . . .	360	181	179	*88	202	47	*	221	66	51	*22
309.0 . . . . .	106	66	41	*	74	*17	*	71	*20	*	*
309.2 . . . . .	50	*	*23	*	*25	*	*	*	*24	*	*
309.28 . . . . .	45	*	*	*	*22	*	*	*	*	*	*
309.4 . . . . .	61	36	*25	*	47	*	*	40	*	*	*
309.8 . . . . .	108	*	68	*	*34	*	—	*72	*	*	*
309.81 . . . . .	107	*	67	*	*34	*	—	*71	*	*	*
309.9 . . . . .	*26	*	*	*	*16	*	*	*	*	*	*
310 . . . . .	*31	*	*	*	*	*	*	*	*	*	*
311 . . . . .	694	382	312	*49	448	149	48	418	84	162	*30
312 . . . . .	371	260	111	146	183	*	*	236	*29	*77	*
312.3 . . . . .	262	190	*73	*	163	*	*	181	*28	*53	*
312.30 . . . . .	174	125	*49	*	130	*	*	133	*	*	*
312.34 . . . . .	*85	*	*	*	*	*	*	*	*	*	*
313 . . . . .	*115	*59	*	*97	*	—	—	*	*	*	*
313.8 . . . . .	*115	*59	*	*97	*	—	—	*	*	*	*
313.81 . . . . .	*115	*59	*	*97	*	—	—	*	*	*	*
314 . . . . .	158	*99	*	*104	*	*	*	*	*	*	—
314.0 . . . . .	156	*98	*	*103	*	*	*	*	*	*	—
314.01 . . . . .	152	*94	*	*99	*	—	*	*	*	*	—
320–389 . . . . .	2,612	1,176	1,436	344	548	638	1,082	644	514	948	505
320 . . . . .	98	*	*49	*44	*	*	*	*	*	*	*
322 . . . . .	52	*	*26	*	*	*	*	*	*	*	*
322.9 . . . . .	*46	*	*22	*	*	*	*	*	*	*	*
324 . . . . .	*68	*	*	*	*	*	*	*	*	*	*
331 . . . . .	486	209	277	*	*	*	442	140	105	173	*68
331.0 . . . . .	371	153	218	—	—	*	368	103	90	142	*
331.3 . . . . .	*49	*	*	*	*	*	*40	*	*	*	*
331.4 . . . . .	52	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
332 . . . . .	90	53	*37	—	*	*	73	*	*	*37	*
332.0 . . . . .	89	53	*36	—	*	*	73	*	*	*37	*
333 . . . . .	121	*	99	*	*	*	*45	*	*	*36	*
335 . . . . .	*34	*28	*	*	*	*	*	*	*	*	*
335.2 . . . . .	*23	*	*	—	*	*	*	*	*	*	*
337 . . . . .	*25	*	*	*	*	*	*	*	*	*	*
340 . . . . .	90	*	69	*	36	50	*	*	49	*	*
343 . . . . .	*24	*	*	*	*	*	*	*	*	*	*
344 . . . . .	*26	*	*	*	*	*	*	*	*	*	*
345 . . . . .	300	115	185	65	75	112	*48	63	59	86	92
345.1 . . . . .	*25	*16	*	*	*	*	*	*	*	*	*
345.10 . . . . .	*21	*	*	*	*	*	*	*	*	*	*
345.3 . . . . .	154	*44	110	*16	*	*	*	*	*	*	*
345.5 . . . . .	*30	*	*20	*	*	*	*	*	*	*	*
345.50 . . . . .	*18	*	*	*	*	*	*	*	*	*	*
345.9 . . . . .	47	*24	*23	*	*	*	*	*	*	*	*
345.90 . . . . .	33	*	*	*	*	*	*	*	*	*	*
346 . . . . .	138	*25	113	*	72	55	*	28	47	49	*
346.8 . . . . .	*25	*	*21	*	*19	*	*	*	*	*	*
346.80 . . . . .	*20	*	*17	*	*	*	*	*	*	*	*
346.9 . . . . .	78	*	63	*	38	34	*	*13	*23	33	*
346.90 . . . . .	55	*	41	*	23	*25	*	*10	*	*22	*
346.91 . . . . .	*24	*	*22	*	*	*	—	*	*	*	*
348 . . . . .	199	115	84	*34	*61	*36	68	*40	*27	82	*50
348.1 . . . . .	*40	*	*	*	*	*	*	*	*	*	*
348.3 . . . . .	74	*	*34	*	*	*	*38	*	*	*	*
349 . . . . .	44	*	*26	*	*	*	*	*	*	*	*
354 . . . . .	*27	*	*	—	*	*	*	*	*	*	*
355 . . . . .	*25	*	*	*	*	*	*	*	*	*	*
356 . . . . .	*39	*	*	—	*	*	*	*	*	*	*
357 . . . . .	*104	*93	*	*	*	*	*	*	*	*	*
357.0 . . . . .	*91	*	*	*	*	*	*	*	*	*	*
358 . . . . .	*101	*	*	*	*	*	*	*	*	*	*
358.0 . . . . .	*101	*	*	*	*	*	*	*	*	*	*
376 . . . . .	36	*	*19	*	*	*	*	*	*	*	*
376.0 . . . . .	35	*	*	*	*	*	*	*	*	*	*
376.01 . . . . .	*31	*	*	*	*	*	*	*	*	*	*
380 . . . . .	*13	*	*	*	*	*	*	*	*	*	*
380.1 . . . . .	*11	*	*	*	*	*	*	*	*	*	*
382 . . . . .	38	*18	*20	31	*	*	*	*	*	*19	*
382.9 . . . . .	34	*17	*17	30	*	*	*	*	*	*18	*
386 . . . . .	111	33	78	*	*	22	66	*27	29	43	*
386.1 . . . . .	46	*16	30	*	*	*	32	*	*17	*15	*
386.11 . . . . .	28	*	*19	—	*	*	*21	*	*	*	*
386.12 . . . . .	*15	*	*	*	*	*	*	*	*	*	*
386.3 . . . . .	58	*17	42	*	*	*	29	*	*	*26	*
386.30 . . . . .	49	*11	38	*	*	*	25	*	*	*25	*
390–459 . . . . .	29,318	14,132	15,185	163	1,561	7,628	19,965	7,652	6,390	11,298	3,977
394 . . . . .	*45	*	*	*	*	*	*	*	*	*	*
396 . . . . .	146	*66	*80	—	*	*	120	*	*	*41	*
396.3 . . . . .	*48	*	*	—	*	*	*	*	*	*	*
398 . . . . .	155	51	104	*	*	*	118	65	*	*41	*
398.9 . . . . .	155	51	104	*	*	*	118	65	*	*41	*
398.91 . . . . .	146	51	95	*	*	*	109	56	*	*41	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
401 . . . . .	736	263	473	*	86	312	337	217	133	309	76
401.0 . . . . .	89	35	55	*	*15	34	40	*33	*25	27	*
401.9 . . . . .	640	226	414	*	71	273	296	181	108	278	73
402 . . . . .	367	174	193	—	*	88	269	121	67	135	44
402.9 . . . . .	350	163	187	—	*	79	264	118	64	125	44
402.90 . . . . .	32	*13	*19	—	*	*20	*10	*	*	*19	*
402.91 . . . . .	319	150	168	—	*	58	254	111	60	105	*42
403 . . . . .	510	227	283	*	84	185	239	91	109	244	67
403.0 . . . . .	*26	*	*	*	*	*	*	*	*	*	*
403.9 . . . . .	463	213	250	*	75	171	215	74	94	229	66
403.91 . . . . .	437	208	228	*	73	163	199	73	88	211	64
404 . . . . .	197	89	108	—	*	*72	112	*	*35	105	*29
404.9 . . . . .	172	73	98	—	*	*68	98	*	*30	90	*24
404.93 . . . . .	145	*60	85	—	*	*59	82	*	*	*76	*
410 . . . . .	4,595	2,378	2,217	*	202	1,274	3,116	1,250	1,008	1,683	655
410.0 . . . . .	122	62	61	—	*	*36	71	*	*29	*52	*
410.01 . . . . .	122	61	61	—	*	*36	70	*	*29	*52	*
410.1 . . . . .	505	258	247	—	*28	169	308	164	122	150	69
410.11 . . . . .	486	256	230	—	*28	169	290	162	108	148	69
410.2 . . . . .	100	60	*40	—	*	*38	*56	*	*	*47	*
410.21 . . . . .	100	60	*40	—	*	*38	*56	*	*	*47	*
410.3 . . . . .	66	43	*	—	*	*31	*33	*	*	*	*
410.31 . . . . .	66	43	*	—	*	*31	*33	*	*	*	*
410.4 . . . . .	592	360	232	—	29	255	308	130	147	230	85
410.41 . . . . .	591	359	231	—	28	255	307	130	146	230	85
410.5 . . . . .	64	*40	*25	—	*	*23	*39	*	*27	*	*
410.51 . . . . .	64	*40	*25	—	*	*23	*39	*	*27	*	*
410.6 . . . . .	*24	*	*	—	*	*	*	*	*	*	*
410.61 . . . . .	*24	*	*	—	*	*	*	*	*	*	*
410.7 . . . . .	2,373	1,137	1,236	*	95	528	1,747	678	478	844	372
410.71 . . . . .	2,353	1,123	1,230	*	95	528	1,728	671	474	837	370
410.8 . . . . .	127	*96	*	—	*	*	*84	*	*	*	*
410.81 . . . . .	124	*94	*	—	*	*	*83	*	*	*	*
410.9 . . . . .	623	303	319	—	*16	152	454	165	123	257	77
410.91 . . . . .	610	293	317	—	*16	151	444	164	119	251	76
411 . . . . .	326	143	182	—	22	123	181	104	62	115	45
411.1 . . . . .	276	126	150	—	*19	114	143	94	56	87	39
411.8 . . . . .	46	*15	*31	—	*	*	*37	*	*	*28	*
411.89 . . . . .	28	*12	*	—	*	*	*20	*	*	*	*
412 . . . . .	*20	*	*	—	*	*	*	*	*	*	*
413 . . . . .	166	53	113	—	*15	49	102	43	39	59	24
413.9 . . . . .	162	53	109	—	*15	49	99	41	39	57	24
414 . . . . .	3,874	2,417	1,456	*	117	1,416	2,339	949	916	1,520	489
414.0 . . . . .	3,803	2,372	1,430	*	111	1,389	2,300	928	904	1,486	484
414.00 . . . . .	521	309	212	—	*17	161	343	118	104	259	40
414.01 . . . . .	3,123	1,959	1,164	*	90	1,159	1,872	764	766	1,174	418
414.02 . . . . .	114	80	*34	—	*	52	62	*34	29	*27	*24
414.04 . . . . .	*22	*	*	—	*	*	*	*	*	*	*
414.05 . . . . .	22	*13	*9	—	*	*	*	*	*	*13	*
414.8 . . . . .	49	*32	*	—	*	*	*28	*	*	*	*
414.9 . . . . .	20	*12	*	—	*	*	*	*	*	*	*
415 . . . . .	699	269	430	*	97	208	389	143	174	272	110
415.1 . . . . .	679	261	418	*	96	197	382	138	162	270	108
415.11 . . . . .	*69	*	*56	—	*	*	*	*	*	*	*
415.19 . . . . .	610	248	362	*	83	188	334	131	146	228	104
416 . . . . .	69	*26	*43	*	*	*	*25	*	*	*	*
416.8 . . . . .	*31	*	*	*	*	*	*	*	*	*	*
420 . . . . .	33	*	*	*	*	*	*	*	*	*	*

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
420.9 . . . . .	33	*	*	*	*	*	*	*	*	*	*
420.90 . . . . .	*20	*	*	*	*	*	*	*	*	*	*
421 . . . . .	143	*90	*53	*	*	*	*55	*	*	*64	*
421.0 . . . . .	130	*83	*	*	*	*	*	*	*	*59	*
423 . . . . .	82	*52	*30	*	*	*	*	*	*	*	*
423.9 . . . . .	*37	*	*	*	*	*	*	*	*	*	*
424 . . . . .	541	273	268	*	37	122	380	154	97	177	113
424.0 . . . . .	213	104	109	*	25	54	133	61	*31	84	*37
424.1 . . . . .	318	163	155	*	*	66	242	88	63	91	*76
425 . . . . .	170	99	72	*	*43	54	71	*50	*20	80	*20
425.4 . . . . .	136	72	63	*	*34	35	64	*29	*18	69	*19
426 . . . . .	251	154	98	*	*11	69	168	47	94	75	36
426.0 . . . . .	158	104	53	*	*	*	98	*26	*69	45	*
426.1 . . . . .	50	*29	*21	*	*	*	*41	*	*	*	*
426.13 . . . . .	*26	*	*	—	*	*	*	*	*	*	*
427 . . . . .	2,623	1,209	1,414	*27	109	495	1,992	828	550	917	328
427.0 . . . . .	94	26	68	*	*	*17	68	*26	*	46	*
427.1 . . . . .	206	128	78	*	*	61	132	63	44	59	*41
427.3 . . . . .	1,524	692	832	*	44	261	1,206	530	337	496	161
427.31 . . . . .	1,419	615	803	*	41	232	1,134	502	316	449	151
427.32 . . . . .	105	77	*29	*	*	29	72	*28	*20	48	*
427.4 . . . . .	*65	*	*	—	*	*	*37	*	*	*	*
427.41 . . . . .	*64	*	*	—	*	*	*	*	*	*	*
427.5 . . . . .	*47	*	*	*	*	*	*	*	*	*	*
427.6 . . . . .	35	*13	*22	*	*	*	*17	*	*	*9	*
427.69 . . . . .	23	*11	*	*	*	*	*12	*	*	*	*
427.8 . . . . .	625	262	363	*	36	98	482	160	135	250	81
427.81 . . . . .	288	131	156	—	*	*23	259	77	46	130	36
427.89 . . . . .	337	130	207	*	30	75	223	84	89	120	45
427.9 . . . . .	27	*	*14	*	*	*	*22	*	*	*	*
428 . . . . .	5,441	2,378	3,063	*	155	1,027	4,223	1,501	1,285	2,058	596
428.0 . . . . .	5,416	2,369	3,048	*	155	1,020	4,205	1,492	1,283	2,046	595
429 . . . . .	41	*20	*22	*	*	*	*22	*	*	*18	*
430 . . . . .	198	*57	140	*	*	87	*60	*	*	*79	*
431 . . . . .	383	184	199	*	*	126	233	125	68	122	69
432 . . . . .	169	94	75	*	*	*38	105	*	*	71	*35
432.1 . . . . .	158	87	*71	*	*	*	102	*	*	*68	*
433 . . . . .	618	341	277	*	*	151	452	134	130	273	81
433.1 . . . . .	433	229	204	*	*	97	327	105	92	180	56
433.10 . . . . .	289	156	133	—	*	59	227	75	70	105	38
433.11 . . . . .	144	73	*72	*	*	*	99	*29	*	*75	*
433.3 . . . . .	150	86	64	—	*	*44	106	*27	*28	77	*
433.30 . . . . .	82	48	34	—	*	*19	62	*	*17	37	*
433.31 . . . . .	*69	*	*	—	—	*	*44	*	*	*	*
434 . . . . .	1,759	754	1,005	*	64	376	1,311	490	293	712	263
434.0 . . . . .	81	*32	49	*	*	*	54	*	*	*	*
434.01 . . . . .	64	*	*39	*	*	*	*43	*	*	*	*
434.1 . . . . .	296	141	154	*	*	*59	227	120	*57	77	*
434.11 . . . . .	281	134	147	*	*	*57	214	112	*55	*73	*
434.9 . . . . .	1,382	581	801	*	56	293	1,029	350	220	604	208
434.90 . . . . .	*44	*	*	*	*	*	*	*	*	*	*
434.91 . . . . .	1,338	564	774	*	*50	289	995	348	219	572	199
435 . . . . .	693	261	432	—	*18	112	563	192	146	271	84
435.3 . . . . .	28	*	*14	—	*	*	*24	*	*	*	*
435.8 . . . . .	*21	*	*15	—	*	*	*17	*	*	*	*
435.9 . . . . .	633	236	397	—	*17	102	514	181	125	251	75
436 . . . . .	773	259	515	—	*	128	634	101	206	315	151

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
437 . . . . .	137	*30	107	*	*	*36	89	*42	*27	57	*
437.2 . . . . .	*28	*	*	—	*	*	*	*	*	*	*
437.3 . . . . .	*43	*	*35	*	*	*	*	*	*	*	*
438 . . . . .	92	*35	56	*	*	*	73	*	*26	*42	*
438.2 . . . . .	*26	*	*	*	*	*	*	*	*	*	*
438.8 . . . . .	*50	*	*29	*	*	*	*42	*	*	*	*
438.89 . . . . .	*43	*	*	*	*	*	*35	*	*	*	*
440 . . . . .	753	382	371	—	*	175	563	142	174	321	116
440.1 . . . . .	18	*	*11	—	*	*	*10	*	*	*10	*
440.2 . . . . .	677	340	337	—	*	152	513	133	154	290	100
440.20 . . . . .	53	*	*	—	*	*	*41	*	*	*	*
440.21 . . . . .	88	57	*31	—	*	45	42	*	*	40	*24
440.22 . . . . .	62	*	*47	—	*	*	*42	*	*	*	*
440.23 . . . . .	134	*67	*67	—	*	*	106	*	*35	*	*
440.24 . . . . .	332	165	167	—	*	*	275	*62	*72	157	*
440.3 . . . . .	*37	*	*	—	*	*	*	*	*	*	*
441 . . . . .	480	340	140	*	*	101	365	98	111	196	75
441.0 . . . . .	76	*60	*	—	*	*	*	*	*	*	*
441.01 . . . . .	*48	*	*	—	*	*	*	*	*	*	*
441.3 . . . . .	*52	*47	*	—	—	*	*43	*	*	*	*
441.4 . . . . .	312	221	*92	*	*	*49	257	*70	*64	142	*36
442 . . . . .	*56	*49	*	—	*	*	*	*	*	*	*
443 . . . . .	135	81	54	*	*	*24	102	*	*32	69	*
443.9 . . . . .	112	70	*42	—	*	*	90	*	*31	63	*
444 . . . . .	264	93	170	*	*	101	146	*44	55	125	*40
444.2 . . . . .	200	61	138	*	*	*60	123	*34	*40	91	*34
444.22 . . . . .	181	58	123	*	*	*56	109	*	*	90	*
446 . . . . .	80	*33	*48	*	*	*	*36	*	*	*28	*
447 . . . . .	113	*52	61	*	*	*45	49	*	*	*33	*
447.1 . . . . .	45	*20	*25	*	*	*	*31	*	*	*	*
451 . . . . .	92	47	45	*	*	*40	44	*	*	*37	*
451.1 . . . . .	*39	*	*	*	*	*	*	*	*	*	*
453 . . . . .	702	300	402	*	109	192	401	152	173	287	90
453.8 . . . . .	650	271	380	*	104	186	360	137	170	259	84
454 . . . . .	*28	*	*	—	*	*	*	*	*	*	*
455 . . . . .	83	32	51	—	*16	*26	40	33	*	27	*
455.2 . . . . .	47	*18	29	—	*	*	25	*23	*	*12	*
455.8 . . . . .	*10	*	*	—	*	*	*	*	*	*	*
458 . . . . .	265	118	147	*	*	45	205	53	55	114	43
458.0 . . . . .	141	64	77	*	*	*22	108	31	30	50	*30
458.8 . . . . .	*21	*	*	*	*	*	*	*	*	*	*
458.9 . . . . .	97	42	54	*	*	*19	74	*17	*19	51	*
459 . . . . .	107	*45	62	*	*	*23	64	*	*22	46	*
459.8 . . . . .	59	*24	*34	—	*	*	*38	*	*	*30	*
459.81 . . . . .	51	*	*29	—	*	*	*32	*	*	*	*
460–519 . . . . .	18,192	8,363	9,829	2,311	1,734	3,520	10,627	4,353	3,996	6,881	2,962
461 . . . . .	*31	*	*22	*	*	*	*	*	*	*	*
462 . . . . .	*17	*	*	*	*	*	*	*	*	*	*
463 . . . . .	21	*	*11	*	*9	—	*	*	*	*	*
464 . . . . .	62	36	26	44	*	*	*	*18	*12	*17	15
464.4 . . . . .	36	25	*11	35	—	—	*	*8	*	*9	12
465 . . . . .	95	49	46	53	*	*	*23	*17	*21	37	*20
465.9 . . . . .	93	49	44	52	*	*	*23	*17	*20	36	*20
466 . . . . .	927	482	446	658	52	80	137	155	193	370	209
466.0 . . . . .	280	91	189	*14	51	78	136	57	67	130	*26

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
466.1 . . . . .	647	391	256	644	*	*	*	99	127	240	183
466.11 . . . . .	407	247	160	406	*	*	*	53	75	165	114
466.19 . . . . .	240	145	96	238	*	*	*	45	52	75	68
473 . . . . .	51	*23	*28	*	*21	*	*	*	*	*27	*
473.9 . . . . .	22	*14	*	*	*	*	*	*	*	*	*
474 . . . . .	30	18	*13	24	*	*	*	*	*	*10	*7
474.0 . . . . .	*10	*	*	*	*	*	*	*	*	*	*
474.1 . . . . .	20	*11	*	18	*	*	—	*	*	*	*
474.10 . . . . .	*15	*9	*	*15	*	—	—	*	*	*	*
475 . . . . .	31	*12	19	*	26	*	*	*	*11	*	*
478 . . . . .	74	40	*34	*25	*17	*	*	*	*	*17	*24
478.2 . . . . .	*27	*19	*	*	*	*	*	*	*	*	*
480 . . . . .	182	76	106	105	*	*	*44	*	40	101	*27
480.1 . . . . .	74	40	*35	72	—	*	*	*	*	*42	*
480.9 . . . . .	81	*33	47	*30	*	*	*	*	*28	*	*
481 . . . . .	244	100	144	*	*26	56	128	*	64	108	*29
482 . . . . .	1,093	566	527	68	144	134	747	182	282	455	175
482.0 . . . . .	*34	*	*	*	*	*	*	*	*	*	*
482.1 . . . . .	357	217	141	*	*83	*	223	*56	77	170	*54
482.2 . . . . .	66	*35	*32	*	*	*	*45	*	*	*	*
482.3 . . . . .	*46	*	*	*	*	*	*	*	*	*	*
482.4 . . . . .	340	152	188	*	*	*	253	*	*79	140	*57
482.41 . . . . .	322	145	177	*	*	*	246	*	*74	133	*55
482.8 . . . . .	180	99	81	*	*	*33	131	*	58	80	*
482.83 . . . . .	136	75	*61	*	*	*24	98	*	51	*65	*
482.9 . . . . .	69	37	*33	*	*	*	51	*	*	*	*19
483 . . . . .	*39	*	*27	*	*	*	*	*	*	*	*
483.0 . . . . .	*37	*	*	*	*	*	*	*	*	*	*
485 . . . . .	98	51	*48	*29	*	*	*47	*	*31	*38	*
486 . . . . .	5,755	2,713	3,041	451	436	947	3,921	1,432	1,307	2,188	828
487 . . . . .	50	*27	*23	*17	*	*	*	*	*	*15	*
487.0 . . . . .	*19	*	*	*	*	*	*	*	*	*	*
487.1 . . . . .	*29	*	*	*	*	*	*	*	*	*	*
490 . . . . .	71	38	33	*	*	*	35	*	*17	37	*
491 . . . . .	2,641	1,099	1,542	*	75	670	1,890	723	645	980	293
491.2 . . . . .	2,618	1,093	1,525	*	69	668	1,877	723	628	974	293
491.20 . . . . .	163	56	107	*	*	62	91	*54	*	85	*
491.21 . . . . .	2,455	1,036	1,418	*	62	606	1,786	668	615	889	282
492 . . . . .	96	54	*43	—	*	*27	65	*	*34	*37	*
492.8 . . . . .	86	*47	*39	—	*	*	64	*	*32	*	*
493 . . . . .	1,469	495	974	420	313	341	396	350	313	549	257
493.0 . . . . .	102	53	49	72	*15	*	*	*20	*	*22	51
493.00 . . . . .	*17	*	*	*	*	*	*	*	*	*	*
493.01 . . . . .	34	*17	*	22	*	*	*	*	*	*	*13
493.02 . . . . .	51	30	21	42	*	*	*	*	*	*	29
493.2 . . . . .	328	88	240	*	*25	118	183	84	67	132	45
493.20 . . . . .	97	*35	62	*	*	*26	63	*32	*	*43	*
493.21 . . . . .	*45	*	*37	*	*	*	*	*	*	*	*
493.22 . . . . .	186	45	141	*	*	73	98	*42	56	63	*25
493.9 . . . . .	1,026	344	682	335	272	216	203	244	237	393	151
493.90 . . . . .	271	89	182	84	45	63	79	49	50	140	32
493.91 . . . . .	236	84	152	100	78	44	*	51	74	88	*23
493.92 . . . . .	519	171	348	152	148	109	109	144	113	166	97
494 . . . . .	*49	*	*37	*	*	*	*33	*	*	*	*
496 . . . . .	390	173	217	—	*	104	282	81	96	172	41
507 . . . . .	1,456	721	735	*81	102	151	1,123	380	274	521	282

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
507.0 . . . . .	1,444	709	735	*78	*102	143	1,120	376	271	516	280
510 . . . . .	119	*86	*	*	*	*	*	*	*	*	*
510.9 . . . . .	110	*77	*	*	*	*	*	*	*	*	*
511 . . . . .	350	170	181	*	*47	105	193	61	91	142	57
511.0 . . . . .	*25	*	*	*	*	*	*	*	*	*	*
511.8 . . . . .	*61	*38	*	*	*	*	*	*	*	*	*
511.9 . . . . .	254	109	144	*	*	74	144	*34	75	110	*34
512 . . . . .	201	134	67	*	83	*53	61	*48	*36	90	*28
512.1 . . . . .	*28	*	*	*	*	*	*	*	*	*	*
512.8 . . . . .	158	115	*43	*	76	*	*	*	*25	75	*
513 . . . . .	*60	*	*	*	*	*	*	*	*	*	*
513.0 . . . . .	*59	*	*	*	*	*	*	*	*	*	*
514 . . . . .	*29	*	*	—	*	*	*	*	*	*23	*
515 . . . . .	143	72	71	*	*	*	99	*36	*33	*31	*
516 . . . . .	106	*56	*50	*	*	*	*	*	*	*	*
516.8 . . . . .	*80	*	*	*	*	*	*	*	*	*	*
518 . . . . .	2,037	854	1,183	175	161	549	1,152	573	309	700	454
518.0 . . . . .	35	*13	*	*	*	*	*	*	*	*23	*
518.3 . . . . .	*29	*	*	—	*	*	*	*	*	*	*
518.4 . . . . .	*29	*	*	*	*	*	*19	*	*	*	*
518.5 . . . . .	*100	*	*	*	*	*	*	*	*	*	*
518.8 . . . . .	1,835	760	1,075	163	144	469	1,059	518	274	634	408
518.81 . . . . .	1,512	636	877	*128	130	371	883	450	224	501	338
518.82 . . . . .	103	*37	66	*26	*	*	*44	*	*	*	*30
518.84 . . . . .	173	*66	107	*	*	*57	114	*	*	*72	*
518.89 . . . . .	*34	*	*	*	*	*	*	*	*	*	*
519 . . . . .	136	81	55	*28	*23	*29	*56	*34	*35	*48	*
519.0 . . . . .	*60	*	*	*	*	*	*	*	*	*	*
519.1 . . . . .	44	*25	*19	*	*	*	*	*	*	*	*
519.8 . . . . .	*23	*	*	*	*	*	*	*	*	*	*
520–579 . . . . .	15,496	6,883	8,613	702	3,110	4,421	7,264	3,776	3,168	5,899	2,654
522 . . . . .	*22	*	*	*	*	*	*	*	*	*	*
524 . . . . .	21	*7	*14	*	*12	*	*	*	*	*10	*
527 . . . . .	37	*	*23	*	*	*	*	*	*	*	*
527.2 . . . . .	*24	*	*	*	*	*	*	*	*	*	*
528 . . . . .	*33	*20	*	*	*	*	*	*	*	*	*
530 . . . . .	719	314	405	104	138	185	291	157	149	280	133
530.1 . . . . .	134	60	74	*	33	41	56	*41	*22	56	*16
530.10 . . . . .	40	*10	*29	*	*13	*	*	*	*	*25	*
530.11 . . . . .	35	*	*22	*	*	*	*	*	*	*	*
530.19 . . . . .	59	*36	*23	*	*	*	*	*	*	*	*
530.2 . . . . .	65	34	*32	*	*	*17	*35	*	*	*36	*
530.3 . . . . .	45	*17	*28	*	*	*	*28	*	*	*	*
530.5 . . . . .	*24	*	*19	*	*	*	*	*	*	*	*
530.7 . . . . .	47	*23	*	*	*	*	*29	*	*	*25	*
530.8 . . . . .	363	158	205	97	72	90	104	71	85	131	77
530.81 . . . . .	345	147	198	97	71	86	91	67	81	126	72
531 . . . . .	458	228	231	*	32	134	291	103	111	150	95
531.0 . . . . .	93	*53	*40	*	*	*	49	*	*32	*	*43
531.00 . . . . .	92	*53	*39	*	*	*	*48	*	*32	*	*42
531.4 . . . . .	247	113	135	—	*	71	166	66	56	90	36
531.40 . . . . .	247	112	135	—	*	71	165	66	56	89	35
531.9 . . . . .	54	*23	*31	*	*	*	*35	*	*	*23	*
531.90 . . . . .	50	*22	*28	*	*	*	*32	*	*	*	*
532 . . . . .	505	277	228	*	37	116	352	137	89	141	138
532.0 . . . . .	115	*62	*52	—	*	*	*86	*	*28	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
532.00 . . . . .	110	*57	*52	—	*	*	*85	*	*24	*	*
532.4 . . . . .	216	144	73	—	*	51	155	*44	*30	53	89
532.40 . . . . .	208	137	71	—	*	49	150	*43	*25	53	87
532.9 . . . . .	45	*	*37	*	*	*	*	*	*	*26	*
532.90 . . . . .	*25	*	*21	*	*	*	*	*	*	*	*
533 . . . . .	61	*19	*41	—	*	*	*41	*	*	*21	*
533.4 . . . . .	*22	*	*	—	*	*	*	*	*	*	*
533.9 . . . . .	*21	*	*	—	*	*	*	*	*	*	*
533.90 . . . . .	*17	*	*	—	*	*	*	*	*	*	*
535 . . . . .	578	228	350	*13	101	152	313	117	94	288	79
535.0 . . . . .	119	46	73	*	*17	44	54	*27	*21	56	*
535.00 . . . . .	90	*33	57	*	*14	35	37	*23	*17	44	*
535.01 . . . . .	*30	*	*	—	*	*	*	*	*	*	*
535.1 . . . . .	60	*26	34	*	*	*	37	*	*	*29	*
535.10 . . . . .	*29	*	*15	*	*	*	*	*	*	*19	*
535.11 . . . . .	*30	*	*	*	*	*	*	*	*	*	*
535.3 . . . . .	*22	*	*	—	*	*	*	*	*	*	*
535.4 . . . . .	174	66	108	*	*27	*23	121	*28	*30	91	*25
535.40 . . . . .	73	*18	55	*	*19	*	*37	*	*	*35	*
535.41 . . . . .	101	48	53	*	*	*	84	*	*	56	*15
535.5 . . . . .	177	60	117	*	35	50	91	36	28	90	*23
535.50 . . . . .	118	32	86	*	28	29	59	*23	*22	63	*
535.51 . . . . .	59	*28	*31	*	*	*	*32	*	*	*26	*
535.6 . . . . .	*26	*	*	*	*	*	*	*	*	*	*
536 . . . . .	259	88	171	*26	45	45	143	*45	58	118	38
536.2 . . . . .	63	*	41	*	*19	*	*	*	*	28	*
536.4 . . . . .	126	*41	*85	*	*	*	94	*	*	*55	*
536.42 . . . . .	*58	*	*	*	*	*	*	*	*	*	*
536.8 . . . . .	38	*10	*28	*	*	*7	*17	*	*	*	*
537 . . . . .	109	*49	60	*	*	*	74	*30	*	*40	*
537.0 . . . . .	*36	*	*	*	*	*	*	*	*	*	*
537.8 . . . . .	46	*	*32	*	*	*	39	*	*	*19	*
537.83 . . . . .	39	*	*27	—	*	*	36	*	*	*	*
540 . . . . .	831	523	308	187	368	175	100	177	193	269	192
540.0 . . . . .	224	144	80	63	74	67	*	47	48	70	59
540.1 . . . . .	194	130	64	*41	78	*43	*	*40	*41	71	*42
540.9 . . . . .	413	249	164	84	216	65	*47	90	104	128	91
541 . . . . .	41	*24	*17	*	*20	*	*	*	*	*27	*
550 . . . . .	139	114	*25	*	*15	*17	96	43	29	50	*17
550.1 . . . . .	61	44	*	*	*	*	*40	*29	*	*15	*
550.10 . . . . .	48	33	*	*	*	*	*32	*	*	*	*
550.9 . . . . .	72	66	*	*	*	*	50	*	*13	35	*12
550.90 . . . . .	55	51	*	*	*	*	43	*	*	31	*
552 . . . . .	299	84	214	*	41	79	179	94	67	91	47
552.1 . . . . .	40	*	*32	*	*	*	*	*	*	*	*
552.2 . . . . .	213	59	154	—	*31	57	125	60	43	68	*43
552.20 . . . . .	*40	*	*	—	*	*	*	*	*	*	*
552.21 . . . . .	155	*31	125	—	*26	46	82	*34	*28	*59	*35
553 . . . . .	279	99	179	*	41	124	111	59	55	123	40
553.2 . . . . .	174	68	106	*	27	85	61	37	39	75	*23
553.20 . . . . .	*27	*	*20	*	*	*16	*	*	*	*	*
553.21 . . . . .	142	59	83	*	22	68	52	35	32	58	*18
553.3 . . . . .	90	26	64	—	*11	34	*45	*18	*	44	*
555 . . . . .	240	114	126	*	127	79	*22	70	*43	94	*33
555.0 . . . . .	78	*50	*28	*	*34	*39	*	*	*	*42	*
555.1 . . . . .	*45	*	*31	*	*	*	*	*	*	*	*
555.2 . . . . .	*30	*	*	*	*	*	*	*	*	*	*
555.9 . . . . .	87	*37	49	*	54	*	*	*38	*	*22	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
556 . . . . .	217	77	140	*	81	*43	*81	*102	*	*29	*57
556.9 . . . . .	79	*	*61	*	*24	*	*	*	*	*	*
557 . . . . .	352	155	197	*	*	104	208	119	77	126	*30
557.0 . . . . .	177	*67	110	*	*	*	116	*62	*43	*51	*
557.9 . . . . .	152	*83	69	—	*	*70	80	*50	*	*68	*
558 . . . . .	497	184	313	110	102	90	195	108	96	228	64
558.9 . . . . .	472	175	297	106	101	78	188	102	93	218	59
560 . . . . .	1,926	871	1,055	51	260	425	1,190	431	443	742	309
560.1 . . . . .	257	104	153	*	39	55	160	64	50	103	*39
560.2 . . . . .	113	*	*55	*	*	*	*81	*	*	*	*
560.3 . . . . .	158	45	113	*	*	*	116	*50	*	76	*
560.39 . . . . .	140	42	98	*	*	*	104	*49	*	66	*
560.8 . . . . .	873	399	474	*	164	206	482	162	204	343	164
560.81 . . . . .	717	323	394	*	122	173	404	138	151	304	124
560.89 . . . . .	156	76	80	*	*	*33	79	*	*53	*	*40
560.9 . . . . .	510	257	253	*	36	116	350	125	134	173	78
562 . . . . .	1,456	550	906	—	179	414	864	411	363	511	171
562.1 . . . . .	1,443	549	895	—	178	408	857	411	357	509	167
562.10 . . . . .	200	59	141	—	*	48	123	*40	*33	115	*
562.11 . . . . .	883	331	553	—	144	325	414	289	231	258	106
562.12 . . . . .	277	121	156	—	*	*28	247	71	64	109	34
562.13 . . . . .	83	*37	46	—	*	*	72	*	*30	*27	*
564 . . . . .	227	85	142	*21	59	52	95	44	42	102	39
564.0 . . . . .	110	41	69	*19	*16	*16	58	*21	25	43	*21
564.1 . . . . .	58	*14	44	*	*22	*21	*	*	*	*22	*
566 . . . . .	59	47	*	*	*27	*20	*	*	*	*22	*
567 . . . . .	114	*57	*57	*	*	*48	*	*	*	*47	*
567.2 . . . . .	89	*39	*50	*	*	*42	*	*	*	*37	*
568 . . . . .	76	*	65	*	*38	*	*	*	*	*40	*
568.0 . . . . .	47	*	38	*	*19	*	*	*	*	*	*
568.8 . . . . .	*29	*	*	*	*	*	*	*	*	*	*
569 . . . . .	509	226	283	*	52	152	284	119	111	172	107
569.1 . . . . .	*30	*	*	*	*	*	*	*	*	*	*
569.3 . . . . .	52	28	*24	*	*	*	*32	*	*	*23	*
569.4 . . . . .	43	*15	*28	*	*	*	*30	*	*	*	*
569.6 . . . . .	97	*38	*59	*	*	*39	*	*	*	*	*
569.69 . . . . .	61	*	*40	*	*	*	*	*	*	*	*
569.8 . . . . .	253	119	133	*	*	*62	165	67	*61	79	*46
569.82 . . . . .	*26	*	*	—	*	*	*	*	*	*	*
569.83 . . . . .	*77	*	*	*	*	*	*	*	*	*	*
569.85 . . . . .	68	*24	44	*	—	*	57	*	*	*27	*
569.89 . . . . .	*27	*	*	*	*	*	*	*	*	*	*
570 . . . . .	*36	*	*	*	*	*	*	*	*	*	*
571 . . . . .	636	361	275	*	157	319	150	142	121	257	115
571.1 . . . . .	62	*43	*	—	*28	*	*	*	*	*	*
571.2 . . . . .	318	226	91	*	90	185	*42	*74	70	111	*62
571.5 . . . . .	217	83	134	*	*	84	97	*40	*29	118	*
572 . . . . .	292	135	157	*	*	152	105	82	*50	124	*
572.2 . . . . .	177	86	91	—	*	94	75	*45	*36	70	*
573 . . . . .	45	*	*26	*	*	*	*	*	*	*24	*
573.3 . . . . .	*25	*	*	*	*	*	*	*	*	*	*
574 . . . . .	1,429	501	928	*	325	385	714	319	275	570	265
574.0 . . . . .	533	218	315	*	104	155	273	118	98	242	74
574.00 . . . . .	497	207	290	*	94	143	259	102	97	228	71
574.01 . . . . .	*36	*	*	—	*	*	*	*	*	*	*
574.1 . . . . .	422	114	308	*	119	109	192	111	72	156	83
574.10 . . . . .	408	108	300	*	116	107	184	109	69	153	77

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
574.2 . . . . .	131	54	77	*	*12	41	75	*22	48	54	*
574.20 . . . . .	126	52	74	*	*12	40	72	*20	48	51	*
574.5 . . . . .	109	*33	76	—	*23	*	61	*33	*	42	*
574.50 . . . . .	68	*23	44	—	*	*	45	*18	*	*30	*
574.51 . . . . .	*42	*	*32	—	*	*	*	*	*	*	*
574.6 . . . . .	*44	*	*	—	*	*	*	*	*	*	*
574.7 . . . . .	74	*	50	*	*23	*	*44	*	*	*	*22
574.70 . . . . .	45	*	*36	—	*	*	*27	*	*	*	*
574.71 . . . . .	*30	*	*	*	*	*	*	*	*	*	*
574.8 . . . . .	54	*	*40	—	*	*	*	*	*	*	*
574.80 . . . . .	*36	*	*	—	*	*	*	*	*	*	*
575 . . . . .	319	143	176	*	84	93	137	62	86	137	34
575.0 . . . . .	146	104	42	*	*16	*37	90	*	*35	*59	*
575.1 . . . . .	128	*32	97	*	38	48	42	*	40	57	*19
575.10 . . . . .	*18	*	*15	—	*	*	*	*	*	*	*
575.11 . . . . .	79	*	66	*	27	33	*19	*	*20	35	*
575.12 . . . . .	*32	*	*	*	*	*	*	*	*	*	*
575.8 . . . . .	35	*	*32	*	*27	*	*	*	*	*	*
576 . . . . .	162	68	95	*	*	*37	103	*43	*19	61	*38
576.1 . . . . .	63	*35	*28	*	*	*	*50	*	*	*	*
576.2 . . . . .	62	*	40	*	*	*17	*37	*	*	*20	*
577 . . . . .	1,614	733	881	*	521	697	381	410	263	615	326
577.0 . . . . .	1,349	617	732	*	434	575	327	344	225	482	298
577.1 . . . . .	118	58	60	*	*48	49	*	*	*	*48	*
577.2 . . . . .	*103	*	*	*	*	*	*	*	*	*	*
578 . . . . .	707	312	395	*	50	134	512	183	158	239	127
578.0 . . . . .	79	41	38	*	*	*	43	*22	*	*22	*
578.1 . . . . .	127	53	75	*	*	*21	92	*46	36	*29	*
578.9 . . . . .	500	217	283	*	*23	95	377	115	110	188	88
579 . . . . .	*50	*	*	*	*	*	*	*	*	*	*
580–629 . . . . .	6,618	2,222	4,395	296	1,612	1,458	3,252	1,467	1,398	2,702	1,051
584 . . . . .	972	469	503	*	99	212	649	251	199	360	161
584.5 . . . . .	78	*44	*	*	*	*	*	*	*	*	*
584.9 . . . . .	880	423	457	*	68	198	608	231	184	329	136
585 . . . . .	120	69	*51	*	*	*38	*50	*	*	*56	*
586 . . . . .	57	*43	*	—	*	*	*44	*	*	*	*
590 . . . . .	441	61	380	61	184	71	125	102	81	195	64
590.1 . . . . .	218	*25	193	*26	91	36	65	47	46	92	33
590.10 . . . . .	218	*25	193	*26	91	35	65	47	46	92	33
590.8 . . . . .	203	*33	171	32	84	*32	56	50	34	90	30
590.80 . . . . .	203	*33	171	32	84	*32	56	50	34	90	30
591 . . . . .	32	*	*28	*	*	*	*	*	*	*	*
592 . . . . .	448	234	214	*	187	161	91	110	120	175	43
592.0 . . . . .	166	56	111	*	70	59	*34	38	43	65	*20
592.1 . . . . .	280	178	102	*	116	101	57	72	76	108	23
593 . . . . .	212	105	108	30	*36	42	105	52	48	73	*40
593.4 . . . . .	*35	*	*	*	*	*	*	*	*	*	*
593.7 . . . . .	*22	*	*14	*21	*	*	—	*	*	*	*
593.70 . . . . .	*17	*	*	*16	*	*	—	*	*	*	*
593.8 . . . . .	*39	*	*	*	*	*	*	*	*	*	*
593.9 . . . . .	86	58	*27	*	*	*	64	*	*27	*23	*
594 . . . . .	*26	*	*	*	*	*	*	*	*	*	*
594.1 . . . . .	*18	*	*	*	*	*	*	*	*	*	*
595 . . . . .	79	*	57	*	*	*	60	*	*	*35	*
595.0 . . . . .	*20	*	*	*	*	*	*	*	*	*	*
595.9 . . . . .	*25	*	*22	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
596 . . . . .	103	57	*46	*	*	*	72	*35	*21	*30	*
596.0 . . . . .	32	29	*	—	*	*	*27	*	*	*	*
596.5 . . . . .	*23	*	*	*	*	*	*	*	*	*	*
596.54 . . . . .	*22	*	*	*	*	*	*	*	*	*	*
598 . . . . .	*12	*	*	*	*	*	*	*	*	*	*
599 . . . . .	1,905	621	1,285	103	138	265	1,399	452	367	793	294
599.0 . . . . .	1,771	543	1,228	93	123	240	1,314	423	333	744	270
599.7 . . . . .	94	57	38	*	*	*	62	*24	*24	37	*
600 . . . . .	291	291	—	—	*	48	242	58	86	109	38
600.0 . . . . .	253	253	—	—	—	38	215	52	78	96	28
600.9 . . . . .	*16	*16	—	—	*	*	*	*	*	*	*
601 . . . . .	31	31	—	—	*	*	*	*	*	*	*
604 . . . . .	50	50	—	*	*	*	*38	*	*	*	*
604.9 . . . . .	44	44	—	*	*	*	*	*	*	*	*
604.99 . . . . .	*33	*33	—	*	*	*	*	*	*	*	—
607 . . . . .	*12	*12	—	*	*	*	*	*	*	*	*
608 . . . . .	70	70	—	*	*	*	*	*	*	*	*
611 . . . . .	50	*	50	*	33	*	*	*21	*	*16	*
611.0 . . . . .	*26	*	*26	*	*	*	*	*	*	*	*
611.1 . . . . .	*10	*	*10	—	*7	*	—	*	*	*	*
614 . . . . .	207	—	207	*	151	38	*	38	52	91	*25
614.2 . . . . .	*46	—	*46	*	*38	*	*	*	*	*	*
614.6 . . . . .	27	—	27	—	*17	*	*	*	*	*17	*
614.9 . . . . .	56	—	56	*	50	*	—	*19	*	*23	*
616 . . . . .	31	—	31	*	*18	*	*	*	*	*12	*
616.0 . . . . .	*17	—	*17	*	*12	*	*	*	*	*	*
617 . . . . .	223	—	223	*	159	61	*	27	49	100	47
617.0 . . . . .	130	—	130	*	78	50	*	*14	29	56	30
617.1 . . . . .	27	—	27	—	22	*	—	*	*	*	*
617.3 . . . . .	46	—	46	—	42	*	—	*	*	24	*
618 . . . . .	350	—	350	—	68	130	152	50	87	141	72
618.0 . . . . .	75	—	75	—	*	27	38	*12	*19	27	*17
618.1 . . . . .	36	—	36	—	*13	*14	*	*	*	18	*
618.2 . . . . .	48	—	48	—	*14	23	*	*	*16	*12	*13
618.3 . . . . .	45	—	45	—	*	*	*26	*	*	*23	*
618.4 . . . . .	51	—	51	—	*	*21	*21	*	*	*18	*
618.5 . . . . .	60	—	60	—	*	21	34	*	*	33	*12
618.8 . . . . .	25	—	25	—	*	*10	*	*	*	*	*
620 . . . . .	202	—	202	*	132	34	*	39	38	98	29
620.1 . . . . .	49	—	49	*	41	*	—	*	*14	*14	*
620.2 . . . . .	98	—	98	*	65	*20	*	*19	*18	47	*15
621 . . . . .	29	—	29	—	*	*	*	*	*	*11	*
621.3 . . . . .	*16	—	*16	—	*	*	*	*	*	*	*
622 . . . . .	23	—	23	—	*11	*	*	*	*	*	*
622.1 . . . . .	*17	—	*17	—	*	*	*	*	*	*	*
625 . . . . .	203	—	203	*	115	67	21	27	33	105	38
625.3 . . . . .	44	—	44	*	36	*	*	*	*	24	*12
625.6 . . . . .	87	—	87	—	21	47	20	*	*16	41	20
625.9 . . . . .	58	—	58	—	49	*	*	*	*13	34	*
626 . . . . .	248	—	248	*	163	81	*	36	66	98	48
626.2 . . . . .	157	—	157	*	104	53	*	*22	41	64	30
626.8 . . . . .	69	—	69	*	46	22	—	*	*14	29	*16
626.9 . . . . .	*11	—	*11	—	*	*	*	*	*	*	—
627 . . . . .	35	—	35	—	*	19	*	*	*	*20	*
627.1 . . . . .	30	—	30	—	—	*18	*	*	*	*18	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
630–677 . . . . .	1,393	—	1,393	*	1,381	*	—	233	226	739	195
632 . . . . .	22	—	22	—	20	*	—	*	*	*9	*
633 . . . . .	66	—	66	*	66	—	—	*9	*12	33	*13
633.1 . . . . .	57	—	57	*	57	—	—	*	*	27	*12
634 . . . . .	30	—	30	—	30	*	—	*9	*	17	*
634.9 . . . . .	21	—	21	—	21	*	—	*	*	13	*
634.91 . . . . .	14	—	14	—	14	*	—	*	*	*8	*
635 . . . . .	*11	—	*11	*	*11	—	—	*	*	*	*
640 . . . . .	*11	—	*11	—	*11	—	—	*	*	*	*
641 . . . . .	38	—	38	—	38	*	—	*	*	*16	*
641.1 . . . . .	*25	—	*25	—	*25	*	—	*	*	*	*
641.13 . . . . .	*25	—	*25	—	*25	*	—	*	*	*	*
642 . . . . .	64	—	64	*	64	*	—	*	*14	26	*
642.3 . . . . .	*21	—	*21	—	*21	—	—	*	*	*	*
642.33 . . . . .	*19	—	*19	—	*19	—	—	*	*	*	*
642.4 . . . . .	*19	—	*19	*	*19	*	—	*	*	*	*
642.43 . . . . .	*17	—	*17	*	*17	*	—	*	*	*	*
643 . . . . .	141	—	141	*	140	—	—	43	*19	70	*
643.0 . . . . .	73	—	73	—	73	—	—	*21	*	42	*
643.03 . . . . .	73	—	73	—	73	—	—	*21	*	42	*
643.1 . . . . .	54	—	54	*	54	—	—	*	*	*18	*
643.13 . . . . .	54	—	54	*	54	—	—	*	*	*18	*
644 . . . . .	361	—	361	*	355	*	—	41	50	222	48
644.0 . . . . .	347	—	347	*	340	*	—	40	49	211	47
644.03 . . . . .	347	—	347	*	340	*	—	40	49	211	47
644.1 . . . . .	14	—	14	—	14	—	—	*	*	*10	*
644.13 . . . . .	14	—	14	—	14	—	—	*	*	*10	*
646 . . . . .	189	—	189	*	189	—	—	*25	*26	106	32
646.2 . . . . .	*18	—	*18	—	*18	—	—	*	*	*	*
646.23 . . . . .	*18	—	*18	—	*18	—	—	*	*	*	*
646.6 . . . . .	134	—	134	*	134	—	—	*17	*13	84	*19
646.63 . . . . .	127	—	127	*	127	—	—	*17	*	81	*18
646.8 . . . . .	34	—	34	—	34	—	—	*	*	*16	*
646.83 . . . . .	33	—	33	—	33	—	—	*	*	*15	*
647 . . . . .	32	—	32	—	32	—	—	*	*	*	*
647.8 . . . . .	*20	—	*20	—	*20	—	—	*	*	*	*
647.83 . . . . .	*19	—	*19	—	*19	—	—	*	*	*	*
648 . . . . .	211	—	211	*	209	*	—	37	32	124	*18
648.0 . . . . .	*29	—	*29	—	*29	—	—	*	*	*23	*
648.03 . . . . .	*29	—	*29	—	*29	—	—	*	*	*23	*
648.4 . . . . .	*25	—	*25	*	*23	—	—	*	*	*	*
648.8 . . . . .	*19	—	*19	—	*19	*	—	*	*	*12	*
648.83 . . . . .	*19	—	*19	—	*19	*	—	*	*	*12	*
648.9 . . . . .	116	—	116	*	115	—	-	23	20	61	*12
648.93 . . . . .	110	—	110	*	110	—	—	22	18	61	*
654 . . . . .	*46	—	*46	—	*46	—	—	*	*	*	*
654.5 . . . . .	*37	—	*37	—	*37	—	—	*	*	*	*
654.53 . . . . .	*37	—	*37	—	*37	—	—	*	*	*	*
658 . . . . .	28	—	28	*	28	—	—	*	*	*15	*
658.1 . . . . .	*11	—	*11	—	*11	—	—	*	*	*	*
658.13 . . . . .	*11	—	*11	—	*11	—	—	*	*	*	*
659 . . . . .	*9	—	*9	—	*9	—	—	*	*	*	*
670 . . . . .	*18	—	*18	—	*18	—	—	*	*	*	*
670.0 . . . . .	*18	—	*18	—	*18	—	—	*	*	*	*
670.04 . . . . .	*18	—	*18	—	*18	—	—	*	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
674 . . . . .	40	—	40	—	40	*	—	*	*	*18	*
674.3 . . . . .	*20	—	*20	—	*20	—	—	*	*	*	*
674.34 . . . . .	*20	—	*20	—	*20	—	—	*	*	*	*
674.8 . . . . .	*19	—	*19	—	*	*	—	*	*	*	*
674.84 . . . . .	*19	—	*19	—	*	*	—	*	*	*	*
680–709 . . . . .	2,993	1,533	1,460	303	691	831	1,167	705	534	1,301	453
681 . . . . .	79	51	*27	*	*29	*	*23	*23	*15	*32	*
681.0 . . . . .	32	*19	*	*	*	*	*	*	*	*	*
681.00 . . . . .	*30	*19	*	*	*	*	*	*	*	*	*
681.1 . . . . .	46	*32	*	*	*	*	*	*	*	*	*
681.10 . . . . .	46	*32	*	*	*	*	*	*	*	*	*
682 . . . . .	1,854	951	903	106	449	571	728	488	370	716	279
682.0 . . . . .	87	42	44	*24	*16	*	*26	*	*	*30	*27
682.1 . . . . .	*29	*	*	*	*	*	*	*	*	*	*
682.2 . . . . .	128	51	77	*	45	*46	*32	*36	*	59	*
682.3 . . . . .	142	77	65	*	49	39	42	39	*32	47	*24
682.4 . . . . .	81	39	42	*	*25	*17	*35	*18	*21	*23	*
682.5 . . . . .	53	*	*34	*	*	*	*	*	*	*26	*
682.6 . . . . .	1,054	517	536	*20	203	359	471	315	226	356	156
682.7 . . . . .	249	174	75	*18	82	57	91	*39	*37	148	*
682.8 . . . . .	*20	*	*	*	*	*	*	*	*	*	*
683 . . . . .	*44	*	*	*	*	*	—	*	*	*	*
686 . . . . .	*40	*	*	*	*	*	*	*	*	*	*
695 . . . . .	*36	*	*	*	*	*	*	*	*	*	*
701 . . . . .	*20	*	*14	*	*	*	*	*	*	*18	—
701.4 . . . . .	*16	*	*	*	*	—	—	—	*	*16	—
707 . . . . .	698	358	340	*	113	169	370	142	88	345	*123
707.0 . . . . .	493	268	225	*	*87	*130	230	*94	*47	252	*100
707.1 . . . . .	199	87	112	*	*	*35	138	*46	*38	93	*
707.10 . . . . .	*32	*	*	—	*	*	*	*	*	*	*
707.15 . . . . .	69	*38	*31	—	*	*	*49	*	*	*	*
709 . . . . .	132	79	53	75	40	*	*	*	*	118	*
709.2 . . . . .	113	66	48	74	35	*	*	*	*	109	*
710–739 . . . . .	6,579	2,683	3,895	156	1,028	1,948	3,446	1,503	1,644	2,382	1,050
710 . . . . .	160	*	146	*	81	*32	*35	*37	*51	*50	*
710.0 . . . . .	123	*	113	*	75	*	*	*	*39	*42	*
711 . . . . .	168	98	*70	*	*	*43	*74	*	*	70	*
711.0 . . . . .	167	98	*69	*	*	*41	*74	*	*	*69	*
711.06 . . . . .	83	*	*	*	*	*	*	*	*	*	*
714 . . . . .	75	*23	52	*	*	*21	*36	*	*	*26	*
714.0 . . . . .	59	*	39	—	*	*17	*33	*	*	*20	*
715 . . . . .	2,197	827	1,369	*	66	674	1,457	512	547	821	316
715.1 . . . . .	167	86	81	—	*	47	118	*37	*27	81	*22
715.15 . . . . .	39	*	*23	—	*	*	*25	*	*	*	*
715.16 . . . . .	120	67	53	—	*	*28	91	*	*	60	*
715.3 . . . . .	993	376	617	—	*36	311	646	212	256	360	165
715.35 . . . . .	301	137	164	—	*	105	178	69	93	80	59
715.36 . . . . .	674	234	439	—	*	201	456	141	154	277	101
715.9 . . . . .	988	343	644	*	*24	307	656	248	241	378	121
715.90 . . . . .	72	*	*63	—	*	*	*63	*	*	*	*
715.91 . . . . .	*18	*	*	—	*	*	*	*	*	*	*
715.95 . . . . .	296	112	185	—	*	104	179	101	79	85	*31
715.96 . . . . .	588	212	376	—	*	190	392	126	150	232	81
716 . . . . .	72	39	*33	*	*	*29	*36	*	*	*36	*
716.1 . . . . .	*20	*	*	—	*	*	*	*	*	*	*
716.9 . . . . .	40	*	*19	—	*	*	*28	*	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
717 . . . . .	23	*	*17	*	*14	*	*	*	*	*	*
717.8 . . . . .	*8	*	*	*	*	*	—	*	*	*	*
718 . . . . .	43	25	*18	*	*19	*	*	*	*	*	*16
718.3 . . . . .	*19	*	*	*	*	*	*	*	*	*	*
719 . . . . .	155	60	94	*	*19	28	103	*37	45	47	*26
719.4 . . . . .	115	40	75	*	*11	*23	79	*23	35	36	*21
719.41 . . . . .	29	*	*23	*	*	*	*	*	*	*	*
719.45 . . . . .	58	*	*35	*	*	*	44	*	*22	*	*
719.46 . . . . .	*18	*	*	*	*	*	*	*	*	*	*
721 . . . . .	313	147	165	—	30	90	192	53	76	123	60
721.0 . . . . .	66	28	38	—	*	26	*32	*	*20	26	*
721.1 . . . . .	67	*34	*33	—	*	*24	*35	*	*	*24	*
721.3 . . . . .	157	77	80	—	*	37	111	*	40	65	*23
722 . . . . .	955	417	537	*	317	372	265	190	234	366	164
722.0 . . . . .	100	49	51	—	50	45	*	25	19	42	*13
722.1 . . . . .	451	234	217	*	165	172	113	89	105	170	86
722.10 . . . . .	443	231	212	*	165	169	110	89	104	164	86
722.4 . . . . .	35	*	*31	—	*	*20	*	*	*	*	*
722.5 . . . . .	206	67	138	*	55	71	79	*29	69	76	*32
722.52 . . . . .	201	65	136	*	53	71	77	*29	67	75	*30
722.7 . . . . .	62	27	35	—	*18	*25	*	*	*	28	*
722.71 . . . . .	27	*15	*	—	*	*	*	*	*	*	*
722.73 . . . . .	*25	*	*17	—	*	*	*	*	*	*15	*
722.8 . . . . .	*44	*	*	—	*	*	*	*	*	*	*
722.83 . . . . .	*43	*	*	—	*	*	*	*	*	*	*
722.9 . . . . .	46	*	*32	*	*	*	*	*	*	*	*
722.93 . . . . .	*39	*	*	*	*	*	*	*	*	*	*
723 . . . . .	65	32	34	*	*17	24	*	*	*16	*17	*
723.0 . . . . .	*34	*	*	—	*	*	*	*	*	*	*
723.1 . . . . .	*14	*	*	*	*	*	*	*	*	*	*
723.4 . . . . .	*11	*	*	*	*	*	*	*	*	*	*
724 . . . . .	530	203	326	*	55	145	328	125	175	155	75
724.0 . . . . .	267	101	166	—	*	67	190	68	70	86	43
724.02 . . . . .	250	95	155	—	*	67	174	65	66	75	43
724.2 . . . . .	147	55	92	*	30	39	78	*25	69	*34	*
724.4 . . . . .	25	*	*13	—	*	*	*	*	*	*	*
724.5 . . . . .	63	*24	39	*	*	*18	*36	*	*	*19	*
726 . . . . .	102	61	41	*	*18	31	52	29	33	25	*15
726.1 . . . . .	37	*23	*14	—	*	*7	22	*16	*	*7	*
726.10 . . . . .	29	*15	*14	—	*	*7	*15	*16	*	*	*
726.2 . . . . .	*9	*	*7	—	*	*	*	*	*	*	*
726.3 . . . . .	*19	*	*	*	*	*	*	*	*	*	*
727 . . . . .	54	27	27	*	*14	*11	*18	*	*15	*15	*
727.0 . . . . .	*29	*	*	*	*	*	*	*	*	*	*
728 . . . . .	187	91	96	*	*32	*51	100	*	*43	*84	*
728.8 . . . . .	150	74	*75	*	*	*	74	*	*	*72	*
728.89 . . . . .	80	*48	*	*	*	*	*49	*	*	*	*
729 . . . . .	150	60	90	*	41	51	53	*34	31	58	*27
729.1 . . . . .	34	*	*25	*	*	*	*	*	*	*	*
729.5 . . . . .	45	*16	29	*	*	*12	*18	*	*	*20	*
729.8 . . . . .	41	*19	*21	*	*	*	*	*	*	*	*
729.89 . . . . .	*30	*	*	*	*	*	*	*	*	*	*
730 . . . . .	471	256	215	*	100	146	200	163	*63	200	*
730.0 . . . . .	143	*76	*66	*	*	*	*71	*	*	*	*
730.07 . . . . .	*85	*	*	*	*	*	*55	*	*	*	*
730.1 . . . . .	*58	*	*	*	*	*	*	*	*	*	*
730.2 . . . . .	271	145	126	*	*72	*72	110	*99	*	122	*
730.27 . . . . .	113	*58	*55	*	*	*	*63	*	*	*49	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
732 . . . . .	*19	*	*	*	*	*	—	*	*	*	*
733 . . . . .	587	171	415	*	74	108	396	123	167	197	100
733.1 . . . . .	368	92	276	*	*	*33	316	77	106	120	64
733.13 . . . . .	232	*39	193	*	*	*	205	*48	68	72	*45
733.14 . . . . .	70	*	*46	*	*	*	59	*	*	*	*
733.4 . . . . .	64	*31	*34	*	*	*33	*	*	*20	*28	*
733.42 . . . . .	57	*27	*31	*	*	*31	*	*	*	*24	*
733.6 . . . . .	38	*	33	*	*13	*8	*17	*	*	*18	*
733.8 . . . . .	95	36	59	*	29	26	39	*20	*30	26	*19
733.81 . . . . .	*13	*	*	*	*	*	*	*	*	*	*
733.82 . . . . .	82	30	52	*	*24	*23	*34	*	*28	*23	*17
736 . . . . .	26	*16	*	*	*	*	*	*	*	*	*
737 . . . . .	94	*40	*54	*37	*	*	*	*	*	*	*
737.3 . . . . .	89	*38	*51	*36	*	*	*	*	*	*	*
737.30 . . . . .	62	*	*38	*	*	*	*	*	*	*	*
738 . . . . .	105	52	53	*	*26	50	*28	*20	*29	*28	*27
738.4 . . . . .	92	43	49	—	*18	47	*27	*	*27	*23	*26
740–759 . . . . .	1,137	649	487	861	136	78	*62	320	159	318	339
742 . . . . .	50	*22	*	*40	*	*	*	*	*	*	*
745 . . . . .	258	162	95	234	*	*	*	*61	*	*57	*123
745.2 . . . . .	*84	*	*	*	*	—	—	*	*	*	*
745.5 . . . . .	37	*	*23	*	*	*	*	*	*	*	*
746 . . . . .	95	*66	*	75	*	*	*	*	*	*	*
747 . . . . .	126	56	70	79	*	*	*	*38	*	*52	*
747.8 . . . . .	*30	*	*	*	*	*	*	*	*	*	*
748 . . . . .	*34	*	*	*31	*	—	—	*	*	*	*
749 . . . . .	38	*15	23	35	*	*	—	*	*	23	*
749.0 . . . . .	*11	*	*	*10	*	—	—	*	*	*	*
749.1 . . . . .	*14	*	*	*	*	—	—	*	—	*	—
749.2 . . . . .	*13	*	*	*11	*	*	—	*	*	*	*
750 . . . . .	68	44	*	66	*	*	*	*	*	*17	*22
750.5 . . . . .	38	27	*	38	—	—	—	*	*	*	*12
751 . . . . .	131	*70	*61	112	*	*	*	*	*	*	*
753 . . . . .	49	*	*26	*	*	*	*	*	*	*	*
753.2 . . . . .	*16	*	*	*	*	*	*	*	*	*	*
754 . . . . .	43	28	*15	27	*	*	*	*	*	*	*
755 . . . . .	*19	*	*	*	*	*	*	*	*	*	*
756 . . . . .	144	79	64	91	*	*	*	*	*36	*34	*45
756.0 . . . . .	*29	*	*	*29	*	*	—	*	*	*	*
756.1 . . . . .	49	*	*28	*	*	*	*	*	*	*	*
756.12 . . . . .	*34	*	*	—	*	*	*	*	*	*	*
757 . . . . .	*9	*	*	*	*	*	—	*	*	*7	*
757.3 . . . . .	*8	*	*	*	*	—	—	*	—	*7	*
757.32 . . . . .	*7	*	*	*	*	—	—	—	—	*7	—
760–779 . . . . .	1,877	1,098	779	1,877	*	—	—	208	380	604	685
765 . . . . .	860	467	393	860	—	—	—	*	*146	367	*292
765.0 . . . . .	*340	*	*	*340	—	—	—	*	*	*	*
765.1 . . . . .	520	321	199	520	—	—	—	*	*	214	*154
765.17 . . . . .	*117	*	*	*117	—	—	—	*	*	*	*
765.18 . . . . .	*124	*	*	*124	—	—	—	*	*	*	*
769 . . . . .	311	194	*	311	—	—	—	*	*	*	*129
770 . . . . .	227	137	90	227	—	—	—	*32	*55	63	*78
770.6 . . . . .	*32	*	*	*32	—	—	—	*	*	*	*
770.8 . . . . .	128	92	*36	128	—	—	—	*	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
771 . . . . .	85	*38	47	84	*	—	—	*	*	*	*41
771.8 . . . . .	78	*35	*43	78	*	—	—	*	*	*	*40
774 . . . . .	84	55	29	84	—	—	—	*15	*11	22	37
774.6 . . . . .	63	39	23	63	—	—	—	*	*9	18	25
775 . . . . .	*49	*	*	*49	—	—	—	*	*	*	*
778 . . . . .	*42	*	*	*42	—	—	—	*	*	*	*
778.4 . . . . .	*19	*	*	*19	—	—	—	*	*	*	*
779 . . . . .	*66	*	*	*66	—	—	—	*	*	*	*
780–799 . . . . .	576	273	304	180	140	114	142	167	89	230	90
780 . . . . .	170	101	69	110	31	*16	*13	38	22	62	48
780.2 . . . . .	26	*10	*16	*	*13	*	*	*	*	*14	*
780.3 . . . . .	88	58	30	68	*13	*	*	20	*12	16	*39
780.31 . . . . .	*38	*	*	*38	—	—	—	*	*	*	*
780.39 . . . . .	51	26	25	30	*13	*	*	*19	*10	*15	*
780.6 . . . . .	44	27	*17	39	*	*	*	*	*	29	*
784 . . . . .	*15	*	*	*	*	*	*	*	*	*	*
784.0 . . . . .	*10	*	*	*	*	*	—	*	*	*	*
786 . . . . .	112	66	46	*13	36	44	19	25	23	51	*14
786.0 . . . . .	*14	*	*	*	*	*	*	*	*	*	*
786.5 . . . . .	92	55	37	*	34	42	16	22	20	39	*11
786.50 . . . . .	53	33	21	*	17	27	*9	13	*10	22	*8
786.59 . . . . .	35	21	14	—	16	13	*	*8	*9	16	*
787 . . . . .	*25	*	*	*	*	*	*	*	*	*	*
789 . . . . .	57	17	39	*13	29	*13	*	*13	*13	20	*10
789.0 . . . . .	56	17	39	*13	28	*12	*	*13	*13	20	*10
789.00 . . . . .	22	*	16	*	*8	*	*	*	*	*10	*
789.03 . . . . .	13	*	*9	*	*8	*	*	*	*	*	*
799 . . . . .	159	60	99	*22	28	29	80	78	*18	49	*14
799.9 . . . . .	158	60	98	*22	28	29	79	78	*17	48	*14
800–999 . . . . .	13,918	6,701	7,217	969	3,282	3,086	6,581	2,968	2,866	5,648	2,435
800 . . . . .	80	*68	*	*14	*	*	*	*	*	*	*
801 . . . . .	244	201	*43	*	127	*	*	*	*51	111	*
801.0 . . . . .	*72	*65	*	*	*	*	*	*	*	*	*
801.2 . . . . .	*110	*	*	*	*	*	*	*	*	*	*
802 . . . . .	117	75	42	*	54	*24	*31	*26	*20	47	*23
802.2 . . . . .	32	21	*	*	*23	*	*	*	*	*16	*
802.4 . . . . .	*26	*20	*	*	*	*	*	*	*	*	*
805 . . . . .	353	199	154	*	107	45	198	64	69	156	63
805.0 . . . . .	77	*58	*	*	*	*	*	*	*	*	*
805.2 . . . . .	83	*33	50	*	*	*	41	*	*	*	*
805.4 . . . . .	144	78	66	*	*41	*	84	*	*41	66	*
805.6 . . . . .	*39	*	*	—	*	*	*	*	*	*	*
806 . . . . .	*142	*111	*	*	*	*	*	*	*	*	*
807 . . . . .	157	88	70	*	*26	31	100	*33	*30	65	*30
807.0 . . . . .	137	75	61	*	*20	30	87	*25	*26	59	*27
807.01 . . . . .	*16	*	*	*	*	*	*	*	*	*	*
807.02 . . . . .	*15	*	*	—	*	*	*	*	*	*	*
807.03 . . . . .	*29	*	*	—	*	*	*	*	*	*	*
807.09 . . . . .	*36	*	*	—	*	*	*	*	*	*	*
808 . . . . .	288	91	198	*	*42	*46	197	74	76	84	54
808.0 . . . . .	72	*48	*	*	*	*	*	*	*	*	*
808.2 . . . . .	159	*27	132	*	*	*	127	*40	42	*42	*34
810 . . . . .	*16	*	*	*	*	*	*	*	*	*	*
810.0 . . . . .	*13	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
812 . . . . .	284	110	174	16	28	39	201	112	51	83	39
812.0 . . . . .	149	*27	122	*	*	24	117	*32	36	52	29
812.00 . . . . .	*37	*	*26	*	*	*	*	*	*	*	*
812.01 . . . . .	76	*	66	*	*	*	63	*	*	*32	*
812.09 . . . . .	26	*	*21	*	*	*	*21	*	*	*	*
812.2 . . . . .	*75	*	*	*	*	*	*	*	*	*	*
812.21 . . . . .	*64	*	*	—	*	*	*	*	*	*	*
812.4 . . . . .	43	17	26	14	*	*	*	*14	*	*18	*
812.41 . . . . .	24	*11	*13	*12	*	*	*	*	*	*	*
813 . . . . .	249	144	105	18	59	47	125	54	43	64	88
813.0 . . . . .	38	*	*24	*	*	*	*	*	*	*	*
813.2 . . . . .	23	*21	*	*	*	*	*	*	*	*	*
813.23 . . . . .	*15	*13	*	*	*	*	*	*	*	*	*
813.4 . . . . .	97	37	59	*	*22	19	51	*34	*20	27	*16
813.41 . . . . .	*26	*	*	*	*	*	*	*	*	*	*
813.42 . . . . .	35	*12	*24	*	*	*	*21	*	*	*14	*
813.44 . . . . .	33	*	*	*	*	*	*	*	*	*	*
813.5 . . . . .	*20	*	*	*	*	*	*	*	*	*	*
816 . . . . .	*14	*9	*	*	*	*	*	*	*	*	*
816.1 . . . . .	*7	*7	*	*	*	*	*	*	*	*	*
820 . . . . .	2,118	588	1,530	*	*42	159	1,905	431	474	887	326
820.0 . . . . .	626	131	496	*	*	45	566	143	159	245	78
820.00 . . . . .	*49	*	*37	—	—	*	*48	*	*	*	*
820.02 . . . . .	76	*	*62	*	*	*	*65	*	*	*	*
820.03 . . . . .	65	*	*50	*	*	*	*59	*	*	*	*
820.09 . . . . .	431	87	344	*	*	*31	390	83	125	173	50
820.2 . . . . .	998	293	705	*	*	70	902	174	255	398	170
820.20 . . . . .	69	*	*36	—	*	*	64	*	*	*	*
820.21 . . . . .	861	224	637	*	*	*63	791	152	210	344	154
820.22 . . . . .	*68	*	*	*	*	*	*47	*	*	*	*
820.8 . . . . .	488	164	324	*	*	*	436	114	59	241	74
821 . . . . .	382	185	197	71	112	*52	147	91	103	144	*44
821.0 . . . . .	201	112	89	*53	65	*	*50	*55	*43	82	*
821.01 . . . . .	170	95	75	*50	51	*	*44	*48	*42	61	*
821.2 . . . . .	132	*42	91	*	*	*	87	*25	*	*51	*
821.20 . . . . .	*27	*	*	*	*	*	*	*	*	*	*
821.23 . . . . .	66	*	*50	*	*	*	*47	*	*	*	*
822 . . . . .	39	*	*28	*	*	*	*	*	*	*	*
822.0 . . . . .	*30	*	*24	*	*	*	*	*	*	*	*
823 . . . . .	402	197	204	*15	175	78	134	92	65	202	44
823.0 . . . . .	123	48	75	*	*27	*35	55	*28	*22	59	*
823.00 . . . . .	94	*30	64	*	*18	*29	*43	*	*17	*41	*
823.02 . . . . .	*27	*	*	*	*	*	*	*	*	*	*
823.1 . . . . .	*60	*	*	*	*	*	*	*	*	*	*
823.2 . . . . .	73	36	*37	*	30	*	*	*	*	33	*
823.20 . . . . .	*17	*	*	*	*	*	*	*	*	*	*
823.22 . . . . .	53	*27	*26	*	*21	*	*	*	*	*21	*
823.8 . . . . .	79	*15	64	*	29	*	*40	*	*	51	*
823.82 . . . . .	37	*	*31	*	*22	*	*	*	*	*24	*
824 . . . . .	354	122	233	*12	99	120	123	100	81	116	57
824.0 . . . . .	*23	*	*	*	*	*	*	*	*	*	*
824.2 . . . . .	*26	*	*	*	*	*	*	*	*	*	*
824.4 . . . . .	98	23	75	*	28	37	*31	33	25	24	*17
824.6 . . . . .	90	*21	69	*	*34	31	*24	*	*24	41	*
824.8 . . . . .	74	40	35	*9	*15	*25	*	*27	*19	*13	*15
825 . . . . .	69	53	*	*	33	*	*	*	*21	*20	*12
825.0 . . . . .	31	28	*	*	*13	*	*	*	*	*	*
825.2 . . . . .	*21	*	*	*	*	*	*	*	*	*	*
839 . . . . .	*39	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
840 . . . . .	38	16	*22	—	*	*13	*22	*	*	*	*
840.4 . . . . .	30	15	*15	—	*	*13	*14	*	*	*	*
844 . . . . .	41	24	*	*	*11	*	*22	*	*	*18	*
844.8 . . . . .	*20	*17	*	*	*	*	*	*	*	*	*
847 . . . . .	56	*	*45	*	*	*	*	*	*	*	*
847.2 . . . . .	*47	*	*	*	*	*	*	*	*	*	*
850 . . . . .	100	56	44	*9	51	*17	*23	29	*16	33	23
850.0 . . . . .	33	17	*	*	*14	*	*	*	*	*16	*
850.1 . . . . .	36	19	*17	*	22	*	*	*17	*	*	*11
850.5 . . . . .	19	*13	*	*	*12	*	*	*	*	*	*
851 . . . . .	157	87	70	*	89	*26	*39	*	*	53	*34
851.8 . . . . .	110	65	*45	*	*56	*	*35	*	*	*43	*
852 . . . . .	358	209	148	*	*69	*65	213	*89	79	114	76
852.0 . . . . .	73	*	*33	*	*	*	*	*	*	*	*
852.2 . . . . .	265	154	111	*	*	*	166	*	*59	82	*55
852.20 . . . . .	*45	*	*	*	*	*	*	*	*	*	*
852.21 . . . . .	97	54	*43	*	*	*	76	*	*	*	*
853 . . . . .	*48	*	*	*	*	*	*	*	*	*	*
853.0 . . . . .	*48	*	*	*	*	*	*	*	*	*	*
854 . . . . .	40	*20	*	*	*18	*	*	*	*	*	*
854.0 . . . . .	40	*20	*	*	*18	*	*	*	*	*	*
860 . . . . .	153	97	56	*	55	*38	*59	*	*37	71	*
860.0 . . . . .	90	57	*33	*	*27	*	*41	*	*	*38	*
861 . . . . .	*44	*36	*	*	*	*	*	*	*	*	*
863 . . . . .	97	*79	*	*	*64	*	*	*	*	*	*
864 . . . . .	*48	*30	*	*	*30	*	*	*	*	*	*
864.0 . . . . .	*39	*	*	*	*	*	*	*	*	*	*
865 . . . . .	81	*46	*	*	*	*	*	*	*	*	*
865.0 . . . . .	70	*43	*	*	*	*	*	*	*	*	*
871 . . . . .	*15	*13	*	*	*	*	*	*	*	*	*
873 . . . . .	72	29	43	*	22	*29	*16	*	*12	*19	*32
873.0 . . . . .	*17	*	*	*	*	*	*	*	*	*	*
873.4 . . . . .	41	*15	*	*	*14	*	*	*	*	*	*
873.42 . . . . .	*26	*	*	*	*	*	*	*	*	*	*
879 . . . . .	*27	*24	*	*	*23	*	*	*	*	*	*
881 . . . . .	*18	*	*	*	*	*	*	*	*	*	*
883 . . . . .	*17	*10	*	*	*	*	*	*	*	*	*
891 . . . . .	46	*23	*23	*	*22	*	*	*	*	*	*
920 . . . . .	19	*	*	*	*	*	*	*	*	*	*
922 . . . . .	59	*17	42	*	*10	*	40	*	*26	*	*
922.1 . . . . .	*24	*	*19	*	*	*	*	*	*	*	*
922.3 . . . . .	*19	*	*	—	*	*	*	*	*	*	*
924 . . . . .	111	*19	93	*	*	*	97	*	57	*17	*13
924.0 . . . . .	48	*	*34	*	*	*	42	*	*21	*	*
924.01 . . . . .	40	*	*32	*	*	*	*39	*	*	*	*
924.8 . . . . .	*44	*	*43	—	*	*	*40	*	*	*	*
935 . . . . .	*14	*	*	*	*	*	*	*	*	*	*
935.1 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
941 . . . . .	93	*62	*	*	*	*	*	*	*	*64	*
941.2 . . . . .	*34	*25	*	*	*	*	*	*	*	*	*
942 . . . . .	*81	*65	*	*	*	*	*	*	*	*73	—
943 . . . . .	*29	*	*	*	*	*	*	*	*	*	*
944 . . . . .	*23	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
945 . . . . .	111	*55	*56	*23	*	*	*	*	*	78	*
945.2 . . . . .	*27	*	*	*	*	*	*	*	*	*	*
945.3 . . . . .	*83	*	*	*	*	*	*	*	*	*67	—
946 . . . . .	*99	*84	*	*	*	*	*	*	*	*50	*
948 . . . . .	*105	*	*	*89	*	*	—	*	*	*100	—
949 . . . . .	*58	*38	*	*51	*	—	—	—	*	*51	*
949.0 . . . . .	*52	*38	*	*51	*	—	—	—	*	*51	—
958 . . . . .	*37	*	*	*	*	*	*	*	*	*	*
959 . . . . .	107	49	58	*10	32	*15	50	*33	*18	39	*17
959.0 . . . . .	44	21	22	*8	*16	*	*	*	*11	*17	*
959.01 . . . . .	42	21	21	*7	*15	*	*	*	*10	*15	*
959.1 . . . . .	*16	*	*	*	*	*	*	*	*	*	*
963 . . . . .	*15	*	*	*	*	*	*	*	*	*	*
963.0 . . . . .	*9	*	*	*	*	*	—	*	*	*	*
965 . . . . .	137	51	86	*9	88	*24	*	*29	38	45	26
965.0 . . . . .	50	*23	*27	*	*28	*	*	*	*	*	*
965.09 . . . . .	*19	*	*	*	*	*	*	*	*	*	*
965.1 . . . . .	*16	*	*	*	*11	*	*	*	*	*	*
965.4 . . . . .	63	*18	45	*	43	*	*	*	*13	27	*
966 . . . . .	35	*16	*	*	*12	*	*	*	*	*	*
966.3 . . . . .	*22	*	*	*	*	*	*	*	*	*	*
967 . . . . .	*19	*	*13	*	*	*	*	*	*	*	*
968 . . . . .	*32	*24	*	*	*24	*	*	*	*	*	*
968.5 . . . . .	*27	*	*	—	*21	*	—	*	*	*	*
969 . . . . .	153	60	93	*	85	48	*	46	31	45	31
969.0 . . . . .	52	*15	38	*	26	*23	*	*14	*	*12	*
969.4 . . . . .	60	*28	32	*	35	*17	*	*	*14	19	*
972 . . . . .	22	*	*17	*	*	*	*	*	*	*	*
977 . . . . .	24	*	*19	*	*13	*	*	*	*	*10	*
977.8 . . . . .	*11	*	*	*	*	*	*	*	*	*	*
977.9 . . . . .	*12	*	*	*	*	*	*	*	*	*	*
989 . . . . .	19	*12	*	*	*	*	*	*	*	*13	*
989.5 . . . . .	*16	*11	*	*	*	*	*	*	*	*12	*
994 . . . . .	*20	*	*	*	*	*	*	*	*	*	*
995 . . . . .	126	49	77	*	*19	*25	*46	*36	*21	*46	*
995.1 . . . . .	33	*15	*18	*	*	*	*	*	*	*	*
995.2 . . . . .	*33	*	*	*	*	*	*	*	*	*	*
996 . . . . .	2,740	1,362	1,378	175	453	770	1,342	542	543	1,163	493
996.0 . . . . .	78	33	44	*	*	*	57	*22	*	*28	*
996.01 . . . . .	34	*13	*21	*	*	*	30	*	*	*	*
996.1 . . . . .	*29	*	*	*	*	*	*	*	*	*	*
996.2 . . . . .	89	43	46	44	*25	*	*	*	*39	*23	*
996.4 . . . . .	405	148	257	*	39	120	242	97	98	149	61
996.5 . . . . .	60	*	*34	*	*	*	*	*	*	*31	*
996.59 . . . . .	*44	*	*	*	*	*	*	*	*	*	*
996.6 . . . . .	1,353	716	636	94	217	288	754	240	271	598	243
996.61 . . . . .	*87	*67	*	—	*	*	*62	*	*	*	*
996.62 . . . . .	608	278	330	*57	138	162	251	109	109	239	150
996.64 . . . . .	*45	*	*	—	*	*	*	*	*	*	*
996.66 . . . . .	197	*58	138	*	*	*	170	*	*	*59	*
996.67 . . . . .	237	202	*	*	*	*	*188	*	*	*186	*
996.69 . . . . .	*45	*	*	*	*	*	*	*	*	*	*
996.7 . . . . .	544	253	292	*	93	207	226	115	90	201	139
996.72 . . . . .	*36	*21	*	*	*	*	*	*	*	*	*
996.73 . . . . .	191	88	102	*	*41	84	65	*32	*15	52	92
996.74 . . . . .	199	88	112	*	*	76	102	41	53	90	*

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
996.77 . . . . .	38	*	*20	—	*	*	*	*	*	*	*
996.78 . . . . .	35	*	*22	*	*	*	*	*	*	*	*
996.8 . . . . .	170	113	57	*	67	86	*	*	*	111	*
996.81 . . . . .	69	*38	*31	*	*33	*29	*	*	*	*34	*
996.82 . . . . .	*53	*49	*	*	*	*	*	*	*	*47	*
997 . . . . .	585	244	341	*20	117	190	258	149	147	187	102
997.1 . . . . .	47	*27	*21	*	*	*	*24	*	*	*	*
997.2 . . . . .	*38	*	*	*	*	*	*	*	*	*	*
997.3 . . . . .	*35	*	*	*	*	*	*	*	*	*	*
997.4 . . . . .	239	77	161	*	65	70	93	69	50	78	*
997.5 . . . . .	*30	*	*	*	*	*	*	*	*	*	*
997.6 . . . . .	154	*76	*78	*	*	*59	*72	*	*	*	*
997.62 . . . . .	112	*	*68	—	*	*48	*	*	*	*	*
997.69 . . . . .	*41	*	*	—	*	*	*	*	*	*	*
998 . . . . .	1,526	748	778	43	302	601	581	296	256	659	316
998.1 . . . . .	162	87	75	*	30	58	67	40	38	58	26
998.11 . . . . .	95	51	44	*	*16	27	46	*25	27	28	*15
998.12 . . . . .	56	*34	*21	*	*	*23	*	*	*	*25	*
998.2 . . . . .	121	*68	*52	—	*	*	*54	*	*	*	*
998.3 . . . . .	121	74	*46	*	*	*	*52	*	*	*42	*
998.5 . . . . .	916	442	474	*22	207	350	337	172	138	444	162
998.59 . . . . .	892	425	467	*22	205	332	333	166	127	442	156
998.6 . . . . .	97	*	*76	*	*	*	*	*	*	*	*
998.8 . . . . .	104	53	51	*	*	65	*	*28	*19	*35	*
998.83 . . . . .	*55	*	*	*	*	*35	*	*	*	*	*
998.89 . . . . .	46	*25	*21	*	*	*28	*	*	*	*	*
999 . . . . .	*28	*	*	*	*	*	*	*	*	*	*
V01–V82 . . . . .	17,311	3,137	14,175	357	10,414	1,566	4,974	3,015	3,705	7,028	3,563
V10 . . . . .	*16	*	*	*	*	*	*	*	*	*	*
V12 . . . . .	22	*	*14	*	*	*	*13	*	*	*	*
V12.5 . . . . .	*14	*	*	*	*	*	*	*	*	*	*
V15 . . . . .	*19	*13	*	*	*	*	*	*	*	*	*
V15.8 . . . . .	*18	*	*	*	*	*	*	*	*	*	*
V22 . . . . .	*10	—	*10	—	*10	—	—	*	*	*8	*
V27 . . . . .	9,702	—	9,702	23	9,661	*18	—	1,713	1,815	4,157	2,017
V27.0 . . . . .	8,895	—	8,895	22	8,859	*	—	1,536	1,553	3,887	1,919
V27.1 . . . . .	49	—	49	—	49	*	—	*	*	29	*
V27.2 . . . . .	227	—	227	—	226	*	—	44	*32	115	36
V27.9 . . . . .	519	—	519	*	515	*	—	123	223	120	52
V30 . . . . .	*70	*	*58	*70	—	—	—	*	*	*	*
V30.1 . . . . .	*70	*	*58	*70	—	—	—	*	*	*	*
V45 . . . . .	54	28	26	*	*13	*17	*22	*	*13	*12	*16
V45.8 . . . . .	40	*21	*19	*	*	*	*16	*	*	*	*
V45.81 . . . . .	*19	*17	*	—	*	*	*	*	*	*	*
V45.89 . . . . .	*15	*	*	*	*	*	*	*	*	*	*
V53 . . . . .	19	*9	*	*	*	*	*	*13	*	*	*
V53.3 . . . . .	18	*9	*	*	*	*	*	*13	*	*	*
V53.31 . . . . .	*10	*	*	*	*	*	*	*8	*	*	*
V54 . . . . .	89	*20	*70	*	*	*	*78	*	*	*	*58
V54.8 . . . . .	*80	*	*67	*	*	*	*73	*	*	*	*57
V55 . . . . .	225	114	111	*	*41	54	94	73	*45	66	*40
V55.2 . . . . .	*31	*	*	*	*	*	*	*	*	*	*
V55.3 . . . . .	172	89	82	*	*	*39	75	*53	*36	*47	*
V57 . . . . .	5,757	2,312	3,445	*	426	1,025	4,238	924	1,609	2,239	985
V57.1 . . . . .	1,388	544	844	*	*97	240	1,035	325	186	651	227
V57.8 . . . . .	4,288	1,743	2,545	*	316	773	3,147	563	1,418	1,560	747
V57.89 . . . . .	4,288	1,743	2,545	*	316	773	3,147	563	1,418	1,560	747

See footnotes at end of table.

**Table 44. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
V57.9 . . . . .	*61	*	*46	—	*	*	*46	*	*	*	*
V58 . . . . .	951	528	423	105	166	376	303	190	163	357	241
V58.0 . . . . .	79	*36	43	*	*	*30	*40	*	*	43	*
V58.1 . . . . .	620	353	267	96	134	263	128	156	93	240	131
V58.4 . . . . .	161	98	64	*	*	*	74	25	*	*46	*
V58.49 . . . . .	161	97	64	*	*	*	74	25	*	*	*
V58.8 . . . . .	87	*40	*47	*	*	*	*60	*	*	*26	*
V58.89 . . . . .	79	*34	*45	*	*	*	*59	*	*	*19	*
V59 . . . . .	*22	*	*	*	*	*	—	*	*	*	*
V70 . . . . .	26	*21	*	*	*	*	*	*	*	*	*
V70.7 . . . . .	25	*20	*	*	*	*	*	*	*	*	*
V71 . . . . .	*15	*	*	*	*	*	*	*	*	*	*

\* Figure does not meet standard of reliability or precision.

— Quantity zero.

NOTE: If estimate is preceded by asterisk, use according to size of corresponding estimate in table 43; see "Methods" section.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
All codes . . . . .	144,251	57,535	86,716	6,747	36,136	33,165	68,202	31,465	35,082	53,581	24,123
001-139 . . . . .	3,734	1,623	2,111	473	921	791	1,550	845	819	1,462	609
003 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
003.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
005 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
005.9 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
007 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
008 . . . . .	302	135	168	95	40	47	121	74	63	115	51
008.4 . . . . .	149	61	88	*7	18	29	94	45	31	49	23
008.45 . . . . .	139	57	82	*7	14	28	90	44	29	44	22
008.6 . . . . .	49	29	20	45	*	*	*	*7	11	19	12
008.61 . . . . .	47	27	20	44	*	*	*	*6	11	19	12
008.8 . . . . .	100	43	57	42	20	15	23	21	19	45	15
009 . . . . .	23	9	13	*	*8	*6	*5	*5	*5	*7	*
009.0 . . . . .	14	*	10	*	*5	*	*	*	*	*	*
009.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
011 . . . . .	11	*7	*	*	*	*	*	*	*	*	*
011.9 . . . . .	9	*5	*	*	*	*	*	*	*	*	*
011.90 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
031 . . . . .	15	*8	*7	*	*	*	*7	*	*	*8	*
031.0 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
031.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
034 . . . . .	24	10	14	15	*8	*	*	*6	*5	*8	*
034.0 . . . . .	21	9	12	12	*8	*	*	*6	*	*7	*
035 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
038 . . . . .	647	315	331	42	66	144	394	162	139	240	106
038.0 . . . . .	40	25	15	*	*5	13	19	10	11	11	*7
038.1 . . . . .	127	70	58	*7	18	32	71	34	29	43	22
038.10 . . . . .	18	11	*8	*	*	*	11	*5	*	*7	*
038.11 . . . . .	78	43	35	*	12	21	43	21	17	25	15
038.19 . . . . .	31	16	15	*	*	*6	17	*7	*8	11	*
038.2 . . . . .	16	*8	*8	*	*	*	*6	*	*	*5	*
038.3 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
038.4 . . . . .	121	51	71	*7	13	23	78	28	30	39	24
038.40 . . . . .	11	*	*7	*	*	*	*5	*	*	*	*
038.42 . . . . .	63	20	43	*	*	11	45	16	17	19	12
038.43 . . . . .	11	*6	*	*	*	*	*6	*	*	*	*
038.49 . . . . .	32	18	14	*	*5	*6	20	*5	*7	12	*8
038.8 . . . . .	22	10	12	*	*	*5	14	*6	*	10	*
038.9 . . . . .	315	150	165	23	23	66	203	78	60	131	46
041 . . . . .	1,280	453	827	92	275	228	685	263	300	522	194
041.0 . . . . .	242	83	159	12	84	36	110	49	57	109	27
041.00 . . . . .	30	11	20	*	*9	*	15	*8	*5	14	*
041.01 . . . . .	11	*8	*	*	*	*	*	*	*	*	*
041.02 . . . . .	63	*9	54	*	46	*8	*7	15	15	26	*6
041.04 . . . . .	104	40	63	*	14	13	74	18	27	48	10
041.09 . . . . .	30	13	17	*	9	*5	11	*6	*7	14	*
041.1 . . . . .	273	136	136	23	61	65	124	55	62	110	46
041.10 . . . . .	33	18	15	*	*6	*8	16	10	*7	11	*5
041.11 . . . . .	195	98	96	15	44	50	86	37	44	79	33
041.19 . . . . .	45	20	25	*	11	*7	22	*8	10	20	*7
041.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
041.3 . . . . .	71	16	55	*	*6	12	50	17	14	28	12
041.4 . . . . .	342	67	275	29	55	52	206	75	79	126	62
041.5 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
041.6 . . . . .	57	19	38	*	*5	*8	43	10	16	28	*
041.7 . . . . .	87	47	40	*7	19	15	45	20	18	38	12
041.8 . . . . .	173	71	102	9	33	36	95	29	46	69	29

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
041.84 . . . . .	9	*	*6	*	*	*	*	*	*	*	*
041.85 . . . . .	68	26	42	*	14	13	36	*9	19	30	10
041.86 . . . . .	64	30	33	*	12	14	37	13	14	25	13
041.89 . . . . .	30	10	20	*	*	*6	17	*6	9	12	*
041.9 . . . . .	18	*	15	*	*8	*	*7	*5	*	9	*
042 . . . . .	139	89	51	*	96	37	*	42	13	66	19
047 . . . . .	52	29	23	30	18	*	*	*6	16	20	10
047.9 . . . . .	48	26	21	27	17	*	*	*5	16	19	*8
052 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
053 . . . . .	57	23	34	*	*6	*7	41	15	15	18	9
053.1 . . . . .	16	*6	10	*	*	*	13	*	*	*	*
053.19 . . . . .	14	*	*9	—	*	*	13	*	*	*	*
053.9 . . . . .	35	15	20	*	*	*5	25	10	10	11	*
054 . . . . .	50	13	37	*7	31	*	*7	11	*9	22	*9
054.1 . . . . .	14	*	13	*	13	*	*	*	*	*6	*
054.10 . . . . .	10	*	*8	—	*9	*	*	*	*	*	*
054.9 . . . . .	24	*5	18	*	15	*	*	*6	*	11	*
057 . . . . .	*8	*	*	*6	*	*	*	*	*	*	*
057.9 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
070 . . . . .	292	177	115	*	125	133	33	71	42	122	57
070.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
070.3 . . . . .	48	28	20	*	25	18	*5	12	*7	20	9
070.30 . . . . .	27	16	11	*	15	*8	*	*7	*	12	*
070.32 . . . . .	20	12	*8	—	*9	10	*	*5	*	*8	*
070.4 . . . . .	10	*6	*	—	*	*8	*	*	*	*	*
070.44 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
070.5 . . . . .	221	136	85	*	93	103	25	54	33	91	43
070.51 . . . . .	114	71	43	—	54	49	11	25	19	50	20
070.54 . . . . .	106	64	42	—	39	54	13	28	14	41	24
075 . . . . .	13	*6	*7	*6	*7	*	—	*	*6	*	*
078 . . . . .	28	*9	19	*	17	*7	*	*5	*6	12	*
078.1 . . . . .	15	*	13	*	10	*	*	*	*	*6	*
078.10 . . . . .	*8	*	*7	*	*6	*	*	*	*	*	*
078.5 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
079 . . . . .	177	77	99	100	43	14	21	43	46	52	35
079.6 . . . . .	*9	*	*	*7	*	*	*	*	*	*	*
079.8 . . . . .	13	*	10	*5	*6	*	*	*	*6	*	*
079.88 . . . . .	*6	*	*6	—	*6	—	—	*	*	*	*
079.89 . . . . .	*7	*	*	*5	*	*	*	*	*	*	*
079.9 . . . . .	149	68	81	85	32	12	20	38	36	45	30
079.99 . . . . .	146	68	78	85	30	12	20	37	36	43	30
094 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
097 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
098 . . . . .	*8	*	*7	—	*8	*	—	*	*	*	*
110 . . . . .	63	38	25	*	11	16	33	15	21	18	*7
110.1 . . . . .	31	14	17	—	*	*7	21	*7	10	9	*
110.3 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
110.4 . . . . .	16	13	*	*	*7	*	*	*5	*5	*	*
111 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
112 . . . . .	299	113	186	38	61	67	133	65	65	123	46
112.0 . . . . .	174	70	104	27	33	39	75	35	37	73	28
112.1 . . . . .	17	—	17	*	11	*	*	*	*	9	*
112.2 . . . . .	30	9	21	*	*	*6	21	*9	*5	11	*5
112.3 . . . . .	16	*6	10	*7	*	*	*	*	*6	*	*
112.4 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
112.5 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
112.8 . . . . .	41	15	26	*	*8	10	22	11	9	16	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
112.84 . . . . .	32	13	19	*	*7	*8	17	*8	*7	13	*
112.89 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
112.9 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
117 . . . . .	21	10	10	*	*9	*6	*5	*6	*	*8	*
117.3 . . . . .	*9	*6	*	*	*	*	*	*	*	*	*
117.5 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
117.9 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
130 . . . . .	*6	*	*	*	*5	*	—	*	*	*	*
131 . . . . .	12	*	11	*	*8	*	*	*	*	*7	*
131.0 . . . . .	9	*	*9	*	*6	*	*	*	*	*6	*
135 . . . . .	44	12	31	*	15	18	11	13	12	14	*
136 . . . . .	18	11	*6	*	10	*	*	*	*	*8	*
136.3 . . . . .	12	*8	*	*	*8	*	*	*	*	*5	*
138 . . . . .	22	*7	14	*	*	*6	15	*	*9	*6	*
140–239 . . . . .	4,279	1,777	2,501	108	647	1,433	2,090	1,001	963	1,609	706
141 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
146 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
150 . . . . .	29	23	*7	—	*	12	16	*6	9	10	*
150.5 . . . . .	*7	*6	*	—	*	*	*	*	*	*	*
150.8 . . . . .	*7	*6	*	—	*	*	*	*	*	*	*
150.9 . . . . .	13	9	*	—	*	*	*8	*	*	*7	*
151 . . . . .	39	24	15	*	*	13	20	10	*	17	*7
151.0 . . . . .	11	9	*	—	*	*	*6	*	*	*	*
151.8 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
151.9 . . . . .	12	*6	*6	—	*	*5	*	*	*	*8	*
152 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
153 . . . . .	175	89	87	*	*6	41	128	42	46	61	27
153.1 . . . . .	12	*6	*7	—	*	*	*8	*	*	*6	*
153.2 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
153.3 . . . . .	34	23	11	—	*	10	23	*6	*7	11	*9
153.4 . . . . .	24	13	11	—	*	*	20	*5	*9	*7	*
153.6 . . . . .	34	14	20	—	*	*6	28	10	11	*8	*
153.8 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
153.9 . . . . .	48	22	26	*	*	12	34	10	11	21	*6
154 . . . . .	80	42	38	—	*	29	46	22	17	28	13
154.0 . . . . .	25	14	11	—	*	*7	16	*	*7	*9	*
154.1 . . . . .	46	26	20	—	*	21	24	16	*8	15	*7
155 . . . . .	31	21	10	*	*	12	14	*6	*6	14	*6
155.0 . . . . .	19	12	*7	*	*	9	*7	*	*	*9	*
155.1 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
155.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
156 . . . . .	11	*	*7	—	*	*	*8	*	*	*	*
157 . . . . .	57	27	30	—	*	19	37	16	15	21	*6
157.0 . . . . .	14	*8	*6	—	*	*7	*7	*	*	*	*
157.8 . . . . .	*7	*	*	—	*	*	*5	*	*	*	*
157.9 . . . . .	30	13	17	—	*	*9	21	*6	9	12	*
158 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
161 . . . . .	11	10	*	*	*	*6	*	*	*	*	*
162 . . . . .	321	180	141	*	10	108	203	77	79	124	41
162.2 . . . . .	12	*7	*	—	*	*	*7	*	*	*	*
162.3 . . . . .	75	43	33	—	*	27	45	18	20	27	10
162.4 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
162.5 . . . . .	34	18	16	—	*	11	23	*8	*8	12	*6
162.8 . . . . .	24	12	12	—	*	*9	14	*8	*6	*8	*
162.9 . . . . .	169	97	72	*	*5	54	110	39	41	71	18

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
164 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
170 . . . . .	26	15	10	10	9	*	*	11	*	*7	*5
170.7 . . . . .	12	10	*	*7	*	*	*	*7	*	*	*
171 . . . . .	19	10	9	*	*	*5	*6	*5	*	*7	*
171.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
172 . . . . .	11	*7	*	—	*	*	*5	*	*	*	*
173 . . . . .	20	11	*9	*	*	*	15	*5	*	*7	*
173.3 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
174 . . . . .	190	—	190	*	26	71	93	36	43	82	28
174.1 . . . . .	*6	—	*6	—	*	*	*	*	*	*	*
174.2 . . . . .	*6	—	*6	—	*	*	*	*	*	*	*
174.4 . . . . .	25	—	25	—	*	*8	13	*	*6	9	*5
174.8 . . . . .	41	—	41	—	*7	18	16	12	*8	14	*7
174.9 . . . . .	102	—	102	*	12	38	52	15	25	50	12
180 . . . . .	27	—	27	*	10	14	*	*5	*	12	*6
180.9 . . . . .	17	—	17	—	*5	9	*	*	*	*8	*
182 . . . . .	42	—	42	—	*	19	19	11	10	12	*9
182.0 . . . . .	41	—	41	—	*	19	19	11	10	12	*9
183 . . . . .	44	—	44	*	*	18	20	*8	*9	19	*8
183.0 . . . . .	41	—	41	*	*	17	19	*8	*9	18	*7
184 . . . . .	*6	—	*6	*	*	*	*	*	*	*	*
185 . . . . .	201	201	—	*	*	47	153	57	49	66	29
188 . . . . .	61	44	16	*	*	12	48	13	15	25	*8
188.2 . . . . .	*6	*	*	—	—	*	*	*	*	*	*
188.8 . . . . .	17	12	*6	*	*	*	14	*	*	*	*
188.9 . . . . .	25	19	*7	*	*	*5	20	*	*8	12	*
189 . . . . .	58	35	23	*	*	17	34	14	13	22	9
189.0 . . . . .	51	31	20	*	*	15	30	12	11	20	*8
190 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
191 . . . . .	50	23	27	*9	*9	14	18	14	10	18	*8
191.1 . . . . .	10	*	*	*	*	*	*	*	*	*	*
191.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
191.9 . . . . .	12	*5	*7	*	*	*	*	*	*	*6	*
192 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
193 . . . . .	26	*	21	*	11	*8	*6	*7	*	10	*6
195 . . . . .	12	*7	*	*	*	*5	*6	*	*	*	*
196 . . . . .	166	64	101	*	22	59	82	41	35	60	29
196.0 . . . . .	22	13	9	*	*	*9	10	*5	*	*9	*5
196.1 . . . . .	24	12	12	*	*	10	13	*6	*6	*8	*
196.2 . . . . .	56	28	28	*	*7	17	32	16	14	17	10
196.3 . . . . .	41	*	38	*	*9	16	16	*8	*7	19	*7
196.5 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
196.6 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
196.9 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
197 . . . . .	474	220	254	*8	35	176	255	114	120	166	75
197.0 . . . . .	114	52	62	*6	12	35	60	27	31	36	20
197.1 . . . . .	10	*5	*	*	*	*	*	*	*	*	*
197.2 . . . . .	61	25	35	*	*	28	30	15	11	26	9
197.4 . . . . .	11	*	*7	—	*	*	*5	*	*	*	*
197.5 . . . . .	10	*	*7	*	*	*	*7	*	*	*	*
197.6 . . . . .	70	26	44	*	*7	26	37	15	17	24	14
197.7 . . . . .	179	94	85	*	9	68	100	45	47	64	24
197.8 . . . . .	17	*9	*8	*	*	*5	10	*	*5	*7	*
198 . . . . .	387	180	208	*	33	146	203	98	103	131	55
198.1 . . . . .	10	*	*5	*	*	*	*7	*	*	*	*

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
198.2 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
198.3 . . . . .	96	45	51	*	*8	40	48	21	33	29	14
198.4 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
198.5 . . . . .	169	88	81	*	11	56	101	45	43	62	20
198.6 . . . . .	*7	—	*7	—	*	*	*	*	*	*	*
198.7 . . . . .	10	*5	*	—	*	*	*5	*	*	*	*
198.8 . . . . .	77	31	46	*	*8	33	34	20	17	27	13
198.82 . . . . .	11	*	10	*	*	*	*5	*	*	*	*
198.89 . . . . .	64	30	34	*	*7	27	29	18	14	22	10
199 . . . . .	141	59	82	*	12	43	84	29	26	58	28
199.0 . . . . .	55	20	35	*	*7	20	27	10	*8	22	15
199.1 . . . . .	86	39	47	*	*5	23	57	20	18	36	14
200 . . . . .	30	15	15	*	*6	9	14	11	*6	9	*
200.0 . . . . .	20	9	11	*	*	*	10	*7	*	*7	*
200.00 . . . . .	9	*	*6	*	*	*	*6	*	*	*	*
201 . . . . .	17	*8	*9	*	*6	*	*6	*6	*	*7	*
201.9 . . . . .	14	*7	*7	*	*	*	*6	*	*	*6	*
201.90 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
202 . . . . .	125	64	61	*	16	34	73	29	28	46	22
202.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
202.8 . . . . .	111	56	55	*	15	29	66	25	24	41	21
202.80 . . . . .	66	33	33	*	*6	19	41	19	14	25	*8
202.81 . . . . .	12	*5	*6	*	*	*	*8	*	*	*6	*
202.82 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
202.83 . . . . .	10	*	*6	*	*	*	*8	*	*	*	*
202.88 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
203 . . . . .	59	32	28	—	*	19	38	11	15	26	*7
203.0 . . . . .	57	30	27	—	*	19	36	11	15	24	*6
203.00 . . . . .	55	29	26	—	*	19	35	11	14	23	*6
204 . . . . .	97	55	42	29	*9	15	45	18	21	35	24
204.0 . . . . .	43	24	19	29	*8	*	*	*8	*7	15	13
204.00 . . . . .	28	15	13	17	*6	*	*	*6	*5	12	*5
204.01 . . . . .	15	*8	*7	12	*	*	*	*	*	*	*8
204.1 . . . . .	53	31	23	*	*	11	42	10	13	19	11
204.10 . . . . .	49	28	21	*	*	10	39	*8	13	18	10
205 . . . . .	51	30	21	*	*8	15	26	11	14	19	*7
205.0 . . . . .	34	20	14	*	*5	12	15	*9	9	12	*
205.00 . . . . .	30	18	12	*	*	10	14	*8	*8	11	*
205.1 . . . . .	15	*8	*7	*	*	*	10	*	*	*5	*
205.10 . . . . .	14	*7	*7	*	*	*	10	*	*	*5	*
208 . . . . .	11	*6	*	*	*	*	*7	*	*	*	*
208.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
208.00 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
211 . . . . .	186	86	101	*	12	46	128	48	36	74	28
211.1 . . . . .	22	*8	15	—	*	*6	15	*5	*	11	*
211.3 . . . . .	144	69	74	*	*7	33	103	37	29	58	20
211.4 . . . . .	9	*	*5	—	*	*	*7	*	*	*	*
212 . . . . .	*8	*	*6	*	*	*	*	*	*	*	*
214 . . . . .	18	*8	10	*	*	*6	*7	*	*	*8	*
214.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
215 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
216 . . . . .	15	*	12	*	*7	*5	*	*5	*	*5	*
216.5 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
218 . . . . .	473	—	473	—	237	212	24	78	90	212	93
218.0 . . . . .	50	—	50	—	26	22	*	10	*8	22	10
218.1 . . . . .	127	—	127	—	64	55	*8	23	24	57	23
218.2 . . . . .	63	—	63	—	28	31	*	13	15	23	12

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
218.9 . . . . .	233	—	233	—	118	105	10	32	43	110	48
219 . . . . .	*6	—	*6	—	*	*	*	*	*	*	*
220 . . . . .	68	—	68	*	30	24	13	15	14	27	12
221 . . . . .	*6	—	*6	—	*	*	*	*	*	*	*
225 . . . . .	35	14	21	*	*6	12	16	9	*7	13	*6
225.1 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
225.2 . . . . .	24	*8	16	—	*	*8	13	*	*5	10	*
226 . . . . .	13	*	10	—	*	*	*	*	*	*	*
227 . . . . .	24	*6	17	*	*	10	9	*5	*	*7	*8
227.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
227.1 . . . . .	10	*	*7	—	*	*6	*	*	*	*	*
227.3 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
228 . . . . .	15	*8	*7	*	*5	*	*	*	*	*7	*
228.0 . . . . .	14	*7	*6	*	*	*	*	*	*	*6	*
230 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
233 . . . . .	40	*	38	*	13	15	12	*9	11	14	*7
233.0 . . . . .	21	*	21	—	*	10	*9	*6	*6	*6	*
233.1 . . . . .	14	—	14	—	10	*	*	*	*	*6	*
235 . . . . .	19	10	9	*	*	*	14	*	*8	*5	*
235.2 . . . . .	11	*	*6	*	*	*	*8	*	*	*	*
235.7 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
237 . . . . .	16	*7	9	*	*7	*	*	*	*	*6	*
237.7 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
237.70 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
238 . . . . .	66	32	35	*	*5	15	44	16	17	21	12
238.4 . . . . .	15	*8	*7	*	*	*	*8	*	*	*6	*
238.7 . . . . .	44	22	22	*	*	*7	34	12	13	13	*7
239 . . . . .	28	14	14	*	*5	*7	16	*6	*6	*8	*8
239.6 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
240–279 . . . . .	15,718	6,348	9,369	589	1,979	4,514	8,636	3,429	3,958	5,800	2,530
240 . . . . .	14	*	12	—	*	*	*	*	*	*6	*
240.9 . . . . .	14	*	12	—	*	*	*	*	*	*6	*
241 . . . . .	27	*	24	*	*7	10	10	*8	*	11	*
241.0 . . . . .	11	*	10	—	*	*	*	*	*	*	*
241.1 . . . . .	12	*	11	*	*	*	*	*	*	*	*
242 . . . . .	83	17	65	*	18	25	39	24	17	32	10
242.0 . . . . .	22	*	18	*	*8	*6	*7	*	*5	11	*
242.00 . . . . .	21	*	17	*	*8	*6	*7	*	*5	11	*
242.9 . . . . .	54	13	41	*	*8	17	28	17	11	19	*7
242.90 . . . . .	51	12	39	*	*8	17	27	16	11	17	*7
244 . . . . .	1,393	249	1,143	*7	154	323	909	320	362	469	242
244.0 . . . . .	38	*	33	—	*	13	21	*5	12	12	*8
244.1 . . . . .	*9	*	*7	—	*	*	*	*	*	*	*
244.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
244.9 . . . . .	1,339	241	1,098	*7	146	304	882	310	347	452	230
245 . . . . .	13	*	12	*	*	*	*	*	*	*	*
245.2 . . . . .	10	*	10	*	*	*	*	*	*	*	*
246 . . . . .	16	*	14	*	*	*6	*8	*	*	*7	*
246.9 . . . . .	14	*	12	—	*	*5	*7	*	*	*6	*
250 . . . . .	4,871	2,126	2,745	33	500	1,606	2,732	1,106	1,164	1,864	737
250.0 . . . . .	3,488	1,481	2,008	17	298	1,107	2,066	794	859	1,354	481
250.00 . . . . .	2,743	1,179	1,564	*	192	867	1,679	626	660	1,054	403
250.01 . . . . .	406	161	246	12	58	120	217	112	101	154	40
250.02 . . . . .	267	107	160	*	29	93	145	41	73	123	31
250.03 . . . . .	72	34	38	*	18	27	26	15	25	23	*8

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
250.1 . . . . .	127	63	64	13	68	29	16	22	26	51	27
250.10 . . . . .	24	11	13	*	*9	*7	*7	*	*	12	*
250.11 . . . . .	50	23	27	*9	30	*9	*	*8	12	18	11
250.12 . . . . .	16	*8	*8	*	*6	*5	*	*	*	*7	*
250.13 . . . . .	37	21	16	*	23	*8	*	*6	*7	15	10
250.2 . . . . .	18	*9	*9	—	*	*6	*9	*6	*	*6	*
250.20 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
250.22 . . . . .	10	*	*	—	*	*	*	*	*	*	*
250.3 . . . . .	10	*6	*	*	*	*	*	*6	*	*	*
250.4 . . . . .	299	143	156	*	30	117	152	58	59	108	74
250.40 . . . . .	184	88	96	*	*6	68	109	36	35	67	46
250.41 . . . . .	74	36	38	*	15	28	30	16	14	26	18
250.42 . . . . .	27	11	16	—	*	14	10	*	*6	12	*7
250.43 . . . . .	15	*8	*7	—	*5	*8	*	*	*	*	*
250.5 . . . . .	143	57	86	—	18	58	67	37	32	43	30
250.50 . . . . .	77	29	48	—	*	29	44	19	17	23	17
250.51 . . . . .	42	17	26	—	10	16	16	14	*8	13	*7
250.52 . . . . .	13	*6	*8	—	*	*7	*	*	*	*	*
250.53 . . . . .	10	*	*5	—	*	*	*	*	*	*	*
250.6 . . . . .	361	157	204	*	42	146	173	79	86	136	61
250.60 . . . . .	210	89	120	*	11	78	122	49	53	71	38
250.61 . . . . .	91	41	50	—	18	41	32	23	18	37	13
250.62 . . . . .	38	18	20	—	*	19	15	*	11	17	*7
250.63 . . . . .	22	*9	14	—	10	*8	*	*	*	12	*
250.7 . . . . .	141	77	63	—	*7	43	90	35	28	53	24
250.70 . . . . .	84	45	39	—	*	24	57	20	15	32	16
250.71 . . . . .	34	19	15	—	*	10	21	11	*	14	*
250.72 . . . . .	13	*6	*6	—	*	*	*7	*	*	*	*
250.73 . . . . .	10	*7	*	—	*	*	*	*	*	*	*
250.8 . . . . .	238	113	125	*	23	83	132	64	57	87	30
250.80 . . . . .	136	65	71	*	*6	44	86	37	34	47	18
250.81 . . . . .	43	19	24	*	*8	15	20	17	*7	15	*
250.82 . . . . .	43	20	23	*	*	18	21	*6	12	20	*5
250.83 . . . . .	16	*9	*7	*	*	*6	*5	*	*	*	*
250.9 . . . . .	47	20	27	*	*7	17	22	*8	12	22	*5
250.90 . . . . .	9	*5	*	—	*	*	*6	*	*	*	*
250.92 . . . . .	24	*9	15	*	*	10	11	*	*7	11	*
250.93 . . . . .	10	*	*6	*	*	*	*	*	*	*5	*
251 . . . . .	77	29	48	*9	13	20	35	21	17	28	12
251.2 . . . . .	33	13	20	*6	*5	*7	15	*9	*7	13	*
251.8 . . . . .	36	12	24	*	*6	12	17	10	*9	11	*6
252 . . . . .	36	10	26	*	*	13	18	*9	*6	14	*7
252.0 . . . . .	27	*8	19	*	*	*9	14	*7	*	12	*
252.1 . . . . .	*9	*	*6	*	*	*	*	*	*	*	*
253 . . . . .	74	27	47	9	9	15	40	15	17	24	17
253.2 . . . . .	11	*6	*6	*	*	*	*	*	*	*	*
253.5 . . . . .	11	*	*8	*	*	*	*	*	*	*	*
253.6 . . . . .	44	15	29	*	*	*9	32	*9	10	16	*9
255 . . . . .	55	21	35	*	15	14	21	11	17	16	11
255.0 . . . . .	10	*	*8	*	*	*	*	*	*	*	*
255.4 . . . . .	29	13	17	*	*7	*7	14	*8	10	*6	*6
255.9 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
256 . . . . .	11	—	11	*	10	*	*	*	*	*	*
256.4 . . . . .	*8	—	*8	*	*8	*	*	*	*	*	*
259 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
260 . . . . .	9	*	*5	*	*	*	*5	*	*	*	*
261 . . . . .	19	9	9	*	*	*	13	*5	*6	*	*
263 . . . . .	360	150	210	*9	35	69	247	64	79	172	45
263.1 . . . . .	*8	*	*5	*	*	*	*6	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
263.8 . . . . .	28	12	16	*	*	*7	19	*	*6	18	*
263.9 . . . . .	319	133	186	*7	32	61	219	59	72	147	42
266 . . . . .	29	*9	20	—	*	*	22	*7	*7	12	*
266.2 . . . . .	26	*8	18	—	*	*	19	*6	*7	11	*
269 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
270 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
271 . . . . .	29	11	18	*	*6	*8	12	9	*5	9	*6
271.3 . . . . .	24	10	15	*	*	*6	11	*9	*	*8	*
272 . . . . .	2,267	1,165	1,102	*	166	854	1,245	591	602	733	342
272.0 . . . . .	1,011	510	500	*	70	388	552	335	249	300	127
272.1 . . . . .	38	24	14	*	11	14	13	*6	12	15	*5
272.2 . . . . .	10	*6	*	*	*	*6	*	*	*	*	*
272.4 . . . . .	1,171	601	570	*	79	432	659	237	329	403	203
272.8 . . . . .	*8	*5	*	*	*	*	*	*	*	*6	*
272.9 . . . . .	21	15	*6	*	*	*7	13	*9	*7	*	*
273 . . . . .	48	22	26	*	*8	12	26	9	13	19	*7
273.1 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
273.8 . . . . .	36	16	20	*	*7	*9	18	*7	10	14	*
274 . . . . .	195	139	56	—	13	54	128	45	52	63	35
274.0 . . . . .	43	28	16	—	*	10	30	10	11	16	*6
274.9 . . . . .	147	108	39	—	11	43	93	35	40	45	27
275 . . . . .	220	90	130	*9	47	66	99	41	58	89	31
275.0 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
275.2 . . . . .	79	32	47	*	18	25	35	13	27	33	*7
275.3 . . . . .	26	12	13	*	*6	*8	*8	*6	*	11	*
275.4 . . . . .	104	39	65	*	20	29	52	19	26	41	18
275.41 . . . . .	50	18	31	*	16	14	18	*8	12	20	*9
275.42 . . . . .	46	18	28	*	*	14	29	*9	12	18	*8
275.49 . . . . .	*8	*	*	*	*	*	*5	*	*	*	*
276 . . . . .	4,887	1,913	2,974	455	639	1,004	2,788	933	1,279	1,857	819
276.0 . . . . .	106	47	60	*9	*7	17	73	23	25	40	19
276.1 . . . . .	787	302	485	26	66	174	521	140	232	272	142
276.2 . . . . .	253	110	142	39	36	62	116	35	58	104	55
276.3 . . . . .	46	22	24	*	*	*9	29	*7	15	17	*7
276.4 . . . . .	17	*7	10	*	*	*	9	*	*	*6	*
276.5 . . . . .	2,327	934	1,393	342	308	381	1,296	466	592	889	380
276.6 . . . . .	76	33	43	*	11	22	40	*8	20	35	13
276.7 . . . . .	344	158	186	*9	27	87	220	74	86	126	58
276.8 . . . . .	853	274	579	20	165	232	437	167	217	334	135
276.9 . . . . .	79	28	51	*	12	15	47	9	30	33	*7
277 . . . . .	51	25	25	18	20	*6	*6	15	10	15	10
277.0 . . . . .	28	13	15	12	15	*	*	9	*7	*8	*
277.00 . . . . .	28	13	14	12	15	*	*	9	*6	*8	*
278 . . . . .	871	289	582	11	286	370	205	167	218	319	167
278.0 . . . . .	850	284	566	11	277	360	202	164	213	311	162
278.00 . . . . .	561	200	362	*8	165	239	149	109	147	200	106
278.01 . . . . .	289	85	204	*	112	122	53	56	67	111	56
278.1 . . . . .	14	*	11	—	*6	*6	*	*	*	*6	*
278.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
279 . . . . .	23	14	9	*8	*	*	*7	*	*	11	*
279.0 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
280–289 . . . . .	4,323	1,719	2,604	194	908	947	2,274	928	1,024	1,643	727
280 . . . . .	666	236	430	17	125	141	383	152	158	246	109
280.0 . . . . .	389	146	243	*	67	80	238	89	89	151	60
280.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
280.9 . . . . .	270	88	182	13	56	58	143	62	66	94	47

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
281 . . . . .	84	34	50	*	9	17	56	18	23	30	13
281.0 . . . . .	24	*7	17	—	*	*	21	*7	*7	*7	*
281.1 . . . . .	10	*	*6	—	*	*	*8	*	*	*	*
281.9 . . . . .	46	21	24	*	*8	13	24	*7	13	18	*7
282 . . . . .	150	56	94	36	91	15	*7	43	27	65	13
282.4 . . . . .	19	*	15	*	*8	*	*	*9	*	*5	*
282.5 . . . . .	23	*	19	*	16	*	*	*	*	11	*
282.6 . . . . .	100	43	57	25	65	*8	*	28	18	47	*7
282.60 . . . . .	16	*7	*9	*	*8	*	*	*	*	*8	*
282.61 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
282.62 . . . . .	78	33	45	16	56	*5	*	22	13	37	*6
283 . . . . .	24	11	13	*	*	*6	12	*5	*	10	*
283.0 . . . . .	10	*	*6	*	*	*	*	*	*	*6	*
283.9 . . . . .	9	*	*6	*	*	*	*6	*	*	*	*
284 . . . . .	169	82	86	10	27	49	83	40	43	57	28
284.8 . . . . .	152	74	78	*8	23	46	75	34	41	51	27
284.9 . . . . .	15	*7	*8	*	*	*	*7	*6	*	*6	*
285 . . . . .	2,270	826	1,444	47	459	470	1,294	452	546	875	396
285.1 . . . . .	606	223	383	*8	110	132	356	108	188	201	109
285.2 . . . . .	226	106	120	*	25	67	131	54	50	83	38
285.21 . . . . .	74	35	39	*	*8	24	41	14	16	30	13
285.22 . . . . .	47	26	21	*	*	20	23	16	9	15	*7
285.29 . . . . .	105	45	60	*	14	23	67	24	24	38	18
285.8 . . . . .	32	12	20	*	*6	*7	18	*	*7	12	10
285.9 . . . . .	1,401	484	918	36	317	264	785	286	300	578	238
286 . . . . .	208	104	104	*9	36	62	102	42	52	80	34
286.0 . . . . .	*9	*8	*	*	*	*	*	*	*	*	*
286.3 . . . . .	15	9	*5	*	*	*	*6	*	*	*6	*
286.4 . . . . .	*9	*	*7	*	*	*	*	*	*	*	*
286.5 . . . . .	14	*5	*8	—	*	*	9	*	*	*	*
286.6 . . . . .	22	*7	14	*	*	*6	10	*6	*5	*6	*
286.7 . . . . .	42	24	18	*	*5	11	25	*9	11	14	*8
286.9 . . . . .	96	47	50	*	17	28	48	16	23	41	16
287 . . . . .	358	185	173	20	71	88	179	85	71	138	64
287.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
287.3 . . . . .	39	17	22	*6	10	9	15	11	*8	13	*8
287.4 . . . . .	59	34	25	*	14	17	27	14	11	21	13
287.5 . . . . .	250	130	120	*8	45	61	136	58	50	102	40
288 . . . . .	297	138	159	37	63	73	125	66	74	109	48
288.0 . . . . .	152	77	75	22	28	42	61	41	35	50	27
288.3 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
288.8 . . . . .	136	58	78	15	32	29	60	23	37	56	21
289 . . . . .	98	47	51	13	24	26	34	24	24	32	17
289.0 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
289.2 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
289.3 . . . . .	11	*6	*	*5	*	*	*	*	*	*	*
289.4 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
289.5 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
289.59 . . . . .	9	*	*6	*	*	*	*	*	*	*	*
289.8 . . . . .	26	14	13	*	*6	*9	11	*5	*8	9	*
289.9 . . . . .	23	10	13	*	*	*7	12	*7	*	*8	*
290–319 . . . . .	10,311	4,952	5,359	355	4,485	2,803	2,668	2,606	2,505	3,838	1,361
290 . . . . .	226	80	146	—	*	12	214	65	54	85	21
290.0 . . . . .	102	37	65	—	*	*	100	35	22	34	10
290.2 . . . . .	17	*	12	—	—	*	17	*5	*7	*	*
290.20 . . . . .	*6	*	*	—	—	*	*6	*	*	*	—
290.21 . . . . .	11	*	*7	—	—	*	11	*	*	*	*
290.3 . . . . .	14	*	10	—	—	*	14	*	*	*5	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
290.4 . . . . .	88	32	56	—	*8	80	21	19	39	*8	
290.40 . . . . .	65	23	42	—	*7	58	14	15	30	*7	
290.41 . . . . .	9	*5	*	—	*	*8	*	*	*	*	
290.42 . . . . .	*5	*	*	—	—	*5	*	*	*	*	
290.43 . . . . .	*8	*	*5	—	—	*8	*	*	*	*	
291 . . . . .	261	188	73	—	124	102	35	66	88	66	41
291.0 . . . . .	48	39	9	—	18	23	*7	14	11	17	*6
291.2 . . . . .	19	14	*	—	*	*6	10	*	*6	*7	*
291.8 . . . . .	187	129	58	—	101	70	16	47	69	40	32
291.81 . . . . .	168	117	51	—	89	64	16	45	56	36	31
291.89 . . . . .	19	12	*7	—	12	*6	*	*	13	*	*
292 . . . . .	207	111	96	*	106	45	53	67	46	64	29
292.0 . . . . .	96	54	42	*	64	24	*7	43	17	25	11
292.1 . . . . .	15	10	*5	*	*	*	*7	*	*	*6	*
292.12 . . . . .	13	*9	*	*	*	*	*6	*	*	*5	*
292.8 . . . . .	86	41	45	*	33	14	38	21	24	28	14
292.81 . . . . .	54	21	33	*	*8	10	36	11	16	17	10
292.84 . . . . .	27	17	10	*	22	*	*	10	*6	10	*
292.9 . . . . .	10	*6	*	*	*	*	*	*	*	*6	*
293 . . . . .	105	49	56	*	11	17	76	22	40	28	15
293.0 . . . . .	68	30	38	*	*	9	54	14	24	18	11
293.8 . . . . .	26	12	14	*	*6	*6	14	*	12	*7	*
293.83 . . . . .	15	*7	*7	*	*	*	*6	*	*8	*	*
293.84 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
293.9 . . . . .	10	*7	*	—	*	*	*8	*	*	*	*
294 . . . . .	743	265	478	*	11	32	699	167	189	272	114
294.1 . . . . .	299	105	194	*	*	11	285	75	71	106	47
294.10 . . . . .	246	81	165	*	*	*7	236	64	57	87	37
294.11 . . . . .	53	24	28	*	*	*	49	10	14	19	9
294.8 . . . . .	422	150	273	—	*	17	401	87	115	159	62
294.9 . . . . .	18	*7	11	*	*	*	10	*	*	*7	*
295 . . . . .	494	275	219	*	241	170	80	137	103	206	48
295.3 . . . . .	125	81	44	*	63	45	17	38	22	55	11
295.30 . . . . .	53	36	16	*	29	15	*8	*8	14	23	*6
295.32 . . . . .	28	17	11	—	11	11	*	*8	*	15	*
295.34 . . . . .	43	27	17	*	22	18	*	21	*	16	*
295.6 . . . . .	32	19	13	—	12	15	*6	10	10	10	*
295.60 . . . . .	10	*6	*	—	*	*	*	*	*	*	*
295.62 . . . . .	13	*6	*7	—	*5	*5	*	*	*	*	*
295.64 . . . . .	*9	*7	*	—	*	*	*	*	*	*	—
295.7 . . . . .	199	103	96	*	123	59	15	53	36	91	19
295.70 . . . . .	150	77	73	*	96	43	10	28	32	75	16
295.72 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
295.74 . . . . .	41	22	19	*	23	14	*	22	*	13	*
295.9 . . . . .	123	64	59	*	36	47	39	32	32	44	15
295.90 . . . . .	101	51	50	*	25	39	36	20	30	37	14
295.92 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
295.94 . . . . .	13	9	*	—	*9	*	*	10	*	*	*
296 . . . . .	1,375	547	828	95	765	340	174	308	250	723	94
296.2 . . . . .	344	137	207	24	179	78	63	61	62	199	22
296.20 . . . . .	187	70	117	12	98	39	38	35	42	95	14
296.22 . . . . .	35	13	22	*	18	9	*6	*	*	30	*
296.23 . . . . .	64	26	38	*8	33	15	*9	12	*8	41	*
296.24 . . . . .	55	27	28	*	30	14	9	11	10	33	*
296.3 . . . . .	384	141	243	14	220	101	49	91	84	183	26
296.30 . . . . .	109	37	72	*	64	25	15	27	28	50	*
296.32 . . . . .	32	11	22	*	20	9	*	*	*9	17	*
296.33 . . . . .	156	58	98	*	94	41	16	41	29	74	12
296.34 . . . . .	82	34	48	*	39	25	14	19	17	40	*6
296.4 . . . . .	99	49	50	*7	56	26	10	27	13	53	*6

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
296.40 . . . . .	46	26	20	*	30	*9	*	*8	*6	29	*
296.43 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
296.44 . . . . .	41	19	22	*	20	14	*	16	*	19	*
296.5 . . . . .	135	48	87	*7	93	29	*7	27	19	82	*7
296.50 . . . . .	77	26	51	*	51	20	*	15	12	45	*
296.53 . . . . .	31	*7	24	*	26	*	*	*6	*	21	*
296.54 . . . . .	24	14	10	*	15	*	*	*5	*	15	*
296.6 . . . . .	106	45	61	21	60	19	*5	19	13	68	*6
296.60 . . . . .	54	25	29	11	32	9	*	10	*8	33	*
296.63 . . . . .	19	*9	10	*	12	*	*	*	*	13	*
296.64 . . . . .	30	10	20	*7	15	*6	*	*	*	21	*
296.7 . . . . .	183	72	111	*9	88	57	28	48	43	70	22
296.8 . . . . .	62	22	40	*5	40	13	*	11	*9	40	*
296.80 . . . . .	25	10	15	*	13	*	*	*	*	18	*
296.89 . . . . .	33	11	23	*	23	*8	*	*7	*	21	*
296.9 . . . . .	58	32	26	*7	27	15	*8	23	*6	28	*
296.90 . . . . .	51	29	23	*7	23	14	*7	20	*	24	*
296.99 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
297 . . . . .	32	12	20	*	*7	*	20	*8	*	16	*
297.1 . . . . .	9	*	*6	*	*	*	*	*	*	*	*
297.9 . . . . .	21	*8	13	—	*	*	14	*6	*	11	*
298 . . . . .	181	89	92	*	67	32	79	44	40	77	20
298.9 . . . . .	175	87	88	*	64	31	76	42	39	75	19
299 . . . . .	14	12	*	9	*	*	*	*5	*	*	*
299.0 . . . . .	10	*8	*	*7	*	*	*	*	*	*	*
299.00 . . . . .	10	*8	*	*7	*	*	*	*	*	*	*
300 . . . . .	901	271	630	17	282	269	333	231	229	322	119
300.0 . . . . .	510	152	358	*5	124	154	227	127	133	185	65
300.00 . . . . .	414	123	291	*	88	124	200	103	107	148	56
300.01 . . . . .	69	21	48	*	27	22	19	17	18	28	*7
300.02 . . . . .	26	*7	19	*	*8	*8	*8	*8	*8	*9	*
300.1 . . . . .	23	*	19	*	12	*6	*	*	*	12	*
300.11 . . . . .	11	*	*9	*	*5	*	*	*	*	*5	*
300.2 . . . . .	18	*6	13	*	11	*5	*	*6	*	*7	*
300.21 . . . . .	11	*	*8	*	*7	*	*	*	*	*	*
300.3 . . . . .	22	10	12	*	12	*5	*	*8	*	*7	*
300.4 . . . . .	256	69	187	*5	79	81	91	75	63	84	34
300.9 . . . . .	68	29	39	*	44	16	*5	*8	21	27	12
301 . . . . .	303	136	166	*7	209	74	14	127	81	72	22
301.5 . . . . .	*8	*	*8	*	*	*	*	*	*	*	*
301.50 . . . . .	*7	*	*6	*	*	*	*	*	*	*	*
301.6 . . . . .	24	*6	19	*	13	9	*	*	*8	9	*
301.7 . . . . .	35	31	*	*	29	*5	—	*8	17	*8	*
301.8 . . . . .	116	37	79	*	83	26	*	43	38	26	9
301.81 . . . . .	9	*6	*	*	*	*	*	*	*	*	*
301.83 . . . . .	79	15	64	*	63	12	*	24	29	19	*6
301.89 . . . . .	24	14	10	—	14	*9	*	17	*	*	*
301.9 . . . . .	104	53	51	*	71	26	*6	65	11	20	*7
303 . . . . .	722	517	205	*	368	273	79	194	191	239	99
303.0 . . . . .	106	80	26	*	58	41	*6	18	47	21	20
303.00 . . . . .	39	32	*8	*	21	16	*	*6	13	*9	12
303.01 . . . . .	63	46	17	—	34	24	*	12	32	12	*7
303.9 . . . . .	616	437	179	*	310	231	73	176	144	218	79
303.90 . . . . .	277	201	75	*	125	108	43	39	63	132	42
303.91 . . . . .	281	200	81	*	158	98	25	120	60	72	28
303.92 . . . . .	18	10	*9	*	12	*5	*	*5	*7	*	*
303.93 . . . . .	41	26	15	*	15	21	*	12	13	10	*5
304 . . . . .	515	306	208	*5	369	124	17	176	89	191	58
304.0 . . . . .	193	111	82	*	115	71	*6	79	21	63	30
304.00 . . . . .	62	28	34	*	35	24	*	*8	*8	36	10

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
304.01 . . . . .	124	79	45	*	76	45	*	67	11	26	19
304.1 . . . . .	30	16	14	*	16	*9	*5	*9	*	16	*
304.10 . . . . .	16	*7	10	*	*8	*	*	*	*	11	*
304.11 . . . . .	12	*8	*	*	*6	*	*	*5	*	*	*
304.2 . . . . .	94	57	37	—	75	18	*	32	14	41	*7
304.20 . . . . .	41	25	16	—	32	*8	*	*	*	29	*
304.21 . . . . .	45	27	17	—	38	*7	*	25	*6	11	*
304.23 . . . . .	*6	*	*	—	*	*	—	*	*	*	*
304.3 . . . . .	57	40	17	*	50	*	*	13	25	16	*
304.30 . . . . .	18	12	*6	*	17	*	—	*	*	10	*
304.31 . . . . .	30	22	*8	*	25	*	*	10	15	*	*
304.4 . . . . .	17	9	*8	*	14	*	*	*	*	*6	*5
304.40 . . . . .	*7	*	*	*	*6	*	*	*	*	*	*
304.41 . . . . .	*7	*	*	*	*6	*	*	*	*	*	*
304.6 . . . . .	12	*7	*	*	*8	*	*	*	*	*	*
304.61 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
304.7 . . . . .	37	22	15	*	28	*8	*	18	*8	*8	*
304.70 . . . . .	12	*7	*	*	10	*	—	*	*	*	*
304.71 . . . . .	24	14	10	—	18	*5	*	15	*	*	*
304.8 . . . . .	34	20	14	*	30	*	*	11	*5	16	*
304.80 . . . . .	20	10	10	*	17	*	*	*	*	14	*
304.81 . . . . .	10	*7	*	—	9	*	—	*6	*	*	*
304.9 . . . . .	41	24	17	*	31	*8	*	*9	*6	21	*
304.90 . . . . .	30	18	12	*	22	*6	*	*	*	19	*
304.91 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
304.93 . . . . .	*5	*	*	—	*	*	—	*	*	*	*
305 . . . . .	2,456	1,362	1,094	13	1,232	890	321	470	640	910	436
305.0 . . . . .	456	326	130	*	245	152	56	109	106	170	71
305.00 . . . . .	307	219	88	*	173	93	39	56	82	121	47
305.01 . . . . .	94	71	24	*	42	40	12	27	15	37	15
305.02 . . . . .	26	17	10	*	19	*6	*	17	*	*	*
305.03 . . . . .	28	20	*8	*	10	14	*	*8	*	*9	*6
305.1 . . . . .	1,493	728	765	*5	595	635	258	229	428	555	281
305.2 . . . . .	127	81	46	*	110	13	*	37	33	42	14
305.20 . . . . .	84	51	32	*	73	*8	*	17	28	29	10
305.21 . . . . .	29	20	*9	*	25	*	—	12	*	12	*
305.22 . . . . .	9	*6	*	—	*8	*	—	*6	*	*	*
305.23 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
305.4 . . . . .	14	*8	*6	*	10	*	*	*	*	*6	*
305.40 . . . . .	9	*6	*	*	*6	*	*	*	*	*	*
305.5 . . . . .	56	35	20	*	39	15	*	15	15	16	10
305.50 . . . . .	37	23	14	*	26	9	*	*9	12	11	*6
305.51 . . . . .	15	10	*5	*	11	*	*	*	*	*	*
305.6 . . . . .	171	105	66	*	125	45	*	46	36	64	25
305.60 . . . . .	116	72	44	*	85	30	*	24	29	47	16
305.61 . . . . .	38	23	15	—	27	11	*	15	*	13	*6
305.62 . . . . .	*9	*5	*	—	*7	*	—	*	*	*	*
305.63 . . . . .	*9	*5	*	—	*6	*	*	*	*	*	*
305.7 . . . . .	24	12	11	*	21	*	—	*	*	10	12
305.70 . . . . .	17	*8	9	*	16	*	—	*	*	*7	*8
305.9 . . . . .	112	64	48	*	83	23	*	25	20	46	21
305.90 . . . . .	81	48	33	*	60	15	*	13	16	36	16
305.91 . . . . .	12	*7	*	*	*9	*	*	*5	*	*	*
305.93 . . . . .	17	*8	9	—	12	*5	*	*5	*	*	*
306 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
307 . . . . .	76	22	54	*7	38	14	16	19	17	26	13
307.1 . . . . .	12	*	12	*	*9	*	*	*5	*	*	*
307.5 . . . . .	18	*	16	*	13	*	*	*5	*5	*	*
307.50 . . . . .	*8	*	*7	*	*5	*	*	*	*	*	*
307.51 . . . . .	*7	*	*7	*	*7	*	—	*	*	*	*
307.8 . . . . .	16	*	12	—	10	*	*	*	*	*7	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
307.81 . . . . .	16	*	12	—	9	*	*	*	*	*6	*
307.9 . . . . .	19	*9	11	*	*	*	11	*	*5	*7	*
308 . . . . .	17	*5	12	*	*7	*6	*	*	*	*6	*
308.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
308.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
308.9 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
309 . . . . .	238	94	144	22	142	49	26	87	63	59	28
309.0 . . . . .	61	27	34	*	32	15	12	25	16	13	*8
309.2 . . . . .	27	10	18	*	14	*6	*5	*7	11	*7	*
309.28 . . . . .	23	*8	15	*	12	*5	*	*6	10	*5	*
309.4 . . . . .	25	13	12	*	19	*	*	12	*	*5	*
309.8 . . . . .	98	34	64	13	63	20	*	38	21	27	12
309.81 . . . . .	96	33	63	13	61	19	*	37	21	27	12
309.9 . . . . .	21	*8	13	*	12	*	*	*	10	*5	*
310 . . . . .	53	24	29	*	*	*7	41	15	*9	22	*7
310.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
310.2 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
310.9 . . . . .	34	12	21	—	*	*	30	9	*5	18	*
311 . . . . .	974	342	632	18	315	288	354	270	249	311	144
312 . . . . .	84	58	26	21	51	*7	*6	35	22	23	*
312.3 . . . . .	58	40	18	*8	43	*6	*	25	18	13	*
312.30 . . . . .	40	30	11	*	32	*	*	22	13	*	*
312.34 . . . . .	12	*8	*	*	*8	*	*	*	*	*6	*
312.8 . . . . .	*8	*7	*	*	*	*	*	*	*	*	*
312.9 . . . . .	17	10	*6	*8	*	*	*	*7	*	*6	*
313 . . . . .	45	24	21	26	18	*	*	15	13	15	*
313.8 . . . . .	43	23	20	25	17	—	—	14	13	14	*
313.81 . . . . .	42	23	19	24	17	—	—	14	12	14	*
314 . . . . .	83	54	30	47	31	*	*	18	23	33	10
314.0 . . . . .	83	53	30	47	31	*	*	18	23	33	10
314.00 . . . . .	15	*9	*6	*6	*6	*	*	*	*6	*	*
314.01 . . . . .	68	45	23	41	25	*	*	15	17	29	*7
315 . . . . .	47	32	16	30	16	*	*	11	15	11	11
315.2 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
315.3 . . . . .	*7	*6	*	*6	*	—	—	*	*	*	*
315.8 . . . . .	13	*7	*6	10	*	*	—	*	*	*	*
315.9 . . . . .	15	10	*5	*7	*7	*	*	*	*8	*	*
317 . . . . .	31	16	15	*	20	*7	*	15	*5	10	*
318 . . . . .	26	14	12	*	12	*7	*	*5	*9	9	*
318.0 . . . . .	10	*7	*	*	*6	*	*	*	*	*	*
318.1 . . . . .	11	*	*7	*	*	*5	*	*	*	*	*
319 . . . . .	91	44	47	15	31	25	20	23	24	32	12
320–389 . . . . .	3,543	1,513	2,030	404	577	746	1,816	809	862	1,231	642
320 . . . . .	15	*7	*8	*6	*	*	*	*	*	*5	*
322 . . . . .	15	*6	9	*	*	*	*	*	*	*6	*
322.9 . . . . .	13	*	*8	*	*	*	*	*	*	*5	*
323 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
323.9 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
324 . . . . .	12	*8	*	*	*	*	*5	*	*	*	*5
324.0 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
331 . . . . .	476	175	301	21	14	22	419	114	116	174	72
331.0 . . . . .	379	128	251	*	*8	370	93	90	142	54	
331.3 . . . . .	18	10	*8	*	*	*	15	*	*5	*6	
331.4 . . . . .	62	28	34	20	12	10	20	13	15	21	13
331.9 . . . . .	13	*7	*5	*	*	*	10	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
332 . . . . .	260	134	125	—	*	18	239	71	62	92	35
332.0 . . . . .	258	133	125	—	*	18	238	71	61	91	35
333 . . . . .	92	34	58	*	13	19	58	17	27	34	14
333.0 . . . . .	*6	*	*	—	*	*	*6	*	*	*	*
333.1 . . . . .	33	14	18	*	*	*7	23	*7	11	10	*
333.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
333.8 . . . . .	10	*	*6	*	*	*	*5	*	*	*	*
333.82 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
333.9 . . . . .	30	*7	23	*	*	*6	20	*	*8	14	*5
333.90 . . . . .	*7	*	*6	*	*	*	*	*	*	*	*
333.99 . . . . .	22	*5	17	—	*	*	16	*	*7	9	*
334 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
335 . . . . .	15	11	*	*	*	*	*9	*	*	*8	*
335.2 . . . . .	13	9	*	—	*	*	*8	*	*	*7	*
335.20 . . . . .	10	*7	*	—	*	*	*6	*	*	*5	*
336 . . . . .	22	12	10	*	*	*8	*9	*	*	*9	*5
336.3 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
336.9 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
337 . . . . .	71	30	41	*	19	29	23	14	14	28	15
337.1 . . . . .	50	22	28	—	*9	22	19	9	*8	22	11
337.2 . . . . .	15	*	11	*	10	*5	*	*	*	*	*
337.22 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
340 . . . . .	86	20	66	*	28	41	17	22	30	21	13
341 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
342 . . . . .	183	81	102	*	15	44	120	36	53	59	35
342.0 . . . . .	*7	*	*	—	*	*	*6	*	*	*	*
342.8 . . . . .	11	*6	*6	*	*	*	*6	*	*	*	*
342.80 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
342.9 . . . . .	162	71	91	*	14	39	107	33	46	52	30
342.90 . . . . .	143	62	81	*	12	34	95	31	39	45	27
342.91 . . . . .	11	*	*6	*	*	*	*7	*	*	*	*
342.92 . . . . .	*9	*	*	*	*	*	*5	*	*	*	*
343 . . . . .	81	44	37	38	27	12	*	22	17	25	18
343.2 . . . . .	16	*7	*9	*8	*	*	*	*5	*	*	*
343.9 . . . . .	56	30	25	24	19	*9	*	14	12	18	11
344 . . . . .	125	83	43	*7	43	40	36	23	33	44	25
344.0 . . . . .	53	41	12	*	22	17	10	10	14	19	10
344.00 . . . . .	42	32	10	*	17	12	10	*8	12	15	*7
344.09 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
344.1 . . . . .	42	26	15	*	15	15	10	*6	*9	17	*9
344.6 . . . . .	9	*6	*	*	*	*	*	*	*	*	*
344.60 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
344.9 . . . . .	12	*5	*7	*	*	*	*7	*	*5	*	*
345 . . . . .	100	44	56	31	30	22	17	24	24	31	21
345.1 . . . . .	17	*8	*8	*	*6	*5	*	*	*5	*7	*
345.10 . . . . .	15	*8	*7	*	*	*5	*	*	*	*6	*
345.3 . . . . .	22	9	13	*7	*	*5	*5	*	*	*7	*6
345.5 . . . . .	10	*	*7	*	*	*	*	*	*	*	*
345.50 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
345.9 . . . . .	36	16	20	10	11	9	*5	*8	*8	11	9
345.90 . . . . .	32	15	17	*8	10	9	*5	*7	*7	10	*8
346 . . . . .	176	33	143	*5	86	69	15	42	42	64	28
346.1 . . . . .	*6	*	*6	*	*	*	*	*	*	*	*
346.10 . . . . .	*6	*	*6	*	*	*	*	*	*	*	*
346.2 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
346.20 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
346.8 . . . . .	11	*	9	*	*7	*	*	*	*	*	*
346.80 . . . . .	10	*	*8	*	*6	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
346.9 . . . . .	146	26	120	*	72	59	12	35	33	53	25
346.90 . . . . .	140	26	114	*	68	56	12	34	31	50	25
346.91 . . . . .	*6	*	*6	*	*	*	*	*	*	*	*
348 . . . . .	166	83	83	22	34	38	71	33	33	62	38
348.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
348.1 . . . . .	59	33	26	*6	10	14	28	11	11	22	15
348.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
348.3 . . . . .	51	23	28	*	*8	*9	30	9	9	23	*9
348.4 . . . . .	9	*	*	*	*	*	*	*	*	*	*
348.5 . . . . .	12	*5	*7	*	*	*	*	*	*	*	*
348.8 . . . . .	17	9	*8	*	*	*	*	*	*	*	*
348.9 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
349 . . . . .	47	16	31	*	26	9	10	10	*8	17	13
349.0 . . . . .	26	*	21	*	22	*	*	*6	*5	*8	*7
349.2 . . . . .	*7	*5	*	*	*	*	*	*	*	*	*
349.8 . . . . .	11	*5	*6	*	*	*	*	*6	*	*	*
349.82 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
350 . . . . .	16	*5	10	—	*	*	12	*	*	*6	*
350.1 . . . . .	15	*5	10	—	*	*	12	*	*	*6	*
351 . . . . .	22	9	12	*	*6	*6	*8	*6	*5	*7	*
351.0 . . . . .	19	*9	10	*	*5	*5	*8	*5	*	*6	*
353 . . . . .	*9	*	*5	*	*	*	*	*	*	*	*
353.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
354 . . . . .	39	18	22	*	13	11	15	11	*8	16	*
354.0 . . . . .	27	10	17	*	10	*8	9	*8	*5	10	*
355 . . . . .	42	17	25	*	*8	14	19	9	10	17	*6
355.8 . . . . .	19	*9	10	*	*	*8	9	*	*	*7	*
355.9 . . . . .	14	*	9	*	*	*	*6	*	*	*7	*
356 . . . . .	70	27	43	*	*5	17	47	12	19	28	11
356.9 . . . . .	63	24	39	*	*	17	43	10	18	26	9
357 . . . . .	263	117	146	*	28	101	132	55	64	97	46
357.0 . . . . .	14	*8	*6	*	*	*	*5	*	*	*	*
357.2 . . . . .	230	98	132	—	21	90	119	49	55	88	38
357.5 . . . . .	*7	*6	*	—	*	*	*	*	*	*	*
358 . . . . .	28	*8	20	*	*7	*6	15	9	*7	*9	*
358.0 . . . . .	24	*7	18	*	*6	*	13	*9	*7	*7	*
359 . . . . .	22	14	*7	*	*6	*7	*5	*5	*	*6	*7
359.1 . . . . .	10	*8	*	*	*	*	*	*	*	*	*
361 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
362 . . . . .	171	65	106	*6	14	49	102	40	43	52	36
362.0 . . . . .	104	41	63	—	12	43	49	27	21	33	23
362.01 . . . . .	99	38	61	—	11	40	47	24	21	32	22
362.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
362.3 . . . . .	*8	*	*	*	*	*	*7	*	*	*	*
362.34 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
362.5 . . . . .	45	14	31	—	*	*	42	*9	17	11	9
362.50 . . . . .	43	13	30	—	*	*	41	*9	16	9	*9
365 . . . . .	156	52	105	*	*6	23	127	50	37	52	17
365.9 . . . . .	149	50	100	*	*	21	124	49	36	50	15
366 . . . . .	30	10	20	*	*	*	24	12	*8	*5	*
366.9 . . . . .	26	*8	18	*	*	*	22	10	*8	*	*
368 . . . . .	53	22	31	*	12	12	27	9	14	16	13
368.1 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
368.2 . . . . .	9	*	*	*	*	*	*	*	*	*	*
368.4 . . . . .	18	*7	11	*	*	*5	10	*	*	*	*6
368.46 . . . . .	15	*5	10	—	*	*	9	*	*	*	*5

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
368.8 . . . . .	9	*	*6	*	*	*	*	*	*	*	*
368.9 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
369 . . . . .	82	35	47	*	12	18	48	17	17	32	16
369.0 . . . . .	29	12	17	*	*	*5	17	*	*	14	*6
369.00 . . . . .	27	12	16	*	*	*	16	*	*	13	*6
369.4 . . . . .	22	*8	14	*	*	*	14	*6	*6	*7	*
369.6 . . . . .	21	10	10	*	*	*7	10	*	*	*7	*
369.60 . . . . .	18	10	*9	*	*	*6	10	*	*	*7	*
369.9 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
372 . . . . .	52	28	24	19	10	10	14	12	9	20	11
372.0 . . . . .	11	*8	*	*	*	*	*	*	*	*	*
372.00 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
372.3 . . . . .	31	14	16	14	*	*	10	*8	*6	11	*6
372.30 . . . . .	27	11	16	12	*	*	9	*7	*6	9	*
372.7 . . . . .	*9	*6	*	*	*	*	*	*	*	*	*
372.72 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
373 . . . . .	10	*5	*	*	*	*	*	*	*	*	*
373.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
373.13 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
374 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
374.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
374.30 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
376 . . . . .	17	*8	9	*6	*5	*	*	*	*	*6	*
376.0 . . . . .	12	*5	*6	*	*	*	*	*	*	*	*
376.01 . . . . .	11	*	*6	*	*	*	*	*	*	*	*
377 . . . . .	13	*	*9	*	*	*	*	*	*	*	*
377.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
378 . . . . .	17	*7	10	*	*	*	*6	*	*	*	*
378.5 . . . . .	11	*	*7	*	*	*	*	*	*	*	*
378.54 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
379 . . . . .	19	11	*8	*	*	*	*7	*6	*	*	*5
379.5 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
379.50 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
380 . . . . .	31	12	20	*5	12	*	10	*8	11	9	*
380.1 . . . . .	21	*6	15	*	10	*	*5	*	*7	*7	*
380.10 . . . . .	19	*6	13	*	*9	*	*	*	*7	*7	*
380.4 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
381 . . . . .	24	14	11	19	*	*	*	*8	*5	*8	*
381.3 . . . . .	*7	*	*	*6	—	*	*	*	*	*	*
381.4 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
382 . . . . .	173	93	80	150	11	*5	*6	26	41	63	42
382.9 . . . . .	167	91	76	148	10	*5	*	25	38	63	41
383 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
386 . . . . .	70	24	46	*	*6	16	47	16	21	24	*9
386.0 . . . . .	9	*	*7	—	*	*	*6	*	*	*	*
386.00 . . . . .	*9	*	*7	—	*	*	*6	*	*	*	*
386.1 . . . . .	30	*9	21	*	*	*6	21	*6	10	11	*
386.11 . . . . .	19	*	14	—	*	*	15	*	*8	*6	*
386.12 . . . . .	*9	*	*5	*	*	*	*5	*	*	*	*
386.3 . . . . .	29	12	17	*	*	*7	19	*7	*7	10	*
386.30 . . . . .	24	10	15	*	*	*5	17	*6	*	9	*
388 . . . . .	12	*6	*6	*	*	*	*6	*	*	*	*
389 . . . . .	75	36	38	*7	10	*8	49	15	24	20	15
389.1 . . . . .	10	*	*5	*	*	*	*7	*	*	*	*
389.10 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
389.9 . . . . .	57	27	30	*	*8	*6	40	11	18	17	11

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
390–459 . . . . .	30,650	14,373	16,276	124	1,700	7,511	21,314	7,351	7,736	11,061	4,501
394 . . . . .	28	*7	21	*	*	*6	20	*9	*	*8	*6
394.0 . . . . .	12	*	10	*	*	*	*8	*	*	*	*
394.1 . . . . .	*9	*	*6	*	*	*	*6	*	*	*	*
394.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
396 . . . . .	165	62	103	*	*	18	141	45	37	59	23
396.2 . . . . .	47	18	29	*	*	*	43	11	15	13	*8
396.3 . . . . .	80	31	49	*	*	11	66	22	16	35	*8
396.8 . . . . .	17	*7	10	—	*	*	15	*	*	*	*
396.9 . . . . .	14	*5	9	*	*	*	13	*	*	*	*
397 . . . . .	132	59	73	*	*6	24	100	40	26	51	16
397.0 . . . . .	131	59	72	*	*6	24	99	39	25	51	16
398 . . . . .	68	25	43	*	*	10	54	23	13	21	11
398.9 . . . . .	68	25	43	*	*	10	54	23	13	21	11
398.90 . . . . .	10	*	*8	—	*	*	*5	*	*	*	*
398.91 . . . . .	58	23	35	*	*	*6	49	20	11	18	9
401 . . . . .	7,401	3,062	4,339	16	546	2,199	4,639	1,722	1,820	2,783	1,076
401.0 . . . . .	64	22	42	*	10	19	35	14	14	29	*7
401.1 . . . . .	109	43	65	*	*8	33	68	48	17	40	*
401.9 . . . . .	7,229	2,997	4,232	16	529	2,148	4,536	1,660	1,789	2,714	1,065
402 . . . . .	337	135	202	*	*7	77	252	84	71	138	44
402.0 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
402.1 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
402.9 . . . . .	324	131	193	*	*7	72	245	80	69	131	44
402.90 . . . . .	185	74	111	—	*	45	136	50	37	80	19
402.91 . . . . .	139	56	82	*	*	28	108	30	33	51	25
403 . . . . .	814	400	414	*	83	252	476	165	163	331	155
403.0 . . . . .	15	*6	*9	*	*	*5	*6	*	*	*8	*
403.01 . . . . .	13	*5	*7	*	*	*	*	*	*	*6	*
403.1 . . . . .	11	*6	*	*	*	*	*7	*6	*	*	*
403.11 . . . . .	10	*6	*	*	*	*	*6	*6	*	*	*
403.9 . . . . .	788	387	400	*	78	244	463	156	158	322	152
403.90 . . . . .	58	30	27	*	*	17	37	12	11	25	9
403.91 . . . . .	730	357	373	*	75	227	426	144	147	297	142
404 . . . . .	77	36	41	*	*	17	54	13	17	31	16
404.0 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
404.9 . . . . .	70	31	39	*	*	16	50	12	15	27	15
404.91 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
404.92 . . . . .	17	*8	*8	*	*	*	11	*	*	*7	*
404.93 . . . . .	45	20	24	—	*	10	33	*8	10	16	10
405 . . . . .	11	*	*6	*	*	*	*5	*	*	*	*
405.9 . . . . .	10	*	*5	*	*	*	*	*	*	*	*
405.91 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
410 . . . . .	970	524	446	*	49	296	625	240	240	341	149
410.0 . . . . .	27	16	11	—	*	*8	15	*5	*6	11	*
410.01 . . . . .	25	15	10	—	*	*8	14	*	*6	10	*
410.1 . . . . .	106	62	44	—	*9	35	62	29	27	34	16
410.11 . . . . .	97	58	39	—	*9	33	55	28	23	32	14
410.12 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
410.2 . . . . .	19	12	*7	—	*	*8	9	*	*6	*7	*
410.21 . . . . .	17	11	*6	—	*	*8	*9	*	*	*7	*
410.3 . . . . .	17	11	*5	—	*	9	*7	*5	*	*	*6
410.31 . . . . .	15	11	*	—	*	*8	*6	*5	*	*	*
410.4 . . . . .	135	89	46	—	11	62	63	30	36	46	24
410.41 . . . . .	126	82	44	—	10	59	58	29	32	44	22
410.42 . . . . .	*9	*6	*	—	*	*	*	*	*	*	*
410.5 . . . . .	15	*8	*7	—	*	*5	10	*	*5	*	*
410.51 . . . . .	15	*8	*6	—	*	*5	9	*	*5	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
410.6 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
410.61 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
410.7 . . . . .	451	229	222	*	15	127	309	119	110	154	69
410.71 . . . . .	425	216	208	*	14	122	289	113	103	145	64
410.72 . . . . .	26	12	13	—	*	*	20	*5	*6	9	*
410.8 . . . . .	14	*8	*6	*	*	*	9	*	*	*6	*
410.81 . . . . .	13	*7	*6	*	*	*	*9	*	*	*5	*
410.9 . . . . .	181	85	96	—	*8	35	138	41	44	73	23
410.91 . . . . .	161	75	87	—	*7	31	124	38	38	65	20
410.92 . . . . .	14	*8	*7	—	*	*	11	*	*	*6	*
411 . . . . .	760	426	334	*	35	294	430	205	173	275	107
411.0 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
411.1 . . . . .	722	405	317	—	32	284	407	195	166	261	100
411.8 . . . . .	32	17	14	*	*	*8	21	9	*6	12	*5
411.81 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
411.89 . . . . .	25	13	12	—	*	*6	16	*8	*	*9	*
412 . . . . .	694	405	289	*	28	202	464	175	183	217	120
413 . . . . .	499	243	256	*	21	141	337	121	134	180	64
413.9 . . . . .	495	241	253	*	21	139	334	120	132	178	64
414 . . . . .	4,474	2,469	2,005	*	113	1,202	3,156	1,133	1,197	1,559	585
414.0 . . . . .	4,178	2,297	1,882	*	106	1,129	2,941	1,037	1,132	1,463	547
414.00 . . . . .	1,221	668	554	*	20	253	946	291	390	425	115
414.01 . . . . .	2,786	1,520	1,267	*	83	821	1,882	693	700	984	409
414.02 . . . . .	92	66	26	—	*	33	58	19	30	25	18
414.04 . . . . .	13	*8	*	—	*	*5	*8	*	*	*	*
414.05 . . . . .	66	35	31	—	*	17	46	32	*8	24	*
414.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
414.10 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
414.8 . . . . .	222	139	83	—	*	53	166	72	54	65	32
414.9 . . . . .	67	30	37	—	*	19	45	22	10	29	*5
415 . . . . .	166	70	96	*	28	48	90	36	37	63	30
415.0 . . . . .	11	*	*7	*	*	*	*8	*	*	*	*
415.1 . . . . .	155	66	89	*	27	45	83	33	33	60	29
415.11 . . . . .	19	*8	12	—	*	*	10	*	*	*9	*
415.19 . . . . .	136	58	78	*	22	40	73	30	29	51	26
416 . . . . .	263	102	161	*	21	70	169	73	65	83	43
416.0 . . . . .	60	22	39	*	*	14	40	23	11	20	*6
416.8 . . . . .	128	50	78	*	11	36	79	26	40	37	25
416.9 . . . . .	75	31	45	*	*6	20	49	24	13	26	12
420 . . . . .	24	14	10	*	*5	*8	10	*6	*5	*9	*
420.9 . . . . .	21	12	10	*	*5	*8	*8	*6	*5	*7	*
420.90 . . . . .	17	*8	*8	*	*	*7	*6	*	*	*5	*
421 . . . . .	23	13	10	*	*6	*7	11	*8	*	9	*
421.0 . . . . .	20	12	*8	*	*5	*6	*9	*7	*	*8	*
423 . . . . .	42	21	21	*	*7	16	16	10	*8	16	*9
423.9 . . . . .	31	16	16	*	*6	10	12	*7	*6	13	*6
424 . . . . .	953	368	585	*	94	165	691	247	223	342	141
424.0 . . . . .	553	194	359	*	82	120	349	140	124	208	81
424.1 . . . . .	338	146	192	*	*5	36	295	94	79	113	52
424.2 . . . . .	24	13	11	*	*	*	16	*5	*5	*8	*6
424.3 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
424.9 . . . . .	32	13	19	*	*	*	27	*7	14	*9	*
424.90 . . . . .	31	12	18	*	*	*	26	*6	13	*9	*
425 . . . . .	568	308	260	*5	48	165	350	139	134	219	77
425.1 . . . . .	15	*6	*9	*	*	*	10	*	*	*8	*
425.4 . . . . .	506	274	232	*	41	142	319	125	118	196	67
425.5 . . . . .	13	11	*	—	*	*7	*	*	*	*	*
425.8 . . . . .	21	10	10	*	*	*7	10	*	*	10	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
425.9 . . . . .	11	*	*6	*	*	*	*6	*	*5	*	*
426 . . . . .	412	212	199	*	19	76	312	89	113	135	74
426.0 . . . . .	67	33	34	*	*	13	52	17	16	23	12
426.1 . . . . .	100	56	44	*	*5	13	81	22	29	32	17
426.10 . . . . .	*7	*	*	—	*	*	*5	*	*	*	*
426.11 . . . . .	59	32	27	*	*	*8	48	13	20	17	10
426.13 . . . . .	29	17	12	*	*	*	24	*7	*8	9	*
426.2 . . . . .	11	*7	*	*	*	*	*8	*	*	*	*
426.3 . . . . .	88	32	57	*	*	17	69	21	23	26	18
426.4 . . . . .	73	48	25	*	*	15	55	16	19	24	13
426.5 . . . . .	37	21	17	—	*	*7	30	*	11	15	*7
426.52 . . . . .	*9	*5	*	—	*	*	*7	*	*	*	*
426.53 . . . . .	21	12	*9	—	*	*	17	*	*8	*8	*
426.6 . . . . .	*8	*	*	—	*	*	*6	*	*	*	*
426.7 . . . . .	13	*7	*6	*	*5	*	*	*	*	*	*
426.9 . . . . .	10	*	*6	*	*	*	*7	*	*	*	*
427 . . . . .	3,834	1,837	1,997	26	169	596	3,043	956	987	1,294	597
427.0 . . . . .	101	35	66	*	10	18	72	24	21	40	16
427.1 . . . . .	228	146	83	*	17	67	143	60	56	78	35
427.3 . . . . .	2,513	1,196	1,316	*	47	312	2,151	661	652	815	385
427.31 . . . . .	2,324	1,082	1,243	*	41	275	2,006	616	607	747	354
427.32 . . . . .	188	115	73	*	*6	36	146	45	44	68	31
427.4 . . . . .	49	30	19	*	*	15	30	10	9	16	14
427.41 . . . . .	48	30	18	*	*	15	30	10	9	16	14
427.5 . . . . .	99	49	50	*	*9	23	65	16	22	41	19
427.6 . . . . .	111	56	55	*	12	22	76	27	28	35	21
427.60 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
427.61 . . . . .	26	11	15	*	*	*	20	*7	*7	*8	*
427.69 . . . . .	79	41	38	*	10	15	53	17	20	25	17
427.8 . . . . .	650	283	367	16	67	122	446	139	176	236	98
427.81 . . . . .	157	68	89	*	*	18	136	42	30	64	21
427.89 . . . . .	493	215	278	15	64	104	310	97	146	173	77
427.9 . . . . .	79	39	40	*	*	17	57	18	22	31	*8
428 . . . . .	3,292	1,411	1,881	13	80	572	2,626	769	923	1,163	437
428.0 . . . . .	3,271	1,401	1,870	13	79	566	2,613	762	919	1,155	434
428.1 . . . . .	*9	*	*6	*	*	*	*6	*	*	*	*
428.9 . . . . .	13	*8	*	*	*	*	*7	*5	*	*6	*
429 . . . . .	257	116	141	*6	10	51	191	61	70	97	29
429.2 . . . . .	103	45	58	—	*	13	90	33	22	41	*7
429.3 . . . . .	89	40	49	*	*	20	60	16	29	29	14
429.4 . . . . .	9	*6	*	*	*	*	*6	*	*	*	*
429.7 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
429.8 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
429.89 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
429.9 . . . . .	38	18	20	*	*	10	26	*6	14	15	*
430 . . . . .	31	12	19	*	*6	15	10	*6	*	11	9
431 . . . . .	68	29	38	*	*6	15	46	18	13	23	13
432 . . . . .	33	18	15	*	*	*8	21	*	*9	12	*7
432.1 . . . . .	28	17	12	*	*	*6	19	*	*6	11	*6
433 . . . . .	300	163	137	*	*	66	229	71	79	109	41
433.1 . . . . .	218	120	98	*	*	46	169	55	57	77	28
433.10 . . . . .	192	104	87	—	*	39	151	49	53	66	24
433.11 . . . . .	26	15	11	*	*	*7	18	*7	*	10	*
433.2 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
433.3 . . . . .	66	35	32	—	*	15	51	14	18	25	9
433.30 . . . . .	56	31	26	—	*	13	43	12	16	20	*8
433.31 . . . . .	10	*	*6	—	—	*	*8	*	*	*5	*
434 . . . . .	345	146	199	*	16	80	247	88	71	126	61
434.0 . . . . .	17	*7	10	*	*	*	12	*5	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
434.01	14	*6	*8	*	*	*	10	*	*	*	*
434.1	45	22	24	*	*	11	31	15	10	12	*8
434.11	41	20	22	*	*	10	29	14	10	11	*7
434.9	282	117	165	*	12	65	204	67	56	109	50
434.90	9	*5	*	*	*	*	*6	*	*	*	*
434.91	273	112	161	*	11	63	198	66	55	104	48
435	264	106	158	—	10	50	204	66	64	96	38
435.3	13	*6	*6	—	*	*	10	*	*5	*	*
435.8	11	*	*7	—	*	*	9	*	*	*	*
435.9	232	94	138	—	*9	44	179	58	55	87	33
436	198	73	125	*	*	28	165	24	55	82	36
437	154	57	98	*	*6	25	122	29	39	67	19
437.0	73	31	42	*	*	10	63	15	19	32	*7
437.1	10	*	*6	—	*	*	*8	*	*	*	*
437.2	10	*	*8	*	*	*	*6	*	*	*	*
437.3	14	*	10	*	*	*	*6	*	*	*6	*
437.9	36	12	24	—	—	*	33	*	11	17	*
438	523	238	285	*	13	98	409	106	140	181	95
438.0	10	*	*5	—	*	*	*8	*	*	*	*
438.1	92	42	50	*	*	16	74	18	31	29	15
438.10	*5	*	*	—	—	*	*	*	*	*	*
438.11	64	31	33	*	*	12	51	13	22	22	*8
438.12	14	*	9	—	*	*	11	*	*	*	*
438.19	*9	*	*5	—	*	*	*7	*	*	*	*
438.2	234	111	123	*	*5	46	182	58	63	75	38
438.20	214	101	113	*	*	41	167	54	57	72	31
438.21	*9	*	*5	—	*	*	*5	*	*	*	*
438.22	12	*6	*6	*	*	*	9	*	*	*	*
438.5	*7	*	*	*	*	*	*	*	*	*	*
438.8	144	61	83	*	*	27	113	21	37	53	34
438.82	34	17	17	*	*	*	31	*7	*7	13	*7
438.89	107	43	64	*	*	23	79	14	28	38	26
438.9	33	15	18	*	*	*	27	*5	*6	20	*
440	362	185	177	*	*8	86	267	77	98	138	48
440.0	19	*8	11	—	*	*5	14	*5	*	*6	*
440.1	39	18	21	—	*	10	27	10	11	16	*
440.2	216	115	101	*	*6	58	152	37	55	87	36
440.20	55	29	27	—	*	15	39	*9	17	21	*8
440.21	40	26	14	—	*	16	22	*6	10	15	9
440.22	14	*6	*8	—	*	*	10	*	*	*7	*
440.23	34	18	16	*	*	*8	25	*7	10	10	*8
440.24	65	34	30	—	*	13	50	13	14	29	*8
440.29	*8	*	*5	—	*	*	*7	*	*	*6	*
440.3	*8	*5	*	—	*	*	*7	*	*	*	*
440.8	*8	*	*	—	—	*	*6	*	*	*	*
440.9	71	35	37	*	*	*9	61	22	23	23	*
441	154	101	54	*	*	23	129	38	43	50	24
441.0	14	*9	*6	—	*	*5	*8	*	*	*	*
441.01	*9	*5	*	—	*	*	*	*	*	*	*
441.2	15	*7	*9	*	*	*	11	*	*	*5	*
441.3	*8	*6	*	—	—	*	*8	*	*	*	*
441.4	108	74	34	*	*	13	95	27	31	35	15
442	31	19	11	—	*	10	19	*8	*8	*8	*6
442.2	10	*8	*	—	*	*	*7	*	*	*	*
442.3	10	*6	*	—	*	*	*8	*	*	*	*
442.8	*7	*	*	—	*	*	*	*	*	*	*
443	458	239	219	*	18	97	343	113	116	176	54
443.0	15	*	13	*	*6	*	*	*	*	*	*
443.8	74	38	35	*	*	14	56	21	12	30	11

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
443.81 . . . . .	62	31	31	—	*	13	46	18	9	27	*9
443.89 . . . . .	11	*7	*	*	*	*	9	*	*	*	*
443.9 . . . . .	365	195	170	*	*	78	282	87	100	139	39
444 . . . . .	88	43	45	*	*7	25	56	17	21	34	16
444.0 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
444.2 . . . . .	62	31	31	*	*5	16	40	12	15	23	12
444.21 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
444.22 . . . . .	54	28	27	*	*	16	36	11	12	21	10
444.8 . . . . .	16	*7	*9	*	*	*	9	*	*	*6	*
444.81 . . . . .	11	*6	*	—	*	*	*6	*	*	*	*
446 . . . . .	43	15	28	*	*6	*6	26	13	*8	16	*6
446.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
446.4 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
446.5 . . . . .	20	*	15	—	—	*	18	*6	*	*7	*
447 . . . . .	64	25	40	*	*7	19	37	15	16	25	*9
447.1 . . . . .	27	11	16	*	*	*9	16	*	*	13	*
447.6 . . . . .	16	*	12	*	*	*5	*6	*	*	*	*
447.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
447.9 . . . . .	*9	*	*	*	*	*	*7	*	*	*	*
448 . . . . .	*9	*7	*	*	*	*	*6	*	*	*	*
448.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
451 . . . . .	55	26	29	*	*8	15	32	14	11	22	*8
451.0 . . . . .	10	*	*7	—	*	*	*6	*	*	*5	*
451.1 . . . . .	18	*9	9	*	*	*	12	*	*	*7	*
451.11 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
451.19 . . . . .	12	*6	*6	—	*	*	*8	*	*	*	*
451.2 . . . . .	11	*5	*6	—	*	*	*7	*	*	*	*
451.8 . . . . .	14	*7	*7	*	*	*	*6	*	*	*	*
451.84 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
453 . . . . .	326	139	187	*	53	92	179	69	85	128	44
453.8 . . . . .	287	124	163	*	48	81	157	60	78	111	39
453.9 . . . . .	30	10	19	*	*	10	17	*7	*5	13	*
454 . . . . .	25	11	14	—	*	*7	16	*6	*8	*9	*
454.0 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
454.9 . . . . .	14	*6	*8	—	*	*	*8	*	*	*6	*
455 . . . . .	183	78	106	*	45	52	87	48	31	74	31
455.0 . . . . .	71	32	39	—	11	20	40	20	11	28	11
455.2 . . . . .	32	16	17	—	*7	*8	17	10	*6	11	*6
455.3 . . . . .	20	*	15	*	*	*6	9	*	*	10	*
455.4 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
455.5 . . . . .	*9	*5	*	—	*	*	*	*	*	*	*
455.6 . . . . .	27	10	18	*	9	*7	11	*7	*6	9	*5
455.8 . . . . .	11	*	*7	—	*	*	*	*	*	*6	*
456 . . . . .	66	43	22	*	14	32	18	14	11	28	12
456.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
456.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
456.2 . . . . .	46	31	15	*	10	25	11	*9	*8	21	*8
456.20 . . . . .	30	21	10	*	*7	16	*7	*7	*5	14	*
456.21 . . . . .	16	11	*5	*	*	9	*	*	*	*7	*
456.8 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
457 . . . . .	32	12	20	*	*5	10	16	*7	*7	10	*7
457.1 . . . . .	19	*8	11	*	*	*5	11	*6	*	*	*
457.2 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
458 . . . . .	405	181	223	*7	37	88	272	84	101	146	73
458.0 . . . . .	112	53	59	*	11	18	83	24	29	40	19
458.2 . . . . .	35	19	16	*	*	10	21	*7	10	*7	11
458.8 . . . . .	34	16	18	*	*	*9	22	*	*9	13	*7
458.9 . . . . .	224	95	129	*5	22	51	146	49	53	86	36

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
459 . . . . .	151	68	83	*	17	42	91	39	40	54	18
459.0 . . . . .	19	*7	11	*	*	*	11	*5	*	*9	*
459.2 . . . . .	10	*	*5	*	*	*	*	*	*	*	*
459.8 . . . . .	106	49	57	*	9	29	68	26	32	36	13
459.81 . . . . .	97	46	51	*	*8	27	62	25	31	31	11
459.89 . . . . .	9	*	*6	*	*	*	*7	*	*	*5	*
459.9 . . . . .	15	*6	9	—	*	*5	*8	*	*	*6	*
460–519 . . . . .	10,513	4,955	5,558	1,227	1,321	2,318	5,647	2,263	2,645	3,874	1,731
461 . . . . .	46	17	29	10	11	14	12	*7	13	18	*8
461.0 . . . . .	9	*	*	*	*	*	*	*	*	*	*
461.8 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
461.9 . . . . .	25	*7	17	*	*6	*7	*7	*	*5	12	*
462 . . . . .	43	21	23	14	13	10	*7	10	11	15	*7
463 . . . . .	23	11	12	10	12	*	*	*	*8	*7	*
464 . . . . .	45	27	18	33	*6	*	*	9	10	12	15
464.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
464.10 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
464.4 . . . . .	28	19	*9	27	—	—	*	*5	*	*7	11
465 . . . . .	166	77	89	65	38	26	36	34	38	63	30
465.9 . . . . .	163	75	88	64	37	26	36	34	38	61	30
466 . . . . .	397	195	202	239	39	47	71	66	103	149	78
466.0 . . . . .	165	60	105	11	38	46	70	34	44	66	22
466.1 . . . . .	232	135	97	228	*	*	*	32	59	83	57
466.11 . . . . .	119	65	54	118	*	*	*	14	29	46	29
466.19 . . . . .	113	70	43	109	*	*	*	18	30	37	28
470 . . . . .	12	*8	*	*	*6	*	*	*	*	*	*
471 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
472 . . . . .	14	*8	*7	*	*5	*	*	*	*6	*5	*
472.0 . . . . .	14	*8	*7	*	*5	*	*	*	*6	*5	*
473 . . . . .	139	60	80	23	42	39	34	27	31	58	23
473.0 . . . . .	19	11	*9	*	*5	*	*6	*	*	10	*
473.2 . . . . .	9	*	*5	*	*	*	*	*	*	*	*
473.8 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
473.9 . . . . .	96	39	56	14	31	28	23	20	20	38	17
474 . . . . .	31	21	10	22	*8	*	*	*9	*6	10	*7
474.0 . . . . .	10	*7	*	*7	*	*	*	*	*	*	*
474.00 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
474.1 . . . . .	20	14	*7	15	*	*	*	*7	*	*6	*6
474.10 . . . . .	13	9	*	12	*	—	—	*	*	*	*
474.11 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
475 . . . . .	17	*6	11	*	13	*	*	*	*6	*	*
477 . . . . .	71	28	42	*	17	22	28	*8	20	37	*6
477.9 . . . . .	68	27	41	*	15	21	27	*7	20	36	*6
478 . . . . .	89	50	39	20	24	21	24	18	19	31	21
478.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
478.1 . . . . .	16	*8	*8	*	*5	*	*	*	*	*7	*
478.2 . . . . .	28	17	11	*6	9	*8	*	*	*6	9	*8
478.29 . . . . .	20	12	*8	*	*6	*7	*	*	*	*8	*
478.3 . . . . .	15	9	*6	*	*	*	*8	*	*	*5	*5
478.30 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
478.5 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
478.7 . . . . .	10	*7	*	*	*	*	*	*	*	*	*
478.74 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
480 . . . . .	45	24	21	34	*	*	*6	*	13	19	10
480.1 . . . . .	23	15	*9	23	*	*	*	*	*	12	*5
480.9 . . . . .	20	*8	11	10	*	*	*5	*	*9	*5	*

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
481 . . . . .	56	25	31	*	11	15	26	*8	15	23	10
482 . . . . .	249	137	112	18	34	42	155	43	67	92	46
482.0 . . . . .	14	*7	*7	*	*	*	*9	*	*	*6	*
482.1 . . . . .	60	35	26	*6	11	*6	37	12	13	25	11
482.2 . . . . .	21	11	10	*	*	*	14	*	*7	*7	*
482.3 . . . . .	12	*	*7	*	*	*	*	*	*	*	*
482.30 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
482.4 . . . . .	75	38	37	*	9	14	49	15	17	30	13
482.41 . . . . .	70	35	35	*	*8	13	46	14	15	29	12
482.8 . . . . .	43	27	16	*	*	10	27	*	16	16	*6
482.82 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
482.83 . . . . .	31	20	11	*	*	*7	18	*	13	12	*
482.9 . . . . .	24	14	10	*	*	*	15	*5	*6	*6	*7
483 . . . . .	13	*5	*8	*6	*	*	*	*	*	*	*
483.0 . . . . .	12	*5	*7	*5	*	*	*	*	*	*	*
484 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
485 . . . . .	33	16	17	11	*	*6	13	*	*8	16	*
486 . . . . .	1,727	831	896	204	174	327	1,022	370	440	650	267
487 . . . . .	26	13	12	10	*6	*	*	*5	*5	10	*
487.0 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
487.1 . . . . .	18	*7	11	*7	*	*	*	*	*	*6	*
490 . . . . .	99	48	50	*8	23	27	41	14	26	46	13
491 . . . . .	1,032	472	560	*	39	260	729	233	273	397	129
491.2 . . . . .	992	456	536	*	30	246	713	227	257	383	125
491.20 . . . . .	117	50	67	*	*5	36	75	29	25	49	14
491.21 . . . . .	875	406	469	*	24	210	638	198	232	334	111
491.9 . . . . .	31	13	18	*	*7	10	13	*	12	11	*
492 . . . . .	197	105	92	*	11	49	137	48	62	66	21
492.0 . . . . .	11	*8	*	*	*	*	*	*	*	*	*
492.8 . . . . .	186	97	89	*	*8	46	132	45	58	63	19
493 . . . . .	1,486	512	974	303	424	385	375	361	376	490	260
493.0 . . . . .	75	38	38	55	12	*5	*	14	*7	12	43
493.00 . . . . .	32	14	18	21	*7	*	*	*5	*	*	20
493.01 . . . . .	13	*7	*6	10	*	*	*	*	*	*	*7
493.02 . . . . .	30	16	14	24	*	*	*	*5	*	*7	16
493.2 . . . . .	276	95	181	*	21	91	162	59	76	98	43
493.20 . . . . .	187	64	123	*	13	56	117	43	53	63	29
493.21 . . . . .	13	*	9	*	*	*5	*7	*	*	*7	*
493.22 . . . . .	76	27	49	*	*7	30	39	14	23	28	11
493.9 . . . . .	1,133	378	754	246	390	288	209	288	292	379	174
493.90 . . . . .	809	248	561	115	293	229	172	207	205	273	124
493.91 . . . . .	91	42	49	50	24	13	*	20	25	36	9
493.92 . . . . .	233	88	145	81	72	46	33	61	62	70	40
494 . . . . .	39	15	24	*	*5	*	28	11	*7	14	*7
494.0 . . . . .	27	11	16	*	*	*	20	*8	*	*9	*6
494.1 . . . . .	12	*	*7	*	*	*	*8	*	*	*5	*
496 . . . . .	1,870	966	904	*	44	412	1,413	419	484	687	279
500 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
501 . . . . .	19	18	*	—	*	*	15	*6	*6	*	*
507 . . . . .	327	178	149	14	27	46	240	84	63	121	59
507.0 . . . . .	324	175	149	13	27	46	239	83	63	121	58
508 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
510 . . . . .	25	17	*8	*	*6	*9	*7	*6	*6	*8	*
510.9 . . . . .	21	14	*7	*	*5	*7	*6	*6	*5	*6	*
511 . . . . .	400	191	208	15	43	99	243	89	98	149	64
511.0 . . . . .	29	15	14	*	*	*7	15	*	*7	12	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
511.8 . . . . .	32	18	15	*	*5	*7	18	*5	*8	13	*6
511.9 . . . . .	337	158	179	10	32	85	210	78	82	123	53
512 . . . . .	95	51	44	*	23	26	41	19	22	36	18
512.1 . . . . .	47	21	26	*	*	14	26	11	11	15	10
512.8 . . . . .	44	28	16	*	17	11	14	*7	10	19	*7
513 . . . . .	12	*9	*	*	*	*	*6	*	*	*	*
513.0 . . . . .	11	*7	*	*	*	*	*	*	*	*	*
514 . . . . .	30	13	17	*	*	*9	16	*	*	16	*6
515 . . . . .	154	63	91	*	*7	26	120	29	48	47	29
516 . . . . .	28	12	16	*	*	*7	16	*5	*7	11	*5
516.3 . . . . .	13	*	*8	—	*	*	*9	*	*	*	*
516.8 . . . . .	13	*7	*6	*	*	*	*6	*	*	*	*
517 . . . . .	19	*	15	*	*6	*8	*5	*	*6	*7	*
517.8 . . . . .	18	*	14	*	*6	*7	*	*	*6	*6	*
518 . . . . .	1,305	631	673	113	164	320	708	264	278	501	262
518.0 . . . . .	311	141	170	26	47	80	159	58	60	128	64
518.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
518.3 . . . . .	18	*8	9	*	*	*	*9	*	*	*6	*
518.4 . . . . .	28	17	11	*	*7	*5	14	*8	*5	*8	*7
518.5 . . . . .	100	57	43	*	16	33	46	19	24	39	18
518.8 . . . . .	841	403	438	78	88	198	477	176	183	317	166
518.81 . . . . .	569	266	303	19	63	139	349	128	124	227	91
518.82 . . . . .	122	65	57	51	11	17	44	13	19	34	55
518.83 . . . . .	28	13	15	*	*	*5	19	*	*8	12	*
518.84 . . . . .	37	17	19	*	*	11	23	9	*9	13	*6
518.89 . . . . .	84	42	42	*7	11	25	42	21	22	30	11
519 . . . . .	99	51	48	21	14	21	43	17	39	32	12
519.0 . . . . .	15	*8	*6	*	*	*6	*	*	*5	*	*
519.09 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
519.1 . . . . .	43	21	22	12	*6	*8	18	*5	18	15	*5
519.8 . . . . .	25	12	13	*	*	*5	11	*	9	*9	*
519.9 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
520–579 . . . . .	9,804	4,222	5,582	507	2,035	2,726	4,536	2,130	2,242	3,730	1,703
520 . . . . .	*8	*6	*	*	*6	*	—	*	*	*	*
520.6 . . . . .	*8	*6	*	*	*6	—	—	*	*	*	*
521 . . . . .	21	11	10	*	10	*	*	*	*	10	*
521.0 . . . . .	21	11	10	*	10	*	*	*	*	9	*
522 . . . . .	23	10	13	*	11	*	*	*	*7	*	9
522.5 . . . . .	19	*8	10	*	*9	*	*	*	*5	*	*9
523 . . . . .	13	*6	*7	*	*6	*	*	*	*	*	*
524 . . . . .	26	*8	17	*	16	*	*	*	*9	*	11
524.0 . . . . .	*8	*	*	*	*6	*	—	*	*	*	*
524.1 . . . . .	*6	*	*	*	*	*	—	*	*	*	*
524.6 . . . . .	*9	*	*8	*	*	*	*	*	*	*	*
525 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
526 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
527 . . . . .	19	*7	12	*	*	*	*7	*	*	*7	*
527.2 . . . . .	11	*	*7	*	*	*	*6	*	*	*	*
528 . . . . .	40	20	19	*9	13	*8	10	*9	*8	16	*7
528.0 . . . . .	18	*9	*9	*5	*	*	*	*	*	*7	*
528.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
528.9 . . . . .	10	*	*5	*	*	*	*	*	*	*	*
529 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
530 . . . . .	1,801	749	1,052	91	280	541	888	411	413	680	296
530.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
530.1 . . . . .	210	97	113	*	52	56	98	41	52	80	37
530.10 . . . . .	96	45	51	*	28	24	42	22	26	36	12
530.11 . . . . .	65	26	39	*	15	17	31	11	13	24	16
530.19 . . . . .	49	26	23	*	10	15	25	*8	13	19	9
530.2 . . . . .	76	48	29	*	11	28	37	15	19	28	15
530.3 . . . . .	55	26	29	*	*	12	38	13	12	19	11
530.5 . . . . .	22	*8	14	*	*	*9	10	*	*6	*8	*
530.6 . . . . .	*8	*	*	—	*	*	*7	*	*	*	*
530.7 . . . . .	31	16	15	*	*7	*6	17	*	*8	12	*8
530.8 . . . . .	1,390	547	843	85	200	428	676	333	313	528	216
530.81 . . . . .	1,362	533	829	85	197	421	659	326	308	518	209
530.82 . . . . .	16	*8	*7	*	*	*	9	*	*	*	*5
530.89 . . . . .	11	*	*7	—	*	*	*7	*	*	*	*
531 . . . . .	170	76	94	*	18	43	108	35	40	63	33
531.0 . . . . .	20	11	10	*	*	*5	12	*	*6	*6	*6
531.00 . . . . .	20	10	10	*	*	*5	12	*	*6	*6	*6
531.3 . . . . .	9	*6	*	—	*	*	*	*	*	*	*
531.30 . . . . .	*9	*	*	—	*	*	*	*	*	*	*
531.4 . . . . .	74	34	40	*	*	17	51	15	15	31	12
531.40 . . . . .	73	33	40	*	*	17	51	15	15	30	12
531.9 . . . . .	54	22	33	*	*7	15	32	13	14	18	10
531.90 . . . . .	53	21	32	*	*7	15	31	13	13	17	10
532 . . . . .	113	66	48	*	17	32	64	26	28	35	24
532.0 . . . . .	19	12	*7	*	*	*	11	*	*6	*7	*
532.00 . . . . .	19	11	*7	*	*	*	11	*	*6	*7	*
532.3 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
532.30 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
532.4 . . . . .	44	28	15	*	*	13	26	10	*8	13	13
532.40 . . . . .	42	27	15	*	*	12	25	9	*8	13	12
532.5 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
532.50 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
532.9 . . . . .	32	15	16	*	*5	10	16	*8	*8	11	*
532.90 . . . . .	29	14	15	*	*	*9	15	*8	*8	9	*
533 . . . . .	134	63	70	*	16	38	79	28	33	49	24
533.4 . . . . .	11	*6	*	—	*	*	*7	*	*	*	*
533.40 . . . . .	11	*6	*	—	*	*	*7	*	*	*	*
533.7 . . . . .	*9	*5	*	—	*	*	*6	*	*	*	*
533.70 . . . . .	*9	*	*	—	*	*	*6	*	*	*	*
533.9 . . . . .	110	51	59	*	12	34	64	23	25	42	21
533.90 . . . . .	109	51	58	*	12	34	63	22	25	42	21
535 . . . . .	614	259	355	12	127	163	312	137	126	257	95
535.0 . . . . .	82	32	50	*	21	22	36	14	16	39	13
535.00 . . . . .	64	25	40	*	18	18	26	11	14	32	*8
535.01 . . . . .	18	*8	10	—	*	*	11	*	*	*8	*
535.1 . . . . .	83	33	50	*	10	19	53	28	15	29	11
535.10 . . . . .	67	27	40	*	*9	16	42	22	12	24	9
535.11 . . . . .	16	*6	10	*	*	*	11	*5	*	*5	*
535.3 . . . . .	23	17	*7	*	13	*9	*	*	*5	*8	*6
535.30 . . . . .	17	12	*5	—	11	*	*	*	*	*5	*
535.31 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
535.4 . . . . .	143	60	83	*	24	36	80	29	30	59	25
535.40 . . . . .	104	39	65	*	20	29	52	23	22	42	17
535.41 . . . . .	39	21	18	*	*	*6	28	*6	*8	17	*8
535.5 . . . . .	228	86	142	*	47	58	119	48	48	100	32
535.50 . . . . .	190	70	119	*	43	49	94	39	42	83	25
535.51 . . . . .	38	16	22	*	*	10	25	*8	*6	17	*7
535.6 . . . . .	55	31	24	*	13	18	22	14	12	21	*8
535.60 . . . . .	45	26	19	*	12	15	18	12	10	16	*7
535.61 . . . . .	9	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
536 . . . . .	257	103	153	16	53	74	114	42	68	110	37
536.2 . . . . .	39	12	27	*8	14	*7	10	*	*8	20	*7
536.3 . . . . .	76	30	46	*	18	33	24	14	13	35	13
536.4 . . . . .	45	19	25	*	*	*7	30	13	*8	17	*7
536.41 . . . . .	13	*5	*7	*	*	*	10	*	*	*6	*
536.42 . . . . .	18	*7	11	*	*	*	12	*	*	*6	*
536.49 . . . . .	13	*7	*7	*	*	*	*8	*	*	*	*
536.8 . . . . .	79	33	46	*	15	21	40	*9	35	26	9
536.9 . . . . .	17	*9	*8	*	*	*6	*8	*	*	12	*
537 . . . . .	69	29	40	*	*7	12	46	19	16	23	12
537.0 . . . . .	25	10	14	*	*	*5	14	*7	*	*9	*
537.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
537.8 . . . . .	31	13	18	*	*	*	23	9	*7	9	*5
537.83 . . . . .	16	*6	10	—	*	*	14	*	*	*6	*
537.89 . . . . .	12	*5	*7	*	*	*	*7	*	*	*	*
540 . . . . .	274	155	120	62	146	50	16	54	60	87	73
540.0 . . . . .	50	29	20	13	19	14	*	10	12	13	15
540.1 . . . . .	33	21	12	*6	16	*8	*	*5	*7	12	9
540.9 . . . . .	191	104	87	43	111	29	*8	39	42	61	49
541 . . . . .	20	10	10	*	11	*	*	*	*	11	*
542 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
543 . . . . .	21	9	12	*	11	*5	*	*	*5	*8	*
543.9 . . . . .	20	9	11	*	10	*5	*	*	*5	*8	*
550 . . . . .	84	70	14	10	12	16	46	19	21	27	16
550.1 . . . . .	19	16	*	*	*	*	10	*7	*	*6	*
550.10 . . . . .	15	12	*	*	*	*	*8	*6	*	*	*
550.9 . . . . .	64	53	10	*8	*8	12	36	12	16	22	13
550.90 . . . . .	48	39	*9	*	*6	10	28	10	12	18	9
550.92 . . . . .	10	*9	*	*	*	*	*	*	*	*	*
552 . . . . .	76	27	49	*	17	23	36	22	18	23	13
552.1 . . . . .	19	*7	12	*	*8	*	*7	*6	*	*7	*
552.2 . . . . .	48	17	31	—	*8	16	23	14	11	13	9
552.20 . . . . .	*9	*	*5	—	*	*	*6	*	*	*	*
552.21 . . . . .	34	11	23	—	*6	12	17	10	*8	10	*7
553 . . . . .	544	204	340	*8	96	154	286	111	129	223	81
553.1 . . . . .	57	19	38	*	20	15	18	12	16	19	10
553.2 . . . . .	104	37	67	*	22	43	37	22	24	44	14
553.20 . . . . .	25	*9	17	*	*	11	10	*6	*7	10	*
553.21 . . . . .	73	27	46	*	16	29	26	17	16	31	9
553.29 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
553.3 . . . . .	376	144	231	*	54	94	227	75	88	158	55
555 . . . . .	99	43	56	*	47	30	20	23	22	37	17
555.0 . . . . .	19	9	10	*	9	*6	*	*	*	*8	*
555.1 . . . . .	12	*	*8	*	*6	*	*	*	*	*	*
555.2 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
555.9 . . . . .	60	25	35	*	27	17	14	15	13	23	10
556 . . . . .	53	22	31	*	18	14	19	16	12	13	12
556.6 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
556.9 . . . . .	36	14	22	*	11	10	14	9	*9	10	*7
557 . . . . .	75	23	51	*	*7	15	51	21	16	24	14
557.0 . . . . .	37	12	25	*	*	*6	25	11	*8	10	*8
557.1 . . . . .	*8	*	*	*	*	*	*5	*	*	*	*
557.9 . . . . .	30	*8	22	*	*	*8	21	*9	*6	12	*
558 . . . . .	405	162	243	134	80	65	126	77	88	183	56
558.1 . . . . .	9	*	*7	—	*	*	*7	*	*	*	*
558.9 . . . . .	393	159	235	133	80	62	118	75	86	179	52

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
560 . . . . .	702	318	384	26	114	181	381	150	163	255	135
560.1 . . . . .	312	149	163	9	65	86	152	62	74	115	60
560.2 . . . . .	15	*6	*9	*	*	*	10	*	*	*5	*
560.3 . . . . .	78	29	49	*5	*5	*8	59	19	12	39	*8
560.39 . . . . .	72	27	46	*5	*8	55	17	12	35	*8	
560.8 . . . . .	142	60	82	*	24	41	72	27	34	47	35
560.81 . . . . .	86	36	50	*	16	23	44	17	22	30	17
560.89 . . . . .	56	24	32	*	*8	18	28	9	12	17	18
560.9 . . . . .	151	71	80	*	18	43	88	39	38	48	27
562 . . . . .	593	226	367	*	52	149	391	148	144	217	84
562.0 . . . . .	9	*	*5	*	*	*	*7	*	*	*	*
562.00 . . . . .	*7	*	*	*	*	*	*6	*	*	*	*
562.1 . . . . .	583	222	362	*	51	147	384	147	142	213	82
562.10 . . . . .	263	91	172	*	14	55	195	62	60	105	36
562.11 . . . . .	218	86	132	*	35	79	104	61	59	68	30
562.12 . . . . .	83	37	46	—	*	11	71	21	17	32	13
562.13 . . . . .	19	*8	11	—	*	*	15	*	*6	*7	*
564 . . . . .	483	181	302	30	88	107	258	96	136	172	79
564.0 . . . . .	338	142	195	26	50	61	201	63	97	123	55
564.1 . . . . .	118	26	92	*	33	39	45	28	31	39	19
564.8 . . . . .	13	*6	*7	*	*	*	*5	*	*	*	*
564.89 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
565 . . . . .	14	*8	*6	*	*7	*	*	*	*	*7	*
565.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
565.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
566 . . . . .	25	18	*6	*	13	*7	*	*	*	10	*6
567 . . . . .	91	46	45	*	23	33	31	17	18	38	18
567.2 . . . . .	60	29	31	*	15	24	18	10	9	26	14
567.8 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
567.9 . . . . .	21	11	10	*	*	*5	11	*	*6	*8	*
568 . . . . .	166	46	120	*	68	45	49	32	34	71	30
568.0 . . . . .	138	41	98	*	51	41	43	27	29	59	23
568.8 . . . . .	27	*5	21	*	16	*	*6	*	*	11	*7
568.81 . . . . .	16	*	14	*	11	*	*	*	*	*7	*
568.89 . . . . .	*8	*	*6	*	*	*	*	*	*	*	*
569 . . . . .	269	124	145	*9	39	69	152	66	64	97	43
569.0 . . . . .	14	*5	*9	*	*	*	11	*	*	*7	*
569.1 . . . . .	10	*	*7	*	*	*	*6	*	*	*	*
569.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
569.3 . . . . .	52	28	24	*	*8	11	32	11	14	19	*7
569.4 . . . . .	29	15	14	*	*5	*6	16	*6	*7	10	*6
569.41 . . . . .	10	*5	*5	*	*	*	*7	*	*	*	*
569.42 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
569.49 . . . . .	13	*8	*5	*	*	*	*7	*	*	*	*
569.5 . . . . .	28	16	11	*	*5	13	9	*8	*7	10	*
569.6 . . . . .	25	12	13	*	*	*7	9	*7	*	*8	*6
569.62 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
569.69 . . . . .	15	*7	*9	*	*	*	*7	*	*	*	*
569.8 . . . . .	101	41	60	*	13	22	64	26	22	36	17
569.81 . . . . .	16	*6	10	*	*	*6	*6	*	*	*6	*5
569.82 . . . . .	15	*7	*7	*	*	*	*9	*	*	*	*
569.83 . . . . .	17	*8	*9	*	*	*	10	*6	*	*	*
569.84 . . . . .	*8	*	*	—	*	*	*7	*	*	*	*
569.85 . . . . .	23	*8	16	*	—	*	21	*6	*	10	*
569.89 . . . . .	22	*8	14	*	*6	*	12	*	*5	9	*
569.9 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
570 . . . . .	22	11	11	*	*5	*8	*9	*5	*5	*6	*5
571 . . . . .	399	234	165	*	88	186	122	88	84	157	71
571.1 . . . . .	41	30	11	—	20	18	*	11	*8	14	*7

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
571.2 . . . . .	138	101	37	*	28	82	28	31	27	55	25
571.3 . . . . .	25	20	*5	—	9	11	*5	*6	*7	*7	*
571.4 . . . . .	14	*5	9	*	*	*	*6	*	*	*6	*
571.40 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
571.49 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
571.5 . . . . .	137	62	75	*	14	56	66	30	29	60	17
571.6 . . . . .	*7	*	*6	*	*	*	*	*	*	*	*
571.8 . . . . .	25	10	15	*	*8	11	*6	*	*6	*8	*6
571.9 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
572 . . . . .	148	89	59	*	27	73	46	33	30	61	24
572.0 . . . . .	9	*6	*	—	*	*	*	*	*	*	*
572.2 . . . . .	70	42	28	*	*9	39	22	18	13	26	12
572.3 . . . . .	38	25	13	*	9	19	*8	*7	*8	17	*6
572.4 . . . . .	*9	*	*	—	*	*	*	*	*	*	*
572.8 . . . . .	22	12	11	*	*5	*7	9	*	*6	9	*
573 . . . . .	84	36	48	*	17	26	38	15	20	35	14
573.3 . . . . .	35	15	20	*	*7	12	14	*6	*9	15	*5
573.8 . . . . .	23	*8	15	*	*	*6	13	*	*	10	*5
573.9 . . . . .	18	9	*9	*	*	*7	*7	*	*	*7	*
574 . . . . .	630	205	425	*	184	177	267	137	130	233	130
574.0 . . . . .	140	51	89	*	42	45	52	29	28	55	28
574.00 . . . . .	132	49	83	*	40	43	49	26	27	52	26
574.01 . . . . .	*8	*	*6	—	*	*	*	*	*	*	*
574.1 . . . . .	254	74	179	*	84	71	98	58	47	95	54
574.10 . . . . .	245	71	175	*	81	70	94	57	46	92	51
574.11 . . . . .	*9	*	*	—	*	*	*	*	*	*	*
574.2 . . . . .	134	44	89	*	28	35	69	26	38	48	22
574.20 . . . . .	130	42	88	*	28	34	66	25	38	47	21
574.3 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
574.4 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
574.5 . . . . .	41	17	24	*	9	10	22	12	*6	16	*7
574.50 . . . . .	27	12	15	*	*	*7	15	*8	*	12	*
574.51 . . . . .	14	*	9	*	*	*	*6	*	*	*	*
574.6 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
574.7 . . . . .	22	*6	16	*	*9	*	10	*5	*	*6	*8
574.70 . . . . .	15	*	11	—	*5	*	*8	*	*	*	*
574.71 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
574.8 . . . . .	12	*	*8	—	*	*	*	*	*	*	*
574.80 . . . . .	*8	*	*5	—	*	*	*	*	*	*	*
574.9 . . . . .	*8	*	*5	—	*	*	*	*	*	*	*
574.90 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
575 . . . . .	154	49	106	*	53	47	53	23	40	65	27
575.0 . . . . .	31	17	14	*	*7	*7	17	*7	10	11	*
575.1 . . . . .	72	20	52	*	27	25	20	*8	17	35	11
575.10 . . . . .	19	*	14	*	*7	*	*8	*	*	11	*
575.11 . . . . .	44	11	33	*	17	18	*9	*5	10	21	*8
575.12 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
575.3 . . . . .	9	*	*8	*	*	*	*	*	*	*	*
575.8 . . . . .	29	*5	23	*	13	*8	*7	*	*7	10	*7
576 . . . . .	102	42	60	*	16	34	50	25	17	36	25
576.1 . . . . .	35	16	18	*	*	*9	22	10	*6	12	*6
576.2 . . . . .	32	12	19	*	*	12	16	*6	*	12	10
576.8 . . . . .	31	13	18	*	*7	12	10	*7	*6	10	*8
577 . . . . .	427	199	228	*	152	159	112	85	88	165	89
577.0 . . . . .	309	145	164	*	114	107	85	63	65	116	66
577.1 . . . . .	71	35	36	*	25	36	*9	14	13	28	16
577.2 . . . . .	23	12	10	*	*6	*9	*8	*	*6	10	*
577.8 . . . . .	14	*	11	*	*	*	*5	*	*	*6	*
577.9 . . . . .	9	*	*7	*	*	*	*5	*	*	*6	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
578 . . . . .	455	215	240	16	45	94	300	102	115	165	74
578.0 . . . . .	62	34	28	*	15	15	28	16	13	23	10
578.1 . . . . .	116	51	66	*9	12	25	70	28	31	38	20
578.9 . . . . .	277	131	146	*	17	54	202	58	71	104	44
579 . . . . .	47	19	28	14	*7	11	15	12	12	15	*9
579.3 . . . . .	21	*8	13	*6	*	*6	*8	*	*6	*8	*
579.8 . . . . .	15	*7	*8	*5	*	*	*	*	*	*	*
579.9 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
580–629 . . . . .	7,774	2,621	5,153	177	2,068	1,831	3,699	1,611	1,807	3,065	1,291
580 . . . . .	9	*5	*	*	*	*	*	*	*	*	*
580.9 . . . . .	*6	*	*	*	*	*	*	*	*	*	—
581 . . . . .	29	13	16	*	*7	10	*9	*7	*7	10	*
581.8 . . . . .	12	*6	*6	*	*	*6	*	*	*	*	*
581.81 . . . . .	12	*5	*6	*	*	*5	*	*	*	*	*
581.9 . . . . .	15	*6	*9	*	*	*	*	*	*	*6	*
582 . . . . .	41	23	18	*	10	*9	22	11	*8	17	*
582.8 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
582.81 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
582.9 . . . . .	29	18	11	*	*	*6	19	*8	*7	11	*
583 . . . . .	137	64	73	*	21	50	63	30	27	47	33
583.8 . . . . .	126	57	69	*	16	49	60	28	25	43	30
583.81 . . . . .	122	55	67	*	14	47	59	27	24	42	29
583.9 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
584 . . . . .	574	299	275	*5	47	138	383	152	117	215	90
584.5 . . . . .	54	31	23	*	10	14	28	14	11	18	10
584.9 . . . . .	516	266	250	*	36	124	354	137	105	195	79
585 . . . . .	273	148	125	*6	25	69	173	77	65	87	44
586 . . . . .	52	29	22	*	*	*8	42	*9	13	22	*8
587 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
588 . . . . .	17	*6	11	*	*	*7	*6	*	*	*8	*
588.8 . . . . .	13	*5	*8	*	*	*6	*	*	*	*7	*
590 . . . . .	227	40	187	26	116	32	53	40	47	97	43
590.0 . . . . .	11	*7	*	*	*6	*	*	*	*6	*	*
590.00 . . . . .	11	*7	*	*	*6	*	*	*	*6	*	*
590.1 . . . . .	106	16	90	10	54	14	28	18	22	46	20
590.10 . . . . .	106	16	90	10	54	14	28	17	22	46	20
590.8 . . . . .	104	16	88	13	54	16	21	20	19	46	20
590.80 . . . . .	104	16	88	13	54	16	21	20	19	46	20
591 . . . . .	182	79	103	*8	57	45	72	45	42	70	25
592 . . . . .	291	152	139	*6	121	95	69	74	70	116	31
592.0 . . . . .	125	56	69	*	52	39	32	31	33	44	16
592.1 . . . . .	164	96	68	*	68	55	37	42	37	70	15
593 . . . . .	630	324	306	23	47	117	443	124	151	238	117
593.2 . . . . .	16	*9	*7	—	*	*	11	*5	*	*6	*
593.3 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
593.4 . . . . .	29	13	16	*	*6	10	11	*	*5	14	*7
593.5 . . . . .	11	*6	*	*	*	*	*	*	*	*	*
593.7 . . . . .	16	*5	10	14	*	*	*	*	*	*	*
593.70 . . . . .	12	*	*9	11	*	*	*	*	*	*	*
593.8 . . . . .	23	*9	14	*	*	*9	*7	*	*6	*8	*
593.81 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
593.89 . . . . .	17	*6	10	*	*	*6	*	*	*6	*6	*
593.9 . . . . .	526	279	247	*	28	88	407	102	129	201	95
594 . . . . .	17	10	*7	*	*	*	11	*7	*	*	*
594.1 . . . . .	14	9	*5	*	*	*	9	*6	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
595 . . . . .	62	20	42	*	14	9	38	13	13	25	10
595.0 . . . . .	12	*	10	*	*	*	*8	*	*	*	*
595.1 . . . . .	*7	*	*7	—	*	*	*	*	*	*	*
595.2 . . . . .	*7	*	*	*	*	*	*5	*	*	*	*
595.8 . . . . .	*8	*6	*	—	*	*	*6	*	*	*	*
595.9 . . . . .	26	*6	20	*	*6	*	16	*6	*	12	*
596 . . . . .	192	126	66	*8	17	42	125	41	64	57	31
596.0 . . . . .	66	64	*	—	*	10	56	12	22	22	10
596.1 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
596.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
596.4 . . . . .	10	*	*6	—	*	*	*7	*	*	*	*
596.5 . . . . .	69	29	40	*5	11	20	33	16	22	19	12
596.54 . . . . .	59	27	32	*5	10	17	27	14	18	17	10
596.59 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
596.8 . . . . .	25	15	11	*	*	*5	15	*	*8	*8	*
597 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
598 . . . . .	31	26	*6	*	*	*5	22	9	*6	14	*
598.9 . . . . .	26	21	*	*	*	*	20	*7	*	12	*
599 . . . . .	2,147	709	1,438	64	274	332	1,477	478	515	846	308
599.0 . . . . .	1,811	495	1,315	56	221	260	1,275	403	432	718	258
599.6 . . . . .	35	25	9	*	*	*5	26	10	10	12	*
599.7 . . . . .	277	179	98	*7	47	59	165	60	69	107	42
599.8 . . . . .	14	*	10	—	*	*6	*6	*	*	*	*
599.84 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
600 . . . . .	406	406	—	—	*	62	340	99	110	129	68
600.0 . . . . .	356	356	—	—	*	54	300	85	98	114	59
600.1 . . . . .	10	10	—	—	*	*	*8	*	*	*	*
600.2 . . . . .	*6	*6	—	—	—	*	*5	*	*	*	*
600.9 . . . . .	34	34	—	—	*	*6	27	10	*7	10	*6
601 . . . . .	45	45	—	—	*	12	30	11	*8	18	*8
601.0 . . . . .	12	12	—	—	*	*	*9	*	*	*	*
601.1 . . . . .	20	20	—	—	*	*6	14	*	*	*7	*
601.9 . . . . .	10	10	—	—	*	*	*6	*	*	*	*
603 . . . . .	15	15	—	*	*	*	*6	*	*	*6	*
603.9 . . . . .	11	11	—	*	*	*	*6	*	*	*	*
604 . . . . .	18	18	—	*	*5	*	*9	*	*	*7	*
604.9 . . . . .	16	16	—	*	*	*	*8	*	*	*5	*
604.90 . . . . .	*8	*8	—	*	*	*	*	*	*	*	*
604.99 . . . . .	*8	*8	—	*	*	*	*5	*	*	*	*
605 . . . . .	*8	*8	—	*	*	*	*	*	*	*	*
607 . . . . .	17	17	—	*	*	*6	*6	*	*	*6	*
607.8 . . . . .	10	10	—	*	*	*	*5	*	*	*	*
607.84 . . . . .	*6	*6	—	—	*	*	*	*	*	*	*
608 . . . . .	26	26	—	*	*7	*6	9	*8	*5	*8	*
608.4 . . . . .	*6	*6	—	*	*	*	*	*	*	*	*
608.8 . . . . .	9	9	—	*	*	*	*	*	*	*	*
610 . . . . .	20	*	20	—	*	11	*	*7	*	*6	*
610.1 . . . . .	13	*	13	—	*	*7	*	*	*	*	*
611 . . . . .	54	*	51	*	22	19	13	16	13	18	*8
611.0 . . . . .	13	*	13	*	*6	*	*	*	*	*	*
611.1 . . . . .	14	*	12	*	*8	*5	*	*	*	*	*
611.7 . . . . .	16	*	14	*	*	*5	*8	*	*	*6	*
611.72 . . . . .	11	*	10	*	*	*	*6	*	*	*	*
611.8 . . . . .	*9	—	*9	—	*	*	*	*	*	*	*
614 . . . . .	265	—	265	*	181	65	18	46	48	124	47
614.0 . . . . .	*5	—	*5	*	*	*	*	*	*	*	*
614.1 . . . . .	28	—	28	*	17	10	*	*	*6	11	*6

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
614.2 . . . . .	12	—	12	*	*9	*	*	*	*	*	*
614.3 . . . . .	*7	—	*7	*	*6	*	*	*	*	*	*
614.4 . . . . .	10	—	10	*	*5	*	*	*	*	*	*
614.6 . . . . .	168	—	168	—	110	46	13	25	27	85	31
614.9 . . . . .	30	—	30	*	28	*	—	*8	*7	11	*
615 . . . . .	24	—	24	*	22	*	*	*	*	13	*
615.0 . . . . .	*6	—	*6	—	*5	*	*	*	*	*	*
615.9 . . . . .	15	—	15	*	15	*	*	*	*	*8	*
616 . . . . .	146	—	146	*	84	48	13	26	34	62	24
616.0 . . . . .	114	—	114	*	64	41	*8	19	25	49	20
616.1 . . . . .	23	—	23	*	15	*	*	*	*6	10	*
616.10 . . . . .	23	—	23	*	15	*	*	*	*6	10	*
617 . . . . .	308	—	308	*	187	111	9	41	66	134	68
617.0 . . . . .	188	—	188	*	98	82	*8	25	38	80	45
617.1 . . . . .	39	—	39	—	28	11	*	*5	10	15	9
617.2 . . . . .	*8	—	*8	—	*5	*	*	*	*	*	*
617.3 . . . . .	42	—	42	—	33	*9	*	*6	9	18	9
617.5 . . . . .	*5	—	*5	—	*	*	*	*	*	*	*
617.9 . . . . .	20	—	20	—	15	*	—	*	*	14	*
618 . . . . .	272	—	272	—	69	103	100	38	64	111	59
618.0 . . . . .	77	—	77	—	18	28	31	12	18	28	20
618.1 . . . . .	31	—	31	—	14	11	*5	*	*7	15	*6
618.2 . . . . .	26	—	26	—	*9	12	*5	*	*8	*7	*6
618.3 . . . . .	17	—	17	—	*	*	9	*	*	*9	*
618.4 . . . . .	33	—	33	—	*9	13	11	*6	*8	13	*6
618.5 . . . . .	37	—	37	—	*	15	19	*	*7	18	*9
618.6 . . . . .	28	—	28	—	*	11	14	*	*8	12	*5
618.8 . . . . .	22	—	22	—	*8	*8	*6	*	*5	*8	*6
619 . . . . .	10	—	10	*	*	*	*	*6	*	*	*
619.1 . . . . .	*8	—	*8	*	*	*	*	*	*	*	*
620 . . . . .	327	—	327	*	208	99	15	55	81	138	52
620.0 . . . . .	53	—	53	*	37	16	*	*9	18	20	*6
620.1 . . . . .	65	—	65	*	47	18	—	*8	18	25	12
620.2 . . . . .	146	—	146	*	91	43	*9	27	28	68	22
620.5 . . . . .	*8	—	*8	*	*6	*	*	*	*	*	*
620.8 . . . . .	48	—	48	*	26	19	*	*8	14	18	*8
621 . . . . .	81	—	81	—	34	34	13	15	16	33	17
621.0 . . . . .	35	—	35	—	12	17	*6	*8	*6	13	*9
621.2 . . . . .	9	—	9	—	*5	*	*	*	*	*	*
621.3 . . . . .	18	—	18	—	*6	*9	*	*	*	*6	*
621.8 . . . . .	10	—	10	—	*	*	*	*	*	*	*
622 . . . . .	34	—	34	—	17	12	*5	*7	10	11	*5
622.1 . . . . .	22	—	22	—	13	*7	*	*	*7	*9	*
622.7 . . . . .	*6	—	*6	—	*	*	*	*	*	*	*
623 . . . . .	26	—	26	*	12	*5	*8	*	*	13	*6
623.8 . . . . .	21	—	21	*	10	*	*6	*	*	10	*5
624 . . . . .	*7	—	*7	—	*	*	*	*	*	*	*
624.8 . . . . .	*5	—	*5	—	*	*	*	*	*	*	*
625 . . . . .	374	—	374	*	211	110	53	38	79	181	75
625.0 . . . . .	27	—	27	—	23	*	*	*	*5	13	*7
625.3 . . . . .	85	—	85	*	68	17	*	*7	17	41	20
625.6 . . . . .	165	—	165	—	45	71	48	17	35	76	37
625.8 . . . . .	*7	—	*7	*	*	*	*	*	*	*	*
625.9 . . . . .	83	—	83	*	64	16	*	11	19	46	*8
626 . . . . .	310	—	310	*	199	109	*	45	69	137	59
626.0 . . . . .	*6	—	*6	*	*5	*	—	*	*	*	*
626.2 . . . . .	215	—	215	*	140	75	*	31	48	96	40
626.6 . . . . .	12	—	12	—	*8	*	*	*	*5	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
626.8 . . . . .	62	—	62	*	40	21	*	9	11	29	13
626.9 . . . . .	11	—	11	—	*	*7	*	*	*	*	*
627 . . . . .	50	—	50	—	*	28	17	*8	12	20	10
627.0 . . . . .	*5	—	*5	—	*	*	—	*	*	*	*
627.1 . . . . .	27	—	27	—	*	17	10	*	*6	12	*
627.2 . . . . .	9	—	9	—	*	*	*	*	*	*	*
630–677 . . . . .	8,982	—	8,982	24	8,939	19	—	1,441	1,841	3,721	1,979
632 . . . . .	14	—	14	—	14	*	—	*	*	*6	*
633 . . . . .	33	—	33	*	33	—	—	*5	*6	16	*6
633.1 . . . . .	28	—	28	*	28	—	—	*	*5	13	*6
634 . . . . .	25	—	25	—	25	*	—	*6	*	13	*
634.9 . . . . .	17	—	17	—	17	*	—	*	*	10	*
634.91 . . . . .	12	—	12	—	12	*	—	*	*	*7	*
635 . . . . .	*7	—	*7	*	*7	—	—	*	*	*	*
639 . . . . .	12	—	12	*	12	*	—	*	*	*7	*
640 . . . . .	10	—	10	—	10	—	—	*	*	*	*
640.0 . . . . .	*9	—	*9	—	*9	—	—	*	*	*	*
640.03 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
641 . . . . .	86	—	86	—	85	*	—	11	18	39	18
641.0 . . . . .	12	—	12	—	11	*	—	*	*	*7	*
641.01 . . . . .	*8	—	*8	—	*8	*	—	*	*	*	*
641.1 . . . . .	19	—	19	—	19	*	—	*	*	10	*
641.11 . . . . .	10	—	10	—	10	—	—	*	*	*7	*
641.13 . . . . .	*9	—	*9	—	*9	*	—	*	*	*	*
641.2 . . . . .	41	—	41	—	41	*	—	*6	9	17	*9
641.21 . . . . .	38	—	38	—	38	*	—	*5	*8	16	*9
641.9 . . . . .	9	—	9	—	9	—	—	*	*	*	*
641.93 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
642 . . . . .	327	—	327	*	326	*	—	49	70	154	54
642.0 . . . . .	34	—	34	—	34	*	—	*	*8	16	*5
642.01 . . . . .	25	—	25	—	25	*	—	*	*5	11	*
642.03 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
642.3 . . . . .	116	—	116	*	116	—	—	16	23	58	19
642.31 . . . . .	104	—	104	*	104	—	—	13	21	52	18
642.33 . . . . .	10	—	10	—	10	—	—	*	*	*6	*
642.4 . . . . .	84	—	84	*	84	*	—	15	21	35	13
642.41 . . . . .	76	—	76	*	75	*	—	13	18	33	12
642.43 . . . . .	*7	—	*7	*	*7	*	—	*	*	*	*
642.5 . . . . .	44	—	44	—	44	*	—	*6	*6	24	*9
642.51 . . . . .	38	—	38	—	38	*	—	*5	*5	22	*6
642.7 . . . . .	14	—	14	—	14	—	—	*	*	*6	*
642.71 . . . . .	13	—	13	—	13	—	—	*	*	*5	*
642.9 . . . . .	27	—	27	*	26	*	—	*	*7	13	*
642.91 . . . . .	22	—	22	*	21	—	—	*	*6	9	*
643 . . . . .	57	—	57	*	57	*	—	11	9	29	*8
643.0 . . . . .	27	—	27	—	27	—	—	*7	*	15	*
643.03 . . . . .	26	—	26	—	26	—	—	*7	*	15	*
643.1 . . . . .	19	—	19	*	18	*	—	*	*	9	*
643.13 . . . . .	18	—	18	*	18	*	—	*	*	*9	*
643.2 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
643.23 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
644 . . . . .	361	—	361	*	359	*	—	54	64	182	61
644.0 . . . . .	109	—	109	*	108	*	—	17	18	54	19
644.03 . . . . .	109	—	109	*	108	*	—	17	18	54	19
644.1 . . . . .	12	—	12	—	12	—	—	*	*	*8	*
644.13 . . . . .	12	—	12	—	12	—	—	*	*	*8	*
644.2 . . . . .	241	—	241	*	239	*	—	37	44	120	40

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
644.21 . . . . .	241	—	241	*	239	*	—	37	44	120	40
645 . . . . .	319	—	319	*	318	*	—	47	64	123	85
645.1 . . . . .	307	—	307	*	306	*	—	45	62	119	81
645.11 . . . . .	304	—	304	*	304	*	—	45	61	119	80
645.2 . . . . .	12	—	12	—	12	—	—	*	*	*	*
645.21 . . . . .	11	—	11	—	11	—	—	*	*	*	*
646 . . . . .	259	—	259	*	258	*	—	41	46	119	52
646.1 . . . . .	18	—	18	—	18	—	—	*	*	*7	*7
646.11 . . . . .	16	—	16	—	16	—	—	*	*	*6	*6
646.2 . . . . .	12	—	12	—	12	—	—	*	*	*	*
646.23 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
646.6 . . . . .	169	—	169	*	169	*	—	32	25	84	28
646.61 . . . . .	85	—	85	*	85	*	—	20	14	37	14
646.62 . . . . .	*9	—	*9	—	*9	*	—	*	*	*	*
646.63 . . . . .	71	—	71	*	71	—	—	9	9	41	12
646.8 . . . . .	48	—	48	—	48	—	—	*5	13	20	9
646.81 . . . . .	27	—	27	—	27	—	—	*	9	9	*6
646.83 . . . . .	19	—	19	—	19	—	—	*	*	10	*
647 . . . . .	97	—	97	*	95	*	—	12	15	55	15
647.6 . . . . .	41	—	41	*	40	*	—	*	*6	22	*8
647.61 . . . . .	36	—	36	*	35	*	—	*	*5	20	*7
647.63 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
647.8 . . . . .	46	—	46	*	46	*	—	*6	*8	27	*6
647.81 . . . . .	32	—	32	*	31	*	—	*	*	20	*
647.83 . . . . .	13	—	13	—	13	—	—	*	*	*6	*
648 . . . . .	1,219	—	1,219	*	1,213	*	—	205	274	507	234
648.0 . . . . .	38	—	38	—	37	*	—	*	*7	21	*5
648.01 . . . . .	25	—	25	—	24	*	—	*	*	14	*
648.03 . . . . .	13	—	13	—	12	*	—	*	*	*7	*
648.1 . . . . .	49	—	49	—	49	*	—	10	10	19	11
648.11 . . . . .	41	—	41	—	41	*	—	9	*9	15	*8
648.13 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
648.2 . . . . .	266	—	266	*	264	*	—	43	56	116	51
648.21 . . . . .	163	—	163	*	161	*	—	24	32	77	30
648.22 . . . . .	75	—	75	*	75	*	—	15	20	23	17
648.23 . . . . .	23	—	23	*	23	—	—	*	*	12	*
648.3 . . . . .	11	—	11	*	11	—	—	*	*	*	*
648.31 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
648.4 . . . . .	146	—	146	*	145	*	—	22	43	57	25
648.41 . . . . .	115	—	115	*	114	*	—	17	35	41	22
648.43 . . . . .	24	—	24	*	24	—	—	*	*7	12	*
648.6 . . . . .	40	—	40	—	40	*	—	*8	*7	19	*5
648.61 . . . . .	33	—	33	—	33	*	—	*7	*5	17	*
648.7 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
648.8 . . . . .	159	—	159	—	158	*	—	28	34	62	35
648.81 . . . . .	141	—	141	—	140	*	—	25	30	53	34
648.83 . . . . .	18	—	18	—	18	*	—	*	*	9	*
648.9 . . . . .	499	—	499	*	498	*	—	85	113	206	95
648.91 . . . . .	404	—	404	*	402	*	—	67	92	165	79
648.92 . . . . .	11	—	11	—	11	—	—	*	*	*	*
648.93 . . . . .	80	—	80	*	80	*	—	15	18	36	12
650 . . . . .	462	—	462	*	461	—	—	57	67	230	109
651 . . . . .	60	—	60	*	59	*	—	13	*8	27	11
651.0 . . . . .	55	—	55	*	54	*	—	11	*7	25	11
651.01 . . . . .	40	—	40	*	40	*	—	*8	*6	19	*8
651.03 . . . . .	14	—	14	—	14	*	—	*	*	*7	*
652 . . . . .	292	—	292	*	291	*	—	53	65	116	59
652.1 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
652.11 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
652.2 . . . . .	129	—	129	*	128	*	—	22	31	53	23
652.21 . . . . .	125	—	125	*	124	*	—	22	30	51	22
652.3 . . . . .	23	—	23	—	23	*	—	*	*	*7	*7
652.31 . . . . .	23	—	23	—	23	*	—	*	*	*7	*7
652.5 . . . . .	38	—	38	*	38	—	—	*7	9	14	*9
652.51 . . . . .	38	—	38	*	38	—	—	*7	9	14	*9
652.6 . . . . .	23	—	23	—	23	*	—	*	*	11	*
652.61 . . . . .	22	—	22	—	22	*	—	*	*	11	*
652.8 . . . . .	60	—	60	—	60	*	—	12	11	25	11
652.81 . . . . .	59	—	59	—	59	*	—	11	11	25	11
653 . . . . .	116	—	116	*	115	*	—	17	23	56	20
653.4 . . . . .	100	—	100	*	100	*	—	15	20	49	16
653.41 . . . . .	100	—	100	*	100	*	—	15	20	49	16
653.5 . . . . .	9	—	9	—	9	—	—	*	*	*	*
653.51 . . . . .	9	—	9	—	9	—	—	*	*	*	*
654 . . . . .	590	—	590	*	588	*	—	96	110	258	125
654.0 . . . . .	10	—	10	—	10	*	—	*	*	*	*
654.01 . . . . .	9	—	9	—	*9	*	—	*	*	*	*
654.1 . . . . .	20	—	20	—	20	*	—	*	*	10	*
654.11 . . . . .	17	—	17	—	17	*	—	*	*	*8	*
654.2 . . . . .	484	—	484	—	483	*	—	78	91	207	108
654.21 . . . . .	475	—	475	—	474	*	—	76	89	203	106
654.23 . . . . .	9	—	9	—	9	—	—	*	*	*	*
654.4 . . . . .	21	—	21	—	21	—	—	*	*	10	*
654.41 . . . . .	17	—	17	—	17	—	—	*	*	*8	*
654.5 . . . . .	29	—	29	*	29	—	—	*5	*	16	*5
654.51 . . . . .	17	—	17	*	17	—	—	*	*	10	*
654.53 . . . . .	12	—	12	—	12	—	—	*	*	*6	*
654.6 . . . . .	12	—	12	—	12	*	—	*	*	*6	*
654.61 . . . . .	11	—	11	—	11	*	—	*	*	*	*
654.7 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
654.71 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
654.9 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
655 . . . . .	34	—	34	*	34	*	—	*6	*7	15	*7
655.7 . . . . .	15	—	15	*	15	—	—	*	*	*7	*
655.71 . . . . .	13	—	13	*	13	—	—	*	*	*5	*
655.8 . . . . .	12	—	12	—	12	*	—	*	*	*	*
655.81 . . . . .	11	—	11	—	11	—	—	*	*	*	*
656 . . . . .	376	—	376	*	374	*	—	49	86	157	84
656.1 . . . . .	77	—	77	*	76	*	—	10	18	34	16
656.11 . . . . .	76	—	76	*	75	*	—	10	17	33	16
656.3 . . . . .	42	—	42	*	41	*	—	*6	10	15	11
656.31 . . . . .	42	—	42	*	41	*	—	*6	10	15	11
656.4 . . . . .	17	—	17	—	17	*	—	*	*	10	*
656.41 . . . . .	17	—	17	—	17	*	—	*	*	10	*
656.5 . . . . .	62	—	62	*	61	*	—	*8	12	29	12
656.51 . . . . .	57	—	57	*	57	*	—	*8	12	26	11
656.6 . . . . .	95	—	95	—	95	*	—	12	23	39	21
656.61 . . . . .	94	—	94	—	93	*	—	11	23	38	21
656.7 . . . . .	22	—	22	—	22	*	—	*	12	*	*
656.71 . . . . .	22	—	22	—	22	*	—	*	12	*	*
656.8 . . . . .	57	—	57	*	57	—	—	*8	*7	25	17
656.81 . . . . .	56	—	56	*	56	—	—	*8	*7	25	17
657 . . . . .	19	—	19	—	19	—	—	*	*	*9	*
657.0 . . . . .	19	—	19	—	19	—	—	*	*	*9	*
657.01 . . . . .	18	—	18	—	18	—	—	*	*	*8	*
658 . . . . .	355	—	355	*	353	*	—	66	61	143	84
658.0 . . . . .	98	—	98	*	98	*	—	21	13	45	19
658.01 . . . . .	94	—	94	*	93	*	—	21	12	42	18
658.1 . . . . .	138	—	138	*	138	*	—	26	25	50	38

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
658.11 . . . . .	131	—	131	*	131	*	—	25	24	47	36
658.13 . . . . .	*7	—	*7	—	*7	*	—	*	*	*	*
658.2 . . . . .	55	—	55	—	54	*	—	*8	15	18	13
658.21 . . . . .	51	—	51	—	51	*	—	*8	14	16	13
658.4 . . . . .	60	—	60	*	60	*	—	11	*7	30	13
658.41 . . . . .	59	—	59	*	59	—	—	10	*7	30	12
659 . . . . .	749	—	749	*7	738	*	—	119	143	302	186
659.1 . . . . .	43	—	43	*	42	*	—	*6	*8	22	*7
659.11 . . . . .	35	—	35	*	34	*	—	*	*6	19	*6
659.13 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
659.2 . . . . .	42	—	42	*	42	*	—	*7	*6	18	12
659.21 . . . . .	42	—	42	*	42	*	—	*7	*6	18	12
659.4 . . . . .	17	—	17	—	17	*	—	*	*	*7	*
659.41 . . . . .	17	—	17	—	17	*	—	*	*	*7	*
659.5 . . . . .	30	—	30	—	29	*	—	*6	*	11	*9
659.51 . . . . .	28	—	28	—	27	*	—	*6	*	10	*9
659.6 . . . . .	169	—	169	—	168	*	—	29	28	67	46
659.61 . . . . .	159	—	159	—	158	*	—	27	27	62	44
659.63 . . . . .	10	—	10	—	10	*	—	*	*	*	*
659.7 . . . . .	390	—	390	*	388	*	—	61	79	163	87
659.71 . . . . .	387	—	387	*	385	*	—	60	78	162	87
659.8 . . . . .	52	—	52	*	47	*	—	*6	12	12	22
659.81 . . . . .	50	—	50	*	45	*	—	*5	12	11	21
660 . . . . .	217	—	217	*	216	*	—	29	54	82	52
660.0 . . . . .	46	—	46	—	46	—	—	*	11	18	13
660.01 . . . . .	46	—	46	—	46	—	—	*	11	18	13
660.1 . . . . .	41	—	41	*	40	*	—	*	*8	18	10
660.11 . . . . .	40	—	40	*	40	*	—	*	*8	18	10
660.3 . . . . .	41	—	41	*	41	—	—	*5	*9	17	10
660.31 . . . . .	41	—	41	*	41	—	—	*5	*9	17	10
660.4 . . . . .	64	—	64	*	63	*	—	*7	22	21	14
660.41 . . . . .	64	—	64	*	63	*	—	*7	22	21	14
660.6 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
660.61 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
660.7 . . . . .	9	—	9	—	9	—	—	*	*	*	*
660.71 . . . . .	9	—	9	—	9	—	—	*	*	*	*
661 . . . . .	344	—	344	*	344	*	—	60	73	133	78
661.0 . . . . .	86	—	86	—	86	*	—	15	20	32	19
661.01 . . . . .	86	—	86	—	86	*	—	15	20	32	19
661.1 . . . . .	79	—	79	*	79	*	—	16	14	35	14
661.11 . . . . .	79	—	79	*	79	*	—	16	14	35	14
661.2 . . . . .	83	—	83	*	83	*	—	17	16	32	18
661.21 . . . . .	83	—	83	*	83	*	—	17	16	32	18
661.3 . . . . .	85	—	85	*	85	—	—	11	18	31	25
661.31 . . . . .	85	—	85	*	85	—	—	11	18	31	25
661.9 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
661.91 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
662 . . . . .	42	—	42	—	42	*	—	*9	11	9	14
662.0 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
662.01 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
662.1 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
662.11 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*
662.2 . . . . .	28	—	28	—	28	*	—	*	*7	*6	10
662.21 . . . . .	28	—	28	—	28	*	—	*	*7	*6	10
663 . . . . .	734	—	734	*	731	*	—	116	167	281	170
663.0 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
663.01 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
663.1 . . . . .	98	—	98	*	98	—	—	14	28	32	24
663.11 . . . . .	98	—	98	*	98	—	—	14	28	32	24
663.2 . . . . .	31	—	31	*	31	—	—	*6	10	*9	*7

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
663.21 . . . . .	31	—	31	*	31	—	—	*6	10	*9	*7
663.3 . . . . .	558	—	558	*	556	*	—	89	122	220	126
663.31 . . . . .	558	—	558	*	556	*	—	89	122	220	126
663.4 . . . . .	18	—	18	—	18	—	—	*	*	*7	*5
663.41 . . . . .	18	—	18	—	18	—	—	*	*	*7	*5
663.8 . . . . .	18	—	18	*	18	—	—	*	*	*8	*6
663.81 . . . . .	17	—	17	*	17	—	—	*	*	*7	*6
664 . . . . .	1,196	—	1,196	*	1,192	*	—	210	263	421	302
664.0 . . . . .	523	—	523	*	521	*	—	94	115	187	128
664.01 . . . . .	522	—	522	*	521	*	—	94	114	187	128
664.1 . . . . .	505	—	505	*	504	*	—	89	113	174	129
664.11 . . . . .	503	—	503	*	502	*	—	89	113	172	129
664.2 . . . . .	102	—	102	*	101	—	—	18	23	36	25
664.21 . . . . .	102	—	102	*	101	—	—	18	23	36	25
664.3 . . . . .	41	—	41	*	40	*	—	*7	9	16	*8
664.31 . . . . .	41	—	41	*	40	*	—	*7	9	16	*8
664.4 . . . . .	11	—	11	—	11	—	—	*	*	*5	*
664.41 . . . . .	11	—	11	—	11	—	—	*	*	*5	*
664.8 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
664.81 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
664.9 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
664.91 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
665 . . . . .	157	—	157	*	157	*	—	18	41	69	28
665.3 . . . . .	*9	—	*9	—	*9	—	—	*	*	*	*
665.31 . . . . .	*9	—	*9	—	*9	—	—	*	*	*	*
665.4 . . . . .	49	—	49	*	49	—	—	*	11	25	10
665.41 . . . . .	49	—	49	*	49	—	—	*	11	25	10
665.5 . . . . .	83	—	83	*	83	—	—	11	24	35	14
665.51 . . . . .	83	—	83	*	83	—	—	11	23	34	14
665.7 . . . . .	*5	—	*5	—	*5	*	—	*	*	*	*
666 . . . . .	115	—	115	*	114	*	—	17	28	40	30
666.0 . . . . .	14	—	14	—	14	*	—	*	*	*	*
666.02 . . . . .	14	—	14	—	14	*	—	*	*	*	*
666.1 . . . . .	82	—	82	*	81	*	—	12	20	28	22
666.12 . . . . .	82	—	82	*	81	*	—	12	20	28	22
666.2 . . . . .	15	—	15	—	15	—	—	*	*	*6	*
666.22 . . . . .	12	—	12	—	12	—	—	*	*	*	*
667 . . . . .	19	—	19	—	19	*	—	*	*	*6	*7
667.0 . . . . .	15	—	15	—	14	*	—	*	*	*5	*
667.02 . . . . .	14	—	14	—	14	*	—	*	*	*	*
668 . . . . .	15	—	15	—	15	*	—	*	*	*6	*
668.8 . . . . .	12	—	12	—	12	—	—	*	*	*	*
668.82 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
669 . . . . .	130	—	130	*	130	*	—	20	25	51	34
669.4 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
669.5 . . . . .	58	—	58	*	58	*	—	*6	10	28	14
669.51 . . . . .	58	—	58	*	58	*	—	*6	10	28	14
669.7 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
669.71 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
669.8 . . . . .	50	—	50	*	50	—	—	10	10	14	15
669.81 . . . . .	48	—	48	*	48	—	—	10	10	14	14
670 . . . . .	28	—	28	*	28	—	—	*6	*	11	*6
670.0 . . . . .	28	—	28	*	28	—	—	*6	*	11	*6
670.02 . . . . .	20	—	20	*	20	—	—	*	*	*8	*
670.04 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
671 . . . . .	31	—	31	—	31	—	—	*7	*7	13	*
671.8 . . . . .	18	—	18	—	18	—	—	*	*	*7	*
671.81 . . . . .	11	—	11	—	11	—	—	*	*	*	*
671.82 . . . . .	*6	—	*6	—	*6	—	—	*	*	*	*

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
672 . . . . .	21	—	21	*	20	—	—	*	*	*7	*5
672.0 . . . . .	21	—	21	*	20	—	—	*	*	*7	*5
672.02 . . . . .	19	—	19	*	19	—	—	*	*	*6	*5
674 . . . . .	38	—	38	*	38	*	—	*6	9	14	*9
674.3 . . . . .	19	—	19	—	19	—	—	*	*	*9	*
674.32 . . . . .	12	—	12	—	12	—	—	*	*	*5	*
674.34 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
674.8 . . . . .	15	—	15	*	15	*	—	*	*	*	*
674.82 . . . . .	*8	—	*8	—	*8	—	—	*	*	*	*
674.84 . . . . .	*7	—	*7	*	*7	*	—	*	*	*	*
676 . . . . .	*8	—	*8	—	*8	—	—	*	*	*5	*
680–709 . . . . .	2,060	1,022	1,038	170	383	536	971	487	495	760	318
681 . . . . .	56	33	23	*	13	15	23	15	17	18	*6
681.0 . . . . .	19	12	*7	*	*8	*6	*	*5	*	*7	*
681.00 . . . . .	15	11	*	*	*7	*	*	*	*	*5	*
681.1 . . . . .	37	21	16	*	*5	*9	21	10	13	11	*
681.10 . . . . .	34	19	15	*	*	*9	18	*9	12	10	*
682 . . . . .	842	433	408	50	182	249	361	202	203	297	139
682.0 . . . . .	36	17	19	9	10	*8	*9	*7	*7	12	10
682.1 . . . . .	17	10	*8	*	*5	*	*	*	*	*7	*
682.2 . . . . .	99	42	57	*	30	29	36	19	18	45	17
682.3 . . . . .	90	46	43	*	27	26	32	22	20	27	21
682.4 . . . . .	36	22	14	*	12	9	11	*9	11	*9	*8
682.5 . . . . .	20	*7	13	*	*5	*5	*	*	*	10	*
682.6 . . . . .	393	203	190	9	65	118	201	105	105	124	58
682.7 . . . . .	131	77	54	*8	23	45	56	29	29	56	18
682.8 . . . . .	9	*	*	*	*	*	*	*	*	*	*
682.9 . . . . .	11	*	*7	*	*	*	*	*	*	*	*
683 . . . . .	*8	*5	*	*5	*	*	*	*	*	*	*
684 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
686 . . . . .	22	10	12	*	*	*7	*8	*	*8	*6	*
686.9 . . . . .	13	*5	*8	*	*	*	*7	*	*5	*	*
690 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
690.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
691 . . . . .	27	15	11	25	*	*	*	*	*	*8	*8
691.0 . . . . .	22	12	10	21	*	*	*	*	*	*5	*7
692 . . . . .	53	30	24	15	11	12	16	11	13	18	11
692.9 . . . . .	47	26	21	12	10	11	13	10	12	16	9
693 . . . . .	37	15	22	*9	11	*7	10	10	11	10	*6
693.0 . . . . .	36	14	22	*8	11	*7	10	10	11	9	*6
695 . . . . .	29	13	15	*	*	11	*9	*6	*7	10	*
695.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
695.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	—
695.89 . . . . .	*5	*	*	*	*	*	*	*	*	*	—
696 . . . . .	51	30	21	*	10	19	22	15	9	17	9
696.0 . . . . .	*9	*	*	—	*	*	*6	*	*	*	*
696.1 . . . . .	41	25	16	*	*9	17	16	13	*7	15	*6
698 . . . . .	24	*5	19	*	10	*	*8	*	*8	*9	*
698.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
698.9 . . . . .	16	*	14	*	*7	*	*5	*	*6	*6	*
701 . . . . .	26	*8	18	*	9	*7	*5	*	*7	13	*
701.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
701.4 . . . . .	*8	*	*5	*	*	*	*	*	*	*6	*
701.9 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
702 . . . . .	10	*5	*5	*	*	*	*	*	*	*	*
702.1 . . . . .	*8	*	*	—	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
702.19 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
703 . . . . .	14	*5	9	*	*	*	9	*	*	*5	*
703.0 . . . . .	*9	*	*5	*	*	*	*5	*	*	*	*
703.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
704 . . . . .	*9	*	*6	*	*	*	*	*	*	*	*
705 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
706 . . . . .	22	9	13	*	10	*	*	*6	*	9	*
706.1 . . . . .	11	*	*6	*	*8	*	*	*	*	*	*
706.2 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
707 . . . . .	689	333	356	*	64	165	458	178	162	254	95
707.0 . . . . .	340	153	187	*	34	55	248	88	67	137	48
707.1 . . . . .	336	174	162	*	29	104	203	86	90	113	46
707.10 . . . . .	41	21	21	—	*	16	22	10	16	11	*
707.11 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
707.12 . . . . .	24	11	14	*	*	*6	15	*5	*8	*9	*
707.13 . . . . .	20	9	11	*	*	*	15	*	*7	*	*
707.14 . . . . .	49	23	26	*	*	12	33	15	10	16	*8
707.15 . . . . .	163	91	72	*	14	56	93	41	37	63	23
707.19 . . . . .	32	19	13	*	*	*8	21	10	11	*7	*
707.8 . . . . .	11	*6	*5	*	*	*	*	*	*	*	*
708 . . . . .	20	*8	12	*	*	*6	*7	*	*8	*6	*
708.0 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
708.9 . . . . .	9	*	*5	*	*	*	*	*	*	*	*
709 . . . . .	84	44	40	32	27	14	11	9	*9	56	10
709.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
709.2 . . . . .	51	27	23	29	16	*5	*	*	*	43	*
709.8 . . . . .	13	*	*8	*	*5	*	*	*	*	*	*
709.9 . . . . .	12	*7	*	*	*	*	*	*	*	*5	*
710–739 . . . . .	5,757	1,964	3,793	85	831	1,586	3,255	1,236	1,552	2,018	951
710 . . . . .	169	17	152	*	55	58	53	31	38	74	26
710.0 . . . . .	109	11	98	*	41	40	26	18	22	54	14
710.1 . . . . .	28	*	27	—	*9	9	10	*	*7	11	*6
710.2 . . . . .	11	*	10	—	*	*	*6	*	*	*	*
710.3 . . . . .	*6	*	*5	*	*	*	*	*	*	*	*
710.4 . . . . .	*9	*	*8	*	*	*	*6	*	*	*	*
711 . . . . .	41	24	18	*	10	11	16	*8	10	15	*9
711.0 . . . . .	38	22	16	*	*8	11	16	*6	9	15	*9
711.06 . . . . .	18	10	*8	*	*	*	*9	*	*5	*7	*
712 . . . . .	*6	*	*	—	*	*	*5	*	*	*	*
713 . . . . .	9	*	*7	*	*	*	*	*	*	*	*
713.5 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
714 . . . . .	235	53	182	*	25	63	145	51	55	83	46
714.0 . . . . .	216	47	169	*	18	59	139	49	51	77	39
714.3 . . . . .	*9	*	*7	*	*6	*	*	*	*	*	*
714.30 . . . . .	*8	*	*6	*	*6	*	*	*	*	*	*
714.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
715 . . . . .	1,525	505	1,019	*	55	353	1,115	326	438	551	210
715.0 . . . . .	40	12	28	—	*	*6	33	14	13	10	*
715.00 . . . . .	*6	*	*	—	*	*	*5	*	*	*	*
715.09 . . . . .	34	10	24	—	*	*5	28	13	10	*7	*
715.1 . . . . .	56	28	28	—	*	15	39	11	11	26	9
715.15 . . . . .	14	*	*9	—	*	*	9	*	*	*	*
715.16 . . . . .	36	21	16	—	*	*7	27	*6	*8	17	*5
715.2 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
715.3 . . . . .	330	127	203	—	15	102	213	70	86	120	54
715.30 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
715.31 . . . . .	20	11	*9	—	*	*7	12	*	*	*7	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
715.35 . . . . .	87	37	51	—	* 28	55	19	27	23	18	
715.36 . . . . .	205	72	133	—	* 7 63	135	42	50	83	31	
715.8 . . . . .	59	20	39	—	* 13	45	* 9	28	18	*	
715.89 . . . . .	59	20	39	—	* 13	45	* 9	28	18	*	
715.9 . . . . .	1,034	315	719	*	34 216	782	221	299	376	138	
715.90 . . . . .	676	188	488	*	18 115	542	139	191	261	85	
715.91 . . . . .	22	10	11	—	* *	17	*	* 7	* 8	*	
715.94 . . . . .	* 6	*	*	—	* *	*	*	*	*	*	
715.95 . . . . .	97	32	65	—	* 5 29	62	27	33	23	13	
715.96 . . . . .	202	71	132	*	* 7 60	135	41	58	74	29	
715.97 . . . . .	* 7	*	*	*	* *	*	*	*	*	*	
715.98 . . . . .	22	* 8	15	—	* *	18	* 7	*	* 7	*	
716 . . . . .	247	87	160	*	21 72	153	41	67	111	28	
716.1 . . . . .	9	* 5	*	—	* 6	*	*	*	*	*	
716.5 . . . . .	14	*	11	*	*	*	10	*	*	* 8	*
716.59 . . . . .	11	*	* 8	—	*	*	* 8	*	*	* 6	*
716.9 . . . . .	220	77	143	*	18 62	139	35	64	97	24	
716.90 . . . . .	154	51	103	*	* 9 42	102	24	42	71	17	
716.91 . . . . .	11	*	* 7	—	*	*	* 7	*	*	* 6	*
716.95 . . . . .	9	*	*	—	*	*	* 6	*	*	*	
716.96 . . . . .	21	* 9	12	*	*	* 5 13	*	* 8	* 9	*	
716.99 . . . . .	13	*	* 9	—	*	*	* 5	*	* 7	*	
717 . . . . .	36	14	22	*	19 * 7	10	* 8	* 6	14	* 8	
717.7 . . . . .	11	*	* 7	*	* 5	*	*	*	*	*	
717.8 . . . . .	9	*	* 6	*	* 9	*	*	*	*	*	
718 . . . . .	49	27	23	* 7	16 13	13	9	10	15	15	
718.3 . . . . .	10	* 6	*	*	*	*	*	*	*	*	
718.4 . . . . .	17	9	* 8	*	*	*	* 6	*	*	* 7	*
718.46 . . . . .	* 7	*	*	*	*	*	*	*	*	*	
718.8 . . . . .	* 8	*	*	*	*	*	*	*	*	*	
719 . . . . .	214	87	127	*	40 49	120	42	79	57	36	
719.0 . . . . .	17	10	* 7	*	* 6	*	* 8	*	*	* 7	*
719.06 . . . . .	13	* 8	* 6	*	*	*	* 6	*	*	* 6	*
719.4 . . . . .	134	53	81	*	28 36	68	21	47	40	26	
719.40 . . . . .	* 6	*	*	—	*	*	*	*	*	*	
719.41 . . . . .	41	19	22	*	* 7 12	20	* 7	15	11	* 8	
719.45 . . . . .	47	15	33	*	* 7 9	31	* 6	18	14	9	
719.46 . . . . .	25	* 8	17	*	* 6 * 9	9	*	* 6	9	* 5	
719.47 . . . . .	* 6	*	*	*	*	*	*	*	*	*	
719.5 . . . . .	* 6	*	*	*	*	*	*	*	*	*	
719.7 . . . . .	47	17	30	*	*	* 8 36	15	24	* 6	*	
719.70 . . . . .	22	* 8	15	*	*	*	19	* 6	14	*	
719.75 . . . . .	12	*	* 8	—	*	*	* 9	*	* 5	*	
719.76 . . . . .	* 9	*	*	*	*	*	* 5	*	*	*	
720 . . . . .	15	* 8	* 7	*	*	*	* 7	*	*	* 6	*
720.0 . . . . .	* 8	* 6	*	*	*	*	*	*	*	*	
720.2 . . . . .	* 6	*	*	*	*	*	*	*	*	*	
721 . . . . .	255	105	150	—	29 88	139	46	81	89	39	
721.0 . . . . .	61	29	32	—	9 28	24	12	16	25	* 9	
721.1 . . . . .	26	14	12	—	*	10	12	*	* 6	10	*
721.3 . . . . .	106	42	65	—	9 30	67	19	37	36	15	
721.4 . . . . .	* 6	*	*	—	*	*	*	*	*	*	
721.8 . . . . .	* 6	*	*	—	*	*	*	*	*	*	
721.9 . . . . .	43	11	32	—	*	14 25	* 8	17	12	* 6	
721.90 . . . . .	42	11	31	—	*	14 25	* 8	17	11	* 6	
722 . . . . .	510	237	273	*	174 200	136	92	134	198	87	
722.0 . . . . .	74	36	38	—	35 34	*	16	15	32	11	
722.1 . . . . .	211	113	98	*	85 81	44	41	52	78	40	
722.10 . . . . .	207	112	95	*	85 79	42	41	51	75	39	

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
722.4 . . . . .	24	9	14	—	*5	12	*7	*5	*6	*7	*5
722.5 . . . . .	112	40	72	*	24	40	48	13	40	41	18
722.52 . . . . .	110	39	71	*	24	39	46	13	39	40	17
722.6 . . . . .	14	*5	*9	—	*	*	*8	*	*	*	*
722.7 . . . . .	26	12	14	—	*9	10	*7	*	*	13	*
722.71 . . . . .	14	*8	*6	—	*5	*5	*	*	*	*6	*
722.73 . . . . .	10	*	*6	—	*	*	*	*	*	*6	*
722.8 . . . . .	15	*7	*8	—	*5	*7	*	*	*	*8	*
722.83 . . . . .	15	*7	*8	—	*5	*6	*	*	*	*8	*
722.9 . . . . .	31	13	18	*	*7	12	12	*6	*7	12	*5
722.91 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
722.93 . . . . .	19	*9	11	*	*5	*7	*6	*	*5	*5	*
723 . . . . .	69	31	38	*	22	26	19	15	17	24	12
723.0 . . . . .	16	10	*6	*	*	*	*7	*	*	*	*
723.1 . . . . .	32	14	18	*	12	12	*7	*6	*9	11	*6
723.4 . . . . .	14	*5	9	*	*	*7	*	*	*	*5	*
724 . . . . .	495	200	295	*	109	167	216	108	133	167	87
724.0 . . . . .	141	59	82	*	10	35	96	39	38	42	21
724.00 . . . . .	24	*6	18	—	*	*	22	9	*5	*7	*
724.02 . . . . .	113	50	63	—	*9	33	71	29	32	34	18
724.1 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
724.2 . . . . .	168	74	94	*	47	60	61	29	50	55	35
724.3 . . . . .	17	*	13	—	*5	*6	*6	*	*	*6	*
724.4 . . . . .	36	14	22	—	*6	18	13	*7	*8	15	*6
724.5 . . . . .	115	41	74	*	36	45	33	27	27	43	18
724.8 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
725 . . . . .	42	12	31	—	*	*	40	12	13	11	*6
726 . . . . .	97	44	53	*	13	38	46	26	26	28	17
726.0 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
726.1 . . . . .	36	16	20	—	*	12	19	12	*8	11	*
726.10 . . . . .	32	14	18	—	*	12	17	11	*7	9	*
726.2 . . . . .	18	*6	12	—	*	*9	*7	*6	*	*	*
726.3 . . . . .	11	9	*	*	*	*	*	*	*	*	*
726.33 . . . . .	11	9	*	*	*	*	*	*	*	*	*
726.5 . . . . .	9	*	*7	—	*	*	*	*	*	*	*
726.6 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
726.65 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
727 . . . . .	61	27	33	*5	13	17	25	13	17	20	11
727.0 . . . . .	24	12	12	*	*8	*5	*7	*6	*6	*7	*
727.00 . . . . .	12	*7	*6	*	*	*	*	*	*	*	*
727.05 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
727.4 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
727.40 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
727.5 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
727.51 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
727.6 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
727.8 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
728 . . . . .	118	57	61	*5	26	30	57	27	31	37	24
728.2 . . . . .	10	*	*8	*	*	*	*8	*5	*	*	*
728.3 . . . . .	9	*	*6	*	*	*	*6	*	*	*6	*
728.8 . . . . .	72	40	32	*	22	19	30	16	18	22	16
728.85 . . . . .	17	*8	9	*	*6	*	*5	*	*	*6	*
728.86 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
728.89 . . . . .	42	26	16	*	13	9	20	12	11	12	*8
728.9 . . . . .	19	*8	11	*	*	*6	10	*	*8	*	*
729 . . . . .	323	90	233	*6	68	124	125	59	87	108	70
729.1 . . . . .	130	19	111	*	31	66	30	27	39	40	24
729.2 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
729.3 . . . . .	*6	*	*5	*	*	*	*	*	*	*	*
729.5 . . . . .	70	23	47	*	17	21	30	13	19	25	13

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
729.8 . . . . .	100	39	61	*	13	27	59	15	25	32	29
729.81 . . . . .	20	*8	12	*	*5	*6	*7	*	*5	9	*
729.82 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
729.89 . . . . .	73	29	44	*	*6	18	48	11	18	20	24
729.9 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
730 . . . . .	138	74	63	*6	21	50	61	37	28	51	22
730.0 . . . . .	37	21	16	*	*	13	20	12	*8	12	*6
730.07 . . . . .	25	15	10	*	*	9	14	*8	*5	*8	*
730.08 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
730.1 . . . . .	24	14	11	*	*	9	10	*8	*	*6	*6
730.15 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
730.17 . . . . .	11	*7	*	*	*	*	*	*	*	*	*
730.2 . . . . .	75	39	36	*	12	27	32	17	15	33	10
730.25 . . . . .	*6	*	*5	*	*	*	*	*	*	*	*
730.26 . . . . .	*9	*	*	*	*	*	*	*	*	*5	*
730.27 . . . . .	43	24	19	*	*	18	20	10	*9	20	*
730.28 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
731 . . . . .	44	26	18	—	*	16	26	13	13	11	*7
731.0 . . . . .	13	*7	*6	—	—	*	12	*	*6	*	*
731.8 . . . . .	31	18	13	—	*	15	14	*8	*8	*9	*7
732 . . . . .	10	*6	*	*6	*	*	*	*	*	*	*
733 . . . . .	829	140	688	*6	52	135	636	199	206	282	141
733.0 . . . . .	512	45	468	*	9	63	440	128	123	179	83
733.00 . . . . .	494	43	451	*	*9	60	425	123	119	175	77
733.01 . . . . .	*7	*	*7	—	—	*	*7	*	*	*	*
733.09 . . . . .	11	*	10	*	*	*	*9	*	*	*	*
733.1 . . . . .	156	39	117	*	*5	22	128	36	42	46	32
733.13 . . . . .	113	25	88	*	*	13	98	28	31	33	21
733.14 . . . . .	15	*	11	*	*	*	13	*	*	*	*
733.15 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
733.19 . . . . .	9	*	*6	*	*	*	*	*5	*	*	*
733.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
733.4 . . . . .	30	13	16	*	*8	13	*9	*5	*8	12	*
733.42 . . . . .	22	11	12	*	*	11	*6	*	*7	*8	*
733.6 . . . . .	34	*8	26	*	*8	13	13	*8	*7	16	*
733.8 . . . . .	42	20	22	*	13	12	15	*8	10	14	9
733.81 . . . . .	10	*	*5	*	*	*	*	*	*	*	*
733.82 . . . . .	32	16	17	*	10	9	11	*5	9	10	*8
733.9 . . . . .	49	13	36	*	*6	12	30	13	15	12	*8
733.90 . . . . .	39	*8	32	*	*	10	26	10	13	10	*6
733.99 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
735 . . . . .	*9	*	*7	*	*	*5	*	*	*	*	*
736 . . . . .	43	21	23	*6	*	14	19	*7	11	16	10
736.4 . . . . .	12	*5	*6	*	*	*	*7	*	*	*8	*
736.42 . . . . .	*9	*	*	*	*	*	*6	*	*	*6	*
736.7 . . . . .	20	*8	12	*	*	*8	*7	*	*9	*	*
736.79 . . . . .	16	*7	*8	*	*	*6	*7	*	*7	*	*
737 . . . . .	78	25	54	10	17	10	41	16	22	25	16
737.1 . . . . .	10	*	*7	*	*	*	*7	*	*	*	*
737.10 . . . . .	*9	*	*6	*	*	*	*7	*	*	*	*
737.3 . . . . .	60	19	40	10	14	*8	27	12	17	18	13
737.30 . . . . .	50	17	34	*8	12	*7	23	10	15	16	10
737.39 . . . . .	*7	*	*6	*	*	*	*	*	*	*	*
737.4 . . . . .	*7	*	*6	*	*	*	*6	*	*	*	*
738 . . . . .	53	25	28	*	14	19	18	12	13	15	13
738.4 . . . . .	43	19	24	—	*9	16	18	*9	11	11	12
739 . . . . .	32	13	19	*	15	*7	10	25	*	*	*
739.2 . . . . .	10	*6	*	*	*	*	*7	*8	*	*	—
739.3 . . . . .	13	*	11	—	11	*	*	13	*	*	—

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
740–759 . . . . .	700	359	342	426	139	75	61	174	140	208	179
741 . . . . .	28	15	13	11	14	*	*	*	*8	10	*5
741.0 . . . . .	13	*8	*5	*8	*	*	*	*	*	*	*
741.00 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
741.9 . . . . .	15	*7	*8	*	10	*	*	*	*	*6	*
741.90 . . . . .	12	*6	*6	*	*8	*	*	*	*	*6	*
742 . . . . .	34	17	17	26	*	*	*	10	*6	10	*8
742.1 . . . . .	*6	*	*	*6	*	*	—	*	*	*	*
742.3 . . . . .	*9	*	*	*7	*	*	*	*	*	*	*
742.5 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
742.59 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
743 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
744 . . . . .	*8	*	*	*5	*	*	—	*	*	*	*
745 . . . . .	105	51	54	82	13	*7	*	25	15	29	37
745.1 . . . . .	*8	*5	*	*7	*	—	—	*	*	*	*
745.2 . . . . .	13	*6	*8	11	*	*	—	*	*	*	*6
745.4 . . . . .	30	13	17	24	*	*	*	*7	*	*8	11
745.5 . . . . .	43	22	21	30	*6	*5	*	*7	*8	14	14
745.6 . . . . .	*6	*	*	*5	*	*	—	*	*	*	*
745.69 . . . . .	*6	*	*	*	*	—	—	*	*	*	*
746 . . . . .	55	31	23	36	9	*	*	19	*8	14	14
746.0 . . . . .	9	*	*	*9	*	*	*	*	*	*	*
746.02 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
746.4 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
746.8 . . . . .	21	12	10	13	*	*	*	*7	*	*6	*6
746.89 . . . . .	11	*6	*5	*7	*	*	*	*	*	*	*
747 . . . . .	69	38	31	46	*7	*	11	18	9	23	19
747.0 . . . . .	23	13	9	22	*	*	—	*	*	*6	10
747.2 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
747.3 . . . . .	10	*6	*	*9	*	*	—	*	*	*	*
747.6 . . . . .	11	*	*6	*	*	*	*	*7	*	*	*
747.61 . . . . .	*8	*	*	*	*	*	*	*6	*	*	*
747.8 . . . . .	12	*5	*7	*	*	*	*	*	*	*	*
747.81 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
748 . . . . .	20	11	*8	18	*	*	*	*	*	*	*6
748.3 . . . . .	12	*7	*	12	*	—	*	*	*	*	*
749 . . . . .	24	12	12	22	*	*	*	*6	*	14	*
749.0 . . . . .	*8	*	*5	*7	*	*	*	*	*	*	*
749.00 . . . . .	*6	*	*	*6	*	—	*	*	*	*	*
749.1 . . . . .	*5	*	*	*5	*	—	*	*	—	*	—
749.2 . . . . .	11	*7	*	9	*	*	*	*	*	*6	*
750 . . . . .	23	16	*7	19	*	*	*	*	*5	*7	*7
750.5 . . . . .	15	12	*	15	—	*	—	*	*	*	*5
751 . . . . .	38	18	20	23	*8	*	*	*8	12	9	*8
751.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
751.3 . . . . .	*6	*	*	*6	*	*	—	*	*	*	*
751.5 . . . . .	10	*	*7	*	*	*	*	*	*	*	*
752 . . . . .	30	10	19	10	12	*5	*	*7	*8	*9	*5
752.1 . . . . .	11	—	11	*	*6	*	*	*	*	*	*
752.11 . . . . .	10	—	10	*	*5	*	*	*	*	*	*
753 . . . . .	64	30	34	18	15	20	11	15	14	21	14
753.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
753.1 . . . . .	32	16	16	*	*8	12	*8	*7	*7	11	*7
753.10 . . . . .	9	*	*	*	*	*	*	*	*	*	*
753.12 . . . . .	11	*5	*6	*	*	*	*	*	*	*	*
753.2 . . . . .	12	*5	*6	*7	*	*	*	*	*	*	*
753.29 . . . . .	*5	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
753.3 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
754 . . . . .	31	19	12	21	*	*	*	*7	*9	*7	*9
754.5 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
754.7 . . . . .	*6	*	*	*5	*	*	*	*	*	*	*
754.8 . . . . .	*9	*5	*	*5	*	*	*	*	*	*	*
754.81 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
755 . . . . .	17	*7	9	*7	*7	*	*	*6	*	*	*
755.6 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
755.63 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
756 . . . . .	60	28	32	28	14	*7	11	11	14	17	18
756.0 . . . . .	13	*7	*6	12	*	*	—	*	*	*	*
756.1 . . . . .	27	11	16	*	10	*6	9	*	*7	*7	*9
756.12 . . . . .	17	*6	12	*	*7	*	*6	*	*5	*5	*
756.7 . . . . .	*5	*	*	*	*	—	*	*	*	*	*
757 . . . . .	13	*5	*7	*	*6	*	*	*	*	*9	*
757.3 . . . . .	10	*	*	*	*	*	*	*	*	*8	*
757.32 . . . . .	*7	*	*	*	*	—	—	—	*	*7	—
758 . . . . .	47	24	23	29	10	*7	*	14	11	11	11
758.0 . . . . .	35	19	16	22	*7	*6	*	11	*9	*8	*8
759 . . . . .	29	17	12	15	*8	*	*	*8	*7	*7	*7
759.8 . . . . .	17	10	*7	10	*	*	*	*	*	*	*5
759.89 . . . . .	13	*8	*6	10	*	*	*	*	*	*	*
760–779 . . . . .	488	289	199	486	*	*	*	65	98	151	174
763 . . . . .	*6	*	*	*6	—	—	—	*	*	*	*
763.8 . . . . .	*6	*	*	*6	—	—	—	*	*	*	*
763.83 . . . . .	*6	*	*	*6	—	—	—	*	*	*	*
764 . . . . .	*5	*	*	*5	*	—	—	*	*	*	*
765 . . . . .	57	34	24	57	—	—	*	*7	12	20	18
765.0 . . . . .	*9	*	*	*9	—	—	—	*	*	*	*
765.1 . . . . .	48	29	19	48	—	—	*	*7	11	15	16
765.15 . . . . .	*7	*	*	*7	—	—	—	*	*	*	*
765.17 . . . . .	*9	*5	*	*9	—	—	—	*	*	*	*
765.18 . . . . .	11	*7	*	11	—	—	*	*	*	*	*
765.19 . . . . .	13	9	*	13	—	—	—	*	*	*	*
767 . . . . .	*8	*	*	*8	*	—	*	*	*	*	*
769 . . . . .	31	20	11	31	—	—	—	*	*8	11	10
770 . . . . .	93	56	37	92	*	*	*	14	21	32	25
770.2 . . . . .	*5	*	*	*5	—	*	—	*	*	*	*
770.6 . . . . .	15	9	*6	15	*	—	—	*	*	*9	*
770.7 . . . . .	19	10	*9	18	*	—	*	*	*	*7	*6
770.8 . . . . .	43	27	16	43	—	*	—	*8	11	11	13
771 . . . . .	40	20	20	40	*	—	—	*	*9	11	16
771.8 . . . . .	34	18	16	34	*	—	—	*	*7	9	14
772 . . . . .	11	*7	*	11	—	—	*	*	*	*	*5
772.1 . . . . .	*7	*	*	*7	—	—	—	*	*	*	*
773 . . . . .	9	*7	*	9	*	—	—	*	*	*	*
773.1 . . . . .	*5	*	*	*5	—	—	—	*	*	*	*
774 . . . . .	92	57	35	92	—	—	*	11	17	30	33
774.2 . . . . .	35	22	13	35	—	—	—	*	*7	11	13
774.6 . . . . .	51	30	21	51	—	—	*	*7	*9	17	18
775 . . . . .	36	22	14	35	*	—	—	*6	*	11	14
775.5 . . . . .	16	*9	*7	16	—	—	—	*	*	*	*7
775.6 . . . . .	*7	*	*	*6	*	—	—	*	*	*	*
775.7 . . . . .	*5	*	*	*5	*	—	—	*	*	*	*
776 . . . . .	17	11	*6	17	*	—	—	*	*	*5	*6
776.6 . . . . .	*9	*5	*	*9	—	—	—	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
777 . . . . .	12	*	*7	12	—	—	—	*	*	*	*7
777.8 . . . . .	*7	*	*	*7	—	—	—	*	*	*	*
778 . . . . .	17	11	*6	17	—	—	—	*	*	*	*7
778.4 . . . . .	*8	*	*	*8	—	—	—	*	*	*	*
779 . . . . .	40	22	19	40	*	—	*	*	*7	11	17
779.0 . . . . .	*5	*	*	*5	—	—	—	*	*	*	*
779.3 . . . . .	29	15	14	29	*	—	*	*	*5	*8	14
780–799 . . . . .	7,705	3,311	4,395	649	1,667	2,029	3,360	1,598	2,188	2,700	1,220
780 . . . . .	2,243	1,013	1,230	246	469	548	980	506	627	766	344
780.0 . . . . .	108	47	60	*5	26	22	55	16	31	31	29
780.01 . . . . .	20	*7	13	*	*	*	14	*	*8	*	*
780.02 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
780.03 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
780.09 . . . . .	77	35	43	*	20	17	37	11	21	21	24
780.1 . . . . .	17	*7	10	*	*6	*	*7	*	*	*8	*
780.2 . . . . .	405	172	234	*5	49	83	268	117	103	135	49
780.3 . . . . .	806	379	427	111	220	213	262	196	208	281	121
780.31 . . . . .	22	11	10	21	*	*	*	*	*	*9	*
780.39 . . . . .	785	368	417	91	220	213	262	193	204	272	116
780.4 . . . . .	114	45	70	*	14	28	72	28	36	33	16
780.5 . . . . .	216	121	95	13	54	91	57	48	59	71	37
780.50 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
780.52 . . . . .	29	11	18	—	*8	*8	12	*5	*9	12	*
780.57 . . . . .	170	102	69	10	41	78	41	39	47	54	31
780.6 . . . . .	291	141	150	102	65	55	69	51	74	116	51
780.7 . . . . .	188	61	128	*	21	32	131	30	76	55	27
780.79 . . . . .	184	60	123	*	19	30	131	30	76	52	26
780.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
780.9 . . . . .	93	37	55	*	13	21	56	17	34	34	*9
781 . . . . .	245	87	158	*9	21	42	173	47	74	88	36
781.0 . . . . .	24	10	15	*	*6	*6	10	*	*6	*9	*6
781.2 . . . . .	154	48	106	*	*9	23	121	31	47	58	18
781.3 . . . . .	52	24	29	*	*	10	34	10	19	14	10
781.9 . . . . .	*9	*	*5	*	*	*	*5	*	*	*	*
781.99 . . . . .	*9	*	*5	*	*	*	*5	*	*	*	*
782 . . . . .	202	83	119	20	42	53	86	44	61	65	32
782.0 . . . . .	43	16	27	*	15	14	13	*8	14	13	*8
782.1 . . . . .	35	15	20	9	12	*6	*8	*8	*9	12	*6
782.3 . . . . .	92	37	55	*	11	26	54	23	30	28	12
782.4 . . . . .	17	*7	9	*	*	*	*7	*	*	*7	*
782.7 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
783 . . . . .	200	89	111	74	23	24	80	44	47	72	38
783.0 . . . . .	38	13	25	*	*5	*5	25	*	12	17	*
783.2 . . . . .	54	24	30	*	10	11	29	*8	15	24	*7
783.21 . . . . .	53	24	29	*	9	11	29	*8	15	23	*7
783.3 . . . . .	15	*7	*8	12	*	*	*	*	*	*5	*
783.4 . . . . .	58	29	29	54	*	*	*	18	11	15	14
783.40 . . . . .	22	13	9	18	*	*	*	10	*	*	*5
783.41 . . . . .	34	15	19	33	*	*	*	*7	*8	10	*9
783.7 . . . . .	25	11	14	*	*	*	21	*9	*	*8	*6
784 . . . . .	351	142	209	21	101	88	142	64	108	120	60
784.0 . . . . .	168	57	111	11	77	44	35	30	52	59	27
784.2 . . . . .	13	*6	*7	*	*	*	*	*	*	*	*
784.3 . . . . .	62	27	35	*	*	14	44	12	18	19	13
784.5 . . . . .	53	26	27	*	*6	14	32	*8	19	17	*9
784.7 . . . . .	43	21	22	*	*7	10	24	*9	11	16	*8
785 . . . . .	342	157	185	23	62	93	164	77	94	119	52
785.0 . . . . .	80	29	51	*6	21	19	34	13	25	30	12

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
785.1 . . . . .	37	16	21	*	*8	14	14	9	10	12	*6
785.2 . . . . .	32	15	17	*9	*9	*	10	*	*8	11	*8
785.4 . . . . .	69	41	28	*	*5	25	38	18	17	26	9
785.5 . . . . .	84	38	46	*	*8	18	54	24	24	25	11
785.50 . . . . .	11	*	*7	*	*	*	*6	*	*	*5	*
785.51 . . . . .	28	14	14	*	*	*7	20	*8	*8	*8	*
785.59 . . . . .	45	21	24	*	*	*9	27	13	14	13	*6
785.6 . . . . .	32	15	17	*	10	10	*9	*8	*7	13	*
785.9 . . . . .	*7	*	*	—	*	*	*5	*	*	*	*
786 . . . . .	1,428	648	779	62	266	533	568	291	368	548	220
786.0 . . . . .	183	82	100	45	30	40	68	25	54	67	36
786.03 . . . . .	19	10	10	15	*	*	*	*	*6	*	*6
786.05 . . . . .	52	20	32	*	9	15	26	*7	15	17	14
786.06 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
786.07 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
786.09 . . . . .	89	42	47	19	16	20	35	13	27	36	13
786.1 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
786.2 . . . . .	29	14	14	*7	*5	*8	*8	*	*6	11	*8
786.3 . . . . .	46	27	19	*	10	14	22	11	12	16	*8
786.5 . . . . .	1,123	500	623	*	216	461	442	242	284	437	160
786.50 . . . . .	501	234	267	*	88	209	201	99	108	212	82
786.51 . . . . .	31	13	18	—	*5	14	12	*	11	10	*6
786.52 . . . . .	56	21	36	*	10	24	22	10	19	21	*7
786.59 . . . . .	534	232	302	*	113	214	207	129	145	194	66
786.6 . . . . .	31	15	16	*	*	*8	22	*8	*8	11	*
786.8 . . . . .	*6	*5	*	*	*	*	*	*	*	*	*
787 . . . . .	732	258	474	86	156	171	319	137	214	258	124
787.0 . . . . .	374	117	257	53	97	94	130	64	120	130	60
787.01 . . . . .	232	72	160	15	67	63	87	35	73	90	34
787.02 . . . . .	72	19	54	*	19	22	27	12	25	20	15
787.03 . . . . .	70	26	44	34	11	*8	16	16	22	21	12
787.1 . . . . .	11	*5	*5	—	*	*	*	*	*	*	*
787.2 . . . . .	121	49	72	*5	14	23	79	25	31	47	18
787.3 . . . . .	11	*	*7	*	*	*	*6	*	*	*	*
787.6 . . . . .	13	*7	*7	*	*	*	*	*	*	*	*
787.9 . . . . .	202	76	126	25	38	44	95	42	53	70	36
787.91 . . . . .	198	75	123	25	37	43	94	42	52	69	35
788 . . . . .	427	226	202	9	66	86	266	102	132	126	68
788.0 . . . . .	11	*	*7	*	*7	*	*	*	*	*	*
788.1 . . . . .	11	*	*6	*	*	*	*	*	*	*	*
788.2 . . . . .	247	163	84	*	34	48	161	62	72	71	43
788.20 . . . . .	206	134	72	*	28	39	135	52	59	59	36
788.21 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
788.29 . . . . .	35	26	10	*	*5	*7	23	9	10	10	*5
788.3 . . . . .	104	29	75	*	15	25	61	22	33	32	17
788.30 . . . . .	74	23	52	*	10	14	48	16	25	22	11
788.31 . . . . .	9	*	*7	*	*	*	*5	*	*	*	*
788.33 . . . . .	11	*	11	—	*	*6	*	*	*	*	*
788.39 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
788.4 . . . . .	18	*8	10	*	*	*	10	*	9	*	*
788.41 . . . . .	11	*	*6	*	*	*	*6	*	*6	*	*
788.5 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
788.9 . . . . .	28	13	15	*	*	*	23	*8	10	*8	*
789 . . . . .	588	205	382	35	204	164	184	106	162	208	111
789.0 . . . . .	428	130	298	28	169	100	130	75	120	152	82
789.00 . . . . .	153	45	108	11	57	34	52	26	34	68	26
789.01 . . . . .	39	11	28	*	18	13	*6	*6	11	12	11
789.02 . . . . .	9	*	*5	*	*	*	*	*	*	*	*
789.03 . . . . .	55	12	43	*6	32	*6	11	10	17	16	12
789.04 . . . . .	27	*8	19	*	12	*8	*6	*7	9	*8	*
789.05 . . . . .	*6	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
789.06 . . . . .	58	22	36	*	15	17	26	10	22	16	11
789.07 . . . . .	22	*6	16	*	*8	*	*7	*	*	10	*
789.09 . . . . .	57	19	38	*	22	15	18	9	19	18	11
789.1 . . . . .	13	*	*8	*	*	*5	*	*	*	*6	*
789.2 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
789.3 . . . . .	17	*	13	*	*	*6	*6	*	*	*7	*
789.30 . . . . .	*9	*	*7	*	*	*	*	*	*	*5	*
789.5 . . . . .	119	63	56	*	22	50	44	24	34	41	20
790 . . . . .	361	158	203	28	94	87	152	69	111	130	51
790.2 . . . . .	51	10	41	*	34	*9	*6	*6	15	20	10
790.4 . . . . .	15	*9	*6	*	*6	*	*	*	*5	*	*
790.5 . . . . .	30	13	16	*	*7	*9	12	*6	13	*9	*
790.6 . . . . .	117	56	60	*5	19	29	63	17	39	45	16
790.7 . . . . .	88	39	49	16	19	22	31	22	22	32	13
790.9 . . . . .	51	28	23	*	*7	12	31	12	14	18	*7
790.92 . . . . .	34	15	19	*	*	*8	21	*9	10	11	*
790.93 . . . . .	9	9	—	—	—	*	*8	*	*	*	*
790.99 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
791 . . . . .	25	11	14	*	*7	*6	*9	*5	9	*8	*
791.0 . . . . .	14	*7	*7	*	*	*5	*	*	*	*5	*
791.9 . . . . .	*8	*	*6	*	*	*	*	*	*5	*	*
792 . . . . .	70	12	58	*	43	*9	17	14	27	18	11
792.1 . . . . .	28	12	17	*	*	*8	17	*7	13	*7	*
792.3 . . . . .	41	—	41	*	40	*	—	*7	13	11	10
793 . . . . .	21	11	10	*	*	*6	10	*	*9	*6	*
793.1 . . . . .	11	*6	*	*	*	*	*6	*	*	*	*
794 . . . . .	126	62	64	*	38	47	39	28	38	38	22
794.3 . . . . .	59	27	31	*	12	21	24	11	24	16	*7
794.31 . . . . .	36	16	20	*	*8	14	14	*8	12	12	*
794.39 . . . . .	18	*8	10	—	*	*	9	*	10	*	*
794.8 . . . . .	61	30	31	*	23	23	13	16	13	20	12
795 . . . . .	29	*9	21	*	17	*7	*	*9	*6	9	*6
795.5 . . . . .	17	*7	10	*	*8	*	*	*7	*	*	*
795.7 . . . . .	*8	*	*6	—	*6	*	*	*	*	*	*
795.79 . . . . .	*8	*	*6	—	*6	*	*	*	*	*	*
796 . . . . .	61	21	39	*	22	10	26	*8	18	24	11
796.0 . . . . .	11	*5	*6	*	*	*	10	*	*	*	*
796.2 . . . . .	32	12	20	*	16	*6	*8	*	12	12	*6
796.3 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
796.4 . . . . .	*7	*	*6	*	*	*	*	*	*	*5	*
799 . . . . .	248	114	134	26	33	52	138	43	83	92	31
799.0 . . . . .	98	49	49	16	14	21	48	17	28	40	14
799.1 . . . . .	10	*	*5	*	*	*	*7	*	*	*	*
799.3 . . . . .	65	27	38	*	*	10	53	*	34	23	*
799.4 . . . . .	33	16	17	*	*5	9	18	*7	*8	13	*6
799.9 . . . . .	36	16	20	*6	10	11	9	9	*8	12	*7
800–999 . . . . .	6,008	3,050	2,958	465	1,842	1,420	2,281	1,199	1,413	2,222	1,175
800 . . . . .	14	11	*	*6	*	*	*	*5	*	*	*
801 . . . . .	37	28	10	*5	19	*8	*5	*7	*7	15	*8
801.0 . . . . .	15	11	*	*	*6	*	*	*	*	*6	*
801.01 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
801.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
801.2 . . . . .	*9	*6	*	*	*5	*	*	*	*	*	*
802 . . . . .	90	61	29	*5	52	15	18	16	19	40	15
802.0 . . . . .	18	10	*8	*	*9	*	*6	*	*	*7	*
802.2 . . . . .	24	19	*5	*	16	*	*	*	*	11	*5
802.4 . . . . .	18	13	*5	*	10	*	*	*	*	9	*
802.6 . . . . .	*9	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
802.8 . . . . .	15	10	*	*	*8	*	*	*	*	*7	*
805 . . . . .	125	67	58	*	39	22	62	23	30	48	24
805.0 . . . . .	22	15	*7	*	10	*	*8	*	*6	*7	*5
805.02 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
805.2 . . . . .	32	16	16	*	*8	*6	17	*7	*8	10	*6
805.4 . . . . .	51	26	25	*	14	9	27	*9	13	21	*8
805.6 . . . . .	16	*7	*9	*	*5	*	*8	*	*	*7	*
806 . . . . .	10	*7	*	*	*	*	*	*	*	*	*
807 . . . . .	103	63	40	*	29	29	43	22	27	36	18
807.0 . . . . .	94	57	37	*	26	27	40	20	25	33	16
807.00 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
807.01 . . . . .	22	14	*9	*	*9	*	*9	*	*7	*7	*
807.02 . . . . .	14	*7	*7	*	*	*	*7	*	*5	*	*
807.03 . . . . .	16	10	*6	*	*	*	*9	*5	*	*6	*
807.04 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
807.09 . . . . .	19	14	*5	*	*6	*8	*5	*	*	*8	*
807.2 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
808 . . . . .	96	32	65	*	24	15	55	17	29	32	18
808.0 . . . . .	21	11	10	*	*9	*5	*7	*	*5	*8	*
808.2 . . . . .	56	16	40	*	11	*6	37	10	18	16	11
808.4 . . . . .	*9	*	*6	*	*	*	*5	*	*	*	*
808.8 . . . . .	9	*	*8	*	*	*	*7	*	*	*	*
810 . . . . .	21	13	*8	*	9	*6	*	*	*7	*7	*
810.0 . . . . .	20	12	*8	*	*9	*6	*	*	*7	*7	*
810.00 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
810.02 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
811 . . . . .	12	*9	*	*	*6	*	*	*	*	*	*
811.0 . . . . .	12	*9	*	*	*6	*	*	*	*	*	*
812 . . . . .	109	36	74	13	14	24	59	26	24	38	22
812.0 . . . . .	60	14	46	*	*	14	41	11	16	20	14
812.00 . . . . .	15	*	10	*	*	*	9	*	*	*6	*
812.01 . . . . .	24	*5	19	*	*	*	17	*	*8	*8	*
812.03 . . . . .	*7	*	*6	—	*	*	*	*	*	*	*
812.09 . . . . .	13	*	10	*	*	*	9	*	*	*	*
812.2 . . . . .	18	*6	12	*	*	*	11	*	*	*8	*
812.20 . . . . .	9	*	*7	*	*	*	*8	*	*	*	*
812.21 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
812.4 . . . . .	24	11	13	11	*	*	*5	*9	*	*7	*
812.41 . . . . .	13	*6	*7	9	*	*	*	*	*	*	*
813 . . . . .	112	57	54	14	35	25	37	23	27	37	24
813.0 . . . . .	19	*7	11	*	*5	*	*7	*6	*	*	*
813.01 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
813.05 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
813.2 . . . . .	12	10	*	*	*6	*	*	*	*	*	*
813.23 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
813.4 . . . . .	59	28	31	*	17	13	24	13	15	20	11
813.41 . . . . .	14	*5	9	*	*	*	*7	*	*	*	*
813.42 . . . . .	26	12	14	*	*7	*7	12	*6	*7	9	*
813.44 . . . . .	15	*8	*7	*	*	*	*5	*	*	*6	*
813.5 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
813.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
814 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
814.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
815 . . . . .	13	*8	*	*	*7	*	*	*	*	*5	*
815.0 . . . . .	11	*7	*	*	*6	*	*	*	*	*	*
816 . . . . .	17	13	*	*	*9	*	*	*6	*	*7	*
816.0 . . . . .	9	*5	*	*	*	*	*	*	*	*	*
816.01 . . . . .	*7	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
816.1 . . . . .	*8	*8	*	*	*	*	*	*	*	*	*
820 . . . . .	373	101	272	*	10	28	331	72	93	144	64
820.0 . . . . .	114	25	88	*	*	10	99	25	28	44	16
820.00 . . . . .	*8	*	*7	—	*	*	*8	*	*	*	*
820.02 . . . . .	11	*	*9	*	*	*	*9	*	*	*	*
820.03 . . . . .	10	*	*8	*	*	*	*9	*	*	*	*
820.09 . . . . .	83	18	65	*	*	*8	74	16	22	33	12
820.2 . . . . .	170	48	122	*	*	12	152	28	48	64	30
820.20 . . . . .	14	*6	*8	*	*	*	13	*	*5	*	*
820.21 . . . . .	142	35	107	*	*	10	130	24	39	54	25
820.22 . . . . .	14	*6	*8	*	*	*	9	*	*	*	*
820.8 . . . . .	88	27	61	*	*	*6	80	19	16	35	17
821 . . . . .	71	35	36	12	23	*8	28	16	17	27	11
821.0 . . . . .	39	23	16	*8	15	*5	11	*8	*9	15	*7
821.00 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
821.01 . . . . .	32	20	13	*7	12	*	9	*7	*8	11	*6
821.2 . . . . .	26	9	17	*	*5	*	15	*7	*6	10	*
821.20 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
821.23 . . . . .	12	*	9	*	*	*	*8	*	*	*	*
822 . . . . .	16	*6	9	*	*	*	*6	*	*	*6	*
822.0 . . . . .	13	*5	*8	*	*	*	*6	*	*	*6	*
823 . . . . .	97	49	48	*8	44	19	26	19	19	47	12
823.0 . . . . .	35	15	20	*	10	11	12	*7	*8	15	*
823.00 . . . . .	25	11	15	*	*7	*8	*8	*5	*7	10	*
823.02 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
823.1 . . . . .	*7	*	*	*	*5	*	*	*	*	*	*
823.2 . . . . .	23	14	10	*	11	*	*	*	*	*5	11
823.20 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
823.22 . . . . .	15	9	*5	*	*7	*	*	*	*	*6	*
823.8 . . . . .	22	*8	14	*	11	*	*8	*5	*	13	*
823.80 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
823.82 . . . . .	13	*	9	*	*7	*	*	*	*	*8	*
823.9 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
824 . . . . .	136	54	82	*9	43	45	39	31	37	42	26
824.0 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
824.2 . . . . .	13	*5	*8	*	*	*	*	*	*	*	*
824.4 . . . . .	39	11	29	*	13	14	11	10	11	12	*6
824.6 . . . . .	28	9	19	*	*9	12	*7	*	9	10	*
824.8 . . . . .	35	18	17	*7	10	10	*9	9	10	*8	*8
825 . . . . .	42	27	15	*	18	10	11	*7	12	13	10
825.0 . . . . .	18	13	*	*	*7	*	*5	*	*	*6	*6
825.2 . . . . .	19	11	*8	*	*8	*	*5	*	*6	*5	*
825.25 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
826 . . . . .	11	*6	*	—	*	*	*	*	*	*	*
826.0 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
831 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
831.0 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
835 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
835.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
836 . . . . .	14	*7	*7	*	*7	*	*	*	*	*7	*
836.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
839 . . . . .	15	*7	*7	*	*7	*	*	*	*	*6	*
839.0 . . . . .	11	*5	*6	*	*6	*	*	*	*	*5	*
840 . . . . .	31	15	16	*	*	15	12	*6	*7	9	*8
840.4 . . . . .	23	12	10	*	*	11	11	*	*6	*7	*6
844 . . . . .	27	16	11	*	10	*8	*9	*	*6	11	*5
844.8 . . . . .	10	*8	*	*	*	*	*	*	*	*	*
844.9 . . . . .	10	*	*8	*	*	*	*5	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
845 . . . . .	16	*8	*8	*	*6	*	*5	*	*	*5	*
845.0 . . . . .	15	*8	*7	*	*5	*	*5	*	*	*5	*
845.00 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
846 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
847 . . . . .	39	17	21	*	18	9	10	*8	10	13	*7
847.0 . . . . .	20	*9	11	*	10	*	*	*5	*	*8	*
847.2 . . . . .	13	*6	*6	*	*	*	*	*	*	*	*
848 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
848.8 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
850 . . . . .	66	41	25	*9	35	11	11	16	13	21	16
850.0 . . . . .	19	12	*7	*	*6	*	*	*	*	*6	*6
850.1 . . . . .	23	14	*9	*	15	*	*	*8	*	*	*7
850.5 . . . . .	14	9	*	*	10	*	*	*	*	*6	*
850.9 . . . . .	9	*	*	*	*	*	*	*	*	*	*
851 . . . . .	30	18	13	*	14	*7	9	*	*6	13	*6
851.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
851.8 . . . . .	21	12	*9	*	9	*	*7	*	*	10	*
851.80 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
852 . . . . .	50	29	21	*5	*8	*9	29	10	11	17	12
852.0 . . . . .	12	*6	*6	*	*	*	*5	*	*	*	*
852.2 . . . . .	35	21	14	*	*	*	22	*6	*8	13	*8
852.20 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
852.21 . . . . .	18	11	*7	*	*	*	12	*	*5	*6	*
853 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
853.0 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
854 . . . . .	18	12	*6	*	9	*	*	*	*7	*6	*
854.0 . . . . .	17	11	*6	*	9	*	*	*	*7	*6	*
860 . . . . .	56	40	16	*	28	13	12	*8	13	22	13
860.0 . . . . .	37	26	11	*	18	9	*8	*	*8	15	9
860.2 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
860.4 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
861 . . . . .	30	22	*8	*	16	*7	*7	*6	*8	10	*6
861.2 . . . . .	24	17	*7	*	12	*	*6	*	*6	*8	*
861.21 . . . . .	24	17	*7	*	12	*	*6	*	*6	*8	*
862 . . . . .	*9	*7	*	*	*6	*	*	*	*	*	*
863 . . . . .	22	17	*5	*	13	*	*	*	*	*	9
863.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
864 . . . . .	21	14	*7	*	15	*	*	*	*6	*8	*
864.0 . . . . .	16	11	*5	*	11	*	*	*	*5	*6	*
864.05 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
864.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
865 . . . . .	20	13	*7	*	10	*	*	*	*	*8	*
865.0 . . . . .	18	12	*6	*	*9	*	*	*	*	*8	*
866 . . . . .	14	10	*	*	*7	*	*	*	*	*	*
866.0 . . . . .	12	*9	*	*	*6	*	*	*	*	*	*
866.01 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
867 . . . . .	16	13	*	*	*	*	*	10	*	*5	*
867.0 . . . . .	14	12	*	*	*	*	*	10	*	*	*
868 . . . . .	11	*8	*	*	*7	*	*	*	*	*	*
868.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
870 . . . . .	12	*8	*	*	*5	*	*	*	*	*	*
870.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
871 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
872 . . . . .	*9	*7	*	*	*	*	*	*	*	*	*
872.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
873 . . . . .	162	103	59	17	65	28	52	30	37	56	40
873.0 . . . . .	49	29	20	*	16	10	21	*9	12	19	10
873.2 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
873.20 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
873.4 . . . . .	78	53	26	9	35	13	21	15	18	29	17
873.40 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
873.42 . . . . .	40	25	15	*	13	*8	15	*7	*8	16	*9
873.43 . . . . .	14	10	*	*	*7	*	*	*	*	*	*
873.44 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
873.49 . . . . .	*7	*	*	*	*5	*	*	*	*	*	*
873.6 . . . . .	16	10	*6	*	*8	*	*	*	*	*	*6
873.63 . . . . .	*7	*5	*	*	*	*	*	*	*	*	*
874 . . . . .	9	*8	*	*	*7	*	*	*	*	*	*
874.8 . . . . .	*6	*	*	*	*5	*	*	*	*	*	*
875 . . . . .	9	*8	*	*	*7	*	*	*	*	*	*
875.0 . . . . .	*7	*6	*	*	*6	*	—	*	*	*	*
879 . . . . .	18	14	*	*	11	*	*	*	*	*	10
879.2 . . . . .	*6	*5	*	*	*6	*	*	*	*	*	*
880 . . . . .	10	*8	*	*	*6	*	*	*	*	*	*
880.0 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
881 . . . . .	43	27	17	*	27	*	10	*6	14	13	10
881.0 . . . . .	32	20	12	*	20	*	*9	*	11	11	*6
881.00 . . . . .	14	9	*	*	10	*	*	*	*	*	*
881.01 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
881.02 . . . . .	11	*7	*	*	*7	*	*	*	*	*	*
881.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
882 . . . . .	21	13	*8	*	13	*	*	*	*6	*6	*
882.0 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
882.1 . . . . .	11	*7	*	*	*7	*	*	*	*	*	*
883 . . . . .	23	16	*7	*	13	*	*	*5	*6	*8	*
883.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
883.1 . . . . .	*7	*5	*	*	*	*	*	*	*	*	*
883.2 . . . . .	*8	*6	*	*	*5	*	*	*	*	*	*
886 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
890 . . . . .	12	*9	*	*	*8	*	*	*	*	*	*
890.0 . . . . .	10	*7	*	*	*7	*	*	*	*	*	*
891 . . . . .	36	20	16	*	14	10	*8	*7	10	13	*7
891.0 . . . . .	19	11	*8	*	*7	*	*6	*	*	*7	*5
891.1 . . . . .	14	*8	*6	*	*6	*	*	*	*	*	*
892 . . . . .	11	*6	*	*	*	*	*	*	*	*	*6
892.1 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
903 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
904 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
905 . . . . .	67	31	37	*	22	17	27	14	18	17	19
905.1 . . . . .	12	*7	*5	*	*	*5	*	*	*	*	*
905.2 . . . . .	11	*	*7	*	*	*	*	*	*	*	*
905.3 . . . . .	12	*	*9	—	*	*	9	*	*6	*	*
905.4 . . . . .	22	11	12	*	9	*6	*6	*5	*5	*8	*
906 . . . . .	38	23	15	20	13	*	*	*	*	32	*
906.9 . . . . .	22	13	9	15	*7	—	—	—	—	22	—
907 . . . . .	48	36	12	*	25	15	*6	*7	13	16	12
907.0 . . . . .	23	17	*6	*	10	*7	*	*	*7	*6	*6
907.2 . . . . .	22	17	*5	*	13	*7	*	*	*5	10	*
908 . . . . .	14	*7	*6	*	*7	*	*	*	*	*	*
908.9 . . . . .	10	*	*6	*	*6	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
909 . . . . .	13	*6	*8	*	*	*	*5	*	*6	*	*
909.2 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
910 . . . . .	32	20	12	*	12	*5	10	*	*7	*9	12
910.0 . . . . .	30	18	11	*	11	*5	9	*	*6	*8	11
911 . . . . .	12	9	*	*	*8	*	*	*	*	*	*
911.0 . . . . .	*9	*7	*	*	*6	*	*	*	*	*	*
912 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
912.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
913 . . . . .	22	11	11	*	10	*	*7	*	*5	*7	*
913.0 . . . . .	15	*8	*7	*	*5	*	*6	*	*	*	*
916 . . . . .	27	15	12	*	13	*	*7	*6	9	*5	*7
916.0 . . . . .	21	12	*8	*	10	*	*5	*	*6	*	*6
917 . . . . .	*9	*7	*	*	*	*	*	*	*	*6	*
918 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
919 . . . . .	20	13	*7	*	10	*	*	*	*6	*7	*
919.0 . . . . .	16	12	*	*	*8	*	*	*	*	*	*
920 . . . . .	62	30	32	*9	17	12	25	14	17	18	13
921 . . . . .	16	*8	*8	*	*7	*	*6	*	*	*6	*
921.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
922 . . . . .	75	39	36	*	23	19	30	12	27	19	17
922.1 . . . . .	35	16	19	*	10	*9	15	*5	10	9	10
922.2 . . . . .	14	*8	*6	*	*7	*	*	*	*7	*	*
922.3 . . . . .	20	11	9	*	*5	*	10	*	*8	*	*
922.31 . . . . .	13	*7	*6	*	*	*	*6	*	*7	*	*
922.32 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
923 . . . . .	41	21	20	*	*9	*6	24	*7	11	14	*9
923.0 . . . . .	16	*7	9	*	*	*	10	*	*	*7	*
923.00 . . . . .	12	*6	*6	*	*	*	*8	*	*	*6	*
923.1 . . . . .	11	*7	*	*	*	*	*7	*	*	*	*
923.11 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
923.2 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
923.20 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
924 . . . . .	96	37	59	*	21	17	55	13	32	32	19
924.0 . . . . .	34	11	23	*	*	*	26	*	13	11	*7
924.00 . . . . .	9	*	*	*	*	*	*	*	*	*	*
924.01 . . . . .	25	*7	18	*	*	*	22	*	9	*8	*6
924.1 . . . . .	22	10	12	*	*	*6	11	*	*7	*9	*
924.10 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
924.11 . . . . .	14	*6	*8	*	*	*	*7	*	*	*6	*
924.5 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
924.8 . . . . .	24	*8	16	*	*9	*	12	*	*8	*7	*6
933 . . . . .	13	*	*8	*	*	*	*7	*	*	*6	*
933.1 . . . . .	12	*	*7	*	*	*	*6	*	*	*5	*
934 . . . . .	14	*6	*7	*	*	*	*6	*	*	*	*
934.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
935 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
935.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
941 . . . . .	17	12	*	*5	*7	*	*	*	*	*9	*
941.2 . . . . .	13	9	*	*	*6	*	*	*	*	*6	*
941.29 . . . . .	*5	*	*	*	*	*	*	*	*	*	—
942 . . . . .	18	9	9	9	*	*	*	*	*	13	*
942.2 . . . . .	12	*	*8	*8	*	*	*	*	*	*9	*
942.23 . . . . .	*6	*	*	*	*	*	*	—	*	*5	—
943 . . . . .	19	14	*5	*	*9	*	*	*	*	11	*
943.2 . . . . .	12	*8	*	*	*5	*	*	*	*	*6	*
943.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
944 . . . . .	15	10	*5	*	*8	*5	*	*	*	*8	*
944.2 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
944.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
945 . . . . .	30	16	14	10	*8	*6	*7	*6	*6	17	*
945.2 . . . . .	16	*7	9	*8	*	*	*	*	*	*8	*
945.3 . . . . .	10	*7	*	*	*	*	*	*	*	*7	*
946 . . . . .	*8	*6	*	*	*	*	*	*	*	*6	*
948 . . . . .	42	30	12	14	16	*8	*	*7	*5	28	*
948.0 . . . . .	24	18	*6	*7	*9	*5	*	*5	*	13	*
948.00 . . . . .	24	18	*6	*7	*9	*5	*	*5	*	13	*
948.1 . . . . .	9	*7	*	*	*	*	*	*	*	*8	*
948.10 . . . . .	*8	*6	*	*	*	*	*	*	*	*6	*
949 . . . . .	9	*6	*	*8	*	—	*	—	*	*9	*
949.0 . . . . .	*8	*6	*	*7	*	—	—	—	*	*8	—
952 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
955 . . . . .	*9	*5	*	*	*5	*	*	*	*	*	*
956 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
958 . . . . .	32	24	*8	*	13	*9	*7	*	*8	15	*5
958.3 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
958.7 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
958.8 . . . . .	10	*8	*	*	*5	*	*	*	*	*5	*
959 . . . . .	86	47	39	11	35	11	29	16	19	34	16
959.0 . . . . .	48	27	21	*8	21	*5	13	*7	12	18	11
959.01 . . . . .	42	23	19	*7	18	*	12	*6	11	14	10
959.09 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
959.1 . . . . .	14	*7	*7	*	*	*	*	*5	*	*7	*
959.2 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
962 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
962.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
963 . . . . .	11	*6	*	*	*8	*	*	*	*	*	*
963.0 . . . . .	10	*5	*	*	*8	*	*	*	*	*	*
964 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
964.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
965 . . . . .	82	27	56	*8	55	12	*7	14	25	30	14
965.0 . . . . .	25	11	14	*	16	*6	*	*6	*7	*8	*5
965.00 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
965.09 . . . . .	10	*	*7	*	*6	*	*	*	*	*	*
965.1 . . . . .	11	*	*8	*	*7	*	*	*	*	*	*
965.4 . . . . .	32	*9	23	*	22	*	*	*	*	9	12
965.6 . . . . .	*8	*	*6	*	*6	*	—	*	*	*	*
965.61 . . . . .	*7	*	*5	*	*5	*	—	*	*	*	*
965.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
966 . . . . .	16	*9	*7	*	*9	*	*	*	*	*6	*
966.3 . . . . .	11	*	*6	*	*6	*	*	*	*	*	*
967 . . . . .	14	*	9	*	*8	*	*	*	*	*5	*
967.8 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
968 . . . . .	13	*8	*5	*	10	*	*	*5	*	*	*
968.5 . . . . .	9	*6	*	*	*7	*	—	*	*	*	*
969 . . . . .	106	36	70	*6	73	22	*6	19	24	42	21
969.0 . . . . .	36	12	24	*	24	*8	*	*8	*7	14	*6
969.3 . . . . .	*8	*	*5	*	*6	*	*	*	*	*	*
969.4 . . . . .	42	13	29	*	28	11	*	*6	10	17	10
969.7 . . . . .	*8	*	*5	*	*6	*	—	*	*	*	*
972 . . . . .	15	*	11	*	*	*	*7	*	*	*	*
977 . . . . .	19	*6	13	*	12	*	*	*	*	9	*
977.8 . . . . .	*9	*	*6	*	*6	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
977.9 . . . . .	*8	*	*6	*	*6	*	*	*	*	*	*
980 . . . . .	15	*8	*7	*	10	*	*	*	*	*	*
980.0 . . . . .	12	*7	*6	*	9	*	*	*	*	*	*
987 . . . . .	*9	*6	*	*	*	*	*	*	*	*	*
989 . . . . .	15	*9	*7	*	*6	*6	*	*	*	*9	*
989.5 . . . . .	12	*7	*	*	*	*	*	*	*	*8	*
991 . . . . .	14	*8	*6	*	*	*	*6	*	*	*	*
991.6 . . . . .	11	*6	*	*	*	*	*5	*	*	*	*
992 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
994 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
995 . . . . .	94	42	52	*8	17	24	45	19	17	38	20
995.1 . . . . .	15	*7	*9	*	*	*	*6	*	*	*5	*
995.2 . . . . .	57	25	32	*	*5	15	35	11	*6	26	14
995.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
995.5 . . . . .	*6	*	*	*5	*	*	*	*	*	*	*
996 . . . . .	700	343	357	42	128	218	311	150	147	266	136
996.0 . . . . .	32	15	17	*	*	*8	22	10	*5	10	*6
996.01 . . . . .	18	*8	10	*	*	*	15	*6	*	*6	*
996.04 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
996.1 . . . . .	20	*9	11	*	*	*7	*9	*	*	*8	*
996.2 . . . . .	25	12	13	12	*8	*	*	*	*	*9	*8
996.3 . . . . .	10	*6	*	*	*	*	*6	*	*	*	*
996.39 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
996.4 . . . . .	115	44	72	*	15	33	65	22	31	42	21
996.5 . . . . .	21	*8	13	*	*5	*7	*8	*	*	*8	*
996.59 . . . . .	13	*6	*7	*	*	*	*6	*	*	*	*
996.6 . . . . .	212	109	103	17	44	61	90	48	43	80	41
996.61 . . . . .	12	9	*	*	*	*	10	*5	*	*	*
996.62 . . . . .	113	56	57	12	30	38	34	25	24	40	25
996.64 . . . . .	20	9	11	*	*	*	13	*	*6	*9	*
996.66 . . . . .	21	9	12	*	*	*	17	*	*	*9	*
996.67 . . . . .	17	10	*6	*	*	*	*8	*	*	*9	*
996.68 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
996.69 . . . . .	13	*	*8	*	*	*	*	*	*	*	*
996.7 . . . . .	220	116	105	*6	31	76	108	44	44	83	49
996.72 . . . . .	24	15	10	*	*	9	13	*6	*	*9	*6
996.73 . . . . .	63	32	32	*	10	23	30	10	11	25	18
996.74 . . . . .	79	41	38	*	*7	28	41	17	19	31	13
996.76 . . . . .	14	*9	*	*	*	*	10	*	*	*5	*
996.77 . . . . .	13	*6	*6	—	*	*	*6	*	*	*	*
996.78 . . . . .	14	*6	*8	*	*	*6	*	*	*	*	*
996.79 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
996.8 . . . . .	44	25	20	*	19	20	*	10	*6	24	*
996.81 . . . . .	29	14	15	*	13	13	*	*7	*	14	*
996.82 . . . . .	*8	*6	*	*	*	*	*	*	*	*6	*
997 . . . . .	576	275	301	22	96	180	278	147	140	186	103
997.0 . . . . .	32	14	18	*	*	10	17	*9	*7	*9	*7
997.02 . . . . .	16	*7	*9	*	*	*	11	*6	*	*	*
997.09 . . . . .	14	*6	*8	*	*	*	*	*	*	*	*
997.1 . . . . .	124	64	60	*	*7	35	79	36	30	34	23
997.2 . . . . .	22	10	12	*	*	*8	11	*	*	*9	*
997.3 . . . . .	103	46	57	*6	16	29	52	22	25	40	15
997.4 . . . . .	184	78	106	9	44	65	66	45	46	60	33
997.5 . . . . .	73	45	28	*	15	20	37	20	17	23	13
997.6 . . . . .	24	13	12	*	*	10	11	*6	*7	*7	*
997.62 . . . . .	15	*7	*7	—	*	*7	*6	*	*	*	*
997.69 . . . . .	9	*5	*	—	*	*	*6	*	*	*	*
997.9 . . . . .	14	*5	*8	*	*	*	*5	*	*	*5	*
997.99 . . . . .	10	*	*6	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
998 . . . . .	703	331	372	32	156	238	278	149	157	262	136
998.1 . . . . .	226	114	112	9	40	72	105	48	56	76	45
998.11 . . . . .	125	65	61	*8	25	36	57	25	34	40	25
998.12 . . . . .	88	44	44	*	14	30	44	20	19	32	17
998.13 . . . . .	12	*	*7	*	*	*6	*	*	*	*	*
998.2 . . . . .	97	40	57	*	25	32	37	21	20	34	22
998.3 . . . . .	56	30	26	*	13	20	20	11	11	24	10
998.5 . . . . .	197	97	100	*9	46	70	72	42	42	78	35
998.51 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
998.59 . . . . .	191	93	98	*9	46	66	70	41	40	77	34
998.6 . . . . .	15	*5	10	*	*	*	*6	*	*	*7	*
998.8 . . . . .	105	42	64	*7	25	39	34	23	24	40	19
998.81 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
998.83 . . . . .	20	*9	11	*	*	10	*5	*	*	*9	*
998.89 . . . . .	80	31	49	*6	21	27	26	18	20	28	14
999 . . . . .	47	21	25	*	*7	14	21	12	11	15	*9
999.2 . . . . .	14	*7	*8	*	*	*	*7	*	*	*	*
999.3 . . . . .	13	*5	*7	*	*	*	*6	*	*	*	*
999.8 . . . . .	10	*	*6	*	*	*	*7	*	*	*	*
999.9 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
V01–V82 . . . . .	11,902	3,437	8,465	286	5,692	1,882	4,042	2,290	2,794	4,490	2,327
V02 . . . . .	362	13	349	*	347	10	*	65	68	152	76
V02.5 . . . . .	338	*	335	*	334	*	*	59	66	145	68
V02.51 . . . . .	328	*	328	*	327	*	—	58	64	143	63
V02.59 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
V02.6 . . . . .	21	9	12	*	12	*9	*	*6	*	*6	*8
V02.61 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
V02.62 . . . . .	13	*6	*7	*	*7	*5	*	*	*	*	*
V04 . . . . .	15	*	15	*	15	*	*	*	*	*7	*
V04.3 . . . . .	14	—	14	—	14	—	*	*	*	*7	*
V05 . . . . .	*7	*	*	*5	*	—	*	*	*	*	*
V06 . . . . .	9	*	*6	*	*	*	*	*	*	*	*
V07 . . . . .	46	*	43	—	30	*7	9	10	16	*7	13
V07.2 . . . . .	28	*	27	—	28	*	—	*6	*9	*	*9
V07.4 . . . . .	13	—	13	—	*	*5	*7	*	*6	*	*
V08 . . . . .	46	26	19	*	31	13	*	19	*5	19	*
V09 . . . . .	75	40	35	*	12	20	39	16	16	30	12
V09.0 . . . . .	70	37	33	*	12	20	35	15	15	28	12
V10 . . . . .	953	408	545	*	54	216	678	254	268	279	152
V10.0 . . . . .	221	109	113	*	*8	41	172	61	65	62	33
V10.02 . . . . .	14	*7	*7	—	*	*	9	*	*	*	*
V10.03 . . . . .	11	*8	*	—	*	*	9	*	*	*	*
V10.04 . . . . .	10	*5	*	—	*	*	*7	*	*	*	*
V10.05 . . . . .	151	70	81	*	*	25	123	42	47	41	22
V10.06 . . . . .	20	9	11	—	*	*6	13	*	*	*6	*
V10.09 . . . . .	*8	*	*	*	*	*	*5	*	*	*	*
V10.1 . . . . .	62	34	28	—	*	15	47	18	16	21	*6
V10.11 . . . . .	62	34	28	—	*	15	46	18	16	21	*6
V10.2 . . . . .	13	10	*	*	*	*	*8	*	*	*	*
V10.21 . . . . .	11	*9	*	—	*	*	*7	*	*	*	*
V10.3 . . . . .	239	*	237	*	12	65	162	70	60	72	38
V10.4 . . . . .	228	145	82	*	13	41	173	54	73	65	36
V10.41 . . . . .	24	—	24	—	*6	9	*9	*5	*7	9	*
V10.42 . . . . .	30	—	30	—	*	*8	20	*5	10	10	*5
V10.43 . . . . .	23	—	23	—	*	*6	15	*6	*8	*	*5
V10.44 . . . . .	*5	—	*5	—	*	*	*	*	*	*	*
V10.46 . . . . .	134	134	—	*	—	12	122	35	42	38	20
V10.47 . . . . .	*7	*7	—	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V10.5 . . . . .	67	46	21	*	*	13	52	18	18	21	10
V10.51 . . . . .	34	26	*7	*	*	*	28	*9	*9	11	*6
V10.52 . . . . .	31	18	13	*	*	*8	21	*8	*8	10	*
V10.7 . . . . .	23	11	12	*	*	*7	11	*5	*6	*5	*6
V10.79 . . . . .	20	*9	11	*	*	*6	10	*	*5	*	*6
V10.8 . . . . .	92	47	45	*	13	28	50	20	25	27	21
V10.82 . . . . .	23	14	10	—	*	9	10	*6	*	*7	*
V10.83 . . . . .	33	19	14	*	*	*6	26	*5	11	9	*7
V10.85 . . . . .	9	*5	*	*	*	*	*	*	*	*	*
V10.87 . . . . .	15	*	11	*	*	*	*8	*	*	*	*6
V11 . . . . .	25	10	15	*	10	*8	*7	*	10	*6	*6
V11.3 . . . . .	9	*6	*	—	*	*	*	*	*	*	*
V11.8 . . . . .	10	*	*7	*	*5	*	*	*	*	*	*
V12 . . . . .	734	305	429	*8	81	161	484	139	207	262	126
V12.0 . . . . .	45	15	30	*	15	*9	20	*7	11	17	10
V12.01 . . . . .	20	9	11	—	*5	*	11	*	*6	*5	*5
V12.02 . . . . .	*9	*	*6	—	*	*	*5	*	*	*	*
V12.09 . . . . .	16	*	13	*	10	*	*	*	*	*8	*
V12.2 . . . . .	*8	*	*5	*	*	*	*6	*	*	*	*
V12.4 . . . . .	16	*6	10	*	*6	*	*5	*	*	*5	*
V12.49 . . . . .	12	*	*8	*	*5	*	*	*	*	*	*
V12.5 . . . . .	527	224	302	*	40	111	372	108	150	182	87
V12.50 . . . . .	20	*9	11	*	*	*	15	*	*5	*8	*
V12.51 . . . . .	134	53	81	—	19	39	76	22	41	45	26
V12.59 . . . . .	369	161	207	*	18	67	280	81	102	128	58
V12.6 . . . . .	15	*6	*9	*	*	*	*8	*	*7	*	*
V12.7 . . . . .	120	50	70	*	15	33	72	17	32	49	21
V12.71 . . . . .	63	29	35	—	*7	20	36	*7	17	28	12
V12.72 . . . . .	21	*8	13	—	*	*6	14	*	*6	*8	*
V12.79 . . . . .	32	11	20	*	*7	*	19	*8	*7	12	*5
V13 . . . . .	83	34	48	11	28	17	26	14	23	28	17
V13.0 . . . . .	43	19	24	*	19	11	13	*8	11	18	*7
V13.01 . . . . .	32	16	16	—	15	9	*8	*6	9	12	*6
V13.09 . . . . .	10	*	*7	*	*	*	*	*	*	*	*
V13.2 . . . . .	*7	*	*6	*	*	*	*	*	*	*	*
V13.5 . . . . .	*7	*	*5	—	*	*	*6	*	*	*	*
V13.7 . . . . .	10	*7	*	10	*	*	—	*	*	*	*
V13.8 . . . . .	*9	*	*6	*	*	*	*	*	*	*	*
V14 . . . . .	77	23	55	*	22	22	29	15	18	32	13
V14.0 . . . . .	36	10	25	*	10	10	14	*8	10	13	*6
V14.1 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
V14.2 . . . . .	*9	*	*7	*	*	*	*	*	*	*	*
V14.5 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
V14.6 . . . . .	*8	*	*6	—	*	*	*	*	*	*	*
V14.8 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
V15 . . . . .	723	387	335	29	172	238	284	117	184	236	186
V15.0 . . . . .	15	*	11	*	*5	*	*	*	*	*	*
V15.1 . . . . .	20	*9	12	13	*	*	*	*5	*	*5	*5
V15.3 . . . . .	25	14	11	*	*	*6	15	*6	*5	*	9
V15.4 . . . . .	21	*	16	*6	14	*	—	*	*	12	*
V15.41 . . . . .	18	*	14	*5	12	*	—	*	*	11	*
V15.5 . . . . .	19	11	*8	*	*6	*	*8	*	*	*8	*
V15.8 . . . . .	617	343	274	*6	136	221	255	94	160	199	163
V15.81 . . . . .	182	98	85	*5	78	65	34	33	52	68	29
V15.82 . . . . .	410	233	178	*	54	149	208	57	105	118	131
V15.89 . . . . .	20	9	11	—	*	*5	10	*	*	10	*
V16 . . . . .	47	11	36	*	14	15	18	*7	11	11	18
V16.0 . . . . .	17	*7	10	*	*	*5	*9	*	*	*	*5
V16.3 . . . . .	13	*	13	*	*	*	*	*	*	*	*
V16.4 . . . . .	*8	*	*8	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V16.41 . . . . .	*6	—	*6	—	*	*	*	*	*	*	*
V17 . . . . .	124	66	58	*	31	62	29	23	33	41	26
V17.3 . . . . .	96	55	41	*	21	52	23	19	26	31	20
V17.4 . . . . .	20	*8	12	*	*7	*8	*5	*	*	*9	*
V18 . . . . .	13	*	*8	*	*6	*	*	*	*	*	*5
V18.0 . . . . .	11	*	*8	*	*6	*	*	*	*	*	*
V21 . . . . .	*6	*	*	*6	*	—	*	*	*	*	*
V21.3 . . . . .	*6	*	*	*6	—	—	*	*	*	*	*
V22 . . . . .	17	—	17	*	17	—	—	*	*	9	*
V22.2 . . . . .	12	—	12	*	12	—	—	*	*	*	*
V23 . . . . .	120	—	120	*	118	*	—	12	21	63	24
V23.2 . . . . .	*9	—	*9	—	*9	—	—	—	*	*	*
V23.4 . . . . .	11	—	11	*	11	*	—	*	*	*	*
V23.7 . . . . .	72	—	72	*	72	—	—	*5	13	40	14
V23.8 . . . . .	20	—	20	*	20	—	—	*	*	12	*
V23.89 . . . . .	13	—	13	*	12	—	—	*	*	*8	*
V24 . . . . .	*5	—	*5	—	*5	—	—	*	*	*	*
V25 . . . . .	315	*	315	*	312	*	—	40	45	174	56
V25.0 . . . . .	10	—	10	*	10	—	—	—	*	*8	*
V25.2 . . . . .	304	*	303	—	302	*	—	40	45	166	53
V26 . . . . .	*6	*	*6	—	*6	*	—	*	*	*	*
V27 . . . . .	3,839	—	3,839	10	3,824	*5	—	607	744	1,616	872
V27.0 . . . . .	3,607	—	3,607	10	3,593	*	—	561	662	1,542	842
V27.1 . . . . .	21	—	21	—	21	*	—	*	*	12	*
V27.2 . . . . .	56	—	56	—	56	*	—	10	*8	28	10
V27.9 . . . . .	153	—	153	*	152	*	—	32	71	34	17
V29 . . . . .	10	*5	*5	10	—	—	—	*	*	*	*
V29.0 . . . . .	10	*	*	10	—	—	—	*	*	*	*
V30 . . . . .	*8	*	*6	*8	—	—	—	*	*	*	*
V30.1 . . . . .	*8	*	*6	*8	—	—	—	*	*	*	*
V42 . . . . .	106	65	40	15	25	39	27	30	22	39	15
V42.0 . . . . .	40	24	16	*	15	16	*6	*8	9	17	*6
V42.1 . . . . .	12	10	*	*	*	*7	*	*	*6	*	*
V42.2 . . . . .	17	*9	*8	*	*	*	14	*	*	*5	*
V42.7 . . . . .	13	*7	*7	*	*	*6	*	*	*	*5	*
V42.8 . . . . .	20	14	*6	*7	*	*7	*	10	*	*6	*
V42.81 . . . . .	10	*7	*	*	*	*	*	*6	*	*	*
V43 . . . . .	461	180	281	*	25	94	341	105	131	157	67
V43.3 . . . . .	145	79	66	*	10	36	98	40	42	42	21
V43.6 . . . . .	309	98	212	*	13	58	239	63	87	113	47
V43.64 . . . . .	150	51	99	*	*9	26	115	33	40	53	24
V43.65 . . . . .	154	45	108	—	*	31	119	28	44	59	22
V44 . . . . .	180	92	88	41	31	33	75	54	52	51	24
V44.0 . . . . .	31	18	12	11	*	*5	10	12	*7	*7	*
V44.1 . . . . .	69	35	34	24	*7	*8	30	23	18	19	9
V44.2 . . . . .	22	12	10	*	*7	*	*9	*5	9	*	*
V44.3 . . . . .	44	20	24	*	*9	12	21	9	14	14	*6
V44.6 . . . . .	*9	*	*5	*	*	*	*	*	*	*	*
V45 . . . . .	1,763	980	783	31	137	486	1,109	418	505	572	269
V45.0 . . . . .	283	143	139	*	*6	41	235	82	76	94	31
V45.01 . . . . .	244	116	128	*	*	30	209	69	67	82	27
V45.02 . . . . .	35	25	10	—	*	9	24	12	*8	11	*
V45.1 . . . . .	82	39	42	*	12	29	41	18	15	32	18
V45.2 . . . . .	33	17	16	16	*6	*	*6	*8	*7	12	*6
V45.3 . . . . .	22	*8	13	*	*	13	*	*	9	*5	*5
V45.4 . . . . .	45	23	22	*	12	19	13	*7	16	13	10
V45.6 . . . . .	12	*	9	*	*	*	*	*8	*	*	*

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V45.61 . . . . .	11	*	*9	*	*	*	*7	*	*	*	*
V45.7 . . . . .	100	32	67	*	21	31	45	21	27	29	23
V45.71 . . . . .	26	*	26	—	*	*9	14	*	*6	10	*
V45.72 . . . . .	11	*	*6	—	*	*	*	*	*	*	*
V45.73 . . . . .	21	11	11	*	*5	*7	*8	*	*	*7	*
V45.76 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
V45.77 . . . . .	14	*	11	—	*	*	*6	*	*	*	*
V45.79 . . . . .	13	*	*8	*	*	*	*	*	*	*	*
V45.8 . . . . .	1,186	713	473	11	73	344	758	279	351	382	174
V45.81 . . . . .	650	425	225	—	13	162	476	171	179	216	84
V45.82 . . . . .	339	213	126	*	19	131	189	74	105	104	56
V45.89 . . . . .	197	76	121	11	41	51	93	35	66	62	34
V46 . . . . .	17	*7	10	*	*	*	*7	*5	*	*6	*
V46.1 . . . . .	16	*7	9	*	*	*	*7	*5	*	*6	*
V49 . . . . .	86	48	39	*	*8	33	45	17	21	33	16
V49.7 . . . . .	76	43	33	*	*7	28	41	16	17	30	14
V49.72 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
V49.75 . . . . .	38	23	15	*	*	16	20	*9	*6	13	10
V49.76 . . . . .	25	13	11	*	*	*7	15	*5	*	12	*
V49.8 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
V50 . . . . .	10	*	*6	*	*	*	*	*	*	*	*
V53 . . . . .	16	*8	*8	*	*	*	11	*	*	*5	*
V53.3 . . . . .	12	*7	*5	*	*	*	9	*	*	*	*
V53.31 . . . . .	*9	*	*	*	*	*	*7	*	*	*	*
V54 . . . . .	55	20	35	*	*6	*7	40	10	12	19	14
V54.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
V54.8 . . . . .	41	13	28	*	*	*6	31	*5	10	14	12
V54.9 . . . . .	*8	*	*5	—	*	*	*6	*	*	*	*
V55 . . . . .	44	23	21	*7	*8	12	16	14	10	12	*8
V55.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
V55.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
V55.3 . . . . .	25	14	12	*	*	*8	10	*7	*6	*7	*5
V56 . . . . .	96	45	51	*	17	38	38	12	*5	46	32
V56.0 . . . . .	93	43	50	*	17	37	37	12	*5	45	31
V57 . . . . .	604	241	363	*9	52	116	427	94	161	246	104
V57.1 . . . . .	161	64	97	*	9	30	119	34	21	73	34
V57.2 . . . . .	58	25	32	*	9	15	31	*8	9	28	12
V57.21 . . . . .	58	25	32	*	9	15	31	*8	9	28	12
V57.8 . . . . .	371	147	225	*	33	69	267	47	129	141	54
V57.89 . . . . .	371	147	225	*	33	68	267	47	129	141	54
V57.9 . . . . .	10	*	*7	*	*	*	*8	*	*	*	*
V58 . . . . .	415	205	210	35	64	116	200	89	84	159	84
V58.0 . . . . .	30	14	16	*	*	12	14	*	*	19	*5
V58.1 . . . . .	146	79	67	27	33	56	31	34	24	61	28
V58.4 . . . . .	27	14	13	*	*6	*5	13	10	*	*7	*6
V58.49 . . . . .	26	13	13	*	*6	*5	13	10	*	*7	*6
V58.6 . . . . .	193	90	103	*	18	40	134	40	49	61	42
V58.61 . . . . .	168	80	88	*	15	32	121	36	42	53	36
V58.69 . . . . .	22	*9	14	*	*	*7	13	*	*6	*7	*5
V58.8 . . . . .	18	*9	*9	*	*	*	*7	*	*	10	*
V58.89 . . . . .	15	*7	*8	*	*	*	*7	*	*	*8	*
V59 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
V60 . . . . .	39	21	18	*	20	*9	*9	9	*6	14	10
V60.0 . . . . .	19	15	*	*	12	*7	*	*	*	*7	*7
V60.2 . . . . .	10	*	*5	*	*8	*	*	*	*	*5	*
V61 . . . . .	46	15	30	*8	31	*6	*	*	14	19	*8
V61.0 . . . . .	*6	*	*	*	*	*	—	*	*	*	*
V61.1 . . . . .	11	*	*8	*	9	*	*	*	*	*	*

See footnotes at end of table.

**Table 45. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V61.10 . . . . .	11	*	*7	*	*9	*	*	*	*	*	*
V61.2 . . . . .	12	*	*8	*	*8	—	—	*	*	*	*
V61.20 . . . . .	10	*	*7	*	*7	—	—	*	*	*	*
V61.5 . . . . .	*5	—	*5	—	*5	*	—	*	*	*	*
V61.8 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
V62 . . . . .	53	29	25	*	36	*7	*8	*	25	23	*
V62.0 . . . . .	9	*7	*	—	*8	*	—	*	*	*	*
V62.8 . . . . .	30	14	17	*	17	*	*7	*	12	13	*
V62.81 . . . . .	*8	*	*	*	*6	*	*	*	*	*	—
V62.89 . . . . .	19	*8	11	*	10	*	*	*	*8	*6	*
V63 . . . . .	*7	*	*6	*	*	*	*	*	*	*	*
V64 . . . . .	105	43	62	*	36	35	29	21	22	42	20
V64.1 . . . . .	18	*8	11	*	*	*	*8	*5	*	*7	*
V64.2 . . . . .	16	*7	*9	*	*6	*	*5	*	*	9	*
V64.3 . . . . .	16	*8	*8	*	*	*6	*	*	*	*6	*
V64.4 . . . . .	55	20	35	*	21	21	11	10	14	19	12
V65 . . . . .	20	11	*9	*	13	*	*	*	*	*8	*
V65.3 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
V65.4 . . . . .	*8	*	*	*	*6	*	*	*	*	*	*
V66 . . . . .	44	21	23	*	*	12	30	*8	16	14	*6
V66.7 . . . . .	34	18	17	*	*	9	24	*6	12	12	*
V70 . . . . .	13	*8	*	*	*6	*	*	*5	*	*6	*
V70.7 . . . . .	12	*7	*	*	*5	*	*	*5	*	*	*
V71 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
V72 . . . . .	12	*	*8	*	*	*	*	*6	*	*	*
V72.8 . . . . .	*8	*	*	*	*	*	*	*6	*	*	*

\* Figure does not meet standard of reliability or precision.

— Quantity zero.

NOTE: Estimates of 5,000–9,000 are to be used with caution; see "Methods" section.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
All codes . . . . .	41,039	16,005	25,034	2,174	13,931	10,088	14,846	9,384	8,859	15,016	7,780
01-05 . . . . .	1,101	506	595	251	323	242	285	238	282	362	219
01 . . . . .	133	72	61	19	33	40	42	28	26	52	28
01.0 . . . . .	11	*6	*5	*6	*	*	*	*	*	*	*
01.02 . . . . .	9	*	*	*5	*	*	*	*	*	*	*
01.1 . . . . .	23	12	12	*	*7	*7	*7	*	*6	*7	*
01.13 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
01.18 . . . . .	12	*7	*5	*	*	*	*	*	*	*	*
01.2 . . . . .	18	10	*8	*	*6	*	*	*6	*	*7	*
01.24 . . . . .	13	*8	*	*	*	*	*	*	*	*	*
01.3 . . . . .	35	22	13	*	*5	*9	19	*5	*7	15	*8
01.31 . . . . .	25	16	*9	*	*	*5	15	*	*6	12	*
01.39 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
01.5 . . . . .	44	21	23	*	11	16	11	9	*7	20	*8
01.51 . . . . .	11	*	*6	*	*	*6	*	*	*	*6	*
01.59 . . . . .	32	16	16	*	9	10	*8	*7	*6	14	*5
02 . . . . .	115	60	55	35	37	22	20	28	26	37	23
02.0 . . . . .	22	13	10	*9	*7	*	*	*	*	*8	*
02.06 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*
02.1 . . . . .	10	*5	*5	*	*5	*	*	*	*	*	*
02.12 . . . . .	9	*	*	*	*5	*	*	*	*	*	*
02.2 . . . . .	24	12	12	*	*7	*8	*	*7	*	9	*
02.3 . . . . .	19	11	*9	*6	*	*	*	*7	*	*	*6
02.34 . . . . .	15	*9	*6	*	*	*	*	*5	*	*	*6
02.4 . . . . .	24	12	12	13	*7	*	*	*6	*9	*6	*
02.42 . . . . .	21	10	10	11	*6	*	*	*	*8	*	*
02.9 . . . . .	15	*7	*8	*	*7	*	*	*	*	*	*
02.94 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
03 . . . . .	781	340	441	190	224	160	206	161	219	248	152
03.0 . . . . .	163	82	82	*	23	56	83	38	40	51	35
03.09 . . . . .	159	79	80	*	22	54	81	37	39	49	34
03.3 . . . . .	348	178	170	174	79	42	51	69	78	124	76
03.31 . . . . .	345	177	169	174	79	42	51	69	78	123	76
03.4 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
03.5 . . . . .	30	16	15	*	9	10	*8	*	*6	11	9
03.53 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
03.59 . . . . .	22	11	11	*	*6	*8	*6	*	*	*8	*7
03.6 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
03.8 . . . . .	*7	*5	*	*	*	*	*	*	*	*	*
03.9 . . . . .	214	49	166	*6	105	45	58	45	91	52	26
03.90 . . . . .	74	22	52	*	34	17	19	19	32	15	*8
03.91 . . . . .	75	9	66	*	48	10	16	13	43	14	*5
03.92 . . . . .	43	13	30	*	*9	11	21	*9	12	14	*8
03.93 . . . . .	*8	*	*	—	*	*	*	*	*	*	*
03.95 . . . . .	12	*	11	—	10	*	*	*	*	*	*
04 . . . . .	65	31	35	*6	25	19	15	20	9	22	14
04.0 . . . . .	12	*6	*6	*	*	*5	*	*	*	*6	*
04.07 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
04.3 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
04.4 . . . . .	17	9	*8	*	*7	*	*	*5	*	*8	*
04.43 . . . . .	9	*6	*	*	*	*	*	*	*	*	*
04.49 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
04.8 . . . . .	19	*8	11	*	*5	*	*8	*8	*	*	*
04.81 . . . . .	18	*7	11	*	*	*	*7	*8	*	*	*
05 . . . . .	*7	*	*	—	*	*	*	*	*	*	*
06-07 . . . . .	96	23	73	*	29	38	26	24	14	30	28
06 . . . . .	79	17	62	*	24	31	22	21	11	25	22
06.2 . . . . .	21	*	17	*	*7	*8	*6	*6	*	*5	*6
06.3 . . . . .	12	*	10	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age			Region				
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
06.39 . . . . .	11	*	10	*	*	*	*	*	*	*	*
06.4 . . . . .	17	*	15	*	*7	*8	*	*5	*	*6	*
06.8 . . . . .	16	*6	11	—	*	*8	*6	*	*	*6	*
06.89 . . . . .	15	*6	9	—	*	*8	*6	*	*	*6	*
07 . . . . .	17	*6	11	*	*	*7	*	*	*	*	*6
07.6 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
07.62 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
08–16 . . . . .	85	49	36	14	21	22	27	17	20	30	18
08 . . . . .	32	18	14	*	10	*8	9	*6	*6	12	*7
08.8 . . . . .	22	13	9	*	*8	*	*7	*	*	10	*5
08.81 . . . . .	18	11	*7	*	*7	*	*6	*	*	*8	*
12 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
13 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
14 . . . . .	21	13	*9	*	*	*	*7	*	*8	*8	*
14.7 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
16 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
18–20 . . . . .	44	27	17	24	*8	*6	*6	13	*8	17	*6
18 . . . . .	15	11	*	*	*6	*	*	*	*	*7	*
20 . . . . .	26	14	12	19	*	*	*	*	*	*9	*
20.0 . . . . .	19	10	*9	17	*	*	*	*	*	*7	*
20.01 . . . . .	17	9	*8	15	*	*	*	*6	*	*6	*
21–29 . . . . .	290	167	122	67	106	58	58	76	54	96	63
21 . . . . .	61	36	25	*	23	14	20	15	14	20	11
21.0 . . . . .	23	13	10	*	*	*	13	*	*8	*7	*
21.01 . . . . .	*9	*	*	*	*	*	*6	*	*	*	*
21.02 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
21.03 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
21.6 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
21.7 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
21.8 . . . . .	18	12	*6	*	9	*	*	*	*6	*	*5
21.81 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
21.88 . . . . .	*7	*5	*	*	*	*	*	*	*	*	*
22 . . . . .	33	16	16	*	11	*9	*9	11	*6	11	*
22.2 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
22.6 . . . . .	14	*7	*7	*	*5	*	*	*	*6	*	*
22.63 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
23 . . . . .	32	19	12	*8	16	*	*	9	*	14	*
23.0 . . . . .	10	*6	*	*	*6	*	*	*	*	*	*
23.09 . . . . .	9	*6	*	*	*5	*	*	*	*	*	*
23.1 . . . . .	17	12	*	*	*9	*	*	*	*	*9	*
23.19 . . . . .	17	12	*	*	*9	*	*	*	*	*8	*
24 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
25 . . . . .	*9	*6	*	*	*	*	*	*	*	*	*
26 . . . . .	16	9	*7	*	*	*6	*7	*	*	*	*
26.3 . . . . .	11	*8	*	*	*	*	*	*	*	*	*
26.32 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
27 . . . . .	63	37	26	21	24	11	*7	15	9	23	16
27.0 . . . . .	9	*	*	*	*7	*	*	*	*	*	*
27.4 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
27.5 . . . . .	26	15	11	11	*9	*	*	*5	*	10	*7
27.51 . . . . .	*9	*6	*	*	*	*	*	*	*	*	*
27.54 . . . . .	*8	*	*	*7	*	—	*	*	*	*5	*
27.6 . . . . .	19	13	*7	*8	*6	*	*	*6	*	*6	*5
27.62 . . . . .	*5	*	*	*	*	—	—	*	*	*	*
27.69 . . . . .	12	9	*	*	*6	*	*	*	*	*	*

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
28 . . . . .	46	26	21	23	18	*	*	10	12	13	12
28.0 . . . . .	9	*	*6	*	*5	*	*	*	*	*	*
28.2 . . . . .	13	*9	*	*	*8	*	*	*	*	*	*
28.3 . . . . .	18	12	*6	15	*	—	—	*	*	*	*
29 . . . . .	24	14	9	*	*7	*7	*6	*7	*	*6	*7
29.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
29.4 . . . . .	10	*8	*	*	*5	*	*	*	*	*	*
30–34 . . . . .	963	537	427	60	168	297	439	236	217	343	167
30 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
31 . . . . .	150	93	57	21	30	42	57	45	30	49	26
31.1 . . . . .	74	46	28	*	15	21	36	19	14	30	11
31.2 . . . . .	16	*8	*8	*	*	*5	*8	*5	*	*	*
31.29 . . . . .	16	*8	*8	*	*	*5	*8	*5	*	*	*
31.4 . . . . .	46	30	16	14	10	13	9	17	*9	11	*9
31.42 . . . . .	40	25	15	14	*9	10	*8	15	*8	*9	*8
31.43 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
31.7 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
32 . . . . .	60	29	30	*	10	22	27	13	15	20	11
32.2 . . . . .	25	13	12	*	*7	*9	*9	*7	*6	*8	*
32.29 . . . . .	23	12	11	*	*6	*8	*8	*6	*6	*7	*
32.3 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
32.4 . . . . .	25	11	14	*	*	10	13	*	*6	9	*6
33 . . . . .	303	167	136	21	39	96	147	78	66	107	52
33.2 . . . . .	295	161	133	20	37	93	145	77	63	104	50
33.22 . . . . .	49	27	23	*	*7	16	22	14	*8	16	11
33.23 . . . . .	43	23	19	10	*7	11	14	11	*9	15	*7
33.24 . . . . .	111	59	52	*	15	33	59	27	25	39	20
33.26 . . . . .	28	16	12	—	*	*8	20	9	*5	11	*
33.27 . . . . .	42	24	18	*	*	15	22	10	10	15	*6
33.28 . . . . .	18	10	*8	*	*	*9	*7	*	*	*6	*
34 . . . . .	445	243	201	16	88	135	206	98	105	164	78
34.0 . . . . .	167	100	68	9	46	49	64	41	38	58	30
34.03 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
34.04 . . . . .	123	71	52	*6	33	36	48	32	30	40	21
34.09 . . . . .	32	21	12	*	10	*8	12	*7	*6	12	*7
34.2 . . . . .	48	28	20	*	10	13	25	11	10	20	*7
34.21 . . . . .	15	*9	*7	*	*	*	*7	*	*	*8	*
34.22 . . . . .	13	*7	*6	—	*	*	*9	*	*	*	*
34.24 . . . . .	9	*7	*	—	*	*	*	*	*	*	*
34.5 . . . . .	20	14	*6	*	*5	*7	*7	*6	*	*6	*
34.51 . . . . .	14	11	*	*	*	*	*5	*	*	*	*
34.59 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
34.6 . . . . .	*7	*5	*	*	*	*	*	*	*	*	*
34.7 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
34.9 . . . . .	183	86	97	*	19	58	104	35	49	68	31
34.91 . . . . .	161	75	86	*	17	51	92	29	44	60	28
34.92 . . . . .	21	10	11	*	*	*7	11	*6	*5	*7	*
35–39 . . . . .	6,188	3,574	2,615	197	578	2,172	3,241	1,291	1,450	2,334	1,113
35 . . . . .	126	71	55	30	14	27	55	35	21	37	33
35.1 . . . . .	18	10	*8	*	*	*	*9	*5	*	*5	*
35.12 . . . . .	14	*8	*7	*	*	*	*7	*	*	*5	*
35.2 . . . . .	64	39	25	*	*	17	41	17	12	19	16
35.21 . . . . .	17	10	*7	*	*	*	14	*	*	*	*5
35.22 . . . . .	24	17	*7	*	*	*8	14	*5	*6	*8	*
35.23 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
35.24 . . . . .	13	*7	*6	*	*	*	*8	*	*	*5	*
35.3 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
35.33 . . . . .	*6	*	*	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
35.6 . . . . .	*9	*	*	*6	*	*	*	*	*	*	*
35.7 . . . . .	9	*	*5	*	*	*	*	*	*	*	*
35.71 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
35.9 . . . . .	*7	*	*	*5	*	*	*	*	*	*	*
36 . . . . .	1,572	1,055	517	*	79	677	815	296	450	551	275
36.0 . . . . .	1,051	689	363	*	60	455	537	185	316	361	190
36.01 . . . . .	474	303	171	*	29	206	239	87	145	158	84
36.02 . . . . .	11	*8	*	—	*	*	*6	*	*	*	*
36.05 . . . . .	87	64	23	—	*	35	48	12	29	29	17
36.06 . . . . .	475	310	164	*	26	207	241	84	136	167	88
36.1 . . . . .	516	365	151	*	19	220	277	111	132	189	84
36.11 . . . . .	49	30	18	—	*	17	30	13	15	16	*6
36.12 . . . . .	96	60	35	—	*	43	50	20	29	29	17
36.13 . . . . .	93	71	22	*	*	38	53	19	22	38	15
36.14 . . . . .	46	38	*9	—	*	19	25	*8	*9	21	*9
36.15 . . . . .	212	151	60	*	*8	93	110	45	54	76	36
36.16 . . . . .	*8	*6	*	—	*	*	*	*	*	*	*
36.19 . . . . .	*8	*6	*	—	*	*	*	*	*	*	*
37 . . . . .	1,838	1,069	769	15	120	636	1,067	391	456	705	286
37.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
37.1 . . . . .	10	*5	*	*	*	*	*	*	*	*	*
37.12 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
37.2 . . . . .	1,314	779	534	*9	98	534	673	254	341	510	209
37.21 . . . . .	32	17	16	*	*	13	16	*7	*	17	*
37.22 . . . . .	1,022	611	411	*	73	439	510	185	272	405	160
37.23 . . . . .	153	82	71	*6	11	52	85	35	37	55	26
37.25 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
37.26 . . . . .	75	51	24	*	*8	20	46	20	21	23	11
37.27 . . . . .	15	*8	*6	*	*	*	*8	*	*	*5	*
37.29 . . . . .	*8	*6	*	—	*	*	*	*	*	*	*
37.3 . . . . .	33	18	16	*	*	9	17	10	*7	10	*7
37.34 . . . . .	24	14	11	*	*	*7	13	*7	*5	*8	*
37.6 . . . . .	41	27	14	*	*	16	22	*8	10	18	*
37.61 . . . . .	38	25	13	*	*	14	22	*7	10	16	*
37.7 . . . . .	201	104	97	*	*	28	168	51	45	75	30
37.71 . . . . .	30	17	13	*	*	*	27	9	*8	10	*
37.72 . . . . .	113	54	59	*	*	14	96	30	26	43	15
37.75 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
37.76 . . . . .	10	*5	*	*	*	*	*8	*	*	*	*
37.78 . . . . .	27	16	11	*	*	*6	21	*	*8	9	*7
37.8 . . . . .	177	89	88	*	*	22	150	48	37	69	23
37.80 . . . . .	*6	*	*	—	*	*	*6	*	*	*	*
37.81 . . . . .	15	9	*6	*	*	*	14	*	*	*6	*
37.82 . . . . .	17	10	*8	*	*	*	15	*6	*	*6	*
37.83 . . . . .	117	57	60	*	*	16	99	32	25	46	15
37.87 . . . . .	12	*6	*6	*	*	*	10	*	*	*	*
37.89 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
37.9 . . . . .	52	40	12	*	*	18	29	13	11	18	10
37.94 . . . . .	40	32	*9	*	*	13	23	11	10	13	*7
37.99 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
38 . . . . .	1,445	706	739	113	222	400	711	327	283	577	259
38.0 . . . . .	32	16	16	*	*	*8	20	*6	*8	14	*
38.08 . . . . .	20	10	11	*	*	*6	13	*	*	10	*
38.1 . . . . .	153	88	65	—	*	41	110	32	34	62	24
38.12 . . . . .	128	72	56	—	*	30	97	28	31	51	18
38.16 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
38.18 . . . . .	16	10	*6	—	*	*7	*9	*	*	*7	*
38.2 . . . . .	*8	*	*6	—	*	*	*7	*	*	*	*
38.21 . . . . .	*7	*	*5	—	—	*	*7	*	*	*	*
38.4 . . . . .	44	33	11	*	*	11	30	10	10	15	*8
38.44 . . . . .	28	22	*6	*	*	*6	22	*6	*7	10	*

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
38.45 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
38.6 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
38.7 . . . . .	60	29	30	—	*5	17	38	17	10	27	*6
38.8 . . . . .	26	16	9	*8	*7	*6	*	*6	*	10	*7
38.85 . . . . .	*9	*5	*	*7	*	*	*	*	*	*	*
38.86 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
38.9 . . . . .	1,110	515	595	101	200	313	496	250	212	442	206
38.91 . . . . .	85	42	43	22	9	18	36	17	22	30	17
38.92 . . . . .	14	*9	*	14	*	*	—	*	*	*	*7
38.93 . . . . .	833	371	462	61	161	237	373	198	154	334	147
38.94 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
38.95 . . . . .	139	75	65	*	24	50	64	26	27	53	32
38.98 . . . . .	23	10	13	*	*	*	16	*	*	15	*
38.99 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
39 . . . . .	1,206	672	534	36	144	432	593	242	240	465	259
39.1 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
39.2 . . . . .	142	81	61	*	10	49	80	34	26	56	27
39.25 . . . . .	20	13	*7	—	*	*9	10	*	*	*8	*
39.27 . . . . .	33	18	14	*	*5	12	15	*8	*	13	*8
39.29 . . . . .	82	46	36	*	*	25	53	19	17	33	13
39.3 . . . . .	22	14	*9	*	*7	*5	10	*	*5	*6	*6
39.31 . . . . .	16	11	*6	*	*	*	*8	*	*	*	*
39.4 . . . . .	71	39	32	*	11	26	33	12	11	30	19
39.42 . . . . .	18	9	*8	*	*	*6	*8	*	*	*7	*5
39.49 . . . . .	48	27	21	*	*7	18	23	*7	*7	20	13
39.5 . . . . .	120	61	59	*	15	37	64	23	27	51	18
39.50 . . . . .	79	40	39	*	*5	25	48	17	21	31	10
39.51 . . . . .	10	*	*7	—	*	*	*	*	*	*	*
39.52 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
39.56 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
39.57 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
39.6 . . . . .	280	187	93	20	19	108	133	56	65	99	60
39.61 . . . . .	257	171	86	19	17	98	123	55	62	90	50
39.62 . . . . .	*8	*6	*	*	*	*	*	—	*	*	*6
39.63 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
39.64 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
39.7 . . . . .	12	11	*	—	*	*	10	*	*	*6	*
39.71 . . . . .	11	10	*	—	—	*	*9	*	*	*5	*
39.9 . . . . .	551	275	276	*6	82	200	262	109	104	214	125
39.90 . . . . .	38	21	18	*	*	14	22	9	10	16	*
39.93 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
39.95 . . . . .	487	239	248	*	72	179	233	94	86	190	118
39.98 . . . . .	11	*7	*	*	*	*	*	*	*	*	*
40–41 . . . . .	328	158	170	24	48	117	139	80	68	123	57
40 . . . . .	207	103	104	*8	22	87	89	48	45	76	39
40.1 . . . . .	64	26	37	*	*8	24	28	15	14	24	10
40.11 . . . . .	61	26	36	*	*8	23	27	15	13	24	9
40.2 . . . . .	46	19	27	*	*	17	23	10	13	18	*5
40.23 . . . . .	9	*	*8	*	*	*	*	*	*	*	*
40.24 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
40.29 . . . . .	28	14	14	*	*	12	14	*	10	11	*
40.3 . . . . .	64	35	29	*	*6	30	28	14	11	22	16
40.4 . . . . .	16	10	*5	*	*	*7	*6	*	*	*6	*
40.41 . . . . .	12	9	*	*	*	*5	*5	*	*	*	*
40.5 . . . . .	15	9	*6	—	*	*8	*	*	*5	*	*
40.53 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
41 . . . . .	120	55	65	16	25	29	50	32	24	47	18
41.0 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
41.3 . . . . .	93	41	52	11	16	22	43	23	19	38	13
41.31 . . . . .	93	41	51	11	16	22	43	23	19	37	13

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
41.5 . . . . .	18	*9	9	*	*7	*	*5	*5	*	*6	*
42–54 . . . . .	5,335	2,295	3,041	231	1,227	1,452	2,425	1,196	1,142	2,034	963
42 . . . . .	190	99	91	*8	25	61	96	53	42	64	32
42.2 . . . . .	116	59	57	*6	14	39	57	38	26	35	18
42.23 . . . . .	112	56	56	*5	13	38	56	36	25	33	17
42.3 . . . . .	31	17	14	*	*7	12	12	*7	*7	12	*5
42.33 . . . . .	30	17	13	*	*7	12	11	*7	*7	12	*
42.9 . . . . .	31	15	16	*	*	*6	22	*7	*8	12	*
42.92 . . . . .	31	15	16	*	*	*6	22	*7	*8	12	*
43 . . . . .	225	107	119	26	16	40	143	57	42	88	39
43.1 . . . . .	171	78	94	10	12	28	121	46	32	69	24
43.11 . . . . .	141	65	76	*	*7	21	110	39	26	57	20
43.19 . . . . .	30	13	17	*7	*	*7	11	*7	*7	12	*
43.3 . . . . .	17	12	*	15	*	*	*	*	*	*	*6
43.4 . . . . .	15	*6	9	—	*	*	9	*	*	*6	*
43.41 . . . . .	11	*	*7	—	*	*	*7	*	*	*	*
43.7 . . . . .	10	*	*	—	*	*	*6	*	*	*	*
44 . . . . .	242	102	140	13	62	74	94	43	52	99	48
44.0 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
44.1 . . . . .	34	15	19	*	*	10	19	*	*7	22	*
44.13 . . . . .	14	*5	*9	*	*	*	*7	*	*	*7	*
44.14 . . . . .	15	*6	*9	—	*	*	9	*	*	11	*
44.15 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
44.2 . . . . .	10	*6	*	*	*	*	*6	*	*	*	*
44.22 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
44.3 . . . . .	52	9	42	*	26	20	*6	12	12	16	12
44.31 . . . . .	35	*5	30	—	20	14	*	*6	*8	12	*9
44.39 . . . . .	16	*	12	*	*5	*5	*6	*6	*	*	*
44.4 . . . . .	74	41	33	*	*8	18	48	17	14	26	17
44.42 . . . . .	*9	*5	*	—	*	*	*	*	*	*	*
44.43 . . . . .	60	32	28	*	*7	14	39	12	12	21	15
44.6 . . . . .	63	26	37	11	20	20	12	*8	14	27	15
44.66 . . . . .	48	19	28	*8	16	16	*7	*5	10	19	13
44.69 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
45 . . . . .	2,053	924	1,129	31	267	511	1,244	490	464	776	322
45.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
45.02 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
45.1 . . . . .	971	437	534	15	134	244	579	219	221	372	159
45.13 . . . . .	402	188	213	*	51	104	243	92	94	139	76
45.16 . . . . .	559	244	314	*9	82	137	332	125	124	228	82
45.2 . . . . .	566	247	319	*5	66	127	368	143	123	219	82
45.23 . . . . .	294	135	159	*	25	65	203	69	63	116	46
45.24 . . . . .	59	26	33	*	*7	12	39	13	13	26	*7
45.25 . . . . .	207	84	123	*	33	48	122	58	45	74	29
45.3 . . . . .	10	*5	*	*	*	*	*	*	*	*	*
45.33 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
45.4 . . . . .	126	60	66	*	*6	27	93	34	26	47	19
45.42 . . . . .	102	49	53	*	*	22	76	28	21	38	15
45.43 . . . . .	19	*9	10	—	*	*	15	*5	*	*7	*
45.6 . . . . .	61	27	33	*	12	17	27	13	14	22	11
45.61 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
45.62 . . . . .	55	25	29	*	12	16	22	13	13	19	10
45.7 . . . . .	244	110	134	*	29	73	139	59	59	89	36
45.72 . . . . .	14	*5	9	*	*	*	*6	*	*6	*	*
45.73 . . . . .	83	37	46	*	*6	20	56	24	22	26	11
45.74 . . . . .	12	*5	*7	*	*	*	*8	*	*	*6	*
45.75 . . . . .	29	16	13	*	*	9	16	*9	*	12	*
45.76 . . . . .	88	38	50	*	11	33	44	19	21	34	15
45.79 . . . . .	17	*8	*9	*	*	*	*8	*	*	*7	*
45.8 . . . . .	*8	*	*5	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age			Region				
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
45.9 . . . . .	58	31	28	*	13	17	27	14	16	19	10
45.91 . . . . .	12	*5	*6	*	*	*	*	*	*	*5	*
45.93 . . . . .	23	13	11	*	*	*6	14	*6	*8	*6	*
45.94 . . . . .	17	10	*8	*	*	*6	*8	*	*5	*	*
46 . . . . .	195	99	96	17	40	57	81	46	41	73	35
46.0 . . . . .	15	*9	*6	*	*	*	*6	*	*	*7	*
46.01 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
46.03 . . . . .	10	*6	*	*	*	*	*	*	*	*6	*
46.1 . . . . .	39	17	22	*	*5	11	21	*7	*8	17	*6
46.10 . . . . .	18	*7	11	*	*	*	11	*	*	*8	*
46.11 . . . . .	14	*7	*7	*	*	*5	*6	*	*	*7	*
46.13 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
46.2 . . . . .	14	*7	*8	*	*	*	*	*	*	*6	*
46.20 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
46.3 . . . . .	29	17	12	*	*	*8	16	*7	*6	10	*6
46.32 . . . . .	*9	*5	*	*	*	*	*6	*	*	*	*
46.39 . . . . .	20	12	*8	*	*	*7	10	*5	*	*7	*
46.4 . . . . .	11	*6	*5	*	*	*	*	*	*	*	*
46.5 . . . . .	37	19	19	*5	*8	13	12	10	*8	12	*7
46.51 . . . . .	9	*5	*	*	*	*	*	*	*	*	*
46.52 . . . . .	28	14	14	*	*	9	11	*7	*7	*8	*6
46.7 . . . . .	28	15	13	*	12	*8	*6	*6	*6	10	*6
46.73 . . . . .	13	*6	*7	*	*6	*	*	*	*	*5	*
46.75 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
46.8 . . . . .	17	*8	*9	*	*	*	10	*5	*	*6	*
46.85 . . . . .	12	*5	*6	—	*	*	*8	*	*	*	*
47 . . . . .	370	185	185	76	191	73	30	71	82	125	92
47.0 . . . . .	312	168	144	69	168	55	21	63	67	104	79
47.01 . . . . .	109	52	57	24	65	16	*	13	23	41	33
47.09 . . . . .	203	116	87	45	103	38	16	50	44	63	47
47.1 . . . . .	56	16	40	*6	22	19	*9	*8	14	21	12
47.19 . . . . .	52	15	37	*	20	19	*9	*8	14	20	11
48 . . . . .	142	72	71	10	22	39	71	41	31	48	22
48.2 . . . . .	56	29	27	*6	*8	13	30	18	14	17	*8
48.23 . . . . .	25	13	12	*	*5	*6	13	*9	*5	*8	*
48.24 . . . . .	29	14	15	*	*	*6	16	9	*8	*7	*5
48.3 . . . . .	21	10	11	*	*	*	16	*	*7	*9	*
48.36 . . . . .	16	*7	*9	*	*	*	13	*	*6	*6	*
48.5 . . . . .	10	*6	*	—	*	*5	*	*	*	*	*
48.6 . . . . .	32	14	18	*	*	12	17	10	*5	10	*7
48.63 . . . . .	21	9	12	—	*	*8	12	*6	*	*7	*
48.69 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
48.7 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
48.8 . . . . .	13	*9	*	*	*7	*	*	*	*	*6	*
48.81 . . . . .	12	*9	*	*	*6	*	*	*	*	*6	*
49 . . . . .	44	23	21	*	18	14	10	*8	*8	19	9
49.0 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
49.01 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
49.4 . . . . .	20	*8	11	—	*7	*6	*6	*	*	9	*
49.46 . . . . .	17	*7	10	—	*6	*5	*5	*	*	*8	*
50 . . . . .	111	62	49	*5	25	42	39	20	20	50	20
50.1 . . . . .	87	47	39	*	19	33	31	16	15	39	17
50.11 . . . . .	61	33	28	*	14	22	23	13	10	27	11
50.12 . . . . .	26	14	11	*	*	11	*8	*	*	12	*6
50.2 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
50.29 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
50.9 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
51 . . . . .	723	242	481	*	217	216	287	149	135	279	159
51.1 . . . . .	71	28	43	*	18	21	31	16	*9	32	14
51.10 . . . . .	56	22	34	*	16	16	24	14	*6	27	10

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age			Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
51.14 . . . . .	*8	*	*5	—	*	*	*	*	*	*	*
51.2 . . . . .	442	142	299	*	150	129	161	90	86	175	91
51.22 . . . . .	108	52	56	*	23	33	51	24	23	41	20
51.23 . . . . .	333	91	243	*	127	95	110	66	63	134	71
51.3 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
51.4 . . . . .	10	*	*7	*	*	*	*	*7	*	*	*
51.41 . . . . .	*9	*	*6	—	*	*	*	*6	*	*	*
51.5 . . . . .	*9	*	*6	*	*	*	*	*	*	*	*
51.51 . . . . .	*8	*	*6	*	*	*	*	*	*	*	*
51.8 . . . . .	167	53	114	*	44	52	71	33	31	59	44
51.84 . . . . .	*7	*	*5	—	*	*	*	*	*	*	*
51.85 . . . . .	82	26	56	*	23	26	32	15	13	32	21
51.87 . . . . .	31	11	20	—	*	*9	18	*6	*7	11	*7
51.88 . . . . .	45	13	32	*	14	13	18	11	*9	13	13
51.9 . . . . .	10	*6	*	*	*	*	*	*6	*	*	*
51.98 . . . . .	*9	*6	*	*	*	*	*	*6	*	*	*
52 . . . . .	39	17	22	*	11	13	15	*7	*7	17	*8
52.0 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
52.1 . . . . .	13	*	*9	—	*	*	*7	*	*	*6	*
52.11 . . . . .	*9	*	*7	—	*	*	*6	*	*	*	*
52.9 . . . . .	12	*	*8	*	*	*	*	*	*	*	*
52.93 . . . . .	*9	*	*6	—	*	*	*	*	*	*	*
53 . . . . .	251	111	141	11	59	80	100	54	61	92	44
53.0 . . . . .	44	37	*8	*	*9	*7	25	10	11	16	*7
53.00 . . . . .	*7	*6	*	*	*	*	*	*	*	*	*
53.03 . . . . .	*7	*6	*	*	*	*	*6	*	*	*	*
53.04 . . . . .	10	10	*	—	*	*	*7	*	*	*	*
53.05 . . . . .	10	*8	*	—	*	*	*	*	*	*5	*
53.1 . . . . .	11	*9	*	*	*	*	*	*	*	*	*
53.4 . . . . .	55	19	36	*	22	16	16	12	14	20	*9
53.41 . . . . .	*8	*	*5	—	*	*	*	*	*	*	*
53.49 . . . . .	47	16	31	*	19	13	14	10	13	17	*7
53.5 . . . . .	51	15	36	*	10	20	21	10	12	22	*7
53.51 . . . . .	34	10	24	*	*6	13	14	*8	*9	14	*
53.59 . . . . .	17	*5	12	*	*	*7	*6	*	*	*8	*
53.6 . . . . .	72	25	47	*	16	29	27	17	18	24	13
53.61 . . . . .	58	19	39	*	13	22	23	15	13	21	9
53.69 . . . . .	15	*7	*8	*	*	*7	*	*	*6	*	*
53.7 . . . . .	10	*	*7	*	*	*	*	*	*	*	*
54 . . . . .	749	251	497	28	274	232	214	155	157	304	132
54.0 . . . . .	15	*7	*8	*	*	*5	*6	*	*	*6	*
54.1 . . . . .	63	29	35	*	24	15	21	14	15	25	10
54.11 . . . . .	33	14	19	*	10	9	12	*9	*8	11	*6
54.12 . . . . .	11	*	*6	*	*5	*	*	*	*	*6	*
54.19 . . . . .	20	10	10	*	*9	*	*5	*	*5	*8	*
54.2 . . . . .	103	33	70	*	44	35	22	25	21	39	18
54.21 . . . . .	60	19	41	*	33	16	*9	15	13	23	9
54.23 . . . . .	17	*6	11	*	*	*7	*5	*	*	*7	*
54.24 . . . . .	*9	*	*7	*	*	*	*	*	*	*	*
54.25 . . . . .	15	*	10	*	*6	*6	*	*	*	*	*
54.3 . . . . .	13	*	10	*	*	*	*5	*	*	*7	*
54.4 . . . . .	52	11	41	*	17	15	19	11	11	20	*9
54.5 . . . . .	316	68	248	*6	133	91	86	60	64	139	52
54.51 . . . . .	45	*8	37	*	20	14	10	10	*8	20	*8
54.59 . . . . .	271	60	211	*5	113	77	76	51	56	120	45
54.6 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
54.7 . . . . .	12	*7	*	*	*6	*	*	*	*	*	*
54.9 . . . . .	164	87	77	9	40	65	50	34	37	63	30
54.91 . . . . .	118	64	54	*	26	52	36	25	26	49	18
54.93 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
54.95 . . . . .	12	*7	*5	*	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
54.98 . . . . .	21	10	11	*	*	*7	*8	*	*	*5	*7
55–59 . . . . .	962	453	509	41	222	302	397	237	194	371	161
55 . . . . .	140	70	70	11	40	50	39	30	24	59	26
55.0 . . . . .	36	15	21	*	10	13	12	*7	*6	18	*6
55.03 . . . . .	25	11	15	*	*7	*8	9	*5	*	14	*
55.04 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
55.2 . . . . .	27	15	13	*	9	10	*6	*6	*	13	*
55.23 . . . . .	24	13	12	*	*8	*9	*5	*	*	12	*
55.4 . . . . .	*7	*5	*	*	*	*	*	*	*	*	*
55.5 . . . . .	38	22	16	*	*8	12	16	10	*9	13	*6
55.51 . . . . .	36	20	16	*	*7	11	16	*9	*9	13	*6
55.6 . . . . .	12	*7	*6	*	*	*6	*	*	*	*6	*
55.69 . . . . .	12	*7	*6	*	*	*6	*	*	*	*6	*
55.8 . . . . .	*7	*	*5	*	*	*	*	*	*	*	*
55.87 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
55.9 . . . . .	*9	*	*	*	*	*	*	*	*	*	*
55.93 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
56 . . . . .	105	57	48	13	33	33	26	32	19	37	18
56.0 . . . . .	50	29	21	*	21	16	13	16	9	20	*5
56.3 . . . . .	21	12	*9	*	*7	*7	*7	*6	*	*8	*
56.31 . . . . .	20	11	*8	*	*6	*7	*6	*5	*	*7	*
56.5 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
56.51 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
56.7 . . . . .	17	*7	11	9	*	*	*	*6	*	*	*
56.74 . . . . .	16	*6	10	9	*	*	*	*6	*	*	*
57 . . . . .	375	214	161	11	57	92	215	103	81	134	57
57.0 . . . . .	22	16	*5	*	*	*	17	*7	*8	*	*
57.1 . . . . .	37	16	21	*	*6	15	15	*7	*7	17	*6
57.17 . . . . .	14	*6	*9	*	*	*6	*6	*	*	*7	*
57.18 . . . . .	18	*8	10	*	*	*6	*8	*	*	*9	*
57.3 . . . . .	177	95	82	*5	35	48	89	50	39	68	20
57.32 . . . . .	161	85	76	*5	35	43	78	44	37	62	19
57.33 . . . . .	14	*8	*6	—	*	*	10	*	*	*6	*
57.4 . . . . .	44	35	9	—	*	*8	35	14	10	15	*5
57.49 . . . . .	44	35	9	—	*	*8	35	14	10	15	*5
57.7 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
57.71 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
57.8 . . . . .	18	*	14	*	*8	*	*	*	*	*5	*6
57.81 . . . . .	*8	*	*6	*	*	*	*	*	*	*	*
57.9 . . . . .	64	40	25	*	*6	10	48	19	10	19	16
57.94 . . . . .	51	29	22	*	*6	*8	36	16	*8	13	15
58 . . . . .	49	38	11	*	*8	*9	30	10	11	21	*7
58.5 . . . . .	9	*7	*	*	*	*	*6	*	*	*	*
58.6 . . . . .	25	21	*	*	*	*	19	*	*7	12	*
59 . . . . .	293	75	218	*	84	119	86	62	60	119	53
59.0 . . . . .	*7	*	*6	—	*	*	*	*	*	*	*
59.02 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
59.4 . . . . .	*8	—	*8	—	*	*	*	*	*	*	*
59.5 . . . . .	57	*	56	—	20	25	12	*	12	29	12
59.7 . . . . .	68	*	68	—	12	34	22	*9	14	31	15
59.79 . . . . .	66	*	66	—	12	32	22	*8	14	30	15
59.8 . . . . .	142	71	71	*	47	49	42	42	28	52	20
60–64 . . . . .	264	264	—	24	14	74	153	55	70	89	50
60 . . . . .	198	198	—	*	*	59	138	41	52	68	37
60.1 . . . . .	*8	*8	—	—	*	*	*6	*	*	*	*
60.11 . . . . .	*8	*8	—	—	*	*	*6	*	*	*	*
60.2 . . . . .	130	130	—	—	*	22	108	25	37	45	22
60.29 . . . . .	128	128	—	—	*	21	106	25	36	45	22

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age			Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
60.5 . . . . .	48	48	—	—	*	32	16	11	12	16	9
61 . . . . .	13	13	—	*	*	*	*	*	*	*5	*
61.0 . . . . .	*5	*5	—	*	*	*	*	*	*	*	*
62 . . . . .	13	13	—	*	*	*	*	*	*	*	*
63 . . . . .	*8	*8	—	*	*	*	*	*	*	*	*
64 . . . . .	33	33	—	18	*	*7	*6	*7	12	10	*
64.0 . . . . .	20	20	—	17	*	*	*	*	*8	*6	*
64.9 . . . . .	*8	*8	—	*	*	*	*	*	*	*	*
65-71 . . . . .	2,117	—	2,117	*6	1,222	644	245	327	421	960	409
65 . . . . .	603	—	603	*	293	245	63	97	129	264	112
65.1 . . . . .	*6	—	*6	*	*	*	*	*	*	*	*
65.2 . . . . .	47	—	47	*	42	*	*	10	*8	22	*8
65.25 . . . . .	10	—	10	*	10	*	—	*	*	*6	*
65.29 . . . . .	35	—	35	*	31	*	*	*7	*7	15	*6
65.3 . . . . .	16	—	16	*	11	*	*	*	*	*6	*
65.39 . . . . .	13	—	13	*	10	*	*	*	*	*5	*
65.4 . . . . .	88	—	88	*	59	18	9	20	20	36	12
65.41 . . . . .	14	—	14	*	10	*	*	*	*	*7	*
65.49 . . . . .	74	—	74	*	49	16	*8	17	17	30	10
65.5 . . . . .	16	—	16	—	*7	*7	*	*	*	*5	*
65.51 . . . . .	12	—	12	—	*6	*	*	*	*	*	*
65.6 . . . . .	390	—	390	—	137	207	47	54	80	177	80
65.61 . . . . .	328	—	328	—	112	175	40	48	68	144	67
65.62 . . . . .	15	—	15	—	*7	*7	*	*	*	*5	*
65.63 . . . . .	45	—	45	—	16	24	*	*	*8	26	*8
65.7 . . . . .	*6	—	*6	*	*5	*	*	*	*	*	*
65.8 . . . . .	24	—	24	—	18	*	*	*	*	*7	10
65.89 . . . . .	21	—	21	—	16	*	*	*	*	*6	*9
65.9 . . . . .	*8	—	*8	*	*7	*	—	*	*	*	*
65.91 . . . . .	*8	—	*8	*	*6	*	—	*	*	*	*
66 . . . . .	389	—	389	*	381	*6	*	50	63	207	68
66.2 . . . . .	9	—	9	—	*9	*	—	*	*	*	*
66.29 . . . . .	*6	—	*6	—	*6	*	—	*	*	*	*
66.3 . . . . .	317	—	317	—	316	*	—	39	50	172	55
66.32 . . . . .	202	—	202	—	202	*	—	27	27	111	37
66.39 . . . . .	114	—	114	—	114	*	—	12	23	61	18
66.4 . . . . .	10	—	10	*	*8	*	*	*	*	*	*
66.5 . . . . .	*9	—	*9	—	*7	*	*	*	*	*	*
66.51 . . . . .	*8	—	*8	—	*6	*	*	*	*	*	*
66.6 . . . . .	31	—	31	*	30	*	*	*5	*6	15	*
66.62 . . . . .	21	—	21	—	21	—	—	*	*	12	*
66.69 . . . . .	*5	—	*5	*	*	*	*	*	*	*	*
67 . . . . .	15	—	15	—	11	*	*	*	*	*6	*
68 . . . . .	707	—	707	*	367	272	67	109	149	308	140
68.1 . . . . .	16	—	16	—	*6	*6	*	*	*	*6	*
68.12 . . . . .	*8	—	*8	—	*	*	*	*	*	*	*
68.16 . . . . .	*6	—	*6	—	*	*	*	*	*	*	*
68.2 . . . . .	41	—	41	*	34	*6	*	*7	*	20	10
68.29 . . . . .	37	—	37	*	31	*	*	*7	*	17	*9
68.3 . . . . .	25	—	25	—	10	12	*	*9	*	*7	*7
68.4 . . . . .	403	—	403	*	202	165	36	62	87	184	70
68.5 . . . . .	213	—	213	*	109	79	24	24	51	89	50
68.51 . . . . .	71	—	71	—	40	29	*	*	17	37	11
68.59 . . . . .	142	—	142	*	69	51	22	20	33	51	38
68.6 . . . . .	*5	—	*5	—	*	*	*	*	*	*	*
69 . . . . .	109	—	109	*	89	13	*7	23	15	50	22
69.0 . . . . .	63	—	63	—	51	*7	*5	15	*8	26	13
69.02 . . . . .	35	—	35	—	35	*	—	*7	*6	15	*7
69.09 . . . . .	26	—	26	—	14	*7	*5	*7	*	11	*6

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age			Region				
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
69.1 . . . . .	*6	—	*6	*	*5	*	*	*	*	*	*
69.19 . . . . .	*6	—	*6	*	*5	*	*	*	*	*	*
69.5 . . . . .	20	—	20	*	18	*	*	*	*	10	*
69.52 . . . . .	14	—	14	*	14	*	—	*	*	*6	*
69.9 . . . . .	12	—	12	—	11	*	*	*	*	*7	*
69.96 . . . . .	*8	—	*8	—	*8	*	—	*	*	*	*
70 . . . . .	256	—	256	*	64	95	96	36	54	112	54
70.1 . . . . .	*6	—	*6	*	*	*	*	*	*	*	*
70.3 . . . . .	*9	—	*9	*	*6	*	*	*	*	*	*
70.5 . . . . .	144	—	144	—	33	59	52	23	33	58	30
70.50 . . . . .	69	—	69	—	14	27	28	*8	14	31	16
70.51 . . . . .	45	—	45	—	11	18	17	10	12	16	*7
70.52 . . . . .	29	—	29	—	*8	14	*7	*	*6	12	*7
70.7 . . . . .	43	—	43	*	*8	13	22	*	*6	20	13
70.77 . . . . .	30	—	30	—	*	10	18	*	*5	14	*9
70.79 . . . . .	10	—	10	*	*	*	*	*	*	*	*
70.9 . . . . .	49	—	49	*	13	18	17	*5	11	25	*8
70.92 . . . . .	49	—	49	—	13	18	17	*5	11	24	*8
71 . . . . .	38	—	38	*	17	12	*9	*8	*8	14	*9
71.3 . . . . .	*9	—	*9	*	*6	*	*	*	*	*	*
71.7 . . . . .	14	—	14	*	*	*	*	*	*	*	*
71.71 . . . . .	*5	—	*5	*	*	*	*	*	*	*	*
71.79 . . . . .	*9	—	*9	*	*	*	*	*	*	*	*
72–75 . . . . .	6,412	—	6,412	14	6,389	*9	—	1,060	1,409	2,465	1,478
72 . . . . .	339	—	339	*	337	*	—	41	71	142	84
72.0 . . . . .	18	—	18	*	18	—	—	*	*	11	*
72.1 . . . . .	62	—	62	—	62	*	—	10	11	35	*6
72.2 . . . . .	10	—	10	—	10	—	—	*	*	*6	*
72.21 . . . . .	*8	—	*8	—	*8	—	—	*	*	*5	*
72.4 . . . . .	*8	—	*8	—	*8	*	—	*	*	*6	*
72.7 . . . . .	234	—	234	*	232	*	—	27	53	83	71
72.71 . . . . .	131	—	131	*	129	*	—	18	29	46	38
72.79 . . . . .	103	—	103	*	103	*	—	10	24	37	32
73 . . . . .	2,946	—	2,946	*7	2,936	*	—	438	658	1,185	665
73.0 . . . . .	848	—	848	*	845	*	—	118	240	274	217
73.01 . . . . .	149	—	149	*	149	*	—	15	44	59	32
73.09 . . . . .	699	—	699	*	696	*	—	103	196	215	185
73.1 . . . . .	*7	—	*7	—	*7	*	—	*	*	*	*
73.4 . . . . .	500	—	500	*	498	*	—	70	116	188	126
73.5 . . . . .	941	—	941	*	938	*	—	139	171	441	191
73.51 . . . . .	*8	—	*8	*	*8	—	—	*	*	*	*
73.59 . . . . .	933	—	933	*	930	*	—	138	169	439	187
73.6 . . . . .	642	—	642	*	641	*	—	108	128	277	129
74 . . . . .	974	—	974	*	970	*	—	169	170	443	193
74.0 . . . . .	14	—	14	—	13	*	—	*	*	*	*
74.1 . . . . .	947	—	947	*	943	*	—	164	161	434	188
74.9 . . . . .	10	—	10	—	10	—	—	—	*	*	*
74.99 . . . . .	9	—	9	—	9	—	—	—	*	*	*
75 . . . . .	2,153	—	2,153	*	2,146	*	—	412	509	694	536
75.1 . . . . .	15	—	15	*	15	*	—	*	*	*6	*
75.3 . . . . .	888	—	888	*	885	*	—	196	234	232	226
75.32 . . . . .	190	—	190	*	189	—	—	32	65	39	53
75.34 . . . . .	583	—	583	*	581	*	—	142	138	160	143
75.35 . . . . .	73	—	73	*	73	*	—	16	24	17	16
75.37 . . . . .	40	—	40	*	40	—	—	*5	*6	15	14
75.4 . . . . .	33	—	33	—	33	*	—	*5	*8	11	*9
75.5 . . . . .	*9	—	*9	—	*9	—	—	*	*	*	*
75.51 . . . . .	*7	—	*7	—	*7	—	—	*	*	*	*
75.6 . . . . .	1,177	—	1,177	*	1,173	*	—	206	250	428	292

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age			Region				
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
75.61 . . . . .	31	—	31	*	31	—	—	*6	*6	14	*5
75.62 . . . . .	117	—	117	*	116	*	—	21	27	40	29
75.69 . . . . .	1,029	—	1,029	*	1,026	*	—	180	218	373	258
75.7 . . . . .	25	—	25	—	25	—	—	*	*8	13	*
76–84 . . . . .	3,334	1,591	1,743	193	826	1,000	1,315	701	769	1,238	625
76 . . . . .	74	48	26	12	41	12	*9	15	13	38	*9
76.6 . . . . .	17	9	*8	*	11	*	*	*	*	*9	*
76.7 . . . . .	33	23	10	*	21	*	*	*6	*7	15	*
76.75 . . . . .	*8	*5	*	*	*5	*	*	*	*	*	*
76.76 . . . . .	11	9	*	*	9	*	*	*	*	*	*
76.79 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
76.9 . . . . .	13	9	*	*	*5	*	*	*	*	*8	*
76.92 . . . . .	*7	*6	*	*	*	*	*	*	*	*6	*
77 . . . . .	280	137	143	26	80	107	68	70	58	97	54
77.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
77.3 . . . . .	19	10	*9	*9	*5	*	*	*	*	*6	*
77.35 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
77.37 . . . . .	*7	*5	*	*	*	*	*	*	*	*	*
77.4 . . . . .	20	10	10	*	*	*6	10	*	*	*7	*
77.49 . . . . .	11	*6	*	*	*	*	*7	*	*	*	*
77.5 . . . . .	*7	*	*5	—	*	*	*	*	*	*	*
77.6 . . . . .	48	27	22	*	12	17	15	15	10	15	*9
77.65 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
77.67 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
77.68 . . . . .	*9	*6	*	*	*	*	*	*	*	*	*
77.69 . . . . .	17	*9	*8	*	*	*8	*	*	*	*6	*
77.7 . . . . .	122	57	66	*	48	51	19	28	29	43	23
77.79 . . . . .	114	53	61	*	44	49	18	25	27	40	21
77.8 . . . . .	46	22	24	*	*7	20	18	11	*8	18	*9
77.81 . . . . .	15	*7	*9	*	*	*6	*8	*	*	*	*
77.88 . . . . .	10	*	*	*	*	*7	*	*	*	*	*
77.89 . . . . .	14	*7	*7	*	*	*5	*	*	*	*8	*
77.9 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
78 . . . . .	233	117	116	29	67	63	74	48	56	83	45
78.0 . . . . .	41	21	20	*	16	12	9	10	10	14	*6
78.05 . . . . .	9	*5	*	*	*	*	*	*	*	*	*
78.07 . . . . .	14	*6	*9	*	*7	*5	*	*	*	*7	*
78.1 . . . . .	34	18	16	*6	13	10	*5	*6	*8	15	*5
78.13 . . . . .	11	*	*7	*	*	*	*	*	*	*	*
78.17 . . . . .	15	9	*6	*	*7	*	*	*	*	*7	*
78.4 . . . . .	19	*7	12	*	*	*	11	*	*	*8	*
78.49 . . . . .	12	*	*9	*	*	*	10	*	*	*	*
78.5 . . . . .	59	28	31	*9	14	11	26	11	15	19	14
78.55 . . . . .	38	15	23	*6	*5	*5	21	*7	11	12	*8
78.57 . . . . .	*8	*5	*	*	*	*	*	*	*	*	*
78.59 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
78.6 . . . . .	72	40	32	*7	19	25	20	15	16	25	16
78.65 . . . . .	18	11	*7	*	*	*	10	*	*	*6	*
78.67 . . . . .	14	*8	*6	*	*6	*6	*	*	*	*6	*
78.69 . . . . .	29	16	13	*	*8	13	*	*6	*7	10	*6
79 . . . . .	706	324	382	63	196	148	298	148	169	254	135
79.0 . . . . .	81	41	40	21	18	12	29	20	21	25	15
79.01 . . . . .	9	*	*7	*	*	*	*5	*	*	*	*
79.02 . . . . .	28	15	13	*9	*6	*	10	*8	*8	*5	*6
79.05 . . . . .	*8	*	*	*5	*	*	*	*	*	*	*
79.06 . . . . .	31	15	16	*7	*8	*5	11	*5	*9	14	*
79.1 . . . . .	85	37	48	13	23	13	36	19	20	30	16
79.11 . . . . .	11	*5	*6	*8	*	*	*	*	*	*	*
79.12 . . . . .	11	*	*6	*	*	*	*	*	*	*	*
79.15 . . . . .	48	18	30	*	10	*7	28	10	13	18	*6

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age			Region				
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
79.16 . . . . .	10	*6	*	*	*5	*	*	*	*	*	*
79.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
79.3 . . . . .	432	183	249	18	117	98	200	91	100	158	83
79.31 . . . . .	34	14	19	*	*7	10	13	*8	*8	12	*6
79.32 . . . . .	42	23	19	*	17	11	*9	*9	*8	14	11
79.34 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
79.35 . . . . .	179	54	125	*	16	19	142	36	44	70	29
79.36 . . . . .	137	60	77	*5	56	46	31	28	33	50	27
79.37 . . . . .	16	14	*	*	*8	*6	*	*	*	*	*5
79.39 . . . . .	10	*7	*	*	*	*	*	*	*	*	*
79.6 . . . . .	51	33	17	*6	24	12	9	*9	11	21	10
79.62 . . . . .	11	*6	*5	*	*	*	*	*	*	*	*
79.66 . . . . .	20	14	*6	*	11	*	*	*	*	11	*
79.7 . . . . .	36	19	18	*	*9	9	18	*5	12	12	*6
79.71 . . . . .	*5	*	*	—	*	*	*	*	*	*	*
79.75 . . . . .	24	11	13	*	*	*5	14	*	*8	*8	*
79.8 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
80 . . . . .	445	242	202	11	164	177	93	84	93	180	87
80.0 . . . . .	11	*	*7	—	*	*	*7	*	*	*	*
80.06 . . . . .	*7	*	*	—	*	*	*5	*	*	*	*
80.1 . . . . .	30	18	11	*	12	*7	*8	*	*6	15	*
80.16 . . . . .	12	*8	*	*	*5	*	*	*	*	*7	*
80.2 . . . . .	30	17	13	*	9	9	10	*8	*6	9	*7
80.21 . . . . .	11	*6	*6	*	*	*5	*	*	*	*	*
80.26 . . . . .	17	10	*7	*	*6	*	*6	*5	*	*7	*
80.4 . . . . .	14	*8	*6	*	*	*	*	*	*	*	*6
80.46 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
80.5 . . . . .	293	160	133	*	121	129	41	53	59	126	55
80.51 . . . . .	289	158	130	*	120	127	40	53	59	123	55
80.6 . . . . .	13	*7	*7	*	*5	*	*	*	*	*	*
80.7 . . . . .	12	*7	*5	*	*	*	*5	*	*	*	*
80.76 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
80.8 . . . . .	35	18	17	*	*8	14	13	*7	12	10	*6
80.81 . . . . .	11	*	*6	*	*	*5	*	*	*	*	*
80.86 . . . . .	15	*8	*7	*	*	*	*6	*	*	*	*
81 . . . . .	1,164	477	687	19	181	357	607	243	287	420	214
81.0 . . . . .	285	140	145	9	103	118	54	51	66	107	61
81.02 . . . . .	104	54	50	*	42	51	12	19	22	46	18
81.03 . . . . .	12	*7	*5	*	*	*	*	*	*	*	*
81.04 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
81.05 . . . . .	16	*7	*9	*6	*6	*	*	*	*	*6	*
81.06 . . . . .	20	11	9	*	10	*7	*	*	*	*8	*
81.07 . . . . .	14	*6	*9	—	*	*7	*5	*	*6	*	*
81.08 . . . . .	91	45	47	*	29	38	24	14	21	33	23
81.09 . . . . .	15	*6	9	—	*6	*7	*	*	*	*	*
81.1 . . . . .	19	*8	10	*	*7	*8	*	*	*	*5	*5
81.2 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
81.4 . . . . .	30	12	18	*	20	*	*5	*8	*	14	*
81.45 . . . . .	10	*	*5	*	9	*	*	*	*	*	*
81.47 . . . . .	9	*	*6	*	*5	*	*	*	*	*	*
81.5 . . . . .	677	247	430	*	26	184	467	148	175	248	105
81.51 . . . . .	165	67	98	—	11	54	100	42	48	47	28
81.52 . . . . .	119	28	90	*	*	*	112	25	27	43	23
81.53 . . . . .	36	15	21	—	*	13	20	*9	10	13	*
81.54 . . . . .	326	126	199	*	*8	103	214	67	84	128	47
81.55 . . . . .	29	10	20	—	*	*9	20	*	*6	16	*
81.8 . . . . .	47	17	30	*	*6	17	24	*9	12	13	14
81.80 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
81.81 . . . . .	17	*	13	*	*	*	13	*	*	*	*6
81.83 . . . . .	18	*8	10	—	*	10	*6	*	*	*5	*
81.9 . . . . .	99	48	51	*7	17	24	50	21	25	30	23

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
81.91 . . . . .	61	34	27	*6	12	14	29	12	15	20	15
81.92 . . . . .	29	9	20	*	*	*6	20	*7	*9	*8	*6
82 . . . . .	22	15	*7	*	14	*	*	*6	*5	*6	*
82.0 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
82.4 . . . . .	*7	*6	*	*	*6	*	*	*	*	*	*
83 . . . . .	241	132	108	29	66	72	73	50	51	88	52
83.0 . . . . .	20	15	*5	*	*7	*6	*5	*	*	*8	*
83.09 . . . . .	12	*9	*	*	*6	*	*	*	*	*6	*
83.1 . . . . .	24	14	10	*8	*7	*5	*	*	*6	11	*
83.13 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
83.14 . . . . .	10	*7	*	*	*	*	*	*	*	*5	*
83.2 . . . . .	15	*7	*7	*	*	*5	*	*	*	*	*
83.21 . . . . .	15	*7	*7	*	*	*5	*	*	*	*	*
83.3 . . . . .	20	*8	12	*	*7	*7	*6	*	*	*8	*
83.39 . . . . .	16	*6	10	*	*6	*6	*	*	*	*7	*
83.4 . . . . .	32	15	18	*	11	*9	12	*7	*	13	*7
83.45 . . . . .	19	*9	10	*	*8	*	*7	*	*	*8	*
83.5 . . . . .	*7	*5	*	—	*	*	*	*	*	*	*
83.6 . . . . .	65	35	30	*	15	23	25	16	12	23	14
83.63 . . . . .	37	18	19	*	*	17	18	11	*6	12	*8
83.64 . . . . .	16	10	*5	*	*8	*	*	*	*	*6	*
83.65 . . . . .	10	*5	*	*	*	*	*	*	*	*	*
83.7 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
83.75 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
83.8 . . . . .	40	25	14	11	11	10	*8	*9	*8	14	9
83.82 . . . . .	11	*6	*5	*	*	*	*	*	*	*	*5
83.85 . . . . .	12	*8	*	*5	*	*	*	*	*	*	*
83.88 . . . . .	9	*6	*	*	*	*	*	*	*	*	*
83.9 . . . . .	9	*	*	*	*	*	*	*	*	*	*
84 . . . . .	170	99	72	*	18	59	92	37	37	72	25
84.0 . . . . .	12	9	*	*	*5	*	*	*	*	*6	*
84.01 . . . . .	*8	*7	*	*	*	*	*	*	*	*	*
84.1 . . . . .	138	80	59	*	*9	50	79	31	28	59	21
84.11 . . . . .	50	33	18	*	*	22	24	12	11	21	*6
84.12 . . . . .	16	*9	*7	*	*	*8	*6	*5	*	*	*
84.15 . . . . .	37	21	16	*	*	13	21	*6	*7	17	*8
84.17 . . . . .	34	16	18	—	*	*6	28	*7	*6	17	*
84.3 . . . . .	19	10	10	*	*	*6	9	*	*	*7	*
85–86 . . . . .	1,336	604	732	131	393	409	404	284	252	602	198
85 . . . . .	218	*	217	*	55	91	72	49	38	92	39
85.1 . . . . .	16	*	16	—	*	*6	*8	*	*	*7	*
85.11 . . . . .	*8	*	*8	—	*	*	*	*	*	*	*
85.2 . . . . .	31	*	30	—	*	11	16	11	*6	10	*
85.21 . . . . .	19	*	19	—	*	*7	*9	*7	*	*6	*
85.23 . . . . .	9	—	9	—	*	*	*5	*	*	*	*
85.3 . . . . .	12	*	12	—	*7	*	*	*	*	*	*
85.32 . . . . .	*8	*	*8	—	*5	*	*	*	*	*	*
85.4 . . . . .	96	*	95	—	18	36	42	18	19	41	17
85.41 . . . . .	23	*	23	—	*6	9	*8	*	*6	10	*
85.43 . . . . .	64	*	64	—	*9	24	31	13	12	28	11
85.5 . . . . .	*9	—	*9	—	*	*	*	*	*	*	*
85.7 . . . . .	15	—	15	—	*	10	*	*	*	*8	*
85.8 . . . . .	10	*	10	*	*	*6	*	*	*	*6	*
85.9 . . . . .	23	*	23	—	*7	14	*	*	*	9	*7
85.94 . . . . .	*6	—	*6	—	*	*	*	*	*	*	*
85.95 . . . . .	12	*	12	—	*	*9	*	*	*	*	*
86 . . . . .	1,118	602	516	130	337	318	332	235	214	510	159
86.0 . . . . .	286	147	139	29	81	98	78	63	56	121	45
86.01 . . . . .	13	*7	*6	*	*	*	*	*	*	*	*
86.04 . . . . .	129	73	56	13	46	41	29	27	25	57	21

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
86.05 . . . . .	38	18	19	*	13	13	*6	*9	*5	17	*7
86.06 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
86.07 . . . . .	78	32	46	*8	11	29	29	18	13	36	11
86.09 . . . . .	19	11	*8	*	*	*5	*8	*	*6	*6	*
86.1 . . . . .	20	9	11	*	*	*8	*7	*7	*	*7	*
86.11 . . . . .	20	9	11	*	*	*8	*7	*7	*	*7	*
86.2 . . . . .	384	213	172	22	92	119	151	92	81	164	46
86.22 . . . . .	265	155	111	14	71	90	90	61	55	115	35
86.23 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
86.27 . . . . .	43	21	22	*	*	10	31	18	13	10	*
86.28 . . . . .	68	34	35	*8	17	17	27	12	11	36	*9
86.3 . . . . .	73	28	45	*9	32	16	16	15	14	35	*9
86.4 . . . . .	13	*7	*5	*	*	*	*5	*	*	*7	*
86.5 . . . . .	141	85	55	*8	65	26	41	26	34	49	30
86.59 . . . . .	140	85	55	*8	65	26	41	26	34	49	30
86.6 . . . . .	97	63	34	28	28	23	19	12	11	67	*8
86.62 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
86.66 . . . . .	*6	*	*	*	*	*	*	—	*	*5	—
86.69 . . . . .	68	42	25	20	20	16	12	*7	*9	44	*7
86.7 . . . . .	34	23	11	*	12	*8	10	*6	*	18	*6
86.72 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
86.74 . . . . .	19	13	*6	*	*7	*	*7	*	*	9	*
86.8 . . . . .	65	25	40	23	19	19	*	10	*6	38	10
86.83 . . . . .	21	*	17	*	*7	11	*	*5	*	*8	*
86.84 . . . . .	31	16	15	21	*9	*	*	*	*	28	*
86.89 . . . . .	9	*	*6	*	*	*	*	*	*	*	*
86.9 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
87–99 . . . . .	12,185	5,758	6,427	895	2,356	3,247	5,688	3,549	2,489	3,922	2,225
87 . . . . .	975	439	536	58	204	263	450	282	177	319	197
87.0 . . . . .	345	162	183	26	56	75	188	155	64	70	56
87.03 . . . . .	340	160	180	25	54	74	186	155	63	67	55
87.2 . . . . .	28	11	17	*	*8	10	*8	*5	*8	11	*
87.21 . . . . .	17	*8	*9	—	*	*8	*	*	*	*8	*
87.4 . . . . .	271	129	142	12	39	80	140	57	44	106	65
87.41 . . . . .	109	57	52	*	16	30	60	48	22	21	19
87.44 . . . . .	154	68	87	*8	22	48	76	*6	22	82	44
87.49 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
87.5 . . . . .	144	45	100	*	46	47	50	24	24	59	38
87.53 . . . . .	133	39	94	*	45	42	46	21	22	55	35
87.6 . . . . .	40	20	20	*7	*7	*9	17	9	*6	12	13
87.61 . . . . .	12	*6	*5	*	*	*	*7	*	*	*	*
87.62 . . . . .	14	*6	*8	*	*	*	*	*	*	*	*
87.63 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
87.64 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
87.7 . . . . .	141	71	71	10	44	42	46	31	30	60	21
87.73 . . . . .	26	11	15	*	11	*7	*7	*5	*	12	*
87.74 . . . . .	84	41	43	*	25	28	28	21	19	36	*8
87.76 . . . . .	*7	*	*	*5	*	*	*	*	*	*	*
87.79 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
88 . . . . .	3,376	1,685	1,691	101	445	1,112	1,718	944	798	1,080	554
88.0 . . . . .	227	100	127	11	61	68	87	101	39	51	36
88.01 . . . . .	226	100	126	11	60	68	87	101	39	51	35
88.1 . . . . .	16	*8	*9	*	*	*5	*5	*	*	10	*
88.19 . . . . .	13	*6	*7	*	*	*	*	*	*	*8	*
88.2 . . . . .	28	*6	22	*	*5	*5	16	*	10	*7	*8
88.26 . . . . .	9	*	*8	*	*	*	*8	*	*	*	*
88.27 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
88.3 . . . . .	90	41	49	*8	26	22	34	42	16	19	12
88.38 . . . . .	86	39	46	*6	25	22	33	41	16	17	12
88.4 . . . . .	415	204	212	*6	45	127	237	81	111	159	64
88.40 . . . . .	*6	*	*	—	*	*	*	*	*	*	*

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age			Region				
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
88.41 . . . . .	116	55	61	*	18	36	61	27	28	45	17
88.42 . . . . .	119	59	60	*	*8	36	73	17	38	48	16
88.43 . . . . .	13	*7	*6	*	*	*	*5	*	*	*	*
88.44 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
88.45 . . . . .	24	11	13	*	*	*9	14	*	*6	10	*
88.47 . . . . .	25	9	15	*	*	*9	13	*	*5	11	*
88.48 . . . . .	84	45	39	*	*	23	56	19	23	27	15
88.49 . . . . .	20	10	10	*	*5	*6	9	*	*6	*7	*
88.5 . . . . .	1,521	848	673	*	125	621	771	312	404	589	216
88.50 . . . . .	*7	*6	*	—	*	*	*	*5	*	*	*
88.51 . . . . .	11	*5	*6	*	*	*	*7	*	*	*	*
88.53 . . . . .	588	318	269	*	53	240	295	124	154	238	72
88.54 . . . . .	22	12	10	*	*	*7	10	*6	*8	*5	*
88.55 . . . . .	15	*8	*6	—	*	*8	*6	*5	*	*	*
88.56 . . . . .	807	455	353	*	60	329	418	149	222	300	135
88.57 . . . . .	70	43	27	*	*6	32	32	17	13	36	*
88.6 . . . . .	18	10	*8	*	*5	*7	*6	*	*	*7	*
88.67 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
88.7 . . . . .	825	364	461	46	132	195	451	302	165	187	170
88.71 . . . . .	58	25	33	*	*	11	40	30	*8	*8	12
88.72 . . . . .	490	231	258	21	45	123	301	171	92	134	93
88.74 . . . . .	20	*9	11	*	*5	*6	*8	*	*8	*7	*
88.75 . . . . .	42	22	20	*7	*8	10	17	17	*5	*7	13
88.76 . . . . .	106	41	65	11	33	24	38	39	24	13	30
88.77 . . . . .	63	29	34	*	*8	15	39	27	18	*8	10
88.78 . . . . .	21	—	21	—	21	*	—	*8	*	*	*6
88.79 . . . . .	20	*6	15	*	*8	*	*7	*6	*6	*6	*
88.9 . . . . .	235	104	131	23	40	60	112	98	46	50	41
88.91 . . . . .	143	65	78	16	22	36	69	60	28	29	27
88.93 . . . . .	42	20	22	*	10	11	19	16	11	*9	*7
88.94 . . . . .	12	*6	*6	*	*	*	*	*7	*	*	*
88.97 . . . . .	33	11	22	*	*	*9	17	13	*5	9	*
89 . . . . .	858	404	454	51	115	237	454	286	137	206	229
89.0 . . . . .	87	39	48	*	14	23	48	14	*	*	69
89.04 . . . . .	*7	*	*5	—	*	*	*5	*6	—	—	*
89.05 . . . . .	*7	*	*	—	*	*	*	*7	—	—	—
89.06 . . . . .	28	13	15	*	*	*8	16	—	—	—	28
89.07 . . . . .	16	*8	*8	—	*	*6	*8	—	—	—	16
89.08 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
89.09 . . . . .	24	11	13	—	*	*5	15	—	—	—	24
89.1 . . . . .	93	45	47	27	20	16	29	40	*8	28	17
89.14 . . . . .	57	28	29	16	10	9	21	25	*	13	14
89.15 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
89.19 . . . . .	20	9	11	*7	*6	*	*	9	*	*8	*
89.2 . . . . .	19	*7	12	*	*	*	11	*7	*	9	*
89.22 . . . . .	9	*	*	—	*	*	*6	*	*	*	*
89.3 . . . . .	33	18	15	*9	*6	*6	12	9	*8	11	*
89.37 . . . . .	*8	*	*	*	*	*	*	*5	*	*	*
89.38 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
89.39 . . . . .	15	*8	*8	*	*	*	*6	*	*	*8	*
89.4 . . . . .	139	68	72	*	16	59	64	52	22	30	35
89.41 . . . . .	41	20	20	*	*8	17	16	18	*	*7	11
89.44 . . . . .	95	44	51	*	*9	39	47	34	16	22	23
89.5 . . . . .	330	148	182	*7	36	88	199	117	58	88	68
89.50 . . . . .	11	*5	*6	*	*	*	*7	*6	*	*	*
89.52 . . . . .	186	79	106	*	20	49	113	26	47	74	39
89.54 . . . . .	119	57	62	*	11	34	70	81	*8	*8	22
89.59 . . . . .	9	*	*5	—	*	*	*5	*	*	*	*
89.6 . . . . .	156	79	77	*6	19	42	89	47	39	36	34
89.61 . . . . .	12	*6	*6	*	*	*	*	*	*	*	*
89.62 . . . . .	15	*7	*8	*	*	*5	*7	*	*	*5	*

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
89.64 . . . . .	47	27	20	*	*	13	30	14	13	13	*7
89.65 . . . . .	70	33	38	*	11	16	40	24	13	14	20
89.68 . . . . .	9	*	*	*	*	*	*5	*	*	*	*
90 . . . . .	158	42	116	12	50	47	49	*	*6	150	*
90.5 . . . . .	145	35	111	11	47	44	44	*	*	143	*
90.59 . . . . .	143	34	109	10	46	44	43	*	—	142	*
90.8 . . . . .	*7	*	*	*	*	*	*	*	*	*	—
90.81 . . . . .	*6	*	*	—	*	*	*	*	*	*	—
91 . . . . .	56	19	37	*	*7	20	25	*	*	53	*
91.3 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
91.9 . . . . .	49	16	32	*	*6	18	21	*	—	48	*
91.99 . . . . .	49	16	32	*	*6	18	21	*	—	48	*
92 . . . . .	250	111	139	*5	36	81	128	93	36	75	46
92.0 . . . . .	92	38	54	*	12	32	46	36	14	21	21
92.02 . . . . .	9	*	*6	*	*	*	*	*	*	*	*
92.04 . . . . .	11	*	*8	*	*	*	*	*	*	*	*
92.05 . . . . .	66	30	36	—	*5	25	36	27	12	14	14
92.1 . . . . .	61	25	36	*	10	13	36	31	*7	15	*9
92.14 . . . . .	24	11	13	*	*	*	14	14	*	*	*
92.15 . . . . .	32	12	20	*	*5	*7	20	14	*	9	*
92.2 . . . . .	90	45	45	*	11	34	44	24	13	38	15
92.24 . . . . .	21	10	11	—	*	9	10	*7	*	*7	*
92.27 . . . . .	20	11	10	*	*	*8	10	*5	*	*8	*
92.29 . . . . .	41	21	20	*	*6	14	21	10	*7	20	*
92.3 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
93 . . . . .	1,375	607	768	182	176	274	743	360	234	454	328
93.0 . . . . .	45	21	24	*	*8	12	24	22	*9	*	10
93.01 . . . . .	40	18	22	*	*7	10	22	20	*8	*	10
93.1 . . . . .	19	*7	12	*	*	*5	11	15	*	*	*
93.11 . . . . .	*5	*	*	*	*	*	*	*	—	*	*
93.12 . . . . .	*8	*	*5	*	*	*	*6	*7	*	*	—
93.2 . . . . .	34	14	19	*	*5	12	16	22	*	*	*
93.22 . . . . .	24	10	13	*	*	*8	13	19	*	*	*
93.3 . . . . .	314	118	195	*8	25	59	222	57	55	138	64
93.32 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
93.38 . . . . .	17	*7	10	*	*	*	12	*	*	*5	*9
93.39 . . . . .	287	106	181	*7	21	53	206	52	51	128	55
93.4 . . . . .	13	*7	*6	*	*	*	*	*	*	*	*
93.5 . . . . .	99	46	53	19	25	23	32	21	22	36	20
93.53 . . . . .	20	12	*8	*5	*	*	*6	*6	*	*	*6
93.54 . . . . .	29	9	20	*	*7	*8	13	*5	*8	*8	*8
93.57 . . . . .	18	10	*9	9	*	*	*	*	*	12	*
93.59 . . . . .	21	*8	13	*	*5	*6	9	*6	*	*8	*
93.6 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
93.67 . . . . .	*5	*	*	—	*	*	*	*	—	*	*
93.7 . . . . .	38	18	20	*	*	*7	28	*	15	11	*8
93.75 . . . . .	37	18	20	*	*	*7	27	*	15	11	*8
93.8 . . . . .	387	159	228	9	48	78	251	76	66	180	65
93.81 . . . . .	37	18	19	*	11	*9	15	*5	11	15	*6
93.83 . . . . .	209	81	128	*6	25	48	131	45	44	87	33
93.89 . . . . .	140	58	81	*	11	22	105	25	11	78	26
93.9 . . . . .	422	215	207	141	54	74	154	139	58	73	152
93.90 . . . . .	76	37	40	10	*8	22	36	27	20	13	16
93.94 . . . . .	168	86	82	81	23	23	40	57	19	29	63
93.96 . . . . .	155	81	74	46	17	26	66	46	16	27	65
93.99 . . . . .	19	10	*9	*	*5	*	*8	*7	*	*	*8
94 . . . . .	748	432	316	47	462	184	56	343	178	188	39
94.0 . . . . .	9	*5	*	*	*	*	*	*	*	*8	*
94.2 . . . . .	156	74	82	13	90	34	19	102	25	26	*
94.22 . . . . .	*6	*	*	*	*	*	*	*	*	*	—

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table: see "Methods" section]

ICD-9-CM code	Total	Sex		Age			Region				
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
94.23 . . . . .	28	15	13	*	17	*5	*	27	—	*	—
94.25 . . . . .	86	44	42	*8	52	21	*6	62	11	12	*
94.27 . . . . .	34	10	24	—	17	*6	10	*8	13	11	*
94.3 . . . . .	99	51	48	13	55	21	10	54	26	17	*
94.37 . . . . .	*8	*	*	*	*	*	—	*8	—	—	—
94.38 . . . . .	35	18	18	*	24	*9	*	35	—	*	—
94.39 . . . . .	51	25	26	*6	27	12	*6	*8	26	16	*
94.4 . . . . .	143	70	73	15	84	28	16	66	31	44	*
94.42 . . . . .	17	*8	9	*6	*8	*	*	*7	*	*6	—
94.44 . . . . .	113	55	58	10	66	24	14	50	25	37	*
94.46 . . . . .	*5	*	*	—	*	*	*	*5	—	*	—
94.6 . . . . .	338	231	108	*	226	99	12	118	95	92	33
94.61 . . . . .	10	*6	*	*	*6	*	*	*	*	*	*
94.62 . . . . .	149	105	43	—	85	55	9	48	54	31	15
94.63 . . . . .	18	11	*6	—	9	*7	*	*	*8	*6	*
94.64 . . . . .	*8	*6	*	*	*7	*	*	*	*	*	*
94.65 . . . . .	82	54	28	*	63	18	*	35	13	28	*5
94.66 . . . . .	*6	*	*	—	*	*	*	*	*	*	*
94.67 . . . . .	11	*6	*	*	*9	*	—	*	*	*	*
94.68 . . . . .	46	33	13	—	35	10	*	27	*6	9	*
94.69 . . . . .	9	*5	*	—	*7	*	*	*	*	*	*
95 . . . . .	9	*6	*	*7	*	*	*	*	*	*	*
95.4 . . . . .	*7	*	*	*7	*	*	*	*	*	*	*
96 . . . . .	1,448	693	755	161	278	311	698	396	292	464	295
96.0 . . . . .	545	274	271	52	77	130	286	144	111	181	109
96.04 . . . . .	451	225	226	44	61	113	233	114	88	161	87
96.05 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
96.07 . . . . .	77	39	38	*6	14	14	42	25	19	14	18
96.08 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
96.2 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
96.3 . . . . .	24	9	14	*	*8	*	9	*6	*5	10	*
96.33 . . . . .	11	*	*6	*	*7	*	*	*	*	*	*
96.38 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
96.4 . . . . .	92	*	89	*	88	*	*	11	18	24	39
96.49 . . . . .	90	*	88	*	88	*	*	10	17	23	39
96.5 . . . . .	50	27	23	*7	12	11	20	14	12	13	12
96.56 . . . . .	29	16	13	*	*	*7	13	*6	*6	*8	9
96.59 . . . . .	14	*8	*6	*	*6	*	*	*	*	*	*
96.6 . . . . .	139	71	68	20	*8	22	88	72	31	24	11
96.7 . . . . .	591	304	287	75	84	143	289	146	114	211	121
96.70 . . . . .	20	10	10	*	*	*5	12	*6	*	11	*
96.71 . . . . .	357	183	174	44	53	84	176	82	77	120	78
96.72 . . . . .	214	111	103	30	29	54	101	57	35	80	42
97 . . . . .	89	46	43	12	22	19	36	20	18	33	18
97.0 . . . . .	30	13	17	*	*	*	20	*8	*6	13	*
97.02 . . . . .	22	9	12	*	*	*	15	*6	*	10	*
97.2 . . . . .	9	*6	*	*	*	*	*	*	*	*	*
97.23 . . . . .	*8	*6	*	*	*	*	*	*	*	*	*
97.4 . . . . .	*9	*5	*	*	*	*	*	*	*	*	*
97.49 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
97.5 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
97.6 . . . . .	16	*9	*7	*	*8	*	*	*	*	*	*5
97.62 . . . . .	11	*5	*6	*	*6	*	*	*	*	*	*
97.8 . . . . .	10	*6	*	*	*	*	*	*	*	*	*
98 . . . . .	26	14	12	*5	*7	*8	*6	*6	*	10	*5
98.0 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
98.02 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
98.1 . . . . .	*5	*	*	*	*	*	*	*	*	*	*
98.5 . . . . .	*9	*	*	—	*	*	*	*	*	*5	*
98.51 . . . . .	*9	*	*	—	*	*	*	*	*	*5	*

See footnotes at end of table.

**Table 46. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2001—Con.**

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
99 . . . . .	2,817	1,260	1,556	249	553	689	1,325	814	607	886	509
99.0 . . . . .	1,304	565	739	57	171	294	782	255	277	516	257
99.00 . . . . .	13	*6	*8	*	*	*	*8	*	*	*6	*
99.02 . . . . .	59	26	33	*	*	21	33	11	16	15	16
99.03 . . . . .	23	10	14	*	*	*	15	*7	*	11	*
99.04 . . . . .	1,050	442	608	40	133	229	648	200	221	425	204
99.05 . . . . .	53	29	24	*8	10	16	19	12	9	19	12
99.07 . . . . .	93	46	47	*	17	18	55	18	20	35	20
99.09 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
99.1 . . . . .	345	141	204	42	113	79	112	124	68	82	71
99.10 . . . . .	56	29	27	*	*5	22	28	19	13	12	12
99.11 . . . . .	67	*	67	*	66	*	—	13	15	21	17
99.14 . . . . .	11	*8	*	*	*	*	*	*	*	*	*
99.15 . . . . .	115	57	58	27	19	25	44	37	25	27	25
99.17 . . . . .	26	13	13	*	*9	*8	*7	14	*	*5	*
99.18 . . . . .	27	11	15	*8	*6	*6	*7	19	*	*	*
99.19 . . . . .	44	22	22	*	*7	15	21	20	*8	*7	9
99.2 . . . . .	897	419	478	94	224	264	316	371	195	209	122
99.20 . . . . .	113	72	41	—	*6	55	53	28	31	35	20
99.21 . . . . .	237	102	135	37	76	52	72	113	54	47	22
99.22 . . . . .	*7	*	*	—	*	*	*	*5	*	*	*
99.23 . . . . .	81	25	57	*	17	19	41	26	22	22	12
99.25 . . . . .	197	105	92	33	41	75	49	53	35	74	35
99.29 . . . . .	254	109	145	20	78	59	97	145	51	29	29
99.3 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
99.4 . . . . .	17	*	17	—	17	*	—	*	*	*7	*
99.47 . . . . .	14	—	14	—	14	—	—	*	*	*6	*
99.5 . . . . .	23	12	12	*6	*	*9	*	*	13	*	*
99.52 . . . . .	*6	*	*	*	*	*	*	*	*	*	*
99.55 . . . . .	*7	*	*	*	*	*	*	*	*	*	*
99.59 . . . . .	9	*5	*	*	*	*	*	*	*8	*	*
99.6 . . . . .	151	80	71	*	11	37	100	37	39	44	32
99.60 . . . . .	54	27	27	*	*	12	34	11	13	17	13
99.61 . . . . .	36	22	15	*	*	*8	25	10	*9	12	*6
99.62 . . . . .	52	27	24	*	*	16	33	15	13	13	10
99.69 . . . . .	*8	*	*	*	*	*	*7	*	*	*	*
99.7 . . . . .	14	*5	*8	*	*6	*	*	*7	*	*	*
99.71 . . . . .	*9	*	*6	*	*6	*	*	*	*	*	*
99.8 . . . . .	51	31	20	45	*	*	*	*6	*8	18	18
99.82 . . . . .	*6	*	*	*6	—	—	—	*	*	*	*
99.83 . . . . .	39	25	15	39	*	—	*	*5	*	14	16
99.84 . . . . .	*5	*	*	*	*	*	*	*	*	*	—
99.9 . . . . .	*8	*	*	*	*	*	*	*	*	*	*
99.99 . . . . .	*7	*	*	*	*	*	*	*	*	*	—

\* Figure does not meet standard of reliability or precision.

— Quantity zero.

NOTE: Estimates of 5,000–9,000 are to be used with caution; see "Methods" section.

# Appendix

---

## Technical Notes

### Abstract Form

[Figure I](#) shows the medical abstract form used for the 2001 National Hospital Discharge Survey (NHDS). The hospital number, medical record number, date of birth, and patient ZIP code are confidential information and are not released to the public.

### Population Estimates

Population estimates used to compute rates are shown in [table I](#). These estimates are for the civilian population of the United States, including institutionalized persons, as of July 1, 2001. The data are postcensal estimates based on the 2000 census and are from unpublished tabulations provided by the U.S. Census Bureau.

Estimates of the civilian population based on the 2000 census were not available when the report of 2000 NHDS data was prepared. The 2000 census-based estimates were later received and are shown in [table II](#), along with the 2000 population estimates based on the 1990 census. The 1990 census-based estimates were adjusted for the net underenumeration using the 1990 National Population Adjustment Matrix.

The estimate of the 2000 population from the 2000 census was 1 percent larger than the adjusted estimate based on the 1990 population. The overall discharge rate went from 114.0 to 112.9 with the change in population. This was not a statistically significant change. In fact, none of the age- and sex-specific discharge rates shown in [table II](#), calculated with the 2000 census-based populations, were significantly different from corresponding rates calculated with 1990 census-based populations.

[Figures II](#) and [III](#) illustrate the very minor effects of the population change on 2000 discharge rates.

Estimates of the 2001 civilian population were not available for the four census regions of the country at the time this report was being prepared.

**Table I. Civilian population by age and sex: United States, 2001**

Age and sex	Both sexes	Male	Female
Number in thousands			
All ages . . . . .	283,624	138,809	144,815
Under 15 years . . . . .	60,435	30,938	29,497
Under 1 year . . . . .	4,034	2,064	1,969
1-4 years . . . . .	15,336	7,841	7,495
5-14 years . . . . .	41,065	21,033	20,033
15-44 years . . . . .	123,438	61,930	61,508
15-24 years . . . . .	39,459	20,076	19,383
25-34 years . . . . .	39,211	19,673	19,538
35-44 years . . . . .	44,768	22,181	22,587
45-64 years . . . . .	64,460	31,358	33,102
45-54 years . . . . .	39,153	19,205	19,947
55-64 years . . . . .	25,307	12,153	13,155
65 years and over . . . . .	35,291	14,583	20,708
65-74 years . . . . .	18,313	8,297	10,016
75-84 years . . . . .	12,574	4,987	7,587
85 years and over . . . . .	4,404	1,299	3,105

NOTE: Unpublished estimates from the U.S. Census Bureau based on the 2000 census.

Therefore, it was not possible to include population-based hospital use rates by region. Tables that consisted entirely of regional rates were deleted, but numbers, percent distributions, and ratios, including average lengths of stay, continue to be shown by region.

### Reliability of Estimates

The statistics presented in this report are based on a sample survey and may differ from the figures that would be obtained if a complete census had been taken. The standard error is primarily a measure of sampling variability that occurs by chance because only a sample rather than an entire universe is surveyed. Standard errors for the estimates from the NHDS were calculated with SUDAAN software, which takes into account the complex sample design. A description of the software and the approach it uses has been published (21).

The chances are about 32 in 100 that an estimate from the sample would differ from a complete census by more than the standard error. The chances are 5 in 100 that the difference would be more than twice the standard error and about 1 in 100 that the difference would be more than 2.5 times as large as the standard error. The relative standard error (RSE) expresses the standard error as a percent of the estimate and can be

multiplied by the estimate to obtain the standard error.

To derive approximate standard errors for the estimates in this report, first calculate the approximate RSE of the estimate using the parameters shown in [table III](#). Then multiply the approximate RSE by the estimate. The approximate RSE of an estimate  $X$ , may be estimated from the formula:

$$\text{RSE}(X) = \sqrt{a + b/X}$$

where  $a$  and  $b$  are defined in [table III](#). When multiplied by 100,  $\text{RSE}(X)$  is expressed as a percent of  $X$ .

The approximate RSE for a percent,  $100p$ , in which the numerator is a subclass of the denominator, may be calculated directly using the formula:

$$\text{RSE}(p) = \sqrt{b(1-p)/(pX)}$$

where  $100p$  is the percent of interest,  $X$  is the denominator of the percent, and  $b$  is the parameter  $b$  in the formula for approximating the  $\text{RSE}(X)$ . The values for  $b$  are given in [table III](#). When multiplied by 100,  $\text{RSE}(p)$  is expressed as a percent of  $p$ . This approximation is valid if the RSE of the denominator is less than 5 percent or the RSEs of the numerator and denominator are both less than 10 percent (22,23).

The approximate RSE of a population-based rate is equivalent to the approximate RSE of the numerator

OMB No. 0920-0212; Approval Expires 10/31/2002

**Notice** – All information which would permit identification of an individual or an establishment will be held confidential, will be used only by persons engaged in and for the purposes of the survey, and will not be disclosed or released to other persons or used for any other purpose. Public reporting burden of this collection of information is estimated to average 4 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/NCHS Reports Clearance Officer, 1600 Clifton Road, MS D-24, Atlanta, GA 30333, ATTN: PRA (0920-0212).

FORM HDS-1  
(11-99-2000)

U.S. DEPARTMENT OF COMMERCE  
Economics and Statistics Administration  
U.S. CENSUS BUREAU  
ACTING AS COLLECTING AGENT FOR  
DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR DISEASE CONTROL AND PREVENTION  
NATIONAL CENTER FOR HEALTH STATISTICS

**MEDICAL ABSTRACT - NATIONAL HOSPITAL DISCHARGE SURVEY****A. PATIENT IDENTIFICATION**

1. Hospital number .....	Month	Day	Year
2. HDS number .....			
3. Medical record number .....			
4. Date of admission .....	Month	Day	Year
5. Date of discharge .....			
6. Residence ZIP Code .....			

**B. PATIENT CHARACTERISTICS**

7. Date of birth Month Day Year -   -	11. Race – Mark all that apply 1 <input type="checkbox"/> White      6 <input type="checkbox"/> Other – Specify _____ 2 <input type="checkbox"/> Black or African American 3 <input type="checkbox"/> American Indian or Alaska Native 4 <input type="checkbox"/> Asian 5 <input type="checkbox"/> Native Hawaiian or Other Pacific Islander 7 <input type="checkbox"/> Not stated
8. Age – Complete only if date of birth not given Units -   -        1 <input type="checkbox"/> Years 2 <input type="checkbox"/> Months 3 <input type="checkbox"/> Days	12. Marital status – Mark (X) one 1 <input type="checkbox"/> Married      3 <input type="checkbox"/> Widowed      5 <input type="checkbox"/> Separated 2 <input type="checkbox"/> Single      4 <input type="checkbox"/> Divorced      6 <input type="checkbox"/> Not stated
9. Sex – Mark (X) one 1 <input type="checkbox"/> Male      2 <input type="checkbox"/> Female      3 <input type="checkbox"/> Not stated	
10. Ethnicity – Mark (X) one 1 <input type="checkbox"/> Hispanic or Latino      2 <input type="checkbox"/> Not Hispanic or Latino      3 <input type="checkbox"/> Not stated	

**C. ADMINISTRATIVE INFORMATION**

13. Type of Admission – Mark (X) one 1 <input type="checkbox"/> Emergency      3 <input type="checkbox"/> Elective      5 <input type="checkbox"/> Items not available/unknown 2 <input type="checkbox"/> Urgent      4 <input type="checkbox"/> Newborn	16. Expected source(s) of payment Principal      Other additional sources Mark one only      Mark all that apply  1. Worker's compensation 2. Medicare 3. Medicaid 4. Other government payments 5. Blue Cross/Blue Shield 6. HMO/PPO 7. Other private or commercial insurance 8. Self pay 9. No charge 10. Other – Specify _____  □ No source of payment indicated
14. Source of Admission – Mark (X) one 1 <input type="checkbox"/> Physician referral      7 <input type="checkbox"/> Emergency room 2 <input type="checkbox"/> Clinical referral      8 <input type="checkbox"/> Court/Law enforcement 3 <input type="checkbox"/> HMO referral      9 <input type="checkbox"/> Other – Specify _____ 4 <input type="checkbox"/> Transfer from a hospital 5 <input type="checkbox"/> Transfer from SNF 6 <input type="checkbox"/> Transfer from other health facility 10 <input type="checkbox"/> Item not available	
15. Status/Disposition of patient – Mark (X) appropriate box(es) Status      Disposition 1 <input type="checkbox"/> Alive → a. <input type="checkbox"/> Routine discharge/discharged home b. <input type="checkbox"/> Left against medical advice c. <input type="checkbox"/> Discharged, transferred to another short-term hospital d. <input type="checkbox"/> Discharged, transferred to long-term care institution e. <input type="checkbox"/> Other disposition/not stated 2 <input type="checkbox"/> Died 3 <input type="checkbox"/> Status not stated	

(Over)

Figure I. Medical abstract form for the National Hospital Discharge Survey, 2001

D. MEDICAL INFORMATION			
<b>17. Final Diagnoses (including E-code diagnoses) (Enter ICD-9-CM codes as well as narrative if available)</b>			
Principal: _____			
Other/additional: _____ _____			
_____			
_____			
_____			
_____			
_____			
<b>18. Surgical and Diagnostic Procedures (Enter ICD-9-CM codes as well as narrative if available)</b>			
Date of procedure(s)			
Month	Day	Year	
Principal: _____			
Other/additional: _____ _____			
_____			
_____			
_____			
_____			
_____			
_____			
<input type="checkbox"/> <b>NONE</b>			
Completed by _____		Date _____	

Figure I. Medical abstract form for the National Hospital Discharge Survey, 2001—Con.

**Table II. Estimates of July 1, 2000, civilian population based on 1990 and 2000 census, ratios of estimates, discharge rates, and ratios of rates: United States, 2000**

Age and sex	Population in thousands		Ratio	Discharge rate per 1,000 population		Ratio
	1990 census base <sup>1</sup>	2000 census base		1990 census base <sup>1</sup>	2000 census base	
Both sexes . . . . .	278,099	280,939	1.010	114.0	112.9	0.990
Under 15 years . . . . .	60,493	60,276	0.996	39.4	39.5	1.004
Under 1 year . . . . .	3,994	3,854	0.965	195.7	202.8	1.036
1–4 years . . . . .	15,678	15,357	0.980	44.9	45.8	1.021
15–14 years . . . . .	40,820	41,065	1.006	22.0	21.9	0.994
15–44 years . . . . .	122,186	123,147	1.008	81.6	81.0	0.992
15–24 years . . . . .	39,025	38,865	0.996	72.2	72.5	1.004
25–34 years . . . . .	38,046	39,406	1.036	97.7	94.3	0.965
35–44 years . . . . .	45,155	44,876	0.994	76.1	76.5	1.005
45–64 years . . . . .	60,944	62,445	1.025	114.2	111.4	0.976
45–54 years . . . . .	37,162	38,009	1.023	94.2	92.1	0.978
55–64 years . . . . .	23,783	24,436	1.027	145.4	141.5	0.973
65 years and over . . . . .	34,476	35,071	1.017	359.6	353.5	0.983
65–74 years . . . . .	17,993	18,374	1.021	260.0	254.6	0.979
75–84 years . . . . .	12,214	12,411	1.016	419.1	412.5	0.984
85 years and over . . . . .	4,269	4,286	1.004	608.8	606.4	0.996
Male . . . . .	135,986	137,403	1.010	92.0	91.1	0.990
Under 15 years . . . . .	30,943	30,864	0.997	43.1	43.2	1.003
Under 1 year . . . . .	2,040	1,975	0.968	220.6	227.9	1.033
1–4 years . . . . .	8,012	7,854	0.980	48.4	49.4	1.020
5–14 years . . . . .	20,892	21,036	1.007	23.7	23.5	0.993
15–44 years . . . . .	61,086	61,717	1.010	43.9	43.4	0.990
15–24 years . . . . .	19,831	19,762	0.997	30.0	30.1	1.004
25–34 years . . . . .	18,855	19,737	1.047	40.8	38.9	0.955
35–44 years . . . . .	22,399	22,217	0.992	58.8	59.3	1.008
45–64 years . . . . .	29,567	30,369	1.027	115.8	112.7	0.974
45–54 years . . . . .	18,198	18,645	1.025	92.3	90.0	0.976
55–64 years . . . . .	11,370	11,724	1.031	153.5	148.9	0.970
65 years and over . . . . .	14,389	14,453	1.004	352.8	351.3	0.996
65–74 years . . . . .	8,153	8,301	1.018	269.7	264.9	0.982
75–84 years . . . . .	4,945	4,905	0.992	426.1	429.5	1.008
85 years and over . . . . .	1,290	1,247	0.967	597.4	618.4	1.035
Female . . . . .	142,113	143,536	1.010	135.0	133.7	0.990
Under 15 years . . . . .	29,549	29,412	0.995	35.5	35.7	1.005
Under 1 year . . . . .	1,955	1,880	0.962	169.8	176.5	1.040
1–4 years . . . . .	7,666	7,503	0.979	41.2	42.0	1.022
5–14 years . . . . .	19,929	20,029	1.005	20.2	20.1	0.995
15–44 years . . . . .	61,100	61,431	1.005	119.3	118.7	0.995
15–24 years . . . . .	19,193	19,103	0.995	115.9	116.4	1.005
25–34 years . . . . .	19,191	19,669	1.025	153.6	149.9	0.976
35–44 years . . . . .	22,716	22,659	0.997	93.2	93.4	1.003
45–64 years . . . . .	31,377	32,076	1.022	112.6	110.2	0.978
45–54 years . . . . .	18,964	19,364	1.021	96.1	94.1	0.979
55–64 years . . . . .	12,413	12,712	1.024	137.9	134.7	0.976
65 years and over . . . . .	20,087	20,618	1.026	364.4	355.0	0.974
65–74 years . . . . .	9,840	10,072	1.024	251.9	246.1	0.977
75–84 years . . . . .	7,269	7,506	1.033	414.4	401.3	0.968
85 years and over . . . . .	2,979	3,039	1.020	613.7	601.5	0.980

<sup>1</sup>Estimates for July 1, 2000, based on the 1990 census were adjusted for net underenumeration using the National Population Adjustment Matrix.

(obtained by the method described above using figures from **table III**) if the denominator is an estimate produced by the U.S. Census Bureau for the total population or one or more of the age-sex groups of the total population.

The approximate RSE of a ratio ( $X/Y$ ) in which the numerator ( $X$ ) and the denominator ( $Y$ ) are both estimated from the same survey, but the numerator

is not a subclass of the denominator, is calculated using the formula:

$$\text{RSE}(X/Y) = \sqrt{[\text{RSE}(X)]^2 + [\text{RSE}(Y)]^2}$$

When multiplied by 100, the RSE( $X/Y$ ) is expressed as a percent of the ratio  $X/Y$ . This approximation is valid if the RSE of the denominator is less than 5 percent or the RSEs of the numerator

and denominator are both less than 10 percent (22,23).

## Definitions of Selected Terms


**Admission source**—The source of admission variable was added to the NHDS beginning in 2001. It was modeled after the variable contained in the National Uniform Bill (UB-92), the

**Table III. Estimated parameters for approximate relative standard error equations for National Hospital Discharge Survey statistics, by selected characteristics, 2001**

Characteristic	Discharges or first-listed diagnoses		Days of care		All-listed diagnoses		All-listed procedures	
	a	b	a	b	a	b	a	b
Total . . . . .	0.001631	363.12509	0.002459	1,220.89487	0.002091	334.05420	0.003315	350.63512
Sex								
Male . . . . .	0.001842	308.41410	0.003146	970.65046	0.002323	350.31173	0.002944	312.14074
Female . . . . .	0.001627	342.93903	0.002561	1,198.08912	0.002133	301.70076	0.003651	297.13325
Age group								
Under 15 years . . . . .	0.019559	255.68054	0.028911	741.92461	0.021234	251.66415	0.032730	188.88986
15–44 years . . . . .	0.001888	308.94327	0.003510	981.63597	0.002525	323.04101	0.002554	305.35783
45–64 years . . . . .	0.001619	340.50806	0.003025	1,242.89203	0.004306	304.37374	0.003745	314.88075
65 years and over . . . . .	0.001766	335.01760	0.002757	1,743.24150	0.001811	339.06768	0.004229	291.04046
Geographic region								
Northeast . . . . .	0.006571	214.04495	0.010894	626.33097	0.008897	255.03923	0.011802	217.65694
Midwest . . . . .	0.009213	223.96502	0.010174	681.94996	0.011381	221.01132	0.015234	114.86421
South . . . . .	0.002579	382.08743	0.004246	1,495.49950	0.001581	321.47181	0.004842	279.73060
West . . . . .	0.006452	397.64500	0.009007	1,290.83141	0.007389	385.48362	0.010323	320.12859
Principal expected source of payment								
Medicare . . . . .	0.001928	332.64540	0.003065	1,735.16946	0.002125	265.65344	0.004465	312.50291
Medicaid . . . . .	0.005123	288.43976	0.008733	950.06162	0.004662	342.03884	0.007771	261.56993
Workers' compensation and other government payment . . . . .	0.007835	335.06604	0.019079	953.52236	0.012240	320.42534	0.010259	319.83309
HMO/PPO <sup>1</sup> . . . . .	0.004518	283.02522	0.007349	623.07719	0.004200	300.77147	0.005875	275.40627
Blue Cross/Blue Shield and other private insurance . . . . .	0.004670	263.29831	0.006592	897.33089	0.005218	282.43767	0.007702	258.10313
Self-pay . . . . .	0.002101	286.72662	0.005520	1,112.40630	0.003209	281.65076	0.006501	213.04954
No charge and other . . . . .	0.031597	216.53385	0.024951	914.55479	0.027256	248.57408	0.032417	232.34503

<sup>1</sup>Health maintenance organization and preferred provider organization.

NOTE: The relative standard error (RSE) can be determined from the equation RSE(X)= SQRT(a+b/X).

**Figure II. Discharge rates computed with population estimates based on the 1990 and 2000 census, by sex: United States, 2000**


standard billing form used by Medicare for reimbursement of hospital inpatient care. The categories for admission source shown in this report are as follows:

**Physician referral**—The patient was admitted to the hospital upon the recommendation of his/her personal physician, the hospital's clinic physician, or a health maintenance organization physician.

**Emergency department**—The patient was admitted to the hospital upon the recommendation of the hospital's emergency department physician. Emergency department and emergency room are used interchangeably in this report.

**Transfer from a hospital**—The patient was admitted to the hospital as a transfer from an acute care hospital where he/she was an inpatient.

**Transfer from other health facility**—The patient was admitted to the hospital as a transfer from a



**Figure III. Discharge rates computed with population estimates based on the 1990 and 2000 census, by age: United States, 2000**

skilled nursing facility or other health facility where he/she was an inpatient.

**Other sources**—The patient was admitted to the hospital upon the direction of a court of law, on the request of a law enforcement agency representative, or for other reasons not categorized above.

**Item not available**—Information about the source of admission to the hospital was not available for the patient.

**Admission type**—Like admission source, the admission type variable was added to the NHDS in 2001 and is modeled after the variable in the UB-92. The following four admission types are shown in this report:

**Emergency**—The patient required immediate medical intervention as a result of severe life-threatening or potentially disabling conditions. Patients in this group are generally admitted through the emergency room.

**Urgent**—The patient required immediate care and treatment of a physical or mental disorder. Patients in this group are usually admitted to the first available and suitable accommodation.

**Elective**—The patient's condition permitted adequate time to schedule the availability of suitable accommodation.

**Item not available**—Information about the admission type for the patient was not available.

**Age**—Patient's age at the birthday prior to admission to the hospital.

**Average length of stay**—The mean length of stay for discharges. It is calculated by dividing the number of days of care by the number of discharges.

**Barell injury diagnosis matrix**—A two-dimensional array that includes all the *International Classification of Diseases, 9th revision, Clinical Modification (ICD-9-CM)* codes describing injury (18). The code numbers from the matrix are shown in [table IV](#). This matrix was developed to

provide a standard format for describing the site and type of injuries for use in epidemiological and clinical analyses of injury data.

**Bed size of hospital**—The number of beds, cribs, and pediatric bassinets regularly maintained (set up and staffed for use) for patients, not including bassinets for newborn infants. In this report, the classification of hospitals by bed size is based on the number of beds listed in the SMG Hospital Market Database (15).

**Days of care**—The total number of days a patient spent in the hospital. A stay of less than 1 day (patient admitted as an inpatient and discharged on the same day) is counted as one day. For patients admitted and discharged on different days, the number of days of care is computed by counting all the days from (and including) the day of admission to (but not including) the day of discharge.

**Death rate**—Calculated by dividing the number of deaths for a category by the total number of discharges in that category and multiplying by 100. Discharges whose status is unknown (1.0 percent) were assumed to be discharged alive.

**Diagnosis**—A disease or injury (or other factor that influences a patient's health status or causes contact with health services) that is listed on the medical record of the patient at discharge. The diagnosis established after study to be chiefly responsible for the admission of the patient to the hospital is the principal diagnosis. The first-listed diagnosis is the one specified as the principal diagnosis on the face sheet or discharge summary of the medical record or, if the principal diagnosis is not specified, the first one listed on the face sheet or discharge summary of the medical record. It is usually the main cause of the hospitalization. The number of first-listed diagnoses is the same as the number of discharges. Secondary diagnoses are all the diagnoses listed except the first-listed one and generally refer to conditions that did not cause the hospitalization but may complicate the treatment of the first-listed diagnosis. All-listed diagnoses include first-listed diagnoses and secondary diagnoses and

**Table IV. Code numbers for Barell injury diagnosis matrix categories in table 23**[Code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*]

Type of injury	All body sites	Traumatic brain injury	Other head, face, and neck	Spinal cord	Vertebral column	Torso	Upper extremities	Lower extremities	Other and unspecified
All types of injury . . .	800–908, 909.0–909.2, 909.4, 909.9, 910–994, 995.50–995.59 995.80–995.85	800–801, 803, 804, 850–854, 950.1–950.3, 995.55	802, 807.5–807.6, 830, 848.0–848.2, 870–874, 900, 910, 918, 920–921, 925, 940–941, 947.0 950.0, 950.9, 951, 953.0, 954.0, 957.0, 959.0	806, 952	805, 839.0– 839.5, 847.0–847.4	807.0–807.4, 808–809, 839.6–839.7, 846, 847.9 848.3–848.5, 860–868, 875–878, 879.0–879.7, 901, 902.0–902.5, 902.81–902.82, 911, 922, 926, 942, 947.3–947.4, 953.1–953.3, 953.5, 954.1–954.9, 959.1	810–818, 831–834 840–842, 880–887, 903, 912–915, 923, 927, 943–944, 953.4, 955, 959.2–959.5	820–827, 835–838, 843–845, 890–897, 904.0–904.8, 916, 917, 924.0–924.5, 928, 945, 959.6–959.7	819, 828–829, 839.8– 839.9, 848.8–848.9, 869, 879.8–879.9, 902.87, 902.89, 902.9, 904.9, 919, 924.8–924.9, 929, 946, 947.1–947.2, 947.8–947.9, 948, 949, 953.8–953.9, 956, 957.1–957.9 959.8–959.9
Fracture . . . . .	800–829	800–801, 803, 804	802, 807.5–807.6	806	805	807.0–807.4, 808, 809	810–818	820–827	819, 828–829
Dislocation . . . . .	830–839	None	830	None	839.0–839.5	839.6–839.7	831–834	835–838	839.8–839.9
Sprains and strains . . .	840–848	None	848.0–848.2	None	847.0–847.4	846, 847.9, 848.3–848.5	840–842	843–845	848.8–848.9
Internal . . . . .	850–854, 860–869, 952, 995.55	850–854, 995.55	None	952	None	860–868	None	None	869
Open wound . . . . .	870–884, 890–894	None	870–874	None	None	875–878 879.0–879.7	880–884	890–894	879.8–879.9
Amputation . . . . .	885–887, 895–897	None	None	None	None	None	885–887	895–897	None
Blood vessels . . . . .	900–904	None	900	None	None	901, 902.0–902.5, 902.81–902.82	903	904.0–904.8	902.87, 902.89 902.9, 904.9
Contusions and superficial injuries . . .	910–924	None	910, 918, 920–921	None	None	911, 922	912–915, 923	916–917, 924.0–924.5	919, 924.8–924.9
Crush . . . . .	925–929	None	925	None	None	926	927	928	929
Burns . . . . .	940–949	None	940–941, 947.0	None	None	942, 947.3–947.4	943–944	945	946, 947.1–947.2, 947.8–947.9, 948–949
Nerves and spinal cord . . . . .	950–951, 953–957	950.1–950.3	950.0, 950.9, 951, 953.0, 954.0, 957.0	None	None	953.1–953.3, 953.5, 954.1–954.9	953.4, 955	None	953.8–953.9, 956, 957.1–957.9
Unspecified . . . . .	959	None	959.0	None	None	959.1	959.2–959.5	959.6–959.7	959.8–959.9
System-wide . . . . .	905–908, 909.0–909.2, 909.4, 909.9, 930–939, 958, 960–994, 995.50– 995.54, 995.59, 995.80–995.85								

SOURCE: <http://www.cdc.gov/nchs/about/otheract/ice/barellmatrix.htm>.

**Table V. Code numbers for procedures considered nonsurgical in the National Hospital Discharge Survey, by ICD-9-CM category, 2001**[Procedure categories and code numbers are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*]

Procedure category and ICD-9-CM code	Nonsurgical codes
Operations on the nervous system . . . . .	01–05      01.18–01.19,03.31,03.39,04.19,05.19
Operations on the endocrine system . . . . .	06–07      06.19, 07.19
Operations on the eye . . . . .	08–16      08.19,09.19,09.41–09.49,10.29,11.29, 12.29,14.19,15.09,16.21,16.29
Operations on the ear . . . . .	18–20      18.01,18.11,18.19,20.31,20.39
Operations on the nose, mouth, and pharynx . . . . .	21–29      21.00–21.02,21.21,21.29,22.19,24.19, 25.09,26.19,27.29,28.19,29.11,29.19
Operations on the respiratory system . . . . .	30–34      31.41–31.42,31.48–31.49,33.21–33.23, 33.29,34.21–34.22,34.28–34.29
Operations on the cardiovascular system . . . . .	35–39      37.26–37.27,37.29,38.29,39.95
Operations on the hemic and lymphatic system . . . . .	40–41      40.19,41.38–41.39
Operations on the digestive system . . . . .	42–54      42.22–42.23,42.29,44.11–44.13,44.19, 45.11–45.13,45.19,45.21–45.24, 45.28–45.29, 48.21–48.23,48.29,49.21, 49.29,50.19,51.10–51.11,51.19,52.19 54.21,54.29
Operations on the urinary system . . . . .	55–59      55.21–55.22,55.29,56.31,56.35,56.39, 57.31–57.32,57.39,57.94–57.95, 58.21–58.22,58.29,59.29
Operations on the male genital organs . . . . .	60–64      60.18–60.19,61.19,62.19,63.09,64.19, 64.94
Operations on the female genital organs . . . . .	65–71      65.19,66.19,67.19,68.11,68.19,69.92,70.21–70.22,70.29,71.19
Obstetrical procedures . . . . .	72–75      73.4–73.59,73.91–73.92,75.31–75.32,75.34–75.35,75.94
Operations on the musculoskeletal system . . . . .	76–84      76.19,78.80–78.89,80.20–80.29,81.98, 83.29,84.41–84.43,84.45–84.47
Operations on the integumentary system . . . . .	85–86      85.19,86.19,86.92
Miscellaneous diagnostic and therapeutic procedures . . . . .	87–99      87.01–99.99

are included for users who want to know the total number of times conditions have been reported for hospitalized patients. A minimum of one and a maximum of seven diagnoses are coded per discharge in the NHDS. The HIV data (**table 22**) are for discharges with an HIV diagnosis listed in any position among the coded diagnoses.

**Discharge**—A completed inpatient hospitalization. A hospitalization may be completed by death or by releasing the patient to the customary place of residence, a nursing home, another hospital, or other locations.

**Hospital**—Hospitals with an average length of stay for all inpatients of less than 30 days (short stay) or those whose specialty is general (medical or surgical) or children's general. Federal hospitals, hospital units of institutions, and hospitals with fewer than six beds staffed for patient use are excluded.

**Newborn infant**—Inpatients admitted to a hospital by birth. Sick newborn infants are those that had at least one of the ICD-9-CM (2) diagnostic codes 001–999.

**Ownership of hospital**—The type of ownership is determined by the organization that controls and operates the hospital. Hospitals are grouped as follows:

**Proprietary**—Hospitals operated by individuals, partnerships, or corporations for profit.

**Government**—Hospitals operated by State or local governments.

**Nonprofit**—Hospitals operated by a nonprofit organization or church.

**Principal expected source of payment**—The primary expected method of payment for the hospitalization. This is classified as reported on the patient's medical record. Types of payment are as follows:

**Medicare**—The health insurance program for the aged and disabled administered by the Centers for Medicare and Medicaid Services (formerly the Health Care Financing Administration). A person 65 years of age and over is included in this category only if Medicare is reported as the principal expected source of payment. If Medicare and health maintenance organization/preferred provider organization (HMO/PPO) are reported, the discharge is included in the category listed first (i.e., the principal expected source of payment).

**Medicaid**—A jointly funded Federal-State health insurance program providing medical care to those unable to afford it. If Medicaid and HMO/PPO are reported, the discharge is included in the category listed first (i.e., the

principal expected source of payment).

**Workers' compensation**—A State or municipal disability insurance or industrial accident insurance.

**Other government**—This includes payments under the Title V Program, the State-funded Maternal and Child Health Program that provides coverage for children up to 21 years of age with specific chronic medical conditions (e.g., Crippled Children's Programs), CHAMPUS (Civilian Health and Medical Program of the Uniformed Services) or TRICARE (the Defense Department's health care program for service families), casualty insurance paid by the State, vocational rehabilitation, Federal or State research grant (medical research), or legal hold (prisoner in medical detention).

**HMO/PPO**—Any health maintenance organization (HMO) or preferred provider organization (PPO) sponsored by consumers, insurers, organizations, physicians, or hospitals. Medicare and Medicaid discharges are included in this category when HMO/PPO is reported as their principal expected source of payment.

**Blue Cross/Blue Shield and other private**—A private insurance plan

not specified as an HMO/PPO. This includes Blue Cross/Blue Shield plans, medical coverage provided by life insurance companies, casualty insurance companies, health insurance companies, and independent plans such as employer/union sponsored plans and/or self-funded plans (partial or total).

*Self pay*—The majority of the costs for the hospitalization were expected to be paid by the patient, spouse, family, or next of kin.

*No charge*—Patients admitted with the understanding that the medical services would be free. This includes hospital-sponsored special research or teaching patients.

*Other*—Includes any nonprofit source of payment such as church welfare, United Way (United Appeal), or Shriner's Hospitals for Children.

*Procedure*—Surgical procedures (such as appendectomy), diagnostic procedures (such as spinal tap), and therapeutic treatments (such as injection or infusion of cancer chemotherapeutic substance) reported on a patient's medical record. Data are for all-listed procedures, which include all occurrences of the procedure coded, regardless of their order in the medical record. Up to four procedures are coded per discharge in the NHDS. The procedures classified as nonsurgical in this report are listed in [table V](#) by ICD-9-CM code numbers. All other procedures were considered surgical. This classification was begun in 1979 for the presentation of NHDS data and still remains an important distinction. However, the development of minimally invasive and noninvasive procedures has resulted in less difference between the surgical and nonsurgical procedures with regard to operative or anesthetic risk and requirements for highly trained personnel or special equipment.

*Region*—Hospitals are classified by location in one of the four geographic regions of the United States that correspond to those used by the U.S. Census Bureau.

<i>Region</i>	<i>States included</i>
Northeast	Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, and Pennsylvania
Midwest	Michigan, Ohio, Illinois, Indiana, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, and Kansas
South	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, and Texas
West	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Washington, Oregon, California, Hawaii, and Alaska

estimates would be based on consistent coding.

[Tables VI](#) and [VII](#) show the new ICD-9-CM codes from the 1986–2000 addenda, the date they were introduced, and the code to which the diagnosis or procedure had been assigned before development of the new code. Specific titles and more detailed information about the coding system can be found in appropriate volumes of the ICD-9-CM (2).

## Changes in ICD-9-CM Codes

Although the ICD-9-CM has been used for coding NHDS data since 1979, the classification system undergoes annual updating. Assignment of new diagnostic and procedure codes, fourth- and fifth-digit expansion of codes, as well as code deletions, are contained in addenda developed by the ICD-9-CM Coordination and Maintenance Committee and approved by the Director of NCHS and the Administrator of the Centers for Medicare and Medicaid Services (formerly Health Care Financing Administration). Addenda to the ICD-9-CM have become effective October 1 of each year since 1986, except in 1999. No addendum was released in 1999 because of concerns about instituting coding changes just before the millennium crossover.

The data in this report were coded using the addenda for October 1, 1986–2000. When hospitals reported data using code changes introduced in the October 1, 2001, addendum, the new codes were converted to their previous code assignments so that the annual

**Table VI. Changes in diagnosis codes**

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
005.81 . . . . .	1995	005.8	204.90 . . . . .	1991	204.9
005.89 . . . . .	1995	005.8	204.91 . . . . .	1991	V10.61
007.4 . . . . .	1997	007.8	205.00 . . . . .	1991	205.0
007.5 . . . . .	2000	007.8	205.01 . . . . .	1991	V10.62
008.00–008.09 . . . . .	1992	008.0	205.10 . . . . .	1991	205.1
008.43–008.47 . . . . .	1992	008.49	205.11 . . . . .	1991	V10.62
008.61–008.69 . . . . .	1992	008.6	205.20 . . . . .	1991	205.2
031.2 . . . . .	1997	031.8	205.21 . . . . .	1991	V10.62
038.10 . . . . .	1997	038.1	205.30 . . . . .	1991	205.3
038.11 . . . . .	1997	038.1	205.31 . . . . .	1991	V10.62
038.19 . . . . .	1997	038.1	205.80 . . . . .	1991	205.8
041.00–041.09 . . . . .	1992	041.0	205.81 . . . . .	1991	V10.62
041.04 (code title restated) . . . . .	1997	041.04	205.90 . . . . .	1991	205.9
041.10–041.19 . . . . .	1992	041.1	205.91 . . . . .	1991	V10.62
041.81–041.85 . . . . .	1992	041.8	206.00 . . . . .	1991	206.0
041.86 . . . . .	1995	041.84	206.01 . . . . .	1991	V10.63
041.89 . . . . .	1992	041.8	206.10 . . . . .	1991	206.1
042 . . . . .	1994	042.0–042.2, 042.9, 043.0–043.3, 043.9, 044.0, 044.9 (Codes deleted)	206.11 . . . . .	1991	V10.63
042.0–042.9 . . . . .	1986	279.19	206.20 . . . . .	1991	206.2
043.0–043.9 . . . . .	1986	279.19	206.21 . . . . .	1991	V10.63
044.0–044.9 . . . . .	1986	279.19	206.80 . . . . .	1991	206.8
070.20–070.21 . . . . .	1991	070.2	206.81 . . . . .	1991	V10.63
070.22 . . . . .	1994	070.20	206.90 . . . . .	1991	206.9
070.23 . . . . .	1994	070.21	206.91 . . . . .	1991	V10.63
070.30–070.31 . . . . .	1991	070.3	207.00 . . . . .	1991	207.0
070.32 . . . . .	1994	070.30	207.01 . . . . .	1991	V10.69
070.33 . . . . .	1994	070.31	207.10 . . . . .	1991	207.1
070.41–070.43 . . . . .	1991	070.4	207.11 . . . . .	1991	V10.69
070.44 . . . . .	1994	070.41	207.20 . . . . .	1991	207.2
070.49 . . . . .	1991	070.4	207.21 . . . . .	1991	V10.69
070.51–070.53 . . . . .	1991	070.5	207.80 . . . . .	1991	207.8
070.54 . . . . .	1994	070.51	207.81 . . . . .	1991	V10.69
070.59 . . . . .	1991	070.5	208.00 . . . . .	1991	208.0
077.98–077.99 . . . . .	1993	077.9	208.01 . . . . .	1991	V10.60
078.10–078.11,078.19 . . . . .	1993	078.1	208.10 . . . . .	1991	208.1
078.88 . . . . .	1993	078.89	208.11 . . . . .	1991	V10.60
079.4 . . . . .	1993	079.8	208.20 . . . . .	1991	208.2
079.50–079.53,079.59 . . . . .	1993	079.8	208.21 . . . . .	1991	V10.60
079.6 . . . . .	1996	079.89	208.80 . . . . .	1991	208.8
079.81 . . . . .	1995	079.89	208.81 . . . . .	1991	V10.60
079.88–079.89 . . . . .	1993	079.8	208.90 . . . . .	1991	208.9
079.98–079.99 . . . . .	1993	079.9	208.91 . . . . .	1991	V10.60
082.40–082.41, 082.49 . . . . .	2000	082.8	237.70–237.72 . . . . .	1990	237.7
088.81,088.89 . . . . .	1989	088.8	250.02 . . . . .	1993	250.90
088.82 . . . . .	1993	088.89	250.03 . . . . .	1993	250.91
099.40–099.49 . . . . .	1992	099.4	250.12 . . . . .	1993	250.10
099.50–099.59 . . . . .	1992	078.89	250.13 . . . . .	1993	250.11
112.84–112.85 . . . . .	1992	112.89	250.22 . . . . .	1993	250.20
114.4–114.5 . . . . .	1993	114.3	250.23 . . . . .	1993	250.21
176.0–176.9 . . . . .	1991	173.0–173.9	250.32 . . . . .	1993	250.30
203.00 . . . . .	1991	203.0	250.33 . . . . .	1993	250.31
203.01 . . . . .	1991	V10.79	250.42 . . . . .	1993	250.40
203.10 . . . . .	1991	203.1	250.43 . . . . .	1993	250.41
203.11 . . . . .	1991	V10.79	250.52 . . . . .	1993	250.50
203.80 . . . . .	1991	203.8	250.53 . . . . .	1993	250.51
203.81 . . . . .	1991	V10.79	250.62 . . . . .	1993	250.60
204.00 . . . . .	1991	204.0	250.63 . . . . .	1993	250.61
204.01 . . . . .	1991	V10.61	250.72 . . . . .	1993	250.70
204.10 . . . . .	1991	204.1	250.73 . . . . .	1993	250.71
204.11 . . . . .	1991	V10.61	250.82 . . . . .	1993	250.80
204.20 . . . . .	1991	204.2	250.83 . . . . .	1993	250.81
204.21 . . . . .	1991	V10.61	250.92 . . . . .	1993	250.90
204.80 . . . . .	1991	204.8	250.93 . . . . .	1993	250.91
204.81 . . . . .	1991	V10.61	275.40–275.42 . . . . .	1997	275.4
			275.49 . . . . .	1997	275.4
			278.00–278.01 . . . . .	1995	278.0
			283.10–283.11,283.19 . . . . .	1993	283.1

**Table VI. Changes in diagnosis codes—Con.**

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
285.21–285.22,285.29 . . . . .	2000	285.8	433.20–433.21 . . . . .	1993	433.2
291.81 . . . . .	1996	291.8	433.30–433.31 . . . . .	1993	433.3
291.89 . . . . .	1996	291.8	433.80–433.81 . . . . .	1993	433.8
293.84 . . . . .	1996	293.89	433.90–433.91 . . . . .	1993	433.9
294.10–294.11 . . . . .	2000	294.1	434.00–434.01 . . . . .	1993	434.0
300.82 . . . . .	1996	300.81	434.10–434.11 . . . . .	1993	434.1
305.1 . . . . .	1994	305.10, 305.11, 305.12, 305.13 (Codes deleted)	434.90–434.91 . . . . .	1993	434.9
312.81–312.82,312.89 . . . . .	1994	312.8	435.3 . . . . .	1995	435.0 & 435.1
315.32 . . . . .	1996	315.39	437.7 . . . . .	1992	780.9
320.81–320.89 . . . . .	1992	320.8	438.0 . . . . .	1997	294.9 & 438
333.92–333.93 . . . . .	1994	333.99	438.10 . . . . .	1997	784.5 & 438
337.20–337.22,337.29 . . . . .	1993	337.9	438.11 . . . . .	1997	784.3 & 438
337.3 . . . . .	1998	337.9	438.12 . . . . .	1997	784.4 & 438
342.00–342.02 . . . . .	1994	342.0	438.19 . . . . .	1997	784.5 & 438
342.10–342.12 . . . . .	1994	342.1	438.20 . . . . .	1997	342.90 & 438
342.80–342.82 . . . . .	1994	342.9	438.21 . . . . .	1997	342.91 & 438
342.90–342.92 . . . . .	1994	342.9	438.22 . . . . .	1997	342.92 & 438
344.00–344.04,344.09 . . . . .	1994	344.0	438.30 . . . . .	1997	344.40 & 438
344.30–344.32 . . . . .	1994	344.3	438.31 . . . . .	1997	344.41 & 438
344.40–344.42 . . . . .	1994	344.4	438.32 . . . . .	1997	344.42 & 438
344.81,344.89 . . . . .	1993	344.8	438.40 . . . . .	1997	344.30 & 438
345.00–345.01 . . . . .	1989	345.0	438.41 . . . . .	1997	344.31 & 438
345.10–345.11 . . . . .	1989	345.1	438.42 . . . . .	1997	344.32 & 438
345.40–345.41 . . . . .	1989	345.4	438.50–438.52 . . . . .	1997	344.89 & 438
345.50–345.51 . . . . .	1989	345.5	438.53 . . . . .	1998	438.50
345.60–345.61 . . . . .	1989	345.6	438.81 . . . . .	1997	784.69 & 438
345.70–345.71 . . . . .	1989	345.7	438.82 . . . . .	1997	787.2 & 438
345.80–345.81 . . . . .	1989	345.8	438.89 . . . . .	1997	438
345.90–345.91 . . . . .	1989	345.9	438.9 . . . . .	1997	438
346.00–346.01 . . . . .	1992	346.0	440.20–440.22 . . . . .	1992	440.2
346.10–346.11 . . . . .	1992	346.1	440.23 . . . . .	1993	440.20 & 707.1 or 707.8 or 707.9
346.20–346.21 . . . . .	1992	346.2	440.24 . . . . .	1993	440.20 & 785.4
346.80–346.81 . . . . .	1992	346.8	440.29 . . . . .	1993	440.2
346.90–346.91 . . . . .	1992	346.9	440.30–440.32 . . . . .	1994	996.1
355.71 . . . . .	1993	354.4	441.00–441.03 . . . . .	1994	441.0
355.79 . . . . .	1993	355.7	441.6 . . . . .	1993	441.1 & 441.3
371.82 . . . . .	1992	371.89	441.7 . . . . .	1993	441.2 & 441.4
372.81,372.89 . . . . .	2000	372.8	446.20–446.21,446.29 . . . . .	1990	446.2
374.87 . . . . .	1990	374.89	451.82–451.84 . . . . .	1993	451.89
403.00–403.01 . . . . .	1989	403.0	458.2 . . . . .	1995	997.9 & 458.9
403.10–403.11 . . . . .	1989	403.1	458.8 . . . . .	1997	458.9
403.90–403.91 . . . . .	1989	403.9	466.11 . . . . .	1996	466.1
404.00–404.03 . . . . .	1989	404.0	466.19 . . . . .	1996	466.1
404.10–404.13 . . . . .	1989	404.1	474.0 (Code title restated) . . . . .	1997	474.0
404.90–404.93 . . . . .	1989	404.9	477.1 . . . . .	2000	477.8
410.00–410.02 . . . . .	1989	410.0	482.30–482.39 . . . . .	1992	482.3
410.10–410.12 . . . . .	1989	410.1	482.4 . . . . .	1998	482.4
410.20–410.22 . . . . .	1989	410.2	482.41 . . . . .	1998	482.4
410.30–410.32 . . . . .	1989	410.3	482.49 . . . . .	1998	482.4
410.40–410.42 . . . . .	1989	410.4	482.81–482.89 . . . . .	1992	482.8
410.50–410.52 . . . . .	1989	410.5	482.84 . . . . .	1997	482.83
410.60–410.62 . . . . .	1989	410.6	483.0 . . . . .	1992	483
410.70–410.72 . . . . .	1989	410.7	483.1 . . . . .	1996	078.88 & 484.8
410.80–410.82 . . . . .	1989	410.8	483.8 . . . . .	1992	483
410.90–410.92 . . . . .	1989	410.9	491.20–491.21 . . . . .	1991	491.2
411.81 . . . . .	1989	410.9	493.20 . . . . .	1989	493.90
411.89 . . . . .	1989	411.8	493.21 . . . . .	1989	493.91
414.00–414.01 . . . . .	1994	414.0	493.02 . . . . .	2000	493.00
414.02–414.03 . . . . .	1994	996.03	493.12 . . . . .	2000	493.10
414.04–414.05 . . . . .	1996	414.00	493.22 . . . . .	2000	493.20
415.11 . . . . .	1995	997.3 & 415.1	493.92 . . . . .	2000	493.90
415.19 . . . . .	1995	415.1	494.0–494.1 . . . . .	2000	494
429.71 . . . . .	1989	410.0–410.9	512.1 . . . . .	1994	997.3
429.79 . . . . .	1989	410.0–410.9	518.6 . . . . .	1997	518.89
433.00–433.01 . . . . .	1993	433.0	518.81 . . . . .	1987	799.1
433.10–433.11 . . . . .	1993	433.1	518.82–518.89 . . . . .	1987	518.8
			518.83 . . . . .	1998	518.81

**Table VI. Changes in diagnosis codes—Con.**

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
518.84 . . . . .	1998	518.81	655.73 . . . . .	1997	655.8
519.00–519.02, 519.09 . . . . .	1998	519.0	657.0 . . . . .	1991	657
524.00–524.09 . . . . .	1992	524.0	659.60,659.61,659.63 . . . . .	1992	659.80–659.81, 659.83
524.10–524.19 . . . . .	1992	524.1	659.70,659.71,659.73 . . . . .	1998	656.30, 656.31, 656.33
524.60–524.69 . . . . .	1991	524.6	665.10,665.11 . . . . .	1992	665.10,665.11,665.12, 665.14 <sup>1</sup>
524.70–524.79 . . . . .	1992	524.8	670.0 . . . . .	1991	670
530.10–530.11, 530.19 . . . . .	1993	530.1	672.0 . . . . .	1991	672
530.81 . . . . .	1993	530.1	677 . . . . .	1994	None
530.82–530.84, 530.89 . . . . .	1993	530.8	686.00,686.01 . . . . .	1997	686.0
535.00–535.01 . . . . .	1991	535.0	690.10 . . . . .	1995	690
535.10–535.11 . . . . .	1991	535.1	690.11 . . . . .	1995	691.8 & 704.8
535.20–535.21 . . . . .	1991	535.2	690.12 . . . . .	1995	691.8
535.30–535.31 . . . . .	1991	535.3	690.18 . . . . .	1995	690
535.40–535.41 . . . . .	1991	535.4	690.8 . . . . .	1995	690
535.50–535.51 . . . . .	1991	535.5	692.72–692.74 . . . . .	1992	692.79
535.60–535.61 . . . . .	1991	535.6	692.75 . . . . .	2000	692.79
536.3 . . . . .	1994	536.8	692.82–692.83 . . . . .	1992	692.89
536.40–536.42,536.49 . . . . .	1998	997.4	702.0–702.8 . . . . .	1991	702
537.82 . . . . .	1990	537.89	702.11,702.19 . . . . .	1994	702.1
537.83 . . . . .	1991	537.82	704.02 . . . . .	1993	704.09
558.3 . . . . .	2000	558.9	707.10–707.15, 707.19 . . . . .	2000	707.1
556.0–556.6 . . . . .	1994	556	709.00–709.01,709.09 . . . . .	1994	709.0
556.8–556.9 . . . . .	1994	556	710.5 . . . . .	1992	288.3,729.1
562.02 . . . . .	1991	562.00	727.83 . . . . .	2000	727.89
562.03 . . . . .	1991	562.01	728.86 . . . . .	1995	729.4
562.12 . . . . .	1991	562.10	733.10–733.16,733.19 . . . . .	1993	733.1
562.13 . . . . .	1991	562.11	738.10–738.19 . . . . .	1992	738.1
564.81 . . . . .	1998	564.8	747.60–747.64,747.69 . . . . .	1993	747.6
564.89 . . . . .	1998	564.8	747.82 . . . . .	1993	747.89
569.60–569.61 . . . . .	1995	569.6	752.51–752.52 . . . . .	1996	752.5
569.62 . . . . .	1998	569.69	752.61–752.63 . . . . .	1996	752.6
569.69 . . . . .	1995	569.6	752.64–752.65 . . . . .	1996	752.8
569.84 . . . . .	1990	557.1	752.69 . . . . .	1996	752.8
569.85 . . . . .	1991	569.84	753.10–753.17,753.19 . . . . .	1990	753.1
574.60 . . . . .	1996	574.00 & 574.30	753.20–753.23 . . . . .	1996	753.2
574.61 . . . . .	1996	574.01 & 574.31	753.29 . . . . .	1996	753.2
574.70 . . . . .	1996	574.10 & 574.40	756.70–756.71 . . . . .	1997	756.7
574.71 . . . . .	1996	574.11 & 574.41	756.79 . . . . .	1997	756.7
574.80 . . . . .	1996	574.00 & 574.10 574.30 & 574.40	758.81 . . . . .	1996	758.8
574.81 . . . . .	1996	574.01 & 574.11 574.31 & 574.41	758.89 . . . . .	1996	758.9
574.90 . . . . .	1996	574.20 & 574.50	759.81–759.82 . . . . .	1989	759.8
574.91 . . . . .	1996	574.21 & 574.51	759.83 . . . . .	1994	759.89
575.10–575.11 . . . . .	1996	575.1	759.89 . . . . .	1989	759.8
575.12 . . . . .	1996	575.0 & 575.1	760.75 . . . . .	1991	760.79
593.70–593.73 . . . . .	1994	593.7	760.76 . . . . .	1994	760.79
596.51–596.53 . . . . .	1992	596.5	763.81–763.83,763.89 . . . . .	1998	763.8
596.54 . . . . .	1992	344.61	764.00–764.09 . . . . .	1988	764.0
596.55–596.59 . . . . .	1992	596.5	764.10–764.19 . . . . .	1988	764.1
599.81–599.89 . . . . .	1992	599.8	764.20–764.29 . . . . .	1988	764.2
600.0–600.3, 600.9 . . . . .	2000	600	764.90–764.99 . . . . .	1988	764.9
645.0 . . . . .	1991	645	765.00–765.09 . . . . .	1988	765.0
645.10–645.11, 645.13 . . . . .	2000	645.00–645.01, 645.03	765.10–765.19 . . . . .	1988	765.1
645.20–645.21, 645.23 . . . . .	2000	645.00–645.01, 645.03	780.01–780.02 . . . . .	1992	780.0
651.30–651.31,651.33 . . . . .	1989	651.00–651.01, 651.03	780.03 . . . . .	1993	780.01
651.40–651.41,651.43 . . . . .	1989	651.10–651.11, 651.13	780.09 . . . . .	1992	780.0
651.50–651.51,651.53 . . . . .	1989	651.20–651.21, 651.23	780.31 . . . . .	1997	780.3
651.60–651.61,651.63 . . . . .	1989	651.80–651.81, 651.83	780.39 . . . . .	1997	780.3
654.20–654.21,654.23 . . . . .	1990	654.2,654.9	780.57 . . . . .	1992	780.51,780.53
654.90–654.94 . . . . .	1990	654.2,654.9	780.71 . . . . .	1998	780.7
655.70,655.71 . . . . .	1997	655.8	780.79 . . . . .	1998	780.7
			781.8 . . . . .	1994	781.9
			781.91–781.92 . . . . .	2000	781.9

See footnote at end of table.

**Table VI. Changes in diagnosis codes—Con.**

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
781.99 . . . . .	2000	781.9	997.91 . . . . .	1995	997.9
783.21 . . . . .	2000	783.2	997.99 . . . . .	1995	997.9
783.22 . . . . .	2000	783.4	998.11–998.12 . . . . .	1996	998.1
783.40–783.43 . . . . .	2000	783.4	998.13 . . . . .	1996	998.89
783.7 . . . . .	2000	783.4	998.51 . . . . .	1996	998.5
786.03 . . . . .	1998	786.09	998.59 . . . . .	1996	998.5
786.04 . . . . .	1998	786.09	998.81–998.82,998.89 . . . . .	1994	998.8
786.05 . . . . .	1998	786.09	998.83 . . . . .	1996	998.89
786.06 . . . . .	1998	786.09	V02.51 . . . . .	1998	V02.5
786.07 . . . . .	1998	786.09	V02.52 . . . . .	1998	V02.5
787.01–787.03 . . . . .	1994	787.0	V02.59 . . . . .	1998	V02.5
787.91 . . . . .	1995	558.9	V02.60–V02.62 . . . . .	1997	V02.6
787.99 . . . . .	1995	787.9	V02.69 . . . . .	1997	V02.6
788.20–788.21, 788.29 . . . . .	1993	788.2	V03.81–V03.82,V03.89 . . . . .	1994	V03.8
788.30–788.39 . . . . .	1992	788.3	V05.3–V05.4 . . . . .	1993	V05.8
788.41–788.43 . . . . .	1993	788.4	V06.5–V06.6 . . . . .	1994	V06.8
788.61–788.62, 788.69 . . . . .	1993	788.6	V07.31,V07.39 . . . . .	1994	V07.3
789.00–789.07, 789.09 . . . . .	1994	789.0	V07.4 . . . . .	1992	V07.8
789.30–789.37, 789.39 . . . . .	1994	789.3	V08 . . . . .	1994	044.9,795.8 (Codes deleted)
789.40–789.47, 789.49 . . . . .	1994	789.4	V09.0–V09.91 . . . . .	1993	None
789.60–789.67, 789.69 . . . . .	1994	789.6	V10.48 . . . . .	1998	V10.49
790.01, 790.09 . . . . .	2000	790.0	V12.00–V12.03,V12.09 . . . . .	1994	V12.0
790.91 . . . . .	1993	790.9	V12.40–V12.41 . . . . .	1997	V12.4
790.92 . . . . .	1993	286.9	V12.49 . . . . .	1997	V12.4
790.93, 790.99 . . . . .	1993	790.9	V12.50–V12.52 . . . . .	1995	V12.5
790.94 . . . . .	1997	790.99	V12.59 . . . . .	1995	V12.5
792.5 . . . . .	2000	792.9	V12.70–V12.72,V12.79 . . . . .	1994	V12.7
795.71 . . . . .	1994	795.8 (Code deleted)	V13.00–V13.01,V13.09 . . . . .	1994	V13.0
795.79 . . . . .	1994	795.7	V13.61 . . . . .	1998	V13.6
795.8 . . . . .	1986	795.7	V13.69 . . . . .	1998	V13.6
796.5 . . . . .	1997	796.9	V15.01–V15.09 . . . . .	2000	V15.0
864.05 . . . . .	1992	864.09	V15.41–V15.42 . . . . .	1996	V15.4
864.15 . . . . .	1992	864.19	V15.49 . . . . .	1996	V15.4
909.5 . . . . .	1994	909.9	V15.82 . . . . .	1994	305.13 (Codes deleted)
922.31–922.33 . . . . .	1996	922.3	V15.84–V15.86 . . . . .	1995	V15.89
925.1–925.2 . . . . .	1993	925	V16.40–V16.43 . . . . .	1997	V16.4
959.0 (Code title restated) . . . . .	1997	959.0	V16.49 . . . . .	1997	V16.4
959.01 . . . . .	1997	854.00	V16.51 . . . . .	1998	V16.5
959.09 . . . . .	1997	959.0	V16.59 . . . . .	1998	V16.5
965.61 . . . . .	1998	965.6	V18.61 . . . . .	1998	V18.6
965.69 . . . . .	1998	965.6	V18.69 . . . . .	1998	V18.6
989.81–989.84 . . . . .	1995	989.8	V21.30–V21.35 . . . . .	2000	None
989.89 . . . . .	1995	989.8	V23.7 . . . . .	1989	V23.8
995.50–995.55 . . . . .	1996	995.5	V23.81 . . . . .	1998	V23.8
995.59 . . . . .	1996	995.5	V23.82 . . . . .	1998	V23.8
995.60–995.69 . . . . .	1993	995.0	V23.83 . . . . .	1998	V23.8
995.7 . . . . .	2000	None	V23.84 . . . . .	1998	V23.8
995.80 . . . . .	1996	995.81	V23.89 . . . . .	1998	V23.8
995.81 (Code title restated) . . . . .	1996	995.81	V25.43 . . . . .	1992	V25.49
995.82–995.85 . . . . .	1996	995.81	V25.5 . . . . .	1992	V25.8
995.86 . . . . .	1998	995.89	V26.21–V26.22,V26.29 . . . . .	2000	V26.2
996.04 . . . . .	1994	996.09	V26.51 . . . . .	1998	None
996.51–996.59 . . . . .	1987	996.5	V26.52 . . . . .	1998	None
996.55 . . . . .	1998	996.52	V28.6 . . . . .	1997	V28.8
996.56 . . . . .	1998	996.59	V29.0–V29.1,V29.8 . . . . .	1992	V71.8
996.60–996.69 . . . . .	1989	996.6	V29.2 . . . . .	1994	V29.8
996.68 . . . . .	1998	996.69	V29.3 . . . . .	1998	V29.8
996.70–996.79 . . . . .	1989	996.7	V29.8 . . . . .	1992	V71.8
996.80–996.84 . . . . .	1987	996.8	V29.9 . . . . .	1992	V71.9
996.85 . . . . .	1990	996.8	V30.00–V30.01 . . . . .	1989	V30.0
996.86 . . . . .	1987	996.8	V31.00–V31.01 . . . . .	1989	V31.0
996.87 . . . . .	2000	996.89	V32.00–V32.01 . . . . .	1989	V32.0
996.89 . . . . .	1987	996.8	V33.00–V33.01 . . . . .	1989	V33.0
997.00–997.01 . . . . .	1995	997.0	V34.00–V34.01 . . . . .	1989	V34.0
997.02 . . . . .	1995	997.9 & 430–434, 436	V35.00–V35.01 . . . . .	1989	V35.0
997.09 . . . . .	1995	997.0	V36.00–V36.01 . . . . .	1989	V36.0

**Table VI. Changes in diagnosis codes—Con.**

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
V37.00–V37.01 . . . . .	1989	V37.0	V58.81,V58.89 . . . . .	1994	V58.8
V39.00–V39.01 . . . . .	1989	V39.0	V58.82 . . . . .	1995	V58.89
V42.84 . . . . .	2000	V42.89	V58.83 . . . . .	2000	V58.89
V42.81–V82.83 . . . . .	1997	V42.8	V59.01–V59.02 . . . . .	1995	V59.0
V42.89 . . . . .	1997	V42.8	V59.09 . . . . .	1995	V59.0
V43.60–V43.66,V43.69 . . . . .	1994	V43.6	V59.6 . . . . .	1995	V59.8
V43.81–V43.82 . . . . .	1995	V43.8	V61.10–V61.12 . . . . .	1996	V61.1
V43.83 . . . . .	1998	V43.89	V61.22 . . . . .	1996	V61.21
V43.89 . . . . .	1995	V43.8	V62.83 . . . . .	1996	V65.49
V44.50 . . . . .	1998	V44.5	V64.4 . . . . .	1997	None
V44.51 . . . . .	1998	V44.5	V65.40–V65.45,V65.49 . . . . .	1994	V65.4
V44.52 . . . . .	1998	V44.5	V66.7 . . . . .	1996	None
V44.59 . . . . .	1998	V44.5	V67.00–V67.01,V67.09 . . . . .	2000	V67.0
V45.00 . . . . .	1994	V45.89	V69.0–V69.3 . . . . .	1994	None
V45.01 . . . . .	1994	V45.0	V69.8–V69.9 . . . . .	1994	None
V45.02,V45.09 . . . . .	1994	V45.89	V71.81 . . . . .	2000	V71.8
V45.51 . . . . .	1994	V45.5	V71.89 . . . . .	2000	V71.8
V45.52,V45.59 . . . . .	1994	V45.89	V72.81–V72.85 . . . . .	1993	V72.8
V45.61 . . . . .	1997	V45.6	V73.88–V73.89 . . . . .	1993	V73.8
V45.63 . . . . .	1997	V45.6	V73.98–V73.99 . . . . .	1993	V73.9
V45.71 . . . . .	1997	611.8	V76.10–V76.12 . . . . .	1997	V76.1
V45.72 . . . . .	1997	569.89	V76.19 . . . . .	1997	V76.1
V45.73 . . . . .	1997	593.89	V76.44 . . . . .	1998	V76.49
V45.74 . . . . .	2000	593.89,596.8	V76.45 . . . . .	1998	V76.49
V45.75 . . . . .	2000	V45.89	V76.46–V76.47 . . . . .	2000	V76.49
V45.76 . . . . .	2000	518.89	V76.50–V76.52 . . . . .	2000	V76.49
V45.77 . . . . .	2000	602.8,607.89, 608.89,620.8, 621.8,622.8	V76.81, V76.89 . . . . .	2000	V76.8
V45.78 . . . . .	2000	360.89	V77.91, V77.99 . . . . .	2000	V77.9
V45.79 . . . . .	2000	255.8,289.59, 388.8,569.49, 577.8,V45.89	V82.81, V82.89 . . . . .	2000	V82.8
V45.82 . . . . .	1994	V45.89	E854.8 . . . . .	1995	E858.8
V45.83 . . . . .	1995	V45.89	E869.4 . . . . .	1994	E869.8
V49.60–V49.67 . . . . .	1994	V49.5	E880.1 . . . . .	1995	E884.9
V49.70–V49.77 . . . . .	1994	V49.5	E884.3–E884.4 . . . . .	1995	E884.2
V49.81 . . . . .	2000	None	E884.5–E884.6 . . . . .	1995	E884.9
V49.89 . . . . .	2000	V49.8	E885.1–E885.4,E885.9 . . . . .	2000	E885
V50.41–V50.42,V50.49 . . . . .	1994	V50.8	E906.5 . . . . .	1995	E906.3
V53.01–V53.02 . . . . .	1997	V53.0	E908.0–E908.4 . . . . .	1995	E908
V53.09 . . . . .	1997	V53.0	E908.8–E908.9 . . . . .	1995	E908
V53.31 . . . . .	1994	V53.3	E909.0–E909.4 . . . . .	1995	E909
V53.32,V53.39 . . . . .	1994	V53.9	E909.8–E909.9 . . . . .	1995	E909
V56.1 . . . . .	1995	V58.89	E920.5 . . . . .	1995	E920.4
V56.1 (Code title restated)	1998	V56.1	E922.4 . . . . .	1997	E917.9
V56.2 . . . . .	1998	V56.1	E924.2 . . . . .	1995	E924.0
V56.31–V56.32 . . . . .	2000	V56.8	E928.3 . . . . .	2000	E928.8
V57.21–V57.22 . . . . .	1994	V57.2	E955.6 . . . . .	1997	E955.9
V58.41,V58.49 . . . . .	1994	V58.4	E967.2 . . . . .	1996	E967.0
V58.61 . . . . .	1995	V67.51	E967.3 . . . . .	1996	None
V58.62 . . . . .	1998	V58.69	E967.4–E967.8 . . . . .	1996	E967.1
V58.69 . . . . .	1995	V67.51	E968.7 . . . . .	2000	E968.8
			E968.5 . . . . .	1995	E968.8
			E968.6 . . . . .	1997	E968.8
			E985.6 . . . . .	1997	E985.4

<sup>1</sup>The title for the subcategory 665.1 has been changed, making the fifth-digit subclassifications 665.12 and 665.14 invalid.

**Table VII. Changes in procedure codes**

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
02.96 . . . . .	1992	89.19	37.83 (Device only) . . . . .	1987	37.73–37.77 (Leads/Device)
03.90 . . . . .	1987	03.99 (Insertion of catheter)	37.85–37.87 . . . . .	1987	37.85
05.25 . . . . .	1995	39.7	37.89 . . . . .	1987	37.86 + 37.89
11.75 . . . . .	1989	11.79	37.94–37.98 . . . . .	1986	37.99
11.76 . . . . .	1989	11.62	38.22 . . . . .	1986	38.29
20.96–20.98 . . . . .	1986	20.95	38.44 (Abdominal aorta only) . . . . .	1986	38.44 (entire aorta)
22.12 . . . . .	1988	22.11	38.45 (Thoracic aorta added) . . . . .	1986	38.44–38.45
26.12 . . . . .	1988	26.11	38.95 . . . . .	1989	38.93
29.31 . . . . .	1991	83.02	39.28 . . . . .	1991	39.29
29.32 . . . . .	1991	29.3	39.50 . . . . .	1995	39.59
29.33 . . . . .	1991	29.3	39.65 . . . . .	1988	39.61
29.39 . . . . .	1991	29.3	39.66 . . . . .	1990	39.65
31.45 . . . . .	1988	31.43–31.44	39.71 . . . . .	2000	39.52
31.95 . . . . .	1989	31.75	39.79 . . . . .	2000	39.52
32.01 . . . . .	1989	32.0	39.90 . . . . .	1996	39.50
32.09 . . . . .	1989	32.0	41.00–41.03 . . . . .	1988	41.0
32.22 . . . . .	1995	32.29,32.9	41.04 . . . . .	1994	99.79
32.28 . . . . .	1989	32.29	41.05 . . . . .	1997	None
33.27 . . . . .	1987	33.22,33.27	41.06 . . . . .	1997	None
33.28 . . . . .	1987	33.27	41.07 . . . . .	2000	41.04
33.29 . . . . .	1987	33.28–33.29	41.08 . . . . .	2000	41.05
33.50 . . . . .	1995	33.5	41.09 . . . . .	2000	41.01
33.51 . . . . .	1995	33.5	42.25 . . . . .	1988	42.24
33.52 . . . . .	1995	33.5	42.33 . . . . .	1989	42.32,42.39
33.6 . . . . .	1990	33.5,37.5	42.33 . . . . .	1990	42.91
34.05 . . . . .	1994	34.99	43.11 . . . . .	1989	43.1
35.84 . . . . .	1988	35.82	43.19 . . . . .	1989	43.1,43.2
35.96 . . . . .	1986	35.03	43.41 . . . . .	1989	43.41,43.49
36.00–36.03 . . . . .	1986	36.0	44.21 . . . . .	1986	44.2
36.04 . . . . .	1986	39.97	44.22 . . . . .	1986	44.99
36.05 . . . . .	1987	36.01	44.29 . . . . .	1986	44.2
36.05 . . . . .	1986	36.01 <sup>1</sup> ,36.02	44.43 . . . . .	1989	43.49,45.32
36.06 . . . . .	1995	36.01,36.02,36.03,36.05	44.44 . . . . .	1989	38.86
36.09 . . . . .	1986	36.0	44.49 . . . . .	1989	43.0
36.09 . . . . .	1991	36.00 (Code deleted)	44.93–44.94 . . . . .	1986	44.99
36.17 . . . . .	1996	36.19	45.16 . . . . .	1988	45.14 (45.15 before 1987)
36.31 . . . . .	1998	36.3	45.30 . . . . .	1989	45.31,45.32
36.32 . . . . .	1998	36.3	45.42 . . . . .	1988	45.41
36.39 . . . . .	1998	36.3	45.43 . . . . .	1989	45.49
37.26–37.27 . . . . .	1988	37.29	45.75 (Hartmann resection added) . . . . .	1988	48.66 (Code deleted)
37.34 . . . . .	1988	37.33	45.95 . . . . .	1987	45.93
37.35 . . . . .	1997	37.33	46.13 . . . . .	1992	46.12 (Code deleted)
37.65 . . . . .	1995	37.62	46.32 . . . . .	1989	46.39
37.66 . . . . .	1995	37.62	46.85 . . . . .	1989	46.99
37.67 . . . . .	1998	37.4	46.85 . . . . .	2000	46.99
37.70 (Leads only) . . . . .	1987	37.70 (Leads/Device)	46.97 . . . . .	1996	47.0
37.71–37.72 (Leads only) . . . . .	1987	37.74 (Leads/Device)	47.01 . . . . .	1996	47.0
37.73 (Leads only) . . . . .	1987	37.73 (Leads/Device)	47.09 . . . . .	1996	47.0
37.74 (Leads only) . . . . .	1987	37.76 (Leads/Device)	47.11 . . . . .	1996	47.1
37.75 (Leads only) . . . . .	1987	37.89 (Leads/Device)	47.19 . . . . .	1996	47.1
37.76 (Leads only) . . . . .	1987	37.81 (Leads/Device)	48.36 . . . . .	1995	45.42
37.77 (Leads only) . . . . .	1987	37.83–37.84 (Leads/Device)	49.31 . . . . .	1989	49.3
37.78 . . . . .	1987	37.71–37.72	49.39 . . . . .	1989	49.3
37.79 . . . . .	1987	86.09	51.10 . . . . .	1989	51.97
37.80–37.87 . . . . .	1992	89.49 (Code deleted. This procedure is included in the code for pacemaker insertion/replacement.)	51.11 . . . . .	1989	51.11,51.97
37.80 (Device only) . . . . .	1987	37.73–37.77 (Leads/Device)	51.14 . . . . .	1989	51.12
37.81 (Device only) . . . . .	1987	37.73–37.77 (Leads/Device)	51.15 . . . . .	1989	51.97
37.82 (Device only) . . . . .	1987	37.73–37.77 (Leads/Device)	51.21 . . . . .	1996	51.22,51.23
			51.22 . . . . .	1991	51.21 (Code deleted), 51.22
			51.23 . . . . .	1991	51.22
			51.24 . . . . .	1996	51.22,51.23
			51.64 . . . . .	1989	51.69
			51.84–51.88 . . . . .	1989	51.97
			51.97 . . . . .	1986	52.91,51.99, or 51.82
			51.98 . . . . .	1986	51.99
			52.13 . . . . .	1989	51.97,52.91

See footnotes at end of table.

**Table VII. Changes in procedure codes—Con.**

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
52.14 . . . . .	1989	52.11	78.10 . . . . .	1991	78.40
52.21 . . . . .	1989	52.2	78.11 . . . . .	1991	78.41
52.22 . . . . .	1989	52.2	78.12 . . . . .	1991	78.42
52.84 . . . . .	1996	99.29	78.13 . . . . .	1991	78.43
52.85 . . . . .	1996	99.29	78.14 . . . . .	1991	78.44
52.86 . . . . .	1996	99.29	78.15 . . . . .	1991	78.45
52.93 . . . . .	1989	52.93 + 52.91	78.16 . . . . .	1991	78.46
52.94 . . . . .	1989	52.09	78.17 . . . . .	1991	78.47
52.97 . . . . .	1989	52.91	78.18 . . . . .	1991	78.48
52.98 . . . . .	1989	52.91	78.19 . . . . .	1991	78.49
52.99 . . . . .	1989	52.93,52.94,52.99	78.20 . . . . .	1991	78.10,78.20,78.30
54.24 . . . . .	1987	54.23	78.21 (invalid code)	1991	78.11,78.31
54.25 . . . . .	1993	54.98	78.22 . . . . .	1991	78.12,78.22,78.32
54.51 . . . . .	1996	54.5	78.23 . . . . .	1991	78.13,78.23,78.33
54.59 . . . . .	1996	54.5	78.24 . . . . .	1991	78.14,78.34
55.03–55.04 . . . . .	1986	55.02	78.25 . . . . .	1991	78.15,78.25,78.35
56.33–56.34 . . . . .	1987	56.33	78.27 . . . . .	1991	78.17,78.27,78.37
56.35 . . . . .	1987	45.12	78.28 . . . . .	1991	78.18,78.38
57.17–57.18 . . . . .	1989	57.21	78.29 . . . . .	1991	78.11,78.16,78.19,78.29, 78.39
57.22 . . . . .	1989	57.22,57.82	78.39 . . . . .	1991	78.31
58.31 . . . . .	1990	58.3	78.90 <sup>2</sup> . . . . .	1987	78.40
58.39 . . . . .	1990	58.3	78.91 <sup>2</sup> . . . . .	1987	78.41
58.93 . . . . .	1986	57.99	78.92 <sup>2</sup> . . . . .	1987	78.42
59.03 . . . . .	1996	59.02	78.93 <sup>2</sup> . . . . .	1987	78.43
59.12 . . . . .	1996	59.11	78.94 <sup>2</sup> . . . . .	1987	78.44
59.72 . . . . .	1995	59.79	78.95 <sup>2</sup> . . . . .	1987	78.45
59.96 . . . . .	1986	59.95	78.96 <sup>2</sup> . . . . .	1987	78.46
60.21 . . . . .	1995	60.2	78.97 <sup>2</sup> . . . . .	1987	78.47
60.29 . . . . .	1995	60.2	78.98 <sup>2</sup> . . . . .	1987	78.48
60.95 . . . . .	1991	60.99	78.99 <sup>2</sup> . . . . .	1987	78.49
60.96 . . . . .	2000	60.29	80.50–80.59 . . . . .	1986	80.5
60.97 . . . . .	2000	60.29	81.03 . . . . .	1989	81.02
64.97 . . . . .	1986	64.95	81.04–81.05 . . . . .	1989	81.03,81.04,81.05
65.01 . . . . .	1996	65.0	81.06–81.07 . . . . .	1989	81.06,81.07
65.09 . . . . .	1996	65.0	81.08 . . . . .	1989	81.06,81.07,81.08
65.13 . . . . .	1996	65.12	81.09 . . . . .	1989	81.08
65.14 . . . . .	1996	65.19	81.40 . . . . .	1989	81.69
65.23 . . . . .	1996	65.21	81.51 . . . . .	1989	81.51,81.59
65.24 . . . . .	1996	65.22	81.52 . . . . .	1989	81.61,81.62,81.63,81.64
65.25 . . . . .	1996	65.29	81.53 . . . . .	1989	81.51,81.59,81.61,81.62, 81.63,81.64
65.31 . . . . .	1996	65.3	81.54–81.55 . . . . .	1989	81.41 (Code deleted)
65.39 . . . . .	1996	65.3	81.56 . . . . .	1989	81.48
65.41 . . . . .	1996	65.4	81.57 . . . . .	1989	81.31,81.39
65.49 . . . . .	1996	65.4	81.59 . . . . .	1989	81.39
65.53 . . . . .	1996	65.51	81.72 . . . . .	1989	81.79
65.54 . . . . .	1996	65.52	81.73–81.74 . . . . .	1989	81.86 (Code deleted)
65.63 . . . . .	1996	65.61	81.75 . . . . .	1989	81.87 (Code deleted)
65.64 . . . . .	1996	65.62	81.79 . . . . .	1989	81.79,81.87
65.74 . . . . .	1996	65.71	81.80 . . . . .	1989	81.81
65.75 . . . . .	1996	65.72	81.97 . . . . .	1992	81.59
65.76 . . . . .	1996	65.73	85.95 . . . . .	1987	85.99
65.81 . . . . .	1996	65.8	85.96 . . . . .	1987	85.99
65.89 . . . . .	1996	65.8	86.06 . . . . .	1987	86.09
66.01 . . . . .	1992	66.0	86.07 . . . . .	1990	86.09
66.02 . . . . .	1992	66.73	86.27 . . . . .	1986	86.22–86.23
68.15 . . . . .	1987	68.14	86.28 . . . . .	1988	86.22
68.16 . . . . .	1987	68.13	86.67 . . . . .	1998	86.65
68.23 . . . . .	1996	68.29	86.93 . . . . .	1987	86.89
68.51 . . . . .	1996	68.5	88.90 . . . . .	1986	88.39
68.59 . . . . .	1996	68.5	88.91 . . . . .	1986	89.15
68.9 . . . . .	1992	68.4	88.92 . . . . .	1986	89.39
74.3 . . . . .	1992	69.11 (Code deleted)	88.93 . . . . .	1986	89.15
75.37 . . . . .	1998	99.29	88.94 . . . . .	1986	89.39
77.56 . . . . .	1989	77.89,78.49,81.18	88.95 . . . . .	1986	89.39
77.57 . . . . .	1989	77.89,80.48,81.18,83.85	88.97 . . . . .	1989	88.99
77.58 . . . . .	1989	77.59,81.18	88.98 . . . . .	1989	88.90

See footnotes at end of table.

**Table VII. Changes in procedure codes—Con.**

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
88.99 . . . . .	1986	89.39	96.71 . . . . .	1991	93.92 (Code deleted)
89.10 . . . . .	1989	89.15	96.72 . . . . .	1991	93.92 (Code deleted)
89.17–89.18 . . . . .	1988	89.15	97.05 . . . . .	1989	51.97
89.19 . . . . .	1989	89.15	98.51–98.52 . . . . .	1989	59.96 (Code deleted)
89.50 . . . . .	1991	89.54	98.59 . . . . .	1989	59.96 (Code deleted)
92.3 . . . . .	1995	01.59, 04.07, 07.63, 07.68	99.00 . . . . .	1995	99.02
92.30 . . . . .	1998	92.3	99.10 . . . . .	1998	99.29
92.31 . . . . .	1998	92.3	99.15 . . . . .	1986	99.29
92.32 . . . . .	1998	92.3	99.20 . . . . .	1998	99.29
92.33 . . . . .	1998	92.3	99.28 . . . . .	1994	99.25
92.39 . . . . .	1998	92.3	99.71–99.74, 99.79 <sup>3</sup> . . . . .	1988	99.07
93.90 . . . . .	1988	93.92	99.75 . . . . .	2000	99.29
94.61–94.69 . . . . .	1989	94.25	99.85 . . . . .	1987	93.35
96.29 . . . . .	1998	96.39	99.86 . . . . .	1987	93.39
96.6 . . . . .	1986	96.35	99.88 . . . . .	1988	99.83
96.70 . . . . .	1991	93.92 (Code deleted)			

<sup>1</sup>Before October 1986 contents of current code 36.05 would have been assigned to 36.0.<sup>2</sup>Codes 78.90–78.99 were retitled as "Insertion of bone growth stimulator" in October 1987; the previous contents of codes 78.90–78.99 were reassigned to codes 78.40–78.49.<sup>3</sup>Codes 99.71–99.79 were deleted in October 1987; their contents were not transferred elsewhere. In the October 1988 revision, codes 99.71–99.79 were reclassified as "Therapeutic apheresis." Codes 99.75–99.78 have not yet been reassigned.

# Vital and Health Statistics series descriptions

- SERIES 1. **Programs and Collection Procedures**—These reports describe the data collection programs of the National Center for Health Statistics. They include descriptions of the methods used to collect and process the data, definitions, and other material necessary for understanding the data.
- SERIES 2. **Data Evaluation and Methods Research**—These reports are studies of new statistical methods and include analytical techniques, objective evaluations of reliability of collected data, and contributions to statistical theory. These studies also include experimental tests of new survey methods and comparisons of U.S. methodology with those of other countries.
- SERIES 3. **Analytical and Epidemiological Studies**—These reports present analytical or interpretive studies based on vital and health statistics. These reports carry the analyses further than the expository types of reports in the other series.
- SERIES 4. **Documents and Committee Reports**—These are final reports of major committees concerned with vital and health statistics and documents such as recommended model vital registration laws and revised birth and death certificates.
- SERIES 5. **International Vital and Health Statistics Reports**—These reports are analytical or descriptive reports that compare U.S. vital and health statistics with those of other countries or present other international data of relevance to the health statistics system of the United States.
- SERIES 6. **Cognition and Survey Measurement**—These reports are from the National Laboratory for Collaborative Research in Cognition and Survey Measurement. They use methods of cognitive science to design, evaluate, and test survey instruments.
- SERIES 10. **Data From the National Health Interview Survey**—These reports contain statistics on illness; unintentional injuries; disability; use of hospital, medical, and other health services; and a wide range of special current health topics covering many aspects of health behaviors, health status, and health care utilization. They are based on data collected in a continuing national household interview survey.
- SERIES 11. **Data From the National Health Examination Survey, the National Health and Nutrition Examination Surveys, and the Hispanic Health and Nutrition Examination Survey**—Data from direct examination, testing, and measurement on representative samples of the civilian noninstitutionalized population provide the basis for (1) medically defined total prevalence of specific diseases or conditions in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics, and (2) analyses of trends and relationships among various measurements and between survey periods.
- SERIES 12. **Data From the Institutionalized Population Surveys**—Discontinued in 1975. Reports from these surveys are included in Series 13.
- SERIES 13. **Data From the National Health Care Survey**—These reports contain statistics on health resources and the public's use of health care resources including ambulatory, hospital, and long-term care services based on data collected directly from health care providers and provider records.
- SERIES 14. **Data on Health Resources: Manpower and Facilities**—Discontinued in 1990. Reports on the numbers, geographic distribution, and characteristics of health resources are now included in Series 13.
- SERIES 15. **Data From Special Surveys**—These reports contain statistics on health and health-related topics collected in special surveys that are not part of the continuing data systems of the National Center for Health Statistics.
- SERIES 16. **Compilations of Advance Data From Vital and Health Statistics**—Advance Data Reports provide early release of information from the National Center for Health Statistics' health and demographic surveys. They are compiled in the order in which they are published. Some of these releases may be followed by detailed reports in Series 10–13.
- SERIES 20. **Data on Mortality**—These reports contain statistics on mortality that are not included in regular, annual, or monthly reports. Special analyses by cause of death, age, other demographic variables, and geographic and trend analyses are included.
- SERIES 21. **Data on Natality, Marriage, and Divorce**—These reports contain statistics on natality, marriage, and divorce that are not included in regular, annual, or monthly reports. Special analyses by health and demographic variables and geographic and trend analyses are included.
- SERIES 22. **Data From the National Mortality and Natality Surveys**—Discontinued in 1975. Reports from these sample surveys, based on vital records, are now published in Series 20 or 21.
- SERIES 23. **Data From the National Survey of Family Growth**—These reports contain statistics on factors that affect birth rates, including contraception, infertility, cohabitation, marriage, divorce, and remarriage; adoption; use of medical care for family planning and infertility; and related maternal and infant health topics. These statistics are based on national surveys of women of childbearing age.
- SERIES 24. **Compilations of Data on Natality, Mortality, Marriage, Divorce, and Induced Terminations of Pregnancy**—These include advance reports of births, deaths, marriages, and divorces based on final data from the National Vital Statistics System that were published as supplements to the *National Vital Statistics Report* (NVSR). These reports provide highlights and summaries of detailed data subsequently published in *Vital Statistics of the United States*. Other supplements to the NVSR published here provide selected findings based on final data from the National Vital Statistics System and may be followed by detailed reports in Series 20 or 21.

For answers to questions about this report or for a list of reports published in these series, contact:

Information Dissemination Staff  
National Center for Health Statistics  
Centers for Disease Control and Prevention  
3311 Toledo Road, Room 5412  
Hyattsville, MD 20782  
1-866-441-NCHS (6247)  
E-mail: [nchsquery@cdc.gov](mailto:nchsquery@cdc.gov)  
Internet: [www.cdc.gov/nchs](http://www.cdc.gov/nchs)

**U.S. DEPARTMENT OF  
HEALTH & HUMAN SERVICES**

Centers for Disease Control and Prevention  
National Center for Health Statistics  
3311 Toledo Road  
Hyattsville, Maryland 20782

---

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

MEDIA MAIL
POSTAGE & FEES PAID
CDC/NCHS
PERMIT NO. G-284