Table I-11 MEDIAN AGE OF CANCER PATIENTS AT DIAGNOSIS^a, 2000-2004

By Primary Cancer Site, Race and Sex

	All Races			Whites		Blacks			
Site	Total		Females	Total		Females	Total	Males	Females
All Sites	67.0	68.0	66.0	67.0	68.0	67.0	63.0	64.0	62.0
Oral Cavity & Pharynx:	62.0	61.0	66.0	63.0	62.0	68.0	58.0	58.0	57.0
Lip	69.0	67.0	75.0	70.0	68.0	75.0	59.0	62.5	_
Tongue	61.0	60.0	65.0	61.0	60.0	66.0	58.0	58.0	55.0
Salivary gland	64.0	66.0	61.0	66.0	68.0	64.0	55.0	56.0	53.0
Floor of mouth	63.0	61.0	68.0	64.0	62.0	69.0	58.0	57.0	61.0
Gum & other oral cavity	67.0	64.0	72.0	69.0	65.0	73.0	59.0	59.0	61.0
Nasopharynx	55.0	55.0	56.0	59.0	58.0	63.0	50.0	51.0	48.0
Tonsil	57.0	56.0	61.0	57.0	56.0	61.0	55.0	55.0	56.0
Oropharynx	63.0	61.0	67.0	63.0	62.0	68.0	60.0	60.0	64.0
Hypopharynx	66.0	65.0	67.0	66.0	66.0	68.0	61.0	61.0	59.0
Other oral cavity	65.0	64.0	69.0	66.0	64.0	70.0	62.0	62.0	61.0
& pharynx									
Digestive System:	71.0	69.0	73.0	71.0	69.0	74.0	66.0	64.0	68.0
Esophagus	69.0	67.0	73.0	69.0	68.0	74.0	64.0	63.0	65.0
Stomach	71.0	70.0	73.0	72.0	70.0	74.0	69.0	67.0	72.0
Small intestine	67.0	65.0	68.0	67.0	66.0	69.0	63.0	63.5	63.0
Colon & Rectum:	71.0	70.0	73.0	72.0	70.0	74.0	67.0	65.0	68.0
Colon	73.0	71.0	74.0	73.0	72.0	75.0	68.0	67.0	69.0
Rectum	67.0	66.0	69.0	68.0	67.0	70.0	63.0	62.5	64.0
Anus, anal canal &	61.0	58.0	63.0	62.0	59.0	63.0	54.0	50.0	58.0
anorectum									
Liver & Intrahep:	65.0	63.0	71.0	67.0	64.0	72.0	59.0	57.0	65.0
Liver	65.0	62.0	70.0	66.0	63.0	72.0	59.0	57.0	65.0
Intrahep bile duct	72.0	70.0	74.0	72.0	71.0	74.0	66.0	65.0	69.0
Gallbladder	73.0	73.0	73.0	74.0	74.0	74.0	69.0	69.0	69.0
Other biliary	73.0	71.0	75.0	74.0	72.0	75.0	68.0	67.0	69.0
Pancreas	72.0	70.0	74.0	73.0	70.0	75.0	68.0	66.0	71.0
Retroperitoneum	60.0	61.0	60.0	61.0	62.0	61.0	56.0	56.0	54.5
Peritoneum, omentum & mesentery	68.0	61.0	68.0	68.0	62.0	69.0	64.0	52.0	66.0
Other digestive	73.0	71.0	74.0	73.0	72.0	75.0	68.0	64.0	69.0
system									
Respiratory System:	70.0	70.0	71.0	71.0	70.0	71.0	66.0	65.0	66.0
Nose, nasal cavity &	64.0	62.0	66.0	65.0	63.0	67.0	56.0	56.0	58.0
middle ear									
Larynx	65.0	65.0	65.0	65.0	65.0	66.0	61.0	62.0	60.0
Lung & bronchus	70.0	70.0	71.0	71.0	71.0	71.0	66.0	66.0	67.0
Pleura	68.0	72.0	65.5	68.0	72.0	66.0	-	-	-
Trachea & other	49.0	41.0	60.0	49.0	42.0	63.0	48.5	43.0	53.5
respiratory organs									
Bones & joints	39.0	37.0	41.0	40.0	38.0	42.5	32.0	32.0	31.5
Soft tissue (incl heart)	56.0	56.0	56.0	57.0	58.0	57.0	48.0	45.0	50.0
Skin (ex basal & squam):	59.0	62.0	55.0	60.0	63.0	55.0	53.0	53.0	53.0
Melanoma of the skin	59.0	62.0	54.0	59.0	62.0	54.0	62.0	61.0	62.5
Other non-epithelial	69.0	70.0	68.0	71.0	71.0	69.0	47.0	46.5	48.0
skin	0,00	, 0 . 0		, 3	, 1.0	02.0	17.0	10.3	10.0
Breast	61.0	67.0	61.0	62.0	69.0	62.0	57.0	62.0	57.0
Breast (in situ)	58.0	58.0	58.0	58.0	59.0	58.0	58.0	56.0	58.0

SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey). Statistic could not be calculated. Less than 16 cases were diagnosed during the time

interval.

Table I-11 - continued MEDIAN AGE OF CANCER PATIENTS AT DIAGNOSIS^a, 2000-2004 By Primary Cancer Site, Race and Sex

	All Races		Whites			Blacks			
Site	Total	Males		Total	Males	Females	Total	Males	Females
Female Genital System:	61.0	_	61.0	62.0	_	62.0	60.0	_	60.0
Cervix uteri	48.0	_	48.0	47.0	_	47.0	49.0	_	49.0
Corpus uteri	63.0	_	63.0	63.0	_	63.0	64.0	_	64.0
Uterus, NOS	67.0	_	67.0	69.0	_	69.0	64.0	_	64.0
Ovary ^b	63.0	_	63.0	64.0	_	64.0	61.0	_	61.0
Vagina	68.0	_	68.0	69.0	_	69.0	62.5	_	62.5
Vulva	68.0	_	68.0	70.0	_	70.0	54.0	_	54.0
Other female	61.0	_	61.0	63.0	_	63.0	48.0	_	48.0
genital system	01.0		01.0	03.0		03.0	10.0		10.0
Male Genital System:	68.0	68.0	-	68.0	68.0	-	65.0	65.0	_
Prostate	68.0	68.0	-	68.0	68.0	-	65.0	65.0	_
Testis	34.0	34.0	-	34.0	34.0	-	33.0	33.0	-
Penis	68.0	68.0	-	69.0	69.0	-	65.0	65.0	-
Other male genital system	68.0	68.0	-	69.0	69.0	_	54.0	54.0	-
Urinary System:	70.0	70.0	71.0	71.0	70.0	71.0	65.0	64.0	67.0
Urinary bladder	73.0	72.0	74.0	73.0	72.0	74.0	70.0	68.0	73.0
Kidney & renal pelvis	65.0	64.0	66.0	65.0	65.0	67.0	61.0	60.0	62.0
Ureter	74.0	73.0	75.5	74.0	74.0	76.0	72.0	72.0	73.5
Other urinary system	73.0	73.0	71.0	74.0	74.0	74.0	64.0	68.5	62.0
Eye & Orbit	60.0	59.0	61.0	61.0	61.0	62.0	3.0	8.0	2.0
If a orbic									
Brain & Nervous System:	55.0	55.0	56.0	56.0	55.0	58.0	49.0	48.0	50.0
Brain	56.0	55.0	57.0	57.0	56.0	58.0	49.0	48.0	51.0
Cranial nerves & other nervous system	48.0	46.0	49.0	48.0	46.0	49.0	48.0	47.5	49.0
Endocrine System:	47.0	52.0	46.0	47.0	52.0	46.0	48.0	52.0	47.0
Thyroid	47.0	52.0	46.0	47.0	53.0	46.0	48.0	52.0	47.0
Other endocrine & thymus	50.0	48.0	52.0	52.0	49.0	54.0	45.0	44.0	46.0
Lymphomas:	64.0	62.0	67.0	65.0	63.0	68.0	52.0	51.0	55.0
Hodgkin lymphoma	38.0	39.0	35.5	38.0	39.0	36.0	37.0	38.0	34.0
Non-Hodgkin	67.0	64.0	69.0	68.0	65.0	70.0	55.0	53.0	58.0
lymphoma									
Myeloma	70.0	69.0	72.0	71.0	70.0	73.0	67.0	66.0	68.0
Leukemia:	67.0	66.0	68.0	68.0	67.0	69.0	61.0	59.0	63.0
Lymphocytic:	65.0	64.0	68.0	66.0	65.0	69.0	62.0	61.0	64.0
Acute lymphocytic	13.0	13.0	12.0	13.0	13.0	12.0	14.0	13.0	14.0
Chronic lymphocytic	72.0	71.0	74.0	73.0	71.0	75.0	69.0	68.0	71.0
Other lymphocytic	61.0	59.0	70.0	62.0	59.0	70.0	61.5	60.0	66.0
Myeloid & Monocytic:	67.0	67.0	68.0	69.0	68.0	69.0	59.0	57.0	61.0
Acute myeloid	67.0	67.0	68.0	69.0	69.0	69.0	59.0	57.0	61.0
Chronic myeloid	66.0	65.0	68.0	68.0	67.0	70.0	58.0	56.0	61.0
Acute monocytic	62.0	63.0	61.0	63.5	64.5	63.0	47.0	42.0	49.0
Other myeloid &	72.0	71.0	74.0	73.0	72.0	75.0	65.0	64.0	69.0
monocytic									
Other:	76.0	74.0	78.0	77.0	75.0	79.0	65.0	61.0	71.0
Other acute	75.0	74.0	77.0	76.0	75.0	78.0	68.0	65.5	72.5
Aleukemic, subleuk & NOS	76.0	74.0	79.0	77.0	75.0	80.0	65.0	58.0	69.0
Kaposi Sarcoma	42.0	41.0	79.0	44.0	43.0	80.0	38.0	37.0	43.0
Mesothelioma	74.0	74.0	72.0	74.0	74.0	73.0	70.0	70.5	66.0
Ill-defined & unspecified	73.0	71.0	75.0	74.0	71.0	76.0	67.0	64.0	70.0

SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

Statistic could not be calculated. Less than 16 cases were diagnosed during the time

interval.

Table I-13 MEDIAN AGE OF CANCER PATIENTS AT DEATH^a, 2000-2004

By Primary Cancer Site, Race and Sex

	All Races				Whites		Blacks			
Site	Total	Males		Total	Males	Females	Total	Males	Females	
All Sites	73.0	72.0	73.0	73.0	73.0	74.0	68.0	68.0	69.0	
Oral Cavity & Pharynx:	68.0	65.0	74.0	70.0	67.0	75.0	61.0	60.0	64.0	
Lip	76.5	74.5	83.0	77.0	75.0	83.5	-	_	-	
Tongue	67.0	64.0	73.0	67.0	64.0	74.0	60.0	60.0	61.5	
Salivary gland	73.0	72.0	75.0	74.0	73.0	76.0	63.0	63.0	64.5	
Floor of mouth	66.0	63.0	74.0	67.0	63.5	74.0	61.0	60.5	67.0	
Gum & other oral cavity	73.0	68.0	79.0	74.0	69.0	80.0	63.0	60.0	70.0	
Nasopharynx	62.0	61.0	66.0	66.0	64.0	70.0	56.0	56.0	60.0	
Tonsil	62.0	60.0	70.0	63.0	61.0	71.0	59.0	58.0	65.0	
Oropharynx	67.0	64.0	73.0	68.0	65.0	74.0	61.0	60.0	64.0	
Hypopharynx	66.0	66.0	71.0	68.0	67.0	71.5	61.0	60.0	62.0	
Other oral cavity & pharynx	68.0	67.0	72.0	70.0	68.0	73.0	62.0	62.0	65.0	
Digestive System:	73.0	71.0	76.0	74.0	72.0	77.0	69.0	66.0	72.0	
Esophagus	70.0	68.0	74.0	71.0	69.0	75.0	65.0	64.0	68.0	
Stomach	74.0	72.0	76.0	74.0	72.0	77.0	71.0	68.0	75.0	
Small intestine	71.0	70.0	73.0	72.0	71.0	74.5	65.0	64.0	65.0	
Colon & Rectum	75.0	73.0	77.0	76.0	73.0	78.0	70.0	68.0	72.0	
Anus, anal canal & anorectum	66.0	62.0	68.0	66.0	63.0	69.0	59.0	53.0	64.0	
Liver & Intrahep:	70.0	67.0	75.0	71.0	69.0	75.0	63.0	59.0	70.0	
Liver	69.0	66.0	75.0	71.0	68.0	76.0	62.0	58.0	70.0	
Intrahep bile duct	73.0	72.0	74.0	73.0	72.0	75.0	68.0	67.0	70.0	
Gallbladder	74.0	74.0	75.0	75.0	74.0	75.0	70.0	70.0	70.0	
Other biliary	77.0	75.0	78.0	77.0	76.0	79.0	73.0	72.0	73.5	
Pancreas	73.0	71.0	76.0	74.0	71.0	76.0	70.0	67.0	73.0	
Retroperitoneum	71.0	70.0	73.0	72.0	70.0	74.0	62.0	64.0	61.0	
Peritoneum, omentum & mesentery	71.0	68.0	71.0	71.0	69.0	72.0	67.0	59.0	68.0	
Other digestive system	76.0	74.0	80.0	77.0	74.0	80.0	71.0	70.0	73.0	
Respiratory System:	71.0	71.0	72.0	72.0	71.0	72.0	67.0	67.0	68.0	
Nose, nasal cavity & middle ear	70.0	66.0	75.0	71.0	68.0	75.0	63.0	63.0	63.0	
Larynx	69.0	68.0	70.0	70.0	69.0	71.0	64.0	64.0	66.0	
Lung & bronchus	71.0	71.0	72.0	72.0	71.0	72.0	68.0	67.0	69.0	
Pleura	75.0	74.0	75.0	75.0	75.0	75.0	69.0	68.0	73.0	
Trachea & other respiratory organs	69.0	66.0	73.0	69.0	67.0	74.0	64.0	63.0	64.0	
Bones & joints	59.0	54.0	66.0	61.0	56.0	68.0	51.0	46.0	57.0	
Soft tissue (incl heart)	65.0	64.0	66.0	66.0	66.0	67.0	56.0	53.0	58.0	
Skin (ex basal & squam):	70.0	69.0	72.0	70.0	69.0	72.0	64.0	61.0	71.0	
Melanoma of the skin	67.0	67.0	68.0	67.0	67.0	68.0	69.0	66.0	72.0	
Other non-epithelial	76.0	73.0	80.0	76.0	74.0	81.0	62.0	60.0	67.5	
skin	, , , ,	, , , , ,	55.5	, , , ,	, 1.0	01.0	V2.U	00.0	07.5	
Breast	69.0	71.0	69.0	70.0	72.0	70.0	61.0	66.0	61.0	

NCHS public use data file for the total US. Statistic could not be calculated. Less than 16 deaths occurred during the time interval.

Table I-13 - continued MEDIAN AGE OF CANCER PATIENTS AT DEATH^a, 2000-2004 By Primary Cancer Site, Race and Sex

	All Races		Whites			Blacks			
Site	Total	Males	Females	Total	Males	Females	Total	Males	Females
Female Genital System:	71.0	_	71.0	71.0	_	71.0	67.0	_	67.0
Cervix uteri	57.0	_	57.0	57.0	_	57.0	57.0	_	57.0
Corpus uteri	73.0	_	73.0	73.0	_	73.0	70.0	_	70.0
Uterus, NOS	73.0	_	73.0	74.0	_	74.0	70.0	_	70.0
	71.0	_	71.0		_	72.0		_	
Ovary		_		72.0	_		68.0	_	68.0
Vagina	76.0		76.0	76.0		76.0	72.0	_	72.0
Vulva	79.0	-	79.0	79.0	-	79.0	71.0	_	71.0
Other female genital system	72.0	-	72.0	73.0	-	73.0	64.0	-	64.0
Male Genital System:	80.0	80.0	_	80.0	80.0	_	77.0	77.0	_
Prostate	80.0	80.0	_	80.0	80.0	_	77.0	77.0	_
Testis	40.0	40.0	_	40.0	40.0	_	40.5	40.5	_
Penis	70.0	70.0	_	70.0	70.0	_	68.0	68.0	_
Other male	75.0	75.0	_	76.0	76.0	_	66.5	66.5	_
genital system	75.0	73.0		70.0	, , , ,		00.5	00.5	
Urinary System:	75.0	74.0	77.0	75.0	74.0	77.0	71.0	69.0	74.0
Urinary bladder	78.0	77.0	80.0	78.0	77.0	80.0	76.0	75.0	77.0
Kidney & renal pelvis	71.0	69.0	74.0	72.0	70.0	75.0	67.0	65.0	70.0
Ureter	77.0	75.0	78.0	77.0	76.0	79.0	73.0	75.0	70.0
Other urinary system	77.0	76.0	78.0	78.0	76.0	79.0	66.5	70.5	65.0
Eye & Orbit	69.0	66.0	72.0	70.0	67.0	72.0	45.0	49.5	32.0
Brain & Nervous System:	64.0	62.0	66.0	64.0	62.0	67.0	57.0	55.0	60.0
Endogrino System:	69.0	65.0	72.0	69.0	66.0	72.0	61.0	56.0	66.0
Endocrine System: Thyroid	74.0	71.0	76.0	74.0	71.0	76.0	70.0	65.0	73.0
-									
Other endocrine & thymus	56.0	55.0	57.0	58.0	57.0	59.0	46.0	39.5	49.0
Lymphoma:	74.0	72.0	76.0	75.0	72.0	77.0	64.0	61.0	67.0
Hodgkin lymphoma	61.0	59.0	63.0	63.0	61.0	65.0	45.0	48.0	41.0
Non-Hodgkin lymphoma	74.0	72.0	77.0	75.0	73.0	77.0	65.0	62.0	68.0
Myeloma	74.0	73.0	76.0	75.0	74.0	76.0	71.0	69.0	73.0
Leukemia:	74.0	73.0	76.0	75.0	73.0	76.0	67.0	66.0	70.0
Lymphocytic:	76.0	73.0	79.0	76.0	74.0	79.0	70.0	67.0	73.0
	47.0	42.0	53.0	49.0	44.0	54.0	36.0	32.0	42.0
Acute lymphocytic	78.0	76.0		79.0	77.0		74.0		
Chronic lymphocytic			81.0			82.0		72.0	76.0
Other lymphocytic	78.0	76.0	81.0	78.0	76.0	81.0	73.5	71.0	77.0
Myeloid & Monocytic:	72.0	71.0	73.0	73.0	72.0	74.0	64.0	62.5	65.0
Acute myeloid	72.0	71.0	72.0	72.0	72.0	73.0	64.0	64.0	65.0
Chronic myeloid	71.0	69.0	74.0	73.0	71.0	75.0	60.0	56.5	64.0
Acute monocytic	76.0	75.0	77.0	77.0	76.0	78.0	57.0		58.5
Other myeloid & monocytic	76.0	76.0	77.0	77.0	76.0	78.0	73.0	72.0	74.0
Other:	76.0	75.0	78.0	77.0	75.0	79.0	71.0	69.0	74.0
Other acute	76.0	75.0	77.0	76.0	75.0	77.0	70.0	70.0	71.0
Aleukemic, subleuk &		75.0	79.0	78.0	76.0	80.0	71.0	69.0	74.5
NOS	• •	. 3.0		. 5 . 6		23.0	0		. 1.0
Ill-defined &	74.0	72.0	76.0	75.0	73.0	76.0	69.0	66.0	71.0
unspecified									

NCHS public use data file for the total US. Statistic could not be calculated. Less than 16 deaths occurred during the time interval.