BioMarker Discovery Kit (BMDK)

Brian T. Luke (<u>lukeb@ncifcrf.gov</u>)

Contents

- I. Goal of the Investigation
- II. Method of Examination
- III. Fingerprint-based versus Biomarker-based Classifiers
 - A. What is the difference between fingerprint-based and biomarker-based classifiers?
 - B. Common fingerprint-based classifiers
 - 1. Decision Trees
 - 2. Medoid Classification Algorithm
 - C. Why are fingerprint-based classifiers not generalizable?
 - D. <u>Proposed biomarker-based classifier</u>
- IV. Concerns for any dataset or classifier
 - A. Bias, chance and generalizability
 - B. Coverage, Uniqueness and significance
- V. Identifying Putative Biomarkers
 - A. Methods used in BMDK
 - 1. catboot
 - 2. student
 - 3. dtgini
 - 4. dtinfg
 - 5. nnfeat
 - 6. chisq
 - 7. kruswal
 - 8. kolsmir
 - 9. extreme
 - 10. vartest
 - B. <u>Comparisons and conclusions</u>
- VI. Form of a biomarker-based classifier
 - A. Distance-Dependent K-Nearest Neighbor
- VII. Determine a consistent meaning for terms
 - A. Replace "panel of markers" with "battery of tests"
 - B. Replace "personalized medicine" with "State-based diagnosis and treatment"
- VIII. Analyzing Spectroscopic Datasets
 - A. Published Prostate Dataset
 - B. Datasets Containing No Biological Information
 - IX. Datasets
 - A. Structure of the datasets
 - B. Datasets containing no biological information

- 1. <u>30 cases and 30 Controls</u>
- 2. 42 cases and 42 Controls
- 3. 60 cases and 60 Controls
- 4. 90 cases and 90 Controls
- 5. 150 cases and 150 Controls
- 6. 300 cases and 300 Controls
- X. References