Questions about what you usually oat and drink

## **INSTRUCTIONS:**

This questionnaire is about your usual eating habits over the past 12 months. Where possible give only one answer per question for the type of food you eat most often. (If you can't decide which type you have most often, answer for the types you usually eat.)

- Use a soft pencil only, preferably 2B.
- Do not use any biro or felt tip pen.

	Please	MARK	LIKE THIS:
--	--------	------	------------

NOT LIKE THIS:



# How many slices of bread do you usually eat per day? (Include all types, fresh or toasted and count one bread roll as 2 slices.)

Please fill i date vo completed

questionnai

JAN

FEB

1 1 APR

3 3 OJUN

4 JUL

(5) OAUG

6 SEP

O OCT

0 0 MAR 1998

2 2 MAY 2000

■ ○ NOV ○ 2006 9 DEC 2007

1996

O 1997

O 1999

2001

2002

2003

2004

2005

- less than 1 slice per day
- 1 slice per day
- 2 slices per day
- 3 slices per day
- 4 slices per day 5-7 slices per day
- 8 or more slices per day

# Which spread do you usually put on bread?

- I don't usually use any fat spread
- o margarine of any kind
- o polyunsaturated margarine
- monounsaturated margarine
- butter and margarine blends
- butter

# On average, how many teaspoons of sugar do you usually use per day? (Include sugar taken with tea and coffee and on breakfast cereal etc.)

- none
- 1 to 4 teaspoons per day
- 5 to 8 teaspoons per day
- 9 to 12 teaspoons per day
- o more than 12 teaspoons per day

# On average, how many eggs do you usually eat per week?

- I don't eat eggs
- less than 1 egg per week
- 1 to 2 eggs per week
- 3 to 5 eggs per week
- 6 or more eggs per week

#### 10. What types of cheese do you usually eat?

- I don't eat cheese
- hard cheeses, e.g. parmesan, romano
- ofirm cheeses, e.g. cheddar, edam
- o soft cheeses, e.g. camembert, brie
- or ricotta or cottage cheese
- o cream cheese
- o low fat cheese

# Erase mistakes fully. Make no stray marks.

1	How many pieces of fresh fruit do
	you usually eat per day? (Count 1/2
	cup of diced fruit, berries or grapes MS
	one biece )

I don't cat fruit

less than 1 piece of fruit per day

- 1 piece of Fruit per day
- 2 pieces of fruit per day
- 3 pieces of fruit per day
- 4 or more pieces of fruit per day

# 2. How many different vegetables do you usually eat per day? (Count all types, fresh, frozen or tinned.)

- less than 1 vegetable per day
- 1 vegetable per day
- 2 vegetables per day
- 3 vegetables per day
- 4 vegetables per day
- 5 vegetables per day
- 6 or more vegetables per day

### What type of milk do you usually use? none

full cream milk reduced fat milk

skim milk soya milk

# . How much milk do you usually use per day? (Include flavoured milk and milk added to tea, coffee, cereal etc.)


- none
- less than 250 ml (1 large cup or mug)
- o between 250 and 500 ml (1-2 cups)
- between 500 and 750 ml (2-3 cups)
- 750 ml (3 cups) or more

#### What type of bread do you usually eat?

I don't eat bread high fibre white bread white bread wholemeal bread rve bread multi-grain bread

For each food shown on this page, indicate bow much on average you would usually have eaten at main meals during the past 12 months. When answering each question, think of the amount of that food you usually ate, even though you may rarely have eaten the food on its own.

If you usually ate more than one helping, fill in the oval for the serving size closest to the total amount you ate.



15. Over the last 12 months, on average, bow often did you eat the following foods? Please completely fill one oval in every line.

Please MARK LIKE THIS:

NOT LIKE THIS:

Times You Have Eaten	N E V		1 to 3 times	1 time	2 times		5 to 6 times	1 time	2 times	3 or more times
	E R	per r	nonth		per	week			per da	y
CEREAL FOODS, SWEETS & SNACKS	1 1 1 1			30.7/8						
All Bran™	To	0	0	0	0	0			0	0
Sultana Bran™, FibrePlus™, Branflakes™	0	0	0	0	0	0	0	0	0	0
Weet Bix™, Vita Brits™, Weeties™	0	0	0	0	0	0	0	0	0	0
Cornflakes, Nutrigrain™, Special K™	0	0	0	0	0	0	0	0	0	0
Porridge	0	0	0	0	0	0	0	0	0	0
Muesli	0	0	0	0	0	0	0	0	0	0
Rice	0	0	0	0	0	0	0	0	0	0
Pasta or noodles (include lasagne)	0	0	0	0	0	0	0	0	0	0
Crackers, crispbreads, dry biscuits	0	0	0	0	0	0	0	0	0	0
Sweet biscuits	0	0	0	0	0	0	0	0	0	0
Cakes, sweet pies, tarts and other sweet pastries	0	0	0	0	0	0	0	0	0	0
Meat pies, pasties, quiche and other savoury pastries	0	0	0	0	0	0	0	0	0	0
Pizza	0	0	0	0	0	0	0	0	0	0
Hamburger with a bun	0	0	0	0	0	0	0	0	0	0
Chocolate	0	0	0	0	0	0	0	0	0	0
Flavoured milk drink (cocoa, Milo™ etc.)	0	0	0	0	0	0	0	0	0	0
Nuts	0	0	0	0	0	0	0	0	0	0
Peanut butter or peanut paste	0	0	0	0	0	0	0	0	0	0
Corn chips, potato crisps, Twisties™ etc.	0	0	0	0	0	0	0	0	0	0
Jam, marmalade, honey or syrups	0	0	0	0	0	0	0	0	0	0
Vegemite <sup>™</sup> , Marmite <sup>™</sup> or Promite <sup>™</sup>	0	0	0	0	0	0	0	0	0	0
DAIRY PRODUCTS, MEAT & FISH										
Cheese	0	0	0	0	0	0	0	0	0	0
Ice-cream	0	0	0	0	0	0	0	0	0	0
Yoghurt	0	0	0	0	0	0	0	0	0	0
Beef	0	0	0	0	0	0	0	0	0	0
Veal	0	0	0	0	0	0	0	0	0	0
Chicken	0	0	0	0	0	0	0	0	0	0
Lamb	0	0	0	0	0	0	0	0	0	0
Pork	0	0	0	0	0	0	0	0	0	
Bacon	0	0	0	0	0	0	0	0	0	0
Ham	0	0	0	0	0	0	0	0	0	0
Corned beef, luncheon meats or salami	0	0	0	0	0	0	0	0	0	0
Sausages or frankfurters	0	0	0	0	0	0	0	0	0	0
Fish, steamed, grilled or baked	0	0	0	0	0	0	0	0	0	0
Fish, fried (include take-away)	0	0	0	0	0	0	0	0	0	0
Fish, tinned (salmon, tuna, sardines etc.)	0	0	0	0	0	0	0	0	0	0
FRUIT										
Tinned or frozen fruit (any kind)	0	0	0	0	0	0	0	0	0	0
Fruit juice	0	0	0	0	0	0	0	0	0	0
Oranges or other citrus fruit	0	0	0	0	0	0	0	0	0	0
Apples	0	0	0	0	0	0	0	0	0	0
Pears	0	0	0	0	0	0	0	0	0	0
Bananas	0	0	0	0	0	0	0	0	0	0
Watermelon, rockmelon (cantaloupe), honeydew etc.	0	0	0	0	0	0	0	0	0	0
Pineapple	0	0	0	0	0	0	0	0	0	0
Strawberries	0	0	0	0	0	0	0	0	0	0
Apricots	0	0	0	0	0	0	0	0	0	0
Peaches or nectarines	0	0	0	0	0	0	0	0	0	0
Mango or paw paw	0	0	0	0	0	0	0	0	0	0
Avocado	10			0				0	0	

Times You Have Eaten	N E V	less than once	1 to 3 times	1 time	2 times	3 to 4 times	5 to 6 times	1 time	2 times	3 or more times
CONTINUED	E R	per month		per week				per day		y
VEGETABLES (INCLUDING FRESH, FROZEN	ANI	TIT	NNEI	))		130	No.	5.11	#I h	
Potatoes roasted or fried (include hot chips)	0	0	0	0	0	0	0	0	0	0
Potatoes cooked without fat	0	0	0	0	0	0	0	0	0	0
Tomato sauce, tomato paste or dried tomatoes	0	0	0	0	0	0	0	0	0	0
Fresh or tinned tomatoes	0	0	0	0	0	0	0	0	0	0
Peppers (capsicum)  Lettuce, endive, or other salad greens	0	0	0	0	0	0	0	0	0	0
Cucumber	0	0	0	0	0	0	0.0	0	0 0	0
Celery	0	0	0	0	0	0	0	0	0	0
Beetroot	0	0	0	0	0	0	0	0	0	0
Carrots	0	0	0	0	0	0	0	0	0	0
Cabbage or Brussels sprouts	0	0	0	0	0	0	0	0	0	0
Cauliflower	0	0	0	0	0	0	0	0	0	0
Broccoli	0	0	0	0	0	0	0	0	0	0
Silverbeet or spinach	0	0	0	0	0	0	0	0	0	0
Peas	0	0	0	0	0	0	0	0	0	0
Green beans	0	0	0	0	0	0	0	0	0	0
Bean sprouts or alfalfa sprouts	0	0	0	0	0	0	0	0	0	0
Baked beans	0	0	0	0	0	0	0	0	0	0
Soy beans, soy bean curd or tofu Other beans (include chick peas, lentils etc.)	0	0	0	0	0	0	0	0	0	0
Pumpkin	0	0	0	0	0	0	0	0	0 0	0
Onion or leeks	0	0	0	0	0	0	0	0	0	0
Garlic (not garlic tablets)	0	0	0	0	0	0	0	0	0	0
Mushrooms	0	0	0	0	0	0	0	0	0	0
Zucchini	0	0	0	0	0	0	0	0	0	0
T: TI 137 D	N									
Times That You Drank	E V E R	less than once a month	1-3 days per month	day per week	days per week	days per week	days per week	5 days per week	6 days per week	every day
Times That You Drank  Beer (low alcohol)	E V E	than once a	days per	day per	days per	days per	days per	days per	days per	
NO SERVICIO DE LA CONTRACTOR DE LA CONTR	E V E R	than once a month	days per month	day per week	days per week	days per week	days per week	days per week	days per week	day
Beer (low alcohol)	E V E R	than once a month	days per month	day per week	days per week	days per week	days per week	days per week	days per week	day
Beer (low alcohol) Beer (full strength) Red wine White wine (include sparkling wines)	E V E R	than once a month	days per month	day per week	days per week	days per week	days per week	days per week	days per week	day
Beer (low alcohol) Beer (full strength) Red wine White wine (include sparkling wines) Fortified wines, port, sherry, etc.	E V E R	than once a month	days per month	day per week	days per week	days per week	days per week	days per week	days per week	day
Beer (low alcohol) Beer (full strength) Red wine White wine (include sparkling wines) Fortified wines, port, sherry, etc. Spirits, liqueurs, etc.	E V E R	than once a month	days per month	day per week	days per week	days per week	days per week	days per week	days per week	day
Beer (low alcohol) Beer (full strength) Red wine White wine (include sparkling wines) Fortified wines, port, sherry, etc. Spirits, liqueurs, etc.  When answering the next two questions, please convert the amo For spirits, liqueurs, and mixed drinks containing sp 1 can or stubby of beer = 2 glasses 1 targe bottle beer (750 ml) = 4 glasses 1 the  17. Over the last 12 months, on days when you were dring	E V E R O O O O O O O O O O O O O O O O O O	than once a month	days per month	day per week	ses usinip (30 glasse	days per week	days per week	days per week	days per week	day
Beer (low alcohol) Beer (full strength) Red wine White wine (include sparkling wines) Fortified wines, port, sherry, etc. Spirits, liqueurs, etc.  When answering the next two questions, please convert the amo For spirits, liqueurs, and mixed drinks containing sp 1 can or stubby of beer = 2 glasses 1 large bottle beer (750 ml) = 4 glasses 1 large bottle beer (750 ml) = 4 glasses	e v v E R V	than once a month	days per month  month  month  mk int.  count of 750 mt or sh	day per week	days per week	days per week	days per week	days per week	days per week	day
Beer (low alcohol) Beer (full strength) Red wine White wine (include sparkling wines) Fortified wines, port, sherry, etc. Spirits, liqueurs, etc.  When answering the next two questions, please convert the amo For spirits, liqueurs, and mixed drinks containing sp 1 can or stubby of beer = 2 glasses 1 targe bottle beer (750 ml) = 4 glasses 1 the  17. Over the last 12 months, on days when you were dring	E V E R O O O O O O O O O O O O O O O O O O	than once a month	days per month	day per week	ses usinip (30 glasse	days per week	days per week	days per week	days per week	day
Beer (low alcohol) Beer (full strength) Red wine White wine (include sparkling wines) Fortified wines, port, sherry, etc. Spirits, liqueurs, etc.  When answering the next two questions, please convert the amo For spirits, liqueurs, and mixed drinks containing sp 1 can or stubby of beer = 2 glasses 1 large bottle beer (750 ml) = 4 glasses 1 large bottle beer (750 ml) = 4 glasses 1 to Over the last 12 months, on days when you were dring altogether did you usually drink?  TOTAL NUMBER OF GLASSES PER DAY	e v E R C C C C C C C C C C C C C C C C C C	than once a month  output  out	days per month  month  month  many  and  many  and  many	day per week	days per week	days per week	days per week	days per week	days per week	day
Beer (low alcohol) Beer (full strength) Red wine White wine (include sparkling wines) Fortified wines, port, sherry, etc. Spirits, liqueurs, etc.  When answering the next two questions, please convert the amo For spirits, liqueurs, and mixed drinks containing sp 1 can or stubby of beer = 2 glasses 1 large bottle beer (750 ml) = 4 glasses 1 large bottle beer (750 ml) = 4 glasses 1 to Over the last 12 months, on days when you were dring altogether did you usually drink?  Total number of glasses per day  18. Over the last 12 months, what was the maximum number of the strength of the str	e v E R C C C C C C C C C C C C C C C C C C	than once a month  output  out	days per month  month  month  many  and  many  and  many	day per week	days per week	days per week	days per week	days per week	days per week	day