UNITED STATES DEPARTMENT OF AGRICULTURE NATURAL RESOURCES CONSERVATION SERVICE ABERDEEN, IDAHO. and UTAH AGRICULTURAL EXPERIMENT STATION UTAH STATE UNIVERSITY LOGAN, UTAH

NOTICE OF RELEASE OF HARDSTEM BULRUSH FOR LAND RESOURCE REGION D SOUTH SELECTED CLASS OF NATURAL GERMPLASM

The Natural Resources Conservation Service, U.S. Department of Agriculture and the Utah Agricultural Experiment Station announce the release of a Selected ecotype of Hardstem Bulrush (*Scirpus acutus*) for Land Resource Region (LRR) D South.

As a Selected release, this plant will not be given a name, but will be referred to as the Ogden Bay selection of Hardstem Bulrush to document its original collection location. The Ogden Bay selection is released as a Selected Class of certified seed (natural track).

This alternative release procedure is justified because existing commercial sources of Hardstem Bulrush are inadequate. Propagation material of specific ecotypes is needed for ecosystem restoration, enhancement, and construction of wetlands. The potential for immediate use is high, and commercial potential beyond specific wetland uses is probably limited. No commercial cultivars of Hardstem Bulrush have been released at this time.

Species:	Scirpus acutus Muhl. ex Bigelow
New Name:	Schoenoplectus acutus var. acutus (Muhl. ex
Bigelow) A. &	D. Love
Synonymy:	Scirpus lacustris L. p.p., Schoenoplectus ssp.
acutus	(Muhl. ex Bigelow) A. & D. Love
Common Name:	Hardstem Bulrush
Plant Symbol:	SCAC, SCACA
Accession Number:	9067393

The scientific name for Hardstem Bulrush has been changed from *Scirpus acutus* to *Schoenoplectus acutus var. acutus*. Taxonomists have found that Hardstem Bulrush more appropriately fits into the genus *Schoenoplectus*. We have chosen to release it as *Scirpus acutus* because of public recognition and familiarity.

Source: Ogden Bay Wildlife Management Area, west of the city of Ogden, Weber County, Utah.

Collection area Information: Stands are located within the boundaries of Ogden Bay WMA. Very little variability among SCAC stands was observed within the boundaries of the WMA. This variability was judged to be inconsequential. Therefore, any collection of SCAC located within the WMA boundary would be considered a constituent of this Selected Release. Elevation is approximately 4200 feet, the soils are mostly poorly drained calcareous loams.

Method of Selection: From a Hardstem Bulrush collection found in Land Resource Region (LRR) D South, which includes Major Land Resource Regions (MLRAs) 28a, 28b, and 29.

A total of 26 SCAC collections from the Aberdeen service were evaluated at the Aberdeen Plant Materials Center from 1991 to 1995. All collections were evaluated for survival, vigor, overall growth and spread, potential seed production, and above ground biomass production. Of these 26 collections, five were from D South. The Ogden Bay collection outperformed all other collections from D South overall for the selected traits. The Ogden Bay selection of Hardstem Bulrush was selected for its above ground biomass production, vigor, rapid spreading from rhizomes, potential seed production, shoot density per unit area, and height. This accession needs special seed treatment and stratification procedures to achieve acceptable germination rates.

Description: *Scirpus acutus* is a perennial, densely colonial, rhizomatous, wetland obligate. Stems are upright, round, over 1 cm at the base (sometimes over 5 cm), up to 9 feet tall, not easily crushed between fingers. The leaves few, 3 to 5 basal sheaths with poorly developed blades, borne mainly toward the base of the culm. The inflorescence is a panicle of up to 60 spikelets. Spikelets mostly 8-15 mm long, more or less numerous in an open or compact inflorescence, all or nearly all are sessile in small clusters at the ends of mostly stiff and ascending branches of the inflorescence. Scales mostly 3, 3.5-4 mm long, thin with reddish-brown streaks on a pale, grey-white background. Achenes mostly 2.2-2.5 mm long, dark brown.

Anticipated Conservation Use: The potential uses of the Ogden Bay selection of *Scirpus acutus* include erosion control, Constructed Wetland System applications, wildlife food/cover, wetland creations and restorations, and for increasing plant diversity in wetland and riparian communities. Its tendency to spread rhizomatously makes the Ogden Bay selection an excellent plant for soil stabilization in sites which have saturated soils or standing water up to 12 to 18 inches deep. The rhizomes also form a matrix for many beneficial bacteria making this plant an excellent choice for wastewater treatment.

Potential Area of Adaptation: Scirpus acutus is an obligate wetland plant and is found throughout the Intermountain West. It commonly inhabits wetlands as an emergent in water depths up to about 18 inches. It will tolerate periods of inundation and drought. The Ogden Bay selection would be an excellent choice for use throughout the ecoregion defined as LRR D South.

Seed Maintenance: Breeders seed will NOT be maintained by the USDA-NRCS Plant Materials Center. To make collections of the Ogden Bay selection of Hardstem Bulrush, contact the Ogden Bay Waterfowl Management Area Manager, Utah Division of Wildlife Resources, Hooper, UT 84315, (801) 775-1398. For official Selected tags to verify genetic identity of these plant materials, contact Utah Crop Improvement Association (801) 797-2082.

Signature sheet for release of a selected class of:

Ogden Bay Selection of Hardstem Bulrush (Scirpus acutus) for Land Resource Region (LRR) D South from Ogden Bay Wildlife Management Area, west of the city of Ogden, Weber County, Utah.

Signature sheet for release of a selected class of:

Ogden Bay Selection of Hardstem Bulrush (Scirpus acutus) for Land Resource Region (LRR) D South from Ogden Bay Wildlife Management Area, west of the city of Ogden, Weber County, Utah.

Luana E. Kiger

4/8/97 Date

Idaho State Conservationist USDA, Natural Resources Conservation Service

4-10-97

Date

Phillip J. Kelson Utah State Conservationist USDA, Natural Resources Conservation Service

H. Paul Rasmussen Director Utah Agricultural Experiment Station Utah State University

4-23 -Date

7/18 Date

Gary Nordstrom Director **Biological Conservation Sciences Division** Natural Resources Conservation Service

;