

**Certificate of Analysis CSB12 - Invitation**

PACK DATE \_\_\_\_\_ EXPORT CONTRACT VEPE \_\_\_\_\_ MILLPOINT \_\_\_\_\_  
 NOTICE TO DELIVER VEPE \_\_\_\_\_ COMMODITY \_\_\_\_\_  
 CAR/TRUCK ID \_\_\_\_\_ PACK SIZE \_\_\_\_\_  
 CONTRACTED QUANTITY (ON N/D): \_\_\_\_\_ MT \_\_\_\_\_ LBS \_\_\_\_\_ BAGS

Lot Number	Quantity MT 70 Max	Protein (Nx6.25) 16.7% Min	Moisture 10.0% Max	Fat 6.0 % Min	Crude Fiber 2.0% Max	Sieve Test NO. 6 99% Min	Sieve Test NO. 30 92% Max	Sieve Test NO. 60 57% Max	Bostwick Uncooked 20.0 Max	Bostwick Cooked <sup>1</sup> 11.75% Gruel 9.0 Min 21.0 Max	Iron (mg/100g) 14.7 Min 30 Max	Vitamin A (IU/ lb) 8400 Min 16,000 Max	Total <sup>2</sup> Bacteria Count per gram 50,000 Max	Salmonella, <sup>2</sup> E. coli, Coagulase Negative	Positive <sup>2</sup> staphyloc-occi Negative	Dispersibility <sup>3</sup>	Aflatoxin Qualitative 20 pps Max	Appearance and Odor

<sup>1</sup> Reported to nearest half of a Bostwick unit.  
<sup>2</sup> Results for total bacteria count, salmonella, e. coli, coagulase, and positive staphylococci shall be marked "pass" or "fail."  
<sup>3</sup> Dispersibility will be essentially free from lumping or balling when mixed with water.

COMMENTS \_\_\_\_\_ No comments  
 \_\_\_\_\_  
 \_\_\_\_\_

I certify that this COA is true and that the samples taken and referenced herein came from the lot number shown on this form.  
 This certification is executed with the full knowledge of the provisions of 18 USC 1001 and 31 USC 3729.

SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_  
 TITLE \_\_\_\_\_  
 TELEPHONE \_\_\_\_\_  
 FAX \_\_\_\_\_

DISCOUNTS (per 100 Lbs.)					
PROTEIN	16.6 - 16.4	10 cents	SIEVE TEST NO. 60	58 or 59	10 cents
	16.3 - 16.1	20 cents		60 - 61	20 cents
	16.0 or 15.9	35 cents		20.5 or 21.0	10 cents
MOISTURE	10.1 or 10.2	10 cents	BOSTWICK UNCOOKED	21.5 or 22.0	20 cents
	10.3 or 10.4	20 cents		22.5 or 23.0	35 cents
	10.5	35 cents		DEFICIENT	8.5 - 8.0 or
FAT	5.9 or 5.8	10 cents	BOSTWICK COOKED	7.5 - 7.0 or	20 cents
	5.7 or 5.6	20 cents		6.5 - 6.0 or	35 cents
	5.5	35 cents		EXCESS	21.5 -22.0
CRUDE FIBER	2.1 - 2.2	10 cents	BOSTWICK COOKED	22.5 -23.0	20 cents
	2.3 - 2.4	20 cents		23.5 -24.0	35 cents
	2.5	35 cents		IRON	30.1 - 31.5
SIEVE TEST NO. 6	98 or 97	10 cents	31.6 - 33.1		20 cents
	96 or 95	20 cents	33.2 - 35.0		35 cents
SIEVE TEST NO. 30	93 or 94	10 cents			
	95 or 96	20 cents			

INSTRUCTIONS - FILL IN ALL BLANKS.  
 IF ANALYSIS RESULTS IN A DISCOUNT, RECORD VALUE AND NOTATE IT WITH AN "\*\*\*".

SUBMIT CERTIFICATE OF ANALYSIS TO:

KANSAS CITY COMMODITY OFFICE  
 EXPORT OPERATIONS DIVISION, PCB  
 6501 BEACON DRIVE  
 MAIL STOP 8738