# National Vital Statistics Reports





Volume 51, Number 8 May 19, 2003

# Births, Marriages, Divorces, and Deaths: Provisional Data for July-September 2002

# Table A. Provisional Vital Statistics for the United States, July 2002

[Rates for infant deaths are deaths under 1 year per 1,000 live births; fertility rates are live births per 1,000 women aged 15–44 years; all other rates are per 1,000 total population. Data are subject to monthly reporting variation; see Technical Notes]

		July				January-Ju	ıly			July			
	Nun	nber	Ra	ate	Nur	nber	Ra	ate	Nur	nber		Rate	
Item	2002	2001	2002	2001	2002	2001	2002	2001	2002	2001	2002	2001	2000
Live births	358,000  193,000 2,200	351,000  191,000 2,200	14.6 68.0 7.9 6.2	14.5 66.9 7.9 6.4	2,318,000  1,444,000 16,300	2,328,000  1,427,000 16,100	13.9 64.4 8.6 7.0	14.1 64.8 8.6 6.9	4,017,000  2,437,000 27,700	4,055,000 2,394,000 27,300	14.0 64.8 8.5 6.9	14.3 65.6 8.4 6.7	14.3 65.4 8.6 6.9
Natural increase	165,000 245,000	160,000 235,000	6.7 10.0	6.6 9.7	874,000 1,298,000	901,000 1,341,000	5.3 7.8	5.5 8.1	1,580,000 2,303,000	1,661,000 2,363,000	5.5 8.0	5.9 8.3	5.7 8.4
Divorces <sup>2</sup>			288.4	285.3							3.9 287.1	3.9 284.1	280.9

<sup>...</sup> Category not applicable.

NOTE: Figures include revisions received from the States. Twelve-month figures for the current year reflect revisions received for previous months, and figures for earlier years may differ from those previously published.

## **Technical Notes**

Data shown here are provisional and include only events occurring within the United States (50 States and the District of Columbia). Tables A–D provide monthly, year-to-date, and 12-month ending counts and rates for births, deaths, and marriages, and 12-month ending rates for divorces. Tables 1–3 (available at the "Data Warehouse" at <a href="https://www.cdc.gov/nchs">www.cdc.gov/nchs</a>) present monthly and year-to-date counts of births, deaths, marriages, and divorces, and 12-month ending counts and rates of infant deaths as reported by each State. Mortality data exclude fetal deaths. Delay in the receipt of certificates in a registration office may result in a low figure for a given month followed by a high figure for the month(s) in which the delayed records were received. Totals for births, deaths, and infant deaths are based on the State estimates by State of residence and, therefore, in effect, exclude events to nonresidents of the United

States. The effect of excluding events to nonresidents from the U.S. totals is small. Events to nonresidents of the United States are included in all marriage and divorce figures. Divorce figures include reported annulments.

Until 1998, provisional totals for births, marriages, and divorces for the entire United States included corrections for observed differences between provisional and final figures. These corrections served to compensate for delays in reporting. Beginning with data for January 1998, these monthly corrections for births, marriages, and divorces have been dropped. Further information on these changes has been provided in the National Vital Statistics Reports presenting provisional data for January, February, and March 1999 (Volume 48, Nos. 1, 2, and 4, respectively) available at <a href="https://www.cdc.gov/nchs">www.cdc.gov/nchs</a>.

Moreover, the National Center for Health Statistics (NCHS) ceased publishing divorce counts and rates based on provisional data from the combined 50 States because it is no longer statistically



<sup>---</sup> Data not available

<sup>&</sup>lt;sup>1</sup>Marriage rates may be underestimated due to incomplete reporting in Oklahoma; see Technical Notes.

<sup>&</sup>lt;sup>2</sup>Divorce rates exclude data for California, Indiana, Louisiana, and Oklahoma. Populations for these rates also exclude these States.

feasible to calculate estimates of monthly divorce counts for nonreporting States (California, Indiana, Louisiana, and Oklahoma). Instead, NCHS publishes only the 12-month divorce rates shown in tables A–C, based solely on the combined counts and populations for reporting States and the District of Columbia. Aggregate 1-month, cumulative counts and rates, and 12-month counts for divorces have been dropped due to their very limited usefulness when based on less than the full complement of States. Monthly marriage and divorce counts as reported by each State will continue to be shown on table 3, available at the NCHS Web site's "Data Warehouse."

Marriage and divorce counts for Oklahoma are not included in table 3 showing provisional data by State due to incomplete reporting. For the purpose of calculating 12-month divorce rates shown in tables A-C, Oklahoma is treated as a nonreporting State (see earlier discussion). Since all other States report marriages, marriage rates

shown in tables A–D include Oklahoma data. The impact of the missing marriages on the national rate is negligible (estimated at less than 1 percent).

Population estimates used for computing rates originate from the U.S. Census Bureau and are based on the 2000 census. Monthly rates are based on populations estimated for the specific month. Year-to-date rates are averages of monthly rates that have been weighted by the number of days in the corresponding months. Rates for 12-month periods are the sum of events for the period per population estimated at the midpoint of the period. Populations have been estimated by NCHS for the 12-month divorce rates based on the 46 reporting States and the District of Columbia. Because monthly infant mortality rates are based on relatively few events, they are highly variable, and comparisons of monthly infant mortality rates should be interpreted cautiously.

Table B. Provisional Vital Statistics for the United States, August 2002

[Rates for infant deaths are deaths under 1 year per 1,000 live births; fertility rates are live births per 1,000 women aged 15-44 years; all other rates are per 1,000 total population. Data are subject to monthly reporting variation; see Technical Notes]

Item		Augus	st			January-Aug	just		12 months ending with August				
	Nur	nber	Ra	ate	Nur	nber	Rate Number		nber	Rate			
	2002	2001	2002	2001	2002	2001	2002	2001	2002	2001	2002	2001	2000
Live births	360,000	362,000	14.7 68.2	14.9 68.9	2,677,000	2,690,000	14.0 64.8	14.2 65.4	4,015,000	4,058,000	14.0 64.8	14.3 65.7	14.3 65.3
Deaths	195,000 2,200	191,000 2,300	7.9 6.4	7.9 6.5	1,639,000 18,500	1,618,000 18.400	8.6 6.9	8.5 6.8	2,441,000 27,700	2,396,000 27.300	8.5 6.9	8.4 6.7	8.6 6.9
Natural increase	165,000 235,000	171,000 235,000	6.8 9.6	7.0 9.7	1,038,000 1,533,000	1,072,000 1,576,000	5.4 8.0	5.7 8.3	1,574,000 2,303,000	1,662,000 2,351,000	5.5 8.0	5.9 8.3	5.7 8.5
Divorces <sup>2</sup>											3.9	3.9	4.0
Population base (in millions)			288.6	285.6							287.3	284.3	281.2

<sup>...</sup> Category not applicable.

NOTE: Figures include revisions received from the States. Twelve-month figures for the current year reflect revisions received for previous months, and figures for earlier years may differ from those previously published.

<sup>- - -</sup> Data not available.

<sup>&</sup>lt;sup>1</sup>Marriage rates may be underestimated due to incomplete reporting in Oklahoma; see Technical Notes.

<sup>&</sup>lt;sup>2</sup>Divorce rates exclude data for California, Indiana, Louisiana, and Oklahoma. Populations for these rates also exclude these States.

Table C. Provisional Vital Statistics for the United States, September 2002

[Rates for infant deaths are deaths under 1 year per 1,000 live births; fertility rates are live births per 1,000 women aged 15-44 years; all other rates are per 1,000 total population. Data are subject to monthly reporting variation; see Technical Notes]

		Septem	ber			January-Septe	mber		12 months ending with September				
	Nur	nber	Ra	ate	Nur	nber	Ra	ate	Nur	nber		Rate	
Item	2002	2001	2002	2001	2002	2001	2002	2001	2002	2001	2002	2001	2000
Live births	348,000	343,000	14.7	14.6	3,025,000	3,033,000	14.1	14.2	4,020,000	4,054,000	14.0	14.2	14.3
Fertility rate			68.2	67.4			65.2	65.6			64.8	65.6	65.5
Deaths	189,000	192,000	8.0	8.2	1,829,000	1,809,000	8.5	8.5	2,438,000	2,402,000	8.5	8.4	8.6
Infant deaths	2,200	2,200	6.5	6.5	20,700	20,600	6.9	6.8	27,700	27,100	6.9	6.7	6.9
Natural increase	159,000	151,000	6.7	6.4	1,196,000	1,224,000	5.6	5.7	1,582,000	1,652,000	5.5	5.8	5.7
Marriages <sup>1</sup>	215,000	221,000	9.1	9.4	1,748,000	1,796,000	8.1	8.4	2,297,000	2,346,000	8.0	8.2	8.4
Divorces <sup>2</sup>											4.0	3.9	4.0
Population base (in millions)			288.9	285.9							287.6	284.5	281.4

<sup>...</sup> Category not applicable.

NOTE: Figures include revisions received from the States. Twelve-month figures for the current year reflect revisions received for previous months, and figures for earlier years may differ from those previously published.

Table D. Provisional number of live births, marriages, deaths, and infant deaths and rates, by month: United States, January 2001–September 2002

[Data are provisional and are subject to monthly reporting variation; see Technical Notes]

		Live b	pirths		N	larriages		Deaths	Inf	ant deaths
Period			Rate per 1, aged 15-							
	Number	Rate per 1,000 population	Unadjusted Seasonally adjusted <sup>1</sup>		Number	Rate per 1,000 population <sup>2</sup>	Number	Rate per 1,000 population	Number	Rate per 1,000 live births
2001:										
January	335,000	13.9	63.9	66.8	143,000	5.9	227,000	9.4	2,400	7.1
February	304,000	13.9	64.1	65.2	141,000	6.5	199,000	9.1	2,300	7.4
March	339,000	14.0	64.5	66.1	170,000	7.1	216,000	8.9	2,400	7.0
April	324,000	13.8	63.7	64.5	208,000	8.9	203,000	8.7	2,300	6.9
May	344,000	14.2	65.5	65.9	214,000	8.9	201,000	8.3	2,400	6.9
June	331,000	14.1	65.2	64.3	229,000	9.8	191,000	8.2	2,100	6.5
July	351,000	14.5	66.9	64.0	235,000	9.7	191,000	7.9	2,200	6.4
August	362,000	14.9	68.9	66.4	235,000	9.7	191,000	7.9	2,300	6.5
September	343,000	14.6	67.4	63.8	221,000	9.4	192,000	8.2	2,200	6.5
October	344,000	14.2	65.5	66.0	226,000	9.3	202,000	8.3	2,300	6.8
November	324,000	13.8	63.6	66.0	168,000	7.1	197,000	8.4	2,300	6.9
December	327,000	13.4	62.1	62.7	155,000	6.4	210,000	8.6	2,400	7.1
2002:										
January	331,000	13.6	62.9	65.7	120,000	4.9	227,000	9.3	2,400	7.2
February	304,000	13.8	64.0	65.1	155,000	7.0	207,000	9.4	2,300	7.4
March	332,000	13.6	63.1	64.5	159,000	6.5	225,000	9.2	2,400	7.1
April	325,000	13.7	63.7	64.5	174,000	7.4	202,000	8.5	2,300	7.2
May	339,000	13.9	64.4	64.8	217,000	8.9	201,000	8.2	2,300	6.9
June	328,000	13.9	64.3	63.5	228,000	9.6	190,000	8.0	2,300	7.1
July	358,000	14.6	68.0	65.0	245,000	10.0	193,000	7.9	2,200	6.2
August	360,000	14.7	68.2	65.8	235,000	9.6	195,000	7.9	2,200	6.4
September	348,000	14.7	68.2	64.5	215,000	9.1	189,000	8.0	2,200	6.5

<sup>&</sup>lt;sup>1</sup>The method of seasonal adjustment, developed by the U.S. Census Bureau, is described in *The X-11 Variant of the Census Method II Seasonal Adjustment Program*, Technical Paper No. 15 (1967 revision).

NOTE: Figures include all revisions received from the States and therefore may differ from those previously published.

<sup>- - -</sup> Data not available.

<sup>&</sup>lt;sup>1</sup>Marriage rates may be underestimated due to incomplete reporting in Oklahoma; see Technical Notes.

<sup>&</sup>lt;sup>2</sup>Divorce rates exclude data for California, Indiana, Louisiana, and Oklahoma. Populations for these rates also exclude these States.

<sup>&</sup>lt;sup>2</sup>Marriage rates may be underestimated due to incomplete reporting in Oklahoma; see Technical Notes.

4 National Vital Statistics Reports, Vol. 51, No. 8, May 19, 2003

#### Suggested citation

Sutton PD. Births, marriages, divorces, and deaths: Provisional data for July–September 2002. National vital statistics reports; vol. 51, no. 8. Hyattsville, Maryland: National Center for Health Statistics. 2003.

#### **National Center for Health Statistics**

Director, Edward J. Sondik, Ph.D. Deputy Director, Jack R. Anderson

## **Division of Vital Statistics**

Acting Director, James A. Weed, Ph.D.

#### Copyright information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.