


Salmonella

Annual Summary

1996



Department of Health and Human Services
Centers for Disease Control and Prevention
National Center for Infectious Diseases
Division of Bacterial and Mycotic Diseases
Foodborne and Diarrheal Diseases Branch
Atlanta, GA 30333




Laboratory Confirmed *Salmonella* Surveillance Annual Summary, 1996

The Annual Summary Tabulation contains surveillance data on reported laboratory-confirmed *Salmonella* isolates in the United States for 1996. The National *Salmonella* Surveillance System collects reports of isolates of *Salmonella* from human sources from every state in the United States. This information is reported through the Public Health Laboratory Information System (PHLIS), an electronic reporting system, by the State Public Health Laboratory Directors and State and Territorial Epidemiologists to the Foodborne and Diarrheal Diseases Branch and the Biostatistics and Information Management Branch of the Division of Bacterial and Mycotic Diseases in the National Center for Infectious Diseases.

The number of isolates reported by geographical area (e.g. state) represents the state where laboratory confirmation was performed; in some instances the reporting state is not the same as the state of residence of the person from whom the isolate was obtained. For *Salmonella* serotype *Typhi*, only the first isolation in a year for each person is counted. For the Annual Summary, duplicate records are deleted.

The PDF version of this document can be viewed online at www.cdc.gov/ncidod/dbmd/phlisdata. Further information concerning the data described in this report can be obtained by contacting the Foodborne and Diarrheal Diseases Branch (404) 639-2206. For further information concerning PHLIS please contact the Biostatistics and Information Management Branch (404) 639-1364.

The *Salmonella* Outbreak Detection Algorithm (SODA), developed by BIMB and FDDB, is a statistical algorithm designed to detect unusual clusters of isolates of *Salmonella* infection. SODA compares current *Salmonella* isolates reported through PHLIS by serotype to a 5-year historical baseline for that serotype and week to detect unusual increases from the baseline. Analyses can be conducted at state, regional, or national levels. Since 1996, SODA has been implemented at CDC and selected state health departments. If you would like more information on SODA, please call the PHLIS Helpdesk (404) 639-3365.



Lori Hutwagner, M.S.
Surveillance & Epidemic Investigations Section
Biostatistics and Information Management Branch

Patricia M. Griffin, M.D.
Chief, Foodborne Epidemiology Section
Foodborne and Diarrheal Diseases Branch

Nancy H. Bean, Ph.D.
Chief, Surveillance & Epidemic Investigations Section
Biostatistics and Information Management Branch

Robert V. Tauxe, M.D., M.P.H.
Chief,
Foodborne and Diarrheal Diseases Branch

**Division of Bacterial & Mycotic Diseases
National Center for Infectious Diseases
Centers for Disease Control and Prevention**

Recommended Reference Citation:

CDC. *Salmonella* surveillance: annual summary, 1996. Atlanta, Georgia: US Department of Health and Human Services, CDC, 1996.

Single copies of *Salmonella: Annual Summary 1996* are available in multiple formats from:

Centers for Disease Control and Prevention
Foodborne and Diarrheal Diseases Branch
Mail Stop: A38
1600 Clifton Road
Atlanta, Georgia 30333
Telephone: 404-639-2206
<http://www.cdc.gov/ncidod/dbmd/offices.htm>

Copyright Information

All material in this report is in the public domain and may be used and reprinted without permission; citation of source is appreciated.

Copyright ©1997 Centers for Disease Control and Prevention.

TABLE OF CONTENTS

TABLE 1	1
The 20 most frequently reported <i>Salmonella</i> serotypes from human sources reported to CDC in 1996 and from nonhuman sources reported to CDC and USDA in 1996	
TABLE 2	2
<i>Salmonella</i> isolations from human sources by age, and sex, 1996	
TABLE 3	3
<i>Salmonella</i> isolations from human sources by serotype and year, 1986-1996	
TABLE 4	37
<i>Salmonella</i> isolations from human sources by serotype, geographic region, and state, 1996	
TABLE 5	109
<i>Salmonella</i> isolations from human sources by serotype and geographic region, 1996	
TABLE 6	128
Clinical <i>Salmonella</i> isolations from nonhuman sources reported to CDC and USDA by serotype and source, 1996	