

**NSA/CSS EVALUATED PRODUCTS LIST  
for  
HIGH SECURITY CROSSCUT PAPER SHREDDERS**

The Evaluated Products List (EPL) contains a listing of high security crosscut paper shredders that have been evaluated by the National Security Agency (NSA) or its designee and meet the performance requirements of NSA/CSS Specification 02-01, High Security Crosscut Paper Shredders. Inclusion of a product in the EPL is not an endorsement by NSA or the U.S. Government.

The EPL provides the shredder device name and/or model number, the manufacturer, and appropriate contact data for the distributor and/or marketing agent. Shredders are listed alphabetically by distributor name. The EPL also describes the shredder feed throat width and quantity of paper shredded in a one hour durability test.<sup>1</sup>

The EPL shall be updated on an as-needed basis (as new models are successfully evaluated). Users are encouraged to contact shredder manufacturers /distributors for assistance in selecting unit(s) best suited to their requirements, and to determine if additional shredder units have been added to the EPL in the interim.

The procedures for administration and distribution of the EPL are subject to change without notice. Inquiries from U.S. Government users should be forwarded through designated customer support channels to the NSA Information Assurance Directorate. All other inquiries should be directed to the NSA Public Affairs Office.

---

<sup>1</sup> All tests were performed using uncoated, sheet cut (8.5 x 11 inch) twenty (20) pound weight copy paper, 500 sheets per ream

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>AMA/ 125.2HS Level 6</b>	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates 306A Ashcake Road Ashland, VA 23005  Bonnie Whitaker E-mail: Bonnie@adamsmarketing.com Tel: 800-322-6082, Fax: 804-752-6324	10 ½ inches	9 reams when feeding 3 sheets
<b>AMA/ 225.2HS Level 6</b>	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates	12 inches	11 reams when feeding 5 sheets
<b>AMA/ 390.2HS Level 6</b>	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates	16 inches	11 reams when feeding 4 sheets
<b>AMA/ 411.2HS Level 6</b>	Adams Marketing Associates/ HSM GMBH	Adams Marketing Associates	16 inches	15 reams when feeding 8 sheets
<b>Capital Shredder Corp./ K-9</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp. 5550 Wilkins Court Rockville, MD 20852 URL: www.papershredders.com  Gregory V. Di Gioia H. Kim Jones Tel: 301-770-3900, Fax: 301-770-4286	9 ½ inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ K-10</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	10 ¼ inches	8 reams when feeding 4 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Capital Shredder Corp./ K-10E</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	10 ¼ inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ K-12</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	12 inches	8 reams when feeding 4 sheets
<b>Capital Shredder Corp./ K-16</b>	Capital Shredder Corp./ Elcoman / Kobra	Capital Shredder Corp.	16 inches	17 reams when feeding 8 sheets
<b>Capital Shredder Corp./ M-9</b>	Capital Shredder Corp. / Dahle North America, Inc.	Capital Shredder Corp.	9 inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ M-9D</b>	Capital Shredder Corp. / Dahle North America, Inc.	Capital Shredder Corp.	9 inches	4 reams when feeding 3 sheets
<b>Capital Shredder Corp./ M-10</b>	Capital Shredder Corp. / Dahle North America, Inc.	Capital Shredder Corp.	10 inches	10 reams when feeding 3 sheets
<b>Capital Shredder Corp./ M-12</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	12 inches	10 reams when feeding 4 sheets
<b>Capital Shredder Corp./ M-16</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	16 inches	11 reams when feeding 5 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Capital Shredder Corp./ M-16 HC</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	16 inches	15 reams when feeding 8 sheets
<b>Capital Shredder Corp./ M-16 TS</b>	Capital Shredder Corp./ Dahle North America, Inc.	Capital Shredder Corp.	16 inches	15 reams when feeding 8 sheets
<b>Capital Shredder Corp./ T-12AF</b>	Capital Shredder Corp./ Meiko Shokai Co. Ltd.	Capital Shredder Corp.	11 <sup>3</sup> / <sub>4</sub> inches	20 reams when feeding 9 sheets
<b>ICGS/ 525-L6</b>	/ HSM GMBH	Laura McAllester  Tel: 410-567-2730	10 <sup>1</sup> / <sub>2</sub> inches	9 reams when feeding 3 sheets
<b>ICGS/ 535-L6</b>	/ HSM GMBH		12 inches	11 reams when feeding 5 sheets
<b>ICGS/ 590-L6</b>	/ HSM GMBH		16 inches	11 reams when feeding 4 sheets
<b>ICGS/ 611-L6</b>	/ HSM GMBH		16 inches	15 reams when feeding 8 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Cummins- Allison/ 539</b>	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp. 201 Davis Drive, Unit O Sterling, VA 20164-4418  Lyle Berlin E- mail: berlinl@cumminsallison.com Tel: 800-875-4238, FAX: 703-444-8843	9 ½ inches	4 reams when feeding 3 sheets
<b>Cummins- Allison/ 549</b>	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp.	12 inches	11 reams when feeding 5 sheets
<b>Cummins- Allison/ 559</b>	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp.	16 inches	11 reams when feeding 4 sheets
<b>Cummins- Allison/ 569</b>	Cummins-Allison Corp./ HSM GMBH	Cummins-Allison Corp.	16 inches	15 reams when feeding 8 sheets
<b>Dahle/ 20434 DXC</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc. 49 Vose Farm Road Peterborough, NH 03458 URL: www.dahleusa.com  Gregory C. Rillings Scott A. Prokop Tel: 800-995-1379, Fax: 603-924-1616	9 inches	4 reams when feeding 3 sheets
<b>Dahle/ 20434 DS</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	9 inches	4 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Dahle/ 20634 EC</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	10 inches	10 reams when feeding 3 sheets
<b>Dahle/ 20834 EC</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	16 inches	15 reams when feeding 8 sheets
<b>Dahle/ 20835 EC</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	16 inches	11 reams when feeding 5 sheets
<b>Dahle/ 20394</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	16 inches	15 reams when feeding 8 sheets
<b>Dahle/ 30434</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	12 inches	10 reams when feeding 4 sheets
<b>Dahle/ 33134</b>	Dahle North America, Inc./ Dahle North America, Inc.	Dahle North America, Inc.	12 inches	10 reams when feeding 4 sheets
<b>Rexel/ 1250-S6</b>			10 ½ inches	9 reams when feeding 3 sheets
<b>Rexel/ 2250-S6</b>			12 inches	11 reams when feeding 5 sheets
<b>Rexel/ 3150-S6</b>			16 inches	11 reams when feeding 4 sheets
<b>Rexel/ 4550-S6</b>			16 inches	15 reams when feeding 8 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
<b>Fellowes/ C-320HS</b>  (formerly 320-2 HS)	Fellowes Business Machines	Fellowes Business Machines 1789 Norwood Avenue Itasca, IL 60143-1095  URL: www.fellowes.com  Paul Kossack E-mail: pkossack@fellowes.com Tel: 630-671-8408, Fax: 630-893-1683	10 ½ inches	9 reams when feeding 3 sheets
<b>Fellowes/ C-420HS</b>  (formerly 420-2 HS)	Fellowes Business Machines	Fellowes Business Machines	12 inches	11 reams when feeding 5 sheets
<b>Fellowes/ C-480HS</b>  (formerly 480-2 HS)	Fellowes Business Machines	Fellowes Business Machines	16 inches	11 reams when feeding 4 sheets
<b>Fellowes / HS-400</b>	Fellowes Business Machines/ Dahle North America, Inc.	Fellowes Business Machines	9 inches	4 reams when feeding 3 sheets
<b>Fellowes / HS-800</b>	Fellowes Business Machines/ Dahle North America, Inc.	Fellowes Business Machines	16 inches	15 reams when feeding 8 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
<b>Formax / 8400HS</b>	Formax / Daejin Kostal	Formax 44 Venture Drive Dover, NH 03820 URL: www.formax.com  T. Ryan Lindsay E-mail: ryanlindsay@formax.com Tel: 800-232-5535 ext 11	12 inches	8 reams when feeding 3 sheets
<b>Formax / 8500HS</b>	Formax / Daejin Kostal	Formax	16 inches	10 reams when feeding 4 sheets
<b>GBC/ 3890D</b>	ACCO Brands/	ACCO Brands 300 Tower Parkway Lincolnshire, IL 60069-3640 URL: www.gbconnect.com  Customer Service Tel: 1-800-723-4000	9 inches	5 reams when feeding 3 sheets
<b>Geha Primo/ 2600 HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc. 1075 Andrew Drive, Suite C West Chester, PA 19382 URL:www.hsmofamerica.com  Sandra Corker E-mail: sandrac@hsmofamerica.com Tel: 800-613-2110, FAX: 540-894-4432	10 ½ inches	9 reams when feeding 3 sheets
<b>Geha Primo/ 2700 HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	12 inches	11 reams when feeding 5 sheets



<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Geha Primo/ 3900 HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	11 reams when feeding 4 sheets
<b>Geha Primo/ 4001 HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	15 reams when feeding 8 sheets
<b>HSM/ 125.2HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	10 ½ inches	9 reams when feeding 3 sheets
<b>HSM/ 225.2HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	12 inches	11 reams when feeding 5 sheets
<b>HSM/ 390.3 HS Level 6</b>  (formerly 390.2 HS Level 6 )	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	11 reams when feeding 4 sheets
<b>HSM/ 411.2HS Level 6</b>	HSM of America, Inc. / HSM GMBH	HSM of America, Inc.	16 inches	15 reams when feeding 8 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Kobra 240 HS6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines 12264 Wilkins Avenue Rockville, MD 20852 www.rockvilleofficemachines.com  Michael C. Patrick Tel: 301-468-1973 FAX: 301-468-9566	9 ½ inches	4 reams when feeding 3 sheets
<b>Kobra 260 HS6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	10 ¼ inches	4 reams when feeding 3 sheets
<b>Kobra 260 HS2/6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	10 ¼ inches	8 reams when feeding 4 sheets
<b>Kobra 300 HS6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	12 inches	8 reams when feeding 4 sheets
<b>Kobra 400 HS6</b>	Marquis Business Systems, L.L.C. / Elcoman / Kobra	Rockville Office Machines	16 inches	17 reams when feeding 8 sheets
<b>Niche / 204</b>			9 inches	4 reams when feeding 3 sheets
<b>Niche / 206</b>			10 inches	10 reams when feeding 3 sheets

Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
Niche / 208			16 inches	11 reams when feeding 5 sheets
Niche / 209			16 inches	15 reams when feeding 8 sheets
Ativa/ 260 HS			10 ½ inches	9 reams when feeding 3 sheets
Ativa/ 270 HS			12 inches	11 reams when feeding 5 sheets
Ativa/ 391 HS			16 inches	11 reams when feeding 4 sheets
Ativa/ 401 HS			16 inches	15 reams when feeding 8 sheets
Olympia/ 1300.1C	Olympia Business Systems, Inc. / Martin Yale Industries, Inc. <sup>2</sup>  2. Formerly Schleicher and Company of America, Inc.	Olympia Business Systems, Inc. 251 Wedcor Avenue Wabash, IN 46992 URL: <a href="http://www.olympia.to/GSA">www.olympia.to/GSA</a>  E-mail: <a href="mailto:dawn.dials@martinyale.com">dawn.dials@martinyale.com</a> Tel: 800-225-5644, Option 4 FAX: 260-563-4575	9 ½ inches	8 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Olympia/ D1300.1C (Deployment Shredder)</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	9 ¼ inches	8 reams when feeding 3 sheets
<b>Olympia/ 1500.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
<b>Olympia/ D1500.1C (Deployment Shredder)</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
<b>Olympia/ 1650.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	16 inches	11 reams when feeding 5 sheets
<b>Olympia/ 1702.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	16 inches	19 reams when feeding 8 sheets
<b>Olympia/ 1750.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	9 ¼ inches	23 reams when feeding 8 sheets
<b>Olympia/ 1800.1C</b>	Olympia Business Systems, Inc. / Martin Yale Industries, Inc.	Olympia Business Systems, Inc.	12 inches	15 reams when feeding 8 sheets
<b>SEM/ 1324C/3 (formerly 1124C/3)</b>	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery 5 Walkup Drive Westboro, MA 01581 URL: <a href="http://www.fedshred.com">www.fedshred.com</a>  Terry Creek E-mail: <a href="mailto:t.creek@olg.com">t.creek@olg.com</a> Tel: 800-225-9293, FAX: 508-836-4154	8 ¾ inches	4 reams when feeding 3 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>SEM/ 126C/2</b>	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	10 ½ inches	9 reams when feeding 3 sheets
<b>SEM 1201CC</b>	Security Engineered Machinery / Meiko Shokai Co. Ltd.	Security Engineered Machinery	11 ¾ inches	18 reams when feeding 6 sheets
<b>SEM/ 2226CC</b>	Security Engineered Machinery /	Security Engineered Machinery	10 ¼ inches	11 reams when feeding 5 sheets
<b>SEM/ 226C/2</b>	Security Engineered Machinery/ HSM GMBH	Security Engineered Machinery	12 inches	11 reams when feeding 5 sheets
<b>SEM/ 244/3</b>	Security Engineered Machinery /	Security Engineered Machinery	10 ¼ inches	8 reams when feeding 4 sheets
<b>SEM/ 244/4</b>	Security Engineered Machinery /	Security Engineered Machinery	10 ¼ inches	15 reams when feeding 7 sheets
<b>SEM/ 266/3</b> (formerly 266)	Security Engineered Machinery /	Security Engineered Machinery	12 ½ inches	21 reams when feeding 8 sheets
<b>SEM/ 266/4</b>	Security Engineered Machinery /	Security Engineered Machinery	11 ¾ inches	21 reams when feeding 10 sheets
<b>SEM/ 391C/2</b>	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	16 inches	11 reams when feeding 4 sheets
<b>SEM/ 3140C/3</b>	Security Engineered Machinery /  Models sold prior to July 31, 2007	Security Engineered Machinery	16 inches	14 reams when feeding 5 sheets
<b>SEM/ 3140C/3</b>	Security Engineered Machinery / HSM GMBH Models sold after August 1, 2007	Security Engineered Machinery	16 inches	11 reams when feeding 4 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>SEM/ 412C/2</b> (formerly 455/2)	Security Engineered Machinery / HSM GMBH	Security Engineered Machinery	16 inches	15 reams when feeding 8 sheets
<b>SEM/ 5140C/4</b> (formerly 5140C/3)	Security Engineered Machinery /	Security Engineered Machinery	16 inches	23 reams when feeding 8 sheets
<b>Destroyit / 2350 SMC</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc. 12410 Washington Avenue Rockville, MD 20852 URL: www.whitakerbrothers.com  Joseph Mitchell E-mail: jmitchell@whitakerbrothers.com Tel: 800-243-9226, FAX: 301-770-9217	9 inches	5 reams when feeding 3 sheets
<b>Destroyit / 2360 SMC</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc	9 inches	5 reams when feeding 3 sheets
<b>Destroyit/ 2600 SMC</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Destroyit/ 2602 SMC</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Destroyit/ 2603 SMC</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Intimus/ 007SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	26 reams when feeding 10 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Intimus/ 007SF Retro-fit</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	25 reams when feeding 9 sheets
<b>Intimus/ 0077SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	9 ¼ inches	23 reams when feeding 8 sheets
<b>Intimus/ 0077SL</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	15 reams when feeding 8 sheets
<b>Intimus/ 302SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	9 ¼ inches	8 reams when feeding 3 sheets
<b>Intimus/ 502SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	10 ¼ inches	15 reams when feeding 5 sheets
<b>Intimus/ 602SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	16 inches	11 reams when feeding 5 sheets
<b>Intimus/ 702SF</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	16 inches	19 reams when feeding 8 sheets
<b>Whitaker Brothers/ 2605 SMC</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	15 reams when feeding 7 sheets
<b>Whitaker Brothers/ 3014 SMC</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	11 ¾ inches	21 reams when feeding 10 sheets
<b>Whitaker Brothers/ 4002 SMC</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	16 inches	14 reams when feeding 5 sheets

<b>Device Name/ Model</b>	<b>Distributor/Manufacturer</b>	<b>Sales / Marketing Contacts</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>
<b>Whitaker Brothers/ 4014/2 SMC</b> (formerly 4014 SMC)	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	16 inches	23 reams when feeding 8 sheets
<b>Whitaker Brothers / DS-3</b> (Deployment Shredder)	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	9 inches	5 reams when feeding 3 sheets
<b>Whitaker Brothers / Datastroyer 1010 MS</b>	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	10 ½ inches	9 reams when feeding 3 sheets
<b>Whitaker Brothers / Datastroyer 1215 MS</b>	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	12 inches	11 reams when feeding 5 sheets
<b>Whitaker Brothers / Datastroyer 1615 MS</b>	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	16 inches	11 reams when feeding 4 sheets
<b>Whitaker Brothers / Datastroyer 1628 MS</b>	Whitaker Brothers, Inc. / HSM GMBH	Whitaker Brothers, Inc.	16 inches	15 reams when feeding 8 sheets



Device Name/ Model	Distributor/Manufacturer	Sales / Marketing Contacts	Feed Opening	One Hour Durability Test
<b>Whitaker Brothers / DS-4 (Deployment Shredder)</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	9 inches	5 reams when feeding 3 sheets
<b>Whitaker Brothers/ DS-5 (Deployment Shredder)</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Whitaker Brothers/ DS-6 (Deployment Shredder)</b>	Whitaker Brothers, Inc. /	Whitaker Brothers, Inc.	10 ¼ inches	11 reams when feeding 5 sheets
<b>Whitaker Brothers/ DS-7 (Deployment Shredder)</b>	Whitaker Brothers, Inc. / Martin Yale Industries, Inc.	Whitaker Brothers, Inc.	12 inches	26 reams when feeding 10 sheets