
AIDS Cases among Minority Races/Ethnicities 1985–2007—United States and Dependent Areas








Note. Data have been adjusted for reporting delays.


Includes American Indians/Alaska Natives, Asians, Blacks/African Americans, Hispanics/Latinos, and Native Hawaiians/Other Pacific Islanders.

The Asian category includes Asian and Pacific Islander legacy cases. Hispanics/Latinos can be of any race.



Percentages of AIDS Cases among Adults and Adolescents, by Race/Ethnicity and Year of Diagnosis 1985–2007—United States and Dependent Areas





[†]Includes Asian and Pacific Islander legacy cases.





AIDS in Blacks/African Americans

Of the 1,030,832 AIDS cases reported to CDC through 2007, blacks/African Americans accounted for

41% of total

60% of women

59% of heterosexual persons at high risk*

59% of children aged <13 years

Of AIDS cases reported during 2007, 47% were in black/African American adults and adolescents.





AIDS in Hispanics/Latinos*

Of the 1,030,832 AIDS cases reported to CDC through 2007, Hispanics/Latinos accounted for

19% of total

19% of women

21% of heterosexual persons at high risk[†]

23% of children aged <13 years

Of AIDS cases reported during 2007, 20% were in Hispanic/Latino adults and adolescents.






^{*}Hispanics/Latinos can be of any race.

[†]High-risk heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

Percentages of AIDS Cases and Population by Race/Ethnicity, Reported in 2007—50 States and DC






^{*}Includes 411 persons of unknown race or multiple races. †Hispanics/Latinos can be of any race.



[‡]Includes Asian and Pacific Islander legacy cases.

Percentages of AIDS Cases among Male Adults and Adolescents, by Transmission Category and Race/Ethnicity 2003–2007—United States and Dependent Areas





Note. Data have been adjusted for reporting delays and missing risk-factor information. IDU, injection drug use.




^{*}Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

[†]Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

[‡]Includes Asian and Pacific Islander legacy cases.

[§]Hispanics/Latinos can be of any race.


Reported AIDS Cases among Adults and Adolescents by Sex and Race/Ethnicity, 2007—United States and Dependent Areas








AIDS Rates for Black/African American Adults and Adolescents, Reported 2003–2007—50 States and DC








AIDS Rates for Hispanic/Latino* Adults and Adolescents Reported 2003–2007—50 States and DC








AIDS Rates for White Adults and Adolescents Reported 2003–2007—50 States and DC







Percentages of HIV/AIDS Cases and Population by Race/Ethnicity, 2007—34 States





Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.




^{*} Includes 336 persons of unknown race or multiple races.

[†]Hispanics/Latinos can be of any race.

[‡]Includes Asian and Pacific Islander legacy cases.

Percentages of HIV/AIDS Cases among Adults and Adolescents, by Race/Ethnicity, 2004–2007—34 States






Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.



^{*}Hispanics/Latinos can be of any race.

[†]Includes Asian and Pacific Islander legacy cases.

Estimated Numbers of Persons Living with HIV/AIDS, by Race/Ethnicity, 2004–2007—34 States





Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.



^{*}Hispanics/Latinos can be of any race.

[†]Includes Asian and Pacific Islander legacy cases.

Estimated Numbers of HIV/AIDS Cases and Rates for Male Adults and Adolescents, by Race/Ethnicity 2007—34 States

Race/Ethnicity	Cases	Rate (Cases per 100,000 population)
American Indian/Alaska Native	160	23.1
Asian*	363	15.5
Black/African American	14,247	136.8
Hispanic/Latino [†]	5,906	56.2
Native Hawaiian/Other Pacific Islander	42	76.7
White	10,563	18.7
Total [‡]	31,518	38.8



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.

*Includes Asian and Pacific Islander legacy cases.

†Hispanics/Latinos can be of any race.

‡Includes 238 male adults and adolescents of unknown race or multiple races.



Estimated Numbers of HIV/AIDS Cases and Rates for Female Adults and Adolescents, by Race/Ethnicity 2007—34 States

Race/Ethnicity	Cases	Rate (Cases per 100,000 population)
American Indian/Alaska Native	68	9.4
Asian*	88	3.5
Black/African American	7,196	60.6
Hispanic/Latino [†]	1,555	16.0
Native Hawaiian/Other Pacific Islander	5	9.0
White	1,971	3.3
Total [‡]	10,977	12.9



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.


*Includes Asian and Pacific Islander legacy cases.

†Hispanics/Latinos can be of any race.

‡Includes 95 female adults and adolescents of unknown race or multiple races.




Diagnosis Rates of HIV/AIDS for Black /African American Adults and Adolescents, 2004–2007—34 States







Diagnosis Rates of HIV/AIDS for Hispanic/Latino* Adults and Adolescents, 2004–2007—34 States





Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 34 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays.

*Hispanics/Latinos can be of any race.



Diagnosis Rates of HIV/AIDS for White Adults and Adolescents, 2004–2007—34 States

