

## 8. REFERENCES

ACGIH. 1993. Threshold limit values for chemical substances and physical agents and biological exposure indices for 1992-1993. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.

\*ACGIH. 1994. Documentation of the threshold limit values and biological exposure indices. 5th ed. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.

\*Agrochemicals Handbook. 1983. Nottingham England: Royal Society of Chemistry.

\*Allen AL, Koller LD, Pollock GA. 1983. Effect of toxaphene exposure on immune responses in mice. *J Toxicol Environ Health* 11:61-69.

\*Anderson C, Sundberg K, Groth O. 1986. Animal model for assessment of skin irritancy. *Contact Dermatitis* 15:143-151.

\*Andersson O, Linder C-E, Olsson M, et al. 1988. Spatial differences and temporal trends of organochlorine compounds in biota from the Northwestern hemisphere. *Arch Environ Contam Toxicol* 17:755-765.

\*Andrews P, Newsome WH, Boyle M, et al. 1993. High resolution selective monitoring GC-MS determination of toxaphene in Great Lakes fish. *Chemosphere* 27(10):1865-1872.

\*APHA. 1989a. Method 6410B. Liquid-liquid extraction gas chromatographic/mass spectrometric method. In: Clesceri LS, Greenberg AE, Trussels RR eds. Standard methods for the examination of water and wastewater. 17th ed. American Public Health Association, American Water Works Association, Water Pollution Control Federation 6-113 - 6-136.

\*APHA. 1989b. Method 6630c. Liquid-liquid extraction gas chromatographic method II. In: Clesceri LS, Greenberg AE, Trussels RR eds. Standard methods for the examination of water and wastewater. 17th ed. American Public Health Association, American Water Works Association, Water Pollution Control Federation 6-170 - 6-181.

\*Archer TE, Crosby DG. 1966. Gas chromatographic measurement of toxaphene in milk, fat, blood, and alfalfa hay. *Bull Environ Contam Toxicol* 1:70-75.

Archibald SO, Winter CK. 1990. Pesticides in our food: Assessing the risks. In: Winter CK, Seiber JN, Nuckton CF, eds. Chemicals in the human food chain. Florence, Kentucky: Van Nostrand Reinhold, 1-50.

\*Arthur RD, Cain JD, Barrentine BF. 1976. Atmospheric levels of pesticides in the Mississippi Delta. *Bull Environ Contam Toxicol* 15:129-134.

\*Ashby J, Tennant RW. 1991. Definitive relationships among chemical structure, carcinogenicity and mutagenicity for 301 chemicals tested by the U.S. NTP. *Mutat Res* 257:229-306.

\*ASTER. 1995. ASTER Ecotoxicity Profile: Toxaphene. U. S. Environmental Protection Agency Office of Research and Development, National Health and Environment Effects Research Laboratory.

## 8. REFERENCES

Atlas E, Giam CS. 1988. Ambient concentration and precipitation scavenging of atmospheric organic pollutants. *Water Air Soil Pollut* 38: 18-36.

\*ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.

\*ATSD/CDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta, GA.

\*Atuma SS, Jensen S, Mowrer J, et al. 1986. Separation of lipophilic substances in environmental samples with special reference to toxaphene. *Int J Environ Anal Chem* 24:213-225.

\*Ault JA, Spurgeon TE. 1984. Multiresidue gas chromatographic method for determining organochlorine pesticides in poultry fat: Collaborative study. *J Assoc Off Anal Chem* 67:284-289.

\*Badaeva LN. 1976. [Effects of polychlorocamphene on some organs and their nervous structure.] *Bull Exp Biol Med* 82: 1177-1 179. (USSR)

Bakale G, McCreary RD. 1992. Response of the ke test to NCI/NTP-screened chemicals: II. Genotoxic carcinogens and non-genotoxic non-carcinogens. *Carcinogenesis* 13: 1437-1445.

\*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regulatory Toxicology and Pharmacology* 8:47 1-486.

\*Barrie L, Bidleman T, Dougherty D, et al. 1993. Atmospheric toxaphene in the high arctic. *Chemosphere* 27( 10):2037-2046.

\*Barthel WF, Hawthorne JC, Ford JH, et al. 1969. Pesticides in water: Pesticide residues in sediments of the lower Mississippi River and its tributaries. *Pestic Monit J* 3:8-34.

\*Becker F, Lath G, Parlar H. 1989. Analysis of insecticide "toxaphene" in fish products. *Toxicol Environ Chem* 20-21:203-208.

Benigni R. 1990. Rodent tumor profiles, Salmonella mutagenicity and risk assessment. *Mutat Res* 244:179-92.

\*Beyer WN, Stafford C. 1993. Survey and evaluation of contaminants in earthworms and in soils derived from dredged material at confined disposal facilities in the Great Lakes Region. *Environmental Monitoring and Assessment* 24: 15 1-1 65.

\*Bidleman TF, Christensen EJ, Harder HW. 1981. Aerial deposition of organochlorines in urban and coastal South Carolina. *Atmos Pollut Nat Waters* 481-508.

\*Bidleman TF, Cotham WE, Addison RF, et al. 1992. Organic contaminants in the Northwest Atlantic atmosphere at Sable Island, Nova Scotia, 1988-89. *Chemosphere* 24(9): 1389-1412.

\*Bidleman TF, Olney CE. 1975. Long range transport of toxaphene insecticide in the atmosphere of the western North Atlantic. *Nature* 257:475-477.

## 8. REFERENCES

- \*Bidleman TF, Patton GW, Walla MD, et al. 1989. Toxaphene and other organochlorines in Arctic Ocean fauna: evidence for atmospheric delivery. *Arctic* 42(4):307-313.
- \*Bidleman TF, Walla MD, Muir DCG, et al. 1993. The selective accumulation of polychlorocamphenes in aquatic biota from the Canadian Arctic. *Environ Toxicol Chem* 12:701-709.
- Bidleman TF, Widequist U, Jansson B, et al. 1987. Organochlorine pesticides and polychlorinated biphenyls in the atmosphere. *Atmos Environ* 21:641-654.
- \*Biessmann A, Mohammed A, Slanina P. 1983. Studies on the tissue disposition and fate of [<sup>14</sup>C] toxaphene in Japanese quail. *Toxicology* 28:155-165.
- \*Bigley WS, Plapp FW Jr, Hanna RL, et al. 1981. Effect of toxaphene, camphene and cedar oil on methyl parathion residues on cotton. *Bull Environ Contam Toxicol* 27:90-94.
- Bomberger DC, Gwinn JL, Mabey WR, et al. 1983. Environmental fate and transport at the terrestrial-atmospheric interface. *ACS Symp Ser Vol. 225*, 197-214.
- \*Boots Hercules Agrochemical Inc. Boots Hercules toxaphene insecticide summary of toxicological investigations. Bulletin T-105d. (no year stated)
- \*Boshoff PR, Pretorius V. 1979. Determination of toxaphene in milk, butter and meat. *Bull Environ Contam Toxicol* 22:405-412.
- \*Boyd EM, Taylor FI. 1971. Toxaphene toxicity in protein-deficient rats. *Toxicol Appl Pharmacol* 18:158-167.
- \*Brown KW, Donnelly KC. 1988. An estimation of the risk associated with the organic constituents of hazardous and municipal waste landfill leachates. *Haz Wast Haz Mater* 5:1-30.
- \*Brown WR. 1995. Toxaphene. Correspondence from Hercules Incorporated. Hercules Incorporated Wilmington, DE.
- \*Brumley WC, Brownrigg CM, Grange AH. 1993. Determination of toxaphene in soil by electron-capture negative-ion mass-spectrometry after fractionation by high-performance gel-permeation chromatography. *J Chromatogr* 633: 177-183.
- \*Bruns GW, Birkholz D. 1993. Analysis of environmental samples for toxaphene using gas chromatography/oxygen negative ion-electron capture mass spectrometry (GC/ONEC-MS). *Chemosphere* 27:1873-1878.
- \*Bryson PD. 1986. Chlorinated hydrocarbons (organochlorines). In: *Comprehensive review in toxicology*. Rockville, MD: Aspen Publication, 527-529.
- \*Butler PA. 1973. Residues in fish, wildlife, and estuaries; organochlorine residues in estuarine mollusks, 1965-72--National pesticide monitoring programs. *Pestic Monit J* 6:238-362.
- \*Cairns T, Siegmund EG, Froberg JE. 1981. Chemical ionization mass spectrometric examination of metabolized toxaphene from milk fat. *Biomed Mass Spectrom* 8:569-574.

## 8. REFERENCES

- \*Calabrese EJ. 1978. Pollutants and high risk groups. The biological basis of increased human susceptibility to environmental and occupational pollutants. New York, NY: John Wiley and Sons, 24-26, 186-193.
- \*Camanzo J, Rice CP, Jude DJ, et al. 1987. Organic priority pollutants in nearshore fish from 14 Lake Michigan tributaries and embayments, 1983. *J Great Lakes Res* 13:296-309.
- \*Canada, Department of National Health and Welfare. 1978. Guidelines for Canadian drinking water quality. Ottawa, Ont: Department of National Health and Welfare.
- Cantor KP, Blair A, Everett G, et al. 1992. Pesticides and other agricultural risk-factors for non-Hodgkins-lymphoma among men in Iowa and Minnesota. *Cancer Res* 52:2447-2455.
- \*Carey AE, Douglas P, Tai H, et al. 1979a. Pesticide residue concentrations of five United States cities, 1971--Urban soils monitoring program. *Pestic Monit J* 13: 17-22.
- \*Carey AE, Gowen JA, Tai H, et al. 1978. Pesticide residue levels in soils and crops, 1971--National soils monitoring program (III). *Pestic Monit J* 12: 117- 136.
- \*Carey AE, Gowen JA, Tai H, et al. 1979b. Pesticide residue levels in soils and crops from 37 states, 1972--National soils monitoring program (IV). *Pestic Monit J* 12:209-229.
- Carey AE, Wiersma GB, Tai H. 1976. Pesticide residues in urban soils from 14 United States cities, 1970. *Pest Monit J* 10:54-60.
- Casida JE. 1993. Insecticide action at the GABA-gated chloride channel: Recognition, progress, and prospects. *Arch Insect Biochem Physio*122: 13-23.
- \*Casida JE, Holmstead RL, Khalifa S, et al. 1974. Toxaphene insecticide: A complex biodegradable mixture. *Science* 183:520-521.
- \*CELDs. 1993. Computer-aided Environmental Legislative Database Systems. University of Illinois at Urbana.
- \*Chandra J, Durairaj G. 1992. Toxicity of toxaphene on histopathology of vital organs in guinea-pig (*Cavia-procellus*). *J Environ Biol* 13:315-322.
- \*Chandurkar PS, Matsumura F. 1979. Metabolism of toxaphene components in rats. *Arch Environ Contam Toxicol* 8: 1-24.
- Chandurkar PS, Matsumura F, Ikeda T. 1978. Identification and toxicity of toxicant AC, a toxic component of toxaphene. *Chemosphere* 7:123-130.
- Chaturvedi AK. 1993. Toxicological evaluation of mixtures of 10 widely used pesticides. *J Appl Toxicol* 13:183-188.
- Chaturvedi AK, Kuntz DJ, Rao NGS. 1991. Metabolic aspects of the toxicology of mixtures of parathion, toxaphene and/or 2,4-D in mice. *J Appl Toxicol* 11:245-25 1.
- Chemical Marketing Reporter. 1993. Schnell Publishing Co. Dec. 6, 1993.

## 8. REFERENCES

- \*Chemoff N, Carver BD. 1976. Fetal toxicity of toxaphene in rats and mice. *Bull Environ Contam Toxicol* 15:660-664.
- \*Chemoff N, Kavlock RJ. 1982. An in vivo teratology screen utilizing pregnant mice. *J Toxicol Environ Health* 10:541-550.
- \*Chemoff N, Setzer RW, Miller DB, et al. 1990. Effects of chemically-induced maternal toxicity on prenatal development in the rat. *Teratology* 42:651-658.
- \*Chu I, Secours V, Villeneuve DC, et al. 1988. Reproduction study of toxaphene in the rat. *J Environ Sci Health (B)* 23:101-126.
- \*Chu I, Villeneuve DC, Sun CW, et al. 1986. Toxicity of toxaphene in the rat and beagle dog. *Fund Appl Toxicol* 7:406-418.
- \*Claborn HV, Mann HD, Ivey MC, et al. 1963. Excretion of toxaphene and strobane in the milk of dairy cows. *J Agric Food Chem* 11:286-289.
- \*Clark JM, Matsumura F. 1979. Metabolism of toxaphene by aquatic sediment and a camphor-degrading pseudomonad. *Arch Environ Contam Toxicol* 8:285-298.
- \*Clark JR, Devault D, Bowden RJ, et al. 1984. Contaminant analysis of fillets from Great Lakes coho salmon, 1980. *J Great Lakes Res* 10:38-47.
- \*Cohn WJ, Boylan, JJ, et al. 1978. Treatment of chlordecone toxicity with cholestyramine: Results of a controlled clinical trial. *New England Journal of Medicine* 298:243-248.
- Cole LM, Casida JE. 1992. GABA-gated chloride channel: Binding site for tritiated 4'-ethynyl-4-n-(2,3) propylbicyclo-o-benzoate (tritiated EBOB) in vertebrate brain and insect head. *Pestic Biochem Physiol* 44: 1-8.
- \*Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- \*Cooper CM. 1991. Persistent organochlorine and current use insecticide concentrations in major watershed components of Moon Lake, Mississippi, USA. *Archiv Fur Hydrobiologie* 121: 103-113.
- \*Cooper CM, Dendy FE, McHenry JR, et al. 1987. Residual pesticide concentrations in Bear Creek, Mississippi, 1976-1979. *J Environ Qual* 16:69-72.
- \*Cotham WE, Bidleman TF. 1991. Estimating the atmospheric deposition of organochlorine contaminants to the Arctic. *Chemosphere* 22: 165-188.
- \*Crist HL, Harless RL, Moseman RF, et al. 1980. Application of dehydrochlorination to the determination of toxaphene in soil and identification of the major gas chromatographic peak. *Bull Environ Contam Toxicol* 24:231-237.
- Crowder LA. 1980. Mode of action of cyclodiene insecticides: The nervous system influenced by toxaphene. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Lab. EPA-600/1-80-003.

## 8. REFERENCES

- \*Crowder LA, Dindal EF. 1974. Fate of chlorine-36-labeled toxaphene in rats. *Bull Environ Contam Toxicol* 12:320-327.
- \*Crowder LA, Lanzaro GC, Whitson RS. 1980. Behavioral effects of methyl parathion and toxaphene exposure in rats. *J Environ Sci Health (B)* 15:365-378.
- \*Crowder LA, Whitson RS. 1980. Fate of toxaphene, methyl parathion, and chlordimeform combinations in the mouse. *Bull Environ Contam Toxicol* 24:444-451.
- Culliney TW, Pimentel D, Pimentel MH. 1992. Pesticides and natural toxicants in foods. *Agric Ecosyst Environ* 41:297-320.
- De Mesquita HBB, Doornobos G, van der Kuip DAM, et al. 1993. Occupational exposure to phenoxy herbicides and chlorophenols and cancer mortality in The Netherlands. *Am J Ind Med* 23:289-300.
- \*de Boer J, Webster PG. 1993. Determination of toxaphene in human milk from Nicaragua and in fish and marine mammals from the Northeastern Atlantic and the North Sea. *Chemosphere* 27: 1879-1890.
- \*Deichmann WB. 1973. The chronic toxicity of organochlorine pesticides in man. Proceedings from the 8th Pesticide Symposium, Collected Papers Inter-Am Conf Toxicol Occup Med, 347-410.
- \*Deichmann WB, Keplinger ML. 1970. Protection against the acute effects of certain pesticides by pretreatment with aldrin, dieldrin, and DDT. In: Deichmann WB, Radomski JL, Penalver RA, eds. Proceedings of the Inter-American Conference on Toxicology and Occupational Medicine, 6th and 7th Pesticide Symposia. Coral Gables, FL: Halos and Associates, 12 1-123.
- \*Delorme PD, Muir CG, Lockhart WL, et al. 1993. Depuration of toxaphene in lake trout and white suckers in a natural ecosystem following a single I.P. dose. *Chemosphere* 27:1965-1973.
- \*Dille JR, Smith PW. 1964. Central nervous system effects of chronic exposure to organophosphate insecticides. *Aerospace Med* 35:475-478.
- \*DiPietro JA, Haliburton JC. 1979. Toxaphene toxicosis in swine. *J Am Vet Med Assoc* 175:452-453.
- Domine D, Devillers J, Chastrette M, et al. 1992. Multivariate structure-property relationships (MSPR) of pesticides. *Pestic Sci* 35:73-82.
- \*Donigian AS Jr., Carsel RF. 1987. Modeling the impact of conservation tillage practices on pesticide concentrations in ground and surface waters. *Environ Toxicol Chem* 6:241-250.
- \*DOT. 1978. Chemical hazards response information system (CHRIS). Manual 2. Washington, DC: U.S. Department of Transportation; U.S. Coast Guard.
- \*Dreisbach RH. 1983. Handbook of poisoning. Lange Medical Publications 88-89.
- \*Durant CJ, Reimold RJ. 1972. Effects of estuarine dredging of toxaphene-contaminated sediments in Terry Creek, Brunswick, GA--1971. *Pest Monit J* 6:94-96.
- \*Embry TL, Morgan DP, Roan CC. 1972. Search for abnormalities of heme synthesis and sympathoadrenal activity in workers regularly exposed to pesticides. *J Occup Med* 14:918-921.

## 8. REFERENCES

- \*EPA. 1971a. U. S. Environmental Protection Agency. Volume 36 Federal Register, p. 22540, November 2.5, 1971.
- \*EPA. 1971 b. Tolerances and exemptions from tolerances for pesticide chemicals in or on raw agricultural commodities. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.
- \*EPA. 1973. Guidelines establishing test procedures for the analysis of pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.
- \*EPA. 1974. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 165.7 and 165.8.
- \*EPA. 1975. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.
- \*EPA. 1976a. Criteria document for toxaphene. U.S. Environmental Protection Agency, Office of Water Planning and Standards. NTIS PB-253677.
- \*EPA. 1976b. Analysis and GC-MS characterization of toxaphene in fish and water. U.S. Environmental Protection Agency, Office of Research and Development, Duluth, MN. (authors: Stalling DL, Huckins JN) EPA-600/3-76-076.
- \*EPA. 1976c. A quantitative method for toxaphene by QC-CI-MS specific ion monitoring. U.S. Environmental Protection Agency, Office of Research and Development, Athens, GA. (author: Thruston AD) EPA-600/4-76-010.
- \*EPA. 1976d. Chemical and photochemical transformation of selected pesticides in aquatic systems. U.S. Environmental Protection Agency, Office of Research and Development, Athens, GA. (authors: Wolfe NL, et al.) EPA-600/3-76-067, 153.
- \*EPA. 1977a. Toxaphene: Position document 1. U.S. Environmental Protection Agency, Special Pesticide Review Division, Washington, DC. EPA/SPRD-80/55.
- \*EPA. 1977b. Toxic pollutant effluents standards. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 129.
- \*EPA. 1978a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- \*EPA. 1978b. Pesticide chemicals. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 455.20.
- \*EPA. 1979a. Water-related environmental fate of 129 priority pollutants. Vol. I: Introduction and technical background, metals and inorganics, pesticides and PCBs. U.S. Environmental Protection Agency, Office of Water Planning and Standards, Washington, DC. (authors: Callahan MA, et al.) EPA-440/4-79-029a.
- \*EPA. 1979b. Instructions. Form 2C. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 125

## 8. REFERENCES

- \*EPA. 1979c. Criteria for classification of solid waste disposal facilities and practices. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 257.
- \*EPA. 1979d. Determination of reportable quantities for hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3.
- \*EPA. 1979e. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15
- \*EPA. 1979f. Review of the environmental effects of pollutants: X. Toxaphene. U.S. Environmental Protection Agency, Office of Research and Development, Cincinnati, OH. (authors: Durkin PR, et al.) EPA-600/1-79-044.
- \*EPA. 1980a. Toxaphene: Ambient water quality criteria for toxaphene. U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA-440/5-80-076.
- \*EPA. 1980b. Identification and listing of hazardous wastes. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.
- \*EPA. 1980~. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.
- \*EPA. 1980d. Interim status standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 265.
- \*EPA. 1981 a. Aquatic fate process data for organic priority pollutants. U.S. Environmental Protection Agency, Washington, DC. (authors: Mabey WR, et al.) EPA-440/4-81-014., 109-1 10.
- \*EPA. 1981 b. Electroplating point source category. Total toxic organics. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.
- \*EPA. 1981~. Basis for listing hazardous waste. U. S. Environmental Protection Agency. Code of Federal Regulations.
- \*EPA. 1982a. Toxaphene: Intent to cancel or restrict registrations of pesticide products containing toxaphene; denial of applications for registration of pesticide products containing toxaphene; determination concluding the rebuttable presumption against registration; availability of decision document. U.S. Environmental Protection Agency. Federal Register 47:53784-53793.
- \*EPA. 1982b. Method development for determination of polychlorinated hydrocarbons in municipal sludge. U.S. Environmental Protection Agency, Office of Research and Development, Cincinnati, OH. (authors: Rodriguez CF, et al.) EPA-600/4-82-035.
- \*EPA. 1982c. Tolerances for pesticides in food. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 185.
- \*EPA. 1982d. Steam electric power generating point source category. Zero discharge limitation. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423.



## 8. REFERENCES

- \*EPA. 1983a. Metal finishing point source category. Total toxic organics. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 433.11.
- \*EPA. 1983b. EPA administered permit programs: The National Pollutant Discharge Elimination System. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122.
- EPA. 1983c. Electroplating point source category; Total toxic organics. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.
- \*EPA. 1984a. Method T04. Method for the determination of organochlorine pesticides and polychlorinated biphenyls in ambient air. Compendium of methods for the determination of toxic organic compounds in ambient air. U.S. Environmental Protection Agency, Quality Assurance Division, Environmental Monitoring Systems Laboratory, ORD, Research Triangle Park, NC. (authors: Winberry WT, et al.) EPA-600/4-84-041.
- \*EPA. 1984b. Atmospheric transport of toxaphene to Lake Michigan. U.S. Environmental Protection Agency, Office of Research and Development, Duluth, MN. (authors: Rice CP, et al.) EPA-600/3-84-101.
- \*EPA. 1984c. EPA Method 608. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 136.
- EPA. 1984d. EPA Method 625. Part VIII. U.S. Environmental Protection Agency. 40 CFR Part 136.
- \*EPA. 1984e. Waste excluded under 260.20 and 260.22. U. S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 26 1. Appendix IX.
- \*EPA. 1985a. Designation of reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.
- \*EPA. 1985b. Standards for the management of specific hazardous wastes and specific types of hazardous waste management facilities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266.
- \*EPA. 1985c. Drinking water criteria document for toxaphene (final draft). U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office, Cincinnati, OH. (authors: Hee SQ, Radicke M). EPA-600/X-84/194-1; ECAO-CIN-426.
- \*EPA. 1986a. Superfund record of decision (EPA region 4) Gallaway Ponds site, Gallaway, Tennessee, September 1986. U.S. Environmental Protection Agency, Washington, DC. EPA/ROD/R04-X6/013.
- \*EPA. 1986b. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403, Appendix B.
- \*EPA. 1986c. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.
- \*EPA. 1986d. Toxaphene, tolerances for residues. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.

## 8. REFERENCES

EPA. 1986e. Ambient water quality criteria for toxaphene - 1986. U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, DC. EPA-440/5-86/006.

\*EPA. 1986f. Method 8080. Test methods for evaluating solid waste. Volume IB: Laboratory manual physical/chemical methods. SW 846, 3rd ed. U.S. Environmental Protection Agency, Office of Solid Waste, Washington, DC.

\*EPA. 1987a. Health advisories for 16 pesticides (Toxaphene). U.S. Environmental Protection Agency, Office of Drinking Water, Washington, DC. PB87-200178.

\*EPA. 1987b. Superfund record of decision (EPA region 6): Crystal City Airport, Zavala County, Texas (first remedial action), September 1987. U.S. Environmental Protection Agency, Washington, DC. EPA/ROD/RO6-87/023.

\*EPA. 1987c. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.

\*EPA. 1987d. Technical guidance for hazards analysis: Emergency planning for extremely hazardous substances. U.S. Environmental Protection Agency, Federal Emergency Management Agency, and U.S. Department of Transportation.

EPA. 1987e. Health effects assessment for toxaphene. U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office, Cincinnati, OH. EPA-600/S-88/056.

\*EPA. 1987f. Drinking water criteria document for toxaphene. U.S. Environmental Protection Agency, Office of Drinking Water, Washington, DC. EPA-600/87-2-025.

\*EPA. 1988a. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.

\*EPA. 1988b. State water quality standards summaries. U.S. Environmental Protection Agency, Office of Water, Washington, DC. EPA-440/5-88-031. September 1988.

\*EPA. 1988c. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.

\*EPA. 1988d. State Water Quality Standards Summaries. U. S. Environmental Protection Agency, Office of Water, Washington, DC. EPA 440/5-88-03 1.

\*EPA. 1989. Method 508. Determination of chlorinated pesticides in water by gas chromatography with an electron capture detector. In: Methods for the determination organic compounds in drinking water. Revision 3.0 (RL Graves). U.S. Environmental Protection Agency, Environmental Monitoring Station Lab, Cincinnati, OH. EPA-600/4-88-039.

\*EPA. 1990a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA-600/8-90/066A.

\*EPA. 1990b. Notice of intent to remove certain active ingredients from reregistration list B and to cancel pesticides containing those ingredients. U.S. Environmental Protection Agency. Federal Register. 55 FR 31164-31174.

## 8. REFERENCES

\*EPA. 1990c. Toxicity characteristic. U. S. Environmental Protection. Code of Federal Regulations. 40 CFR 261.

\*EPA. 1991a. Criteria for municipal solid waste landfills (Eff. 10-9-93). U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258.

\*EPA. 1991b. Standards for the management of specific hazardous wastes and specific types of hazardous waste management facilities. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, Appendix VII.

\*EPA. 1991c. National Primary Drinking Water Regulations Implementation. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 142.

\*EPA. 1992a. Drinking water regulations and health advisories. Office of Water. Washington DC, April 1992.

EPA. 1992b. National study of chemical residues in fish. Volumes I and II. Washington, DC: Office of Water, Office of Science and Technology. EPA 823-R-92-008a and -008b.

\*EPA. 1992c. Method 617. The determination of organohalide pesticides and PCBs in municipal and industrial wastewater. In: Methods for the determination of nonconventional pesticides in municipal and industrial wastewater. EPA/821/R-92-002, 139-168.

\*EPA. 1992d. Method 1656. The determination of organo-halide pesticides in municipal and industrial wastewater. In: Methods for the determination of nonconventional pesticides in municipal and industrial wastewater. EPA/821/R-92-002. 637-677.

\*EPA. 1993a. Guidance for assessing chemical contaminant data for use in fish advisories. Vol. 1: Fish Sampling and Analysis. Office of Water. Washington, DC. EPA-823-R-93-002.

\*EPA. 1993b. Toxaphene: Revocation of tolerances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180 and 185.

\*EPA. 1995a. U. S. Environmental Protection Agency: Method 4040 soil screening for toxaphene by immunoassay. Test methods for evaluating solid waste, Vol IB: Laboratory manual physical/chemical methods. Revision 0, January 1995.

\*EPA. 1995b. U. S. Environmental Protection Agency: Method 8270C semivolatile organic compounds by gas chromatography/mass spectrometry (GC-MS): Capillary column technique. Test methods for evaluating solid waste, Vol IB: Laboratory Manual Physical/Chemical methods. Revision 0, January 1995.

\*EPA. 1995c. U. S. Environmental Protection Agency: Method 808 1 A: Chlorine pesticides by capillary column gas chromatography. Test methods for evaluating solid waste, Vol IB: Laboratory Manual Physical/Chemical methods. Revision 0, January 1995.

\*EPA. 1995d. Drinking Water Regulations and Health Advisories Office of Water. Washington, DC. May 1995.

\*EPA. 1995e. Universal Treatment Standards. U. S. Environmental Protection Agency. 40 CFR 268.48.

## 8. REFERENCES

- \*Epstein SS, Arnold E, Andrea J, et al. 1972. Detection of chemical mutagen by the dominant lethal assay in the mouse. *Toxicol Applied Pharmacol* 23:288-325.
- Esser T, Karu AE, Toia RF, et al. 1991. Recognition of tetramethylenedisulfotetramine and related sulfamides by the brain GABA-gated chloride channel and a cyclodiene-sensitive monoclonal antibody. *Chem Res Toxicol* 4: 162- 167.
- \*Evans MS, Noguchi GE, Rice CP. 1991. The biomagnification of polychlorinated biphenyls, toxaphene, and DDT compounds in a Lake Michigan offshore food web. *Arch Environ Contam Toxicol* 20:87-93.
- \*FASE. 1996. Pesticide exports from U. S. ports, 1992-1 994. Foundation for Advancements in Science and Education.
- \*Fattah KMA, Crowder LA. 1980. Plasma membrane ATPases from various tissues of the cockroach (*Periplaneta americana*) and mouse influenced by toxaphene. *Bull Environ Contam Toxicol* 24:356-363.
- \*Faust SD, Suffet IH. 1966. Recovery, separation, and identification of organic pesticides from natural and potable waters. *Res Rev* 15:44-1 16.
- \*FDA. 198X. Residues in foods-1987. Food and Drug Administration Program. *J Assoc Off Anal Chem* 71(6):156A-174A.
- \*FDA. 1989. Residues in foods- 1988. Food and Drug Administration Pesticide Program. *J Assoc Off Anal Chem* 72:133A-152A.
- \*FDA. 1990. Food and Drug Administration Pesticide Program - Residues in Foods - 1989. *J Assoc Off Anal Chem* 73:127A-146A.
- \*FDA. 1991. Food and Drug Administration Pesticide Program - Residues in Foods - 1990. *J Assoc Off Anal Chem* 74:121A-142A.
- \*FDA. 1992. Food and Drug Administration Pesticide Program - Residues in Foods - 199 1. *J Assoc Off Anal Chem* 75: 135A-157A.
- \*FDA. 1993. Food and Drug Administration Pesticide Program- Pesticide residue monitoring program. *J Assoc Off Anal Chem* 76(5):127A-148A.
- \*FDA. 1994a. Food and Drug Administration: Method 302 for non-fatty food. *Pesticide Analytical Manual, Vol 1. Mutiresidue Methods, 3rd edition.*
- \*FDA. 1994b. Food and Drug Administration: Method 304 for fatty food. *Pesticide Analytical Manual, Vol 1. Multiresidue Methods. 3rd edition.*
- \*FDA. 1995. Food and Drug Administration: Pesticides in residues monitoring program. *J Assoc Off Anal Chem* 78(5):119A-142A.
- \*FEDRIP. 1995. Summary of federal research. Federal Research in Progress (FEDRIP) data base, 1995.
- \*Ford WM, Hill EP. 1990. Organochlorine residues in Mississippi raccoons. *J Wildl Manage* 54:591-594.

## 8. REFERENCES

- \*Ford WM, Hill EP. 1991. Organochlorine pesticides in soil sediments and aquatic animals in the upper Steele bayou watershed of Mississippi. *Arch Environ Contam Toxicol* 20: 161-167.
- \*Fowler B, Hoover D, Hamilton MC. 1993. The quantification of toxaphene in environmental samples. *Chemosphere* 27(10):1891-1905.
- \*FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. U.S. Environmental Protection Agency, Chemical Communication Subcommittee, Federal State Toxicology and Regulatory Alliance Committee (FSTRAC). February 1990.
- \*Gaines JB. 1969. Acute toxicity of pesticides. *Toxicol Appl Pharmacol* 14:515-534.
- \*Garcia M, Mourelle M. 1984. Gamma-glutamyl transpeptidase: A sensitive marker in DDT and toxaphene exposure. *J Appl Toxicol* 4:246-248.
- Gartrell MJ, Craun MC, Podrebarac DS, et al. 1985a. Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1978 - September 1979. *J Assoc Off Anal Chem* 68:842-861.
- Gartrell MJ, Craun JC, Podrebarac DS, et al. 1985b. Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1979 - September 1980. *J Assoc Off Anal Chem* 68:1163-1183.
- \*Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986a. Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1980-March 1982. *J Assoc Off Anal Chem* 69: 123-45.
- \*Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986b. Pesticides, selected elements, and other chemicals in adult total diet samples, October 1980 - March 1982. *J Assoc Off Anal Chem* 69:146-161.
- Gartrell MJ, Craun MC, Podrebarac DS, et al. 1985c. Pesticides, selected elements, and other chemicals in adult total diet samples, October 1979 - September 1980. *J Assoc Off Anal Chem* 68: 1184- 1197.
- \*Gertig H, Nowaczyk W. 1975. The influence of carathane and toxaphene on the activity of some enzymes in rat's tissues in the studies *in vivo*. *Pol J Pharmacol Pharm* 27:357-364.
- \*Gibson JR, Jones GA, Dorrough HW, et al. 1974. Chlorinated insecticide residues in Kentucky burley tobacco, crop years 1963-72. *Pest Monit J* 7:205-213.
- \*Glotfelty DE, Leech MM, Jersey J, et al. 1989a. Volatilization and wind erosion of soil surface applied atrazine, simazine, alachlor, and toxaphene. *J Agric Food Chem* 37(2):546-551.
- \*Glotfelty DE, Williams GH, Freeman HP, et al. 1989b. Regional atmospheric transport and deposition of pesticides in Maryland. In: Kurtz D, ed. *Proceedings of the symposium on long-range transport of organic pollutants*. Lewis Publishers.
- Gold LS, Slone TH, Stern BR, et al. 1992. Rodent carcinogens: setting priorities. *Science* 258:261-265.
- \*Games ED. 1977. Determination of toxaphene by basic alcoholic hydrolysis and florisil separation. *Bull Environ Contam Toxicol* 17:456-462.

## 8. REFERENCES

- \*Gooch JW, Matsumura F. 1985. Evaluation of the toxic components of toxaphene in Lake Michigan lake trout. *J Agric Food Chem* 33:844-848.
- \*Gooch JW, Matsumura F. 1987. Toxicity of chlorinated bomane (toxaphene) residues isolated from Great Lakes Trout (*Salvelinus namaycush*). *Arch Environ Contam Toxicol* 16:349-355.
- \*Granstrom ML, Ahlert RC, Wiesenfeld J. 1984. The relationships between the pollutants in the sediments and in the water of the Delaware and Raritan Canal. *Water Sci Technol* 16:375-380.
- \*Graupner AJ, Dunn CL. 1960. Determination of toxaphene by a spectrophotometric diphenylamine procedure. *J Agric Food Chem* 8:286-289.
- \*Grayson M, ed. 1981. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 13, 3rd ed. New York: John Wiley & Sons, 414.
- \*Griffin DE III, Hill WE. 1978. *In vitro* breakage of plasmid DNA mutagens and pesticides. *Mutat Res* 52:161-169.
- \*Griffith FD Jr, Blanke RV. 1974. Microcoulometric determination of organochlorine pesticides in human blood. *J Assoc Off Anal Chem* 57:595-603.
- Gupta BK, Ahmad SI, Veer V. 1989. Relative toxicity of some conventional insecticides against adult beetles of *Caloepala leayana* Latr. (Chrysomelidae Coleoptera). *Indian For* 115:430-434.
- \*Hainzl D, Burhenne J, Parlar H. 1994. Theoretical consideration of the structural variety in the toxaphene mixture taking into account recent experimental results. *Chemosphere* 28(2):245-252.
- \*Hall LW, Ziegenfuss MC, Anderson RD, et al. 1995. Use of estuarine water column test for detecting toxic conditions in ambient areas of the Chesapeake Bay watershed. *Environ Toxicol Chem* 14(2):267-278.
- Hall LW, Ziegenfuss MC, Fischer SA. 1992. Ambient toxicity testing in the Chesapeake Bay watershed using freshwater and estuarine water column tests. *Environ Toxicol Chem* 11:1409-1425.
- Hall LW, Ziegenfuss MC, Fischer SA, et al. 1993. The influence of contaminant and water quality conditions on larval striped bass in the Potomac River and Upper Chesapeake Bay in 1990: An in situ study. *Arch Environ Contam Toxicol* 24: 1-10.
- \*Harder HW, Christensen D, Matthews JR, et al. 1980. Rainfall input of toxaphene to a South Carolina estuary. *Estuaries* 3:142-147.
- \*Hargrave BT, Harding GC, Vass WP, et al. 1992. Organochlorine pesticides and polychlorinated biphenyls in the Arctic Ocean food web. *Arch Environ Contam Toxicol* 22:41-54.
- \*Hargrave BT, Muir DCG, Bidleman TF, et al. 1993. Toxaphene in amphipods and zooplankton from the Arctic Ocean. *Chemosphere* 27(10):1949-1963.
- Hayes. 1975. *Toxicology of pesticides*. Baltimore, MD: Williams and Wilkins Co., 384-385.

## 8. REFERENCES

- \*Hayes WJ Jr. 1963. Clinical handbook on economic poisons; Emergency information for treating poisoning. Atlanta, GA: U.S. Public Health Service, Communicable Disease Center. PHS Publication No. 476 Rev.
- \*HazDat. 1996. Agency for Toxic Substances and Disease Registry (ATSDR) database, Atlanta, GA.
- \*Head SL, Burse VW. 1987. Organochlorine recovery from small adipose samples with the universal trace residue extractor (Unitrex). *Bull Environ Contam Toxicol* 39:848-856.
- Heikes DL, Craun JC. 1992. Rapid multiresidue procedure for the determination of pesticides in anhydrous lanolin and lanolin-containing pharmaceutical preparations utilizing gel permeation chromatography cleanup with gas chromatographic and mass spectrometric techniques. *J Agric Food Chem* 40:1586-1590.
- \*Hercules Research Center. 1966. Toxaphene residue in dog tissues --two-year feeding study - 1965. Current activity report. Wilmington, Delaware.
- \*Ho JS, Tang PH, Eichelberger JW, et al. 1995. Liquid solid disk extraction followed by SFE and GC-ion-trap MS for the determination of trace organic pollutants in water. *J Chromatogr Sci* 33(1):1-g.
- \*Hoff RM, Bidleman TF, Eisenreich SJ. 1993a. Estimation of PCC loadings from the atmosphere to the Great Lakes. *Chemosphere* 27:2047-2055.
- \*Hoff RM, Muir DCG, Grift NP, et al. 1993b. Measurement of PCCs in air southern Ontario. *Chemosphere* 27:2057-2062.
- Hollstein A. 1991. Residues of organochlorine pesticides, PCB's and chlorophenols in fishes from fish hatcheries, lakes and the river Oder in the area around Frankfurt (Oder). *Nahrung* 35:1029-1039. (German)
- Holstege DM, Scharberg DL, Richardson ER, et al. 1991. Multiresidue screen for organophosphorus insecticides using gel-permeation chromatography silica-gel cleanup. *J Assoc Off Anal Chem* 74:394-399.
- Hooper K, Ladou J, Rosenbaum JS, et al. 1992. Regulation of priority carcinogens and reproductive or developmental toxicants. *Am J Ind Med* 22:793-808.
- "Hooper NK, Ames BN, Saleh MA, et al. 1979. Toxaphene, a complex mixture of polychloroterpenes and a major insecticide. *Science* 205:591-593.
- Howard PH, ed. 1991. Handbook of environmental fate and exposure data for organic chemicals: Volume III; Pesticides. Chelsea, MI: Lewis Publishers, Inc.
- \*HSDB. 1995. Hazardous Substances Data Bank. National Library of Medicine, Bethesda, MD
- \*Hsu JP, Schattenberg HJ, Garza MM. 1991. Fast turnaround multiresidue screen for pesticides in produce. *J Assoc Off Anal Chem* 74:886-892.
- \*Hunt DF, Shabanowitz J, Harvey TM, et al. 1985. Scheme for the direct analysis of organics in the environment by tandem mass spectrometry. *Anal Chem* 57:525-537.

## 8. REFERENCES

Hyde KM, Crandall JC, Kortman KE, et al. 1978. EEG, ECG, and respiratory response to acute insecticide exposure. *Bull Environ Contam Toxicol* 19:47-55.

\*IARC. 1979. Toxaphene (polychlorinated camphenes). In: IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans Vol. 20: 1-40; 327-348. International Agency for Research on Cancer, World Health Organization, Lyon.

\*IARC. 1987. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Overall evaluations of carcinogenicity: An updating of IARC monographs volumes 1 to 42. Supplement No. 7: 177. International Agency for Research on Cancer, World Health Organization, Lyon.

Industrial Biotest. 1965. Two-year chronic oral toxicity of toxaphene on beagle dogs. Report to Hercules Powder Company, Inc. by Industrial Biotest Laboratories, Inc. Northbrook, IL.

\*Industrial Biotest. 1973. Acute dermal toxicity studies with four samples in female albino rabbits. Report to Hercules Powder Company, Inc. by Industrial Biotest Laboratories, Inc. Northbrook, Illinois. Project No. 72-26. IBT No. 601-02771.

\*International Research and Development Corporation. 1973. Primary skin irritation study in the albino rabbit. Report to Hercules Incorporated, Wilmington, Delaware, Mattawan, Michigan.

\*IRIS. 1995. Integrated Risk Information System (IRIS). U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH. January 1994.

\*IRPTC. 1985. Treatment and disposal methods for waste chemicals. International register of potentially toxic chemicals. United Nations Environmental Programme. Geneva Switzerland, 292-293.

\*Ismail RJ, Bonner FL. 1974. New, improved thin layer chromatography for polychlorinated biphenyls, toxaphene, and chlordane components. *J Assoc Off Anal Chem* 57:1026-1032.

\*IUPAC. 1979. IUPAC reports on pesticides. 7 Toxaphene (Camphechlor). A special report. *Pure Appl Chem* 51:1583-1601.

Janik F, Wolf HU. 1992. The Ca<sup>2+</sup>-transport-ATPase of human erythrocytes as an *in vitro* toxicity test system: Acute effects of some chlorinated compounds. *J Appl Toxicol* 12:351-358.

\*Jansson B, Andersson R, Asplund L, et al. 1991. Multiresidue method for the gas-chromatographic analysis of some polychlorinated and polybrominated pollutants in biological samples. *Fresenius J Anal Chem* 340:439-445.

\*Jansson B, Wideqvist U. 1983. Analysis of toxaphene (PCC) and chlordane in biological samples by NCI mass spectrometry. *Int J Environ Anal Chem* 13:309-322.

\*Jaquess AB, Winterlin W, Peterson D. 1989. Feasibility of toxaphene transport through sandy soil. *Bull Environ Contam Toxicol* 42:417-423.

\*Jamuzi G, Matsuda M, Wakimoto T. 1992a. Environmental contamination by toxaphene and toxaphene-like compounds generated during chlorobleaching process: II. Congener pattern of toxaphene-like compounds in striped mullet. *J Environ Chem* 2(3):557-568.



## 8. REFERENCES

Jamuzi G, Matsuda M, Wakimoto T. 1992b. [Environmental pollution of toxaphene and toxaphene-like compounds generated in chlorobleaching process: II. Concentration and congeners pattern of polychlorinated pinenes in fish.] *Kankyo Kagaku* 2:364-365. (Japan)

\*Jamuzi G, Wakimoto T. 1991. Determination of chlorinated pinene originated from pulp mill. *Analytical Sciences* V.7 Supplement: 1177-1180.

\*Jeffery WH, Ahlin TA, Goren C, et al. 1976. Loss of warfarin effect after occupational insecticide exposure. *J Am Med Assoc* 236:2881-2882.

\*Johnston BL, Eden WG. 1953. The toxicity of aldrin, dieldrin, and toxaphene to rabbits by skin absorption. *J Econ Entomol* 46:702-703.

\*Jones KH, Sanderson DM, Noakes DN. 1968. Acute toxicity data for pesticides (1968). *World Review of Pest Control* 7:135-143.

\*Jury WA, Russo D, Streile G, et al. 1990. Evaluation of volatilization by organic chemicals residing below the soil surface. *Water Resources Research* 26(1): 13-20.

\*KAN-DO Office and Pesticides Team. 1995. Accumulated pesticide and industrial chemical findings from a ten year study of ready-to-eat foods. *J Assoc Off Anal Chem* 78:614-630.

Katayama A, Matsumura F. 1991. Photochemically enhanced microbial degradation of environmental pollutants. *Environ Sci Technol* 25:1329-1333.

\*Kavlock RJ, Chemoff N, Rogers E, et al. 1982. An analysis of fetotoxicity using biochemical endpoints of organ differentiation. *Toxicol Appl Pharmacol* 26: 183- 194.

\*Keating MI. 1979. Excretion of toxaphene and dioxathion in the milk of dairy cows. *Bull Anim Health Prod Afr* 27:279-286.

\*Kelly TJ, Mukund R, Spicer CW, et al. 1994. Concentrations and transformations of hazardous air pollutants. *Environ Sci Technol* 28(8):378A-387A.

\*Kennedy GL Jr, Frawley MP, Calandra JC. 1973. Multigeneration reproductive effects of three pesticides in rats. *Toxicol Appl Pharmacol* 25:589-596.

\*Kennicutt MC II, Wade TL, Presley BJ, et al. 1994. Sediment contaminants in Casco Bay, Maine: Inventories, sources, and potential for biological impact. *Environ Sci Technol* 28(1):1-15.

\*Keplinger ML. 1963. Use of humans to evaluate safety of chemicals. *Arch Environ Health* 6:342-349.

\*Keplinger ML, Deichmann WB. 1967. Acute toxicity of combinations of pesticides. *Toxicol Appl Pharmacol* 10:586-595.

\*Keplinger ML, Deichmann WB, Sala F. 1970. Effects of combinations of pesticides on reproduction in mice. In: Deichmann WB, Radomski JL, Penalver RA, eds. *Collection of Papers, Inter-American Conference on Toxicology and Occupational Medicine, 6th and 7th Pesticide Symposia*. Coral Gables, FL.

## 8. REFERENCES

- \*Kinoshita FK, Frawley JP, DuBois KP. 1966. Quantitative measurement of induction of hepatic microsomal enzymes by various dietary levels of DDT and toxaphene in rats. *Toxicol Appl Pharmacol* 9:505-513.
- Kitchin KT, Brown JL. 1989. Biochemical studies of promoters of carcinogenesis in rat liver. *Teratogenesis Carcinog Mutagen* 9:257-285.
- \*Kitchin KT, Brown JL. 1994. Dose-response relationship for rat liver DNA damage caused by 49 rodent carcinogens. *Toxicology* 88(1-3):3 1-49.
- \*Knipling EF, Westlake WE. 1966. Insecticide use in livestock production. *Residue Rev* 13: 1-32.
- Kodavanti PR, Mehrotra BD, Chetty SC, et al. 1988. Effect of selected insecticides on rat brain synaptosomal adenylate cyclase and phosphodiesterase. *J Toxicol Environ Health* 25:207-215.
- \*Keller LD, Exon JH, Norbury KC. 1983. Induction of humoral immunity to protein antigen without adjuvant in rats exposed to immunosuppressive chemicals. *J Toxicol Environ Health* 12: 173- 18 1.
- \*Korte R, Scheuner I, Parlar H. 1979. Toxaphene (camphechlor): A special report. *Pure Appl Chem* 51:1583-1601.
- Kraut-Vass A, Thoma J. 1991. Performance of an extraction disk in synthetic organic chemical analysis using gas chromatography-mass spectrometry. *J Chromatogr* 538:233-240.
- Kuntz DJ, Rao NG, Berg IE, et al. 1990. Toxicity of mixtures of parathion, toxaphene and/or 2,4-D in mice. *J Appl Toxicol* 10:257-266.
- Kuokkanen T, Koistinen J. 1989. Contents of aromatic chlorohydrocarbons, toxaphene, PCDDs, and PCDFs in spent bleach liquors after biological purification. *Chemosphere* 19:727-730.
- \*Kutz FW, Wood PH, Bottimore DP. 1991. Organochlorine pesticides and polychlorinated biphenyls in human adipose tissue. In: Ware GW, ed. *Reviews of Environmental Contamination and Toxicology* 120:1-82.
- \*Kutz FW, Yobs AR, Yang HSC. 1976. National pesticide monitoring programs. In: Lee RI, ed. *Air pollution from pesticide and agricultural processes*, 95-137.
- \*Kuz'minskaya UA, Alekhina SM. 1976. Effect of chlorocamphene on the isoenzyme spectrum of lactate dehydrogenase. *Environ Health Perspect* 13: 127- 132.
- \*Kuz'minskaya UA, Ivanitski'i VA. 1979. Study of some biological indices of the state of the sympathoadrenaline system under the effect of polychlorocamphene. *Environ Health Perspect* 30:91-95.
- Lach G, Parlar H. 1990. Quantification of toxaphene residues in fish and fish products using a new analytical standard. *Chemosphere* 21:29-34.
- Lach G, Parlar H. 1991. Comparison of several detection methods for toxaphene (camphechlor) residue analysis. *Toxicol Environ Chem* 3 1-32:209-21 9.

## 8. REFERENCES

- Lath G, Standecke U, Pletsch B, et al. 1991. A contribution to the quantification of toxaphene residues in fish oils. *Z Lebensm Unters Forsch* 192:440-444. (German)
- Lath G, Xu L, Burhenne J, et al. 1992. A contribution to the quantification of toxaphene residues in fish oils. *Ecol Approaches Environ Chem* 254-261.
- \*Lackey RW. 1949. Observations on the acute and chronic toxicity of toxaphene in the dog. *J Ind Hyg Toxicol* 31:117-120.
- \*Lahaniatis ES, Bergheim W, Kettrup A. 1992. Thermal degradation of polychlorinated bornates. In: *Proceedings of the International Symposium on Ecological Approaches of Environmental Chemicals*, April 15-17, 1991, Debrecen, Hungary. GSF-Bericht, Issue No. 4. Debrecen, Hungary: Institute for Ecological Chemistry, 262-267.
- \*Lawrence LJ, Casida JE. 1984. Interactions of lindane, toxaphene and cyclodienes with brain-specific tert-butylbicyclophosphorothionate receptor. *Life Sci* 35:171-178.
- Lehman AJ. 1948. The toxicology of the newer agricultural chemicals. *Q Bull Assoc Food Drug Off US* 12:82-89.
- Leoni V, Cremisini C, Casuccio A, et al. 1991. Separation of pesticides, related compounds, polychlorobiphenyls and other pollutants into four groups by silica-gel microcolumn chromatography: Application to surface water analysis. *Pestic Sci* 31:209-220.
- Lewis RG, Lee RE, Jr. 1976. Air pollution from pesticides: Sources, occurrence and dispersion. In: RE Lee (ed). *Air pollution from pesticides and agricultural processes*. Cleveland OH: CRC Press, Inc.
- Lintott DR, Waite DT. 1992. Atmospheric transport of insecticides: A literature review. *Government Reports Announcements & Index*, Issue 12.
- \*Lockhart WL, Wagemann R, Tracey B, et al. 1992. Presence and implications of chemical contaminants in the fresh-waters of the Canadian Arctic. *Sci Total Environ* 122: 165-243.
- Lommel A, Kruse H, Muller E, et al. 1992. Organochlorine pesticides, octachlorostyrene, and mercury in the blood of Elb River residents, Germany. *Arch Environ Contam Toxicol* 22: 14-20.
- \*Lorber MM, Mulkey LA. 1982. An evaluation of three pesticide runoff loading models. *J Environ Qual* 11:519-529.
- \*Lowe JI, Wilson PD, Rick AJ, et al. 1971. Chronic exposure of oysters to DDT, toxaphene and parathion. *Proc Nat Shellfish Assoc* 61:71-79.
- \*Luke MA, Froberg JE, Masumoto HT. 1975. Extraction and clean-up of organochlorine, organophosphate, organonitrogen, and hydrocarbon pesticides in produce for determination by gas-liquid chromatography. *J Assoc Off Anal Chem* 58:1020-1026.
- \*Lundholm CE. 1991. Influence of chlorinated hydrocarbons, mercury(2+) and methylmercury(1+) on steroid hormone receptors from eggshell gland mucosa of domestic fowls and ducks. *Arch Toxicol* 65(3):220-227.

## 8. REFERENCES

- \*Mabey WR, Smith JH, Podol RT, et al. 1981. Aquatic fate process data for organic priority pollutants. Washington, DC: US Environmental Protection Agency. EPA 440/4-81-014. 109-110.
- \*Mackinson FW. 1981. Occupational health guideline for chlorinated camphene. Publ No. 81-123 DHHS (NIOSH) Washington, DC.
- \*Maiorino RM, Whiting FM, Brown WH, et al. 1980. Quantitative determination of toxaphene in blood by florisil extraction and gas chromatography. *J Anal Toxicol* 4:192-198.
- \*Maiorino RM, Whiting FM, Brown WH, et al. 1984. Metabolism of toxaphene by the isolated perfused bovine liver. *Arch Environ Contam Toxicol* 13:565-572.
- \*Matsumura F, Howard RW, Nelson JO. 1975. Structure of the toxic fraction A of toxaphene. *Chemosphere* 5:271-276.
- \*Matsumura F, Tanaka K. 1984. Molecular basis of neuroexcitatory actions of cyclodiene-type insecticides. In: Narahashi T, ed. *Cellular and molecular neurotoxicology*. New York, NY: Raven Press 225-240.
- \*Matraw HC, Jr. 1975. Occurrence of chlorinated hydrocarbon insecticides, Southern Florida-- 1968-72. *Pestic Monit J* 9: 106- 114.
- \*McConnell LL, Kucklick JR. 1993. Long-range atmospheric transport of toxaphene to Lake Baikal. *Chemosphere* 27:2027-2036.
- \*McDowell LL, Willis GH, Murphree CE, et al. 1981. Toxaphene and sediment yields in runoff from a Mississippi Delta watershed. *J Environ Qual* 10: 120- 125.
- \*McGee LC, Reed HL, Fleming JP. 1952. Accidental poisoning by toxaphene: Review of toxicology and case reports. *JAMA* 149: 1124-1126.
- \*McLean JE, Sims RC, Doucette WJ, et al. 1988. Evaluation of mobility of pesticides in soil using U.S. EPA methodology. *J Environ Engineer* 114:689-703.
- \*Mehendale HM. 1978. Pesticide-induced modification of hepatobiliary function: hexachlorobenzene, DDT, and toxaphene. *Food Cosmet Toxicol* 16: 19-25.
- \*Meister RT, ed. 1988. *Farm chemicals handbook*. Willoughby, OH: Meister Publishing Co., C224-C225.
- \*Merck. 1989. *The Merck index: an encyclopedia of chemicals, drugs, and biologicals*. 11th ed. Budavari S (ed.) Rahway, NJ: Merck & Co., Inc.
- \*Miller MA. 1993. Maternal transfer of organochlorine compounds in salmonies to their eggs. *Can J Fish Aquat Sci* 50:1405-1413.
- \*Minyard JP, Roberts WE. 1991. State findings on pesticide residues in foods -- 1988 and 1989. *J Assoc Off Anal Chem* 74(3):438-452.

## 8. REFERENCES

- \*Mirsatari SG, McChesney MM, Craigmill AC, et al. 1987. Anaerobic microbial dechlorination: An approach to on-site treatment of toxaphene-contaminated soil. *J Environ Sci Health B22*:663-690.
- \*Miskimmin BM, Schindler DW. 1994. Long-term invertebrate community response to toxaphene treatment in two lakes: 50-yr records reconstructed from lake sediment. *Can J Fish Aquat Sci* 51:923-932.
- \*Mohammed A, Andersson O, Biessmann A, et al. 1983. Fate and specific tissue retention of toxaphene in mice. *Arch Toxicol* 54:311-321.
- Mohammed A, Eklund A, Ostlund-Lindqvist A-M, et al. 1990a. Distribution of toxaphene, DDT, and PCB among lipoprotein fractions in rat and human plasma. *Arch Toxicol* 64:567-571.
- \*Mohammed A, Eklund A, Ostlund-Lindqvist A-M, et al. 1990b. Tissue accumulation of lipoprotein associated toxaphene in normolipidemic and hypolipidemic mice. *Arch Toxicol* 64:38-42.
- \*Mohammed A, Hallberg E, Rydstrom J, et al. 1985. Toxaphene: Accumulation in the adrenal cortex and effect on ACTH-stimulated corticosteroid synthesis in the rat. *Toxicol Lett* 24:137-143.
- \*Montgomery JH, Welkom LM. 1990. Groundwater chemicals desk reference. Lewis Publishers.
- \*Moorthy KS, Trottman CH, Spann CH, et al. 1987. In vivo effects of toxaphene on calmodulin-regulated calcium-pump activity. *J Toxicol Environ Health* 20:249-259.
- \*Morgan DP, Roan CC. 1973. Adrenocortical function in persons occupationally exposed to pesticides. *J Occup Med* 15:26-28.
- \*Morrow W, Trottman CH, Rao KSP, et al. 1986. Effects of toxaphene and toxaphene fractions on rat brain synaptosomal adenosine triphosphatases. *Indian J Comp Anim Physiol* 14: 1-8.
- “Mortelmans K, Haworth S, Lawlor T, et al. 1986. Salmonella mutagenicity tests. 2. Results from the testing of 270 chemicals. *Environ Mutagen* 8 (Suppl7): 1-119.
- Moser GJ, Smart RC. 1989. Hepatic tumor-promoting chlorinated hydrocarbons stimulate protein kinase C activity. *Carcinogenesis* 10:851-856.
- \*Mourelle M, Garcia M, Aguilar C. 1985. ATPase activities in liver plasma membranes of rats treated with DDT and toxaphene. *J Appl Toxicol* 5:39-41.
- \*Muir DCG, de Boer J. 1995. Recent developments in the analysis and environmental chemistry of toxaphene with emphasis on the marine environment. *Analytical Chemistry* 14(2):56-66.
- \*Muir DCG, de Boer J. 1993. Toxaphene: Analytical chemistry working group on analytical chemistry of toxaphene, toxaphene workshop, Burlington, Ontario, Canada, February 4-6, 1993. *Chemosphere* 27(10):1827-1834.
- \*Muir DCG, Grift NP, Ford CA, et al. 1990. Evidence for long-range transport of toxaphene to remote arctic and subarctic waters from monitoring of fish tissues. In: *Long Range Transportation of Pesticides*. Chelsea, MI: Lewis Publishers. 329-346.

## 8. REFERENCES

- Muir DCG, Segstro MD, Welbourn PM, et al. 1993. Patterns of accumulation of airborne organochlorine contaminants in lichens from the upper Great Lakes region of Ontario. *Environ Sci Technol* 27: 1201-1210.
- \*Muir DCG, Norstrom RJ, Simon M. 1988a. Organochlorine contaminants in arctic food chains: Accumulation of specific polychlorinated biphenyls and chlordane related compounds. *Environ Sci Technol* 22:1071-1079.
- \*Muir DCG, Wagemann R, Grift NP, et al. 1988b. Organochlorine chemical and heavy metal contaminants in white-beaked dolphins (*Lagenorhynchus albirostris*) and pilot whales (*Globicephalia melaena*) from the coast of Newfoundland, Canada. *Arch Environ Contam Toxicol* 17:613-629.
- \*Muir DCG, Grift NP, Ford CA, et al. 1988c. Evidence for long range transport of toxaphene to remote arctic and subarctic waters from monitoring of fish tissues. Draft manuscript - for publication in: Long range transport of pesticides and other toxics. Proceedings of the ACS symposium, Toronto, 1988. Winnipeg, MB: Canada, Department of Fisheries and Oceans, Freshwater Institute.
- Muir DCG, Wagemann R, Hargrave BT, et al. 1992. Arctic marine ecosystem contamination. *Sci Total Environ* 122:75-134.
- \*Muirhead-Thomson. 1971. Toxaphene: The elimination of entire fish populations. New York, NY: Academic Press, 72.
- \*Munn S, Keefe TJ, Savage EP. 1985. A comparative study of pesticide exposures in adults and youth migrant field workers. *Arch Environ Health* 40:215-220.
- \*Musial CJ, Uthe JF. 1983. Widespread occurrence of the pesticide toxaphene in Canadian east coast marine fish. *Int J Environ Anal Chem* 14: 117-126.
- \*Mussalo-Rauhamaa H, Pyysalo H, Antervo K. 1988. Relation between the content of organochlorine compounds in Finnish human milk and characteristics of the mothers. *J Toxicol Environ Health* 25(1):1-20.
- \*NAS/NRC. 1989. Biological markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- \*Nash RG, Beall L, Harris WG. 1977. Toxaphene and 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane (DDT) losses from cotton in an agroecosystem chamber. *J Agric Food Chem* 25:336-341.
- \*Nash RG, Woolson EA. 1967. Persistence of chlorinated hydrocarbon insecticides in soils. *Science* 157:924-927.
- \*Nash RG, Woolson EA. 1968. Distribution of chlorinated insecticides in cultivated soil. *Soil Sci Soc Am Proc* 32:525-527.
- \*NATICH. 1992. National Air Toxics Information Clearinghouse (NATICH) data base report on federal, state, and local air toxics activities. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC. EPA-453/R-92-008.

## 8. REFERENCES

- \*NCI. 1977. Bioassay of toxaphene for possible carcinogenicity. Bethesda, MD: National Cancer Institute, Division of Cancer Cause and Prevention, Carcinogenesis Testing Program. DHEW/PUB/NIH-79-837; NCI-CG-TR-37; PB-292290., 105.
- \*Nelson JO, Matsumura F. 1975. Separation and comparative toxicity of toxaphene components. *J Agric Food Chem* 23:984-990.
- \*Newsome WH, Andrews P. 1993. Organochlorine pesticide and polychlorinated biphenyl congeners in commercial fish from the Great Lakes. *J Assoc Off Anal Chem Internatl* 76:707-710.
- \*Niethammer KR, White DH, Baskett TS, et al. 1984. Presence and biomagnification of organochlorine chemical residues in Oxbow Lakes of northwestern Louisiana. *Arch Environ Contam Toxicol* 13:63-74.
- NIOSH. 1976. National occupational hazard survey 1970. (1972-1974) (database). Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.
- NIOSH. 1990. Pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS (NIOSH) Pub. No. 90-117; 62-63.
- \*NIOSH. 1992. Recommendations for occupational safety and health, compendium of policy documents and statements. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. Cincinnati, OH.
- NTP. 1991. Sixth annual report on carcinogens. U.S. Department of Health and Human Services Public Health Service.
- \*NTP. 1995. Printed long term technical reports and short term: Management status report toxicity study reports. National Toxicity Program, National Institute of Environmental Health Sciences. RTP, NC.
- \*Ohsawa T, Knox JR, Khalifa S, et al. 1975. Metabolic dechlorination of toxaphene in rats. *J Agric Food Chem* 23:98-106.
- \*Olson KL, Matsumura F, Boush G M. 1980. Behavioral effects on juvenile rats from perinatal exposure to low levels of toxaphene, and its toxic components, toxicant A, and toxicant B. *Arch Environ Contam Toxicol* 9:247-257.
- \*Olson KR, ed. 1990. Poisoning and drug overdose. 1st ed. San Francisco Bay Area Regional Poison Control Center. San Mateo CA: Appleton and Lange.
- Onuska FL, Terry KA. 1989. Quantitative high-resolution gas chromatography and mass spectrometry of toxaphene residues in fish samples. *J Chromatogr* 47 1: 161 - 171.
- \*Onuska FL, Terry KA, Seech A, et al. 1994. Determination of toxaphene in soil by electron-capture negative-ion mass spectrometry and capillary column gas chromatography. *J Chromatogr A* 665: 125-132.
- \*Ortega P, Hayes WJ Jr, Durham WF. 1957. Pathological changes in the liver of rats after feeding low levels of various insecticides. *AMA Arch Pathol* 64:614-622.

## 8. REFERENCES

- \*OSHA. 1974. Toxic and hazardous substances: Air contaminants. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 19 10.1000.
- \*OSHA. 1991. Air contaminants. Final rule. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- \*OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-438, April 1990.
- Paasivirta J. 1990. Predicted and observed fate of selected persistent chemicals in the environment. *Organohalogen Compd* 1:367-376.
- \*Paasivirta J, Rantio T. 1991. Chloroterpenes and other organochlorines in Baltic, Finnish and Arctic wildlife. *Chemosphere* 22:47-55.
- \*Paris DF, Lewis DL. 1973. Chemical and microbial degradation of ten selected pesticides in aquatic systems. *Residue Rev* 45:95-124.
- \*Paris DF, Lewis DL, Bamett JT. 1977. Bioconcentration of toxaphene by microorganisms. *Bull Environ Contam Toxicol* 17:564-572.
- Parlar H. 1978. Organochlorine compounds and their reactions in the atmosphere. *Exotoxicology and Environ Safety* 2:219-232.
- Parlar H, Becker F, Mueller R, et al. 1988. Elimination of interfering compounds during gas chromatographic determination of toxaphene residues by photodechlorination reactions. *Fresenius' Z Anal Chem* 331:804-810.
- Parlar H, Muller R, Lath G. 1989. Prinzipielle Probleme bei der gaschromatographischen quantifizierung von toxaphenrückständen (German). *Chemiker Zeitung* 113( 12):357-370.
- Parr JF, Smith S. 1976. Degradation of toxaphene in selected anaerobic soil environments. *Soil Sci* 121:52-57.
- Paxman DG, Robinson JC. 1990. Regulation of occupational carcinogens under OSHA's air contaminants standard. *Regul Toxicol Pharmacol* 12:296-308.
- \*Peakall DB. 1976. Effects of toxaphene on hepatic enzyme induction and circulating steroid levels in the rat. *Environ Health Perspect* 13: 117-120.
- \*Peakall DB. 1979. Effect of toxaphene on pyruvic and lactic acid levels in the rat. *Environ Health Perspect* 30:97-98.
- \*Penumarthy L, Oehme FW, Spaulding JE, et al. 1976. Toxaphene: Livestock toxicity and tissue residues. *Vet Toxicol* 18:60-65.
- Petrasek AC, Kugelman IJ, Austem BM, et al. 1983. Fate of organic compounds in wastewater treatment plants. *J Water Pollut Control Fed* 55:1286-1296.



## 8. REFERENCES

- \*Petrick G, Schulz DE, Duinker JC. 1988. Clean-up of environment samples by high-performance liquid chromatography for analysis of organochlorine compounds by gas chromatography with electron-capture detection. *J Chromatogr* 435:241-248.
- \*Petty JD, Huckins JN, Martin DB. 1995. Use of semipermeable membrane devices (SPMDS) to determine bioavailable organochlorine pesticide residues in streams receiving irrigation drainwater. *Chemosphere* 30(10):1891-1903.
- Pirbazari M, Badriyha BN, Kim SH, et al. 1992. Evaluating GAC adsorbers for the removal of PCBs and toxaphene. *J Am Water Works Assoc* 84:83-90.
- \*Plumb RH. 1987. A comparison of ground water monitoring data from CERCLA and RCRA sites. *Ground Water Monit Rev* 7:94- 100.
- \*Pollock GA, Hillstrand R. 1982. The elimination, distribution and metabolism of <sup>14</sup>C-toxaphene in the pregnant rat. *J Environ Sci Health [B]* 17:635-648.
- \*Pollock GA, Kilgore WW. 1980a. Toxicities and description of some toxaphene fractions: isolation and identification of a highly toxic component. *J Toxicol Environ Health* 6: 115-126.
- \*Pollock GA, Kilgore WW. 1980b. The excretion and storage of <sup>14</sup>C-toxaphene and two isolated <sup>14</sup>C-toxaphene fractions. *J Toxicol Environ Health* 6: 127-140.
- \*Pollock GA, Krasnec JP, Niemann BR. 1983. Rat hepatic microsomal enzyme induction by pretreatment with toxaphene and toxaphene fractions. *J Toxicol Environ Health* 11:355-363.
- R.U.P. 1994. EPA pesticide information network restricted use products (RUP) file. Washington, DC: Office of Pesticide Programs (on-line BBS database).
- \*Rantio T, Paasivirta J, Lahtipera. 1993. Studies on toxaphene in the environment. I. Experiences on analytical behavior of PCCs. Studies including pulp mill wastes. *Chemosphere* 27:2003-2010.
- \*Rao KS, Trotman CH, Morrow W, et al. 1986. Toxaphene inhibition of calmodulin-dependent calcium ATPase activity in rat brain synaptosomes. *Fund Appl Toxicol* 6:648-653.
- \*Rapaport RA, Eisenreich SJ. 1986. Atmospheric deposition of toxaphene to eastern North America derived from peat accumulation. *Atmos Environ* 20:2367-2379.
- \*Reimold RJ. 1974. Toxaphene interactions in estuarine ecosystems. Rockville, MD: National Oceanic and Atmosphere Administration. COM-75-10104/8GA.
- \*Rice CP, Samson PJ, Noguchi GE. 1986. Atmospheric transport of toxaphene to Lake Michigan. *Environ Sci Technol* 20: 1109-1116.
- Ritter WF. 1990. Pesticide contamination of ground water in the USA: A review. *J Environ Sci Health [B]* 25: 1-30.
- Rosenkranz HS, Klopman G. 1990a. The structural basis of carcinogenicity in rodents of genotoxicants and non-genotoxicants. *Mutat Res* 228: 105-124.

## 8. REFERENCES

- Rosenkranz HS, Klopman G. 1990b. The structural basis of the mutagenicity of chemicals in Salmonella typhimurium: The National Toxicology Program data base. *Mutat Res* 2285 1-80.
- \*Roy RR, Albert RH, Wilson P, et al. 1995. U. S. Food and Drug Administration Pesticide Program: Incidence/level monitoring of domestic and imported pears and tomatoes. *J Assoc Off Anal Chem Internatl* 78:930-940.
- \*Ruelle R, Keenlyne KD. 1993. Contaminants in Missouri river pallid sturgeon. *Bull Environ Contam Toxicol* 50:898-906.
- \*Ruth JH. 1986. Odor thresholds and irritation levels of several chemical substances: A review. *American Industrial Hygiene Association* Vol47(3): 142- 151.
- Saleh MA. 1991. Toxaphene: Chemistry, biochemistry, toxicity, and environmental fate. *Rev Environ Contam Toxicol* 118: 1-85.
- \*Saleh MA, Blancato JN. 1993. Gamma aminobutyric acid radioreceptor assay: A confirmatory quantitative assay for toxaphene in environmental and biological samples. *Chemosphere* 27: 1907-1914.
- \*Saleh MA, Casida JE. 1977. Consistency of toxaphene composition analyzed by open tubular column gas-liquid chromatography. *J Agric Food Chem* 25:63-68.
- \*Saleh MA, Casida JE. 1978. Reduction dechlorination of the toxaphene component 2,2,5-endo,6-exo,8,9,10-heptachlorobornane in various chemical, photochemical, and metabolic systems. *J Agric Food Chem* 26:583-599.
- \*Saleh MA, Skinner RJ, Casida JE. 1979. Comparative metabolism of 2,2,5-endo,6-exo,8,9,10-heptachlorobornane and toxaphene in six mammalian species and chickens. *J Agric Food Chem* 27:731-737.
- \*Saleh MA, Turner WV, Casida JE. 1977. Polychloroborane components of toxaphene: Structure-toxicity relations and metabolic reductive dechlorination. *Science* 198:1256-1258.
- \*Samosh LV. 1974. Chromosome aberrations and character of satellite associations after accidental exposure of the human body to polychlorocamphene. *Cyto Genet (Engl)* 8:24-27.
- \*Sanborn JR, Metcalf RL, Bruce WN, et al. 1976. The fate of chlordane and toxaphene in a terrestrial aquatic model ecosystem. *Environ Entomol* 5:533-538.
- \*Sanders HJ. 1975. New weapons against insects. *Chem Eng News* 53: 18-31.
- \*Santolucito JA. 1975. The use of quantitative EEG for detecting low-level prolonged exposure to pesticides. *Int Symp Proc Recent Adv Assess Health Effects Environ Pollut IV*:2387-2394.
- \*Schattenberg HJ, Hsu J-P. 1992. Pesticide residue survey of produce from 1989 to 1991. *J of AOAC International* 75(5):925-933.
- \*Schenker MB, Albertson TE, Saiki CL. 1992. Pesticides, Chapter 71. In: Rom W, ed. *Environmental and occupational medicine*. Boston, MA: Little Brown and Company, 893-894.

## 8. REFERENCES

- \*Schimmel SC, Patric MJ, Forester J. 1977. Uptake and toxicity of toxaphene in several estuarine organisms. *Arch Environ Contam Toxicol* 5:353-367.
- \*Schmitt CJ, Zajicek JL, Peterman PH. 1990. National contaminant biomonitoring program: residues of organochlorine chemicals in USA freshwater fish, 1976-1984. *Arch Environ Contam Toxicol* 19:748-781.
- \*Schmitt CJ, Zajicek JL, Peterman PH. 1990. National contaminant biomonitoring program: Residues of organochlorine chemicals in USA freshwater fish, 1976-1984. *Arch Environ Contam Toxicol* 19:748-781.
- \*Schmitt CJ, Zajicek JL, Ribick MA. 1985. National pesticide monitoring program: Residues of organochlorine chemicals in freshwater fish, 1980-1981. *Arch Environ Contam Toxicol* 14:225-260.
- \*Seiber JN, Landrum PF, Madden SC, et al. 1975. Isolation and gas chromatographic characterization of some toxaphene components. *J Chromatogr* 114:361-368.
- \*Seiber JN, Madden SC, McChesney MM, et al. 1979. Toxaphene dissipation from treated cotton field environments: Component residual behavior on leaves and in air, soil, and sediments determined by capillary gas chromatography. *J Agric Food Chem* 27:284-191.
- Seiber JN, Woodrow JE, Sanders PF. 1981. Estimation of ambient vapor pressures of pesticides from gas chromatographic retention data. In: Abstracts of papers, 182nd National Meeting of the American Chemical Society, New York, NY. As cited in: Glotfelty DE et al. 1989. Volatilization and wind erosion of soil-surface applied atrazine, simazine, alachlor, and toxaphene. *J Agric Food Chem* 37:41-42.
- \*Shafer HH, Cooke M, Deroos F, et al. 1981. Wall-coated open tubular capillary column gas chromatograph-Fourier transform IR and gas chromatography-mass spectrometry identifying toxic organic pollutants. *Appl Spectrosc* 35:469-472.
- \*Shen T. 1982. Estimation to organic compound emissions from waste lagoons. *Journal of the Air Pollution Control Association*. 79-82.
- \*Sigworth EA. 1965. Identification and removal of herbicides and pesticides. *J Am Water Works Assoc* 57:1016-1022.
- Sijm DTH, Flenner CK, Opperhuizen A. 1991. The influence of biochemical species differences on acute fish toxicity of organic chemicals. *Comp Biochem Physiol* 11C:33-35.
- Sittig M, ed. 1980. Priority toxic pollutants: Health impacts and allowable limits. Park Ridge, NJ: Noyes Data Corp, 348-353.
- \*Sittig M, ed. 1994. World-wide limits for Toxic and Hazardous Chemicals in Air, Waste and Soil. Noyes Publications. New Jersey 1994.
- \*Smith CN, Carsel RF. 1984. Foliar washoff of pesticides (FWOP) model: development and evaluation. *J Environ Sci Health B* 19:323-342.
- Smith KF, Cooke M. 1980. Heterogeneous hydrochlorination of toxaphene. *Bull Environ Contam Toxicol* 25: 866-872.

## 8. REFERENCES

- \*Smith S, Willis GH. 1978. Disappearance of residual toxaphene in a Mississippi delta soil. *Soil Sci* 126:87-93.
- \*Sobti RC, Krishan A, Davies J. 1983. Cytokinetic and cytogenetic effect of agricultural chemicals on human lymphoid cells *in vitro*. II. Organochlorine pesticides. *Arch Toxicol* 52:221-231.
- \*Soto AM, Chung KL, Sonnenchein C. 1994. The pesticides endosulfan, toxaphene, and dieldrin have estrogenic effects on human estrogen-sensitive cells. *Environ Health Perspect* 102(4):380-383.
- Squires RF, Saederup E. 1989. Polychlorinated convulsant insecticides potentiate the protective effect of NaCl against heat inactivation of [3H]flunitrazepam binding sites. *J Neurochem* 52:537-543.
- \*SRI. 1993. 1993 Directory of chemical producers: United States of America. SRI International, Menlo Park. CA.
- \*Stanley CW, Barney JE, Helton MR, et al. 1971. Measurement of atmospheric levels of pesticides. *Environ Sci Technol* 5:430-435.
- \*Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using Storet database. *Environ Toxicol Chem* 4:131-142.
- \*Steele LA, Nelson HA, Furr AA, et al. 1980. Toxaphene residues in the bovine after oral exposure. *Vet Hum Toxicol* 22:312-314.
- Steinel HH, Arlauskas A, Baker RS. 1990. SCE induction and cell-cycle delay by toxaphene. *Mutat Res* 230:29-33.
- \*Stem GA, Muir DCG, Westmore JB, et al. 1993. Mass-spectrometric studies of the toxaphene components 2-exo, 3-endo, 5-exo, 6-endo, 8,8,10,10-octachlorobomane (T2) and 2-exo, 3-endo, 5-exo, 6-endo, 8,8,10,10-nonachlorobomane (T12). *Biol Mass Spectrom* 22:19-30.
- \*Storm DL. 1994. Chemical monitoring of California's public drinking water sources: Public exposures and health impacts. In: Wang RGM. *Water Contamination and Health* 67-124.
- Stottmeister E, Hermenau H, Hendel P, et al. 1991. Solid phase extraction/programmed temperature vaporizer (PTV) injection in GC-analysis for toxaphene and polychlorinated biphenyls in aqueous samples. *Fresenius J Anal Chem* 340:3 1-34.
- Sumathi VP, Rajeswari K, Reddy DC. 1990. Chronic toxicity of toxaphene: effect on respiratory potentials in the freshwater crab, *Oziotelphusa senex senex* (Fabricius). *Natl Acad Sci Lett* 13:357-359.
- \*Sunshine I. 1969. Physical, toxicological table 19. *Handbook of Analytical Toxicology* 534.
- \*Suntio LR, Shiu WY, Mackay D, et al. 1988. Critical review of Henry's law constants for pesticides. *Rev Environ Contam Toxicol* 103: 1-59.
- \*Swackhamer DL, Charles MJ, Hites RA. 1987. Quantitation of toxaphene in environmental samples using negative ion chemical ionization mass spectrometry. *Anal Chem* 59:913-917.

## 8. REFERENCES

- \*Swackhamer DL, Hites RA. 1988. Occurrence and bioaccumulation of organochlorine compounds in fishes from Siskiwit Lake, Isle Royale, Lake Superior. *Environ Sci Technol* 22:543-548.
- \*Swackhamer DL, McConnell LL, Gregor DJ. 1993. Workgroup report on environmental transport and fate. *Chemosphere* 27: 1835-1 840.
- \*Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Residue Reviews*, Vol 85.
- Swoboda AR, Thomas GW, Cady FB, et al. 1971. Distribution of DDT and toxaphene in Houston black clay on three watersheds. *Environ Sci Technol* 5:141-145.
- Tarhanen J, Koistinen J, Paasivirta J, et al. 1989. Toxic significance of planar aromatic compounds in Baltic ecosystem: New studies on extremely toxic coplanar PCBs. *Chemosphere* 18:1067-1077.
- \*Taylor JR, Calabrese VP, Blanke RB. 1979. Organochlorine and other insecticides. *Handb Clin Neurol* 36:391-455.
- Tessari JD, Winn DT. 199 1. Relative retention ratios of 38 chlorinated pesticides and polychlorinated biphenyls on five gas-liquid chromatographic columns. *J Chromatogr Sci* 29: 1-3.
- \*Tewari SN, Sharma IC. 1977. Isolation and determination of chlorinated organic pesticides by thin-layer chromatography and the application to toxicological analysis. *J Chromatogr* 131:275-284.
- \*Thomas TC, Nishioka YA. 1985. Sampling of airborne pesticides using chromosorb 102. *Bull Environ Contam Toxicol* 35:460-465.
- \*Thunberg T, Ahlborg UG, Wahlstrom B. 1984. Comparison between the effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin and 6 other compounds on the vitamin A storage, the UDP-glucuronosyltransferase and the aryl hydrocarbon hydroxylase activity in the rat liver. *Arch Toxicol* 55:16-19.
- TOMES (Toxicology, Occupational Medicine and Environment Series) electronic database. 1993. Creosote: Phenol and related agents. Micromedex, Inc. Vol 78.
- Travis CC, Arms AD. 1988. Bioconcentration of organics in beef, milk, and vegetation. *Environ Sci Technol* 22:271-274.
- \*TRI93. 1995. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- \*Triolo AJ, Lang WR, Coon JM, et al. 1982. Effect of the insecticides toxaphene and carbaryl on induction of lung tumors by benzo[a]pyrene in the mouse. *J Toxicol Environ Health* 9:637-650.
- \*Trottman CH, Desai D. 1979. Adenosine triphosphatase activities in brain, kidney and liver of mice treated with toxaphene. *J Environ Sci Health B* 14:393-404.
- \*Trottman CH, Desai D. 1980. Induction of rat hepatic microsomal enzymes by toxaphene pretreatment. *J Environ Sci Health B* 15: 121-1 34.

## 8. REFERENCES

- \*Trottman CH, Prasada Rao KS, Morrow W, et al. 1985. *In vitro* effects of toxaphene on mitochondrial calcium ATPase and calcium uptake in selected rat tissues. *Life Sci* 36:427-433.
- \*Troxler WL, Goh SK, Dicks LWR. 1993. Treatment of pesticide contaminated soils with thermal desorption technologies. *Air & Waste* 43:1610-1619.
- Tuinstra LGMT, Roos AH, Matser AM, et al. 1991. Development of a multi-residue multimatrix method for pesticide analysis in agricultural products. *Fresenius J Anal Chem* 339:384-386.
- \*Turner WV, Khalifa S, Casida JE. 1975. Toxaphene toxicant A. Mixture of 2,2,5-endo,6-exo,8,8,9,10-octachlorobomane and 2,2,5-endo,6-exo,8,9,9,10-octachlorobomane. *J Agric Food Chem* 23:991-994.
- \*U. S. Congress. 1990. Clean Air Act Amendments of 1990. Title III. Hazardous Air Pollutants, Section 112-Hazardous Air Pollutants as amended, 10/26/90. 101st Congress, 2nd session report No. 101-952.
- \*USDA. 1995. National Agricultural Pesticide Impact Assessment Program (NAPIAP). Registration notification network (RNN). Vol. 3, No. 11.
- \*USITC. 1991. Harmonized tariff schedule of the United States (199 1). U.S. International Trade Commission, Washington DC. USITC publication 2333.
- USITC. 1992. Preliminary report on U.S. production of selected synthetic organic chemicals (including synthetic plastics and resin materials) first quarter, second quarter, and cumulative totals, 1992. U.S. International Trade Commission, Washington DC.
- Van der Falk F, Wester PG. 199 1. Determination of toxaphene in fish from Northern Europe. *Chemosphere* 22, Nos. 1-2:57-66.
- \*Vaz R, Blomkvist G. 1985. Traces of toxaphene components in Swedish breast milk analyzed by capillary GC using ECD, electron impact and negative ion chemical ionization MS. *Chemosphere* 14:223-231.
- \*Veith GD, Lee GF. 1971. Water chemistry of toxaphene - role of lake sediments. *Environ Sci Technol* 5:230-234.
- \*Verschueren K. 1983. Handbook of data on organic chemicals. 2nd ed. New York: Van Nostrand Reinhold Co., 1114-1 115.
- Vetter W. 1993. Toxaphene: Theoretical aspects of the distribution of chlorinated bomanes including symmetrical aspects. *Chemosphere* 26: 1079-1084.
- Vetter W, Luckas B, Oehme M. 1992. Isolation and purification of the two main toxaphene congeners in marine organisms. *Chemosphere* 25: 1643-1 652.
- \*Vetter W, Oehme M. 1993. Mass spectrometric and gas chromatographic identification of the two main toxaphene congers present in marine mammals as minor constitutents in the technical product. *Chemosphere* 27(4):597-605.
- \*Vetter W, Scherer G, Schlabach, et al. 1994. An unequivocal HNMR structural assignment of TOX8 and TOX9, the two most abundant toxaphene congeners in marine animals. *J Anal Chem* 349:552-558.

## 8. REFERENCES

- \*Villeneuve JP, Cattini C. 1986. Input of chlorinated hydrocarbons through dry and wet deposition to the western Mediterranean. *Chemosphere* 15: 115-120.
- \*Voldner EC, Li YF. 1993. Global usage of toxaphene. *Chemosphere* 27:2073-2078.
- \*Voldner EC, Schroeder WH. 1989. Modelling of atmospheric transport and deposition of toxaphene into the Great Lakes (North America) ecosystem. *Atmos Environ* 23:1949-1962.
- \*Voldner EC; Schroeder WH. 1990. Long range atmospheric transport and deposition of toxaphene. In: Kurtz DA ed. Long range transport of pesticides. Chelsea, MI: Lewis Publishers 223-231.
- \*van Rumker R, Lawless L, Meiner AF, et al. 1974. Production, distribution, use and environmental impact potential of selected pesticides. Kansas City, MO: Midwest Research Institute. NTIS Publication No. 236, 196-204.
- \*Walter B, Ballschmiter K. 1991. Quantitation of camphechlor/toxaphene in cod-liver oil by integration of the HRGC ECD-pattern. *Fresenius J Anal Chem* 340:245-249.
- \*Warraki S. 1963. Respiratory hazards of chlorinated camphene. *Arch Environ Health* 7:253-256.
- \*Wauchope RD, Buttler TM, Homsby AG, et al. 1992. The SCS/ARS/CES pesticide properties database for environmental decision-making. In: Ware GW ed. *Reviews of Environmental Contamination and Toxicology* 123:34, 149
- \*Wells WL, Millhom HT. 1983. Suicide attempt by toxaphene ingestion: A case report. *J Miss State Med Assoc* 24:329-330.
- \*WHO. 1974. Evaluation of some pesticides in foods: Camphechlor. *Pestic Res Ser No. 3*. World Health Organization.
- \*WHO. 1984. World Health Organization. Camphechlor. *Environ Health Criteria* 45: 1-66.
- \*Wideqvist U, Jansson B, Reutergard L, et al. 1984. The evaluation of an analytical method for polychlorinated terpenes (PCC). *Chemosphere* 13:367-379.
- Wiemeyer SN, Bunck CM, Stafford DJ. 1993. Environmental contaminants in bald eagle eggs-1980-84-and further interpretations of relationships to productivity and shell thickness. *Arch Environ Contam Toxicol* 24:213-227.
- \*Wiersma GB, Tai H, Sand PF. 1972a. Pesticide residues in soil from eight cities--1969. *Pestic Monit J* 6:126-129.
- \*Wiersma GB, Tai H, Sand PF. 1972b. Pesticide residue levels in soils, FY 1969--National Soils Monitoring Program. *Pestic Monit J* 6: 194-228.
- Wild SR, Jones KC. 1992. Organic chemicals entering agricultural soils in sewage sludges: Screening for their potential to transfer to crop plants and livestock. *Sci Total Environ* 119:85-119.

## 8. REFERENCES

- \*Williams G. 1981. An epigenetic mechanism of carcinogenicity of organochlorine pesticides. In: Khan MAQ, Stanton RH, eds. Toxicology of halogenated hydrocarbons: Health and ecological effects. New York: Pergamon Press, 161-242.
- \*Williams RR, Bidleman TF. 1978. Toxaphene degradation in estuarine sediments. *J Agric Food Chem* 26:280-282.
- Willis GH, McDowell LL. 1987. Pesticide persistence on foliage. *Rev Environ Contam Toxicol* 100:23-73.
- \*Willis GH, McDowell LL, Harper LA, et al. 1983. Seasonal disappearance and volatilization of toxaphene and DDT from a cotton field. *J Environ Qual* 12:80-85.
- \*Willis GH, McDowell LL, Smith S, et al. 1980. Toxaphene volatilization from a mature cotton canopy. *Agron J* 72:627-632.
- \*Worthing CR, ed. 1979. The pesticide manual. A world compendium. 6th ed. The British Crop Protection Council.
- \*Worthing CR, Walker SB, eds. 1987. The pesticide manual: A world compendium. 8th ed. Thornton Heath, UK: The British Crop Protection Council.
- \*Xu L, Hainzl D, Burhene J, et al. 1994. Corrigendum: HRGC-ECD and HRGC-NICI SIM quantification of toxaphene residues in selected marine organism by environmentally relevant chlorobomanes as standard. *Chemosphere* 28(2):237-243.
- Xu L, Ramus U, Pletsch B, et al. 1992. Quantification of toxaphene residues in fish and fish products. *Fresenius Envir Bull* 1:58-63.
- \*Yess NJ, Genderson EL, Roy RR. 1993. U. S. Food and Drug Administration monitoring of pesticide residue in infant foods and adult foods eaten by infants/children. *J Assoc Off Anal Chem Internal* 76(3):492-507.
- \*Zabik ME, Zabik MJ, Booren AM et al. 1995a. Pesticides and total polychlorinated biphenyls in chinook salmon and carp harvested from the great lakes: Effects of skin on and skin off processing and selected cooking methods. *J Agric Food Chem* 43:993-1001.
- \*Zabik ME, Zabik MJ, Booren AM, et al. 1995b. Pesticides and total polychlorinated biphenyls residues in raw and cooked walleye and white bass harvested from the great lakes. *Bull Environ Contam Toxicol* 54:396-402.
- \*Zell M, Ballschmiter K. 1980. Baseline studies of the global pollution. II. Global occurrence of hexachlorobenzene (HCB) and polychlorocamphenes (toxaphene. RTM.) (PCC) in biological samples. *Fresenius Z Anal Chem* 300:387-402.
- \*Zhu J, Mulvihill MJ, Norstrom RJ, et al. 1994. Characterization of technical toxaphene using combined high performance liquid chromatography, gas chromatography electron capture negative ionization mass spectrometry techniques. *J Chromatography* 669: 103-117.



## 8. REFERENCES

\*Zweig G, Pye EL, Sitlani R, et al. 1963. Residues in milk from dairy cows fed low levels of toxaphene in their daily ration. *J Agric Food Chem* 11:70-72.