

## Health Risks and Behaviors

### Social Activity

Table # in OA 2000	Table titles in OA2000	Data source	Summary of changes between OA2000 and OA2004	Table # in OA 2004	Table titles in OA2004	Data source	Summary of changes between OA2004 and OA2006	Table # in OA 2006	Table titles in OA2006	Data source	Updated since OA2006
19A	Percentage of persons age 70 or older who reported engaging in social activities, by age group and sex, 1995	Second Supplement on Aging	Discontinued.								
19B	Percentage of persons age 70 or older who reported being satisfied with their level of social activity, by sex, 1995	Second Supplement on Aging	Discontinued.								

### Sedentary Lifestyle (OA2000) changed to Physical Activity (OA2004 and OA2006)

20	Percentage of persons age 65 or older who reported having a sedentary lifestyle, by sex, 1985, 1990, and 1995	National Health Interview Survey	New table. Changed from sedentary lifestyle to regular leisure time physical activity using the same data source, NHIS. Updated with 1997-2002 data and revised and expanded. Estimates for five 2-year averages are shown.	24A	Percentage of people age 45 and over who reported engaging in regular leisure time physical activity, by age group, 1997-2002	National Health Interview Survey	Updated with 2002-03 and 2003-04 data.	24A	Percentage of people age 45 and over who reported engaging in regular leisure time physical activity, by age group, 1997-2004	National Health Interview Survey	No
			New table. Changed from sedentary lifestyle to regular leisure time physical activity using the same data source, NHIS. Updated with 2001-02 data, revised, and expanded. Estimates are shown for a 2-year average.	24B	Percentage of people age 65 and over who reported engaging in regular leisure time physical activity, by selected characteristics, 2001-02	National Health Interview Survey	Updated with 2003-04 data.	24B	Percentage of people age 65 and over who reported engaging in regular leisure time physical activity, by selected characteristics, 2003-04	National Health Interview Survey	No

Vaccinations											
Table # in OA 2000	Table titles in OA2000	Data source	Summary of changes between OA2000 and OA2004	Table # in OA 2004	Table titles in OA2004	Data source	Summary of changes between OA2004 and OA2006	Table # in OA 2006	Table titles in OA2006	Data source	Updated since OA2006
21A	Percentage of persons age 65 or older who reported having been vaccinated against influenza and pneumococcal disease, by race and Hispanic origin, 1989-95	National Health Interview Survey	Updated with 1997-2002 data.	21A	Percentage of people age 65 and over who reported having been vaccinated against influenza and pneumococcal disease, by race and Hispanic origin, selected years 1989-2002	National Health Interview Survey	Updated with 2003 and 2004 data.	21A	Percentage of people age 65 and over who reported having been vaccinated against influenza and pneumococcal disease, by race and Hispanic origin, selected years 1989-2004	National Health Interview Survey	No
21B	Percentage of persons age 65 or older who reported having been vaccinated against influenza and pneumococcal disease, by sex and age group, 1993-95	National Health Interview Survey	Updated with 2002 data and expanded.	21B	Percentage of people age 65 and over who reported having been vaccinated against influenza and pneumococcal disease, by selected characteristics, 2002	National Health Interview Survey	Updated with 2004 data.	21B	Percentage of people age 65 and over who reported having been vaccinated against influenza and pneumococcal disease, by selected characteristics, 2004	National Health Interview Survey	No
Mammography											
22	Percentage of women age 65 or older who reported having had a mammogram within the past two years, by race and Hispanic origin, 1987-94	National Health Interview Survey	Updated with 1998-2000 data and expanded.	22	Percentage of women age 65 and over who reported having had a mammogram within the past 2 years, by selected characteristics, selected years 1987-2000	National Health Interview Survey	Updated with 2003 data.  Estimates for 2000 have been revised and may differ from what was reported in OA2004.	22	Percentage of women age 65 and over who reported having had a mammogram within the past 2 years, by selected characteristics, selected years 1987-2003	National Health Interview Survey	No

Dietary Quality											
Table # in OA 2000	Table titles in OA2000	Data source	Summary of changes between OA2000 and OA2004	Table # in OA 2004	Table titles in OA2004	Data source	Summary of changes between OA2004 and OA2006	Table # in OA 2006	Table titles in OA2006	Data source	Updated since OA2006
23A	Dietary quality ratings among persons age 45 or older, as measured by the healthy eating index, by age group and poverty status, 1994-96	Continuing Survey of Food Intakes by Individuals	Updated with 1999-2000 data. The former data source, Continuing Survey of Food Intakes by Individuals, was merged with the National Health and Nutrition Examination Survey. The questions remained the same.	23A	Dietary quality ratings of people age 45 and over, as measured by the Healthy Eating Index, by age group and poverty status, 1999-2000	National Health and Nutrition Examination Survey	Not updated.	23A	Dietary quality ratings of people age 45 and over, as measured by the Healthy Eating Index, by age group and poverty status, 1999-2000	National Health and Nutrition Examination Survey	No
23B	Average scores of persons age 65 or older for components of the healthy eating index, 1994-96	Continuing Survey of Food Intakes by Individuals	Updated with 1999-2000 data. The former data source, Continuing Survey of Food Intakes by Individuals, was merged with the National Health and Nutrition Examination Survey. The questions remained the same.	23B	Average scores on a scale from 1 to 10, of people age 65 and over for components of the Healthy Eating Index (HEI), 1999-2000	National Health and Nutrition Examination Survey	Not updated.	23B	Average scores on a scale from 1 to 10, of people age 65 and over for components of the Healthy Eating Index (HEI), 1999-2000	National Health and Nutrition Examination Survey	No
Criminal Victimization											
24	Violent and property crime rates, by age of victim, 1973-98	National Crime Victimization Survey and Uniform Crime Reports	Discontinued.								
Obesity											
			New.	25	Body weight status among people age 65 and over, by sex and age group, selected years 1960-2002	National Health and Nutrition Examination Survey	Updated with 2003-2004 data. In OA2004 data were combined for 1999-2002; two-year estimates are shown in OA2006 (1999-2000 and 2001-02).	25	Body weight status among people age 65 and over, by sex and age group, selected years 1960-2004	National Health and Nutrition Examination Survey	No

### Cigarette Smoking

Table # in OA 2000	Table titles in OA2000	Data source	Summary of changes between OA2000 and OA2004	Table # in OA 2004	Table titles in OA2004	Data source	Summary of changes between OA2004 and OA2006	Table # in OA 2006	Table titles in OA2006	Data source	Updated since OA2006
			New.	26A	Percentage of people age 45 and over who are current cigarette smokers, by selected characteristics, selected years 1965-2002	National Health Interview Survey	Updated with 2003 and 2004 data.	26A	Percentage of people age 45 and over who are current cigarette smokers, by selected characteristics, selected years 1965-2004	National Health Interview Survey	No
			New.	26B	Cigarette smoking status of people age 18 and over, by sex and age group, 2002	National Health Interview Survey	Updated with 2004 data.	26B	Cigarette smoking status of people age 18 and over, by sex and age group, 2004	National Health Interview Survey	No

### Air Quality

			New.	27A	Percentage of people age 65 and over living in counties with "Poor air quality," 2000-02	U.S. EPA Air Quality System; U.S. Census Bureau Projections	Updated with 2003 and 2004 data.	27A	Percentage of people age 65 and over living in counties with "Poor air quality," 2000-04	U.S. EPA Air Quality System; U.S. Census Bureau Population Projections; Woods and Poole Population Projections 2000-04	No
			New.	27B	Counties with "Poor air quality" for any standard in 2002	U.S. EPA Air Quality System; U.S. Census Bureau Projections	Updated with 2004 data.	27B	Counties with "Poor air quality" for any standard in 2004	U.S. EPA Air Quality System	No