Florida Keys National Marine Sanctuary Draft Revised Management Plan





U.S. Department of Commerce

National Oceanic and Atmospheric Administration

National Ocean Service

National Marine Sanctuary Program

This document is the draft revised management plan for the Florida Keys National Marine Sanctuary. It replaces the management plan that was implemented in 1997 and will serve as the primary management document for the Sanctuary during the next five years.

Comments or questions on this management plan should be directed to:

Billy D. Causey Superintendent Florida Keys National Marine Sanctuary P.O. Box 500368 Marathon, FL 33050 (305) 743-2437 x 26 billy.causey@noaa.gov

Note to Reader

In an effort to make this document more user-friendly, we have included references to the Florida Keys National Marine Sanctuary web site rather than including the entire text of many bulky attachments or appendices that are traditionally included in management plans. Readers who do not have access to the Internet may call the Sanctuary office at (305) 743-2437 to request copies of any documents that are on the Sanctuary's web site. For readers with Internet access, the Sanctuary's web site can be found at: http://floridakeys.noaa.gov.

ABOUT THIS DOCUMENT

This document is a report on the results of NOAA's five-year review of the strategies and activities detailed in the 1997 *Final Management Plan and Environmental Impact Statement* for the Florida Keys National Marine Sanctuary. It serves two primary purposes: 1) to update readers on the outcomes of successfully implemented strategies - in short, accomplishments that were merely plans on paper just five years ago; and, 2) to disseminate useful information about the Sanctuary and its management strategies, activities and products. The hope is that this information, which charts the next 5 years of Sanctuary management, will enhance the communication and cooperation so vital to protecting important national resources.

Sanctuary Characteristics

The Florida Keys National Marine Sanctuary extends approximately 220 nautical miles southwest from the southern tip of the Florida peninsula. The Sanctuary's marine ecosystem supports over 6,000 species of plants, fishes, and invertebrates, including the nation's only living coral reef that lies adjacent to the continent. The area includes one of the largest seagrass communities in this hemisphere. Attracted by this tropical diversity, tourists spend more than thirteen million visitor days in the Florida Keys each year. In addition, the region's natural and man-made resources provide livelihoods for approximately 80,000 residents.

The Sanctuary is 2,900 square nautical miles of coastal waters, including the recent addition of the Tortugas Ecological Reserve. The Sanctuary overlaps six state parks and three state aquatic preserves. Three national parks have separate jurisdictions, and share a boundary with the Sanctuary. In addition, the region has some of the most significant maritime heritage and historical resources of any coastal community in the nation.

The Sanctuary faces specific threats, including direct human impacts such as ship groundings, pollution, and overfishing. Threats to the Sanctuary also include indirect human impacts, which are harder to identify but seem to be reflected in coral declines and increases in macroalgae and turbidity. More information about the Sanctuary can be found in this document and at the Sanctuary's web site: http://floridakeys.noaa.gov.

Management Plan Organization

Within this document, the tools that the Sanctuary uses to achieve its goals, are presented under five management divisions: 1) Science; 2) Education, Outreach & Stewardship; 3) Enforcement & Resource Protection; 4) Resource Threat Reduction; and, 5) Administration, Community Relations, & Policy Coordination. Each management division contains two or more *action plans*, which are implemented through supporting *strategies* and *activities*. The strategies described in the 1997 *Management Plan* generally retain their designations in this document. As in the 1997 plan, two or more action plans may share a strategy where their goals and aims converge.

Accomplishments and Highlights

The Sanctuary's programs and projects have made significant progress since the original management plan was implemented 1997. An overview of these accomplishments is provided in the Introduction. In addition, each action plan contains bulleted lists of accomplishments since the 1997 management plan was adopted.

Table of Contents

ABOUT THIS DO	CUMENT	i
	s	
ACRONYMS		V1
1.0 INTRODUCTI	ION	1
1.1 THE NATIONAL	MARINE SANCTUARY PROGRAM (NMSP)	2
	EYS NATIONAL MARINE SANCTUARY (FKNMS)	
	ENT PLAN REVIEW PROCESS	
1.4 ACCOMPLISHME	ENTS	9
2.0 THE SANCTU	JARY ENVIRONMENT: A SUBTROPICAL ECOSYSTEM	12
2.1 Introduction		13
	RESOURCES	
	ARINE RESOURCES	
2.4 THREATS TO THE	E ECOSYSTEM	18
3.0 ACTION PLA	NS	19
WHAT ARE ACTION	PLANS?	20
WHAT ARE THE ACT	IION PLANS IN THIS DOCUMENT?	20
IMPLEMENTING ACT	TION PLANS	21
3.1 SANCTUARY	SCIENCE	24
3.1.1 SCIENCE MAN	AGEMENT & ADMINISTRATION ACTION PLAN	25
Strategy B.11	Issuance of Sanctuary Research Permits	
Strategy W.29	Dissemination of Findings	28
Strategy W.32	Maintaining a Technical Advisory Committee	
Strategy W.34	Regional Science Partnerships and Reviews	
Strategy W.35	Data Management	
	ID MONITORING ACTION PLAN	
Strategy W.33	Ecological Research and Monitoring	
Strategy Z.6	Marine Zone Monitoring	
Strategy W.36	Conducting Socioeconomic ResearchResearching Queen Conch Population Enhancement Methods	
Strategy F.3 Strategy F.7	Researching Impacts From Artificial Reefs	
Strategy F.6	Fisheries Sampling	
Strategy F.11	Evaluating Fishing Gear/Method Impacts	
Strategy F.15	Assessing Sponge Fishery Impacts	
Strategy W.18		
Strategy W.22	Assessing Wastewater Pollutants Impacts	53
Strategy W.23	Researching Other Pollutants and Water Quality Issues	54
Strategy W.24	Researching Florida Bay Influences	56
Strategy W.21	Developing Predictive Models	
	egies	
	OUTREACH, & STEWARDSHIP	
	ND OUTREACH ACTION PLAN	
Strategy E.4	Developing Training, Workshops and School Programs	
Strategy E.6	Continuing the Education Working Group Establishing Public Forums	
Strategy E.10 Strategy E.11	Participating In Special Events	
Strategy E.11 Strategy E.1	Printed Product Development and Distribution	
Strategy E.2	Continued Distribution of Audio-Visual Materials	
. 02	J	

Strategy E.3	Continued Development of Signs, Displays, Exhibits, and Visitor Centers	75
Strategy E.5	Applying Various Technologies	
Strategy E.12	Professional Development of Education and Outreach Staff	79
3.2.2 VOLUNTEER A	ACTION PLAN	80
Strategy V.1	Maintaining Volunteer Programs	82
Strategy V.2	Working With Other Organization/Agency Volunteer Programs	85
Strategy V.3	Supporting Volunteer Activities	88
Previous Strat	egies	90
3.3 ENFORCEME	ENT & RESOURCE PROTECTION	91
3 3 1 REGULATORY	ACTION PLAN	92
Strategy R.1	Maintain the Existing Permit Program	
Strategy R.2	Regulatory Review and Development	
	T ACTION PLAN	
Strategy B.6	Acquiring Additional Enforcement Personnel	
	ESSMENT AND RESTORATION ACTION PLAN	
Strategy B.18	Injury Prevention	
Strategy B.19	Implementing DARP Notification And Response Protocols	
Strategy B.20	Damage Assessment And Documentation	
Strategy B.21	Case Management	
Strategy B.22	Habitat Restoration	
Strategy B.23	Data Management	
	ERITAGE RESOURCES ACTION PLAN	
	.1 MHR Permitting	
	.2 Establishing An MHR Inventory	
	.3 MHR Research and Education	
	.4 Ensuring Permit Compliance through Enforcement	
	.5 Ensuring Interagency Coordination	
•	THREAT REDUCTION	
	NG ACTION PLAN	
Strategy Z.1	Sanctuary Preservation Areas	
Strategy Z.2	Ecological Reserves	
Strategy Z.3	Special-use Areas	
Strategy Z.4	Wildlife Management Areas	
Strategy Z.5	Existing Management Areas	
	OY ACTION PLAN	
Strategy B.15	Mooring Buoy Management	
	MANAGEMENT ACTION PLAN	
Strategy B.1	Boat Access	
Strategy B.4	Waterway Management/Marking	
	ITY ACTION PLAN	
	RNAL INFLUENCE STRATEGIES	
Strategy W.19		
	ATER STRATEGIES	
Strategy W.3	Addressing Wastewater Management Systems	
Strategy W.5	Developing and Implementing Water Quality Standards	
Strategy W.7	Resource Monitoring of Surface Discharges	
	TEGIES	
Strategy W.11	Stormwater Retrofitting	
Strategy W.14	Instituting Best Management Practices	
MARINA AND LIVE-	Aboard Strategies	
Strategy B.7	Reducing Pollution Discharges	
Strategy L.1	Elimination of Wastewater Discharge From Vessels	201
Strategy L.3	Reducing Pollution From Marina Operations	203
LANDEILI STRATEG	v	204

Strategy L	2.7 Assessing Solid Waste Disposal Problem Sites	205
HAZARDOUS M	ATERIALS STRATEGIES	
Strategy V	V.15 HAZMAT Response	207
Strategy V		
Strategy L		
MOSQUITO SPR	AYING STRATEGY	211
Strategy V	V.17 Refining the Mosquito Spraying Program	212
CANAL STRATE	GY	
Strategy V	V.10 Addressing Canal Water Quality	214
	Strategies	
3.5 ADMINIS	TRATION, COMMUNITY RELATIONS AND POLICY COORDINATION	217
3.5.1 OPERATION	ONS ACTION PLAN	218
FUNCTION 1:	SANCTUARY ADMINISTRATION	219
FUNCTION 2:	COMMUNITY RELATIONS	224
FUNCTION 3:	POLICY DEVELOPMENT AND COORDINATION	226
Strategy (OP.1 Addressing Administrative Policy Issues	229
Strategy (
Strategy (OP.3 Addressing Legal Issues	231
FUNCTION 4:	THE SANCTUARY ADVISORY COUNCIL	
3.5.2 EVALUA	ATION ACTION PLAN	234
Strategy E	EV.1 Measuring Sanctuary Performance Over Time	236
APPENDICIE	S	245
APPENDIX A	THE NATIONAL MARINE SANCTUARIES ACT	246
APPENDIX B	THE FLORIDA KEYS NATIONAL MARINE SANCTUARY AND PROTECTION ACT	267
APPENDIX C	FKNMS REGULATIONS	280
APPENDIX D	FINAL FKNMS DESIGNATION DOCUMENT	334
APPENDIX E	FKNMS ADVISORY COUNCIL AND WORKING GROUP MEMBERSHIP	340
APPENDIX F	MARITIME HERITAGE RESOURCES PROGRAMMATIC AGREEMENT	344
APPENDIX G	VESSEL OPERATIONS/PWC MANAGEMENT REGULATORY ALTERNATIVES	361

List of Figu	ires	
Figure 1.1	The National Marine Sanctuaries	2
Figure 1.2	The Florida Keys National Marine Sanctuary Boundaries	5
Figure 1.3	Reef groundings of ships greater than 50m in length before and after the creation of the	
Figure 1.4	FKNMS boundary and ATBA	9 10
Figure 3.1	NMSP Performance Evaluation Logic Model	
List of Tab	les	
Table 3.1	Action Strategy Implementation Over Five Years Under Three Funding Scenarios	21
Table 3.2	Estimated costs of the Science Management and Administration Action Plan	
Table 3.3	Estimated costs of the Research and Monitoring Action Plan	
Table 3.4	Estimated costs of the Education and Outreach Action Plan	
Table 3.5	Estimated costs of the Volunteer Action Plan	
Table 3.6	Estimated costs of the Regulatory Action Plan	
Table 3.7	Estimated costs of the Enforcement Action Plan	
Table 3.8	Estimated costs of the Damage Assessment and Restoration Action Plan	
Table 3.9	Estimated costs of the Maritime Heritage Resources Action Plan	
Table 3.10	Estimated costs of the Marine Zoning Action Plan	
Table 3.11	Criteria for the Creation and Establishment of the Tortugas Ecological Reserve	
Table 3.12	Estimated costs of the Mooring Buoy Action Plan.	
Table 3.13	Estimated costs of the Waterway Management Action Plan	
Table 3.14	Estimated costs of the Water Quality Action Plan	
Table 3.15	Estimated costs of the Operations Action Plan/Policy Development and Coordination	
	, , , , , , , , , , , , , , , , , , , ,	
Table 3.16	Estimated costs of the Evaluation Action Plan	
Table 3.17	Measures for Evaluating the Performance of FKNMS Action Plans	

Acronyms

ASA Abandoned Shipwreck Act

ATBAs Areas to Be Avoided

AWT Advanced Wastewater Treatment

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

CFR Code of Federal Regulations

DARP Damage Assessment and Restoration Program
DMR Department of Marine Resources (Monroe County)

EIS Environmental Impact Statement EPA Environmental Protection Agency

ESA Endangered Species Act

F.S. Florida Statues

FAC Florida Administrative Code

FDACS Florida Department of Agriculture and Consumer Services

FDHR Florida Division of Historical Resources

FDEP Florida Department of Environmental Protection FFWCC Florida Fish and Wildlife Conservation Commission

FKNMS Florida Keys National Marine Sanctuary

FKNMSPA Florida Keys National Marine Sanctuary Protection Act

FPS Florida Park Service

FWRI Fish and Wildlife Research Institute

FWS Fish and Wildlife Service

GIS Geographic Information System
GPS Global Positioning System
HAZMAT Hazardous Materials
MBTA Migratory Bird Treaty Act

MEERA Marine Ecosystem Event Response and Assessment

MHR Maritime Heritage Resources
MMPA Marine Mammal Protection Act
MMS Minerals Management Service
MOA Memorandum of Agreement
MOU Memorandum of Understanding

NEPA National Environmental Protection Act

NGO Non-governmental Organization NHPA National Historic Preservation Act NMFS National Marine Fisheries Service

NMS National Marine SanctuaryNMSA National Marine Sanctuary ActNMSP National Marine Sanctuary Program

NOAA National Oceanic and Atmospheric Administration

NOS National Ocean Service

NPDES National Pollutant Discharge Elimination System

NPS National Park Service
OSDS On-Site Disposal System
PSSA Particularly Sensitive Sea Area

SAV Submerged Aquatic Vegetation SCR Submerged Cultural Resources SEFSC Southeast Fisheries Science Center

SFWMD South Florida Water Management District

SPA Sanctuary Preservation Area

SWIM Surface Water Improvement and Management Act

SWM Stormwater Management
TNC The Nature Conservancy
USACE U.S. Army Corps of Engineers


USCG U.S. Coast Guard

USDOC U.S. Department of Commerce USDOI U.S. Department of Interior USDOS U.S. Department of State

USDOT U.S. Department of Transportation

USGS U.S. Geological Survey WMA Wildlife Management Area

2.0 THE SANCTUARY ENVIRONMENT: A SUBTROPICAL ECOSYSTEM



2.1 Introduction

Adjacent to the Keys' land mass is a complex marine ecosystem that supports a variety of spectacular, unique, and nationally significant seagrass meadows, mangrove islands, and extensive living coral reefs. This ecosystem is the marine equivalent of a tropical rain forest in that it supports high levels of biological diversity, is fragile and easily susceptible to damage from human activities, and possesses great value to humans if properly conserved. The ecosystem supports over 6,000 species of plants, fishes, and invertebrates, including the nation's only coral reef that lies adjacent to the continent, and one of the largest seagrass communities in this hemisphere.

2.2 Living Marine Resources

The Florida Keys ecosystem contains one of North America's most diverse assemblages of flora and fauna. The Florida peninsula and Florida Keys serve as a partial barrier between the temperate waters of the Gulf of Mexico and the tropical to subtropical waters of the Atlantic Ocean, resulting in a unique distribution of marine organisms.

The coral reef tract, arching in a southwesterly direction for 220 miles, comprises one of the largest communities of its type in the world. It is the only emergent coral reef system off the continental U.S. All but the northernmost extent of the reef tract lies within the sanctuary.

The reef tract is a bank-barrier system comprised of an almost continuous reef community. One of its most noticeable features is its seaward-facing spur-and-groove formation. Over 6000 patch reefs, circular to oval in shape, lie in nearshore to offshore areas.

The ecosystem also supports one of the world's largest seagrass beds, among the richest, most productive, and most important submerged coastal communities. Seagrasses provide food and habitat for commercially and recreationally important species of fish and invertebrates. Without the seagrass community, the coral reef community would likely collapse.

Mangroves form an important component of the ecosystem, fringing most of the more than 1600 islands and 1800 miles of shoreline. Mangroves provide important ecological functions such as habitat for juvenile fishes and invertebrates, sediment traps, and surface area for attached organisms such as oysters, sponges, and algae.

The Florida Keys coral reef ecosystem is highly biologically diverse, and includes:

- 520 species of fish, including over 260 species of reef fish
- 367 species of algae
- 5 species of seagrasses
- 117 species of sponges
- 89 species of polychaete worms
- 128 species of echinoderms
- 2 species of fire coral
- 55 species of soft corals
- 63 species of stony corals

Coral Reefs and Coral Health

The reefs of Florida have undergone change for millennia due to sea-level changes, storms, and other natural occurrences. More recently, human impacts have directly and indirectly damaged the reef structure and reef communities, and as a result corals are under stress.

In the Florida Keys, a decrease in coral cover and species diversity and an alarming increase in coral diseases and coral bleaching have been recorded in the Coral Reef/Hard-bottom Monitoring Project conducted by Florida's Fish and Wildlife Research Institute (FWRI). The project records biodiversity, coral condition (including diseases and bleaching), and coral cover at stations located in various habitat types. Since 1996, over 66 percent of the monitored sites have exhibited losses in stony coral

diversity, although some positive trends were noted in the 1999-2000 survey period. Significant gains and losses of several stony coral species have occurred both between years and over the entire sampling period, indicating fluctuations in coral species richness but no loss of species Sanctuarywide.

In addition, FWRI monitoring has shown a declining trend in stony coral cover from 1996 to 2000, with the greatest relative change occurring in the Upper Keys. A reprieve from this decline has recently been observed and may be attributable to the lack of significant events such as bleaching, tropical storms, or hurricanes. As with species diversity, scientists find that coral cover is highly variable by both habitat type and region.

Recruitment (settlement of new individuals) of stony corals is an important factor in overall community dynamics. Two monitoring programs that are evaluating coral recruitment trends find that differences exist in coral recruitment among habitat types and regions. Juvenile corals in the lower Keys suffered significant mortality in 1998 due to a direct strike from Hurricane Georges.

Coral diseases increasingly threaten the overall health and vitality of reef systems in the Sanctuary. While over ten coral diseases are believed to exist at this time, only three pathogens have been positively identified. The monitoring project has documented increases in the number of research stations that contain diseased coral, the number of coral species with disease, and the number of diseases themselves. Regional differences in disease incidence have also been documented, with the highest concentration observed in the Key West and Lower Keys region.

Over the past 20 years, coral bleaching events in the Sanctuary have increased in frequency and duration. Massive coral bleaching was first recorded in the Lower Keys in 1983 along the outer reef tract, where shallow fore-reef habitats were the most affected areas. Bleaching expanded and intensified with events in 1987 and 1990, and culminated with massive coral bleaching in 1997 and 1998 that targeted inshore and offshore reefs throughout the Keys. Coral bleaching is undoubtedly responsible for some of the dramatic declines in stony coral cover observed Sanctuary-wide in the last five years. Similar observations of bleaching have been made regionally and internationally since 1987, and it is widely recognized that 1997 and 1998 were the worst coral bleaching years on record, causing significant loss of corals worldwide.

Algae, Seagrasses, and Other Benthic Organisms

Monitoring of benthic, or bottom, communities by the National Undersea Research Center at the University of North Carolina at Wilmington has documented that algae of various species dominate bottom habitats at all sites throughout the Sanctuary. Sponges and soft corals cover a much smaller percentage of the sea floor (from about 10 percent to 20 percent). Like algae, they are highly variable, depending on the region being surveyed and the time of year.

Seagrasses are comprehensively monitored by Florida International University as part of the Sanctuary's Water Quality Protection Program. Data indicate approximately 12,800 square kilometers of seagrass beds lie within and adjacent to the Sanctuary. Some variability in seagrass cover and abundance has been identified, although populations seem relatively stable. Continued monitoring will be invaluable for detecting human impacts on the seagrass communities.

Reef Fish

Monitoring fish populations occurred for many years before the Sanctuary's designation and continues to this day. From 1979 through 1998, a total of 263 fish species representing 54 families were observed. Over half of all fish observed were from just ten species. Relatively few fish of legal size have been seen, which is consistent with several studies that indicate reef fish in the Florida Keys are highly overexploited.

Despite population declines throughout much of the Sanctuary, fish numbers in fully protected zones (Sanctuary Preservation Areas, Ecological Reserves, and Special-use and Research-only areas) are increasing to some degree. Years of data from one monitoring program show that the number of individuals of three exploited species are higher in protected zones than in fished sites. Researchers have also seen an overall increase in the average abundance of three snapper species at several sites after the sites were protected.

Mobile Invertebrates

FWRI monitors mobile invertebrates, such as spiny lobster and queen conch. Spiny lobsters continue to be more abundant in the fully protected Sanctuary Preservation Areas and Ecological Reserves than outside these areas. Researchers have found their average size is larger and catch rates (number of lobsters per trap) are higher than in reference areas during both the open and closed fishing seasons.

Queen conch populations have remained low for the last decade despite a prohibition on their collection since 1985. Attempts to supplement wild populations with laboratory reared stock and experiments aimed at improving their reproduction are designed to ameliorate the long-term decline in queen conch populations in the region.

Sea urchins are also in very low abundances, especially the long-spined urchin, suggesting poor recovery of this species since its massive Caribbean-wide die-off in 1983. Two research efforts underway are exploring means by which populations of this key species may be restored.

2.3 Non-living Marine Resources

Maritime Heritage Resources

The waters of the Florida Keys have some of the most significant maritime heritage and historical resources of any coastal community in the nation. Because of its unique geographical position on the European and American trade routes, shipwrecks in the Keys contain a record of the 500-year history of the Americas. Key West has been the crossroads of the Caribbean, and the sea has remained the common thread through the region's cultural and historic sites. The relative inaccessibility of underwater cultural sites has ensured that many delicate artifacts remain undisturbed. The importance of the region's maritime heritage resources is great, and the possibility exists for discovering some of the earliest archaeological sites in North America. A detailed description of the cultural and historical resources of the Florida Keys is contained in the "Description of the Affected Environment," of the Environmental Impact Statement (see Volume II of the Florida Keys Management Plan at http://floridakeys.noaa.gov).

Water Quality

Many water-quality parameters have been monitored Sanctuary wide by Florida International University's Southeast Environmental Research Center since 1995 as part of the Water Quality Protection Program. Thus far, results indicate that some elements (dissolved oxygen, total organic nitrogen, and total organic carbon) are present in higher concentrations in surface waters, while other indicators (salinity, turbidity, nitrite, nitrate, ammonium, and total phosphorus) are higher in bottom waters.

Geographic differences in water quality include higher nutrient concentrations in the Middle and Lower Keys and lower nutrient concentrations in the Upper Keys and Dry Tortugas. Also, declining inshore-to-offshore trends across Hawk Channel have been noted for some parameters (nitrate, ammonium, silicate, total organic carbon and nitrogen, and turbidity).

Probably the most interesting findings thus far show increases over time in total phosphorus for the Dry Tortugas, Marquesas Keys, Lower Keys, and portions of the Middle and Upper Keys, and increases in nitrate in the Southwest Florida Shelf, Dry Tortugas, Marquesas Keys, and the Lower and Upper Keys. In contrast, total organic nitrogen decreased somewhat, mostly in the Southwest Florida Shelf, the Sluiceway, and the Lower and Upper Keys. These trends may be driven by regional circulation patterns arising from the Loop Current and Florida Current, and have changed as the period of record has increased.

Stationary instruments along the reef tract continuously monitor seawater parameters and ocean states. The data are analyzed by Florida Institute of Oceanography's SEAKEYS program and periodically transmitted to satellites and made available on the Internet. Additionally, water temperature data are recorded every two hours from a series of thermographs that the Sanctuary has maintained for the past ten years.

2.4 Threats to the Ecosystem

The deterioration of the marine ecosystem in South Florida is no longer a matter of debate. Visitors, residents and scientists alike have noted the precipitous decline in the health of the coral reef ecosystem. The threats causing these visible signs of decline are numerous and often complex, ranging from direct human impacts to global climate changes.

Direct human impacts include vessel groundings, anchor damage, destructive fishing, and damage to corals as a result of divers and snorkelers standing on them. Boat propellers and large ships have damaged over 30,000 acres of seagrasses and more than 20 acres of coral reef habitat in the Sanctuary.

Most pressures stem from the 5 million annual visitors and 80,000 year-round residents. Their high levels of use in the Sanctuary have significant direct and indirect effects on the ecosystem. Sanctuary visitors primarily seek water-related recreation, including fishing, diving, snorkeling, and boating.

Although less immediate than direct physical damage to the corals, other stressors also significantly affect the Florida Keys ecosystem. Overfishing has dramatically altered fish and other animal populations on the coral reef, contributing to an imbalance in ecological relationships that are critical to sustaining a diversity of organisms. Eutrophication (an outcome of excess nutrients in the water, such as fertilizers) of nearshore waters is a documented problem. Wastewater and stormwater treatment and solid-waste disposal facilities are highly inadequate, directly affecting nearshore water quality. Some solutions to water quality problems are being implemented, but given the scope of the problem, more action is required.

In Florida Bay, reduced freshwater flow has increased plankton blooms, sponge and seagrass die-offs, and fish kills. Since Florida Bay and nearshore waters provide important nursery and juvenile habitat for a variety of reef species, the declines in these areas affect the overall health and structure of offshore coral reefs. Therefore, regional strategies to address the quantity, quality, timing, and distribution of freshwater flows into the South Florida ecosystem and Florida Bay through the Comprehensive Everglades Restoration Plan are critical.

In addition, seasonal and yearly seawater temperature fluctuations, increasing solar radiation, and atmospheric changes all affect the ecosystem. The impacts are seen in coral disease and bleaching, which have increased in frequency, duration and range, coinciding with the ten warmest years on record. Under normal conditions, corals and reef organisms would be expected to tolerate and recover from sporadic events such as temperature variation. However, additional human-induced stresses are likely affecting the ability of these organisms to adequately recover from climate fluctuations.