

AERONAUTICAL DATA SHEET
 NATIONAL GEODETIC SURVEY

DATE GENERATED: 06/20/2002

PROJECT NUMBER: 5207
 ARPT IDENTIFIER: OGS
 ARPT NAME: OGDENSBURG INTERNATIONAL AIRPORT
 CITY: OGDENSBURG
 STATE: NEW YORK
 ARPT ELEVATION: 297.3
 AIRPORT REFERENCE POINT

SITE NUMBER: 15851.A
 SURVEY DATE: 05/30/2001
 HORIZONTAL DATUM: NAD83
 VERTICAL DATUM: NAVD88
 ATCT FLOOR ELEV:
 DECLINATION: 14.0W

DISTANCE FROM RWY END: 27+0
 LATITUDE: 444054.7
 LONGITUDE: -752755.8

RUNWAY INFORMATION

RUNWAY: 9/27 LENGTH: 5200 WIDTH: 150 SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA
 GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE | LONGITUDE | ELEV | AZ (N) | TDZE | LENGTH | LATITUDE | LONGITUDE | ELEV |
|-----|-------------|--------------|-------|---------|-------|--------|----------|-----------|------|
| 9 | 444048.4518 | -752830.7075 | 285.9 | 760029 | 291.4 | | | | |
| 27 | 444100.8598 | -752720.8757 | 297.3 | 2560118 | 297.3 | | | | |

PROFILE DATA

DISTANCES FROM APPROACH END 9

DISTANCES FROM APPROACH END 27

| DISTANCE | ELEV |
|----------|-------|
| 0 | 285.9 |
| 972 | 286.4 |
| 5200 | 297.3 |

| DISTANCE | ELEV |
|----------|-------|
| 0 | 297.3 |
| 4227 | 286.4 |
| 5200 | 285.9 |

DATE GENERATED: 06/20/2002

PROJECT NUMBER: 5207
ARPT IDENTIFIER: OGS
ARPT NAME: OGDENSBURG INTERNATIONAL AIRPORT
CITY: OGDENSBURG
STATE: NEW YORK

SITE NUMBER: 15851.A
SURVEY DATE: 05/30/2001
HORIZONTAL DATUM: NAD83
VERTICAL DATUM: NAVD88

NAVIGATIONAL AID INFORMATION

| ELECTRONIC | LATITUDE | LONGITUDE | ELEV | OFFSET DISTANCE | ALONG CNTRLN DISTANCE |
|------------|-------------|--------------|-------|--------------------|--------------------------|
| LOC (27) | 444046.8780 | -752839.5384 | 284.1 | | 658 |
| LOM (27) | 444205.3888 | -752110.7533 | | | 27525 |

| VISUAL | LATITUDE | LONGITUDE |
|-----------|-------------|--------------|
| ALS (27) | | |
| APBN | 444042.5066 | -752836.9573 |
| VASI (9) | | |
| VASI (27) | | |

PROJECT NUMBER: 5207
 ARPT IDENTIFIER: OGS
 ARPT NAME: OGDENSBURG INTERNATIONAL AIRPORT
 CITY: OGDENSBURG
 STATE: NEW YORK

SITE NUMBER: 15851.A
 SURVEY DATE: 05/30/2001
 HORIZONTAL DATUM: NAD83
 VERTICAL DATUM: NAVD88

OBSTRUCTION INFORMATION

9 BV

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|---------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| BUSH | 444056.27 | -752718.24 | 1A | 317 | | 31 | 26 | 20 | -5272 | | 497R | 20 |
| TREE | 444052.83 | -752737.17 | 1A | 326 | | 40 | 35 | 29 | -3861 | | *505R | 33 |
| BUSH | 444053.78 | -752741.50 | 1A | 301 | | 15 | 10 | 4 | -3580 | | 335R | 8 |
| BUSH | 444102.11 | -752745.08 | 1A | 303 | | 17 | 12 | 6 | -3534 | | *546L | 10 |
| TREE | 444049.38 | -752757.18 | 1A | 325 | | 39 | 34 | 28 | -2373 | | 494R | 35 |
| TREE | 444048.90 | -752759.42 | 1A | 326 | | 40 | 35 | 29 | -2205 | | *503R | 36 |
| OL ON LTD WSK | 444056.47 | -752802.15 | 1A | 321 | | 35 | 30 | 24 | -2199 | | 289L | 31 |
| FENCE | 444048.74 | -752803.23 | 1A | 297 | | 11 | 6 | 0 | -1934 | | 451R | 8 |
| BUSH | 444057.26 | -752809.80 | 1A | 292 | | 6 | 1 | -5 | -1682 | | *501L | 4 |
| BUSH | 444054.78 | -752824.85 | 1A | 292 | | 6 | 1 | -5 | -566 | | *519L | 6 |
| SIGN | 444044.65 | -752829.48 | 1A | 288 | | 2 | -3 | -9 | 7 | | 395R | 2 |
| GRD | 444051.32 | -752832.50 | 1A | 288 | | 2 | -3 | -9 | 55 | | 313L | 2 |
| OL LT POLE | 444044.00 | -752834.53 | 1A | 311 | | 25 | 20 | 14 | 377 | | 371R | 16 |
| HGR | 444042.02 | -752835.66 | 1A | 317 | | 31 | 26 | 20 | 505 | | *546R | 16 |
| ANT ON HGR | 444042.54 | -752835.93 | 1A | 326 | | 40 | 35 | 29 | 511 | | 490R | 25 |
| OL ON APBN | 444042.51 | -752836.96 | 1A | 329 | | 43 | 38 | 32 | 584 | | 475R | 23 |
| OL ON LOC | 444046.88 | -752839.54 | 1A | 292 | | 6 | 1 | -5 | 658 | | 0R | -17 |
| RD(N) | 444046.52 | -752841.69 | 1A | 301 | | 15 | 10 | 4 | 818 | | 2L | -16 |
| TREE | 444041.12 | -752840.94 | 1A | 325 | | 39 | 34 | 28 | 897 | | *542R | 4 |
| TREE | 444051.17 | -752845.89 | 1A | 341 | | 55 | 50 | 44 | 998 | | 532L | 15 |
| TREE | 444043.43 | -752844.57 | 1A | 336 | | 50 | 45 | 39 | 1095 | | 251R | 5 |
| TREE | 444049.07 | -752848.17 | 1A | 339 | | 53 | 48 | 42 | 1209 | | 366L | 2 |
| TREE | 444046.96 | -752853.54 | 1A | 339 | | 53 | 48 | 42 | 1637 | | 253L | -19 |

27 D

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|---------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| GRD | 444051.32 | -752832.50 | 1A | 288 | | -9 | -9 | -9 | -5255 | | 313R | 2 |
| SIGN | 444044.65 | -752829.48 | 1A | 288 | | -9 | -9 | -9 | -5207 | | 395L | 2 |
| BUSH | 444054.78 | -752824.85 | 1A | 292 | | -5 | -5 | -5 | -4634 | | *519R | 6 |
| BUSH | 444057.26 | -752809.80 | 1A | 292 | | -5 | -5 | -5 | -3518 | | *501R | 4 |
| FENCE | 444048.74 | -752803.23 | 1A | 297 | | 0 | 0 | 0 | -3266 | | 451L | 8 |
| OL ON LTD WSK | 444056.47 | -752802.15 | 1A | 321 | | 24 | 24 | 24 | -3001 | | 289R | 31 |
| TREE | 444048.90 | -752759.42 | 1A | 326 | | 29 | 29 | 29 | -2995 | | *503L | 36 |
| TREE | 444049.38 | -752757.18 | 1A | 325 | | 28 | 28 | 28 | -2826 | | 494L | 35 |
| BUSH | 444102.11 | -752745.08 | 1A | 303 | | 6 | 6 | 6 | -1666 | | *546R | 10 |
| BUSH | 444053.78 | -752741.50 | 1A | 301 | | 4 | 4 | 4 | -1619 | | 335L | 8 |
| TREE | 444052.83 | -752737.17 | 1A | 326 | | 29 | 29 | 29 | -1339 | | *505L | 33 |
| BUSH | 444056.27 | -752718.24 | 1A | 317 | | 20 | 20 | 20 | 72 | | 497L | 20 |
| BUSH | 444057.66 | -752716.26 | 1A | 311 | | 14 | 14 | 14 | 245 | | 395L | 12 |
| BUSH | 444058.80 | -752714.04 | 1A | 311 | | 14 | 14 | 14 | 429 | | 322L | 7 |
| TREE | 444057.21 | -752708.47 | 1A | 326 | | 29 | 29 | 29 | 781 | | 576L | 12 |
| ANT ON BLDG | 444108.61 | -752710.06 | 1A | 319 | | 22 | 22 | 22 | 948 | | 573R | -1 |
| TREE | 444110.01 | -752707.28 | 1A | 344 | | 47 | 47 | 47 | 1177 | | *662R | 18 |
| TREE | 444109.10 | -752702.15 | 1A | 341 | | 44 | 44 | 44 | 1514 | | 483R | 5 |
| RD(N) | 444105.15 | -752656.39 | 1A | 330 | | 33 | 33 | 33 | 1821 | | 5L | -15 |
| TREE | 444112.89 | -752656.84 | 1A | 355 | | 58 | 58 | 58 | 1979 | | 763R | 6 |
| TREE | 444109.13 | -752655.22 | 1A | 353 | | 56 | 56 | 56 | 2001 | | 365R | 3 |
| TREE | 444111.36 | -752654.90 | 1A | 373 | | 76 | 76 | 76 | 2078 | | 579R | 21 |
| TREE | 444059.77 | -752646.93 | 1A | 366 | | 69 | 69 | 69 | 2353 | | 700L | 5 |
| TREE | 444101.94 | -752644.10 | 1A | 373 | | 76 | 76 | 76 | 2605 | | 536L | 5 |
| TREE | 444112.64 | -752645.59 | 1A | 368 | | 71 | 71 | 71 | 2762 | | 542R | -5 |
| TREE | 444102.74 | -752641.94 | 1A | 376 | | 79 | 79 | 79 | 2776 | | 494L | 3 |
| TREE | 444109.27 | -752636.91 | 1A | 383 | | 86 | 86 | 86 | 3288 | | 59R | -5 |

ARP HCT

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
|--------|-----------|------------|----|------|-----|-----|-----|---------|----------|------|
| TREE | 444048.90 | -752759.42 | 1A | 326 | | 29 | | 21758 | 643 | 36 |
| TREE | 444047.31 | -752757.98 | 1A | 347 | | 50 | | 20552 | 764 | 31 |
| TREE | 444102.20 | -752800.51 | 1A | 340 | | 43 | | 34950 | 832 | 4 |
| TREE | 444100.80 | -752804.97 | 1A | 335 | | 38 | | 32658 | 906 | 8 |

| ARP | HCT | (CONTINUED) | | | | | | | | | |
|---------------|-----|-------------|------------|----|------|-----|-----|-------|---------|----------|------|
| OBJECT | | LATITUDE | LONGITUDE | A | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
| BUSH | | 444057.26 | -752809.80 | 1A | 292 | | -5 | 29823 | | 1044 | 4 |
| BUSH | | 444102.11 | -752745.08 | 1A | 303 | | 6 | 5954 | | 1079 | 3 |
| TREE | | 444052.83 | -752737.17 | 1A | 326 | | 29 | 11200 | | 1360 | 32 |
| TREE | | 444105.18 | -752740.30 | 1A | 345 | | 48 | 6032 | | 1543 | 13 |
| BUSH | | 444104.57 | -752731.65 | 1A | 304 | | 7 | 7411 | | 2011 | 1 |
| BUSH | | 444054.78 | -752824.85 | 1A | 292 | | -5 | 28412 | | 2099 | 3 |
| TREE | | 444053.49 | -752717.67 | 1A | 337 | | 40 | 10632 | | 2758 | 0 |
| ANT ON HGR | | 444054.97 | -752836.82 | 1A | 312 | | 15 | 28432 | | 2964 | -12 |
| TREE | | 444053.46 | -752713.43 | 1A | 380 | | 83 | 10620 | | 3064 | 31 |
| TREE | | 444054.33 | -752712.24 | 1A | 370 | | 73 | 10440 | | 3148 | 29 |
| HGR | | 444042.02 | -752835.66 | 1A | 317 | | 20 | 25958 | | 3154 | 11 |
| TREE | | 444116.33 | -752723.40 | 1A | 393 | | 96 | 6054 | | 3206 | -54 |
| TREE | | 444041.12 | -752840.94 | 1A | 325 | | 28 | 26108 | | 3540 | 3 |
| TREE | | 444112.16 | -752711.63 | 1A | 365 | | 68 | 7500 | | 3648 | -3 |
| TREE | | 444111.28 | -752710.78 | 1A | 351 | | 54 | 7641 | | 3661 | -2 |
| TREE | | 444110.01 | -752707.28 | 1A | 344 | | 47 | 8007 | | 3833 | 16 |
| TREE | | 444053.04 | -752849.75 | 1A | 371 | | 74 | 28132 | | 3902 | 0 |
| TREE | | 444038.55 | -752845.10 | 1A | 353 | | 56 | 25920 | | 3920 | -9 |
| OL ON TWR | | 444221.03 | -752755.92 | 1A | 689 | 406 | 392 | 1356 | | 8743 | 241 |
| ROD ON OL TWR | | 443900.20 | -752720.60 | 1A | 523 | | 226 | 18137 | | 11872 | -17 |
| ROD ON OL TWR | | 444230.58 | -752532.37 | 1A | 623 | 307 | 326 | 6050 | | 14200 | 84 |

ADDITIONAL INFORMATION:

AERONAUTICAL DATA IS AVAILABLE ON THE INTERNET AT [HTTP://WWW.NGS.NOAA.GOV](http://www.ngs.noaa.gov).

ADDITIONAL INFORMATION ON DATA STANDARDS CAN BE FOUND IN FAA NO. 405, "STANDARDS FOR AERONAUTICAL SURVEYS AND RELATED PRODUCTS".

AN ASTERISK "*" INDICATES THAT THIS OBJECT IS OUTSIDE, BUT WITHIN 50 FEET, OF THE OBSTRUCTION IDENTIFICATION SURFACE.