

AERONAUTICAL DATA SHEET
 NATIONAL GEODETIC SURVEY

DATE GENERATED: 04/18/2003

PROJECT NUMBER: 5687
 ARPT IDENTIFIER: OJC
 ARPT NAME: JOHNSON COUNTY EXECUTIVE AIRPORT
 CITY: OLATHE
 STATE: KANSAS
 ARPT ELEVATION: 1096.2
 AIRPORT REFERENCE POINT

SITE NUMBER: 6811.A
 SURVEY DATE: 06/19/2002
 HORIZONTAL DATUM: NAD83
 VERTICAL DATUM: NAVD88
 ATCT FLOOR ELEV: 1125.0
 DECLINATION: 3.5E

DISTANCE FROM RWY END: 18+0
 LATITUDE: 385051.4
 LONGITUDE: -944415.3

RUNWAY INFORMATION

RUNWAY: 18/36 LENGTH: 4098 WIDTH: 75 SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA
 GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE | LONGITUDE | ELEV | AZ (N) | TDZE | LENGTH | LATITUDE | LONGITUDE | ELEV |
|-----|-------------|--------------|--------|---------|--------|--------|----------|-----------|------|
| 18 | 385111.6022 | -944415.2438 | 1096.2 | 1800751 | 1096.2 | | | | |
| 36 | 385031.1031 | -944415.3621 | 1050.2 | 751 | 1085.5 | | | | |

PROFILE DATA

DISTANCES FROM APPROACH END 36

DISTANCES FROM APPROACH END 18

| DISTANCE | ELEV |
|----------|--------|
| 0 | 1050.2 |
| 1051 | 1065.7 |
| 4098 | 1096.2 |

| DISTANCE | ELEV |
|----------|--------|
| 0 | 1096.2 |
| 3047 | 1065.7 |
| 4098 | 1050.2 |

DATE GENERATED: 04/18/2003

PROJECT NUMBER: 5687
ARPT IDENTIFIER: OJC
ARPT NAME: JOHNSON COUNTY EXECUTIVE AIRPORT
CITY: OLATHE
STATE: KANSAS

SITE NUMBER: 6811.A
SURVEY DATE: 06/19/2002
HORIZONTAL DATUM: NAD83
VERTICAL DATUM: NAVD88

NAVIGATIONAL AID INFORMATION

| ELECTRONIC | LATITUDE | LONGITUDE | ELEV | OFFSET DISTANCE | ALONG CNTRLN DISTANCE |
|--------------|-------------|--------------|--------|--------------------|--------------------------|
| LOC (18) | 385025.3382 | -944415.3743 | 1036.6 | | 583 |
| LOC (36) | 385114.9341 | -944415.2267 | 1091.0 | | 337 |
| LOM (18) | 385607.2081 | -944416.5568 | | | 29909 |
| LOM (36) | 384511.3447 | -944412.6559 | | | 32352 |
| NDB (IX) | 384419.3937 | -945330.7956 | | | |
| VOR/DME(OJC) | 385026.3299 | -944412.3442 | 1033.7 | | |

| VISUAL | LATITUDE | LONGITUDE |
|-----------------|-------------|--------------|
| ALS (18) (OTS) | | |
| ALS (36) | | |
| APBN | 385104.9264 | -944432.0025 |
| REIL (18) (OTS) | | |
| VASI (18) | | |
| VASI (36) | | |

PROJECT NUMBER: 5687
 ARPT IDENTIFIER: OJC
 ARPT NAME: JOHNSON COUNTY EXECUTIVE AIRPORT
 CITY: OLATHE
 STATE: KANSAS

SITE NUMBER: 6811.A
 SURVEY DATE: 06/19/2002
 HORIZONTAL DATUM: NAD83
 VERTICAL DATUM: NAVD88

OBSTRUCTION INFORMATION

18 C

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|----------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| TREE | 385034.94 | -944408.80 | 1A | 1096 | | 0 | 0 | 0 | -3708 | | *518L | 40 |
| TREE | 385042.93 | -944409.25 | 1A | 1096 | | 0 | 0 | 0 | -2899 | | 481L | 29 |
| TREE | 385044.25 | -944422.18 | 1A | 1087 | | -9 | -9 | -9 | -2769 | | *542R | 19 |
| TREE | 385046.41 | -944410.75 | 1A | 1083 | | -13 | -13 | -13 | -2548 | | 361L | 12 |
| TREE | 385047.65 | -944421.46 | 1A | 1078 | | -18 | -18 | -18 | -2425 | | 486R | 6 |
| TREE | 385049.25 | -944408.57 | 1A | 1104 | | 8 | 8 | 8 | -2260 | | *533L | 30 |
| TREE | 385051.46 | -944421.92 | 1A | 1096 | | 0 | 0 | 0 | -2039 | | *523R | 20 |
| TREE | 385051.83 | -944410.70 | 1A | 1091 | | -5 | -5 | -5 | -2000 | | 364L | 15 |
| OL ON LTD WSK | 385053.86 | -944411.23 | 1A | 1100 | | 4 | 4 | 4 | -1794 | | 321L | 22 |
| ROD ON OL AMOM | 385059.99 | -944422.09 | 1A | 1109 | | 13 | 13 | 13 | -1176 | | *539R | 25 |
| ELEC EQUIP | 385103.84 | -944419.39 | 1A | 1089 | | -7 | -7 | -7 | -786 | | 326R | 1 |
| OL ON HGR | 385108.68 | -944421.34 | 1A | 1120 | | 24 | 24 | 24 | -297 | | 482R | 27 |
| ANT ON BLDG | 385114.92 | -944418.55 | 1A | 1110 | | 14 | 14 | 14 | 335 | | 262R | 9 |
| OL ON LOC | 385114.93 | -944415.23 | 1A | 1099 | | 3 | 3 | 3 | 337 | | 1L | -2 |
| RD(N) | 385117.26 | -944419.06 | 1A | 1106 | | 10 | 10 | 10 | 572 | | 303R | -1 |
| TREE | 385121.55 | -944407.48 | 1A | 1127 | | 31 | 31 | 31 | 1008 | | *612L | 7 |
| TREE | 385132.61 | -944415.28 | 1A | 1130 | | 34 | 34 | 34 | 2126 | | 8R | -23 |

36 D

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|----------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| OL ON HGR | 385108.68 | -944421.34 | 1A | 1120 | | 70 | 35 | 24 | -3800 | | 482L | 27 |
| ELEC EQUIP | 385103.84 | -944419.39 | 1A | 1089 | | 39 | 4 | -7 | -3312 | | 326L | 1 |
| ROD ON OL AMOM | 385059.99 | -944422.09 | 1A | 1109 | | 59 | 24 | 13 | -2921 | | *539L | 25 |
| OL ON LTD WSK | 385053.86 | -944411.23 | 1A | 1100 | | 50 | 15 | 4 | -2303 | | 321R | 22 |
| TREE | 385051.83 | -944410.70 | 1A | 1091 | | 41 | 6 | -5 | -2098 | | 364R | 15 |
| TREE | 385051.46 | -944421.92 | 1A | 1096 | | 46 | 11 | 0 | -2058 | | *523L | 20 |
| TREE | 385049.25 | -944408.57 | 1A | 1104 | | 54 | 19 | 8 | -1837 | | *533R | 30 |

36 D (CONTINUED)

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| TREE | 385047.65 | -944421.46 | 1A | 1078 | | 28 | -7 | -18 | -1673 | | 486L | 6 |
| TREE | 385046.41 | -944410.75 | 1A | 1083 | | 33 | -2 | -13 | -1549 | | 361R | 12 |
| TREE | 385044.25 | -944422.18 | 1A | 1087 | | 37 | 2 | -9 | -1329 | | *542L | 19 |
| TREE | 385042.93 | -944409.25 | 1A | 1096 | | 46 | 11 | 0 | -1198 | | 481R | 29 |
| TREE | 385034.94 | -944408.80 | 1A | 1096 | | 46 | 11 | 0 | -390 | | *518R | 40 |
| TREE | 385027.65 | -944421.03 | 1A | 1050 | | 0 | -35 | -46 | 350 | | 448L | -5 |
| OL VOR/DME | 385026.33 | -944412.34 | 1A | 1062 | | 12 | -23 | -34 | 482 | | 240R | 3 |
| OL ON LOC | 385025.34 | -944415.37 | 1A | 1045 | | -5 | -40 | -51 | 583 | | 0R | -16 |
| TREE | 385024.96 | -944417.81 | 1A | 1063 | | 13 | -22 | -33 | 622 | | 192L | 0 |
| RD(N) | 385024.60 | -944415.33 | 1A | 1053 | | 3 | -32 | -43 | 658 | | 4R | -10 |
| TREE | 385021.50 | -944417.29 | 1A | 1069 | | 19 | -16 | -27 | 972 | | 150L | -4 |
| TREE | 385020.27 | -944406.91 | 1A | 1078 | | 28 | -7 | -18 | 1094 | | *671R | 1 |
| TREE | 385010.56 | -944410.13 | 1A | 1086 | | 36 | 1 | -10 | 2078 | | 419R | -19 |

ARP HCT

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
|----------------|-----------|------------|----|------|-----|-----|-----|---------|----------|------|
| TREE | 385051.46 | -944421.92 | 1A | 1096 | | 0 | | 26707 | 524 | 17 |
| TREE | 385049.25 | -944408.57 | 1A | 1104 | | 8 | | 10842 | 575 | 25 |
| TREE | 385050.19 | -944407.83 | 1A | 1109 | | 13 | | 9814 | 604 | 21 |
| TREE | 385044.25 | -944422.18 | 1A | 1087 | | -9 | | 21327 | 906 | 13 |
| OL ON AMOM | 385058.76 | -944423.48 | 1A | 1102 | | 6 | | 31532 | 987 | -3 |
| ROD ON OL AMOM | 385059.99 | -944422.09 | 1A | 1109 | | 13 | | 32446 | 1022 | 19 |
| ANT ON OL ATCT | 385053.18 | -944428.43 | 1A | 1157 | | 61 | | 27619 | 1054 | 3 |
| TREE | 385041.78 | -944424.13 | 1A | 1099 | | 3 | | 21209 | 1198 | 5 |
| TREE | 385037.98 | -944407.75 | 1A | 1117 | | 21 | | 15246 | 1484 | 42 |
| TREE | 385034.94 | -944408.80 | 1A | 1096 | | 0 | | 15920 | 1742 | 37 |
| ROD ON OL APBN | 385104.93 | -944432.00 | 1A | 1151 | | 55 | | 31230 | 1902 | -56 |
| SIGN | 385109.43 | -944407.52 | 1A | 1122 | | 26 | | 1508 | 1925 | 12 |
| ANT ON OL HGR | 385109.41 | -944406.81 | 1A | 1124 | | 28 | | 1644 | 1942 | 6 |
| TREE | 385028.79 | -944406.05 | 1A | 1105 | | 9 | | 15846 | 2402 | 21 |
| TREE | 385027.32 | -944406.75 | 1A | 1089 | | -7 | | 16059 | 2529 | 11 |
| TREE | 385021.84 | -944424.04 | 1A | 1081 | | -15 | | 18930 | 3070 | -2 |
| TREE | 385121.55 | -944407.48 | 1A | 1127 | | 31 | | 757 | 3112 | 5 |
| TREE | 385020.27 | -944406.91 | 1A | 1078 | | -18 | | 16436 | 3218 | -4 |

ARP HCT (CONTINUED)

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
|--------------|-----------|------------|----|------|-----|-----|-----|---------|----------|------|
| TREE | 385126.88 | -944425.43 | 1A | 1141 | | 45 | | 34354 | 3678 | -15 |
| OL ON TK | 385128.34 | -944521.61 | 1A | 1234 | | 138 | | 30158 | 6441 | -12 |
| ANT ON OL TK | 385129.99 | -944521.62 | 1A | 1216 | | 120 | | 30309 | 6540 | -30 |

ADDITIONAL INFORMATION:

AERONAUTICAL DATA IS AVAILABLE ON THE INTERNET AT [HTTP://WWW.NGS.NOAA.GOV](http://www.ngs.noaa.gov).

ADDITIONAL INFORMATION ON DATA STANDARDS CAN BE FOUND IN FAA NO. 405, "STANDARDS FOR AERONAUTICAL SURVEYS AND RELATED PRODUCTS".

AN ASTERISK "*" INDICATES THAT THIS OBJECT IS OUTSIDE, BUT WITHIN 50 FEET, OF THE OBSTRUCTION IDENTIFICATION SURFACE.