

---



---

**Byssinosis: Most frequently recorded industries on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999**

<b>CIC</b>	<b>Industry</b>	<b>Number of Deaths</b>	<b>Percent</b>
142	Yarn, thread, and fabric mills	39	48.2
961	Non-paid worker or non-worker or own home/at home	7	8.6
060	Construction	4	4.9
041	Coal mining	3	3.7
010	Agricultural production, crops	2	2.5
151	Apparel and accessories, except knit	2	2.5
351	Motor vehicles and motor vehicle equipment	2	2.5
392	Not specified manufacturing industries	2	2.5
831	Hospitals	2	2.5
901	General government, n.e.c.	2	2.5
	All other industries	15	18.5
	Industry not reported	1	1.2
<b>TOTAL</b>		<b>81</b>	<b>100.0</b>

CIC - Census Industry Code      n.e.c. - not elsewhere classified

NOTE: The comparable number of byssinosis deaths in the entire United States for this same time period was 125. Percentages may not total to 100% due to rounding. See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, ICD codes, industry and occupation codes, and list of selected states and years.

SOURCE: National Center for Health Statistics multiple cause-of-death data.